NVIRONMENTAL CLEARANCE COMPLIANCE OF CLUSTER-V (GRANTED VIDE J-11015/01/2011-IA.II (M) Dated 11.02.2013) (Upto March 2013)

ŠL	A. SPECIFIC CONDITIONS BY MOEF:	COMPLIANCE
NO		
i	The maximum production shall not exceed beyond that for which environmental clearance has been granted for the mine of cluster V.	The production from the cluster is within the limit for which environmental clearance has been granted.
ii	The road transportation of coal during phase—I should be by trucks. The road used for coal transportation should be developed with avenue plantation on both sides.	It shall be complied.
iii	The company must give priority to capacity building both within the company and to the local youth, who are motivated to carry out the work in future.	It shall be complied.
iv .	The details of Transportation, CSR, R&R Implementation of environmental action plan for each of the 17 clusters should be brought out in a booklet form.	It shall be complied
V	A study should be initiated to analyse extent of reduction in pollution load every year by reducing road transport.	CMPDI RI-2 has been requested for Source Apportionment Study.
vi	The expertise available internationally should be utilised for control of fire in Jharia Coalfields and for their reclamation and to further minimise time for fire and subsidence control.	It shall be complied. Presently Master Plan Approved by Govt. of India is under implementation for this purpose.
vii	The abandoned pits and voids should be backfilled with OB and reclaimed with plantation and or may be used for pisciculture.	It shall be complied as specified in the EMP.
viii	BCCL may consider setting up a separate management structure for implementing environment policy and socioeconomic issues and the capacity building required in this regard.	It is being complied.
ix	The locations of monitoring stations in the Jharia Coalfields should be finalised in consultation with the Jharkhand State Pollution Control Board.	The fixing up of locations of monitoring stations in the Jharia Coalfields has been taken up with the Jharkhand State Pollution Control Board. (copy enclosed as Annexure-B)
x	The smoke/dust emission vary from source to source (fuel wood, coal, fly ash from TPPs, silica from natural dust, etc) and a Source Apportionment Study should be got carried out for the entire Jharia Coalfields.	Action has been taken For the source apportionment study with the help of CMPDIL. Presently ambient air is being monitored through BCCL own Laboratory at HQ level.
хi	Mineralogical composition study should be undertaken on the composition of the suspended particulate matter (PM ₁₀ and PM _{2.5}) in Jharia Coalfields and also quantified. These studies would help ascertain source and extent of the air pollution, based on which appropriate mitigative measures could be taken.	The ambient environment monitoring will be done through Central Institute of Mining & Fuel Research (CIMFR), Dhanbad who is having CSIR laboratory recognized under the EP Rules. Presently ambient air is being monitored through BCCL own Laboratory at HQ level.

xii	The proponent shall prepare time -series maps of the	Work has been awarded to NRSC (earlier NRSA)
	Jharia Coalfields through NRSA to monitor and prevent fire	MoU is to be entered with the NRSC for start of
	problems in the Jharia Coalfields by Isothermal mapping	the work .For this purpose, duly signed MoU has
	/imaging and Monitoring temperatures of the coal seams	been sent to NRSC for necessary processing at
	(whether they are close to spontaneous ignition	
	temperatures) and based on which, areas with potential	their end and to start the work immediately. (Cop
	fire problems shall be identified.	enclosed as Annexure-A)
xiii	Measures to prevent ingress of air (Ventilation) in such	Action is being taken as specified in the Maste
	areas, to prevent restart fresh/spread fires in other areas	Plan and EMP.
	including in mines of cluster V shall be undertaken.	
xiv	Permanent /regular ambient air monitoring is	The fixing up of locations of monitoring stations i
	required for CO, CO ₂ , Methane and its homologues.	the Jharia Coalfields has been taken up with th
	Monitoring station, mobile monitoring should be	Jharkhand State Pollution Control Board
	established at suitable location as the temp in the mine is	(Annexure-B)
	high, in the presence of CH ₄ , the coal may catch fire.	,
	Presence of Aromatic compounds should be investigated	The work of monitoring of ambient environmen
	as most of the aromatic compounds are carcinogenic.	will be done through Central Institute of Mining 8
	•	Fuel Research (CIMFR), Dhanbad which is having
		CSIR laboratory recognized under the EP Rules
xv	Local institution/university should be contacted for such	Local institutions are engaged as & when required
	type of study. Exact measurement for the presence of	in the mines.
	above gases and their potential danger/harmful effect on	
	human should be assessed. ISM Dhanbad and any local	
xvi	university could be contacted for monitoring.	
^VI	The road transportation should be of bigger/high capacity trucks. The road should be strengthened to carry the load	It shall be explored for implementation.
	of high capacity trucks. Railway siding with silo loading will	
	be completed by December, 2015 as informed by the	
	proponents.	
xvii	Master Plan for dealing fire for next 12 year which is under	Govt. of India approved Master Plan and status of
Ī	implementation, Details of same from August 2011 till date	action taken is uploaded on the official website of
•	year-wise should be provided. An Action Plan which is in	BCCL www.bccl.gov.in.
	progress should be submitted to the Ministry.	
xvii	Underground mining should be taken up after completion	It shall be complied.
j	of reclamation of Opencast mine area after 15 years.	
xix	No mining shall be undertaken where underground fires	It is being complied.
	continue. Measure shall be taken to prevent/ check such	•
	fire including in old OB dump areas where the fire could	
	start due to presence of coal /shale with sufficient carbon	
	content.	
	The rejects of washeries in Cluster –V should be send to FBC based plant.	NO WASHERY AT PRESENT
xxi	There shall be no external OB dumps. At the end of the	Action is being taken as specified in EMP.
	mining there shall be no void and the entire mined out	Backfilling of OB is going on with mining. At the
1	area shall be re-vegetated. Areas where opencast mining	end of mining there shall be no void and area will
	was carried out and completed shall be reclaimed	
	immediately thereafter.	be re-vegetated and reclaimed.
xxii	There shall be no water body left at the end of mining.	It shall be complied.
xxii .	A detailed calendar plan of production with plan for OB	Calendar plan has been prepared.
<u>i</u>	dumping and backfilling (for OC mines) and reclamation	, h sparout

	/	
A	and final mine closure plan for each mine of cluster-V shall	Mine closure plan as per the guidelines of Ministry
	be drawn up and implemented.	of Coal and on the basis of cluster concept is
		under preparation by Central Mine planning and
		Design Institute (CMPDI).
xxi	The void shall be converted into a water reservoir of a	It shall be complied. A part of the void will be
v	maximum depth of 15-20 m and shall be gently sloped and	converted into the water body as specified in EMP.
	the upper benches of the reservoir shall be stabilised with	To the water body as specified in Eight.
	plantation and the periphery of the reservoir fenced. The	
	abandoned pits and voids should be backfilled with OB and	
	biologically reclaimed with plantation and or may be used	
	for pisciculture	
XXV	Mining shall be carried out as per statuette from the	It is being followed. Action for construction of
	streams/nalas flowing within the lease and maintaining a	embankment has been taken as specified in EMP.
	safe distance from the Nalas flowing along the lease	
	boundary. A safety barrier of a minimum 60m width shall be maintained along the nalas/water bodies.	
	be maintained along the halas, water bodies.	·
	The small water bodies in OC shall be protected to the	
	extent feasible and the embankment proposed along	
	water body shall be strengthened with stone pitching.	
XXV.	Active OB dumps near water bodies and rivers should be	No OB is being dumped near water bodies. Further
i	rehandled for backfilling abandoned mine voids. However,	action has been taken for their eco-restoration
	those which have been biologically reclaimed need not be	work as per Road Map prepared by FRI, Dehradun.
	disturbed.	
xxv	Thick green belt shall be developed along undisturbed	It is being complied. Yearly plantation is being
ii	areas, mine boundary and in mine reclamation. During	done for development of green belts as per EMP.
	post mining stage, a total of 1957.08 ha area would be	·
	reclaimed. The total additional area under plantation would be 939.17 ha (green belt of 76 ha, Ext. OB dump	
	73.07 ha, backfilled area, 300.35 ha, other undisturbed	
	area 489.77 ha) by planting 1878380 plants in 939.19 ha at	
	a total cost Rs 7202.46 lakhs.	
XXV	The road should be provided with avenue plantation on	It shall be complied.
iii	both side as trees act as sink of carbon and other	
	pollutant.	
xxi	Specific mitigative measures identified for the Jharia	Dhanbad Action Plan is being implemented. The
х	Coalfields in the Environmental Action Plan prepared for	salient actions of this cluster
	Dhanbad as a critically polluted area and relevant for	Covered transportation of coal.
	Cluster V shall be implemented.	2. Water sprinkling
•		3. Plantation.
ххх	The locations of monitoring stations in the Jharia	The fixing up of locations of monitoring stations in
	Coalfields should be finalized in consultation with the	the Jharia Coalfields has been taken up with the
	Jharkhand State Pollution Control Board. The Committee	Jharkhand State Pollution Control Board.
	stated that smoke/dust emission vary from source to	(Annexure-B)
	source (fuel wood, coal, fly ash from TPPs, silica from	
	natural dust, etc) and a Source Apportionment Study	The work of monitoring of ambient environment
	should be got carried out for the entire Jharia Coalfields.	will be done through Central Institute of Mining &
	Mineralogical composition study should be undertaken on	Fuel Research (CIMFR), Dhanbad which is having
	the composition of the suspended particulate matter	CSIR laboratory recognized under the EP Rules. For

1	(PM10 and PM2.5) in Jharia Coalfields and also quantified.	the source apportionment study the action
1	These studies would help ascertain source and extent of	been taken with help of CMPDIL.
	the air pollution, based on which appropriate mitigative	Presently ambient air is being monitored through
	measures could be taken.	1
	· · · · · · · · · · · · · · · · · · ·	BCCL own Laboratory at HQ level.
I	No groundwater shall be used for the mining activities.	It is being complied and mine water is being used
	Additional water required, if any, shall be met from mine	for the industrial purpose. Further Mine water is
I	water or by recycling/reuse of the water from the existing	also utilized for the community and irrigation
	activities and from rainwater harvesting measures. The	purposes.
	project authorities shall meet water requirement of	Following actions has been taken by the company
	nearby village(s) in case the village wells go dry due to	Installation of Pressure filters for utilisation of
	dewatering of mine.	mine water
		Rain water Harvesting
VVV	Regular monitoring of groundwater level and quality of the	It shall be complied. The work of monitoring wi
	study area shall be carried out by establishing a network of	be done through Central Institute of Mining & Fue
	existing wells and construction of new peizometers. The	
1	monitoring for quantity shall be dome four times a year in	Research (CIMFR), Dhanbad which is having CSI
	pre-monsoon (May), monsoon (August), post-monsoon	laboratory recognized under the EP Rules
1	(November) and winter (January) seasons and for quality	Presently CMPDI is monitoring the ground water
	including Arsenic and Fluoride during the month of May.	level.
	Data thus collected shall be submitted to the Ministry of	
	Environment & Forest and to the Central Pollution Control	Fixing up the monitoring stations for this purpose
	Board/SPCB quarterly within one month of monitoring.	is under process with Jharkhand State Pollution
	Rainwater harvesting measures shall be undertaken in	Control Board.
	case monitoring of water table indicates a declining trend.	Control Board.
xxx	Mine discharge water shall be treated to meet prescribed	It shall be complied. Jharkhand State Pollution
	standards before discharge into natural water	Control Board has been consulted for thi
	courses/agriculture. The quality of the water discharged	purpose.
	shall be monitored at the outlet points and proper records	1 7 7
	maintained thereof and uploaded regularly on the	The monitoring will be done through Central
	company website.	Institute of Mining & Fuel Research (CIMFR)
		Dhanbad which is having CSIR laborator
	,	recognized under the EP Rules. Presently min
* .		water is being monitored through BCCL ow
	•	Laboratory at HQ level.
xxx	ETP shall also be provided for workshop and CHP, if any.	Construction of ETP/ Oil grease Trap is being
	Effluents shall be treated to confirm to prescribed	taken-up.
	standards in case discharge into the natural water course	tuneri upi
	,	·
	Donales assistantes of subsides assistantes of the	At an analysis and a second se
L L	Regular monitoring of subsidence movement on the	At present only development districts are
	surface over and around the working area and impact on	operational at UG mines in Cluster V and no
	natural drainage pattern, water bodies, vegetation,	depillaring district is taken up. However regular
	structure, roads, and surroundings shall be continued till	monitoring of subsidence will be undertaken on
	movement ceases completely. In case of observation of	commencement of depillaring districts.
	any high rate of subsidence movement, appropriate	
	effective corrective measures shall be taken to avoid loss	
	of life and material. Cracks shall be effectively plugged	
- 1	with ballast and clayey soil/suitable material.	1

g ²	Sufficient coal pillars shall be left unextracted around the	Sufficient coal pillars have been left around air
A	air shaft (within the subsidence influence area) to protect	shafts as per the statutes and DGMS guidelines.
8	from any damage from subsidence, if any.	
xxx	High root density tree species shall be selected and	Identification of high root density Plant and its
vii	planted over areas likely to be affected by subsidence.	plantation in subsidence prone area will be taken-
	•	up at the time of depillaring operations.
ххх	Depression due to subsidence resulting in water	It shall be complied.
viii	accumulating within the low lying areas shall be filled up	·
	or drained out by cutting drains.	
ххх	Solid barriers shall be left below the roads falling within	Sufficient barriers are left for saving the surface
ix	the blocks to avoid any damage to the roads.	installation and infra structures as per the statute
	•	and DGMS guidelines.
хl	No depillaring operation shall be carried out below the	It is being followed.
	township/colony.	
xli	The Transportation Plan for conveyor-cum-rail for Cluster-	Action has been taken for formulating adequate
	V should be dovetailed with Jharia Action Plan. Road	transportation plan for conveyor-cum-rail system
	transportation of coal during Phase–I should be by	of dispatch. CMPDIL has been requested to
	mechanically covered trucks, which should be introduced	prepare the plan.
İ	at the earliest. The Plan for conveyor-cum-rail for Cluster-	By that time transportation is being done by
	V should be dovetailed with Jharia Action Plan. The road	
	transpiration of coal during phase–I should be by	covering vehicle with tarpaulin cover. Action for
	mechanically covered trucks.	mechanically covered trucks has been taken.
xlii	A study should be initiated to analyze extent of reduction	CMPDI RI-2 has been requested for Source
٠,	in pollution load every year by reducing road transport.	Apportionment Study.
xliii	R&R of 5835 nos of PAF's involved. They should be	Implementation is being done as per the Master
	rehabilitated at cost of shifting to safe areas at the cost of	plan.
1.	Rs 104024.9 Lakhs as per the approved Jharia Action Plan.	
xliv	A detailed CSR Action Plan shall be prepared for Cluster V	It shall be complied. BCCL is implementing CSR
	group of mines. Specific activities shall be identified for	activities.
	CSR the budget of Rs. 242.7 Lakhs per year@ Rs 5/T of coal	·
	as recurring expenditure. The 265.25 ha of area within	
	Cluster V ML existing as waste land and not being acquired shall be put to productive use under CSR and developed	
ŀ	with fruit bearing and other useful species for the local	
	communities. In addition to afforesting 250.57 ha of are at	
	the post-mining stage, the waste land /barren land within	
	Cluster V ML shall be rehabilitated/reclaimed as	
	forest/agricultural land under CSR Plan in consultation	, '
]	with local communities. Third party evaluation shall be got	
	carried out regularly for the proper implementation of	
	activities undertaken in the project area under CSR. Issue	
	raised in the Public Hearing shall also be integrated with	
	activities being taken up under CSR. The details of CSR	
	undertaken along with budgetary provisions for the	
	village-wise various activities and expenditure thereon	
.	shall be uploaded on the company website every year. The	
	company must give priority to capacity building both	
	within the company and to the local youth, who are	· · · ·
	motivated to carry out the work in future. CSR should be	<i>:</i>

	Rs 4.6 Lakhs for cluster-V for year 2012-13 and thereafter.	The state of the s
	Social Audit should be carried out for CSR for its actual	
	implementation.	
	Mine Closure Plan of Cluster –V is in draft stage, the same	It shall be complied
	should be submitted to ministry	it shall be complied
	For monitoring land use pattern and for post mining land	Complied. Presently a time series map of
	use, a time series of land use maps, based on satellite	
	imagery (on a scale of 1: 50000) of the core zone and	vegetation cover in the Jharia Coal Field is bein
-	= · ·	carried out through CMPDI Ranchi.
	buffer zone, from the start of the project until end of mine	Further CMPDI has been requested to prepar
	life shall be prepared once in 3 years (for any one	"Time series of land use maps based on satellit
Ì	particular season which is consistent in the time series),	imagery of the core zone and buffer zone in th
	and the report submitted to MOEF and its Regional office	
	at Bhubaneswar.	scale 1:50000 for every 3 years.
	A Final Mine Closure Plan along with details of Corpus	CMPDI has been requested to prepare "Final Min
	Fund shall be submitted to the Ministry of Environment &	Closure Plan along with a Plan for Habita
	Forests five year before mine closure for approval. Habitat	Restoration and with details of Corpus Fund".
	Restoration Plan of the mine area shall be carried out	
	using a mix of native species found in the original	
	ecosystem, which were conserved in-situ and ex-situ in an	
	identified area within the lease for reintroduction in the	
	mine during mine reclamation and at the post mining stage for habitat restoration.	
		A 6 11 61 - 1 - 1 5
	A separate environmental management cell with suitable qualified personnel shall be setup under the control of a	A full-fledged Environment Department, heade
	Senior Executive, who will report directly to the Head of	by a HoD (Environment) along with a suitable
	the company for implementing environment policy and	qualified multidisciplinary team of executives (1)
	socio-economic issues and the capacity building required	nos.) which includes Environment, Mining
	in this regard.	Excavation, Civil, Survey ,Electrical & mechanica
Ī	-0	Forestry disciplines executives and technicians (
		nos.) has been established in Headquarters. The
	·	are also trained in ecological restoration
		sustainable development, rainwater harvesting
	•	-
		methods etc. At the project level, one Executive in
ļ		each area has also been nominated as Projec
		Nodal Officer (Environment) and is also entrusted
		with the responsibility of compliance and
•		observance of the environmental Acts/ Law
		including environment protection measures .The
		activities are monitored on regular basis at Area
	<i>,</i>	- ·
		and at Head quarters levels. GM (Environment) a
	·	head quarter level, co-ordinates with all the Area
		and reports to the Director (Technical) and in turn
	,	he reports to the CMD of the company.
		The team is multidisciplinary and very much
		motivated under the guidance of company's
.		
		Director (Technical) and CMD. Further capacity
		building at both corporate and operating level is
	•	being done.

	t	
ĺΧ	Implementation of final mine closure plan for Cluster V,	For the purpose of safety issues related to the
	subject to obtaining prior approval of the DGMS in regard	closure of mine prior approval of DGMS will be
	to mine safety issues	taken.
	Corporate Environment Responsibility:	
	a) The Company shall have a well laid down Environment	A well defined Corporate Environment Policy has
	Policy approved by the Board of Directors.	already been laid down and approved by the
		Board of Directors. This is also posted on BCCL
:	b) The Environment Policy shall prescribe for standard	website.
	operating process/procedures to bring into focus any infringements/deviation/violation of the environmental or	
٠.	forest norms/conditions.	Complied.
	torest norms/conditions.	
	c) The hierarchical system or Administrative Order of the	
	company to deal with environmental issues and for	A hierarchical system of the company to deal with
	ensuring compliance with the environmental clearance	environmental issues from corporate level to mine
	conditions shall be furnished.	level already exists.
	d) To have proper checks and balances, the company shall	i ievei aireauy exists.
	have a well laid down system of reporting of non-	
	compliances/violations of environmental norms to the	Being complied.
	Board of Directors of the company and/or shareholders or	
,	stakeholders at large. General Conditions by MOEF:	
3	No change in mining technology and scope of working	Being complied.
	shall be made without prior approval of the Ministry of	
	Environment and Forests.	
i	No change in the calendar plan of production for quantum	Being complied.
	of mineral coal shall be made.	
ii	Four ambient air quality monitoring stations shall be	The fixing up of locations of monitoring stations in
	established in the core zone as well as in the buffer zone	the Jharia Coalfields has been taken up with the
•	for PM10, PM2.5, SO2 and NOx monitoring. Location of	Jharkhand State Pollution Control Board.
	the stations shall be decided based on the meteorological	
	data, topographical features and environmentally and ecologically sensitive targets in consultation with the State	The work of monitoring of ambient environment
	Pollution Control Board. Monitoring of heavy metals such	will be done through Central Institute of Mining &
	as Hg, As, Ni, Cd, Cr, etc carried out at least once in six	Fuel Research (CIMFR), Dhanbad which is having
	months.	CSIR laboratory recognized under the EP Rules.
		, -
v	Data on ambient air quality (PM10, PM 2.5, SO2 and NOx)	It shall be complied.
	and heavy metals such as Hg, As, Ni, Cd, Cr and other	'
	monitoring data shall be regularly submitted to the	
ļ	Ministry including its Regional Office at Bhubaneswar and	
	to the State Pollution Control Board and the Central	
	Pollution Control Board once in six months. Random	
	verification of samples through analysis from independent	
.	laboratories recognised under the EPA rules, 1986 shall be	
	furnished as part of compliance report.	
	Adequate measures shall be taken for control of noise	It is being complied.
	levels below 85 dBA in the work environment. Workers	

	engaged in blasting and drilling operations, operation of HEMM, etc shall be provided with ear plugs/muffs.	
vî	Industrial wastewater (workshop and wastewater from the mine) shall be properly collected, treated so as to conform to the standards prescribed under GSR 422 (E) dated 19th May 1993 and 31st December 1993 or as amended from time to time before discharge. Oil and grease trap shall be installed before discharge of workshop effluents.	The fixing up of locations of monitoring stations the Jharia Coalfields has been taken up with t Jharkhand State Pollution Control Board. The work of monitoring of ambient environme will be done through Central Institute of Mining Fuel Research (CIMFR), Dhanbad which is havi laboratory recognized under the EP Rule Presently mine effluent is being monitore through BCCL own Laboratory at HQ level.
vii	Vehicular emissions shall be kept under control and regularly monitored. Vehicles used for transporting the mineral shall be covered with tarpaulins and optimally loaded.	It shall be Complied.
viii	Monitoring of environmental quality parameters shall be carried out through establishment of adequate number and type of pollution monitoring and analysis equipment in consultation with the State Pollution Control Board and data got analysed through a laboratory recognised under EPA Rules, 1986.	It is being done.
ix	Personnel working in dusty areas shall wear protective respiratory devices and they shall also be provided with adequate training and information on safety and health aspects.	Being Complied. Vocational training Centers under separate Human Resource Development Deptt. conducting regular training programme on the issues.
X	Occupational health surveillance programme of the workers shall be undertaken periodically to observe any contractions due to exposure to dust and to take corrective measures, if needed and records maintained thereof. The quality of environment due to outsourcing and the health and safety issues of the outsourced manpower should be addressed by the company while outsourcing.	Initial Medical Examination (IME) and Periodic Medical Examination (PME) of all the personne are carried out as per the Statutes and Directo General of Mines Safety (DGMS) guideline.
	A separate environmental management cell with suitable qualified personnel shall be set up under the control of a Senior Executive, who will report directly to the Head of the company.	A full-fledged Environment Department, heade by a HoD (Environment) along with a suitabl qualified multidisciplinary team of executives (1 nos.) which includes Environment, Mining Excavation, Civil, Survey ,Electrical & mechanica Forestry disciplines executives and technicians (nos.) has been established in Headquarters. The are also trained in ecological restoration sustainable development, rainwater harvesting methods etc. At the project level, one Executive in each area has also been nominated as Project Nodal Officer (Environment) and is also entrusted with the responsibility of compliance and

		observance of the environmental Acts/ Laws including environment protection measures .The activities are monitored on regular basis at Area and at Head quarters levels. GM (Environment) at head quarter level, co-ordinates with all the Areas and reports to the Director (Technical) and in turn he reports to the CMD of the company. The team is multidisciplinary and very much motivated under the guidance of company's Director (Technical) and CMD. Further capacity building at both corporate and operating level is
xii	The funds compared for an in-	being done.
*"	The funds earmarked for environmental protection measures shall be kept in separate account and shall not be diverted for other purpose. Year-wise expenditure shall	It is being complied.
	be reported to this Ministry and its Regional Office at	
	Bhubaneswar.	
xiii	The Project authorities shall advertise at least in two local	It has been complied.
	newspapers widely circulated around the project, one of	ichas seen complied.
	which shall be in the vernacular language of the locality	Advarticement in least name and
	concerned within seven days of the clearance letter	Advertisement in local newspaper is enclosed as
]	informing that the project has been accorded	annexure-C.
ĺ	environmental clearance and a copy of the clearance letter	
	is available with the State Pollution control Board and may	
Į.	also be seen at the website of the ministry of Environment	
xiv	& Forests at http://envfor.nic.in.	
7.14	A copy of the environmental clearance letter shall be marked to concern Panchayat/Zila Parishad, Municipal	Complied.
	corporation or Urban local body and local NGO, if any,	<u>.</u>
	from whom any suggestion /representation has been	·
	received while processing the proposal. A copy of the	· · ·
	clearance letter shall also be displayed on company's	
	website.	
ΧV	A copy of the environmental clearance letter shall be shall.	Complied.
}	also be displayed on the website of the concerned State	- Complicati
	Pollution Control Board. The EC letter shall also be	
	displayed at the Regional Office, District Industry Sector	
<u> </u>	and Collector's Office/Tehsildar's Office for 30 days.	
xvi	The clearance letter shall be uploaded on the company's	Complied.
	website. The compliance status of the stipulated	
	environmental clearance conditions shall also be uploaded	
	by the project authorities on their website and updated at	·
	least once every six months so as to bring the same in	
	public domain. The monitoring data of environmental	
}	quality parameter (air, water, noise and soil) and critical	
	pollutant such as PM10, PM2.5, SO2 and NOx (ambient)	
}	and critical sectoral parameters shall also be displayed at	
	the entrance of the project premises and mine office and in corporate office and on company's website.	
	sorporate office and off company's website.	

- 1	The project proponent shall submit six monthly	It is being complied.
	compliance reports on status of compliance of the	`
	stipulated environmental clearance conditions (both in	
	hard copy and in e-mail) to the respective Regional Office	
	of the Ministry, respective Zonal Office s of CPCB and the	
	SPCB.	
	The Regional Office of this Ministry located at	It shall be complied.
	Bhubaneswar shall monitor compliance of the stipulated	·
	conditions. The Project authorities shall extend full	·
- 1	cooperation to the office(s) of the Regional Office by	·
	furnishing the requisite data/information/monitoring	
_	reports.	
- 1	The Environmental statement for each financial year	Being complied.
- 1	ending 31 March in For –V is mandated to be submitted by	
	the project proponent for the concerned State Pollution	
	Control Board as prescribed under the Environment	
	(Protection) Rules, 1986, as amended subsequently, shall	·
	also be uploaded on the company's website along with the	·
	status of compliance of EC conditions and shall be sent to	
	the respective Regional Offices of the MoEF by E-mail	To larente
	Other Conditions by MOEF:	
	The Ministry or any other Competent Authority may	Agree
	stipulate any further condition(s) for environmental	
	protection.	
1	Failure to comply with any of the conditions mentioned	Agree.
1	above may result in withdrawal of this clearance and attract the provisions of the Environment (Protection). Act,	
	1986.	
	The above conditions will be enforced inter-alia, under the	Being complied.
- 1	provisions of the Water (Prevention & Control of Pollution)	Being compiled.
	Act, 1974, the Air (Prevention & Control of Pollution) Act,	
	1981, the Environment (Protection) Act, 1986 and the	
	Public-Liability-Insurance-Act, 1991-along with their	
	amendments and Rules. The proponent shall ensure to	
	undertake and provide for the costs incurred for taking up	
	remedial measures in case of soil contamination,	·
	contamination of groundwater and surface water, and	
	occupational and other diseases due to the mining	
	operations.	
	The Environmental Clearance is subject to the outcome of	Agroo
- 1		Agree.
	the Writ Petition filed by M/S Bharat Coking Coal Limited	
	BCCL) in response to the closure orders issued by the	
. -	harkhand State Pollution Control Board which is pending n the Jharkhand High Court.	