

51<sup>st</sup> Meeting of Expert Appraisal Committee (Infra-2) for Projects related to All Ship Breaking Yard including Ship Breaking Unit, Airports, Common Hazardous Waste Treatment, Storage and Disposal Facilities, Ports and Harbours, Aerial Ropeways, CETPs, Common Municipal Solid Waste Management Facility, Building/Construction Projects, Townships and Area Development Projects to be held on 21-22 May, 2020 through Video Conferencing.

### REVISED AGENDA

Venue: Through Video Conferencing during 21-22 May, 2020  
21.05.2020 - 1430 hrs to 1730 hrs.  
22.05.2020 - 1000 hrs to 1330 hrs and 1430 hrs to 1630 hrs.

Please Check MoEF&CC website at <https://parivesh.nic.in> for details /updates.

#### Important Note:

- i. It is informed that the 51<sup>st</sup> Meeting of EAC (Infra-2) is scheduled to be held during 21-22 May, 2020 through Video Conferencing. Accordingly concerned Project Proponents are hereby requested to send documents (viz. Presentation, Brief, EIA/EMP Report and other requisite documents) to the EAC/Ministry latest by **14.05.2020**.
- ii. It is requested that project proponent or his/her authorized representative should also participate and present their proposal to EAC through Video Conferencing (preferably not more than two representatives), who can make a presentation on their behalf on the salient features of the project, the related environmental issues, proposed Environmental Management Plan and also respond to the queries/suggestions of the Committee.
- iii. The NIC, MoEF&CC will moderate Video Conferencing meeting. The Guidelines related to connecting VC is annexed herewith (Annexure VI). Proponent along with EIA Coordinator (mandatory in case of EC proposals) and with all requisite documents shall be ready before 10 minutes of the slot allowed to them. In case of any problem regarding Video Conferencing, please contact **Mr Kamal, Moderator, NIC (Mobile No. 8800225087, email - support-ipb@nic.in)**.
- iv. Copy of presentation and brief shall be forwarded to the EAC/Ministry immediately latest by **May 14, 2020**.
- v. Please send the information as per “check list at Annexure-II, III, IV and V” and a brief project summary in 1-2 pages (**in Word Format only**) along with the **copy of power point presentation** by e-mail and also a signed & scanned copy at [vinodsingh.77@gov.in](mailto:vinodsingh.77@gov.in), [shard.sapra@nic.in](mailto:shard.sapra@nic.in), [kumar.rajendra@nic.in](mailto:kumar.rajendra@nic.in), [d.gautam@gov.in](mailto:d.gautam@gov.in) and [mefcc.ia3@gmail.com](mailto:mefcc.ia3@gmail.com) at least one week prior to the EAC meeting. Kindly indicate the agenda no. in the e-mail and also on the first page of the documents circulated during the meeting. Without this information, EAC may not consider the proposal for the meeting.

- vi. No consultant is permitted into the meeting who has no accreditation with Quality Council of India (QCI)/ National Accreditation Board of Education and Training (NABET) according to the MoEF&CC OM dated 2<sup>nd</sup> December, 2009.

**Note:** No case will be heard where Certified compliance report of earlier EC is not available in case of expansion/modification/revision of the project. In addition to it an affidavit is required to be submitted by the Project Proponent Certifying:

- a. That there no construction is done at the site or the construction done without any deviation as per previous EC obtained (Ref.)
  - c. That there is no construction carried out at project site as on date or construction of .....sqm out of .....sqm done as on date as per previous EC obtained (Ref.)Affidavit should also submit that there is no litigation on the project either at NGT or any other court of Law.
  - d. It is a fresh proposal / the proposal was taken up at SEIAA/SEAC (details of meeting to be appended).
  - e. The land has been purchased by ..... / allotted by.....Development authority. The land is in our possession and there is no R&R issue.
  - f. There is no difference in the documents submitted i.e., Form I, IA, Conceptual Plan, EIA/EMP report and presentation being made.
  - g. Reason for submitting the project at MoEFCC.
-

**Day 1- Thursday, 21<sup>st</sup> May, 2020 (Time: 1430 hrs to 1730 hrs)**

- 51.1. Opening Remarks of the Chairman. (1430 hrs -1435 hrs)
- 51.2. Confirmation of the Minutes of the 50<sup>th</sup> Meeting of the EAC (Infra-2) held on 22-24 April, 2020 at New Delhi. (1435 hrs -1445 hrs)
- 51.3 **Consideration of Proposals:**

Agenda item No.	Slot (hrs)	Details of the project
51.3.1	1445	Development of LPG and Liquid Storage Terminal within Port area at Village Chhara - Sarkhadi, Taluka Kodinar District Gir Somnath, Gujarat by M/s West Coast Liquid Terminal Private Limited – <b>Environmental and CRZ Clearance</b> (IA/GJ/MIS/115006/2016; F.No. 10-69/2016-IA-III)
51.3.2	1525	Up gradation of existing 4 MLD Common Effluent Treatment Plant unit to 10 MLD at Industrial Estate, Kundli, Sonipat by M/s HSIIDC Kundli – <b>Environmental Clearance</b> (IA/HR/MIS/136228/2019; F.No. 10-23/2019-IA-III)
51.3.3	1605	Proposed expansion of secured landfill (Phase IV) of Integrated Common Hazardous Waste Treatment, Storage and Disposal Facility (TSDF) at plot number 9701-9716, GIDC Ankleshwar, proposed by M/s Bharuch Enviro Infrastructure Limited – <b>Environmental Clearance</b> (IA/GJ/MIS/22321/2014; F.No. 10-25/2019-IA-III)
51.3.4	1645	Environment and CRZ clearance for the development of Multi Cargo Port with supporting utilities and Infrastructure facilities at Hazira, Surat, Gujarat by Adani Hazira Port Pvt. Ltd. – <b>Extension of validity of Environmental and CRZ Clearance</b> (IA/GJ/MIS/148606/2020; F.No. 11-150/2010-IA.III)
51.3.5	1705	Environment and CRZ clearance for the development of Port at Ponnani, Mallapauram District, Kerala by M/s Malabar Port Pvt. Ltd. – <b>Extension of validity of Environmental and CRZ Clearance</b> (IA/KL/MIS/152182/2020; F.No. 11-81/2011-IA.III)

**Day 2- Friday, 22<sup>nd</sup> May, 2020 (Time: 1000 hrs to 1330 hrs)**

Agenda item No.	Slot (hrs)	Details of the project
51.4.1	1000	Group Housing Project Located at Plot No-3, Sector-D, Pocket-4, Vasant Kunj, New Delhi 110070 by M/s The Jag Jiwan Cooperative Group Housing Society Ltd – <b>Environmental Clearance</b> (IA/DL/MIS/151213/2020; F.No. 21-34/2020-IA-III)
51.4.2	1035	Construction of 500 bedded Government Hospital, located at Khasra no.- 1726 (bg, bh, bk, bl), 1727, Village Dimna, Circle Mango, Town Jamshedpur, District East Singhbhum, Jharkhand by M/s Jharkhand State Building Construction Corporation Ltd. –

		<b>Environmental Clearance</b> (IA/JH/MIS/151071/2020; F.No. 21-35/2020-IA-III)
51.4.3	1110	Group Housing at Khasra No. 8/26/2, Village Kapashera, Tehsil Vasant Vihar, New Delhi by M/s Anant Raj Limited – <b>Environmental Clearance</b> (IA/DL/MIS/152620/2020; F.No. 21-36/2020-IA-III)
51.4.4	1145	“150 Bedded Hospital” Besides Archana Cinema, Public Building Site no. 1, Greater Kailash-1, New Delhi by M/s Lal Chand Public Charitable Trust – <b>Reconsideration for Environmental Clearance</b> (IA/DL/MIS/114924/2019; F.No.21-74/2019-IA-III)
51.4.5	1220	Integrated Municipal Waste Management Project for Deoghar Nagar Nigam at Plot No: 723, 723/752, 701, 702, 720 , Rakba 23.56 Acre, Thana number 242, Khata No 58, Pachiyari Kothiya Village, District Deoghar, Jharkhand by M/s Deoghar Nagar Nigam – <b>Reconsideration for Environmental Clearance</b> (IA/JH/MIS/78087/2018; F.No. 10-70/2018-IA-III)
51.4.6	1235	Expansion of Residential Complex "M2k Victoria Gardens" at Ring Road, Azadpur, New Delhi by M/s Negolice India Limited – <b>Reconsideration for Terms of Reference</b> (IA/DL/MIS/124665/2019; F.No. 21-79/2019-IA-III)
51.4.7	1250	'Proposed Building Construction for 1 <sup>st</sup> BN NDRF' by M/s 1 <sup>st</sup> BN NDRF at Sonapur, Guwahati, Assam - <b>Reconsideration for Environmental Clearance</b> (IA/AS/MIS/147769/2020; F.No. 21-29/2020-IA-III)

(Time: 1430 hrs to 1630 hrs)

Agenda item No.	Slot (hrs)	Details of the project
51.4.8	1430	Aerial Passenger Ropeway System between Purkul Gaon (Dehradun) and Library (Mussoorie) by M/s Mussoorie Sky Car Company Private Limited – <b>Terms of reference</b> (IA/UK/MIS/149939/2020; F.No. 10-33/2020-IA-III)
51.4.9	1450	Development of Water Aerodrome at Umrrangso Reservoir Dam, Dima Hasao District, Assam by M/s Transport Department, Government of Assam – <b>Terms of reference</b> (IA/AS/MIS/151916/2020; F.No. 10-34/2020-IA-III)
51.4.10	1510	Common Bio-Medical Waste Treatment Facility at Plot No. B2/92 & B2/93, village Mohan Cooperative Industrial Estate by M/s Biotic Waste Solutions Pvt. Ltd. – <b>Terms of reference</b> (IA/DL/NCP/149344/2020; F.No. 10-35/2020-IA-III)
51.4.11	1530	Common hazardous waste incineration facilities at 342 B, 2nd Phase, Harohalli Industrial Area, Kanakpura Taluk, Ramanagara District, Karnataka by M/s E Nano Incintech – <b>Amendment in Terms of reference</b> (IA/KA/MIS/150340/2020; F.No. 10-26/2017-

		IA-III)
51.4.12	1550	Augmentation of Liquid Cargo Handling Capacity from 8 MMTPA to 10 MMTPA through modernization of Existing Pipeline network at Oil Jeety Area, Deendayal Port Trust, Kandla by M/s Kandla Port Trust – <b>Amendment in Terms of reference</b> (IA/GJ/MIS/151823/2020; F.No. 10-26/2018-IA-III)
51.4.13	1610	Proposed Installation of Single Point Mooring & Associated Infrastructure at Vadinar Taluka Khambhalia District Devbhumi Dwarka by M/s Coviva Energy Terminals Limited (a subsidiary of Nayara Energy Ltd.) – <b>Reconsideration for Terms of Reference</b> (IA/GJ/MIS/140238/2020; F.No. 10-12/2020-IA-III)

**51.5 Any other item with the permission of Chair.**

\*\*\*\*

### Expert Appraisal Committee (Infra-2)

Sr. No.	Name & Address	Position
1.	<b>Prof. T. Haque</b> , Retd. Director & CEO, Council for Social Development, 53, Lodhi Estate, New Delhi, E-mail: <a href="mailto:drt.haque@gmail.com">drt.haque@gmail.com</a>	Chairman
2.	<b>Dr. N. P. Shukla</b> , Ex. Chairman, MPPCB, H-44-B, Apsara Complex, Indrapuri, A-Sector, Bhopal - 462021, Madhya Pradesh E-mail: <a href="mailto:shuklanp55@yahoo.co.in">shuklanp55@yahoo.co.in</a> ; <a href="mailto:shuklanp55@gmail.com">shuklanp55@gmail.com</a>	Member
3.	<b>Dr. H. C. Sharatchandra</b> , Ex. Chairman, Karnataka, SPCB "Belaku" 66, 3 <sup>rd</sup> Main Road, Amarjyothi Layout Cholanagara, Bangalore - 560032, Karnataka E-mail: <a href="mailto:sharatchandrahc@gmail.com">sharatchandrahc@gmail.com</a>	Member
7.	<b>Sh. V. Suresh</b> , Former CMD, HUDCO, "Isavasyam", TC 18/1023, B-8/2 , Lakshmi Nagar Kesavadasapuram, Pattom PO, Thiruvananthapuram- 695004, Kerala, E-mail : <a href="mailto:vsuresh30@gmail.com">vsuresh30@gmail.com</a>	Member
5.	<b>Dr. V. S. Naidu</b> 307, A2 Wing, Dewan Mansion-I, Opp, Panchvati, Ambadi Road, Vasai (West), Dist Palghar - 401202, Maharashtra E-mail: <a href="mailto:vsnaidu57@gmail.com">vsnaidu57@gmail.com</a> .	Member
6.	<b>Sh. B. C. Nigam</b> , IFS (Retd) A-804, Aims Golf Avenue-1, Plot No. 2, Sector-75, Noida-201304, Uttar Pradesh, Email: <a href="mailto:nigambc@gmail.com">nigambc@gmail.com</a>	Member
7.	<b>Dr. Manoranjan Hota</b> , Advisor (Retd), MoEF&CC K-184, Gulshan Ikebana, Sector-143, Noida, Gautam Budha Nagar- 201301, Uttar Pradesh E-mail: <a href="mailto:hota_m@yahoo.com">hota_m@yahoo.com</a> ; <a href="mailto:hota.manoranjian@gmail.com">hota.manoranjian@gmail.com</a>	Member
8.	<b>Dr. Dipankar Saha</b> , Addl. Director (Retd), CPCB 214/5, Banamalipur Road, Purbapara (Near Maitri Sangha Club), PS&PO-Barasat, 24 Parganas-North - 700124, Kolkata (West Bengal), E-mail: <a href="mailto:mailcpcb@gmail.com">mailcpcb@gmail.com</a> ; <a href="mailto:dsaha.cpcb@gmail.com">dsaha.cpcb@gmail.com</a>	Member
9.	<b>Dr. Jayesh Ruparelia</b> , Professor & Head, Chemical Engineering Department, Institute of Technology, Nirma University, Ahmedabad, Gujarat E-mail: <a href="mailto:jr@nirmauni.ac.in">jr@nirmauni.ac.in</a>	Member
10.	<b>Dr. (Mrs.) Mayuri H. Pandya</b> , Director I/C (Associate Professor), GLS Law College, Ahemdabad, Gujarat Email: <a href="mailto:mayurihimanshu@gmail.com">mayurihimanshu@gmail.com</a> , <a href="mailto:mpandya@gujaratlawsociety.org">mpandya@gujaratlawsociety.org</a>	Member
11.	<b>Dr. M. V. Ramana Murthy</b> , Project Director (Scientist G), National Institute of Ocean Technology (NIOT), Velachery-Tambaram Main Road, Narayanpuram, Pallikaranai, Chennai - 600 100, Tamil Nadu E-mail: <a href="mailto:mvr@niot.res.in">mvr@niot.res.in</a> ; <a href="mailto:ramana.mvrm@gmail.com">ramana.mvrm@gmail.com</a>	Member
12.	<b>Prof. Dr. P.S.N. Rao</b> , Director School of Architecture and Planning, 4, Block B, I P Estate, New Delhi- 110002 E Mail: <a href="mailto:drpsnrao@hotmail.com">drpsnrao@hotmail.com</a> , <a href="mailto:directorspadoffice@spa.ac.in">directorspadoffice@spa.ac.in</a>	Member
13.	<b>Shri Shard, Scientist E</b> Member Secretary (Infra-2) Ministry of Environment, Forest and Climate Change Jor Bagh Road, New Delhi-110003.	Member Secretary

## Annexure-I

1. All the documents such as Form-1, Pre-feasibility report, approval from the concerned State/UT Coastal Zone Management Authorities, Environment Impact Assessment Report, public hearing report, queries subsequently raised by the Ministry, if any, and your para-wise comments thereto etc., in accordance with Environment Impact Assessment Notification, 2006 and/or Coastal Regulation Zone Notification, 1991/2011 are required to be forwarded to the Chairman/Members of the Expert Appraisal Committee including details of the court matters/Orders of the Court pertaining to the project if any. Accordingly, forward a copy of each of these documents - Hard and Soft Copies (Pen Drive/CD) to the Chairman/Members of the Expert Appraisal Committee by speed post so as to reach the members well in time. Names and addresses of the Chairman/Members are enclosed. All the documents including the hard copy of the presentation material should be legible and printed on both sides on ordinary paper.
2. The proponent shall avoid delivery of documents by hand and seeking meeting with the Chairman/Members in this regard.
3. It may be ensured that the Members receive the requisite soft copy of documents pertaining to the projects latest by **14<sup>th</sup> May, 2020** positively. In case the members of the **Expert Appraisal Committee do not receive the documents, the Committee will not consider the project.**
4. Further, the project proponent or his/her authorized representative should attend the meeting of EAC.
5. A copy of work order issued by the project proponent in favour of QCI/NABET accredited consultant appointed for carrying out EIA study and EMP preparation for this project.
6. The Consultant shall include an **undertaking in the EIA report that the prescribed TOR have been complied with and that the data submitted is factually correct** and also an undertaking shall be submitted owning the contents (information and data) of the EIA report.
7. Proponent is required to submit the Compliance Report from concerned Regional Office, MoEF&CC (Applicable for projects already having EC).
8. Any changes/modification with respect to the Agenda, Venue etc., would be indicated in the Ministry's website. You are also requested to keep track of the status of your project from the Ministry/s Website i.e., <https://parivesh.nic.in>
9. A line in confirmation regarding participation of your representative in the meeting will be appreciated. It may be noted that only the EIA Coordinator who has already been accredited with Quality Council of India and his name is in the list can accompany the proponent in the meeting.
10. EIA Co-coordinator who has prepared EIA/EMP report, shall present before EAC during presentation.
11. As per the compliance to the recommendations of CAG vide OM No. J-11013/71/2016-IA.I (M) dated 25<sup>th</sup> October, 2017, the following shall be ensured by the proponent:

- (i) Break-up of the capital and recurring cost of the EMPs along with the timeline for incurring the capital cost.
- (ii) Details of the name and number of posts to be engaged by the project proponent for implementation and monitoring of environmental parameters should be submitted.
- (iii) An undertaking as part of the EIA report from Project proponent, owning the contents (information and data) of the EIA report with the declaration about the contents of the EIA report pertaining to a project have not been copied from other EIA reports.



### Check list for EC

1. Proposal
2. Location
3. Project brief: nature of proposal (new/expansion,) total area- land use, project components, connectivity to the site etc,
4. Cost of the project
5. Whether the project is in Critically Polluted area
6. **If the project is for EC under EIA Notification, 2006**
  - a) **For the first time appraisal by EAC**
    - (i) Date of ToR:
    - (ii) Date of Public Hearing, location
    - (iii) Major issues raised during PH and response of PP
  - b) **Second appraisal**
    - (i) Date of first /earlier appraisal
    - (ii) Details of the information sought by the EAC with the response of the PP
7. **If the project is in CRZ area,**
  - (i) Components in CRZ area
  - (ii) recommendation of Coastal Zone Management Authority,
  - (iii) layout on CRZ map of 1: 4000 scale prepared by an authorised agency
8. **If the project involves diversion of forest land**
  - (i) extend of the forest land
  - (ii) status of forest clearance
9. **If the project falls within 10 km of eco- sensitive area**
  - (i) Name of eco- sensitive area and distance from the project site,
  - (ii) status of clearance from National Board for wild life
10. **Waste Management**
  - (i) Water requirement, source, status of clearance
  - (ii) Waste water quantity, treatment capacity, detail
  - (iii) Recycling / reuse of treated water and disposal
  - (iv) Solid Waste Management
  - (v) Hazardous Waste Management
11. **Other details**
  - (i) Noise Modelling with noise control measures for airports
  - (ii) Details of water bodies, impact on drainage if any
  - (iii) Details of tree cutting
  - (iv) Energy conservation measures with estimated saving
  - (v) Green belt development (20 % of construction projects and 33 % for others)
  - (vi) Parking requirement with provision made
12. **If the project involves foreshore facilities**
  - (i) Shoreline study
  - (ii) Dredging details, disposal of dredge material
  - (iii) Reclamation
  - (iv) Cargo handling with dust control measures
  - (v) Oil Spill Contingent Management Plan
13. **If the project involves Marine disposal**
  - (i) NOC from PCB in case of marine disposal

- (ii) details of modelling study – details of outfall diffusers, number of dilution expected, distance at which the outlet will reach ambient parameters
- (iii) location of intake / outfall. Quantity,
- (iv) detail of monitoring at outfall
- (v) Any other **relevant** information :

**14. Other information**

- (i) Investment/Cost of the project is Rs.....(in crore).
- (ii) Employment potential.....
- (iii) Benefits of the project .....

\*\*\*\*\*

### Check list for ToR

1. Proposal
2. Location
3. Location on google map/ survey map
4. Land use of the site and around the site up to 10 km radius
5. Justification for selection of the site
6. Project brief: nature of proposal (new/ expansion,) total area- land use, project components, connectivity to the site etc,
7. Cost of the project
8. Whether the project is in Critically Polluted area
9. If the project involves diversion of forest land, extend of the forest land
10. If the project falls within 10 km of eco- sensitive area, Name of eco- sensitive area and distance from the project site ,
- 11. Port and harbour**
  - i. Details of shore line change
  - ii. Details of channel, breakwaters, dredging, disposal and reclamation.
  - iii. handling of each cargo, storage, transport along with spillage control, dust preventive measures
  - iv. Details of fishing activity in the vicinity.
- 12. Airport**
  - i. Habitation in and around, their location with respect to take off and landing funnel.
- 13. CETP**
  - i. Type of effluent, Quantity, effluent conveyance system from the member units to CETP
  - ii. Treatment and usage of treated sewage
- 14. Incinerator**

Types of wastes, sources, collection, treatment, waste generation and disposal

Habitation in and around
- 15. Other details**
  - (vii) Water requirement, source, status of clearance
  - (viii) Connectivity to the site
  - (ix) Terrain, level with respect o MSL, requirement of filling if any
  - (x) Tree cutting, types, numbers, girth size etc.
  - (xi) Rehabilitation involved if any
  - (xii) Water bodies, diversion if any if any
  - (xiii) Court cases if any.
  - (xiv) Investment/Cost of the project is Rs.....(in crore).
  - (xv) Employment potential.....
  - (xvi) Benefits of the project .....

\*\*\*\*\*

**EC for Building Construction & Townships and Area Development Projects**

- i. The project is located at .....Latitude and .... Longitude.
- ii. The project is new/ redevelopment
- iii. Earlier Clearance details, Constructions status, if any
- iv. The total plot area is .....**sqm**, FSI area is .....**sqm** and total construction (Built-up) area of ....**sqm**. The project will comprise of ... Buildings. Total ... flats shall be developed. Maximum height of the building is ... **m**.**The details of building are as follows: (Table may be extended/expanded as per requirement)**


- v. During construction phase, total water requirement is expected to be .....KLD which will be met by..... During the construction phase, soak pits and septic tanks will be provided for disposal of waste water. Temporary sanitary toilets will be provided during peak labor force.
- vi. During operational phase, total water requirement of the project is expected to be ..... KLD and the same will be met by ..... KLD fresh water from ..... and .....KLD Recycled Water. Wastewater generated (.... KLD) will be treated in ..... STPs of total ..... KLD capacity. ... KLD of treated wastewater will be recycled and re-used (... for flushing, .. for gardening etc.). About ... KLD will be disposed in to municipal drain.
- vii. About ... TPD solid wastes will be generated in the project. The biodegradable waste (... TPD) will be processed in OWC and the non-biodegradable waste generated (... TPD) will be handed over to authorized local vendor.
- viii. The total power requirement during construction phase is ... KVA and will be met from .....and total power requirement during cooperation phase is ... KVA and will be met from .....
- ix. Rooftop rainwater of buildings will be collected in ... RWH tanks of total .... KLD capacity for harvesting after filtration.
- x. Parking facility for ..... four wheelers and ..... two wheelers is proposed to be provided against the requirement of .... and ....respectively (according to local norms).
- xi. Proposed energy saving measures would save about..... % of power.

- xii. It is located within 10 km of Eco Sensitive Zone (**Yes/No**). If **Yes**, provide details.
- xiii. NBWL Clearance is required: **Yes/No**. If **Yes**, status of NBWL clearance.
- xiv. Forest Clearance is required: **Yes/No**. If **Yes**, status of stage-1 clearance.
- xv. Court case pending against the project (**Yes/No**). If **Yes**, provide details.
- xvi. Investment/Cost of the project is Rs.....(Crore).
- xvii. Employment potential.....
- xviii. Benefits of the project .....

## Annexure-V

S. No.	Item	Details
1.	Project title, location (Plot No./ Village/ Tehsil/ District)	
2.	Salient features of the project <ul style="list-style-type: none"> <li>• Land use pattern/ Total plot area/ built up area</li> <li>• Total water requirement and its source</li> <li>• Waste water generation, treatment and disposal</li> <li>• Municipal solid waste generated disposal facility</li> <li>• Power requirement and source</li> <li>• Proposed energy saving measures</li> <li>• RWH</li> <li>• Car parking</li> <li>• Investment/Cost of the project</li> <li>• Benefits of the project</li> <li>• Employment potential</li> </ul>	
3.	Project/ activity covered under item of Schedule to the EIA Notification, 2006	
4.	Why appraisal/ approval is required at the Central level	
5.	National Park/ Wild Life Sanctuary in 10 km radius area	
6.	Eco-Sensitive Zone in 10 km radius area	
7.	Details of Forest land involved, if any	
8.	ToR Details	
9.	Details of Public Hearing and main issues raised/response of the PP	
10.	If any court case pending for violation of the environmental laws (supported by an undertaking)	
11.	Land use planning	
12.	Ground water withdrawal approval from CGWA	
13.	For other sources, firm commitment of the water supply agency	
14.	Undertaking to the effect that no activity has since been taken up	
15.	Appraisal by State Coastal Zone Management Authority (SCZMA)	
16.	Details of earlier EC, if any and compliance thereof	
17.	Details of earlier appraisal by EAC/ SEAC; observation and compliance	

**Quick User Manual to use Desktop Videoconference**

The NIC, MoEF&CC will moderate the Video Conferencing meeting. The Guidelines related to connecting VC are given below. PP will be ready before 10 minutes of the slot allowed to them. If any problem faced please contact Mr Kamal, Moderator, NIC (Mobile No. 8800225087, email - [support-ipb@nic.in](mailto:support-ipb@nic.in)).

- PP/Consultant who want to make presentation during EAC, must use and download/install Vido App on desktop/Laptop.
- After downloading the app, you are requested to close the app and start afresh by clicking on the link for joining the meeting.
- A web Link for joining the meeting and PIN will be shared by Moderator before the EAC meeting.
- While joining the meeting you would be asked to provide your name and the PIN for the meeting. Project Proponent must provide the respective agenda item along with their name while joining the meeting.
- Procedure for Joining from Mobile devices remains the same. Click on the link on your mobile device. It may prompt you to install the app. Please download the app. After downloading the app, you are requested to close the app and start afresh by clicking on the link for joining the meeting. Click the tab appearing on the screen- Join conference/meeting.
- Please see the control menu to manage the conference. Keep your microphone mute and unmute only when you wish to speak. You can chat or share desktop screen.
- User should have minimum Internet connection of 2 Mbps from any service provider (Broadband/4G etc)
- A Desktop/Laptop working in windows with wired Earphone/Headphones with Microphone (Strongly recommended) or External USB camera & Speaker cum microphone is recommended.

\*\*\*\*\*

---