

**Ministry of Environment, Forest & Climate Change**  
**[IA-I Division]**  
**7<sup>th</sup> Meeting of Expert Appraisal Committee for River Valley &**  
**Hydroelectric Projects**

**Agenda**

<b>Date 24<sup>th</sup> August, 2017, 10:30 AM onwards, Venue: TEESTA CONFERENCE HALL, FIRST FLOOR, VAYU WING, INDIRA PARYAVARAN BHAWAN, JOR BAGH ROAD, NEW DELHI – 3</b>	
Item No. 7.0	Confirmation of the minutes of 6 <sup>th</sup> EAC meeting.
Item No. 7.1	Sondur Reservoir Project in Dhamtari District of Chhattisgarh by Water Management Division, Government of Chhattisgarh - <b>Fresh ToR Clearance</b>
Item No. 7.2	Dikchu HEP (96 MW) in North & East Sikkim districts of Sikkim by M/s Sneha Kinetic Power Pvt. Ltd. - <b>Amendment in Environmental Clearance</b>
Item No. 7.3	Construction of additional spillway of Hirakud Dam in Odisha by WRD, Government of Odisha - <b>Consideration of applicability of EIA Notification / fresh Scoping clearance</b>
Item No. 7.4	Mawphu HEP (85 MW) Stage II Project in Meghalaya by Government of Meghalaya - <b>Consideration of fresh Environmental Clearance</b>
Item No. 7.5	Basaveshwara Lift Irrigation Scheme in Belagavi District of Karnataka by Karnataka Neeravari Ltd., Government of Karnataka - <b>Reconsideration of Environment Clearance.</b>
Item No. 7.6	Veerabhadreshwara Lift Irrigation Scheme in Bagalkot District of Karnataka by Karnataka Neeravari Ltd., Government of Karnataka - <b>Reconsideration of Environment Clearance.</b>
Item No.7.7	Lower Kopili HEP (120 MW) in Karbi Anglog & North Cachar Hill, Assam by M/s Assam Power Generation Corporation Ltd.- <b>Consideration of fresh Environmental Clearance</b>
<b>Date 25<sup>th</sup> August, 2017, 10:30 AM onwards, Venue: INDUS CONFERENCE HALL, GROUND FLOOR, JAL WING, INDIRA PARYAVARAN BHAWAN, JOR BAGH ROAD, NEW DELHI – 3</b>	
Item No. 7.8	Rego HEP Project in West Siang, Arunachal Pradesh by M/s Greenko Rego Hydro Projects Pvt. Ltd. - <b>Amendment in ToR</b>
Item No. 7.9	Papu HEP (90 MW) in Arunachal Pradesh by Papu Hydropower Projects Ltd. - <b>Extension of validity of ToR</b>
Item No. 7.10	Modigunta Vagu Irrigation Project in Jayashankar Bhoopalpally district of Telangana by Irrigation & CAD

	Department, Government of Telangana - <b>Fresh ToR Clearance</b>
Item No. 7.11	Naradev Medium Irrigation Project in Maharashtra by Konkan Development Corporation, Government of Maharashtra- <b>Reconsideration of ToR</b>
Item No. 7.12	Tiuni Plasu HEP (72 MW) project in Dehradun, Uttarakhand by Project Development and Construction Corporation Ltd.- <b>Fresh ToR Clearance.</b>
Item No. 7.13	Mohanpura Major Project in Rajgarh District of Madhya Pradesh by Water Resources Department, Government of Madhya Pradesh - <b>Fresh ToR Clearance.</b>
Item No. 7.14	Any other item with the permission of the Chair

**Note:**

1. Project Proponents are required to submit all documents both in hard and soft form to all the Members, within 2 days of uploading this notice.
2. A 2-3 page Brief Summary of the project to be submitted within 2 days of the uploading of Agenda in the website of the Ministry to the Member Secretary at **s.kerketta66@gov.in & n.subrahmanyam@nic.in**. Non-submission of the same will lead to deferment of project, etc.
3. Project Proponents are requested to attend the above meeting and give detailed presentation(s) on their proposal(s). For proposals from the Private Sector Organizations, Director or above level and for proposals from the Government, the Chief Engineer concerned or above level officer/s should lead the team. Officers should come and respond to explain the project and respond to queries from the Committee Members.
4. The project proponents may kindly treat this as official communication and may not wait for separate letter(s) from MoEF & CC. For any clarification, **Dr. S Kerketta**, Director-IA.I at **011-24695314** may be contacted.
5. A short duration videography of the project area is to be presented before the EAC for better understanding of the project site. The project proponents may therefore, ensure that they carry out videography before the meeting.
6. Mobile Phones should be kept on switched off/ silent mode during the meeting.
7. Distribution of writing pads, pens, plastic folders and unnecessary stationery items during the meeting is not permitted. Distribution of color print out may be avoided unless it is stated specifically.
8. Use both sides of papers, to the extent possible, for presentation material, etc. Do not distribute any color print out unless it is stated specifically.

\*\*\*\*\*