

Government of India
Ministry of Environment, Forest and Climate Change
(IA Division – Industry 1)

Indira Paryavaran Bhawan,
JorBagh Road, Ali Ganj,
New Delhi - 110 003

Dated: 15th July, 2020

To

As per list enclosed.

Subject: 21st Meeting of the Re-Constituted Expert Appraisal Committee on Industry – 1 sector project to be held during 30th July, 2020 - 1st August, 2020 – Agenda for 1st day – reg.

Sir,

1. The undersigned is directed to inform you that the project proposals as furnished below will be considered by the Reconstituted Expert Appraisal Committee for Industry – 1 sector in its 21st meeting to be held during **30th July, 2020 - 1st August, 2020 through videoconferencing(VC) without inviting the respective project proponent in view of the ongoing Corona Virus Disease (Covid-19) issue. You are also requested to send your consent to attend the VC by 19th July, 2020. The user guide manual for the VC is enclosed as Annexure -II for perusal and compliance. Change in date & timing of VC, if any, will be communicated.**
2. For the purpose, the documents such as Form-1, Pre-feasibility report, Environment Impact Assessment Report, public hearing report, queries subsequently raised by the Ministry, if any, and your para-wise comments thereto etc., in accordance with Environment Impact Assessment Notification, 2006 are required to be forwarded to the Chairman/Members of the Expert Appraisal Committee including details of the court matters/Orders of the Court pertaining to the project, if any. **Accordingly, it is requested to forward a copy of each of these said documents by soft copy/e-mail to the Chairman/members of the Expert Appraisal Committee by 20/07/2020. Address for correspondence with e-mail of the Chairman/Members are enclosed for necessary action.**
3. A copy of this letter may also be enclosed as a reference while mailing the documents to the Chairman/Members.
4. It may be ensured that the Members receive the aforesaid requisite documents in soft copy/e-mail pertaining to the projects latest by **20/07/2020 positively. Failing which the Committee will not consider the project.**
5. Any changes/modification with respect to the Agenda would be indicated in the Ministry's website. You are also requested to keep track of the status of your project from the Ministry/s Website i.e., www.parivesh.nic.in.

6. It is requested that one set of hard copy of the documents such as Form-1, Pre-feasibility report, Environment Impact Assessment Report, Public Hearing Report, queries subsequently raised by the Ministry, if any, and your para-wise comments thereto etc., in accordance with Environment Impact Assessment Notification, 2006 shall also be sent by speed post to the undersigned.
7. **In addition to the above, kindly send a brief write up (Format enclosed as Annexure – 1) of project (maximum three pages in MS-word format) along with the power point presentation containing salient features of the project with compliance to the stipulated ToRs to the following email address as well as to the EAC members by 20/07/2020. Further, the nodal officer and consultant contact details (Name, Designation, Mobile and E-mail) for the VC shall also be sent in the format given below:**

Item No.	Proposal No with Company Name	Name of the Nodal person and consultant to be contacted	Contact Mobile/ E-mail

dirind-moefcc@gov.in
r.sundar@nic.in
rs.ratti@gov.in

Encl: as above.

Yours faithfully,
Sd/-

(A.K. Agrawal)
Director

**LIST OF MEMBERS OF THE EXPERT APPRAISAL COMMITTEE (INDUSTRY-1)
FOR CIRCULATION OF SOFT COPIES**

S.No.	Name & Address	Position
1.	Dr. Chhavi Nath Pandey, IFS(Retired), (Former PCCF & HoFF, Gujarat) House No. 726 B, Sector-8(C), (Behind Gandhinagar Samachar), Gandhi Nagar, Gujarat – 382007 E-mail: cnpandey@iitgn.ac.in	Chairman
Members		
2.	Director, Central Pulp and Paper Research Institute (CPPRI), Paper Mill Road, Himmat Nagar, Saharanpur, Uttar Pradesh- 247001 E-mail: director.cppri@gmail.com bipin_thapliyal@yahoo.com	Member
3.	Director General of Meteorology, Indian Meteorological Department (IMD), Mausam Bhawan, Lodhi Road, New Delhi – 110003 E-mail: siddhartha.singh74@gmail.com	Member
4.	Dr. Jagdish Kishwan, IFS (Retired) (Former Additional Director General, Ministry of Environment Forest & Climate Change) SrishtiParsvanath Prestige II, Tower 8, Flat-101, Sector 93-A, NOIDA- 201304 E-mail: jkishwan@gmail.com	Member
5.	Dr. G.V.Subramanyam, (Former Advisor, Ministry of Environment Forest & Climate Change) C-22, KendriyaVihar, Sector 51, Noida – 201301. Uttar Pradesh. E-mail: sv.godavarthi@gmail.com	Member
6.	Shri. Ashok Upadhyaya, Technology Expert (Environment), B10/7052, Vasant Kunj, New Delhi -110070. E-mail: ahupadhy@rediffmail.com	Member
7.	Shri. Rajendra Prasad Sharma, Expert (Energy & Environment), 4528, Achiever's Villa, Kalindi Hills, Sector49, Faridabad- 121001, Haryana E-mail: rpsh3@hotmail.com	Member

S.No.	Name & Address	Position
8.	Dr. Sanjay Deshmukh, (Former Vice Chancellor, University of Mumbai), Prof. Life Sciences, Mumbai University, Vidyanagari, Santacruz (E), Mumbai 400098. E-mail: docsvd@yahoo.com	Member
9.	Prof. S.K. Singh, Prof. and Dean of Env. Engg., Delhi Technical University, Type-V/29, DTU Campus, Bawana Road, Delhi – 110042 E-mail: sksinghdce@gmail.com	Member
10.	Dr. R. Gopichandran, Former Director, Vigyan Prasar, DST, C-203, Angelmercury, Behind Shanthi Gopal Hospital, AhinsaKhand-II, Indirapuram, Ghaziabad, U.P. E-mail: r.gopichandran61@gmail.com	Member
11.	Shri Jagannadha Rao Avasarala, Environment Expert, 49-37-8/1, NGGO Colony, Akkayyapalem, Vasakhapatnam – 530016. E-mail: avasaralajagan@gmail.com	Member
12.	Shri. J.S.Kamyotra, (Former Member Secretary, Central Pollution Control Board), WZ 169, B 1 st Floor, Street No. 5, Veerender Nagar, New Delhi – 1110058. E-mail: kamyotra@yahoo.co.in	Member
13.	Shri. A.K. Agrawal Director, Indira ParyavaranBhawan JorBagh Road, Aliganj, New Delhi, E-mail: dirind-moefcc@gov.in	Member-Secretary

AGENDA

21st MEETING OF THE RECONSTITUTED EXPERT APPRAISAL COMMITTEE – INDUSTRY 1 SECTOR TO BE HELD ON 30th JULY, 2020 – 1st AUGUST, 2020

30th July, 2020

Time schedule: 11.00 Hrs to 13.30 Hrs

- 21.1 Expansion, Modernization of existing facilities along with integration of existing environmental clearances [Sponge Iron Plant - 6,50,000 TPA; Capacity enhancement of Steel Melting Shop from 4,00,000 TPA to 7,00,000 TPA; Power generation – 73 MW; Ferro Alloys – 16,500 TPA; Pig iron – 33,000 TPA; H.B. Wire – 1,00,000 TPA; Oxygen & Nitrogen plants; Fly ash brick plant, Iron ore beneficiation – 10,00,000 TPA; Rolling Mill – 4,00,000 TPA; Induction Furnace for Casting in place of Arc Furnace–5,000 TPA; Iron Ore Pellet Plant – Capacity enhancement from 21,00,000 TPA to 24,00,000 TPA; Coal Gasification System - 60,000 Nm³/hr to 92,000 Nm³/hr; Slag Crushing Plant – 1,75,000 TPA and Mineral grinding unit – 2,00,000 TPA) by **M/s. Godavari Power and Ispat Limited** located at 428/2, Phase-I, Industrial Area, Siltara, **Raipur, Chhattisgarh** - [Online Proposal No. IA/CG/IND/4250/2005, File No. J-11011/326/2005-IA.II.(I)] – **Environment Clearance – regarding.**
- 21.2 Modification of Product Mix of Existing Ferroalloy Plant: 4 X 7.5 MVA and 1 X 5 MVA for production of Ferro-chrome in addition to existing product mix of Ferro-manganese, Silico-manganese and by-product Ferro-manganese Slag by **M/s. Sonic Thermal Private Limited** located at Village- Namobandh-Sitarampur Panchayat/P.O.: Ghutgoria, PS: Barjora Zilla Parishad – Bankura, **District – Bankura, West Bengal** - [Online Proposal No. IA/WB/IND/160576/2017, File No. J-11011/569/2017-IA.II.(I)] – **Environment Clearance - regarding.**
- 21.3 Expansion of smelter from 1,00,000 TPA to 3,60, 000 TPA and captive power plant from 267.5 MW to 967.5 MW by **M/s. Hindalco Industries Limited** located at **Hirakud, Sambalpur, Odisha** - [Online Proposal No. IA/OR/IND/152147/2020, File No. J-11011/400/2006-IA.II.(I)] – **Environment Clearance under para 7(ii) of EIA, 2006 for installation of Ultra Clean Coal Gasification System for Replacing Furnace Oil from Cast Houses of Aluminium Smelter Plant - regarding.**
- 21.4 Expansion of Integrated Cement Plant - Clinker (3.2 to 5.5 MTPA), Cement (3.0 to 5.0 MTPA), CPP (30 to 45 MW) & WHRB (15 to 27 MW) along with Proposed Standby Boiler (100 TPH) & D.G. Set (2180 KW) by **M/s. Emami Cement Limited** located at Villages: Risda & Dhandhani, Tehsil: Balodabazar, **District: Balodabazar – Bhatapara, Chhattisgarh** [Online proposal No. IA/CG/IND/89610/2018; MoEF&CC File No. J-11011/309/2013-IA.II.(I)] – **Re-consideration for grant of Environment Clearance based on ADS reply – regarding.**
- 21.5 Expansion of Integrated Steel Plant (from 1.74 MTPA to 2.0 MTPA); Pellet Plant (from 2.2 to 2.5 MTPA), Sponge Iron Plant (from 0.5 to 1 MTPA), Sinter Plant (0.75 to 1.5 MTPA), Blast Furnace (0.7 to 1.4 MTPA), Steel Melting Shop (from 1.74 to 2.0 MTPA), Oxygen Plant (0.132 to 0.264 MTPA), Coal Beneficiation Plant (1.0 to 2.0 MTPA), Captive Power Plant (170 to 240 MW), DG Sets (from 2X1500 KVA to 1X3.8 MVA & 3X 1500 KVA) with new installation of Coke Oven Plant (0.8 MTPA), Wire Rod Mill (0.5 MTPA) by **M/s. Monnet Ispat & Energy Limited** located at Village Naharpali, Tehsil Kharsia, **District Raigarh, Chhattisgarh** - [Online Proposal No. IA/CG/IND/153300/2020, File No. J-11011/196/2007-IA.II.(I)] – **Amendment in Terms of Reference (ToR) – regarding.**

Time schedule: 14.30 Hrs to 16.30 Hrs

- 21.6 Enhancement of Production capacity of existing Pellet Plant from 0.6 Million TPA to 0.8 Million TPA along with Upgradation of Existing 0.7 Million TPA Iron Ore Grinding Unit to 1.0 Million TPA Iron Ore Grinding & Beneficiation Plant and 1.2 Million TPA Integrated Steel Plant & 260 MW (110 MW WHRB + 150 M1W Thermal) Power Plant by **M/s Sarda Energy and Minerals Limited** located at Phase I of Siltara Industrial Growth Center, Village–Mandhar, **Tehsil – Dharsiwa, Chhattisgarh** - [Online Proposal No. IA/CG/IND/101936/2020, File No. J-11011/45/2012-IA.II.(I)] – **Environment Clearance - regarding.**
- 21.7 Expansion of Sponge Iron plant (6,00,000 TPA to 14,90,000 TPA), Ferro Alloys Plant (72,000 to 96,000 TPA) with Chrome briquette & Zigging plant and addition of new Steel Melting Shop of 5,70,000 TPA with slag crushing unit, Hot rolling mill of 2,50,000 TPA, Cold rolling mill of 3,00,000 TPA capacity, CPP from 45 MW to 113 MW (25 MW coal and Dolochar Mix Based and 88 MW WHRB based) by **M/s. Rashmi Udyog Private Limited** located at Village- Jitusole, P.O-Garhsalboni, P.S-Jhargram, **District Paschim Medinipur, West Bengal** - [Online Proposal No. IA/WB/IND/151940/2020, File No. J-11011/180/2012-IA.II.(I)] – **Prescription of Terms of Reference - regarding.**
- 21.8 Expansion of Steel Melting Shop (1,08,000 to 3,50,000 TPA) along with installation of Captive Power Plant of 10 MW (5 MW WHRB & 5 MW AFBC) within existing Steel Plant (66,000 TPA Sponge Iron Plant & 4,56,000 TPA Rolling Mill) **M/s SPS Steels Rolling Mills Limited (A Unit of Shakambhari group)** at Dr. Zakir Hussain Avenue, G.T. Road (Indo American More), Durgapur, Tehsil Faridpur Durgapur, District Paschim Bardhaman, West Bengal - [Online Proposal No. IA/WB/IND/153933/2020, File No. J-11011/156/2020-IA.II.(I)] – **Prescription of Terms of Reference - regarding.**
- 21.9 Expansion of Integrated Cement Plant - Clinker (1.98 Million TPA to 5.0 Million TPA), Cement (5.0 Million TPA to 6.0 Million TPA), CPP (20 MW to 40 MW), WHRB (10 MW to 25 MW), DG Set from (1000 KVA to 2000 KVA); Lime Stone (4.8 Million TPA to 8.0 Million TPA) by **M/s. JK Lakshmi Cement Limited** located at Villages Malpuri Khurd, Khasadih, P.O. Ahiwara, Tehsil Dhamdha, **District-Durg, Chhattisgarh** - [Online Proposal No. IA/CG/IND/163618/2020, File No. J-11011/1170/2007-IA.II.(I)] – **Prescription of Terms of Reference - regarding.**
- 21.10 Expansion of Integrated Steel Plant from 3.6 MTPA to 7.2 MTPA of **M/s Jindal Steel & Power Limited (JSPL)** located at Kalmi and Gorkha villages, **District Raigarh, Chhattisgarh** - [Online Proposal No. IA/CG/IND/153765/2020, File No. J-11011/1170/2007-IA-II.(I)] – **Amendment in Terms of Reference (ToR) – regarding.**
- 21.11 Greenfield Steel Plant (Iron ore beneficiation cum pellet plant- 6,00,000 TPA, Producer Gas plant – 27,000 Nm³/hr, DRI plant 3,50,000 TPA, Billet Making using Induction Furnaces - 3,20,000 TPA, Automotive Components Manufacturing Facility- 1,20,000 TPA using Billets, Ferroalloy Plant - 52,000 TPA, and Captive Power Plant- 35 MW using WHRB and AFBC) by **M/s. Pushp Steels and Mining Private Limited** located at Borai Industrial Growth Centre, Rasmara, District Durg, **Chhattisgarh** - [Online Proposal No. IA/CG/IND/159068/2020, File No. J-11011/393/2018-IA-II.(I)] – **Amendment in Specific condition no. ii of Environment Clearance pertaining to Dolochar usage – regarding.**

Format for Brief Write-Up (Environment Clearance)

1. The of M/s located in Village, Tehsil, District, State..... was initially received in the Ministry on20... for obtaining Terms of Reference (ToR) as per EIA Notification, 2006. The project was appraised by the Expert Appraisal Committee (Industry) [EAC(I)] during itsth meeting held on, 20.... and prescribed ToRs to the project for undertaking detailed EIA study for obtaining environmental clearance. Accordingly, the Ministry of Environment, Forest and Climate Change had prescribed ToRs to the project on20.... vide Lr. No.
2. Based on the ToRs prescribed to the project, the project proponent submitted an application for environmental clearance to the Ministry online on201..... vide Online Application No.....
3. The project of M/s.....located inVillage ,Tehsil ,District,State is for setting up of a new for production ofmillion tones per annum (million TPA) of/ enhancement of production of from..... tomillion tonnes per annum (million TPA). The existing project was accorded environmental clearance vide lr.no.....dated.....
4. The Status of compliance of earlier EC was obtained from Regional Office,Bangalore/Bhubaneshwar/Bhopal/Chennai/Chandigarh/Dehradun/Laknow/Nagpur/Ranchi/Shilong vide Lr. No., dated.....There is no non-compliances reported by Regional officer. The proposed capacity for different products for new site area as below:

Name of unit	No. of units	Capacity of each Unit	Production Capacity

5. The total land required for the project isha, out of whichha is an agricultural land, ...ha is grazing land andha is others (.....Government Land). No /forestland involved. The entire land has been acquired/ not acquired for the project. The River passes through the project area (p./c). It has been reported that no water body/ water body exist around the project and modification/diversion in the existing natural drainage pattern at any stage has not been proposed.
6. The topography of the area is.....(flat/undulated) and reported to lies between0 ..'.." to .. 0 ..'.." N Latitude and .0 ..'.." to .0 ..'.." E Longitude in Survey of India topo sheet No., at an elevation ofm AMSL. The ground water table reported to ranges between below the land surface during the post-monsoon season and below the land surface during the pre-monsoon season. Based on the hydro-geological study, it has been reported that the radius of influence of pumped out water will bem. Further, the stage of groundwater development is reported to be....% and ...% in core and buffer zone respectively and thereby these are

designated as safe/critically exploited areas.

7. The National Park/WL etc are located at a distance of KM from the site/No national park/wildlife sanctuary/biosphere reserve/tiger reserve/elephant reserve etc. are reported to be located in the core and buffer zone of the project. The area also does not report to be a corridor for Schedule-I fauna. The authenticated list of flora and fauna provided through the reporting presence of no /schedule-I fauna in the study area (Annexure-... of EIA).
8. The process of project showing the basic raw material used and the various processes involved to produce the final output, waste generated in process.
9. The targetted production capacity of the is million TPA. The ore for the plant would be procured from (linkages.....). The ore transportation will be done through (Rail/Road/Conveyor/Slurry Pipeline).
10. The water requirement of the project is estimated asm³ /day, out of whichm³/day of fresh water requirement will be obtained from the and the remaining requirement ofm³ /day will be met from theThe permission for drawl of groundwater / surface water is obtained from vide Lr. No.date.....
11. The power requirement of the project is estimated asMW, out of whichMW will be obtained from the
12. Baseline Environmental Studies were conducted during -----season i.e. from.....to, 20..... Ambient air quality monitoring has been carried out at 8 locations duringto and the data submitted indicated: PM10 (.....µg/m³ toµg/m³), PM2.5 (..... toµg/m³), SO₂ (..... to µg/m³) and NO_x (..... to µg/m³). The results of the modeling study indicates that the maximum increase of GLC for the proposed project is µg/m³ with respect to the PM10,..... µg/m³ with respect to the SO₂ µg/m³ with respect to the NO_x.
13. Ground water quality has been monitored inlocations in the study area and analysed. pH:to....., Total Hardness:to..... mg/l, Chlorides: to mg/l, Fluoride:....to mg/l. Heavy metals are within the limits. Surface water samples were analysed from..... locations. pH:to; DO:to..... mg/l and BOD:mg/l. COD from.....to.....mg/l.
14. Noise levels are in the range ofto.....dBA for daytime andto.....dBA for nighttime.
15. It has been reported that there are people in the core zone of the project. No/ R&R is involved. It has been envisaged that families to be rehabilitated, which will be provided compensation and preference in the employment.
16. It has been reported that a total of tons/m³ of waste will be generated due to the project, out of which will be used in And...will be dumped in the

earmarked dump yard. It has been envisaged that an area ofha will be developed as green belt around the project site to attenuate the noise levels and trap the dust generated due to the project development activities.

17. It has been reported that the Consent to Establish/Consent to Operate from the State Pollution Control Board / Pollution Control Committee obtained vide Lr. No.....dated.....and consent is valid up to
18. The Public hearing of the project was held on20.. at.....under the chairmanship of(designation) for production ofmillion TPA of/ setting up of....plant, under the The issues raised during public hearing are..... An amount ofLakhs (.....% of Project cost) has been earmarked for Enterprise Social Commitment based on public hearing issues.
19. The capital cost of the project is Rs.....Crores and the capital cost for environmental protection measures is proposed as Rs.....Lakhs. The annual recurring cost towards the environmental protection measures is proposed as Rs.....Lakhs .The detailed CSR plan has been provided in the EMP in its page No.to.....The employment generation from the proposed project / expansion is.....
20. Greenbelt will be developed in Ha which is about% of the total acquired area. A 100 m wide greenbelt, consisting of at least 3 tiers around plant boundary will be developed as greenbelt and green cover as per CPCB/MoEF&CC, New Delhi guidelines. Local and native species will be planted with a density of 2500 trees per hectare. Total no. of saplings will be planted and nurtured in hectares in years.
21. The proponent has mentioned that there is no court case or violation under EIA Notification to the project or related activity.

Format for Brief Write-Up (ToR)

1. M/s.proposes to install a new/expansion of existing manufacturing unitfor..... It is proposed to set up the plant for based ontechnology. The project proponent submitted an application in the prescribed format along with Form-1 and other reports to the Ministry online on201..... vide Online Application No.
2. The existing project was accorded environmental clearance vide lr.no. dated.....Consent to Operate was accorded byState pollution Control Board vide lr. no.validity of CtO is up to
3. The proposed unit will be located at..... Village:, Taluka:, District:, State:.....
4. The land area acquired for the proposed plant isHa out of which ha is an agricultural land, ...ha is grazing land andha is others (.....Government Land). No/forestland involved. The entire land has been acquired/ not acquired for the project. Of the total area ha (.....%) land will be used for green belt development.
5. The National Park/WL etc are located at a distance of KM from the site/No national park/wildlife sanctuary/biosphere reserve/tiger reserve/elephant reserve etc. are reported to be located in the core and buffer zone of the project. The area also does not report to form corridor for Schedule-I fauna.
6. Total project cost is approx Crore rupees. Proposed employment generation from proposed project will be direct employment and indirect employment.
7. The targeted production capacity of theismillion TPA. The ore for the plant would be procured from (linkages.....). The ore transportation will be donethrough(Rail/Road/Conveyor/Slurry Pipeline). The proposed capacity for different products for new site area as below:

Name of unit	No. of units	Capacity of each Unit	Production Capacity

8. The electricity load of MW will be procured from Company has also proposed to install DG Set.
9. Proposed raw material and fuel requirement for project are The requirement would be fulfilled by as well as Fuel consumption will be mainly

10. Water Consumption for the proposed project will be and waste water generation will be Domestic waste water will be treated and industrial waste water generated will be treatedand reused
11. The proponent has mentioned that there is no court case or violation under EIA Notification to the project or related activity.

Format for Brief Write-Up (Amendment proposals/Extension of validity of EC/ToR)

1. Kindly provide details of earlier project along with details of EC/ToR granted for the project with letter no and date of issue.
2. Reason for seeking amendment in ToR as well as EC.
3. Configuration & capacity change granted in ToR/EC vis-a-vis with the proposed changes in configuration & capacity of units
4. In case of other changes, details as per the granted ToR/EC vis-à-vis proposed changes
5. Status of Implementation of the earlier ToR/EC facilities and schedule of completion of balance facilities in case of Extension of validity of ToR/EC.
6. Status of Implementation of the earlier ToR/EC facilities in case of amendment proposals.
7. Litigation if any, pending in any Court related to the project (or) activity.

8. Format for Brief Write-up for the Environmental Clearance for the expansion under clause 7(ii) of EIA Notification, 2006.

- i. QCI/NABET accreditation status of the EIA consultant
- ii. Details of the existing Environmental Clearances (ECs) obtained.
- iii. Implementation status of the existing Environmental Clearances.
- iv. Details of the earlier Public consultation conducted along with compliance to the issues raised during the public consultation.
- v. Certified compliance report of existing environmental clearances from the concerned Regional Office of the MoEF&CC.
- vi. Closure report of Regional Office in case of non-compliances observed in the certified compliance report.
- vii. Existing baseline conditions based on the periodic post project environmental monitoring program
- viii. Proposed Expansion or Modernization or Change of product mix vis-à-vis with granted EC capacity along with percentage of increase in production.
- ix. Proposed plant lay out vis-à-vis with layout for which Environmental Clearance was granted.
- x. Proposed resources requirement (Land/raw materials/water/power) vis-à-vis with granted Environment Clearance
- xi. Pollution load calculations (Air/Water/Solid & hazardous waste/traffic) vis-à-vis with granted Environment Clearance
- xii. Environment Management Plan for the proposed Expansion or Modernization or Change of product mix along with budget provision for implementation.
- xiii. Proposed Corporate Environment Responsibility activities for the additional investment proposed.
- xiv. Project cost
- xv. Litigation if any, pending in any Court related to the project (or) activity.
- xvi. Details of show cause notices/direction if any, issued under Air Act, Water Act and Environment (Protection) Act, 1986.


Quick User Manual to use Desktop Videoconference for Ministry/States

NIC, MoEF&CC will moderate the Video Conferencing meeting. The Guidelines related to connecting VC is appended below. PP will be ready during 11.00 Hrs to 13.30 Hrs & 14.30 Hrs to 16.30 Hrs on 30th July, 2020 – 1st August, 2020. If any problem faced please contact Mr Kamal, Moderator, NIC (Mobile No. 8800225087, email- support-ipb@nic.in).


- i. The pre-requisite requirement at each location is :
- ✓ User should have minimum Internet connection of 2Mbps from any service provider (Broadband/4Getc)
 - ✓ A Desktop/Laptop working in windows (Recommended).
 - ✓ Wired Earphone/Headphones with Microphone (Strongly recommended) or External USB camera &Speaker cum microphone.

Steps to join VCmeeting


1. A web Link will be shared by Moderator before the EAC meeting. The Web Room link will look like <https://webvc.nic.in/flex.html?roomdirect.html&key=vR12Y5bNBG>. Copy the link and join meeting using only **Internet Explorer**.
2. It will asked to download a software plugin as shown below. Please do install and run it.




3. Enter your name. select the audio and video devices being used and join video conference.



4. Please see the control menu to manage the conference. **Keep your microphone muted and unmute only when you speak.** You can chat or share desktop screen.



5. Joining from Mobile devices: Click on the link on your mobile device. It will be asked you to join the conference. It may ask to install Mobile App (**Vidyo Mobile**). Installed the Vidyo Mobile and click on link to join VC.



6. Disconnect the call when the conference is over to make the resource free for others.
