

Government of India
Ministry of Environment, Forest and Climate Change
(IA Division – Industry 1)

Indira Paryavaran Bhawan
JorBagh Road, Aliganj,
New Delhi – 110003

Dated:19th February, 2021

To

As per list enclosed.

Subject: 31stMeeting of the Re-Constituted Expert Appraisal Committee of Industry – 1 sector project to be held during 25th February, 2021-reg.

Sir,

1. The undersigned is directed to inform you that the project proposals as furnished below will be considered by the Reconstituted Expert Appraisal Committee for Industry –1sector in its 31ST meeting to be held during **25th February, 2021 through video conferencing (VC) in view of the ongoing Corona Virus Disease (Covid-19) issue. You are also requested to send your consent to attend the VC by 20/02/2021. The web link for the VC meeting will be circulated by email in due course of time.**
2. For the purpose, the documents such as Form-1, Pre-feasibility report, Environment Impact Assessment Report, public hearing report, queries subsequently raised by the Ministry, if any, and your para-wise comments thereto etc., in accordance with Environment Impact Assessment Notification, 2006 are required to be forwarded to the Chairman/Members of the Expert Appraisal Committee including details of the court matters/Orders of the Court pertaining to the project, if any. **Accordingly, it is requested to forward a copy of each of these said documents by soft copy/e-mail to the Chairman/members of the Expert Appraisal Committee by 20/02/2021. Address for correspondence with e-mail of the Chairman/Members are enclosed for necessary action.**
3. A copy of this letter may also be enclosed as a reference while mailing the documents to the Chairman/Members.
4. It may be ensured that the Members receive the aforesaid requisite documents in soft copy/e-mail pertaining to the projects latest by **20/02/2021 positively. Failing which the Committee will not consider the project.**
5. Any changes/modification with respect to the Agenda would be indicated in the Ministry's website. You are also requested to keep track of the status of your project from the Ministry/s Website i.e.,www.parivesh.nic.in.
6. It is requested that one set of hard copy of the documents such as Form-1, Pre-feasibility report, Environment Impact Assessment Report, Public Hearing Report, queries subsequently raised by the Ministry, if any, and your para-wise comments thereto etc., in accordance with Environment Impact Assessment Notification, 2006 shall also be sent by speed post to the undersigned.

7. In addition to the above, kindly send a brief write up (Format enclosed as Annexure – 1) of project (maximum three pages in MS-word format) along with the power point presentation containing salient features of the project with compliance to the stipulated ToRs preferably not exceeding 25 slides to the following email address as well as to the EAC members by 20/02/2021. Further, the nodal officer and consultant contact details (Name, Designation, Mobile and E-mail) for the VC shall also be sent in the format given below:

Item No.	Proposal No with Company Name	Name of the Nodal person and consultant to be contacted	Contact Mobile/ E-mail

dirind-moefcc@gov.in
r.sundar@nic.in

Encl: as above.

Yours faithfully,
Sd/-

(Sundar Ramanathan)
Scientist 'E'

**LIST OF MEMBERS OF THE EXPERT APPRAISAL COMMITTEE (INDUSTRY-1)
FOR CIRCULATION OF SOFT COPIES**

S.No.	Name & Address	Position
1.	Dr. Chhavi Nath Pandey, IFS(Retired), (Former PCCF&HoFF, Gujarat) House No. 726 B, Sector-8(C), (Behind Gandhinagar Samachar), Gandhi Nagar, Gujarat – 382007 E-mail: cnpandey@iitgn.ac.in	Chairman
Members		
2.	Director, Central Pulp and Paper Research Institute (CPPRI), Paper Mill Road, Himmat Nagar, Saharanpur, Uttar Pradesh- 247001 E-mail: mkg_cppri@rediffmail.com director.cppri@gmail.com	Member
3.	Director General of Meteorology, Indian Meteorological Department (IMD), Mausam Bhawan, Lodhi Road, New Delhi – 110003 E-mail: siddhartha.singh74@gmail.com	Member
4.	Dr. Jagdish Kishwan, IFS (Retired) (Former Additional Director General, Ministry of Environment Forest & Climate Change) SrishtiParsvanath Prestige II, Tower 8, Flat-101, Sector 93-A, NOIDA- 201304 E-mail: jkishwan@gmail.com	Member
5.	Dr. Tejaswini AnanthKumar Residence-84, Ranoji Rao Road, Basavanagudi, Bengaluru – 560 004 Tel: 080-26568484; Email: tejaswini.acf@gmail.com	Member
6.	Dr. G.V.Subramanyam, (Former Advisor, Ministry of Environment Forest & Climate Change) C-22, Kendriya Vihar, Sector 51, Noida – 201301. Uttar Pradesh. E-mail: sv.godavarthi@gmail.com	Member
7.	Shri. Ashok Upadhyaya, Technology Expert (Environment), B10/7052, Vasant Kunj, New Delhi -110070. E-mail: ahupadhy@rediffmail.com	Member
8.	Shri. Rajendra Prasad Sharma,	Member

S.No.	Name & Address	Position
	Expert (Energy & Environment), 4528, Achiever's Villa, Kalindi Hills, Sector49, Faridabad- 121001, Haryana E-mail: rps3@hotmail.com	
9.	Dr. Sanjay Deshmukh, (Former Vice Chancellor, University of Mumbai), Prof. Life Sciences, Mumbai University, Vidyanagari, Santacruz (E), Mumbai 400098. E-mail: docsvd@yahoo.com	Member
10.	Prof. S.K. Singh, Prof. and Dean of Env. Engg., Delhi Technical University, Type-V/29, DTU Campus, Bawana Road, Delhi – 110042 E-mail: sksinghdce@gmail.com	Member
11.	Dr. R. Gopichandran, Former Director, VigyanPrasar, DST, C-203, Angelmercury, Behind Shanthi Gopal Hospital, AhinsaKhand-II, Indirapuram, Ghaziabad, U.P. E-mail: r.gopichandran61@gmail.com	Member
12.	Shri Jagannadha Rao Avasarala, Environment Expert, 49-37-8/1, NGGO Colony, Akkayyapalem, Visakhapatnam – 530016. E-mail: avasaralajagan@gmail.com	Member
13.	Shri. J.S.Kamyotra, (Former Member Secretary, Central Pollution Control Board), WZ 169, B 1 st Floor, Street No. 5, Veerender Nagar, New Delhi – 1110058. E-mail: kamyotra@yahoo.co.in	Member
14.	Shri. Sundar Ramanathan, Scientist 'E' Indira Paryavaran Bhawan JorBagh Road, Aliganj, New Delhi, E-mail: dirind-moefcc@gov.in ;	Member-Secretary

AGENDA
31stMEETING OF THE RECONSTITUTED EXPERT APPRAISAL COMMITTEE –
INDUSTRY 1 SECTOR TO BE HELD ON 25th FEBRUARY, 2021

25thFebruary, 2021

Time schedule: 10.00Hrs to 13.00 Hrs

- 31.1 Installation of Cement Grinding Unit of 0.60 MTPA Capacity (Product Mix of OPC, PPC, PSC & PCC) in two Phases (1stPhase: 1000 TPD & 2ndPhase: 1000 TPD) of **M/s Mittal Tech Steel & Cement Pvt. Ltd.** located at village-kurari, Durgawati, **Kaimur district, Bihar** [Online Proposal No. IA/BR/IND/188922/2020; File No. J-11011/41/2020-IA.II(I)] – **Environment Clearance** – regarding.
- 31.2 Modernization-cum-expansion of Bokaro Steel plant by up-gradation of existing SMS-I (1.306 MTPA), Debottlenecking of SMS-II (3.35 MTPA) & existing CRM complex (1.66 MTPA), installation of new kiln of 450 TPD in Lime plant, a new Sinter Plant (3.7MTPA) and Oxygen plant (1250 TPD on BOO basis) without increasing the overall production capacity of 5.77 MTPA hot metal by **M/s SAIL Ltd.** located at Bokaro Steel City, Tehsil: Chas, **District Bokaro, Jharkhand** [Online Proposal No. IA/JH/IND/196242/2018; File No. J-11011/99/2007-IA.II(I)] – **Environment Clearance** – regarding.
- 31.3 1.2 Million Ton per Annum Integrated Steel Plant with 225 MW CPP- Change in configuration, production capacity & product mix of the project- Reduction in Blast Furnace from 1.0 Million TPA (2 x 550 M³) to 0.6 Million TPA (1 x 550 M³), Sinter Plant from 1.0 Million TPA (1 x 175 m²) to 0.6 Million TPA (1 x 70 m²), Ferro Alloy Plant from 0.12 Million TPA (10 x 9 MVA) to 0.048 Million TPA (4 x 9 MVA) & CFBC (Coal Dolochar based CPP) 135 MW (3 x 45 MW) to 90 MW (2 x 45 MW); Expansion of DRI from 0.5 Million TPA (2 x 500 + 2 x 350 TPD) to 0.744 Million TPA (4 x 600 TPD) with DRI based WHRB from 54 MW to 68 MW making total capacity of CPP- 194 MW and change in product mix (production of DI fitting & accessories with DI Pipe) within EC approved capacity of Ductile Iron Pipe (0.2 Million TPA), keeping steel melting shop with CCM and oxygen optimized furnace, rolling mill, coke oven plant, oxygen plant, lime & dolomite plant, iron ore beneficiation with 1 x 2.4 MTPA pellet plant & producer gas plant as it by **M/s. Rashmi Alloy Steel Private Limited** located at Village-Gokulpur, P.O.-Shyamraipur, P.S.-Kharagpur (Local) **District – West Medinipur, West Bengal** [Online Proposal No. IA/WB/IND/196780/2021; File No. IA-J11011/169/2017-IA-II(I)] – **Environment Clearance under the provisions of para 7(ii) of EIA Notification 2006** – regarding.

Time schedule: 14.00 Hrs to 17.30 Hrs

- 31.4 Expansion of existing 6.0 MTPA to 12.0 MTPA Iron Ore Pellet Plant by **M/s ArcelorMittal Nippon Steel India Ltd. (Formerly Essar Steel India Ltd.)** located at Udayabata, Post- Paradeep, **Dist-Jagatsinghpur, Odisha.** [Online Proposal No. IA/OR/IND/197064/2021; File No J-11011/129/2007-IA.II(I)] – **Prescribing of Terms of Reference**– regarding.
- 31.5 Proposed Integrated Cement Plant - Clinker (3.0 MTPA), Cement (2.0 MTPA), CPP (25 MW) & WHRS (15 MW) by **M/s. Marwar Cement Limited** located at Village: Ghorawat, Tehsil: Pipar City, **District: Jodhpur, Rajasthan.** [Online Proposal No.

IA/RJ/IND/197854/2021; File No. J-11011/154/2009-IA.II(I)] – **Prescribing of Terms of Reference – regarding.**

- 31.6 Proposed Expansion of existing Pellet Plant (1.2 Million TPA to 6.0 Million TPA) keeping Iron Ore Beneficiation plant 1.5 Million TPA, Producer Gas plant (75000 N.Cu.M/hr to 200000 N.Cu.M/hr) with addition of new Wet Grinding unit (4.5 Million TPA), Sponge Iron plant (1.8 Million TPA), Ferro Alloys Plant (0.036 Million TPA) with Chrome briquette & Zigging plant , Steel Melting Shop (1.4 Million TPA) with slag crushing unit, Rolling mill with pickling and Galvanizing line (3.5 Million TPA), Wire Rod & Wire Drawing mill (1.0 Million TPA) and CPP 245 MW (120 MW coal and Dolochar Mix Based and 125 MW WHRB based)” by **M/s. Rashmi Udyog Private Limited** located at Village- Baghmundi, P.O-Garhsalboni, P.S- Jhargram, **District- Jhargram, West Bengal.** [Online Proposal No. IA/WB/IND/151940/2020; File No J-11011/180/2012-IA(II)] – **Prescribing of Terms of Reference**– regarding.
- 31.7 Installation of 2 X 7 MTPA Greenfield Iron Ore Pellet Plant by **M/s. Essar Minmet Limited** located at Paradip, **Jagatsinghpur District, Odisha** [Online Proposal No. IA/OR/IND/198977/2021; File No. J-11011/38/2021-IA.II(I)] – **Prescribing of Terms of Reference** – regarding.

Format for Brief Write-Up [Environment Clearance including para 7(ii) cases]

1. M/s has made an online application vide proposal no.dated along with copy of EIA/EMP report and Form – 2 seeking Environment Clearance (EC) under the provisions of the EIA Notification, 2006 for the project mentioned above. The proposed project activity is listed at schedule no. under Category “.....” of the schedule of the EIA Notification, 2006 and attracts general condition due to..... *(if applicable)* and appraised at Central Level.

2. The detail of the ToR is furnished as below: *(Not applicable for clause 7(ii) cases)*

Date of application	Consideration	Details	Date of accord
 meeting of EAC held on	Terms of Reference	
 meeting of EAC held on	Amendment (if any)	

3. The project of M/s.....located inVillage ,Tehsil ,District,.....State is for setting up of a new for production ofMillion Tons Per Annum (MTPA)/ enhancement of production of from..... toMTPA.

4. Environmental site settings

S.No.	Particulars	Details	Remarks
i.	Total land	----- ha [Private: ---- ha; Govt:---- ha; Agriculture: ---- ha; and Grazing land:-- ---]	Land use:
ii.	Land acquisition details as per MoEF&CC O.M. dated 7/10/2014		
iii.	Existence of habitation & involvement of R&R, if any.		
iv.	Latitude and Longitude of the project site		
v.	Elevation of the project site		
vi.	Involvement of Forest land if any.	Status of stage I Forest Clearance:	
vii.	Water body exists within the project site as well as study area	<u>Project site:</u> Name <u>Study area:</u> Name with distance	Authenticated HFL data of the water body shall be furnished.
viii.	Existence of ESZ/ESA/national park/wildlife sanctuary/biosphere reserve/tiger	<u>Study area:</u> Name with distance Status of NBWL approval:	

S.No.	Particulars	Details	Remarks
	reserve/elephant reserve etc. if any within the study area		

5. The existing project was accorded environmental clearance **(OR)** Consent to Establish [in case of not obtained EC] vide Ir.no. dated..... In case of CTE, reasons for not obtaining EC under the provisions of EIA Notification under the provisions of EIA Notification 1994 and 2006 shall be furnished. Consent to Operate for the existing unit was accorded byState pollution Control Board vide Ir. no. The validity of CTO is up to **[Only for expansion and clause 7(ii) cases]**

6. Implementation status of the existing EC **[Only for expansion and clause 7(ii) cases]**

Sl. No.	Facilities	Units	As per EC dated -----	Implementation Status as on -----	Production as per CTO

7. The unit configuration and capacity of existing **[Only for expansion and clause 7(ii) cases]** and proposed project is given as below:

S.No.	Name	Existing Units		Proposed Units		Total (Existing +Proposed)	
		Configuration	Production TPA	Configuration	Production TPA	Configuration	Production TPA

8. The details of the raw material requirement for the proposed project/ expansion cum proposed project along with its source and mode of transportation is given as below:

S. No.	Raw Material	Quantity required per annum			Source	Distance from site (Kms)	Mode of Transportation
		Existing	Expansion	Total			

9. The water requirement for the project is estimated asm³ /day, out of which.....m³/day of fresh water requirement will be obtained from the and the remaining requirement ofm³ /day will be met from theThe permission for drawl of groundwater / surface water is obtained from vide Lr. No.dated.....

10. The power requirement for the project is estimated asMW, out of whichMW will be obtained from the

11. Baseline Environmental Studies (In case of clause 7(ii) projects from post project monitoring data)

Period
AAQ parameters at locations	PM _{2.5} = to µg/m ³ PM ₁₀ = to µg/m ³ SO ₂ = to µg/m ³

	NO _x = to µg/m ³ CO = to µg/m ³
AAQ modelling	PM ₁₀ = µg/m ³ SO ₂ = µg/m ³ NO _x = µg/m ³ CO = µg/m ³
Ground water quality at locations	pH: ...to....., Total Hardness: ...to..... mg/l, Chlorides: to mg/l, Fluoride: ...to mg/l. Heavy metals are within the limits.
Surface water quality at locations	pH:to; DO: ...to..... mg/l and BOD:mg/l. COD from.....to.....mg/l
Noise levels to for the day time and to for the Night time.
Traffic assessment study findings	
Flora and fauna	Presence of schedule I fauna if any. If yes, status of site specific wildlife conservation plan

12. The details of solid and hazardous waste generation along with its mode of treatment/disposal is furnished as below:

S. No.	Type of Waste	Source	Quantity generated (TPA)	Mode of Treatment / Disposal

13. Public Consultation: *(In case of clause 7(ii) cases, only details of earlier public consultation shall and its implementation status shall be furnished)*

Details of advertisement given	
Date of public consultation	
Venue	
Presiding Officer	
Major issues raised	i. ----- ii. -----

Action plan as per MoEF&CC O.M. dated 30/09/2020

S.NO	Concerns raised during the Public Hearing	Physical activity and action plan	Tentative Budget, Rs Lacs	Target date for implementation of action plan
1.				

14. The capital cost of the project is Rs.....Crores and the capital cost for environmental protection measures is proposed as Rs.....Crores. The annual recurring cost towards the environmental protection measures is proposed as Rs.....Crores. The employment generation from the proposed project / expansion is..... The details of cost for environmental protection measures is as follows:

S.No.	Description of Item	Existing (Rs. In Crores/lakhs)	
		Capital Cost	Recurring Cost
i.	Air Pollution Control/Noise		
ii.	Water Pollution Control		
iii.	Environmental Monitoring and Management		
iv.	Green Belt Development		
v.	Addressal of Public Consultation concerns		

15. Greenbelt will be developed in ha which is about% of the total project area. A ---m wide greenbelt, consisting of at least 3 tiers around plant boundary will be developed as greenbelt and green cover as per CPCB/MoEF&CC, New Delhi guidelines. Local and native species will be planted with a density of 2500 trees per hectare. Total no. of saplings will be planted and nurtured in hectares in years.

16. It has been reported that following will be resource consumption after the proposed change: *[In case of clause 7(ii) cases only]*

Particulars	As per EC dated -----	After proposed change under para 7(ii)	% increase
Land			
Greenbelt			
Water			
Power			
Rawmaterials			
Products			

17. Pollution load assessment *[In case of clause 7(ii) cases only]*

Particulars	As per EC dated -----	After proposed change under para 7(ii)	% increase
Air			
Water			
Solid and Hazardouswaste			
Traffic load			

18. Summary of violation under EIA, 2006/court case/show cause/direction if any, related to the project under consideration shall be furnished.

19. Name of the EIA consultant: M/s[S.No., List of ACOs with their Certificate / Extension Letter no. Rev.,].

20. **Certified compliance report from Regional Office** *[Only for expansion and clause 7(ii) cases]*

The Status of compliance of earlier EC was obtained from Regional Office, vide letter no., dated in the name of M/s. The Action taken report regarding the partially/non-complied condition was submitted to Regional officer MoEF&CC, vide letter no. dated MoEF&CC (RO), evaluated the same and has issued letter dated The details of the observations made by RO in the report dated along with its re-assessment / present status as furnished by the PP is given as below.

Sl.	Non-compliances details	Observation of RO (abridged)	Condition no.			Re-assessment by RO / Response by PP
			EC date	Specific	General	

Format for Brief Write-Up (ToR)

1. M/s. has made an application online vide proposal no. dated along with the application in prescribed format (Form-I), copy of pre-feasibility report and proposed ToRs for undertaking detailed EIA study as per the EIA Notification, 2006 for the project mentioned above. The proposed project activity is listed at S. No. under Category “....” of the schedule of the EIA Notification, 2006 and attracts general condition due to..... (if applicable) being appraised at Central Level.
2. The project of M/s.....located inVillage ,Tehsil ,District,.....State is for setting up of a new for production ofMillion Tons Per Annum (MTPA)/ enhancement of production of from..... toMTPA.

3. Environmental site settings

S.No.	Particulars	Details	Remarks								
i.	Total land	----- ha [Private: ---- ha; Govt:---- ha; Agriculture: ---- ha; and Grazing land:----]	Land use:								
ii.	Existence of habitation & involvement of R&R, if any.										
iii.	Latitude and Longitude of the project site										
iv.	Elevation of the project site										
v.	Involvement of Forest land if any.	Status of stage I Forest Clearance:									
vi.	Water body exists within the project site as well as study area	Project site: <table border="1"> <thead> <tr> <th>Water body</th> <th>Distance</th> </tr> </thead> <tbody> <tr> <td> </td> <td> </td> </tr> </tbody> </table> Study area <table border="1"> <thead> <tr> <th>Water body</th> <th>Distance</th> </tr> </thead> <tbody> <tr> <td> </td> <td> </td> </tr> </tbody> </table>	Water body	Distance			Water body	Distance			Authenticated HFL data of the water body shall be furnished.
Water body	Distance										
Water body	Distance										
vii.	Existence of ESZ/ESA/national park/wildlife sanctuary/biosphere reserve/tiger reserve/elephant reserve etc. if any within the study area	<table border="1"> <thead> <tr> <th>Name</th> <th>Distance</th> </tr> </thead> <tbody> <tr> <td> </td> <td> </td> </tr> </tbody> </table> Status of NBWL approval:	Name	Distance							
Name	Distance										

4. The existing project was accorded environmental clearance **(OR)** Consent to Establish [in case of not obtained EC] vide Ir.no. dated..... In case of CTE, reasons for not obtaining EC under the provisions of EIA Notification under the provisions of EIA Notification 1994 and 2006 shall be furnished. Consent to Operate for the existing unit was accorded byState pollution Control Board vide Ir. no. The validity of CTO is up to **[Only for expansion cases]**
5. Implementation status of the existing EC **[Only for expansion cases]**

Sl. No.	Facilities	Units	As per EC dated -----	Implementation Status as on -----	Production as per CTO

6. The unit configuration and capacity of existing [*Only for expansion cases*] and proposed project is given as below:

S.No.	Name	Existing Units		Proposed Units		Total (Existing +Proposed)	
		Configuration	Production TPA	Configuration	Production TPA	Configuration	Production TPA

7. The details of the raw material requirement for the proposed project/ expansion cum proposed project [*Only for expansion cases*] along with its source and mode of transportation is given as below:

S. No.	Raw Material	Quantity required per annum			Source	Distance from site (Kms)	Mode of Transportation
		Existing	Expansion	Total			

8. The water requirement for the project is estimated asm³ /day, out of which.....m³/day of fresh water requirement will be obtained from the and the remaining requirement ofm³ /day will be met from theThe permission for drawl of groundwater / surface water is obtained from vide Lr. No.dated.....
9. The power requirement for the project is estimated asMW, out of whichMW will be obtained from the
10. The capital cost of the project is Rs.....Crores and the capital cost for environmental protection measures is proposed as Rs.....Crores. The employment generation from the proposed project / expansion is..... Summary of violation under EIA, 2006/court case/show cause/direction if any, related to the project under consideration shall be furnished.
11. Summary of violation under EIA, 2006/court case/show cause/direction if any, related to the project under consideration shall be furnished.
12. Name of the EIA consultant: M/s[S.No., List of ACOs with their Certificate / Extension Letter no. Rev.,].
13. Proposed Terms of Reference (*Baseline data collection period: -----*)

Attributes	Sampling		Remarks
	No. of stations	Frequency	
A. Air			
a. Meteorological parameters			
b. AAQ parameters			
B. Noise			

Attributes		Sampling	Remarks
C. Water			
Surface water/Ground water quality parameters			
D. Land			
a. Soil quality			
b. Land use			
E. Biological			
a. Aquatic			
b. Terrestrial			
F. Socio-economic parameters			

Format for Brief Write-Up (EC/ToR Amendment proposals/Extension of validity of EC)

1. Kindly provide details of earlier project along with details of EC/ToR granted for the project with letter no and date of issue.
2. Configuration & capacity change granted in EC/ToR vis-a-vis with the proposed EC/ToR
3. In case of other changes, details as per the granted EC/ToR vis-à-vis proposed changes
4. Reason for seeking amendment in EC/ToR and validity extension of EC.
5. Implementation status of the existing EC (*Only of EC validity extension proposals*)

Sl. No.	Facilities	Units	As per EC dated -----	Implementation Status as on -----	Consent (CTE/CTO)

6. Schedule of completion of balance facilities envisaged under the EC (*Only of EC validity extension proposals*)
7. Summary of violation under EIA, 2006/court case/show cause/direction if any, related to the project under consideration shall be furnished.
