

Government of India
Ministry of Environment, Forest and Climate Change
(IA Division – Industry - 1)

Indira Paryavaran Bhawan,
Jor Bagh Road, Ali Ganj,
New Delhi - 110 003

Dated: 21st April, 2017

1.1 To

As per list enclosed.

Subject: 18th Meeting of the Expert Appraisal Committee on Industry – 1 projects to be held on 3rd to 5th May, 2017 New Delhi.

Sir,

The undersigned is directed to inform you that the project proposals, as mentioned in the enclosed Agenda for 18th meeting of the Expert Appraisal Committee for Industry - 1 Projects, scheduled to be held on **3rd to 5th May, 2017** will be considered for appraisal. Venue shall be at Conference Hall (Teesta), 1st Floor, Vayu Block, Indira Paryavaran Bhawan, Jor Bagh, New Delhi -110003.

2. For the purpose, the documents such as Form-1, Pre-feasibility report, Environment Impact Assessment Report, public hearing report, queries subsequently raised by the Ministry, if any, and your para-wise comments thereto etc., in accordance with Environment Impact Assessment Notification, 2006 are required to be forwarded to the Chairman/Members of the Expert Appraisal Committee including details of the court matters/Orders of the Court pertaining to the project, if any. Accordingly, it is requested to forward a copy of each of these documents - Hard and Soft Copies (CD) to the Chairman/members of the Expert Appraisal Committee by speed post so as to reach the members well in time. Names and addresses of the Chairman/Members are enclosed for necessary action. All the documents including the hard copy of the presentation material should be legible and printed on both sides on ordinary paper. It is also requested to indicate the item number of the agenda while circulating the documents.

3. Please avoid delivery of documents by hand and seeking meeting with Chairman/Members in this regard. A copy of this letter may be enclosed as a reference while mailing the documents to the Chairman/Members.

4. It may be ensured that the Members receive the requisite documents pertaining to the projects latest by **28.04.2017** positively. **Failing which the Committee will not consider the project.**

5. Further, it is requested that the project proponent or his/her authorized representative should attend the presentation meeting of EAC. You may also depute your senior officers from the company (preferably not more than two representatives) who can make a presentation on your behalf on the salient features of the project, the related environmental issues, proposed Environmental Management Plan and also respond to the queries/suggestions which Committee may raise during the discussions.

6. Any changes/modification with respect to the Agenda, Venue etc., would be indicated in the Ministry's website. You are also requested to keep track of the status of your project from the Ministry/s Website i.e., www.envfor.nic.in.

7. A line in confirmation regarding participation of your representative in the meeting will be appreciated. It may be noted that only the EIA Coordinator who has already been accredited with Quality Council of India and his name is in the latest list can only accompany the proponent in the meeting.

8. It is requested that one hard copy of the documents such as Form-1, Pre-feasibility report, Environment Impact Assessment Report, public hearing report, queries subsequently raised by the Ministry, if any, and your para-wise comments thereto etc., in accordance with Environment Impact Assessment Notification, 2006 shall be hand over at the time meeting.

9. Kindly send a **brief write up (Format enclosed as Annexure - 1) of project/executive summary of the project (maximum two page, paragraphs in word format) and the name of the consultant with the Sl. No. in the QCI list in a week's time by e-mail to the following addresses:**

sharath.kr@gov.in

rs.ratti@gov.in

Yours faithfully,

Encl: As above.

(Sharath Kumar Pallerla)
Scientist 'F'

LIST OF MEMBERS OF THE EXPERT APPRAISAL COMMITTEE (INDUSTRY-1) FOR CIRCULATION OF HARD COPIES

S.No	Name and Address	Position
1	Dr.Chhavi Nath Pandey , IFS(Retired) 726 B, Sector 8, (Behind Gandhinagar Samachar) Gandhinagar, Gujarat, Pin: 382008 Email:- cnpandey@gmail.com	Chairman
Members		
2.	Director, Central Pulp and Paper Research Institute Paper Mill Road, P.B.No.174, Saharanpur-247 001, Uttar Pradesh.	Member
3.	Director, Central Leather Research Institute (Council of Scientific & Industrial Research) Adyar, Chennai- 600 020, Tamil Nadu.	Member
4.	Dr. Siddhartha Singh, Scientist – D (Air Quality Monitoring & Ozone Unit) Environmental Monitoring & Research Centre Indian Meteorological Department, Lodhi Road New Delhi - 110003	Member
5.	Representative of Central Ground Water Board Bhujal Bhawan, NH-IV, Faridabad, Haryana- 121001.	Member
6.	Dr. G. Bhaskar Raju Flat No.2H, ASV Sunrise Apartments, No.3, Padmavathi Avenue, Tirumalainagar Annex, Perungudi, Chennai-600 096. Email:- gbraju55@gmail.com	Member
7.	Dr. Jagdish Kishwan , IFS(Retired) Flat No.702-B, True Friends Apartments, Sector 6, Plot No.29, Dwarka, New Delhi-110075. Email:jkishwan@gamail.com	Member

8.	Dr.G.V.Subrahmanyam C-22, Kendriya Vihar Sector – 51, Noida, Uttar Pradesh Email:sv.godavarthi@gamil.com	Member
9.	Prof. Arun Pandey Department of Botany, University of Delhi, Delhi-110007. Email: arunpandey79@gmail.com	Member
10.	Shri Santosh Raghunath Gondhalekar 'Shree', 22, Tukaram Society, Santnagar, Pune -411009, Maharashtra. Email: santoshgo@hotmail.com	Member
11.	Shri Ashok Upadhyay B10/7052, Vasant Kunj, New Delhi-110 070. Email: ahupadhy@rediffmail.com	Member
12.	Sharath Kumar Pallerla Scientist 'F' Indira Paryavaran Bhawan Jor Bagh Road, AliGanj New Delhi	Member Secretary

AGENDA

18th MEETING OF THE EXPERT APPRAISAL COMMITTEE (INDUSTRY - 1) BEING HELD DURING 3RD to 5th MAY, 2017

VENUE: Conference Hall (Teesta), 1st Floor, Vayu Block, Indira Paryavaran Bhawan, Jor Bagh, New Delhi -110003

DATE: 3rd to 5th May, 2017

TIME: 10:30 AM

18.1 Opening Remarks of the Chairman

18.2 Confirmation of the Minutes of the 17th Expert Appraisal Committee (Industry-1) held during 6th to 7th April, 2017.

CONSIDERATION OF PROPOSALS:

3rd May, 2017 Wednesday (Teesta)

- 18.3 Proposed Technology Demonstration Plant (TDP) [For processing 1900 TPA of Zircon and 3500 TPA of Ilmenite] within the existing premises of Orissa Sands Complex of **M/s Indian Rare Earths Limited** at Orissa Sands Complex, village Matikhalo, Tehsil Chatrapur, District Ganjam, State Orissa. [Proposal No. IA/OR/IND/22927/2014 dated 15th April 2017. File No. J-11011/44/2014-IA-II (I)] (Environmental Clearance based on ToR)
- 18.4 Proposed expansion project for manufacturing of Manganese Oxide and Proposed Product Mix in Existing Product at Plot No. C-235, MIDC Butibori, District Nagpur, Maharashtra of **M/s D S Alloys Pvt Ltd**. F.No. J11011/242/2015-IA II (I). Proposal No. IA/MH/IND/62395/2015 dated 09.02.2017. (Environmental Clearance based on ToR)
- 18.5 Expansion of cement plant from 2.6 MTPA to 8.6 MTPA (Phase-II) of **M/s Sanghi Industries Ltd** at Sanghipuram, Dist.Kutch, Gujarat. [Proposal No. IA/GJ/IND/4327/2006. F.No. J-11011/337/2006-IA-II(I)] –(Extension of validity of Environmental Clearance)
- 18.6 Amendment of Environmental Clearance for change of captive power plant capacity from 15 MW to 18 MW due to implementation of CFBC technology based power plant and Waste Heat Recovery power plant from 10 MW to 7 MW totally 25 MW as approved by EC at cement plant located at Mattapalli Village, Matampally Mandal, Suryapet District, Telangana State of **M/s Sagar Cement Ltd**. [Proposal No. IA/AP/IND/4635/2006. F.No. J-11011/379/2006-IA.II(I)] – (Extension of Validity of Environmental Clearance)

Lunch Break [1:30 pm to 2:00 pm]

- 18.7 Expansion of steel plant (0.5 MTPA MBF and SMS) by adding 1.5 MTPA beneficiation cum pellet plant to produce 1.2 MTPA pellet (2×0.6 MTPA) with producer gas plant (75000 Nm³/hr) at Shyamraipur, Gokulpur, Khargargpur, Dist Paschim Midnapur, West Bengal of **M/s Orissa Metaliks Private Limited** [Proposal No. IA/WB/IND/5853/2011, F.No. -11011/604/2010-IA-II(I)- (Extension of Validity of Environmental Clearance)

- 18.8 Proposed 1.2 MTPA Integrated Steel Plant with 225 MW CPP Mouza Nandarchak (J.L.No124) Bargi (J.L.No.124) and Kanjarichak (J.L.No129) at village Gokulpur, P.O.Shyamraipur, P.S.Khargpur (L), Dist.Pachim Midnapur, West Bengal of **M/s Orissa Metaliks Private Limited**. [Proposal No. IA/WB/IND/64050/2017, F.No. IA-J-11011/169/2017-IA-II(I)]- (ToR)
- 18.9 Expansion of Steel Plant – Sponge Iron (60,000 TPA to 1,20,000 TPA), New Induction Furnace (90,000 TPA), New Rolling Mill (1,80,000 TPA), Power Generation -16 MW [8.0 MW through Waste Heat Recovery Boiler (WHRB) and 8.0 MW through Fluidised bed combustion (FBC) Boiler] in the existing premises at village Belpur, Tehsil Masturi, District Bilaspur, Chattishgarh of **M/s Kalindi Ispat Ltd.**, [Proposal No. IA/CG/IND/63530/2017, F.No. IA-J-11011/133/2017-IA-II(I)] – (ToR for Expansion)
- 18.10 Expansion of manganese ore processing plant (in Sy No. 92, 93, and 94) at village Tatiguda, Mandal Garividi, District Vizianagaram, Andhra Pradesh of **M/s Shiv Shanti Cement Private Limited**. [Proposal No. IA/AP/IND/63573/2017, F.No. IA-J-11011/134/2017-IA-II(I)]- (ToR for Expansion).
- 18.11 Proposed Greenfield cement plant of capacity 3.15 MTPA clinker & 2.0 MTPA cement and 2x25 MW Thermal Power Plant Kalvatala Village, Kolimigundla Mandal, Kurnool District, Andhra Pradesh of **M/s The Ramco Cement Ltd.** [Proposal No. IA/AP/IND/63579/2017, F.No. IA-J-11011/135/2017-IA-II(I)]- (ToR)
- 18.12 Proposed Modification of 0.4 MTPA Integrated Steel Plant of **M/s Gagan Ferro tech Limited** to 0.3 MTPA Integrated Steel Plant by changing 1X35 T EAF to 1X350 TPD DRI kiln and 2X20 T IF. [Proposal No. IA/WB/IND/63631/2017, F.No. J-11011/232/2010-IA-II(I)]-(ToR)

4th May, 2017 Thursday (Teesta)

- 18.13 Proposed 6 MTPA Integrated Steel Plant along with captive power generation of 893 MW of **M/s. Uttam Galva Ferrous Limited** at villages Kuduthini, Veniveerapura, Yerangaligi and Kolagallu, Taluka & District: Bellary, Karnataka. F.No. J-11011/80/2014-IA-II-(I). Proposal No. IA/KA/IND/22038/2014 dated 20.01.2017. (Environmental Clearance based on ToR)
- 18.14 Expansion Proposal for Upgradation & Modernization in Agro Pulping capacity 165 Ton Bleached Pulp paper per day and Expansion in Hard wood pulping Capacity (from 60 Ton to 200 Ton Bleached pulp per day) conventional Chemical recovery Plant (from 230 Ton to 580 Ton Black Liqior solids per day) & Co-Generation Plant (from 17.5 MW to 28 MW) at village saila khurd, tehsil Garhshanker, District Hoshiarpur, Punjab by **M/s Kuantum Papers Limited** [Proposal No. IA/PB/IND/24304/2014 File No. J-11011/344/2008-IA.II(I)]. - (Environmental Clearance for Expansion)
- 18.15 Expansion of steel plant (0.3 to 1.0 MTPA) at Village Jumbulapadu, Mandal Tadipatri, Anantapur, Andhra Pradesh by **M/s Kalyani Gerdau Steel Ltd.** (Formerly, M/s SJK Steel Plant Ltd.) [Proposal No. IA/AP/IND/4225/2010, F. No. J-11011/322/2008-IA.II(I)- Validity of Environmental Clearance
- 18.16 Expansion of cement plant by enhancing the cement production capacity (1.5 MTPA to 1.86 MTPA) of existing standalone grinding unit by process optimisation located at village Navagraon, P.O.Jajra, Tehsil Nalagarh, District Solan, Himachal Pradesh of **M/s Ambuja Cement Limited.** [Proposal No. IA/HP/IND/60625/2016, F.No. J-11011/173/2008-IA-II-(I)]- (Amendment of ToR for expansion proposal)
- 18.17 Proposed Mill Expansion Plan (MEP) of unit 2, installation of Paper Machine, Pulp Mill, Chemical Recovery Island and augmentation of Co-generation Plant utilities at **M/s Tamil Nadu Newsprint and Papers Limited (TNPL)** at Mondipatti village, Manaparai Taluk, Trichy District. [Proposal No. IA/TN/IND/63497/2017, F.No. IA-J-11011/172/2017-IA-II(I)] -(ToR)

Lunch Break [1:30 pm to 2:00 pm]

- 18.18 Establishment of silver refining plant for production of refined silver production -500 TPA at plot No.2, sector -14, Integrated Industrial Estate (IIE), Pantnagar, Uttarakhand by M/s **Hindusthan Zinc Ltd.**, [Proposal No. IA/UK/IND/63964/2010, F.No. IA-J-11011/170/2017-IA-II-(I)] – (Amendment of EC under section 7(ii) of EIA Notification 2006)
- 18.19 Expansion through addition of another colour Coated Line(capacity 150,000MT/Year) to enhance production of Painted coils (300,000 MT/Year) of M/s Tata BlueScope Steel limited, at Bara, PO-Agrico, Jamshedpur, District- East Singhbhum (JHK) of **M/s Tata Blue Scope Steel Limited.** (Proposal No. IA/JH/IND/63696/2017, F.No. J-11011/271/2007-IA-II(I)]- (ToR for expansion)
- 18.20 Proposed steel plant DRI Kiln (2,40,000 TPA), Induction Furnace (2,70,000 TPA), Rolling Mill (2,40,000 TPA) Power generation 40 MW [20 MW through Waste Heat Recovery Boiler (WHRB) and 20 MW through Fluidised bed combustion (FBC) Boiler] in phased manner at village

Khamaria, Tehsil Tilda, District Raipur, Chattisgarh of **M/s Rama Power and Steel Limited**.
[Proposal No. IA/CG/IND/63723/2017, F.No. IA-J-11011/168/2017-IA-II(I)].- (ToR)

18.21 Proposed Expansion of Ferro Alloy Plant from 15,660 TPA Ferro Chrome to 91,374 TPA Ferro Chrome (By Installing 2X18 MVA SAF in addition to Capacity Enhancement of the existing 9 MVA to 12 MVA SAF) along with a zigging plant of capacity 20 TPH, Briquetting Plant of Capacity 35 TPH and installation of 1,98,000 TPA (30TPH) Chrome Ore Beneficiation Plant of **M/s Balasore Alloys Ltd**. [Proposal No. IA/OR/IND/63817/2017, F.No. IA-J-11011/167/2017-IA-II(I)]- (ToR for Expansion).

5th May, 2017 Friday (Teesta)

- 18.22 Extension of ToR for Cement Plant of 3500 TPD by **M/s Trumboo Cement Pvt Ltd.** located at Village Khrew, District Pulwama Srinagar, Jammu and Kashmir. J11011/349/2009-IA.II (I)[Proposal No. IA/JK/IND/4412/2009 Date of Submission 5th December, 2016] - (Considered 13th EAC but PP Absent)
- 18.23 Cement plant of 3500 TPD at village Khrew, District Pulwama Srinagar, J&K by **M/s Trumboo Cement Pvt. Ltd** [Proposal No. IA/JK/IND/5359/2012, F.No. J-11011/5/2013-IA-II(I)] – (Validity of ToR)
- 18.24 Proposed Enhancement in Cement Production Capacity (2.0 MTPA to 2.3 MTPA) of Existing Stand-alone Grinding Unit by installation of New Slag Grinder at JL No. 80, Village & Mouza: Panchgarha, PS: Chanditala, District: Hooghly (West Bengal) by **M/s Dankuni Cement Works** (A Unit of M/s. UltraTech Cement Ltd.) [Proposal No. IA/WB/IND/62209/2017, F. No. J-11011/638/2008-IA.II(I)] -(ToR)
- 18.25 Proposed Enhancement in Clinker Production Capacity (1.6 to 1.94 MTPA) by Process Optimization at Villages - Bhawaliya & Mangrol, Tehsil - Nimbahera, District Chittorgarh (Rajasthan) by **M/s. Lafarge India Ltd.** Proposal No. IA/RJ/IND/62841/2017 F.No J-11011/113/2011-IA.II(I) -(ToR)
- 18.26 Proposed expansion of Steel Plant –Enhancement in production of Sponge Iron Plant from 60,000 TPA to 90,000 TPA along with 2 MW WHRB Power plant in the existing plant premises at village Parsada, Post Sarora, Tehsil Tilda, District Raipur, Chattisgarh of **M/s Hi-Tech Power & Steel Limited.** [Proposal No. IA/CG/IND/63422/2017, F.No. IA-J-11011/171/2017-IA-II(I)] -(ToR)

Lunch Break [1:30 pm to 2:00 pm]

- 18.27 Proposed enhancement of production capacity of Alumina Refinery (1.5 MTPA to 3.0 MTPA) along with Cogeneration Power Plant (90 MW to 150 MW) by **M/s Utkal Alumina International Limited** at village Doraguda, Tehsil Kashipur, District Rayagada, Odisha [Proposal No. IA/OR/IND/64028/2017, F.No. IA-J-11011/753/2007-IA-II(I)]- (ToR for Expansion)
- 18.28 Expansion cum modification of existing 0.07 MTPA billets, 0.0048 MTPA sections & 0.027 MTPA Ferro alloy plant to 0.054 MTPA TMT bars, 0.020 MTPA GI pipes, 0.040 MTPA sections & 0.046 MTPA Ferro alloy plant of **M/s Shivam Iron & Steel Co. Ltd.** at Dhukhia Mahadev emple Road, Jambad, P.O.Udnabad, Giridih, Jharkhand. [Proposal No. IA/JH/IND/63840/2017,F.No. J-11011/365/2009-IA-II(I)] -(ToR)
- 18.29 Resubmission of application for installation of Induction Furnace, Rolling Mill and Submerged Arc Furnaces and Captive Power Plant 33 MW including 8 MW (WHRB) of **M/s Grace Industries Limited.** [Proposal No. IA/MH/IND/64026/2017, F. No. J-11011/206/2016-IA.II(I)]- (Violation)
- 18.30 Environmental Clearance for modernisation of Rourkela Steel Plant of **M/s SAIL** by adding new 125 TPD Sulphuric Acid Plant in place of old 60 TPD plant within the premises of Rourkela Steel Plant at village Rourkela, District Sundergarh, State Odisha. [Proposal No. IA/OR/IND/63491/2017, F.No. J-11011/757/2007-IA II (I)] - (Violation)

Format for Brief Write-Up (Environment Clearance)

The of M/s located in Village, Tehsil, District, State..... was initially received in the Ministry on20... for obtaining Terms of Reference (ToR) as per EIA Notification, 2006. The project was appraised by the Expert Appraisal Committee (Industry) [EAC(I)] during itsth meeting held on, 20.... and prescribed ToRs to the project for undertaking detailed EIA study for obtaining environmental clearance. Accordingly, the Ministry of Environment, Forest and Climate Change had prescribed ToRs to the project on20.... vide Lr. No.

2. Based on the ToRs prescribed to the project, the project proponent submitted an application for environmental clearance to the Ministry online on201..... vide Online Application No.

3. The project of M/s.....located inVillage ,Tehsil ,District ,State is for setting up of a new for production ofmillion tones per annum (million TPA) of/ enhancement of production of from..... tomillion tonnes per annum (million TPA). The existing project was accorded environmental clearance vide Lr.no.dated.....The Status of compliance of earlier EC was obtained from Regional Office, Bangalore/Bhubaneshwar/Bhopal/Chennai/Chandigarh/Dehradun/Laknow/Nagpur/Ranchi/Shilong vide Lr. No., dated.....There is no non-compliances reported by Regional officer. The proposed capacity for different products for new site area as below:

Name of unit	No. of units	Capacity of each Unit	Production Capacity

4. The total land required for the project isha, out of whichha is an agricultural land,ha is grazing land andha is others (.....Government Land). No /forestland involved. The entire land has been acquired/ not acquired for the project. The River passes through the project area (p./c). It has been reported that no water body/ water body exist around the project and modification/diversion in the existing natural drainage pattern at any stage has not been proposed.

5. The topography of the area is.....(flat/undulated) and reported to lies between⁰.'.'” to ..⁰.'.'” N Latitude and ..⁰.'.'” to ..⁰.'.'” E Longitude in Survey of India topo sheet No., at an elevation ofm AMSL. The ground water table reported to ranges between below the land surface during the post-monsoon season and below the land surface during the pre-monsoon season. Based on the hydro-geological study, it has been reported that the radius of influence of pumped out water will bem. Further, the stage of groundwater development is reported to be....% and ...% in core and buffer zone respectively and thereby these are designated as safe/critically exploited areas.

6. The National Park/WL etc are located at a distance of KM from the site/No national park/wildlife sanctuary/biosphere reserve/tiger reserve/elephant reserve etc. are reported to be located in the core and buffer zone of the project. The area also does not report to form corridor for Schedule-I fauna.

The authenticated list of flora and fauna provided through thereporting presence of no /schedule-I fauna in the study area (Annexure-... of EIA).

7. The process of project showing the basic raw material used and the various processes involved to produce the final output, waste generated in process.

8. The targetted production capacity of theismillion TPA. The ore for the plant would be procured from(linkages.....). The ore transportation will be done through (Rail/Road/Conveyor/Slurry Pipeline).

9. The water requirement of the project is estimated asm³/day, out of whichm³/day of fresh water requirement will be obtained from the and the remaining requirement ofm³/day will be met from theThe permission for drawl of groundwater / surface water is obtained from vide Lr. No.date.....

10. The power requirement of the project is estimated asMW, out of whichMW will be obtained from the

11. Baseline Environmental Studies were conducted during -----season i.e. fromto, 20.....Ambient air quality monitoring has been carried out at 8 locations duringto and the data submitted indicated: PM10 (.....µg/m³ toµg/m³), PM2.5 (..... toµg/m³), SO₂ (..... to µg/m³) and NO_x (..... to µg/m³). The results of the modeling study indicates that the maximum increase of GLC for the proposed project is µg/m³ with respect to the PM10, µg/m³ with respect to the SO₂ µg/m³ with respect to the NO_x.

12. Ground water quality has been monitored inlocations in the study area and analysed. pH:to....., Total Hardness:to..... mg/l, Chlorides: to mg/l, Fluoride:to mg/l. Heavy metals are within the limits. Surface water samples were analysed from locations. pH:to; DO:to..... mg/l and BOD:mg/l. COD from.....to.....mg/l.

13. Noise levels are in the range ofto..... dBA for daytime andto..... dBA for nighttime.

14. It has been reported that there are people in the core zone of the project. No/ R&R is involved. It has been envisaged that families to be rehabilitated, which will be provided compensation and preference in the employment.

15. It has been reported that a total of tons/m³ of waste will be generated due to the project, out of which will be used in And...will be dumped in the earmarked dump yard. It has been envisaged that an area ofha will be developed as green belt around the project site to attenuate the noise levels and trap the dust generated due to the project development activities.

16. It has been reported that the Consent to Establish / Consent to Operate from the State Pollution Control Board / Pollution Control Committee obtained vide Lr. No.....dated.....and consent is valid up to

17. The Public hearing of the project was held on20.. at.....under the chairmanship of(designation) for production ofmillion TPA of/ setting up ofplant, under the The

issues raised during public hearing are..... An amount ofLakhs (.....% of Project cost) has been earmarked for Enterprise Social Commitment based on public hearing issues.

18. The capital cost of the project is Rs.....Crores and the capital cost for environmental protection measures is proposed as Rs.....Lakhs. The annual recurring cost towards the environmental protection measures is proposed as Rs.....Lakhs . The detailed CSR plan has been provided in the EMP in its page No.to.....The employment generation from the proposed project / expansion is

19. Greenbelt will be developed in Ha which is about% of the total acquired area. A 100 m wide greenbelt, consisting of at least 3 tiers around plant boundary will be developed as greenbelt and green cover as per CPCB/MoEF&CC, New Delhi guidelines. Local and native species will be planted with a density of 2500 trees per hectare. Total no. of saplings will be planted and nurtured in a in years.

20. The proponent has mentioned that there is no court case or violation under EIA Notification to the project or related activity.

Format for Brief Write-Up (ToR)

- 1.0 M/s.proposes to install a new/expansion of existing manufacturing unit for It is proposed to set up the plant for based ontechnology. The project proponent submitted an application in the prescribed format along with Form-1 and other reports to the Ministry online on201..... vide Online Application No.
- 2.0 The existing project was accorded environmental clearance vide Ir.no. dated.....Consent to Operate was accorded byState pollution Control Board vide Ir. no.validity of CtO is up to
- 3.0 The proposed unit will be located at..... Village:, Taluka:, District:, State:
- 4.0 The land area acquired for the proposed plant isHa out of which ha is an agricultural land,ha is grazing land andha is others (.....Government Land). No /forestland involved. The entire land has been acquired/ not acquired for the project. Of the total area Ha (.....%) land will be used for green belt development.
- 5.0 The National Park/WL etc are located at a distance of KM from the site/No national park/wildlife sanctuary/biosphere reserve/tiger reserve/elephant reserve etc. are reported to be located in the core and buffer zone of the project. The area also does not report to form corridor for Schedule-I fauna.
- 6.0 Total project cost is approx Crore rupees. Proposed employment generation from proposed project will be direct employment and indirect employment.
- 7.0 The targetted production capacity of theismillion TPA. The ore for the plant would be procured from (linkages.....). The ore transportation will be done through (Rail/Road/Conveyor/Slurry Pipeline). The proposed capacity for different products for new site area as below:

Name of unit	No. of units	Capacity of each Unit	Production Capacity

- 8.0 The electricity load of MW will be procured from Company has also proposed to install DG Set.
- 9.0 Proposed raw material and fuel requirement for project are Requirement would be fulfill by as well as Fuel consumption will be mainly
- 10.0 Water Consumption for the proposed project will be and waste water generation will be Domestic waste water will be treated and industrial waste water generated will be treatedand reused

- 11.0 The proponent has mentioned that there is no court case or violation under EIA Notification to the project or related activity.

Format for Brief Write-Up (Amendment proposals/Extension of validity of EC/ToR)

1. Kindly provide details of earlier project along with details of EC/ToR granted for the project with letter no and date of issue.
2. Compliance status of the EC from the Regional Office of MoEF&CC
3. Amendment required. (In case of amendment)

Additional Format for Brief Write-Up (Violation Cases)

1. Details of Violation.
2. Period of Violation
3. Details of mitigation plan
4. Details of community augmentation plan