

Government of India
Ministry of Environment, Forest and Climate Change
(IA Division – Industry - 1)

Indira Paryavaran Bhawan,
JorBagh Road, Ali Ganj,
New Delhi - 110 003
Dated: 22nd April, 2020

To

As per list enclosed.

Subject: 18th Meeting of the Re-Constituted Expert Appraisal Committee on Industry – 1 sector project to be held during 29-30th April, 2020 – Agenda for 1st day - Reg.

Sir,

1. The undersigned is directed to inform you that the project proposals as furnished below will be considered by the Reconstituted Expert Appraisal Committee for Industry - 1 sector in its 18th meeting to be held during **29-30th April, 2020 through video/tele conferencing (VC) without inviting the respective project proponent in view of the Corona Virus Disease (Covid-19). You are also requested to send your consent to attend the VC by 24th April 2020. It is also requested that in no way measures taken for nationwide lockdown should be violated. The user guide manual for the VC is enclosed as Annexure -II for perusal and compliance. Any change in date & timing of VC, if any, will be communicated.**
2. For the purpose, the documents such as Form-1, Pre-feasibility report, Environment Impact Assessment Report, public hearing report, queries subsequently raised by the Ministry, if any, and your para-wise comments thereto etc., in accordance with Environment Impact Assessment Notification, 2006 are required to be forwarded to the Chairman/Members of the Expert Appraisal Committee including details of the court matters/Orders of the Court pertaining to the project, if any. **Accordingly, it is requested to forward a copy of each of these documents by soft copy/e-mail to the Chairman/members of the Expert Appraisal Committee by 25/04/2020. Address for correspondence with e-mail of the Chairman/Members are enclosed for necessary action.**
3. A copy of this letter may be enclosed as a reference while mailing the documents to the Chairman/Members.
4. It may be ensured that the Members receive the aforesaid requisite documents in soft copy/e-mail pertaining to the projects latest by **25/04/2020 positively**. **Failing which the Committee will not consider the project.**
5. Any changes/modification with respect to the Agenda would be indicated in the Ministry's website. You are also requested to keep track of the status of your project from the Ministry/s Website i.e., www.parivesh.nic.in.

6. It is requested that one set of hard copy of the documents such as Form-1, Pre-feasibility report, Environment Impact Assessment Report, Public Hearing Report, queries subsequently raised by the Ministry, if any, and your para-wise comments thereto etc., in accordance with Environment Impact Assessment Notification, 2006 shall also be sent by speed post to the undersigned.
7. **In addition to the above, kindly send a brief write up (Format enclosed as Annexure – 1) of project (maximum three pages in MS-word format) along with the power point presentation not exceeding 25 slides containing salient features of the project with compliance to the stipulated ToRs to the following email address as well as to the EAC members by 25/04/2020. Further, the nodal officer and consultant contact details (Name, Designation, Mobile and E-mail) for contacting during VC shall also be sent in the format given below:**

Item No.	Proposal No with Company Name	Name of the Nodal person and consultant to be contacted	Contact Mobile/ E-mail

dirind-moefcc@gov.in
r.sundar@nic.in
rs.ratti@gov.in

Encl: as above.

Yours faithfully,
Sd/-

(A.K. Agrawal)
Director

**LIST OF MEMBERS OF THE EXPERT APPRAISAL COMMITTEE (INDUSTRY-1)
FOR CIRCULATION OF HARD/ SOFT COPIES**

S.No.	Name & Address	Position
1.	Dr. Chhavi Nath Pandey, IFS(Retired), (Former PCCF & HoFF, Gujarat) House No. 726 B, Sector-8(C), (Behind Gandhinagar Samachar), Gandhi Nagar, Gujarat – 382007 E-mail: cnpandey@iitgn.ac.in	Chairman
Members		
2.	Director, Central Pulp and Paper Research Institute (CPPRI), Paper Mill Road, Himmat Nagar, Saharanpur, Uttar Pradesh- 247001 E-mail: director.cppri@gmail.com bipin_thapliyal@yahoo.com	Member
3.	Director General of Meteorology, Indian Meteorological Department (IMD), Mausam Bhawan, Lodhi Road, New Delhi – 110003 E-mail: siddhartha.singh74@gmail.com	Member
4.	Dr. G.Bhaskar Raju, [Former Chief Scientist, National Metallurgical Laboratories (NML)], Flat No 2H, ASV Sunrise Apartments, No.3, Padmavathi Avenue, Tirumalainagar Annex, Perungudi, Chennai – 600 096. E-mail: gbraju55@gmail.com	Member
5.	Dr. Jagdish Kishwan, IFS (Retired) (Former Additional Director General, Ministry of Environment Forest & Climate Change) Srishti Parsvanath Prestige II, Tower 8, Flat-101, Sector 93-A, NOIDA- 201304 E-mail: jkishwan@gmail.com	Member
6.	Dr. G.V.Subramanyam, (Former Advisor, Ministry of Environment Forest & Climate Change) C-22, Kendriya Vihar, Sector 51, Noida – 201301. Uttar Pradesh. E-mail: sv.godavarthi@gmail.com	Member
7.	Shri. Ashok Upadhyaya, Technology Expert (Environment), B10/7052, Vasant Kunj, New Delhi -110070.	Member

S.No.	Name & Address	Position
	E-mail: ahupadhy@rediffmail.com	
8.	Shri. Rajendra Prasad Sharma, Expert (Energy & Environment), 4528, Achiever's Villa, Kalindi Hills, Sector49, Faridabad- 121001, Haryana E-mail: rps3@hotmail.com	Member
9.	Dr. Sanjay Deshmukh, (Former Vice Chancellor, University of Mumbai), Prof. Life Sciences, Mumbai University, Vidyanagari, Santacruz (E), Mumbai 400098. E-mail: docsvd@yahoo.com	Member
10.	Prof. S.K. Singh, Prof. and Dean of Env. Engg., Delhi Technical University, Type-V/29, DTU Campus, Bawana Road, Delhi – 110042 E-mail: sksinghdce@gmail.com	Member
11.	Dr. R. Gopichandran, Former Director, VigyanPrasar, DST, C-203, Angelmercury, Behind Shanthi Gopal Hospital, Ahinsa Khand-II, Indirapuram, Ghaziabad, U.P. E-mail: r.gopichandran@vigyanprasar.gov.in	Member
12.	Shri Jagannadha Rao Avasarala, Environment Expert, 49-37-8/1, NGGO Colony, Akkayyapalem, Vasakhapatnam – 530016. E-mail: avasalarajagan@gmail.com	Member
13.	Shri. J.S.Kamyotra, (Former Member Secretary, Central Pollution Control Board), WZ 169, B 1 st Floor, Street No. 5, Veerender Nagar, New Delhi – 1110058. E-mail: kamyotra@yahoo.co.in	Member
14.	Shri. A.K. Agrawal Director, Indira Paryavaran Bhawan JorBagh Road, Aliganj, New Delhi, E-mail: dirind-moefcc@gov.in	Member- Secretary

AGENDA
18TH MEETING OF THE RECONSTITUTED EXPERT APPRAISAL COMMITTEE
– INDUSTRY 1 SECTOR TO BE HELD ON 29-30TH APRIL, 2020

29th April, 2020

Time: 11.00 Hrs to 13.00 Hrs

- 18.1 Greenfield integrated Clinker / cement manufacturing unit and captive power plant including waste heat recovery plant and Power generation thorough WHRB and a township of **M/s Jaykaycem (central)Ltd.** located at Village Devra, Hardua, Puraina, Sotipura & Madaiyan, tehsil- Amanganj (old Pawai), **Dist. Panna, Madhya Pradesh** [Online proposal No. IA/MP/IND/127881/2016; MoEF&CC File No. J-11011/224/2016-IA.II(I)] - **Environment Clearance – regarding.**
- 18.2 Expansion of Integrated Cement Plant - Clinker (3.2 to 5.5 MTPA), Cement (3.0 to 5.0 MTPA), CPP (30 to 45 MW) & WHRB (15 to 27 MW) along with Proposed Standby Boiler (100 TPH) & D.G. Set (2180 KW) by **M/s. Emami Cement Limited** located at Villages: Risda & Dhandhani, Tehsil: Balodabazar, **District: Balodabazar – Bhatapara, Chhattisgarh** [Online proposal No. IA/CG/IND/89610/2018; MoEF&CC File No. J-11011/309/2013-IA.II(I)] - **Environment Clearance – regarding.**
- 18.3 Modernization of SAIL Rourkela Steel Plant by adding new 125 TPD Sulphuric Acid Plant in place of old 60 TPD plant by **M/s. Steel Authority of India Limited** within the premises of Rourkela Steel Plant located at village Rourkela, **District Sundargarh, Odisha – Environmental Clearance – regarding.**
- 18.4 Proposed Expansion of the Steel Plant by installation of Pellet Plant with Grinding Facility (2x0.85 MTPA), Sponge Iron Plant (1x350 TPD Kiln), Induction Furnaces (3x25T), Capacity revision from 600 TPD to 1000 TPD of Rolling Mill along with 7 MW capacity Captive Power Plant (WHRB based, utilizing waste heat from the proposed sponge plant) and Producer Gas Plant (12x4000 Nm³/hr) by **M/s. Bravo Sponge Iron Pvt. Ltd.,** located at Village Mahuda, P.O. Rukni, P.S. Para, **District Purulia, West Bengal – Environment Clearance Regarding.** [Online Proposal No. IA/WB/IND/125425/2015; File No. J-11011/758/2009-IAII(I)] - **Reconsideration for Environment Clearance based on ADS reply – regarding.**
- 18.5 Expansion of existing pellet plant [1.32 (2 x 0.66) Million TPA to 1.92 Million TPA & 1.2 (2 x 0.6) Million TPA to 1.92 Million TPA] by augmentation, process optimization & increasing number of working days/annum and setting up new pellet plant 3.0 Million TPA (2 x 1.5 Million TPA) with producer gas plant 75,000 Nm³/hr to reach total capacity of 6.84 Million TPA (4 x 0.96 Million TPA + 2 x 1.5 Million TPA) pellet plant with producer gas plant 2,25,000 Nm³/hr (30 x 7,500 Nm³/hr) by **M/s. Orissa Metaliks Private Limited (OMPL)** located at village – Gokulpur, P.O – Shyamraipur, P.S – Kharagpur (L), **District Paschim Medinipur, West Bengal – Prescribing of Terms of Reference based on site visit report of sub-committee – regarding**

- 18.6 Enhancement of production 1.0 to 2.0 MTPA in Portland Pozzolana Cement grinding unit by **M/s. Emami Cement Limited** located at Kulhariya village, Durgawati Tahasil, Bhabua Kaimur **District, Bihar** [Online Proposal No. IA/BR/IND/139498/2020, File No. J-11011/45/2020-IAII(I)] – **Reconsideration for grant of Terms of Reference (ToR) based on ADS reply**– regarding.
- 18.7 Expansion of Tannery Unit capacity of 60 hides/day (raw hide to wet blue leather) to 1000 hides/day (raw hide to finished leather) of **M/s A.K.I India Pvt. Ltd** at Tehsil & **Dist. Unnao, Uttar Pradesh** – [Proposal No. IA/UP/IND/150588/2020, MoEF&CC File No.J-11011/128/2013-IAII(I)] – **Amendment in EC condition for disposal of treated wastewater - regarding.**

Format for Brief Write-Up (Environment Clearance)

1. The of M/s located in Village, Tehsil, District, State..... was initially received in the Ministry on20... for obtaining Terms of Reference (ToR) as per EIA Notification, 2006. The project was appraised by the Expert Appraisal Committee (Industry) [EAC(I)] during itsth meeting held on, 20.... and prescribed ToRs to the project for undertaking detailed EIA study for obtaining environmental clearance. Accordingly, the Ministry of Environment, Forest and Climate Change had prescribed ToRs to the project on20.... vide Lr. No.
2. Based on the ToRs prescribed to the project, the project proponent submitted an application for environmental clearance to the Ministry online on201..... vide Online Application No.....
3. The project of M/s.....located inVillage ,Tehsil ,District,State is for setting up of a new for production ofmillion tones per annum (million TPA) of/ enhancement of production of from..... tomillion tonnes per annum (million TPA). The existing project was accorded environmental clearance vide lr.no.....dated.....
4. The Status of compliance of earlier EC was obtained from Regional Office,Bangalore/Bhubaneshwar/Bhopal/Chennai/Chandigarh/Dehradun/Laknow/Nagpur/Ranchi/Shilong vide Lr. No., dated.....There is no non-compliances reported by Regional officer. The proposed capacity for different products for new site area as below:

Name of unit	No. of units	Capacity of each Unit	Production Capacity

5. The total land required for the project isha, out of whichha is an agricultural land,ha is grazing land andha is others (.....Government Land). No /forestland involved. The entire land has been acquired/ not acquired for the project. The River passes through the project area (p./c). It has been reported that no water body/ water body exist around the project and modification/diversion in the existing natural drainage pattern at any stage has not been proposed.
6. The topography of the area is.....(flat/undulated) and reported to lies between0 ..'.." to .. 0 ..'.." N Latitude and ..0 ..'.." to ..0 ..'.." E Longitude in Survey of India topo sheet No., at an elevation ofm AMSL. The ground water table reported to ranges between below the land surface during the post-monsoon season and below the land surface during the pre-monsoon season. Based on the hydro-geological study, it has been reported that the radius of influence of pumped out water will bem. Further, the stage of groundwater development is reported to be....% and ...% in core and buffer zone respectively and thereby these are designated as safe/critically exploited areas.

7. The National Park/WL etc are located at a distance of KM from the site/No national park/wildlife sanctuary/biosphere reserve/tiger reserve/elephant reserve etc. are reported to be located in the core and buffer zone of the project. The area also does not report to be a corridor for Schedule-I fauna. The authenticated list of flora and fauna provided through the.....reporting presence of no /schedule-I fauna in the study area (Annexure-... of EIA).
8. The process of project showing the basic raw material used and the various processes involved to produce the final output, waste generated in process.
9. The targetted production capacity of theismillion TPA. The ore for the plant would be procured from(linkages.....). The ore transportation will be done through (Rail/Road/Conveyor/Slurry Pipeline).
10. The water requirement of the project is estimated asm³ /day, out of which.....m³/day of fresh water requirement will be obtained from the and the remaining requirement ofm³ /day will be met from theThe permission for drawl of groundwater / surface water is obtained from vide Lr. No.date.....
11. The power requirement of the project is estimated asMW, out of whichMW will be obtained from the
12. Baseline Environmental Studies were conducted during -----season i.e.from.....to, 20.....Ambient air quality monitoring has been carried out at 8 locations duringto and the data submitted indicated: PM10 (.....µg/m³ toµg/m³), PM2.5 (..... toµg/m³), SO₂ (..... to µg/m³) and NO_x (..... to µg/m³). The results of the modeling study indicates that the maximum increase of GLC for the proposed project is µg/m³ with respect to the PM10,..... µg/m³ with respect to the SO₂ µg/m³ with respect to the NO_x.
13. Ground water quality has been monitored inlocations in the study area and analysed. pH:to....., Total Hardness:to..... mg/l, Chlorides: to mg/l,Fluoride:....to mg/l. Heavy metals are within the limits. Surface water samples were analysed from..... locations. pH:to; DO:to..... mg/l and BOD:mg/l. COD from.....to.....mg/l.
14. Noise levels are in the range ofto..... dBA for daytime andto..... dBA for nighttime.
15. It has been reported that there are people in the core zone of the project. No/ R&R is involved. It has been envisaged that families to be rehabilitated, which will be provided compensation and preference in the employment.
16. It has been reported that a total of tons/m³ of waste will be generated due to the project, out of which will be used in And...will be dumped in the earmarked dump yard. It has been envisaged that an area ofha will be developed as green belt around the project site to attenuate the noise levels and trap the dust generated due to the project development activities.

17. It has been reported that the Consent to Establish/Consent to Operate from the State Pollution Control Board / Pollution Control Committee obtained vide Lr. No.....dated.....and consent is valid up to
18. The Public hearing of the project was held on20.. at.....under the chairmanship of(designation) for production ofmillion TPA of/ setting up ofplant, under the The issues raised during public hearing are..... An amount ofLakhs (.....% of Project cost) has been earmarked for Enterprise Social Commitment based on public hearing issues.
19. The capital cost of the project is Rs.....Crores and the capital cost for environmental protection measures is proposed as Rs.....Lakhs. The annual recurring cost towards the environmental protection measures is proposed as Rs.....Lakhs. The detailed CSR plan has been provided in the EMP in its page No.to.....The employment generation from the proposed project / expansion is.....
20. Greenbelt will be developed in Ha which is about% of the total acquired area. A 100 m wide greenbelt, consisting of at least 3 tiers around plant boundary will be developed as greenbelt and green cover as per CPCB/MoEF&CC, New Delhi guidelines. Local and native species will be planted with a density of 2500 trees per hectare. Total no. of saplings will be planted and nurtured in hectares in years.
21. The proponent has mentioned that there is no court case or violation under EIA Notification to the project or related activity.

Format for Brief Write-Up (ToR)

1. M/s.proposes to install a new/expansion of existing manufacturing unit for..... It is proposed to set up the plant for based ontechnology. The project proponent submitted an application in the prescribed format along with Form-1 and other reports to the Ministry online on201..... vide Online Application No.
2. The existing project was accorded environmental clearance vide lr.no. dated.....Consent to Operate was accorded byState pollution Control Board vide lr. no.validity of CtO is up to
3. The proposed unit will be located at..... Village:, Taluka:, District:, State:.....
4. The land area acquired for the proposed plant isHa out of which ha is an agricultural land, ...ha is grazing land andha is others (.....Government Land). No/forestland involved. The entire land has been acquired/ not acquired for the project. Of the total area ha (.....%) land will be used for green belt development.
5. The National Park/WL etc are located at a distance of KM from the site/No national park/wildlife sanctuary/biosphere reserve/tiger reserve/elephant reserve etc. are reported to be located in the core and buffer zone of the project. The area also does not report to form corridor for Schedule-I fauna.
6. Total project cost is approx Crore rupees. Proposed employment generation from proposed project will be direct employment and indirect employment.
7. The targeted production capacity of theismillion TPA. The ore for the plant would be procured from (linkages.....). The ore transportation will be donethrough(Rail/Road/Conveyor/Slurry Pipeline). The proposed capacity for different products for new site area as below:

Name of unit	No. of units	Capacity of each Unit	Production Capacity

8. The electricity load of MW will be procured from Company has also proposed to install DG Set.
9. Proposed raw material and fuel requirement for project are The requirement would be fulfilled by as well as Fuel consumption will be mainly

10. Water Consumption for the proposed project will be and waste water generation will be Domestic waste water will be treated and industrial waste water generated will be treatedand reused
11. The proponent has mentioned that there is no court case or violation under EIA Notification to the project or related activity.

Format for Brief Write-Up (Amendment proposals/Extension of validity of EC/ToR)

1. Kindly provide details of earlier project along with details of EC/ToR granted for the project with letter no and date of issue.
2. Status of Implementation of the earlier EC facilities and schedule of completion of balance facilities in case of Extension of validity of EC.
3. Impact prediction and management plan along with fund provision for the proposed amendment (in case of amendment)
4. Amendment required. (In case of amendment)

Format for Brief Write-up for the Environmental Clearance for the expansion under clause 7(ii) of EIA Notification, 2006.

- i. Details of the existing Environmental Clearances (ECs) obtained.
- ii. Implementation status of the existing Environmental Clearances.
- iii. Validity extension if any, obtained for the existing ECs.
- iv. Details of the earlier Public consultation conducted along with its proceedings.
- v. Summary of issues raised during the earlier Public Consultation and its implementation status.
- vi. Certified compliance report of existing environmental clearances from the concerned Regional Office of the MoEF&CC.
- vii. Closure report of Regional Office in case of non-compliances observed in the certified compliance report.
- viii. Existing baseline conditions based on the periodic environmental monitoring program
- ix. Proposed Expansion or Modernization or Change of product mix vis-à-vis with granted EC capacity along with percentage of increase in production.
- x. Technology details of the Units
- xi. Proposed plant lay out vis-à-vis with layout for which Environmental Clearance was granted.
- xii. Proposed resources requirement (Land/raw materials/water/power) vis-à-vis with granted Environmental Clearance
- xiii. Pollution load quantification (Air/Water/Solid & hazardous waste/traffic) vis-à-vis with granted Environmental Clearance
- xiv. AAQ modelling predicting maximum Ground Level Concentration vis-à-vis with GLC max for which Environmental Clearance was granted.
- xv. Environmental Management Plan for the proposed Expansion or Modernization or Change of product mix along with budget provision for implementation.
- xvi. Risk assessment with mitigation measures if any, required for the proposed Expansion or Modernization or Change of product mix.
- xvii. Proposed Corporate Environment Responsibility activities for the additional investment proposed.
- xviii. Project cost
- xix. Litigation if any, pending in any Court related to the project (or) activity.
- xx. Details of show cause notices/direction if any, issued under Air Act, Water Act and Environment (Protection) Act, 1986.

Quick User Manual to use Desktop Videoconference for Ministry/States

NIC, MoEF&CC will moderate the Video Conferencing meeting. The Guidelines related to connecting VC is appended below. PP will be ready during 11.00 to 13.00 Hrs on 29/04/2020. If any problem faced please contact Mr Kamal, Moderator, NIC (Mobile No. 8800225087, email- support-ipb@nic.in).


- i. The pre-requisite requirement at each location is :
- ✓ User should have minimum Internet connection of 2 Mbps from any service provider (Broadband/4G etc)
 - ✓ A Desktop/Laptop working in windows (Recommended).
 - ✓ Wired Earphone/Headphones with Microphone (Strongly recommended) or External USB camera & Speaker cum microphone.

Steps to join VC meeting


1. A web Link will be shared by Moderator before the EAC meeting. The Web Room link will look like

<https://webvc.nic.in/flex.html?roomdirect.html&key=vR12Y5bNBG>. Copy the link and join meeting using only **Internet Explorer**.


2. It will asked to download a software plugin as shown below. Please do install and run it.




3. Enter your name. select the audio and video devices being used and join videoconference.



4. Please see the control menu to manage the conference. **Keep your microphone muted and unmute only when you speak.** You can chat or share desktop screen.



5. Joining from Mobile devices : Click on the link on your mobile device. It will asked you to join the conference. It may asked intalled Mobile App (**VidyoMobile**). Installed the VidyoMobile and click on link to join VC.



6. Disconnect the call when the conference is over to make the resource free for others.
