

Government of India
Ministry of Environment, Forest and Climate Change
(IA Division – Industry - 1)

Indira Paryavaran Bhawan,
JorBagh Road, Ali Ganj,
New Delhi - 110 003

Dated: 23rd July, 2019

To

As per list enclosed.

Subject: 9th Meeting of the Re-Constituted Expert Appraisal Committee on Industry – 1 projects to be held during 31st July, 2019 at New Delhi - Reg.

Sir,

1. The undersigned is directed to inform you that the project proposals, as mentioned in the enclosed Agenda for 9th Meeting of the Reconstituted Expert Appraisal Committee for Industry - 1 Projects, scheduled to be held during **31st July, 2019** will be considered for appraisal. Venue shall be at **Teesta Conference Hall, Vayu Block, Indira Paryavaran Bhawan, JorBagh, New Delhi -110003.**
2. For the purpose, the documents such as Form-1, Pre-feasibility report, Environment Impact Assessment Report, public hearing report, queries subsequently raised by the Ministry, if any, and your para-wise comments thereto etc., in accordance with Environment Impact Assessment Notification, 2006 are required to be forwarded to the Chairman/Members of the Expert Appraisal Committee including details of the court matters/Orders of the Court pertaining to the project, if any. Accordingly, it is requested to forward a copy of each of these documents - Hard and Soft Copies (CD / USB) to the Chairman/members of the Expert Appraisal Committee by speed post so as to reach the members well in time. Names and addresses of the Chairman/Members are enclosed for necessary action. All the documents including the hard copy of the presentation material should be legible and printed on both sides on ordinary paper. It is also requested to indicate the item number of the agenda while circulating the documents.
3. Please avoid delivery of documents by hand and seeking meeting with Chairman/Members in this regard. A copy of this letter may be enclosed as a reference while mailing the documents to the Chairman/Members.
4. It may be ensured that the Members receive the requisite documents in soft copy pertaining to the projects latest by **26/07/2019** positively. **Failing which the Committee will not consider the project.**
5. Further, it is requested that the project proponent or his/her authorized representative should attend the presentation meeting of EAC. **You may also depute your senior officers from the company in the capacity who can take decisions** (preferably not more than two representatives) and make a presentation on your behalf on the salient features of the project, the related environmental issues, proposed Environmental Management Plan and respond to the queries/suggestions which Committee may raise during the discussions.

6. Any changes/modification with respect to the Agenda, Venue etc., would be indicated in the Ministry's website. You are also requested to keep track of the status of your project from the Ministry/s Website i.e., www.parivesh.nic.in.
7. A line in confirmation regarding participation of your senior representative who is authorized to take decisions in the meeting will be appreciated. It may be noted that **only the EIA Coordinator** who has already been accredited with Quality Council of India and his name is in the latest list can only accompany the proponent in the meeting.
8. It is requested that one hard copy of the documents such as Form-1, Pre-feasibility report, Environment Impact Assessment Report, Public Hearing Report, queries subsequently raised by the Ministry, if any, and your para-wise comments thereto etc., in accordance with Environment Impact Assessment Notification, 2006 shall be hand over at the time of meeting.
9. **Kindly send a brief write up (Format enclosed as Annexure – 1) of project/executive summary of the project (maximum two pages, paragraphs in word format) and the name of the consultant with the Sl. No. in the QCI list and in case of all the EC proposals, duly filled in Form-2 in a week's time by e-mail to the following addresses:**

dirind-moefcc@gov.in

r.sundar@nic.in

rs.ratti@gov.in

Encl: as above.

Yours faithfully,
Sd/-

(A.K.Agrawal)
Director

**LIST OF MEMBERS OF THE EXPERT APPRAISAL COMMITTEE (INDUSTRY-1)
FOR CIRCULATION OF HARD/ SOFT COPIES**

S.No.	Name & Address	Position
1.	Dr. ChhaviNath Pandey, IFS(Retired), (Former PCCF&HoFF, Gujarat) House No. 726 B, Sector-8(C), (Behind Gandhinagar Samachar), Gandhi Nagar, Gujarat – 382007 e-mail ID: cnpandey@iitgn.ac.in	Chairman
Members		
2.	Director, Central Pulp and Paper Research Institute (CPPRI), Paper Mill Road, Himmat Nagar, Saharanpur, Uttar Pradesh- 247001 e-mail ID:endlays@yahoo.co.in	Member
3.	Director General of Meteorology, Indian Meteorological Department (IMD), MausamBhawan, Lodhi Road, New Delhi – 110003 e-mail ID: siddhartha.singh74@gmail.com	Member
4.	Dr. G.Bhaskar Raju, [Former Chief Scientist, National Metallurgical Laboratories (NML)], Flat No 2H, ASV Sunrise Apartments, No.3, Padmavathi Avenue, Tirumalainagar Annex, Perungudi, Chennai – 600 096. e-mail ID: gbraju55@gmail.com	Member
5.	Dr. JagdishKishwan, IFS (Retired) (Former Additional Director General, Ministry of Environment Forest & Climate Change) SrishtiParsvanath Prestige II, Tower 8, Flat-101, Sector 93-A, NOIDA- 201304 e-mail ID: jkishwan@gmail.com	Member
6.	Dr. G.V.Subramanyam, (Former Advisor, Ministry of Environment Forest & Climate Change) C-22, KendriyaVihar, Sector 51, Noida – 201301. Uttar Pradesh. e-mail ID: sv.godavarthi@gmail.com	Member
7.	Shri. Ashok Upadhyaya, Technology Expert (Environment), B10/7052, Vasant Kunj, New Delhi -110070. e-mail ID: ahupadhy@rediffmail.com	Member

S.No.	Name & Address	Position
8.	Shri. Rajendra Prasad Sharma, Expert (Energy & Environment), 4528, Achiever's Villa, Kalindi Hills, Sector49, Faridabad- 121001, Haryana e-mail ID: rps3@hotmail.com	Member
9.	Dr. Sanjay Deshmukh, (Former Vice Chancellor, University of Mumbai), Prof. Life Sciences, Mumbai University, Vidyanagari, Santacruz (E), Mumbai 400098. e-mail ID: docsvd@yahoo.com	Member
10.	Prof. S.K. Singh, Prof. and Dean of Env. Engg., Delhi Technical University, Type-V/29, DTU Campus, Bawana Road, Delhi – 110042 e-mail ID: sksinghdce@gmail.com	Member
11.	Dr. R. Gopichandran, Former Director, VigyanPrasar, DST, C-203, Angelmercury, Behind Shanthi Gopal Hospital, AhinsaKhand-II, Indirapuram, Gaziabad, U.P. r.gopichandran@vigyanprasar.gov.in	Member
12.	Shri Jagannadha Rao Avasarala, Environment Expert, 49-37-8/1,NGGO Colony, Akkayyapalem, Vasakhapatnam – 530016. e-mail ID: avasaralajagan@gmail.com	Member
13.	Shri. J.S.Kamyotra, (Former Member Secretary, Central Pollution Control Board), WZ 169 , B 1 st Floor, Street No. 5, Varinder Nagar, New Delhi – 1110058. e-mail ID: kamyotra@yahoo.co.in	Member
14.	Shri. A.K.Agrawal Director, Indira ParyavaranBhawan JorBagh Road, AliGanj, New Delhi, e-mail ID: dirind-moefcc@gov.in	Member-Secretary

AGENDA

9th MEETING OF THE RECONSTITUTED EXPERT APPRAISAL COMMITTEE – INDUSTRY 1 SECTOR TO BE HELD ON 31st JULY, 2019

VENUE: Conference Hall (Teesta), Vayu Block, Indira ParyavaranBhawan,
JorBagh, New Delhi-110003

DATE: 31st July, 2019

TIME: 10:00 AM

31st July, 2019

- 9.15 Establishment of 1 x 350 TPD DRI Kiln (1,05,000 TPA of Sponge Iron); 4 x 15 T Induction Furnaces (1,80,000 TPA of MS Billets); 1 x 500 TPD of Rolling Mill (1,80,000 TPA of Structural Steel / Rolled product), Power Plant (10 MW of WHRB & 10 MW FBC); and 1 x 9 MVA Submerged Electric Arc Furnaces (Si-Mn – 14,400 TPA OR Fe-Mn – 14,400 TPA or Fe-Si – 7,000 TPA) in the premises of existing 10 MW Biomass based Power Plant Village: Khajuri, Tehsil: Baloda Bazaar, District: Baloda Bazaar, Chhattisgarh by **M/s Animesh Ispat Private Limited** [Online Proposal No. IA/CG/IND/107824/2017; File No. IA-J-11011/420/2017-IAII(I)] – **Environmental Clearance**
- 9.16 Rolling Mill of capacity 18,000 TPA for production of MS strips/round/square bar etc. coal gasifier of capacity 1750 m3/hr located at Village Duldula, Tehsil Simga, District Baloda Bazaar, Chhattisgarh by **M/s Earthstahl & Alloys Pvt. Ltd.** [Online Proposal No. IA/CG/IND/107108/2016; File No. J-11011/202/2016-IAII(I)]– **Environment Clearance**
- 9.17 Expansion of Integrated Steel Plant for production of 1.8 MTPA pellets, 0.85 MTPA Sinter, 0.3 MTPA Coke, 36000 Nm³/hour producer gas, 0.89 MTPA sponge iron, 0.6 MTPA hot metal / pig iron, 1.51 MTPA billets, 1.0 MTPA long steel products, 0.1 MTPA DI pipe, 1.2 MTPA cement grinding unit, 0.1 MTPA Ferro Alloys and 136 MW captive power plant by **M/s Shyam Sel and Power Ltd.**, located at Village Dhasna, Jamuria, P.O. Bahadurpur, District Paschim Burdwan, West Bengal- [Online Proposal No. IA/WB/IND/6700/2008; File No. J-11011/887/2007-IAII(I)]– **Environment Clearance**
- 9.18 Capacity Enhancement by Installation of four Induction Furnaces of 15 MT each in existing plant premises of **M/s J.B. Rolling Mills Limited** at Trilokpur Road Kala Amb, village Johran, Tehsil Nahan, Trilokpur Road, Kala Amb, Village Johran, Tehsil Nahan & District Sirmaur, Sirmaur, **Himachal Pradesh** – [Proposal No. IA/HP/IND/86898/2015; F.No. J11011/218/2015-IA(I)] – **Further consideration for Environmental Clearance based on ADS reply.**
- 9.19 Addition of wood in the existing raw material mix (Bagasse or Wheat straw, imported soft wood Pulp/Imported waste paper, soap stone powder by **M/s. Mohit Paper Mills limited** located at 9th Km stone, Nagina Road, Village Abdullpur Munna, Tehsil and District Bijnor (Uttar Pradesh) - [Online Proposal No. IA/UP/IND/110895/2019, File No. J-11011/130/2017-IA II (I)]- **Amendment in Environmental Clearance**
- 9.20 Mill Development Plan II (MDP II) to increase the production of existing paper machines capacity (from 120,000 TPA to increase the production to 165,000 TPA of finished paper, upgradation of existing Elemental Chlorine Free (ECF) bleached wood

pulp line capacity from 115,500 BD TPA to 145,000 BD TPA), bagasse pulp line capacity – (35,000 BD TPA) (No change in capacity), increase in Captive Co-generation power capacity (from 40 MW to 55 MW) by **M/s Seshasayee Paper and boards Ltd** located at village Odapalli, Taluka Tiruchengudu, District Namakkal, Tamil Nadu [Online Proposal No. IA/TN/IND/109033/2019; File No. J-11011/194/2013-IA II (I)] - **Amendment in Environmental Clearance.**

- 9.21 Expansion of 1.44 MTPA Integrated Steel Plant by **M/s Shyam Metalics & Energy Limited** located at Pandoloi, Rengali, Sambalpur, **Orissa-** [Online Proposal No. IA/OR/IND/80405/2018; File No. J-11011/495/2006-IA II (I)] - **Amendment in Environmental Clearance under 7(ii) of EIA notification.**
- 9.22 Integrated Cement Project - Clinker (3.0 MTPA), Cement (2.5 MTPA), CPP {54 (2x27) MW}, WHRS (15 MW) and D.G. Set (1000 KVA) at Village: Jamuna, Tehsil: Rampur Baghelan, District: Satna (Madhya Pradesh) by **M/s. Dalmia Cement (Bharat) Ltd.** [Online Proposal No. IA/MP/IND/93273/2019; File No. J- IA-J-11011/42/2019-IA-II(I)]- **Prescribing Terms of Reference based on site visit report by Sub-committee of EAC.**
- 9.23 Installation of Induction Furnace, Rolling Mill & Submerged Arc Furnace for production of Ingots/ Billets- 5,00,000 TPA ; TMT & long Product - 5,00,000 TPA & Ferro alloys- 25,000 TPA by **M/s Lloyds Metals & Energy Limited** at Plot A-1 and A-2, MIDC area Ghugus, Chandrapur , Maharashtra [Online Proposal No. IA/MH/IND/108959/2019; File No. IA-J-11011/243/2019-IA.II(I)]– **Prescribing of Terms of Reference**
- 9.24 Expansion of existing DRI (60,000 TPA to 180,000 TPA) & manufacturing 138,700 TPA steel billets in SMS, rolling into 100,000 TPA TMT Rods and adding 15 MW Power generation from waste heat recovery from DRI kiln (2x11+2x22 TPH WHRB) and converting waste dolochar and fine rejected coal(through 1x30 TPH AFBC/CFBC boiler) by **M/s Saluja Steel & Power Pvt. Ltd.,** located at Mouza Mohanpur, PS Mahtodih, District Giridih, **Jharkhand** - [Online Proposal No. IA/JH/IND/109296/2019; File No. IA-J-11011/240/2019-IAII(I)]– **Prescribing of Terms of Reference.**
- 9.25 Expansion in existing Steel Manufacturing unit having existing capacity 28,800TPA(96 TPD) of Steel Billets to 75,240 TPA (228 TPD) of Steel Ingots/Billets by replacing existing 2 no's of Induction Furnaces located at Village Jandiali, Budhewal Road, Near Kohara, Ludhiana, **Punjab** by **M/s Trishla Alloys Pvt. Ltd.,** - [Online Proposal No. IA/PB/IND/109496/2019; File No. IA-J-11011/232/2019-IAII(I)]– **Prescribing of Terms of Reference**
- 9.26 Expansion of M.S Billets production from 30,000 TPA to 1,22,400 TPA by **M/s Grazia Tulio Lifestile Private Limited** located at Plot no A-11, Deori Industrial Area, M.I.D.C, Dist. Gondia, **Maharashtra-** [Online Proposal No. IA/MH/IND/109828/2019; File No. IA-J-11011/235/2019-IAII(I)]– **Prescribing of Terms of Reference**
- 9.27 Greenfield Project involving Sponge Iron Kilns, Induction Furnace, Rolling Mills, Captive Power Plant (AFBC +WHRB), Ferro Alloys Plant and Fly Ash Brick Manufacturing of **M/s Gravity Sponge And Power Pvt Limited** located at Vilage Champa, Tahsil Tilda, District Raipur, Chhattisgarh. [Online Proposal No. IA/CG/IND/107593/2019; File No. IA-J-11011/237/2019-IAII(I)]- **Prescribing of Terms of Reference**

- 9.28 Expansion of existing steel plant to Integrated Steel Plant through installation of 1800 TPD (3x600 TPD) DRI kilns along with Beneficiation Plant for Iron ore (1X0.6 MTPA), Pellet Plant (1x0.6 MTPA), Steel Melting Shop (2x25 T + 4x15 T Induction Furnaces) with matching LRF & CCM, Rolling Mill (0.35 MTPA), Ferro alloy Plant (4x16.5 MVA), Briquette plant for Chrome Ore (1x30 TPH), Oxygen plant (100 TPD) and 63 MW (38 MW WHRB based + 25 MW AFBC based) capacity Captive Power Plant by **M/s Nilachal Iron & Power Ltd** at Ratanpur-Kandra Village, Gamharia Block, District Saraikela-Kharsawan, **Jharkhand** [Online Proposal No. IA/JH/IND/111776/2019; File No. J-11011/662/2008-IA-II(I)] - **Prescribing of Terms of Reference**
- 9.29 Expansion of Production Capacity From 29,500 TPA to 1,00,800 TPA Billets by replacement of Existing 2x3.5 MT/Heat Induction Furnaces With 2x12 MT/Heat Induction Furnaces, With LRF, CCM, and Modification of Rolling Mill at Village Niche Mangli, Adjoining Phase-VII, Focal Point, Ludhiana East, Ludhiana, **Punjab** by **M/s Sharu Industries Pvt. Ltd.** [Online Proposal No. IA/PB/IND/111984/2019; File No. J-IA-J-11011/242/2019-IA.II(I)] - **Prescribing of Terms of Reference**
- 9.30 Expansion of existing Steel Plant by installation of Sponge Iron Plant with 1x350 TPD + 1X500 TPD DRI Kilns, 4x25 T Induction Furnaces, 0.6 MTPA Iron Ore Beneficiation & 0.6 MTPA Palletization Plant & 40 MW capacity Captive Power Plant along with the product mix change of existing 2x7 MVA Submerged Arc furnaces at G-1, Mangalpur Industrial Complex, P.O.-Baktarnagar, P.S. Raniganj, District – Paschim Burdwan, **West Bengal** by **M/s Jai Balaji Industries Ltd** [Online Proposal No. IA/WB/IND/111990/2019; File No. IA-J-11011/290/2018-IA.II(I)] - **Prescribing of Terms of Reference**
- 9.31 Proposed 45,000 TPA M.S. Billets; 76,200 TPA TMT Bars; Total 76,200 TPA M.S. Billets; 76,200 TPA TMT Bars by **M/s. New Steel Trading Private Limited** at Survey No. 5/1 (pt), 6/3, 4, 5, 13 and 46/1, Village Vasuri (Kd), Tal Wada, District Palghar, **Maharashtra** [Online Proposal No. IA/MH/IND/82035/2018; File No. IA- J-11011/326/2018-IA.II(I)]- **Reconsideration for Prescribing Terms of Reference**
- 9.32 Capacity expansion of Integrated Steel Plant from 5.6 MTPA to 12.8 MTPA of **M/s Tata Steel BSL Limited** located at Village Meramandali District, Dhenkanal, **Odisha**- [Online Proposal No. IA/OR/IND/108024/2019; File No. J-11011/829/2008-IAII(I)]- **Extension of Validity of ToR.**
- 9.33 Cement plant (Dlamia DSP Unit), - Clinker (3.0 MTPA), Cement (2.25 MTPA), WHRS (10 MW) and D.G Set (1000 KVA) by **M/s OCL India Ltd** located at Village & Tehsil Rajgangpur, District Sundergarh, **Odisha** [Online Proposal No. IA/OR/IND/59484/2016; File No. J-11011/232/2016-IA-II(I)] - **Corrigendum to Environmental Clearance**
- 9.34 Expansion of sponge iron plant into Mini Integrated Steel Plant (82,500 TPA), Sponge Iron Plant (100 TPD) and Captive Power Plant (20 MW) at Village Veniveerapura, Taluk & District Bellary, **Karnataka** by **M/s Hothur Ispat Pvt Ltd** - [Online Proposal No. IA/KA/IND/106002/2019; File No. J-11011/24/2009-IA.II(I)] – **Extension of Validity of Environmental Clearance**
- 9.35 Any other item with the permission of the Chair.

Format for Brief Write-Up (Environment Clearance)

1. The of M/s located in Village, Tehsil, District, State..... was initially received in the Ministry on20... for obtaining Terms of Reference (ToR) as per EIA Notification, 2006. The project was appraised by the Expert Appraisal Committee (Industry) [EAC(I)] during itsth meeting held on, 20.... and prescribed ToRs to the project for undertaking detailed EIA study for obtaining environmental clearance. Accordingly, the Ministry of Environment, Forest and Climate Change had prescribed ToRs to the project on20.... vide Lr. No.
2. Based on the ToRs prescribed to the project, the project proponent submitted an application for environmental clearance to the Ministry online on201..... vide Online Application No.....
3. The project of M/s.....located inVillage ,Tehsil ,District,State is for setting up of a new for production ofmillion tones per annum (million TPA) of/ enhancement of production of from..... tomillion tonnes per annum (million TPA). The existing project was accorded environmental clearance vide lr.no.....dated.....
4. The Status of compliance of earlier EC was obtained from Regional Office,Bangalore/Bhubaneshwar/Bhopal/Chennai/Chandigarh/Dehradun/Laknow/Nagpur/Ranchi/Shilong vide Lr. No., dated.....There is no non-compliances reported by Regional officer. The proposed capacity for different products for new site area as below:

Name of unit	No. of units	Capacity of each Unit	Production Capacity

5. The total land required for the project isha, out of whichha is an agricultural land, ...ha is grazing land andha is others (.....Government Land). No /forestland involved. The entire land has been acquired/ not acquired for the project. The River passes through the project area (p./c). It has been reported that no water body/ water body exist around the project and modification/diversion in the existing natural drainage pattern at any stage has not been proposed.
6. The topography of the area is.....(flat/undulated) and reported to lies between0 ..'.." to .. 0 ..'.." N Latitude and ..0 ..'.." to ..0 ..'.." E Longitude in Survey of India topo sheet No., at an elevation ofm AMSL. The ground water table reported to ranges between below the land surface during the post-monsoon season and below the land surface during the pre-monsoon season. Based on the hydro-geological study, it has been reported that the radius of influence of pumped out water will bem. Further, the stage of groundwater

development is reported to be...% and ...% in core and buffer zone respectively and thereby these are designated as safe/critically exploited areas.

7. The National Park/WL etc are located at a distance of KM from the site/No national park/wildlife sanctuary/biosphere reserve/tiger reserve/elephant reserve etc. are reported to be located in the core and buffer zone of the project. The area also does not report to be a corridor for Schedule-I fauna. The authenticated list of flora and fauna provided through the reporting presence of no /schedule-I fauna in the study area (Annexure-... of EIA).
8. The process of project showing the basic raw material used and the various processes involved to produce the final output, waste generated in process.
9. The targetted production capacity of the is million TPA. The ore for the plant would be procured from (linkages.....). The ore transportation will be done through (Rail/Road/Conveyor/Slurry Pipeline).
10. The water requirement of the project is estimated as m³ /day, out of which m³/day of fresh water requirement will be obtained from the and the remaining requirement of m³ /day will be met from theThe permission for drawl of groundwater / surface water is obtained from vide Lr. No. date.....
11. The power requirement of the project is estimated as MW, out of which MW will be obtained from the
12. Baseline Environmental Studies were conducted during -----season i.e. from.....to, 20..... Ambient air quality monitoring has been carried out at 8 locations duringto and the data submitted indicated: PM10 (.....µg/m³ toµg/m³), PM2.5 (..... toµg/m³), SO₂ (..... to µg/m³) and NO_x (..... to µg/m³). The results of the modeling study indicates that the maximum increase of GLC for the proposed project is µg/m³ with respect to the PM10, µg/m³ with respect to the SO₂ µg/m³ with respect to the NO_x.
13. Ground water quality has been monitored in locations in the study area and analysed. pH:to....., Total Hardness:to..... mg/l, Chlorides: to mg/l, Fluoride:....to mg/l. Heavy metals are within the limits. Surface water samples were analysed from..... locations. pH:to; DO:to..... mg/l and BOD:mg/l. COD from.....to.....mg/l.
14. Noise levels are in the range ofto.....dBA for daytime andto.....dBA for nighttime.
15. It has been reported that there are people in the core zone of the project. No/ R&R is involved. It has been envisaged that families to be rehabilitated, which will be provided compensation and preference in the employment.

16. It has been reported that a total of tons/m³ of waste will be generated due to the project, out of which will be used in And...will be dumped in the earmarked dump yard. It has been envisaged that an area ofha will be developed as green belt around the project site to attenuate the noise levels and trap the dust generated due to the project development activities.
17. It has been reported that the Consent to Establish/Consent to Operate from the State Pollution Control Board / Pollution Control Committee obtained vide Lr. No.....dated.....and consent is valid up to
18. The Public hearing of the project was held on20.. at.....under the chairmanship of(designation) for production ofmillion TPA of/ setting up of...plant, under the The issues raised during public hearing are..... An amount ofLakhs (.....% of Project cost) has been earmarked for Enterprise Social Commitment based on public hearing issues.
19. The capital cost of the project is Rs.....Crores and the capital cost for environmental protection measures is proposed as Rs.....Lakhs. The annual recurring cost towards the environmental protection measures is proposed as Rs.....Lakhs. The detailed CSR plan has been provided in the EMP in its page No.to.....The employment generation from the proposed project / expansion is.....
20. Greenbelt will be developed in Ha which is about% of the total acquired area. A 100 m wide greenbelt, consisting of at least 3 tiers around plant boundary will be developed as greenbelt and green cover as per CPCB/MoEF&CC, New Delhi guidelines. Local and native species will be planted with a density of 2500 trees per hectare. Total no. of saplings will be planted and nurtured in hectares in years.
21. The proponent has mentioned that there is no court case or violation under EIA Notification to the project or related activity.

Format for Brief Write-Up (ToR)

1. M/s.proposes to install a new/expansion of existing manufacturing unitfor..... It is proposed to set up the plant for based ontechnology. The project proponent submitted an application in the prescribed format along with Form-1 and other reports to the Ministry online on201..... vide Online Application No.
2. The existing project was accorded environmental clearance vide lr.no. dated.....Consent to Operate was accorded byState pollution Control Board vide lr. no.validity of CtO is up to
3. The proposed unit will be located at..... Village:, Taluka:, District:, State:.....
4. The land area acquired for the proposed plant isHa out of which ha is an agricultural land, ...ha is grazing land andha is others (.....Government Land). No/forestland involved. The entire land has been acquired/ not acquired for the project. Of the total area ha (.....%) land will be used for green belt development.
5. The National Park/WL etc are located at a distance of KM from the site/No national park/wildlife sanctuary/biosphere reserve/tiger reserve/elephant reserve etc. are reported to be located in the core and buffer zone of the project. The area also does not report to form corridor for Schedule-I fauna.
6. Total project cost is approx Crore rupees. Proposed employment generation from proposed project will be direct employment and indirect employment.
7. The targeted production capacity of theismillion TPA. The ore for the plant would be procured from (linkages.....). The ore transportation will be donethrough(Rail/Road/Conveyor/Slurry Pipeline). The proposed capacity for different products for new site area as below:

Name of unit	No. of units	Capacity of each Unit	Production Capacity

8. The electricity load of MW will be procured from Company has also proposed to install DG Set.
9. Proposed raw material and fuel requirement for project are The requirement would be fulfilled by as well as Fuel consumption will be mainly

10. Water Consumption for the proposed project will be and waste water generation will be Domestic waste water will be treated and industrial waste water generated will be treatedand reused
11. The proponent has mentioned that there is no court case or violation under EIA Notification to the project or related activity.

Format for Brief Write-Up (Amendment proposals/Extension of validity of EC/ToR)

1. Kindly provide details of earlier project along with details of EC/ToR granted for the project with letter no and date of issue.
2. Status of Implementation of the earlier EC facilities and schedule of completion of balance facilities in case of Extension of validity of EC.
3. Impact prediction and management plan along with fund provision for the proposed amendment (in case of amendment)
4. Amendment required. (In case of amendment)

Format for Brief Write-up for the Environmental Clearance for the expansion under clause 7(ii) of EIA Notification, 2006.

1. Kindly provide details of earlier project along with details of EC granted for the project with letter no and date of issue.
2. Compliance status of the EC from the Regional Office of MoEF&CC.
3. Impact prediction and management plan along with fund provision for the proposed enhancement in the production / change in product mix / modernization, etc.
4. Proposed mitigation plan for dealing of additional pollution load.
5. Details of the Public Consultation conducted in the process of existing Environmental Clearance. Issues raised during the Public Hearing and its implementation status thereof.
