



Government of India
Ministry of Environment, Forest and Climate Change
(Impact Assessment Division)



Agenda of Expert Appraisal Committee

Meeting ID : IA/MIS/13279/04/07/2022
Meeting Venue : Indus Hall, Ground Floor, Jal Wing, Indira Paryavaran Bhawan, Jor Bagh, Delhi – 110 003.
Meeting Type : Hybrid
Agenda Generation Date : 01-07-2022

The following proposals are being considered for deliberation in the Expert Appraisal Committee as per the schedule given below :

Meeting Schedule :

S.No	Meeting date	Date (From)	Date (To)
1	04 Jul 2022	10:00 AM	17:30 PM

Date of Meeting : 04-07-2022

S.No	Proposal No.	File No.	Proposal Name	Company Name	Location	Proposal Type
1	IA/UK/MIS/280447/2021		Sanitary Landfill At Tehsil Joshimath, Chamoli District, Uttarakhand	NAGAR PALIKA PARISHAD JOSHIMATH	Tehsil: Joshimath District: Chamoli State: Uttarakhand	EC
2	IA/KA/MIS/204375/2021		M/s. Capital Eco Systems.,	M/S. CAPITAL ECO SYSTEMS.,	Tehsil: Chamarajanagar District: Chamarajanagar State: Karnataka	EC
3	IA/UK/MIS/272601/2021		Common Bio-medical Waste Treatment & Plastic Waste Management Facility by National Biomedical Waste Solutions	NATIONAL BIOMEDICAL WASTE SOLUTIONS PVT. LTD.	Tehsil: Sitarganj District: Udham Singh Nagar State: Uttarakhand	EC
4	IA/UK/MIS/202744/2021	21-133/2021-IA-III	Passenger Ropeway Facility from Har-Ki-Pauri to Chandi Devi Temple in Haridwar City	UTTARAKHAND METRO RAIL, URBAN INFRASTRUCTURE AND BUILDINGS CONSTRUCTION CORPORATION LIMITED	Tehsil: Haridwar District: Haridwar State: Uttarakhand	EC

Any Other Item :

S.No	Proposal No.	File No.	Proposal For	Proposal Name	Location	Remarks
------	--------------	----------	--------------	---------------	----------	---------

1				Environmental Clearance for construction of Group Housing at 1,3 Cavalry Lane & 4 Chhatra Marg Near Vishwavidyalaya Metro Station, New Delhi by M/s Young Builders Pvt. Ltd. – Consideration in light of NGT Order dated 31.05.2022	Village: District: State:	
2				Common Hazardous Waste Treatment Storage & Disposal Facility at Village Juna Kataria and Lakadia, District Kutch, Gujarat by M/s Detox Private Limited (DIPL) – Transfer of Environmental Clearance – PP need not to attend the meeting.	Village: District: State:	
3				Installation of Common Hazardous Waste Incinerator of capacity 10 MT/day at Plot No. D-26, UPSIDC, Sikandrabad Industrial Area, District Bulandshahar, Uttar Pradesh by M/s Sheetala Waste Management – Consideration with reference to site visit report	Village: District: State:	

List of EAC Member :

S.No	Members Name	Designation	Email_ID
1	Prof. Dr. P.S.N. Rao	Member	drpsnrao@hotmail.com
2	Dr. N. P. Shukla	Member (Infra-2) Sector	shuklanp55@yahoo.co.in
3	Dr. H. C. Sharatchandra	Member (Infra-2) Sector	sharatchandrahc@gmail.com
4	Sh. V. Suresh	Member (Infra-2) Sector	vsuresh30@gmail.com
5	Dr. V. S. Naidu	Member (Infra-2) Sector	vsnaidu57@gmail.com
6	Sh. B. C. Nigam	Member (Infra-2) Sector	nigambc@gmail.com
7	Dr. Manorian Hota	Member (Infra-2) Sector	hota.manoranjana@gmail.com
8	Dr. Dipankar Saha	Member (Infra-2) Sector	dsaha.cpcb@gmail.com
9	Dr. Jayesh Ruparelia	Member (Infra-2) Sector	jr@nirmauni.ac.in

10	Dr. (Mrs.) Mayuri H. Pandya	Member (Infra-2) Sector	mayurihimanshu@gmail.com
11	Dr. M. V. Ramana Murthy	Member (Infra-2) Sector	ramana2865@gmail.com
12	Dr. Ashish Kumar	Member Secretary (Infra-2)	ashish.k@nic.in

Agenda for 92nd Meeting of Expert Appraisal Committee (Infra-2), for Projects related to Airports 7(a); Common Hazardous Waste Treatment, Storage and Disposal Facilities 7(d); Common Bio-Medical Waste Treatment Facilities 7(da); Common Effluent Treatment Plants (CETPs) 7(h); Common Municipal Solid Waste Management Facility 7(i); Building and Construction 8(a) and Townships and Area Development Projects 8(b), to be held on 4th July, 2022.

Venue: Indus Hall, Ground Floor, Jal Wing, Indira Paryavaran Bhawan, Jor Bagh, Delhi – 110 003.

Date: 4th July, 2022 (10:30 hrs to 17:30 hrs).

AGENDA

Item No.	Time (hrs)	Description
92.1	10:30	Opening Remarks by the Chairman.
92.2	10:35	Confirmation of the Minutes of the 91 st Meeting of the EAC (Infra-2) held during 30 th June, 2022.
92.3	Consideration of Proposals	
92.3.1	10:45	Development of Sanitary Landfill at Tehsil Joshimath, Chamoli District, Uttarakhand by M/s Nagar Palika Parishad Joshimath – Environmental Clearance (IA/UK/MIS/280447/2021; F. No. 21-60/2022-IA.III)
92.3.2	11:45	Establishment of Hazardous Waste Incineration Facility of capacity 500 kg/hrs at Plot No. 143/10, Badanguppe – Kellamballi Industrial (KIADB), Chamrajanagar, Karnataka by M/s Capital Eco Systems – Environmental Clearance (IA/KA/MIS/204375/2021; F. No. 21-31/2021-IA.III)
92.3.3	12:45	Establishment of Common Biomedical Waste Treatment Facility at Plot No. D-17, Eldeco, SIDCUL Industrial Park, Sitarganj, Uttarakhand by M/s National Biomedical Waste Solutions – Environmental Clearance (IA/UK/MIS/272601/2021; F. No. 21-61/2022-IA.III)
LUNCH BREAK (13:15-14:15)		
92.3.4	14:15	Passenger Ropeway Facility from Har-Ki-Pauri to Chandi Devi Temple in Haridwar City, Uttarakhand by M/s Uttarakhand Metro Rail, Urban Infrastructure and

		Buildings Construction Corporation Limited – Reconsideration for Environmental Clearance (IA/UK/MIS/202744/2021; F. No. 21-133/2021-IA-III)
92.4	15:15	Any other Item with the Permission of Chair (i) Environmental Clearance for construction of Group Housing at 1,3 Cavalry Lane & 4 Chhatra Marg Near Vishwavidyalaya Metro Station, New Delhi by M/s Young Builders Pvt. Ltd. – Consideration in light of NGT Order dated 31.05.2022 (ii) Common Hazardous Waste Treatment Storage & Disposal Facility at Village Juna Kataria and Lakadia, District Kutch, Gujarat by M/s Detox Private Limited (DIPL) – Transfer of Environmental Clearance – PP need not to attend the meeting. (iii) Installation of Common Hazardous Waste Incinerator of capacity 10 MT/day at Plot No. D-26, UPSIDC, Sikandrabad Industrial Area, District Bulandshahar, Uttar Pradesh by M/s Sheetala Waste Management – Consideration with reference to site visit report

IMPORTANT NOTE

- 1. 92nd Meeting of EAC (Infra-2) will be held at Indus Hall, Ground Floor, Jal Wing, Indira Paryavaran Bhawan, Jor Bagh. It has been planned to conduct the meeting in hybrid mode. Link for Video Conferencing (VC) will be shared shortly.**
2. Project proponent (PP) or his/her authorized representative (preferably not more than two representatives) are requested to participate and present their proposal(s), as per the agenda for the meeting, to EAC (Infra-2). PP shall be ready before 45 minutes of the slot allotted to them.
3. Only the project proponent or his/her authorized representative is eligible to attend this meeting of EAC (Infra-2). A line of confirmation regarding participation will be appreciated. It may be noted that only the EIA Coordinator who has already been accredited with Quality Council of India and his name is in the list can accompany the proponent in the meeting. EIA Co-coordinator who has prepared EIA/EMP report, shall present before EAC during the presentation.
4. Any changes/modification with respect to the Agenda, Venue etc., would be conveyed through the Portal only. Please keep checking 'PARIVESH PORTAL ([https:// parivesh.nic.in](https://parivesh.nic.in))' for updates.
5. The Names and addresses of Chairperson and Members of EAC (Infra-2) are provided at **Annexure-I**.

INSTRUCTION FOR PROJECT PROPONENTS

1. For Project Proponents shall send the following information (electronically/in soft only) on the proposed project or activity by e-mail, addressed to Chairman and Members of EAC (Infra-2):
 - a. Project or Activity to be appraised for Terms of Reference (ToR) (including amendment to ToR) for preparation of EIA/ EMP Report
 - i. Application (Form 1 or as applicable);
 - ii. Prefeasibility Report for project/activity;
 - iii. Project Brief (in MS Word format i.e. '.doc' or '.docx' file only) and presentation in template provided in Annexure-II; and
 - iv. All associated documents/Annexures, etc.
 - b. For Project or Activity to be appraised for grant of Environmental Clearance (including, expansion, modernisation, amendment to EC, etc.):
 - i. Application Form; as applicable
 - ii. EIA Report and Environment Management Plan (EMP)
 - iii. Form 1/1A and Conceptual Plan for project or activity under item 8(a) of Schedule to EIA Notification, 2006;
 - iv. Project brief (in MS Word format i.e. '.doc' or '.docx' file only) and presentation in template provided in Annexure-III
 - v. Project brief (in MS Word format i.e. '.doc' or '.docx' file only) in template provided in Annexure-IV. [Only for item 8(a) and 8(b)]
 - vi. For expansion Projects, Certified Compliance report w.r.t. existing EC; as received from concerned Regional Office (RO) of the Ministry or Zonal office of CPCB or concerned SPCBs or PCCs along with the Action Taken Note on observations of the concerned inspecting authorities;
 - vii. A copy of work order issued by the project proponent in favour of QCI/NABET accredited consultant appointed for carrying out EIA study and EMP preparation for this project;
 - viii. All other associated documents/ Annexures, etc.
2. Kindly indicate the Agenda item no. in the e-mail and also on the first page of the documents circulated for the meeting. Without this information, EAC may not consider the proposal for the meeting.
3. In addition to the above information, an affidavit is required to be submitted by the Project Proponent to the Ministry to the effect, namely:-
 - a. That there is no construction done at the site or the construction done without any deviation as per previous EC obtained (Ref.)
 - b. That there is no construction carried out at project site as on date or construction ofsqm out ofsqm done as on date as per

previous EC obtained (Ref.)Affidavit should also submit that there is no litigation on the project either at NGT or any other court of Law.

- c. It is a fresh proposal/the proposal was taken up at SEIAA/SEAC (details of meeting to be appended).
 - d. The land has been purchased by/allotted by.....Development authority. The land is in our possession and there is no R&R issue.
 - e. There is no difference in the documents submitted i.e., Form 1, 1A, Conceptual Plan, Form-2, EIA/EMP report and presentation being made to the EAC.
 - f. Reason for submitting the project at MoEF&CC.
4. PP shall also send signed hard copies of the above information/ documents by speed post to the Ministry (Member Secretary EAC (Infra-2), Ministry of Environment, Forest and Climate Change, 2nd Level, Vayu Wing, Indira Paryavaran Bhawan, Jor Bagh Road, New Delhi- 110003). The electronic copies of the above information /documents for the Ministry shall be sent by e-mail addressed to ashish.k@nic.in, ragavan.p@gov.in and raghav.gund@nic.in
 5. All the documents including presentation material being submitted to the EAC in soft/electronic form and to the Ministry in soft and hard forms shall be consistent, legible and printed on both sides on ordinary paper.
 6. The Consultant/EIA Coordinator shall include an undertaking in the EIA report that the prescribed ToR have been complied with and that the data submitted is factually correct and also an undertaking shall be submitted owning the contents (information and data) of the EIA report.
 7. It may be ensured that EAC (Infra-2) and the Ministry receive the requisite soft/electronic copy of documents pertaining to the projects latest by **3rd July, 2022** positively. In case the EAC does not receive documents by e-mail within the stipulated time period, the EAC may not consider the project.
 8. As per the compliance to the recommendations of CAG vide OM No. J-11013/71/2016-IA.I (M) dated 25th October, 2017, the following shall be ensured by the proponent:
 - a. Break-up of the capital and recurring cost of the EMPs along with the timeline for incurring the capital cost.
 - b. Details of the name and number of posts to be engaged by the project proponent for implementation and monitoring of environmental parameters should be submitted.
 - c. An undertaking as part of the EIA report from Project proponent, owning the contents (information and data) of the EIA report with the declaration about the contents of the EIA report pertaining to a project have not been copied from other EIA reports.
 9. As per amendment notification No. 648(E) dated 3rdMarch, 2016, the Environmental consultant organizations which are accredited for a particular sector and the category of project for that sector with the Quality Council of India (QCI) or National Accreditation Board for Education and

Training (NABET) or any other agency as may be notified by the Ministry of Environment, Forest and Climate Change from time to time shall be allowed to prepare the EIA Report and EMP of a project and appear before the concerned EAC. The EIA coordinator/consultant involved in preparation of EIA Report would need to include a certificate in this regard in the EIA report and EMP prepared by them and details for data provided by other Organization(s)/Laboratories including their status of approvals etc.

10. In case of expansion of the project or activity; Project Proponent will not be heard where Certified Compliance Report in respect of earlier EC and the Action Taken Note thereon are not available.
11. The proponent shall avoid delivery of documents by hand and seeking meeting with the Chairman/Members in this regard.

INSTRUCTION FOR JOINING THE MEETING

1. Office of NIC in MoEF&CC will moderate the meeting. The Guidelines related to join the meeting is available at [Annexure V](#).
2. Project Proponent along with coordinator for EIA Report of their respective Project (mandatory in case of proposal to be appraised for grant of Environmental Clearance) must be ready with all requisite documents and contact **Mr. Kamal, Moderator, NIC (Mobile No. 8800225087)**, email - support-ipb@nic.in, at least before 45 minutes of the slot allowed to them.

ANNEXURE-I

Composition of Expert Appraisal Committee (Infra-2)

Sr. No.	Name & Address	Position
1.	Dr. N. P. Shukla , Ex. Chairman, MPPCB, H-44-B, Apsara Complex, Indrapuri, A-Sector, Bhopal – 462 021, Madhya Pradesh E-mail: shuklanp55@yahoo.co.in ; shuklanp55@gmail.com	Chairman
2.	Dr. H. C. Sharatchandra , Ex. Chairman, Karnataka, SPCB "Belaku" 66, 3 rd Main Road, Amarjyothi Layout Cholanagara, Bangalore – 560 032, Karnataka E-mail: sharatchandrahc@gmail.com	Member
3.	Sh. V. Suresh , Former CMD, HUDCO, "Isavasyam", TC 18/1023, B-8/2 , Lakshmi Nagar Kesavadasapuram, Pattom PO, Thiruvananthapuram- 695 004, Kerala E-mail: vsuresh30@gmail.com	Member
4.	Dr. V. S. Naidu 307, A2 Wing, Dewan Mansion-I, Opp, Panchvati, Ambadi Road, Vasai (West), Dist. Palghar – 401 202, Maharashtra E-mail: vsnaidu57@gmail.com	Member
5.	Sh. B. C. Nigam , IFS (Retd) A-804, Aims Golf Avenue-1, Plot No. 2, Sector-75, Noida-201 304, Uttar Pradesh E-mail: nigambc@gmail.com ; nigam.eac08@gmail.com	Member
6.	Dr. M. Hota , Advisor (Retd), MoEF&CC K-184, Gulshan Ikebana, Sector-143, Noida, GautamBuddha Nagar-201 301, Uttar Pradesh E-mail: hota.manoranjan@gmail.com ; hotam.eac@gmail.com ;	Member
7.	Dr. D. Saha , Addl. Director (Retd), CPCB 214/5, Banamalipur Road, Purbapara (Near Maitri Sangha Club), PS&PO-Barasat, 24 Parganas-North – 700 124, Kolkata, West Bengal E-mail: mailcpcb@gmail.com ; dsaha.cpcb@gmail.com	Member
8.	Dr. J. Ruparelia , Professor & Head, Chemical Engineering Department, Institute of Technology, Nirma University, Ahmedabad, Gujarat E-mail: jr@nirmauni.ac.in	Member

Sr. No.	Name & Address	Position
9.	Dr. (Mrs.) M. H. Pandya , Director I/C (Associate Professor), GLS Law College, Ahmedabad, Gujarat E-mail: mayurihimanshu@gmail.com	Member
10.	Dr. M. V. Ramana Murthy Mission Director, Deep Ocean Mission, Ministry of Earth Sciences, Government of India Prithvi Bhavan, Lodhi Road, New Delhi -110 003 E-mail : ramana2865@gmail.com	Member
11.	Prof. Dr. P.S.N. Rao, Director School of Architecture and Planning, 4, Block B, I P Estate, New Delhi- 110 002 E-Mail: drpsnrao@hotmail.com	Member
12.	Dr. Ashish Kumar, Additional Director Member Secretary (Infra-2) Ministry of Environment, Forest and Climate Change Jor Bagh Road, New Delhi-110 003. E-Mail: ashish.k@nic.in	Member Secretary

Template for Project Brief and Presentation Project or Activity to be appraised for ToR

1. Title of the Proposal (As indicated in the Application Form).
2. Location of the proposed Project or Activity.
3. Location of Project Site on Google map and Toposheet.
4. Land use of the site (area earmarked for proposed project/activity).
5. Land use around the site up to 10 km radius.
6. If the project falls within 10 km of eco- sensitive area, Name of eco-sensitive area and distance from the project site.
7. If the project involves diversion of forest land, extent of the forest land to be involved.
8. Whether the project is in Critically Polluted area? If so, provide details.
9. Grounds/ Environmental Parameters taken into account for selection of the proposed project site.
10. Strategy to collect baseline data, including the period/seasons.
11. Project Details:
 - a. Nature of proposal (new/expansion, category, status of general conditions).
 - b. Project components (Activities and Facilities to be developed).

12. Airport 7(a)

- a. Habitation in and around, their location with respect to take off and landing funnel.
- b. Expected Influx.

13. TSDF 7(d), CBMWF 7(da), CMSWMF 7(i)

- a. Types of wastes and their sources.
- b. Waste generation projections and strategy for collection, treatment, and disposal.
- c. Habitation in and around the project site.

14. Aerial Ropeway 7(g)

- a. Span.
- b. Locations of LPT, IPT and UPT including habitation in and around
- c. Building construction proposed at terminals.
- d. Expected Influx of People.

15. CETP 7(h)

- a. Type of effluent, Quantity, effluent conveyance system from the member units to CETP; and

- b. Treatment and usage of treated sewage.

16. Other details

- i. Connectivity to the site.
- ii. Terrain, level with respect or MSL, requirement of filling, if any.
- iii. Water requirement; sources, status of clearance in case of ground water withdrawal.
- iv. Expected Waste Generation (Liquid and Solid) and proposed management strategy.
- v. Tree cutting, types, numbers, girth size etc.
- vi. Rehabilitation involved, if any.
- vii. Water bodies, diversion, if any.
- viii. Status of Litigation, if pending any.
- ix. Expected Power Requirement and proposed strategy for energy conservation.
- x. Investment/Cost of the project is Rs.....(in crore).
- xi. Employment potential.....
- xii. Benefits of the project

Template for Project Brief and Presentation Project or Activity to be appraised for EC

1. Title of Proposal (as indicated in the Application form submitted on the Parivesh Portal).
2. Location of the proposed project site.
3. Project/ activity covered under item of Schedule to the EIA Notification, 2006 and Category.
4. In case of Category B project/activity- Reason for appraisal at the Central level.
5. Project brief: nature of proposal (new/expansion,) total area- land use, project components, connectivity to the site etc:
 - Land use pattern/ Total plot area/ built up area
 - Total water requirement and its source, Ground water withdrawal approval from CGWA, if any
 - Waste water generation, treatment and disposal
 - Municipal solid waste generated disposal facility
 - Power requirement and source
 - Proposed energy saving measures with estimated energy saving
 - Details of Rain Water Harvesting Plan
 - Parking details as per norms
6. Details of earlier EC, if any and compliance thereof
7. Whether the project is in Critically Polluted area? If so, give details
8. List of commitments as mentioned in the EIA/EMP w.r.t mitigation measures
9. Comparative analysis of existing/envisioned pollution load (in case of expansion/modernization)
- 10. If the project is for EC under EIA Notification, 2006**
 - a) For the first time appraisal by EAC**
 - i. Date of ToR
 - ii. Point-wise ToR compliance
 - iii. Impact of proposed project/activity on Air, Water, Noise, Ecology and proposed mitigation measures
 - iv. Details of Public Hearing (PH)
 - v. Major issues raised during PH and response of PP in the form of implementable action plan
 - vi. Environmental and Socio-Economic Impacts
 - a. Period/ Season of baseline study and Number of Locations
 - b. Key Indications: The indicates that the maximum and minimum values of PM10 are in the range of ----- to -----, whereas the PM2.5 are in the range of ----- to -----µg/m³. The SO₂ concentrations within the study area are in the range of ----- to ----- and the NO_x are in the range of ----- to ----- . Ozone concentrations were also monitored in the study area and are found to be in the range of ----- to ----- , CO are in the range of ----- to ----- , Benzene observed are in the range of ----- to ----- , Ammonia observed are in the range of ----- to ----- . The

observed pollutant levels were compared with CPCB National Ambient Air Quality Standards and found to be.....

b) Second/subsequent appraisal

- i. Date of first /earlier appraisal(s)
- ii. Details of the information sought by the EAC with the responses of PP

12. If the project is in CRZ area,

- i. Components in CRZ area
- ii. recommendation of Coastal Zone Management Authority.
- iii. layout on CRZ map of 1:4000 scale prepared by an authorised agency.

13. If the project involves diversion of forest land

- i. extent of the forest land
- ii. status of forest clearance

14. If the project falls within 10 km of eco- sensitive area

- i. Name of eco- sensitive area and distance from the project site.
- ii. status of clearance from National Board for wild life.

15. Waste Management

- i. Water requirement, source, status of clearance
- ii. Waste water quantity, treatment capacity, detail
- iii. Recycling/reuse of treated water and disposal
- iv. Solid Waste Management
- v. Hazardous Waste Management

16. Other details

- i. Noise Modelling with noise control measures for airports
- ii. Details of water bodies, impact on drainage, if any
- iii. Green belt development and Details of tree felling/transplantation
- iv. Undertaking to the effect that no activity has since been taken up
- v. Expected timeline for completion of the project
- vi. Investment/Cost of the project is Rs.....(in crore)
- vii. Employment potential.....
- viii. Benefits of the project

Brief for Building Construction& Townships and Area Development Projects to be appraised for EC

- i. The project is located atLatitude and Longitude.
- ii. The project is new/ redevelopment
- iii. Earlier Clearance details, Constructions status, if any
- iv. **If the project is for EC under EIA Notification, 2006**
 - a) For the first time appraisal by EAC**
 - i. Date of ToR [in case of item 8(b)]
 - ii. Point-wise ToR compliance
 - b) Second/subsequent appraisal**
 - i. Date of first /earlier appraisal(s) by EAC/SEAC
 - ii. Details of the information sought by the EAC/SEAC with the responses of PP
- v. The total plot area is**sqm**, FSI area is**sqm** and total construction (Built-up) area of**sqm**. The project will comprise of ... Buildings. Total ... flats shall be developed. Maximum height of the building is ... **m**.**The details of building are as follows: (Table may be extended/expanded as per requirement)**

- vi. During construction phase, total water requirement is expected to beKLD which will be met by..... During the construction phase, soak pits and septic tanks will be provided for disposal of waste water. Temporary sanitary toilets will be provided during peak labor force.
- vii. During operational phase, total water requirement of the project is expected to be KLD and the same will be met by KLD fresh water fromandKLD Recycled Water. Wastewater generated (... KLD) will be treated in STPs of total KLD capacity. ... KLD of treated wastewater will be recycled and re-used (... for flushing, .. for gardening etc.). About ... KLD will be disposed in to municipal drain.
- viii. About ... TPD solid wastes will be generated in the project. The biodegradable waste (... TPD) will be processed in OWC and the non-biodegradable waste generated (... TPD) will be handed over to authorized local vendor.
- ix. The total power requirement during construction phase is ... KVA and will be met fromand total power requirement during cooperation phase is ... KVA and will be met from
- x. Rooftop rainwater of buildings will be collected in ... RWH tanks of total KLD capacity for harvesting after filtration.
- xi. Parking facility for four wheelers andtwo wheelers is proposed to be provided against the requirement of andrespectively (according to local norms).
- xii. Proposed energy saving measures would save about..... % of power.

- xiii. Comparative analysis of existing/envision pollution load (in case of expansion/modernization)
- xiv. Impact of proposed project/activity on Air, Water, Noise, Ecology and proposed mitigation measures
- xv. Whether the project is in Critically Polluted area
- xvi. It is located within 10 km of Eco Sensitive Zone (**Yes/No**). If **Yes**, provide details.
- xvii. NBWL Clearance is required: **Yes/No**. If **Yes**, status of NBWL clearance.
- xviii. Forest Clearance is required: **Yes/No**. If **Yes**, status of stage-1 clearance.
- xix. Court case pending against the project (**Yes/No**). If **Yes**, provide details.
- xx. Details of commitment as mentioned in the Form 1A/Conceptual Plan/EIA
- xxi. Green belt development and Details of tree felling/transplantation
- xxii. Undertaking to the effect that no activity has since been taken up
- xxiii. Expected timeline for completion of the project
- xxiv. Investment/Cost of the project is Rs.....(Crore).
- xxv. Employment potential.....
- xxvi. Benefits of the project

Quick User Manual to use Desktop Videoconference

The NIC, MoEF&CC will moderate the Video Conferencing meeting. The Guidelines related to connecting VC are given below. PP shall be ready before 45 minutes of the slot allotted to them. If any problem is faced, please contact Mr. Kamal, Moderator, NIC (Mobile No. 8800225087, email - support-ipb@nic.in).

- PP/Consultant who want to make presentation during EAC, must use and download/install Vidyos App on desktop/Laptop.
- After downloading the app, you are requested to close the app and start afresh by clicking on the link for joining the meeting.
- A web Link for joining the meeting and PIN will be shared by Moderator before the EAC meeting.
- While joining the meeting you would be asked to provide your name and the PIN for the meeting. Project Proponent must provide the respective agenda item along with their name while joining the meeting.
- Procedure for Joining from Mobile devices remains the same. Click on the link on your mobile device. It may prompt you to install the app. Please download the app. After downloading the app, you are requested to close the app and start afresh by clicking on the link for joining the meeting. Click the tab appearing on the screen- Join conference/meeting.
- Please see the control menu to manage the conference. Keep your microphone mute and unmute only when you wish to speak. You can chat or share desktop screen.
- User should have minimum Internet connection of 2 Mbps from any service provider (Broadband/4G etc.)
- A Desktop/Laptop working in windows with wired Earphone/Headphones with Microphone (Strongly recommended) or External USB camera & Speaker cum microphone is recommended.
