



Speed Post

F. No. J-11015/81/2013-IA.II(M)
Government of India
Ministry of Environment, Forest & Climate Change
Impact Assessment Division

3rd Floor, Vayu Wing,
Indira Paryavaran Bhawan,
Jorbagh Road, Aliganj,
New Delhi-110 003

E-mail: s.kumar1958@gov.in
Tele: 011-24695304

Dated: 22nd September, 2016

To,

M/s My Home Industries Limited,
9th Floor, Block-III, My Home Hub,
Madhapur, Opp.NIFT,
Hyderabad, Andhra Pradesh-500081
E-mail: vsu@myhomegroup.in
Fax: 040-23118000

**Sub.: Limestone mine of M/s My Home Industries Limited at Village-
Gamalapadu, District Guntur, Andhra Pradesh (4.0 MTPA, 374.58 ha.)
-Environment Clearance regarding**

Reference: Online Application IA/AP/MIN/17069/2013

Sir,

This has reference to the online application for above mentioned proposal. The proposal of M/s My Home Industries Limited (MHIL) is for new captive limestone mine with production capacity of 4.0 million TPA with mining lease area over an extent of 374.58 ha, consisting patta land of 243.79ha and Govt. Land of 130.79ha. in Gamalapadu Village, Mandal Dachepalli, District Guntur, Andhra Pradesh. The mine lease is falling under the Survey of India Toposheet No. 56P/10 in between 16°37' 5.9"-16°39'07.2" North latitude and 79°42'7.6"- 79°43'3.7" East Longitude with an average a latitude of about 80m above MSL. The Consultant presented the details of mine site using KML/SHP files on Google Earth. The proposed captive limestone mine is to meet limestone requirement of the integrated cement plant proposed near this mine site.

2. The Proposal was considered by the Reconstituted Expert Appraisal Committee in its 7th meeting held during 15th- 17th May 2013 to determine the Terms of Reference (ToR) for undertaking detailed EIA study. The ToR was issued by MoEFCC vide Letter No. J-11015/81/2013-IA.II (M) dated 16th July 2013. The Letter of Intent has been issued by the Government of Andhra Pradesh vide Memo No. 14722/M.IV(2) /2012-4 dated 16th April 2013 for an extent of 374.58 ha in Gamalapadu Village, Mandal Dachepalli, District Guntur, Andhra Pradesh. The Mining

Plan was approved by Indian Bureau of Mines vide Letter No AP/GNR/MP/LSt-72/Hyd dated 1st August 2014. The proposal of EC was appraised in the EAC meeting held during July 29-30, 2015, March 21-22, 2016 wherein the Committee sought additional information. Further, the proposal was reconsidered in Meeting of EAC held during June 22-23, 2016 wherein the Committee deliberated at length the information submitted by the project proponent and recommended the proposal for grant of Environmental Clearance.

3. The mining is proposed to be done by fully mechanized open cast method using deep hole drilling & blasting and deploying HEMM. The benches height shall be maximum 9 m. The limestone produced from the mine will be transported to the crusher proposed near mining lease boundary by dump trucks and after crushing to the desired size in the crusher it will be transported to the cement plant by closed conveyor.

4. There will be no solid waste generation except top soil from the mine. Average soil thickness is 0.5 m and limestone is exposed on surface at most of the places. Top soil of about 2.2167 million cubic meters is estimated to be generated during life of mine which will be utilized for plantation and development of greenbelt. At the end of mine life, about 303.36 ha will be degraded by mining operations up to maximum depth of 45 m bgl (i.e 41RL). Mined out area of 303.36 Ha will be converted into water reservoir. Total area of 49.68 ha along the mine lease boundary with 7.5 m barrier zone and safety barrier for water course and H.T Electrical line will be developed under greenbelt.

5. The water table is found at a depth of about 13m from general ground level. The mine will be worked upto a maximum depth of 45m below ground level. Mining is expected to intersect ground water table when it reaches a depth of 13m. Hydrological study has been carried out. Permission from CGWA will be obtained before intersecting ground water table. The water required is about 100m³/day for dust suppression, domestic use and green belt development. This requirement will be met from the mine sump created to store the rain water and water supply system of the cement plant.

6. It was reported by the Project Proponent that no National Parks, Sanctuaries, Biosphere Reserves, Wildlife Corridors, Tiger/Elephant Reserves exist within 10km of the mine lease area. The base line data was collected during Summer Season 2014 (March- May). All the parameters were within permissible limits. The Public hearing was conducted by APPCB on 24.04.2015 near mine site and presided over by Additional Joint Collector, Guntur District, Andhra Pradesh. The issues raised by the public include Pollution Control Measures, Employment, Welfare measures, land purchase, adherence to rules & regulation and the response against each issue has been included in the EIA Report. The commitment for CSR for the Integrated Cement Plant with Captive power Plant and Captive Limestone Mine is Rs 2.2 Crores per annum. Project Proponent informed that Rs.71 crores (combined for plant and mine) is earmarked towards the Enterprise Social Commitment.

7. The total cost of the mining project is Rs.40 crores and earmarked Rs.17 Lakhs for Environmental Protection Measures as Capital Cost and Rs. 8.00 Lakhs per annum towards recurring cost. Project Proponent reported that there is no Court case pending against the Project.

8. The Ministry of Environment, Forest & Climate Change has examined the proposal in accordance with the Environmental Impact Assessment Notification, 2006 and further amendments thereto and hereby accords the environmental clearance under the provisions thereof to the above mentioned proposal **Limestone mine of M/s My Home Industries Limited at Village-Gamalapadu, District Guntur, Andhra Pradesh (4.0 MTPA, 374.58 ha)** subject to compliance of the followings terms and conditions and environmental safeguards mentioned below:-

A. Specific conditions

- (i) The measures shall be adopted in order to maintain the groundwater table of the area
- (ii) The fruit bearing trees should be planted in the green belt area as per the CPCB guidelines.
- (iii) A buffer zone of 50 m (green belt) on either side of the Naguleru Nala should be developed for protection.
- (iv) Environmental clearance is granted subject to final outcome of Hon'ble Supreme Court of India, Hon'ble High Court of Andhra Pradesh and any other Court of Law, if any, as may be applicable to this project.
- (v) Environmental clearance is subject to obtaining clearance, if any, under the Wildlife (Protection) Act, 1972 from the Competent Authority, as may be applicable to this project.
- (vi) No mining activities will be allowed in forest area, if any, for which the Forest Clearance is not available.
- (vii) The Project Proponent shall obtain Consent to Operate from the State Pollution Control Board, Andhra Pradesh and effectively implement all the conditions stipulated therein.
- (viii) The prior permission from CGWA for intersecting the ground water table shall be obtained.
- (ix) The Project will implement and comply with all applicable safeguard measures as provided in OM No. Z-11013/57/2014-IA.II(M) dated 29th October, 2014.
- (x) The loose solids should be kept separately from flowing water and flow of effluents to nearby areas outside the leasehold shall be prevented. The paved drains along with arrangements for Over Burden Dumps and their drainage may be clearly depicted on a contoured map of the mining area.
- (xi) The project proponent shall ensure that no natural watercourse and/or water resources shall be obstructed due to any mining operations. Adequate measures shall be taken for conservation and protection of the 1st and 2nd order streams, emanating or passing through the mine lease during the course of mining operation.
- (xii) The top soil, if any shall temporarily be stored at earmarked site(s) only and it should not be kept unutilized for long. The topsoil shall be used for land reclamation and plantation.
- (xiii) Appropriate safeguard measures shall be taken to ensure stability and drainage of dump so that no solid waste/debris flows into the nallah.
- (xiv) The over burden (OB) generated during the mining operation shall be stacked at earmarked dump site(s) only and it should not be kept active for a long period of time and their phase-wise stabilization shall be carried out. Proper terracing of OB dump(s) shall be carried out. The over burden dump(s) shall be scientifically vegetated with suitable native species to prevent erosion and surface run off. In critical areas, use of geo textiles shall be undertaken for stabilization of the dumps. Monitoring and management of rehabilitated areas

should continue until the vegetation becomes self-sustaining. Compliance status should be submitted to the Ministry of Environment, Forest and Climate Change and its Regional Office, Chennai on six monthly basis.

- (xv) Catch drains and siltation ponds of appropriate size shall be constructed for the working pit, temporary OB and mineral dumps to arrest flow of silt and sediment directly into the adjoining River and other water bodies. The water so collected should be utilized for watering the mine area, roads, green belt development etc. The drains should be regularly desilted particularly after the monsoon and maintained properly.
- (xvi) Dimension of the retaining wall at the toe of the OB dump(s) and the OB benches within the mine to check run-off and siltation should be based on the rain fall data.
- (xvii) Plantation shall be raised in an specified area including a 7.5 m wide green belt in the safety zone around the mining lease, OB dump(s), along the roads, etc. by planting the native species in consultation with the local DFO/Agriculture Department. In addition, plantation shall also be raised in the backfilled and reclaimed area and around water body.
- (xviii) Effective safeguard measures, such as regular water sprinkling shall be carried out in critical areas prone to air pollution and having high levels of particulate matter such as around crushing and screening plant, loading and unloading point and all transfer points. Extensive water sprinkling shall be carried out on haul roads. It should be ensured that the Ambient Air Quality parameters conform to the norms prescribed by the Central Pollution Control Board in this regard.
- (xix) Regular monitoring of water quality upstream and downstream of perennial nallahs falling in the impact zone shall be carried out and record of monitoring data should be maintained and submitted to Ministry of Environment, Forest and Climate Change, its Regional Office, Chennai, Central Groundwater Authority, Regional Director, Central Ground Water Board, State Pollution Control Board and Central Pollution Control Board.
- (xx) Appropriate measures shall be taken for treatment of the upper catchment of the mine lease area.
- (xxi) The project authority should implement suitable conservation measures to augment ground water resources in the area in consultation with the Regional Director, Central Ground Water Board.
- (xxii) Regular monitoring of ground water level and quality shall be carried out in and around the mine lease by establishing a network of existing wells and installing new piezometers during the mining operation. The periodic monitoring [(at least four times in a year- pre-monsoon (April-May), monsoon (August), post-monsoon (November) and winter (January); once in each season)] shall be carried out in consultation with the State Ground Water Board/Central Ground Water Authority and the data thus collected may be sent regularly to the Ministry of Environment, Forest and Climate Change and its Regional Office Chennai, the Central Ground Water Authority and the Regional Director, Central Ground Water Board. If at any stage, it is observed that the groundwater table is getting depleted due to the mining activity, necessary corrective measures shall be carried out.
- (xxiii) The project proponent shall obtain necessary prior permission of the competent authorities for drawl of requisite quantity of water, required for the project.
- (xxiv) Suitable rainwater harvesting measures on long term basis shall be planned and implemented in consultation with the Regional Director, Central Ground Water Board.

- (xxv) Appropriate mitigative measures should be taken to prevent pollution of nearby River in consultation with the State Pollution Control Board.
- (xxvi) Vehicular emissions shall be kept under control and regularly monitored. Measures shall be taken for maintenance of vehicles used in mining operations and in transportation of mineral. The mineral transportation shall be carried out through the covered trucks only and the vehicles carrying the mineral shall not be overloaded.
- (xxvii) Controlled blasting shall be practiced. The mitigative measures for control of ground vibrations and to arrest fly rocks and boulders should be implemented.
- (xxviii) Drills shall either be operated with dust extractors or equipped with water injection system.
- (xxix) Mineral handling area shall be provided with the adequate number of high efficiency dust extraction system. Loading and unloading areas including all the transfer points should also have efficient dust control arrangements. These should be properly maintained and operated.
- (xxx) Sewage treatment plant shall be installed for the colony. ETP shall also be provided for the workshop and wastewater generated during the mining operation.
- (xxxi) Pre-placement medical examination and periodical medical examination of the workers engaged in the project shall be carried out and records maintained. For the purpose, schedule of health examination of the workers should be drawn and followed accordingly.
- (xxxii) Regular monitoring of free silica in the dust will be carried out and records maintained. It shall be ensured that the levels of silica do not exceed the prescribed limit. The workers will be provided with personal protective measures to guard against inhaling silica dust.
- (xxxiii) Provision shall be made for the housing of construction labour within the site with all necessary infrastructure and facilities such as fuel for cooking, mobile toilets, mobile STP, safe drinking water, medical health care, creche etc. The housing may be in the form of temporary structures to be removed after the completion of the project.
- (xxxiv) The project proponent should take all precautionary measures during mining operation for conservation and protection of endangered flora as well as endangered fauna in the study area. Action plan for conservation of flora and fauna shall be prepared and implemented in consultation with the State Forest and Wildlife Department. Necessary allocation of funds for implementation of the conservation plan shall be made and the funds so allocated shall be included in the project cost. Copy of action plan may be submitted to the Ministry and its Regional Office at Chennai within 3 months.
- (xxxv) The critical parameters such as RSPM (Particulate matter with size less than 10 micron i.e., PM₁₀) and NO_x in the ambient air within the impact zone, peak particle velocity at 300m distance or within the nearest habitation, whichever is closer shall be monitored periodically. Further, quality of discharged water shall also be monitored [(TDS, DO, PH and Total Suspended Solids (TSS))]. The monitored data shall be uploaded on the website of the company as well as displayed on a display board at the project site at a suitable location near the main gate of the Company in public domain. The Circular No. J-20012/1/2006-IA.II(M) dated 27.05.2009 issued by Ministry of Environment, Forest and Climate Change, which is available on the website of the Ministry www.envfor.nic.in shall also be referred in this regard for its compliance.

- (xxxvi) A Final Mine Closure Plan along with details of Corpus Fund should be submitted to the Ministry of Environment, Forest and Climate Change 5 years in advance of final mine closure for approval.
- (xxxvii) The project proponent shall undertake all the commitments made during the public hearing and effectively address the concerns raised by the locals in the public hearing as well as during consideration of the project, while implementing the project.

B. General conditions

- (i) No change in mining technology and scope of working should be made without prior approval of the Ministry of Environment, Forest and Climate Change.
- (ii) No change in the calendar plan including excavation, quantum of mineral limestone and waste should be made.
- (iii) Four ambient air quality-monitoring stations should be established in the core zone as well as in the buffer zone for RSPM (Particulate matter with size less than 10micron i.e., PM₁₀) and NOx monitoring. Location of the stations should be decided based on the meteorological data, topographical features and environmentally and ecologically sensitive targets and frequency of monitoring should be undertaken in consultation with the State Pollution Control Board.
- (iv) Data on ambient air quality RSPM (Particulate matter with size less than 10micron i.e., PM₁₀) & NOx should be regularly submitted to the Ministry of Environment, Forest and Climate Change including its Regional office located at Chennai and the State Pollution Control Board / Central Pollution Control Board once in six months.
- (v) Fugitive dust emissions from all the sources should be controlled regularly. Water spraying arrangement on haul roads, loading and unloading and at transfer points should be provided and properly maintained.
- (vi) Measures should be taken for control of noise levels below 85 dBA in the work environment. Workers engaged in operations of HEMM, etc. should be provided with ear plugs / muffs.
- (vii) Industrial waste water (workshop and waste water from the mine) should be properly collected, treated so as to conform to the standards prescribed under GSR 422 (E) dated 19th May, 1993 and 31st December, 1993 or as amended from time to time. Oil and grease trap should be installed before discharge of workshop effluents.
- (viii) Personnel working in dusty areas should wear protective respiratory devices and they should also be provided with adequate training and information on safety and health aspects. Occupational health surveillance program of the workers should be undertaken periodically to observe any contractions due to exposure to dust and take corrective measures, if needed.
- (ix) A separate environmental management cell with suitable qualified personnel should be set-up under the control of a Senior Executive, who will report directly to the Head of the Organization.
- (x) The funds earmarked for environmental protection measures should be kept in separate account and should not be diverted for other purpose. Year wise expenditure should be reported to the Ministry of Environment, Forest and Climate Change and its Regional Office located at Chennai.
- (xi) The project authorities should inform the Regional Office located at Chennai regarding date of financial closures and final approval of the project by the concerned authorities and the date of start of land development work.

- (xii) The Regional Office of this Ministry located at Chennai shall monitor compliance of the stipulated conditions. The project authorities should extend full cooperation to the officer (s) of the Regional Office by furnishing the requisite data / information / monitoring reports.
- (xiii) The project proponent shall submit six monthly reports on the status of compliance of the stipulated Environmental Clearance conditions including results of monitored data (both in hard copies as well as by e-mail) to the Ministry of Environment, Forest and Climate Change, its Regional Office Chennai, the respective Zonal Office of Central Pollution Control Board the State Pollution Control Board. The proponent shall upload the status of compliance of the Environmental Clearance conditions, including results of monitored data on their website and shall update the same periodically. It shall simultaneously be sent to the Regional Office of the Ministry of Environment, Forest and Climate Change, Chennai, the respective Zonal Office of Central Pollution Control Board and the State Pollution Control Board.
- (xiv) A copy of the clearance letter shall be sent by the proponent to concerned Panchayat, Zila Parishad/ Municipal Corporation, Urban Local Body and the Local NGO, if any, from whom suggestions/ representations, if any, were received while processing the proposal. The clearance letter shall also be put on the website of the Company by the proponent.
- (xv) The State Pollution Control Board should display a copy of the clearance letter at the Regional office, District Industry Centre and the Collector's office/ Tehsildar's Office for 30 days.
- (xvi) The environmental statement for each financial year ending 31st March in Form-Vas is mandated to be submitted by the project proponent to the concerned State Pollution Control Board as prescribed under the Environment (Protection) Rules, 1986, as amended subsequently, shall be put on the website of the company along with the status of compliance of Environmental Clearance conditions and shall also be sent to the Regional Office of the Ministry of Environment, Forest and Climate Change, Chennai by e-mail.
- (xvii) The project authorities should advertise at least in two local newspapers of the District or State widely circulated in which the project is located and one of which shall be in the vernacular language of the locality concerned, within 7 days of the issue of the clearance letter informing that the project has been accorded Environmental Clearance and a copy of the clearance letter is available with the State Pollution Control Board and also at web site of the Ministry of Environment, Forest and Climate Change at <http://envfor.nic.in> and a copy of the same should be forwarded to the Regional Office of this Ministry located at Chennai.

9. The Ministry or any other Competent Authority may alter/modify the above conditions or stipulate any further condition in the interest of environment protection.

10. Concealing factual data or submission of false/fabricated data and failure to comply with any of the conditions mentioned above may result in withdrawal of this clearance and attract action under the provisions of Environment (Protection) Act, 1986.

11. The above conditions will be enforced inter-alia, under the provisions of the Water (Prevention & Control of Pollution) Act, 1974, the Air (Prevention & Control of Pollution) Act, 1981, the Environment (Protection) Act, 1986 and the Public Liability Insurance Act, 1991 along with their amendments and rules made there under and

also any other orders passed by the Hon'ble Supreme Court of India/High Court of Andhra Pradesh and any other Court of Law relating to the subject matter.

12. Any appeal against this Environmental Clearance shall lie with the National Green Tribunal, if preferred, within a period of 30 days as prescribed under Section 16 of the National Green Tribunal Act, 2010.

Yours faithfully,


(Sonu Singh)
Scientist 'D'

Copy to:

- (i) **The Secretary**, Ministry of Mines, Government of India Shastri Bhawan, New Delhi.
- (ii) **The Secretary**, Department of Environment, Government of Andhra Pradesh, Hyderabad.
- (iii) **The Secretary**, Department of Forests, Government of Andhra Pradesh, Hyderabad.
- (iv) **The Secretary**, Department of Mines and Geology, Government of Andhra Pradesh, Hyderabad.
- (v) **The Secretary**, Department of Industries and Commerce (M-III), Govt of Andhra Pradesh, Hyderabad.
- (vi) **The Additional Principal Chief Conservator of Forests (C)**, Ministry of Environment, Forest and Climate Change, Regional Office (SEZ), Ist and IInd Floor, Handloom Export Promotion Council, 34, Cathedral Garden Road, Nungambakkam, Chennai – 600034
- (vii) **The Chairman**, Central Pollution Control Board, Parivesh Bhawan, CBD-Cum-Office Complex, East Arjun Nagar, New Delhi-110 032.
- (viii) **The Chairman**, Andhra Pradesh State Pollution Control Board, Paryavaran Bhawan, A-3 Industrial Estate, Sanath Nagar, Hyderabad - 500 018
- (ix) **The Member Secretary**, Central Ground Water Authority, A2, W- 3 Curzon Road Barracks, K.G. Marg, New Delhi-110001.
- (x) The Chief Wildlife Warden, Govt. of Andhra Pradesh, Aranya Bhawan , Saifabad, Hyderabad-500004
- (xi) **The Controller General**, Indian Bureau of Mines, Indira Bhavan, Civil Lines, Nagpur- 440 001.
- (xii) **The District Collector**, Guntur District, Government of Andhra Pradesh.
- (xiii) Guard File.
- (xiv) The MoEF&CC website.


(Sonu Singh)
Scientist 'D'