

No. J-11015/43/2013-IA-II (M)
Government of India
Ministry of Environment, Forest & Climate Change
IA-II (Coal Mining) Division

Indira Paryavaran Bhawan,
Jorbagh Road,
New Delhi-110003

Dated: 11th May, 2015

To,

The Director (P&P),
M/s The Singareni Collieries Company Ltd.,
Kothagudam,
Bhadrachalam Road Railway station,
Khammam District,
Telangana - 507101.

Email: dpp@scclmines.com


Sub.: Ramagundam Opencast-III Expansion Phase-II Project of (Expansion from 4.30 MTPA to 6.30 MTPA Normative and 5.0 MTPA to 6.80 MTPA Peak and expansion in an ML area from 1393.81 Ha to 2070.10 Ha.; latitude 18° 40' 57" to 18° 44' 09" N and longitude 79° 28' 58" to 79° 34' 15" E) of M/s The Singareni Collieries Company Ltd., Dist. Karimnagar, Telangana– Environmental Clearance - reg.

Sir,

This is with reference to letter no. CRP/ENV/A/461/114 dated 13.02.2013 with the application for Terms of Reference (TOR) and this Ministry's letter dated 09.09.2013 granting TOR. Reference is also invited to the letter no CRP/ENV/A/461/602 dated 09.12.2014 and subsequent letter nos. dated 17.02.2015 and 02.03.2015 for environmental clearance on the above-mentioned subject.

2. The Ministry of Environment, Forest & Climate Change has considered the application. It is noted that the proposal is for grant of Environmental Clearance for **Ramagundam Opencast-III Expansion Phase-II Project of (Expansion from 4.30 MTPA to 6.30 MTPA Normative and 5.0 MTPA to 6.80 MTPA Peak and expansion in an ML area from 1393.81 Ha to 2070.10 Ha.; latitude 18° 40' 57" to 18° 44' 09" N and longitude 79° 28' 58" to 79° 34' 15" E) of M/s The Singareni Collieries Company Ltd., Dist. Karimnagar, Telangana** The proposal was considered in the 31st EAC meeting held on 16th -17th February, 2015. The proponent has informed that:

- i. Earlier EC was granted vide letter no. J-11015/267/2007-IA-II(M) dated 31.07.2008 for the production capacity of 4.30 MTPA (Normative and 5.00 MTPA (Peak) in an ML area of 1393.81 Ha.
- ii. The project was accorded TOR vide letter no. No J-11015/178/2010-IA.II (M) dated 28.05.2010 and revised ToR No J-11015/43/2013-IA.II (M) dated 09.09.2013.
- iii. The latitude and longitude of the project are 18° 40' 57" to 18° 44' 09" (North) and 79° 28' 58" to 79° 34' 15" (East) respectively.
- iv. Joint Venture: No Joint Venture
- v. Coal Linkage : Basket linkage



vi. The land usage of the project will be as follows:

Pre-Mining:

Sl. No	Present Land use	Area in (Ha)
1	Forest	Nil
2	Single crop land	176.56
3	Double crop land	2.70
4	Land with or without scrub	410.19
5	Sand dump	114.47
6	Plantations	479.09
7	Mining Area	795.96
8	Water body	26.07
TOTAL		2070.10

* Based on corticated issued by Tahasildar, Kamanpur Mandal

Post- Mining:

Sl No.	Description	Land Use Details (Ha.)				Total
		Plantation	Water body	Public use	Other uses	
1	Quarry Area	365.98	747.72	0.00	0.00	1113.70
2	External Dump	414.80	0.00	0.00	0.00	414.80
3	Service buildings,	96.58	0.00	0.00	10.84	107.42
4	CHP	12.37	0.00	0.00	6.10	18.47
5	Safety clearance	370.98	22.40	0.00	22.33	415.71
TOTAL		1260.71	770.12	0.00	39.27	2070.10

Core area:

Land Requirement					
Purpose	Land use of RG OC - III Ext.	Land required for RG OC -III Ext. Phase - II area			Total
		SCCL Land	Private	Total	
		(1)	(3)	(4)=(2)+(3)	
Quarry Area	756.71	356.99	0.00	356.99	1113.70
OB Dump Area	315.75	99.05	29.35	128.40	444.15
Service Buildings	42.70	36.40	28.32	64.72	107.42
Coal Handling Plant	8.01	10.46	0.00	10.46	18.47
Safety Clearance, Bund. Road	115.58	248.64	22.14	270.78	386.36
TOTAL	1238.75	751.54	79.81	831.35	2070.10

vii. The total geological reserve is 196.88 MT. The extractable reserve is 130.24 MT. The per cent of extraction would be 66.15%.

viii. The coal grade is

Seam	Grade
1A Seam (Top)	G-12
1A Seam (bottom)	G-6

1 Seam	G-9
2 Seam (Top)	G-8
2 Seam (Bottom)	G-8
3B Seam	G-11
3A Seam	G-7
3 Seam (Top)	G-7
3 Seam (Bottom)	G-7
4 Seam	G-5
Total	G-11 and G-8

- ix. The stripping ratio is 6.11. The average Gradient is 1 in 4.5 to 1 in 12.0. There will be 10 seams with thickness ranging.

Seam	Usual Thickness(m)
1A Seam (Top)	1.50 m
1A Seam (bottom)	1.50 m
1 Seam	5.00 m
2 Seam (Top)	1.20 m
2 Seam (Bottom)	3.00 m
3B Seam	1.20 m
3A Seam	2.00 m
3 Seam (Top)	3.00 m
3 Seam (Bottom)	6.00 m
4 Seam	4.00 m
Total	29.40

- x. The total estimated water requirement is 3046m³/day. The level of ground water ranges from 1.38 m to 9.85 m.
- xi. The Method of mining would be Opencast.
- xii. There is one external OB dump with Quantity of 172.34 Mbcm in an area of 444.15 ha with height of 120 meter above the surface level and one internal dump with Quantity of 608.96 Mbcm in an area of 365.98 ha.
- xiii. The final mine void would be in 749.13 Ha with depth of 35 m. and the Total quarry area is 1113.30 Ha. Backfilled quarry area of 365.98 Ha shall be reclaimed with plantation. A void of 747.72 ha with depth of 35 m which is proposed to be converted into a water body.
- xiv. The seasonal data for ambient air quality has been documented and all results at all stations are within prescribed limits.
- xv. The **life of mine** is 19 years (from 2015).
- xvi. **Transportation:** Coal transportation Up to in pit crusher by Dumpers: In pit crusher to surface Bunker by belt conveyor, Surface to Siding by Rail up to pit head CHP and loading at siding by EOL railway loading system with Silo.
- xvii. There is **R & R** involved. There are 1854 PAFs.
- xviii. **Cost:** Total capital cost of the project is Rs. 365.01 Crores. CSR Cost Rs. 5/- per tonne of coal. R&R Cost Rs. 94.89 Crore. Environmental Management Cost (capital cost (Direct - Rs. 113.00 Lakhs, R&R -Rs. 9489.53 Lakhs, Indirect - Rs. 2040.88 Lakhs).. Annual recurring cost Rs. 132.80 Lakh/annum (@ Rs. 66.41 per Tonne (Phase-II area).
- xix. **Water body:** Jallaram Vagu. NoC from the Government of Telangana was accorded vide I&CAD Lt. No. EE/ID/PDPL/DB/D3/94/M/1, dated 03.06.2014 for diversion of Jallaram Vagu proposal.

- xx. **Approvals:** Ground water clearance applied on 20.11.2014, Board's approval obtained on 29.06.2012. Mining plan has been approved on 19.11.2014. Mine closure plan is an integral part of mining plan.
- xxi. **Wildlife issues:** There are no national Parks, wildlife sanctuary, biosphere reserves found in the 10 km buffer zone.
- xxii. **Forestry issues:** There is no forest area involved.
- xxiii. Total **afforestation** plan shall be implemented covering an area of 1260.71ha at the end of mining. Green Belt over an area of 166.29 ha. Density of tree plantation 2500 trees/ ha of plants.
- xxiv. There are no **court cases/violation** pending with the project proponent.
- xxv. **Public Hearing** was held on 06.08.2014. The issues raised in the PH includes R&R to KK Nagar and Lambadi Thanda; employments; dump yard; dust problem from the CHP and Quarry; enhancement of the financial powers to the Area GMs for CSR activities; laying of roads, drinking water supply, school buildings, etc.,
- xxvi. Title of the project may be corrected with regard to ML area i.e. expansion of ML area from 1393.81 Ha. to 2070.10 Ha.


3. **EC compliance report:** The compliance report of the, Regional Office, MoEFCC at Bangalore monitored on dated 28.02.2014 was deliberated in the EAC meeting. The Committee has noted the Action taken for compliance by the Project which, inter alia, are as follows:

- i. Most of the EC conditions have been complied.
- ii. The Conditions which are being complied i.e. Monitoring of the stability of OB dumps: Dimension of the retaining wall; Crushers at the CHP be operated with water sprinkling arrangement; Mechanical sweeping of haul roads; Drills should be wet operated; Controlled blasting; Afforestation; Progressive Mine Closure Plan; Regular monitoring of groundwater level and quality; artificial groundwater recharge measures; Periodic health check up of their workers & other etc; R&R of 2 villages namely Magalpalli & Peddampet involving 924 families.

4. The proposal was considered in the Expert Appraisal Committee (EAC) (Thermal & Coal Mining) and recommended in 31st EAC meeting held on 16th -17th February, 2015 for granting Environmental Clearance. The Ministry of Environment, Forest and Climate Change hereby accords environmental clearance for the above-mentioned **Ramagundam Opencast-III Expansion Phase-II Project of (Expansion from 4.30 MTPA to 6.30 MTPA Normative and 5.0 MTPA to 6.80 MTPA Peak and expansion in an ML area from 1393.81 Ha to 2070.10 Ha.; latitude 18° 40' 57" to 18° 44' 09" N and longitude 79° 28' 58" to 79° 34' 15" E) of M/s The Singareni Collieries Company Ltd., Dist. Karimnagar, Telangana** under the provisions of the Environment Impact Assessment Notification, 2006 and subsequent amendments/circulars thereto subject to the compliance of the terms and conditions mentioned below:

A. Specific Conditions:

- i. The maximum production from the mine at any given time shall not exceed the limit as prescribed in the EC.
- ii. The validity of the EC is for the life of the Mine or as specified in the EIA Notification, 2006, whichever is earlier.
- iii. Coal transportation Up to in pit crusher by Dumpers; In pit crusher to surface Bunker by belt conveyor, Surface to Siding by Rail up to pit head CHP and loading at siding by EOL railway loading system with Silo.
- iv. Explore the possibility to reduce the SPM from other mines in the vicinity. The proponent should adopt the mechanized loading system/closed transportation.
- v. Initiate a study with regard to damage to bones of the villagers and to take adequate remedial




measures.

- vi. Medical facilities shall be provided to the villagers.
- vii. Special care must be taken w.r.t. fire hazards/subsidence.
- viii. All safety measures shall be taken as per CMR, 1957 & related Circulars.
- ix. The production shall be within the same Mining Lease area.
- x. The OB shall be completely re-handled at the end of the mining and will be back filled upto the ground level and covered with about a meter thick top soil and put to use. The land after mining shall be brought back for agriculture purpose.
- xi. Garland drains be provided.
- xii. Appropriate embankment shall be provided along the side of the river/nallah flowing near or adjacent to the mine.
- xiii. The CSR cost should be Rs 5 per Tonnes of Coal produced which should be adjusted as per the annual inflation.
- xiv. Everybody in the core area should be provided with mask for protection against fugitive dust emissions.
- xv. Dust mask to be provided to everyone working in the mining area.
- xvi. The supervisory staff should be held personally responsible for ensuring compulsory regarding wearing of dust mask in the core area.
- xvii. People working in the core area should be periodically tested for the lung diseases and the burden of cost on account of working in the coal mine area.
- xviii. The mining area should be surrounded by green belt having thick closed thick canopy of the tree cover.
- xix. The embankment constructed along the river boundary shall be of suitable dimensions and critical patches shall be strengthened by stone pitching on the river front side and stabilised with plantation so as to withstand the peak water flow and prevent mine inundation.
- xx. There shall be no overflow of OB into the river and into the agricultural fields and massive plantation of native species shall be taken up in the area between the river and the project.
- xxi. OB shall be stacked at **one** earmarked external OB dumpsite(s) only. The ultimate slope of the dump shall not exceed 28°. Monitoring and management of existing reclaimed dumpsites shall continue until the vegetation becomes self-sustaining. Compliance status shall be submitted to the Ministry of Environment, Forest & Climate Change and its concerned Regional office on yearly basis.
- xxii. Catch drains and siltation ponds of appropriate size shall be constructed to arrest silt and sediment flows from soil, OB and mineral dumps. The water so collected shall be utilised for watering the mine area, roads, green belt development, etc. The drains shall be regularly desilted and maintained properly. Garland drains (size, gradient and length) and sump capacity shall be designed keeping 50% safety margin over and above the peak sudden rainfall and maximum discharge in the area adjoining the mine site. Sump capacity shall also provide adequate retention period to allow proper settling of silt material.
- xxiii. Dimension of the retaining wall at the toe of the dumps and OB benches within the mine to check run-off and siltation shall be based on the rainfall data.
- xxiv. Crushers at the CHP of adequate capacity for the expansion project shall be operated with high efficiency bag filters. water sprinkling system shall be provided to check fugitive emissions from crushing operations; conveyor system, haulage roads, transfer points, etc.
- xxv. Drills shall be wet operated.
- xxvi. The project authorities shall undertake regular repairing and tarring of roads used for mineral transportation. A 3-tier green belt comprising of a mix of native species shall be developed all along the major approach roads,
- xxvii. Controlled blasting shall be practiced with use of delay detonators and only during daytime. The mitigative measures for control of ground vibrations and to arrest the fly rocks and boulders shall be implemented.



- xxviii. A Progressive afforestation plan shall be implemented covering an area of 1260.71Ha at the end of mining, which includes reclaimed External OB dump area (414.80 ha), Internal OB dump area (365.98 ha), along roads and Green belt (166.29 ha) and in township located outside the lease by planting native species in consultation with the local DFO/Agriculture Department. The density of the trees shall be around 2500 plants per ha. Massive plantation shall be carried out in open spaces in and around the mine and a 3-tier avenue plantation along the main approach roads to the mine.
- xxix. An estimated total 781.30 Mm³ of OB will be generated during the entire life of the mine. Out of which 172.34 Mm³ of OB will be dumped in one external OB Dumps an earmarked area covering 444.15 ha of land with height of 90 m. 608.96 Mm³ of will be **one** internal OB dump in covering an area of 365.98 ha with height of 40 m. The maximum height of external OB dump for hard OB will not exceed 90 m. The maximum slope of the dump shall not exceed 28 degrees. Monitoring and management of reclaimed dump sites shall continue till the vegetation becomes self- sustaining and compliance status shall be submitted to MOEF and its Regional Office on yearly basis.
- xxx. The proponent should prepare restoration and reclamation plan for the degraded area. The land be used in a productive and sustainable manner.
- xxxi. Compensatory Ecological & Restoration of waste land, other degraded land and OB dumps in lieu of breaking open the land be carried out.
- xxxii. The mining should be phased out in sustainable manner. No extra over burden dumps are permitted.
- xxxiii. No groundwater shall be used for mining operations.
- xxxiv. Of the total quarry area of 1113.30 ha. the backfilled quarry area of 365.98 ha shall be reclaimed with plantation and a void of 747.72 ha at a depth of 35 m which is proposed to be converted into a water body shall be gently sloped and the upper benches shall be terraced and stabilised with plantation/afforestation by planting native plant species in consultation with the local DFO/Agriculture Department. The density of the trees shall be around 2500 plants per ha.
- xxxv. Regular monitoring of groundwater level and quality shall be carried out by establishing a network of existing wells and construction of new peizometers. The monitoring for quantity shall be done four times a year in pre-monsoon (May), monsoon (August), post-monsoon (November) and winter (January) seasons and for quality in May. Data thus collected shall be submitted to the Ministry of Environment, Forest & climate change and the Central Pollution Control Board quarterly within one month of monitoring.
- xxxvi. The Company shall put up artificial groundwater recharge measures for augmentation of groundwater resource in case monitoring indicates a decline in water table. The project authorities shall meet water requirement of nearby village(s) in case the village wells go dry due to dewatering of mine.
- xxxvii. Sewage treatment plant shall be installed in the existing colony. ETP shall also be provided for workshop and CHP wastewater.
- xxxviii. Besides carrying out regular periodic health check-up of their workers, 10% of the workers identified from workforce engaged in active mining operations shall be subjected to health check-up for occupational diseases and hearing impairment, if any, through an specialised agency /institution within the District/State and the results reported to this Ministry and to DGMS.
- xxxix. Land oustees shall be compensated as per the norms laid out R&R Policy of CIL or the National R&R Policy or R&R Policy of the State Government whichever is higher.
- xl. For monitoring land use pattern and for post mining land use, a time series of land use maps, based on satellite imagery (on a scale of 1: 5000) of the core zone and buffer zone, from the start of the project until end of mine life shall be prepared once in 3 years (for any one particular season which is consistent in the time series), and the report submitted to MOEF&CC and its concerned Regional office
- xli. A detailed Final Mine Closure Plan along with details of Corpus Fund shall be submitted to the Ministry of Environment, Forest & Climate Change within 6 months of grant of Environmental Clearance.




xlii. The project authorities shall in consultation with the Panchayats of the local villages and administration identify socio-economic and welfare measures under CSR to be carried out over the balance life of the mine.

xliii. Corporate Environment Responsibility:

- a) The Company shall have a well laid down Environment Policy approved by the Board of Directors.
- b) The Environment Policy shall prescribe for standard operating process/procedures to bring into focus any infringements/deviation/violation of the environmental or forest norms/conditions.
- c) The hierarchical system or Administrative Order of the company to deal with environmental issues and for ensuring compliance with the environmental clearance conditions shall be furnished.
- d) To have proper checks and balances, the company shall have a well laid down system of reporting of non-compliances/violations of environmental norms to the Board of Directors of the company and/or shareholders or stakeholders at large.

B. General Conditions

- i. No change in mining technology and scope of working shall be made without prior approval of the Ministry of Environment, Forest & Climate Change.
- ii. No change in the calendar plan of production for quantum of mineral coal shall be made.
- iii. Four ambient air quality monitoring stations shall be established in the core zone as well as in the buffer zone for PM₁₀, PM_{2.5}, SO₂ and NO_x monitoring. Location of the stations shall be decided based on the meteorological data, topographical features and environmentally and ecologically sensitive targets in consultation with the State Pollution Control Board. Monitoring of heavy metals such as Hg, As, Ni, Cd, Cr, etc carried out at least once in six months.
- iv. Data on ambient air quality (PM₁₀, PM_{2.5}, SO₂ and NO_x) and heavy metals such as Hg, As, Ni, Cd, Cr and other monitoring data shall be regularly submitted to the Ministry including its concerned Regional Office and to the State Pollution Control Board and the Central Pollution Control Board once in six months. Random verification of samples through analysis from independent laboratories recognised under the EPA rules, 1986 shall be furnished as part of compliance report.
- v. Adequate measures shall be taken for control of noise levels below 85 dBA in the work environment. Workers engaged in blasting and drilling operations, operation of HEMM, etc shall be provided with ear plugs/muffs.
- vi. Industrial wastewater (workshop and wastewater from the mine) shall be properly collected, treated so as to conform to the standards prescribed under GSR 422 (E) dated 19th May 1993 and 31st December 1993 or as amended from time to time before discharge. Oil and grease trap shall be installed before discharge of workshop effluents.
- vii. Vehicular emissions shall be kept under control and regularly monitored. Vehicles used for transporting the mineral shall be covered with tarpaulins and optimally loaded.
- viii. Monitoring of environmental quality parameters shall be carried out through establishment of adequate number and type of pollution monitoring and analysis equipment in consultation with the State Pollution Control Board and data got analysed through a laboratory recognised under EPA Rules, 1986.
- ix. Personnel working in dusty areas shall wear protective respiratory devices and they shall also be provided with adequate training and information on safety and health aspects.
- x. Occupational health surveillance programme of the workers shall be undertaken periodically to observe any contractions due to exposure to dust and to take corrective measures, if needed and records maintained thereof. The exposure of environment due to outsourcing and the health and safety issues of the outsourced manpower should be addressed by the company while outsourcing.



- xi. A separate environmental management cell with suitable qualified personnel shall be set up under the control of a Senior Executive, who will report directly to the Head of the company.
- xii. The funds earmarked for environmental protection measures shall be kept in separate account and shall not be diverted for other purpose. Year-wise expenditure shall be reported to this Ministry and its concerned Regional Office.
- xiii. The Project authorities shall advertise at least in two local newspapers widely circulated around the project, one of which shall be in the vernacular language of the locality concerned within seven days of the clearance letter informing that the project has been accorded environmental clearance and a copy of the clearance letter is available with the State Pollution control Board and may also be seen at the website of the Ministry of Environment, Forest & Climate Change at <http://envfor.nic.in>.
- xiv. A copy of the environmental clearance letter shall be marked to concern Panchayat/Zila Parishad, Municipal Corporation or Urban local body and local NGO, if any, from whom any suggestion/representation has been received while processing the proposal. A copy of the clearance letter shall also be displayed on company's website.
- xv. A copy of the environmental clearance letter shall be shall also be displayed on the website of the concerned State Pollution Control Board. The EC letter shall also be displayed at the Regional Office, District Industry Sector and Collector's Office/Tehsildar's Office for 30 days.
- xvi. The clearance letter shall be uploaded on the company's website. The compliance status of the stipulated environmental clearance conditions shall also be uploaded by the project authorities on their website and updated at least once every six months so as to bring the same in public domain. The monitoring data of environmental quality parameter (air, water, noise and soil) and critical pollutant such as PM₁₀, PM_{2.5}, SO₂ and NO_x (ambient) and critical sectoral parameters shall also be displayed at the entrance of the project premises and mine office and in corporate office and on company's website.
- xvii. The project proponent shall submit six monthly compliance reports on status of compliance of the stipulated environmental clearance conditions (both in hard copy and in e-mail) to the respective Regional Office of the Ministry, respective Zonal Office s of CPCB and the SPCB.
- xviii. The Regional Office of this Ministry located in the Region shall monitor compliance of the stipulated conditions. The Project authorities shall extend full cooperation to the office(s) of the Regional Office by furnishing the requisite data/ information/monitoring reports.
- xix. The Environmental statement for each financial year ending 31 March in For -V is mandated to be submitted by the project proponent for the concerned State Pollution Control Board as prescribed under the Environment (Protection) Rules, 1986, as amended subsequently, shall also be uploaded on the company's website along with the status of compliance of EC conditions and shall be sent to the respective Regional Offices of the MoEF&CC by e-mail.

5. The proponent shall abide by all the commitments and recommendations made in the EIA/EMP report so also during their presentation to the EAC.

6. The commitment made by the Proponent to the issue raised during Public Hearing shall be implemented by the Proponent

7. The proponent is required to obtain all necessary clearances/approvals that may be required before the start of the project. The Ministry or any other competent authority may stipulate any further condition for environmental protection.

8. The Ministry or any other competent authority may stipulate any further condition for environmental protection.

9. The Proponent shall setup an Environment Audit cell with responsibility and accountability to ensure implementation of all the EC Conditions.




10. Concealing factual data or submission of false/fabricated data and failure to comply with any of the conditions mentioned above may result in withdrawal of this clearance and attract action under the provisions of Environment (Protection) Act, 1986.

11. The above conditions will be enforced inter-alia, under the provisions of the Water (Prevention & Control of Pollution) Act, 1974, the Air (Prevention & Control of Pollution) Act, 1981, the Environment (Protection) Act, 1986 and the Public Liability Insurance Act, 1991 along with their amendments and Rules and any other orders passed by the Hon'ble Supreme Court of India/High Courts and any other Court of Law relating to the subject matter. The proponent shall ensure to undertake and provide for the costs incurred for taking up remedial measures in case of soil contamination, contamination of groundwater and surface water, and occupational and other diseases due to the mining operations.


12. Any appeal against this environmental clearance shall lie with the National Green Tribunal, if preferred, within a period of 30 days as prescribed under Section 16 of the National Green Tribunal Act, 2010.

13. This EC supersedes the earlier EC, vide letter no. J-11015/267/2007-IA-II(M) dated 31.07.2008 for the production capacity of 4.30 MTPA (Normative and 5.00 MTPA (Peak) in an ML area of 1393.81 Ha.


(Dr. R Warriar)
Director

Copy to:

1. Secretary, Ministry of Coal, Shastri Bhawan, New Delhi.
2. Secretary, Department of Environment, Forest & Climate Change, Government of Telangana, Secretariat, Hyderabad.
3. Chief Conservator of Forest, Regional office (SZ), Ministry of Environment, Forest & Climate Change, 4th Floor, F-Wing, Kenriya Sadan Block, Kormangala, Bangalore – 560034.
4. Member Secretary, Telangana State Pollution Control Board, Paryavaran Bhawan, A-3 Industrial Estate, Sanatnagar, Hyderabad – 500038.
5. Member Secretary, Central Pollution Control Board, CBD-cum-Office Complex, East Arjun Nagar, New Delhi -110032.
6. Member-Secretary, Central Ground Water Authority, Ministry of Water Resources, Curzon Road Barracks, A-2, W-3 Kasturba Gandhi Marg, New Delhi.
7. District Collector, **Karimnagar**, Government of Telangana.
8. Monitoring File 9. Guard File 10. Record File 11. Notice Board.


(Dr. R Warriar)
Director

