

**F. No. J-11011/870/2008- IA-II(I)**  
**Government of India**  
Ministry of Environment, Forest and Climate Change  
(Impact Assessment Division)

Indira Paryavaran Bhawan  
Jor Bagh Road, Aliganj,  
New Delhi - 110003  
E-mail: sharath.kr@gov.in  
Tel: 011-24695319

Dated: 22<sup>nd</sup> August, 2017

To

M/s Balmukund Sponge & Iron Private Limited  
Village: Manjhiladih, P.O. Gadisrirampur,  
District: Giridih, Jharkhand - 834002  
e-mail: balmukundsponge2011@gmail.com

**Subject: Pig Iron Plant (39000 TPA) located at Village: Manjhiladih, Tehsil: Giridih, District: Giridih, State: Jharkhand by M/s Balmukund Sponge & Iron Private Limited - Prescribing Terms of Reference regarding.**

			capacity	capacity	capacity
1	Mini Blast Furnace	Pig Iron	39000 TPA (110 TPD)	N.A.	39000 TPA
2	Induction Furnace (SMS with CCM)	MS Billet	102660 TPA (290 TPD)	N.A.	102660 TPA
3	Iron Ore Beneficiation Plant	Iron Ore Beneficiation	Iron Ore Beneficiation	N.A.	94000 TPA (266 TPD)
4	Rolling Mill	M.S / TMT Rod	16000 TPA (50 TPD) [Will be replaced with new plant]	<b>86400 TPA (270 TPD)</b>	<b>86400 TPA (270 TPD)</b>

4.0 BSIPL, is situated at Manjhiladih, P.O. Gadi Srirampur, District Giridih, Jharkhand nearby SH-13 (Koderma-Giridih Govindpur Road) is situated at having Latitude 24°7'9.36"N & Longitude 86° 21'15.62"E at 290 m AMSL. It is about 8 Km from district head quarter Giridih and is well connected by SH - 13 and is about 8 Km in SE from Giridih Railway Station on Giridih-Madhupur Section of Eastern Central Railway.

5.0 BSIPL owns a total land of 26.354 Acres at Mauza Manjhiladih, Khata No. 161, 162, Plot Nos. 940, 941, 942, 943, 944, 946. Total land area is 26.354 acres. 33% of total land area (8.7 Acres) is developed as green belt within existing premises. 14 acres of land is being used for existing Pig Iron, SMS Plant & Iron ore beneficiation plant. Out of remaining 3.65 acres, 1.86 acres of land will be utilized for installation of new rolling mill project within existing sheds. Sufficient space available for expansion and setting up of new rolling mill within the existing premises and there will not be any need to purchase additional land. All necessary infrastructures are available in the existing plant premises.

6.0 No national park/wildlife sanctuary/biosphere reserve/tiger reserve/elephant reserve etc. are reported in the core and buffer zone of the project. The area also does not report to form corridor for Schedule-I fauna.

7.0 The process include raw material is heated deep in the heating furnace. Rolling of steel is a metal forming process in which steel is passed through a pair of rotating rolls for deformation of the steel. Deformation is caused by the compressive forces applied through the rotating rolls. The steel material gets squeezed between the pair of rolls, as a result of which the thickness gets reduced and the length gets increased. To begin with Billets/Ingot is transferred to the Rolling Mill Roughing section. These Billets are rolled several times to



proposed expansion project, no fuel will be used for heating purposes. Surplus heat from SMS will be utilized for rolling mill heating purposes

8.0 About 2.0 MVA of power will be sourced through DVC for operation of proposed expansion project.

9.0 At present & after expansion in future also, water requirement is fulfilled through bore wells inside premises. 10 KLD water is required for proposed expansion & modernization project. Overall water requirement of the BSIPL project will be apporx. 175 KLD after proposed expansion. In the proposed expansion no water will be utilized in manufacturing process. No industrial waste water will be generated from the proposed expansion project. Only domestic waste water will be generated which will be disposed of through septic tank followed by soak pits inside the premise (Zero Liquid Discharge).

10.0 3600 TPA of End Cutting and Mill Scale will be generated from the operation of proposed new rolling mill plant. All the generated solid waste will be reuse as raw material in SMS within the premises of BSIPL.

11.0 The proponent has mentioned that there is no court case or violation under EIA Notification, 2006 to the project or related activity.

12.0 The proposal was considered by the Expert Appraisal Committee (Industry-I) during its 21<sup>st</sup> meeting held during 10<sup>th</sup> – 11<sup>th</sup> August 2017 for prescribing ToRs for undertaking detailed EIA/EMP study. The PP has made detailed presentation on the proposal along with EIA Consultant M/ Global Management & Engineering Consultants International, Jaipur (Sl. No. 78; QCI list of Accredited Consultants, Rev. 55(A) Dt: 11<sup>th</sup> July 2017).

13.0 After detailed deliberations, The Committee recommended to issue the ToR with following project specific ToRs, in addition to the standard ToRs and additional sector specific ToRs enclosed at Annexure I and Annexure-2 respectively.

- i. Public Hearing to be conducted by the concerned State Pollution Control Board.
- ii. The issues raised during public hearing and commitment of the project proponent on the same along with time bound action plan to implement the commitment and financial allocation thereto should be clearly provided.
- iii. The project proponent should carry out social impact assessment of the project as per the Office Memorandum No. J-11013/25/2014-IA. I dated 11.08.2014 issued by the Ministry regarding guidelines on Environment Sustainability and CSR related issues. The social impact assessment study so carried out should form part of EIA and EMP report.
- iv. Certificate compliance of earlier EC from the Regional office of MoEF&CC shall be submitted along with EIA/EMP
- v. Consolidated EIA/EMP shall be prepared detailing all the existing facilities under different environmental clearances in order to facilitate grant of single consolidated environmental clearance.
- vi. The PP shall adhere to ZLD norms.
- vii. The project proponent shall plan for supplementing their energy requirement with solar energy to the maximum possible. A detailed plan for the same shall be submitted.
- viii. Management and disposal of hazardous waste as per the Hazardous and Other Waste Management Rules, 2016 shall be addressed in the EIA/EMP



- ix. Detailed specification of Air Pollution Control equipment shall be provided in the EIA/EMP. Post project monitoring shall be clearly specified along with number of stations, location, frequency of monitoring, parameters to be monitored, fund provision, etc.

14.0 The undersigned is directed to inform that the Ministry of Environment, Forest and Climate Change (MoEF&CC) after accepting the recommendation of the EAC (Industry-I), hereby decided to accord ToRs with projects specific ToRs mentioned above in addition to general ToRs and Sector Specific ToRs enclosed at Annexure I and Annexure-2 respectively for carrying detailed EIA and EMP studies for the above project.


15.0 It is requested that the draft EIA Report may be prepared in accordance with the above mentioned specific ToRs and enclosed generic ToRs and additional ToRs and thereafter further necessary action including conduct of public consultation may be taken for obtaining Environment Clearance in accordance with the procedure prescribed under the EIA Notification, 2006 as amended.

16.0 The ToRs are valid for a period of three years from today i.e. 22.08.2017 and will expire on 21.08.2020. However, this period could be further extended by a maximum period of one year provided an application is made by the project proponent at least three months before the expiry of the validity period, together with updated Form-I, based on proper justification.

  
(Sharath Kumar Pallerla)  
Scientist 'F'/Director

Copy to: -

1. **The Secretary**, Department of Environment & Forests, Government of Jharkhand, Ranchi.
2. **The Additional Principal Chief Conservator of Forests (C)**, Ministry of Environment, Forest and Climate Change, Regional Office (ECZ), Bungalow No. A-2, Shyamali Colony, Ranchi - 834002
3. **The Chairman**, Central Pollution Control Board, Parivesh Bhawan, CBD-Cum-Office Complex, East Arjun Nagar, New Delhi-110 032.
4. **Chairman**, Jharkhand State Pollution Control Board, T.A. Division Building (Ground Floor), HEC Campus, P.O. Dhurwa, Ranchi - 834004, Jharkhand.
5. **The Member Secretary**, Central Ground Water Authority, A2, W- 3 Curzon Road Barracks, K.G. Marg, New Delhi-110001.
6. **The District Collector**, Giridih District, Government of Jharkhand.
7. Guard File/Record File/Monitoring File.
8. MoEF&CC Website

  
(Sharath Kumar Pallerla)  
Scientist 'F'/Director



**GENERIC TERMS OF REFERENCE (ToR) IN RESPECT OF INDUSTRY SECTOR**

1. **Executive Summary**
2. **Introduction**
  - i. Details of the EIA Consultant including NABET accreditation
  - ii. Information about the project proponent
  - iii. Importance and benefits of the project
3. **Project Description**
  - i. Cost of project and time of completion.
  - ii. Products with capacities for the proposed project.
  - iii. If expansion project, details of existing products with capacities and whether adequate land is available for expansion, reference of earlier EC if any.
  - iv. List of raw materials required and their source along with mode of transportation.
  - v. Other chemicals and materials required with quantities and storage capacities
  - vi. Details of Emission, effluents, hazardous waste generation and their management.
  - vii. Requirement of water, power, with source of supply, status of approval, water balance diagram, man-power requirement (regular and contract)
  - viii. The project proponent shall furnish the requisite documents from the competent authority in support of drawl of ground water and surface water and supply of electricity.
  - ix. Process description along with major equipment and machineries, process flow sheet (Quantative) from raw material to products to be provided
  - x. Hazard identification and details of proposed safety systems.
  - xi. Expansion/modernization proposals:
    - a. Copy of all the Environmental Clearance(s) including Amendments thereto obtained for the project from MoEF&CC/SEIAA shall be attached as an Annexure. A certified copy of the latest Monitoring Report of the Regional Office of the Ministry of Environment, Forest and Climate Change as per circular dated 30<sup>th</sup> May, 2012 on the status of compliance of conditions stipulated in all the existing environmental clearances including Amendments shall be provided. In addition, status of compliance of Consent to Operate for the ongoing /existing operation of the project from SPCB/PCC shall be attached with the EIA-EMP report.
    - b. In case the existing project has not obtained environmental clearance, reasons for not taking EC under the provisions of the EIA Notification 1994 and/or EIA Notification 2006 shall be provided. Copies of Consent to Establish/No Objection Certificate and Consent to Operate (in case of units operating prior to EIA Notification 2006, CTE and CTO of FY 2005-2006) obtained from the SPCB shall be submitted. Further, compliance report to the conditions of consents from the SPCB shall be submitted.
4. **Site Details**
  - i. Location of the project site covering village, Taluka/Tehsil, District and State, Justification for selecting the site, whether other sites were considered.
  - ii. A toposheet of the study area of radius of 10km and site location on 1:50,000/1:25,000 scale on an A3/A2 sheet. (including all eco-sensitive areas and environmentally sensitive places)
  - iii. Co-ordinates (lat-long) of all four corners of the site.



- iv. Google map-Earth downloaded of the project site.
- v. Layout maps indicating existing unit as well as proposed unit indicating storage area, plant area, greenbelt area, utilities etc. If located within an Industrial area/Estate/Complex, layout of Industrial Area indicating location of unit within the Industrial area/Estate.
- vi. Photographs of the proposed and existing (if applicable) plant site. If existing, show photographs of plantation/greenbelt, in particular.
- vii. Landuse break-up of total land of the project site (identified and acquired), government/private - agricultural, forest, wasteland, water bodies, settlements, etc shall be included. (not required for industrial area)
- viii. A list of major industries with name and type within study area (10km radius) shall be incorporated. Land use details of the study area
- ix. Geological features and Geo-hydrological status of the study area shall be included.
- x. Details of Drainage of the project upto 5km radius of study area. If the site is within 1 km radius of any major river, peak and lean season river discharge as well as flood occurrence frequency based on peak rainfall data of the past 30 years. Details of Flood Level of the project site and maximum Flood Level of the river shall also be provided. (mega green field projects)
- xi. Status of acquisition of land. If acquisition is not complete, stage of the acquisition process and expected time of complete possession of the land.
- xii. R&R details in respect of land in line with state Government policy

**5. Forest and wildlife related issues (if applicable):**

- i. Permission and approval for the use of forest land (forestry clearance), if any, and recommendations of the State Forest Department. (if applicable).
- ii. Land use map based on High resolution satellite imagery (GPS) of the proposed site delineating the forestland (*in case of projects involving forest land more than 40 ha*).
- iii. Status of Application submitted for obtaining the stage I forestry clearance along with latest status shall be submitted.
- iv. The projects to be located within 10 km of the National Parks, Sanctuaries, Biosphere Reserves, Migratory Corridors of Wild Animals, the project proponent shall submit the map duly authenticated by Chief Wildlife Warden showing these features vis-à-vis the project location and the recommendations or comments of the Chief Wildlife Warden-thereon.
- v. Wildlife Conservation Plan duly authenticated by the Chief Wildlife Warden of the State Government for conservation of Schedule I fauna, if any exists in the study area.
- vi. Copy of application submitted for clearance under the Wildlife (Protection) Act, 1972, to the Standing Committee of the National Board for Wildlife

**6. Environmental Status**

- i. Determination of atmospheric inversion level at the project site and site-specific micro-meteorological data using temperature, relative humidity, hourly wind speed and direction and rainfall.
- ii. AAQ data (except monsoon) at 8 locations for PM<sub>10</sub>, PM<sub>2.5</sub>, SO<sub>2</sub>, NO<sub>x</sub>, CO and other parameters relevant to the project shall be collected. The monitoring stations shall be based CPCB guidelines and take into account the pre-dominant wind direction, population zone and sensitive receptors including reserved forests.
- iii. Raw data of all AAQ measurement for 12 weeks of all stations as per frequency given in the NAQQM Notification of Nov. 2009 along with – min., max., average and 98% values for each of the AAQ parameters from data of all AAQ stations should be provided as an annexure to the EIA Report.
- iv. Surface water quality of nearby River (60 m upstream and downstream) and other surface drains at eight locations as per CPCB/MoEF&CC guidelines.



- v. Whether the site falls near to polluted stretch of river identified by the CPCB/MoEF&CC.
- vi. Ground water monitoring at minimum at 8 locations shall be included.
- vii. Noise levels monitoring at 8 locations within the study area.
- viii. Soil Characteristic as per CPCB guidelines.
- ix. Traffic study of the area, type of vehicles, frequency of vehicles for transportation of materials, additional traffic due to proposed project, parking arrangement etc.
- x. Detailed description of flora and fauna (terrestrial and aquatic) existing in the study area shall be given with special reference to rare, endemic and endangered species. If Schedule-I fauna are found within the study area, a Wildlife Conservation Plan shall be prepared and furnished.
- xi. Socio-economic status of the study area.

7. **Impact Assessment and Environment Management Plan**

- i. Assessment of ground level concentration of pollutants from the stack emission based on site-specific meteorological features. In case the project is located on a hilly terrain, the AQIP Modelling shall be done using inputs of the specific terrain characteristics for determining the potential impacts of the project on the AAQ. Cumulative impact of all sources of emissions (including transportation) on the AAQ of the area shall be well assessed. Details of the model used and the input data used for modelling shall also be provided. The air quality contours shall be plotted on a location map showing the location of project site, habitation nearby, sensitive receptors, if any.
- ii. Water Quality modelling – in case, if the effluent is proposed to be discharged in to the local drain, then Water Quality Modelling study should be conducted for the drain water taking into consideration the upstream and downstream quality of water of the drain.
- iii. Impact of the transport of the raw materials and end products on the surrounding environment shall be assessed and provided. In this regard, options for transport of raw materials and finished products and wastes (large quantities) by rail or rail-cum road transport or conveyor-cum-rail transport shall be examined.
- iv. A note on treatment of wastewater from different plant operations, extent recycled and reused for different purposes shall be included. Complete scheme of effluent treatment. Characteristics of untreated and treated effluent to meet the prescribed standards of discharge under E(P) Rules.
- v. Details of stack emission and action plan for control of emissions to meet standards.
- vi. Measures for fugitive emission control
- vii. Details of hazardous waste generation and their storage, utilization and disposal. Copies of MOU regarding utilization of solid and hazardous waste shall also be included. EMP shall include the concept of waste-minimization, recycle/reuse/recover techniques, Energy conservation, and natural resource conservation.
- viii. Proper utilization of fly ash shall be ensured as per Fly Ash Notification, 2009. A detailed plan of action shall be provided.
- ix. Action plan for the green belt development plan in 33 % area i.e. land with not less than 1,500 trees per ha. Giving details of species, width of plantation, planning schedule etc. shall be included. The green belt shall be around the project boundary and a scheme for greening of the roads used for the project shall also be incorporated.
- x. Action plan for rainwater harvesting measures at plant site shall be submitted to harvest rainwater from the roof tops and storm water drains to recharge the ground



water and also to use for the various activities at the project site to conserve fresh water and reduce the water requirement from other sources.

- xi. Total capital cost and recurring cost/annum for environmental pollution control measures shall be included.
- xii. Action plan for post-project environmental monitoring shall be submitted.
- xiii. Onsite and Offsite Disaster (natural and Man-made) Preparedness and Emergency Management Plan including Risk Assessment and damage control. Disaster management plan should be linked with District Disaster Management Plan.

#### 8. Occupational health

- i. Details of existing Occupational & Safety Hazards. What are the exposure levels of above mentioned hazards and whether they are within Permissible Exposure level (PEL). If these are not within PEL, what measures the company has adopted to keep them within PEL so that health of the workers can be preserved,
- ii. Details of exposure specific health status evaluation of worker. If the workers' health is being evaluated by pre-designed format, chest x rays, Audiometry, Spirometry, Vision testing (Far & Near vision, colour vision and any other ocular defect) ECG, during pre-placement and periodical examinations give the details of the same. Details regarding last month analyzed data of abovementioned parameters as per age, sex, duration of exposure and department wise.
- iii. Annual report of health status of workers with special reference to Occupational Health and Safety.
- iv. Plan and fund allocation to ensure the occupational health & safety of all contract and casual workers.

#### 9. Corporate Environment Policy

- i. Does the company have a well laid down Environment Policy approved by its Board of Directors? If so, it may be detailed in the EIA report.
- ii. Does the Environment Policy prescribe for standard operating process / procedures to bring into focus any infringement / deviation / violation of the environmental or forest norms / conditions? If so, it may be detailed in the EIA.
- iii. What is the hierarchical system or Administrative order of the company to deal with the environmental issues and for ensuring compliance with the environmental clearance conditions? Details of this system may be given.
- iv. Does the company have system of reporting of non-compliances / violations of environmental norms to the Board of Directors of the company and / or shareholders or stakeholders at large? This reporting mechanism shall be detailed in the EIA report

- 10. Details regarding infrastructure facilities such as sanitation, fuel, restroom etc. to be provided to the labour force during construction as well as to the casual workers including truck drivers during operation phase.

#### 11. Enterprise Social Commitment (ESC)

- i. To address the Public Hearing issues, 2.5% of the total project cost of (Rs. ....crores), amounting to Rs. ....crores, shall be earmarked by the project proponent, towards Enterprise Social Commitment (ESC). Distinct ESC projects shall be carved out based on the local public hearing issues. Project estimate shall be prepared based on PWD schedule of rates for each distinct Item and schedule for time bound action plan shall be prepared. These ESC projects



as indicated by the project proponent shall be implemented along with the main project. Implementation of such program shall be ensured by constituting a Committee comprising of the project proponent, representatives of village Panchayat & District Administration. Action taken report in this regard shall be submitted to the Ministry's Regional Office. No free distribution/donations and or free camps shall be included in the above ESC budget

12. Any litigation pending against the project and/or any direction/order passed by any Court of Law against the project, if so, details thereof shall also be included. Has the unit received any notice under the Section 5 of Environment (Protection) Act, 1986 or relevant Sections of Air and Water Acts? If so, details thereof and compliance/ATR to the notice(s) and present status of the case.
13. A tabular chart with index for point wise compliance of above ToRs.
14. The ToRs prescribed shall be valid for a period of three years for submission of the EIA-EMP reports along with Public Hearing Proceedings (wherever stipulated).

**The following general points shall be noted:**

- i. All documents shall be properly indexed, page numbered.
- ii. Period/date of data collection shall be clearly indicated.
- iii. Authenticated English translation of all material in Regional languages shall be provided.
- iv. The letter/application for environmental clearance shall quote the MOEF&CC file No. and also attach a copy of the letter.
- v. The copy of the letter received from the Ministry shall be also attached as an annexure to the final EIA-EMP Report.
- vi. The index of the final EIA-EMP report must indicate the specific chapter and page no. of the EIA-EMP Report
- vii. While preparing the EIA report, the instructions for the proponents and instructions for the consultants issued by MOEF&CC vide O.M. No. J-11013/41/2006-IA.II (I) dated 4<sup>th</sup> August, 2009, which are available on the website of this Ministry shall also be followed.
- viii. The consultants involved in the preparation of EIA-EMP report after accreditation with Quality Council of India (QCI)/National Accreditation Board of Education and Training (NABET) would need to include a certificate in this regard in the EIA-EMP reports prepared by them and data provided by other organization/Laboratories including their status of approvals etc. Name of the Consultant and the Accreditation details shall be posted on the EIA-EMP Report as well as on the cover of the Hard Copy of the Presentation material for EC presentation.
- ix. ToRs' prescribed by the Expert Appraisal Committee (Industry) shall be considered for preparation of EIA-EMP report for the project in addition to all the relevant information as per the 'Generic Structure of EIA' given in Appendix III and IIIA in the EIA Notification, 2006. Where the documents provided are in a language other than English, an English translation shall be provided. The draft EIA-EMP report shall be submitted to the State Pollution Control Board of the concerned State for conduct of Public Hearing. The SPCB shall conduct the Public Hearing/public consultation, district-wise, as per the provisions of EIA notification, 2006. The Public Hearing shall be chaired by an Officer not below the rank of Additional District Magistrate. The issues raised in the Public Hearing and during the consultation process and the commitments made by the project proponent on the same shall be included separately in EIA-EMP Report in a separate chapter and summarised in a tabular chart with financial budget (capital and revenue) along with time-schedule of implementation for complying with the commitments made. The final EIA report shall be submitted to the Ministry for obtaining environmental clearance.

\*\*\*\*\*



**ADDITIONAL TORs (MINERAL BENEFICIATION PLANTS)**

1. The alternate sites considered, the relative merits and demerits and the reasons for selecting the proposed site.
2. Details of the technology and process involved in the project.
3. Location of the proposed plant w.r.t. the source of raw material and mode of transportations of the ore from mines to the beneficiation plant.
4. Treatment of run of from the fines/waste dump.
5. Estimation of the fines going into the washings and its management.
6. Details of the equipment, settling pond etc.
7. Detailed material balance to be provided.
8. Source of raw material and its transportation. Steps proposed to be taken to protect the ore from getting air borne.
9. Management and disposal of tailings and closure plan of the tailing pond, if any, after the project is over.
10. The water requirement for the project, its availability and source to be furnished. A detailed water balance should also be provided. Fresh water requirement for the project should also be indicated.
11. Description of water conservation measures proposed to be adopted in the Project should be given. Details of rainwater harvesting proposed in the Project, if any, should be provided.
12. Impact of the project on the water quality, both surface and groundwater should be assessed and necessary safeguard measures, if any required, should be provided.

**Executive Summary**

Executive summary of the report in about 8-10 pages incorporating the following:

- i. Project name and location (Village, Dist, State, Industrial Estate (if applicable))
- ii. Products and capacities. If expansion proposal then existing products with capacities and reference to earlier EC.
- iii. Requirement of land, raw material, water, power, fuel, with source of supply (Quantitative)
- iv. Process description in brief, specifically indicating the gaseous emission, liquid effluent and solid and hazardous wastes.
- v. Measures for mitigating the impact on the environment and mode of discharge or disposal.
- vi. Capital cost of the project, estimated time of completion
- vii. Site selected for the project – Nature of land – Agricultural (single/double crop), barren, Govt/private land, status of its acquisition, nearby (in 2-3 km.) water body, population, within 10km other industries, forest, eco-sensitive zones, accessibility. (note – in case of industrial estate this information may not be necessary)
- viii. Baseline environmental data – air quality, surface and ground water quality, soil characteristic, flora and fauna, socio-economic condition of the nearby population
- ix. Identification of hazards in handling, processing and storage of hazardous material and safety system provided to mitigate the risk.
- x. Likely impact of the project on air, water, land, flora-fauna and nearby population
- xi. Emergency preparedness plan in case of natural or in plant emergencies
- xii. Issues raised during public hearing (if applicable) and response given
- xiii. CSR plan with proposed expenditure.
- xiv. Occupational Health Measures
- xv. Post project monitoring plan

\*\*\*\*\*