

F. No. J-11011/251/2007-IA II (I)
Government of India
Ministry of Environment, Forest and Climate Change
(I.A. Division)

Indira Paryavaran Bhawan
Jor Bagh Road, Ali Ganj,
New Delhi - 110003
E-mail: satish.garkoti@nic.in
Tele ph.: 011-24695316

Dated: 7th July, 2015

To

M/s ASR Multimetals Private Limited
Survey No. 394/2, 398-400, N.H 8-A,
Near R.T.O Check Post,
Village Chhadawada, Taluka: Bhachau,
Samkhiyali (Kutch),
Gujarat-370 140

Email: asrmmpl@gmail.com; Fax No. 91-2837-283522

Subject: Proposed expansion project by M/s ASR Multimetals Private Limited, located at Village Chhadwada, Tehsil, Bhachau, District, Kutch, Gujarat.-prescribing of ToRs regarding.

Sir,

This has reference to your letter No. Nil dated 28.04.2015 along with the application in prescribed format (Form-I), copy of pre-feasibility report and proposed TORs for undertaking detailed EIA study as per the EIA Notification, 2006.

2.0 The site is located at the Sy. No. 394/2, 398, 399 & 400 with a land area 220250.5 sq m. PP has acquired additional land of 94433 sq m which is located at Sy. No. 394/1(P), 395, 397 making a total area of 314683.5 sq m. The nearest village is Samkhiyali at a distance of 3.6 km and nearest town is Bhachau at 13.5 km. The latitude and longitude of the project site is 23°18'22.74"N, 70°28'10.69"E

3.0 The company has existing rolling mill products (MS Rods , MS Wires , MS Flats , Re rolled steel products of MS i.e channels, angles, bars, rounds, sections and profiles etc , Steel billets/ ingots). The company later obtained Environmental Clearance vide letter no. F. No. J-11011/ 251/2007- IA II (I) dated 31st March 2008 for the following units:

Product	Granted capacity	Installed capacity	Remark
Sponge iron	6000 MT/month	5500 MT/month	Company has obtained consent to operate for sponge iron plant and captive power plant vide order no. AWH 55787 dated 25/07/2013 and the plant has commissioned.
Captive power plant Coal/ lignite based CPP WHRB	20 MW 16 MW 4 MW	8 MW 4 MW 4 MW	
Pig iron	5400 MT/month	---	

4.0 It has been proposed to expand the existing manufacturing capacity. Company has procured additional land for the same. Proposed expansion falls under category A, section 3 (a) & 1 (d). Following table presents details of proposed facility.

Name of Products /By Products & Intermediate Products	Existing quantity	Proposed quantity MT/month	Total quantity MT/month
MS (MILD STEEL) Rods	5000 MT/Month	24000 MT/Month	36000 MT/Month
MS (MILD STEEL) Wires	2500 MT/Month		
MS (MILD STEEL) Flats	2500 MT/Month		
Re-Rolled Steel Products of MS (i.e. Channels, Angles Bars, Rounds, Sections & Profiles etc.)	2000 MT/Month		
Steel Billets / Ingots (Semi Finished Products)	12333 MT/Month	24000 MT/Month (Along with Preheater & LRF)	36333 MT/Month
Sponge Iron	5500 MT/Month	15000 MT/Month	20500 MT/Month
Power from AFBC Boiler (Coal Base)	4 MW	17 MW	21 MW
Power from WHRB (Waste Heat Gases from Rotary Kiln)	4 MW	8 MW	12 MW

7.0 The above proposal was considered by the Reconstituted Expert Appraisal Committee (Industry) during its 39th meeting held on 20th May, 2015 for prescribing TORs for undertaking detailed EIA/EMP study.


8.0 Based on the information furnished and presentation made by the project proponent, the Committee recommended prescribing following specific TORs for undertaking detailed EIA and EMP study in addition to the generic TOR enclosed at **Annexure I read with additional TORs at Annexure-2.**

i. Public Hearing shall be conducted by Odisha Pollution Control Board

9.0 The Ministry of Environment, Forest and Climate Change (MoEFCC) after accepting the recommendation of the EAC (Industry), hereby decided to accord ToRs for the above project.

10.0 It is requested that the draft EIA Report may be prepared in accordance with the above mentioned specific TORs and enclosed generic TORs and additional TORs and thereafter further necessary action including conduct of public consultation may be taken for obtaining Environment Clearance in accordance with the procedure prescribed under the EIA Notification, 2006 as amended.

12.0 The TORs are valid for a period of three years from today i.e 07.07.2015 and will expire on 06.07.2018. However, this period could be further extended by a maximum period of one year provided an application is made by the project proponent atleast three months before the expiry of the validity period, together with updated Form-I, based on proper justification.


(Dr. Satish C.Garkoti)
Director

Copy to:-

1. The Additional Principal Chief Conservator of Forests (C) Ministry of Environment Forest & Climate Change Regional Office (WZ), E-5, Kendriya Paryavaran Bhawan, ER-5 Arera Colon, Link Road-3, Ravishankar Nagar, Bhopal-462016
2. The Chairman, Gujarat State Pollution Control Board, 4, Paryavaran Bhavan, Opp. Bij Nigam, CHH Road, Sector 10A, Sector 10, Gandhinagar, Gujarat 382010


(Dr. Satish C.Garkoti)
Director

GENERIC TERMS OF REFERENCE (TOR) IN RESPECT OF INDUSTRY SECTOR**1. Executive Summary****2. Introduction**

- i. Details of the EIA Consultant including NABET accreditation
- ii. Information about the project proponent
- iii. Importance and benefits of the project

3. Project Description

- i. Cost of project and time of completion.
- ii. Products with capacities for the proposed project.
- iii. If expansion project, details of existing products with capacities and whether adequate land is available for expansion, reference of earlier EC if any.
- iv. List of raw materials required and their source along with mode of transportation.
- v. Other chemicals and materials required with quantities and storage capacities
- vi. Details of Emission, effluents, hazardous waste generation and their management.
- vii. Requirement of water, power, with source of supply, status of approval, water balance diagram, man-power requirement (regular and contract)
- viii. Process description along with major equipments and machineries, process flow sheet (quantative) from raw material to products to be provided.
- ix. Hazard identification and details of proposed safety systems.
- x. Expansion/modernization proposals:
 - a. Copy of all the Environmental Clearance(s) including Amendments thereto obtained for the project from MOEF/SEIAA shall be attached as an Annexure. A certified copy of the latest Monitoring Report of the Regional Office of the Ministry of Environment and Forests as per circular dated 30th May, 2012 on the status of compliance of conditions stipulated in all the existing environmental clearances including Amendments shall be provided. In addition, status of compliance of Consent to Operate for the ongoing /existing operation of the project from SPCB shall be attached with the EIA-EMP report.
 - b. In case the existing project has not obtained environmental clearance, reasons for not taking EC under the provisions of the EIA Notification 1994 and/or EIA Notification 2006 shall be provided. Copies of Consent to Establish/No Objection Certificate and Consent to Operate (in case of units operating prior to EIA Notification 2006, CTE and CTO of FY 2005-2006) obtained from the SPCB shall be submitted. Further, compliance report to the conditions of consents from the SPCB shall be submitted.

4. Site Details

- i. Location of the project site covering village, Taluka/Tehsil, District and State, Justification for selecting the site, whether other sites were considered.

- ii. A toposheet of the study area of radius of 10km and site location on 1:50,000/1:25,000 scale on an A3/A2 sheet. (including all eco-sensitive areas and environmentally sensitive places)
- iii. Co-ordinates (lat-long) of all four corners of the site.
- iv. Google map-Earth downloaded of the project site.
- v. Layout maps indicating existing unit as well as proposed unit indicating storage area, plant area, greenbelt area, utilities etc. If located within an Industrial area/Estate/Complex, layout of Industrial Area indicating location of unit within the Industrial area/Estate.
- vi. Photographs of the proposed and existing (if applicable) plant site. If existing, show photographs of plantation/greenbelt, in particular.
- vii. Landuse break-up of total land of the project site (identified and acquired), government/private - agricultural, forest, wasteland, water bodies, settlements, etc shall be included. (not required for industrial area)
- viii. A list of major industries with name and type within study area (10km radius) shall be incorporated. Land use details of the study area
- ix. Geological features and Geo-hydrological status of the study area shall be included.
- x. Details of Drainage of the project upto 5km radius of study area. If the site is within 1 km radius of any major river, peak and lean season river discharge as well as flood occurrence frequency based on peak rainfall data of the past 30 years. Details of Flood Level of the project site and maximum Flood Level of the river shall also be provided. (mega green field projects)
- xi. Status of acquisition of land. If acquisition is not complete, stage of the acquisition process and expected time of complete possession of the land.
- xii. R&R details in respect of land in line with state Government policy

5. Forest and wildlife related issues (if applicable):

- i. Permission and approval for the use of forest land (forestry clearance), if any, and recommendations of the State Forest Department. (if applicable)
- ii. Landuse map based on High resolution satellite imagery (GPS) of the proposed site delineating the forestland (*in case of projects involving forest land more than 40 ha*)
- iii. Status of Application submitted for obtaining the stage I forestry clearance along with latest status shall be submitted.
- iv. The projects to be located within 10 km of the National Parks, Sanctuaries, Biosphere Reserves, Migratory Corridors of Wild Animals, the project proponent shall submit the map duly authenticated by Chief Wildlife Warden showing these features vis-à-vis the project location and the recommendations or comments of the Chief Wildlife Warden-thereon
- v. Wildlife Conservation Plan duly authenticated by the Chief Wildlife Warden of the State Government for conservation of Schedule I fauna, if any exists in the study area
- vi. Copy of application submitted for clearance under the Wildlife (Protection) Act, 1972, to the Standing Committee of the National Board for Wildlife.

6. Environmental Status

- i. Determination of atmospheric inversion level at the project site and site-specific micro-meteorological data using temperature, relative humidity, hourly wind speed and direction and rainfall.
- ii. AAQ data (except monsoon) at 8 locations for PM10, PM2.5, SO2, NOX, CO and other parameters relevant to the project shall be collected. The monitoring stations shall be based CPCB guidelines and take into account the pre-dominant wind direction, population zone and sensitive receptors including reserved forests.
- iii. Raw data of all AAQ measurement for 12 weeks of all stations as per frequency given in the NAQQM Notification of Nov. 2009 along with – min., max., average and 98% values for each of the AAQ parameters from data of all AAQ stations should be provided as an annexure to the EIA Report.
- iv. Surface water quality of nearby River (60m upstream and downstream) and other surface drains at eight locations as per CPCB/MoEF&CC guidelines.
- v. Whether the site falls near to polluted stretch of river identified by the CPCB/MoEF&CC.
- vi. Ground water monitoring at minimum at 8 locations shall be included.
- vii. Noise levels monitoring at 8 locations within the study area.
- viii. Soil Characteristic as per CPCB guidelines.
- ix. Traffic study of the area, type of vehicles, frequency of vehicles for transportation of materials, additional traffic due to proposed project, parking arrangement etc.
- x. Detailed description of flora and fauna (terrestrial and aquatic) existing in the study area shall be given with special reference to rare, endemic and endangered species. If Schedule-I fauna are found within the study area, a Wildlife Conservation Plan shall be prepared and furnished.
- xi. Socio-economic status of the study area.

7. Impact Assessment and Environment Management Plan

- i. Assessment of ground level concentration of pollutants from the stack emission based on site-specific meteorological features. In case the project is located on a hilly terrain, the AQIP Modelling shall be done using inputs of the specific terrain characteristics for determining the potential impacts of the project on the AAQ. Cumulative impact of all sources of emissions (including transportation) on the AAQ of the area shall be well assessed. Details of the model used and the input data used for modeling shall also be provided. The air quality contours shall be plotted on a location map showing the location of project site, habitation nearby, sensitive receptors, if any.
- ii. Water Quality modelling – in case, if the effluent is proposed to be discharged in to the local drain, then Water Quality Modelling study should be conducted for the drain water taking into consideration the upstream and downstream quality of water of the drain.
- iii. Impact of the transport of the raw materials and end products on the surrounding environment shall be assessed and provided. In this regard, options for transport

- of raw materials and finished products and wastes (large quantities) by rail or rail-cum road transport or conveyor-cum-rail transport shall be examined.
- iv. A note on treatment of wastewater from different plant operations, extent recycled and reused for different purposes shall be included. Complete scheme of effluent treatment. Characteristics of untreated and treated effluent to meet the prescribed standards of discharge under E(P) Rules.
 - v. Details of stack emission and action plan for control of emissions to meet standards.
 - vi. Measures for fugitive emission control
 - vii. Details of hazardous waste generation and their storage, utilization and disposal. Copies of MOU regarding utilization of solid and hazardous waste shall also be included. EMP shall include the concept of waste-minimization, recycle/reuse/recover techniques, Energy conservation, and natural resource conservation.
 - viii. Proper utilization of fly ash shall be ensured as per Fly Ash Notification, 2009. A detailed plan of action shall be provided.
 - ix. Action plan for the green belt development plan in 33 % area i.e. land with not less than 1,500 trees per ha. Giving details of species, width of plantation, planning schedule etc. shall be included. The green belt shall be around the project boundary and a scheme for greening of the roads used for the project shall also be incorporated.
 - x. Action plan for rainwater harvesting measures at plant site shall be submitted to harvest rainwater from the roof tops and storm water drains to recharge the ground water and also to use for the various activities at the project site to conserve fresh water and reduce the water requirement from other sources.
 - xi. Total capital cost and recurring cost/annum for environmental pollution control measures shall be included.
 - xii. Action plan for post-project environmental monitoring shall be submitted.
 - xiii. Onsite and Offsite Disaster (natural and Man-made) Preparedness and Emergency Management Plan including Risk Assessment and damage control. Disaster management plan should be linked with District Disaster Management Plan.

8. Occupational health

- i. Details of existing Occupational & Safety Hazards. What are the exposure levels of above mentioned hazards and whether they are within Permissible Exposure level (PEL). If these are not within PEL, what measures the company has adopted to keep them within PEL so that health of the workers can be preserved.
- ii. Details of exposure specific health status evaluation of worker. If the workers' health is being evaluated by pre-designed format, chest x rays, Audiometry, Spirometry, Vision testing (Far & Near vision, colour vision and any other ocular defect) ECG, during pre placement and periodical examinations give the details of the same. Details regarding last month analyzed data of abovementioned parameters as per age, sex, duration of exposure and department wise.
- iii. Annual report of health status of workers with special reference to Occupational Health and Safety.

- iv. Plan and fund allocation to ensure the occupational health & safety of all contract and casual workers.

9. Corporate Environment Policy

- i. Does the company have a well laid down Environment Policy approved by its Board of Directors? If so, it may be detailed in the EIA report.
 - ii. Does the Environment Policy prescribe for standard operating process / procedures to bring into focus any infringement / deviation / violation of the environmental or forest norms / conditions? If so, it may be detailed in the EIA.
 - iii. What is the hierarchical system or Administrative order of the company to deal with the environmental issues and for ensuring compliance with the environmental clearance conditions? Details of this system may be given.
 - iv. Does the company have system of reporting of non compliances / violations of environmental norms to the Board of Directors of the company and / or shareholders or stakeholders at large? This reporting mechanism shall be detailed in the EIA report
10. Details regarding infrastructure facilities such as sanitation, fuel, restroom etc. to be provided to the labour force during construction as well as to the casual workers including truck drivers during operation phase.
11. Enterprise Social Commitment (ESC)
- i. Adequate funds (atleast 2.5 % of the project cost) shall be earmarked towards the Enterprise Social Commitment based on Public Hearing issues and item-wise details along with time bound action plan shall be included. Socio-economic development activities need to be elaborated upon.
12. Any litigation pending against the project and/or any direction/order passed by any Court of Law against the project, if so, details thereof shall also be included. Has the unit received any notice under the Section 5 of Environment (Protection) Act, 1986 or relevant Sections of Air and Water Acts? If so, details thereof and compliance/ATR to the notice(s) and present status of the case.
13. 'A tabular chart with index for point wise compliance of above TORs.
14. The TORs prescribed shall be valid for a period of three years for submission of the EIA-EMP reports along with Public Hearing Proceedings (wherever stipulated).

The following general points shall be noted:

- i. All documents shall be properly indexed, page numbered.
- ii. Period/date of data collection shall be clearly indicated.
- iii. Authenticated English translation of all material in Regional languages shall be provided.
- iv. The letter/application for environmental clearance shall quote the MOEF file No. and also attach a copy of the letter.

- v. The copy of the letter received from the Ministry shall be also attached as an annexure to the final EIA-EMP Report.
- vi. The index of the final EIA-EMP report must indicate the specific chapter and page no. of the EIA-EMP Report
- vii. While preparing the EIA report, the instructions for the proponents and instructions for the consultants issued by MOEF vide O.M. No. J-11013/41/2006-IA.II (I) dated 4th August, 2009, which are available on the website of this Ministry shall also be followed.
- viii. The consultants involved in the preparation of EIA-EMP report after accreditation with Quality Council of India (QCI) /National Accreditation Board of Education and Training (NABET) would need to include a certificate in this regard in the EIA-EMP reports prepared by them and data provided by other organization/Laboratories including their status of approvals etc. Name of the Consultant and the Accreditation details shall be posted on the EIA-EMP Report as well as on the cover of the Hard Copy of the Presentation material for EC presentation.
- ix. TORs' prescribed by the Expert Appraisal Committee (Industry) shall be considered for preparation of EIA-EMP report for the project in addition to all the relevant information as per the 'Generic Structure of EIA' given in Appendix III and IIIA in the EIA Notification, 2006. Where the documents provided are in a language other than English, an English translation shall be provided. The draft EIA-EMP report shall be submitted to the State Pollution Control Board of the concerned State for conduct of Public Hearing. The SPCB shall conduct the Public Hearing/public consultation, district-wise, as per the provisions of EIA notification, 2006. The Public Hearing shall be chaired by an Officer not below the rank of Additional District Magistrate. The issues raised in the Public Hearing and during the consultation process and the commitments made by the project proponent on the same shall be included separately in EIA-EMP Report in a separate chapter and summarised in a tabular chart with financial budget (capital and revenue) along with time-schedule of implementation for complying with the commitments made. The final EIA report shall be submitted to the Ministry for obtaining environmental clearance.

[Handwritten signature]

ADDITIONAL TORS FOR INTEGRATED STEEL PLANT

1. Iron ore/coal linkage documents along with the status of environmental clearance of iron ore and coal mines
2. Quantum of production of coal and iron ore from coal & iron ore mines and the projects they cater to. Mode of transportation to the plant and its impact
3. For Large ISPs, a 3-D view i.e. DEM (Digital Elevation Model) for the area in 10 km radius from the proposal site. MRL details of project site and RL of nearby sources of water shall be indicated.
4. Recent land-use map based on satellite imagery. High-resolution satellite image data having 1m-5m spatial resolution like quickbird, Ikonos, IRS P-6 pan sharpened etc. for the 10 Km radius area from proposed site. The same shall be used for land used/land-cover mapping of the area.
5. PM(PM_{10} and $P_{2.5}$) present in the ambient air must be analysed for source analysis – natural dust/RSPM generated from plant operations (trace elements) of PM_{10} to be carried over.
6. All stock piles will have to be on top of a stable liner to avoid leaching of materials to ground water.
7. Plan for the implementation of the recommendations made for the steel plants in the CREP guidelines.
8. Plan for slag utilization.
9. Plan for utilization of energy in off gases (coke oven, blast furnace)
10. System of coke quenching adopted with justification.
11. Trace metals Mercury, arsenic and fluoride emissions in the raw material.
12. Trace metals in waste material especially slag.
13. Trace metals in water.

Format for Executive Summary

Executive summary of the report in about 8-10 pages incorporating the following:

- i. Project name and location (Village, Dist, State, Industrial Estate (if applicable))
- ii. Products and capacities. If expansion proposal then existing products with capacities and reference to earlier EC.
- iii. Requirement of land, raw material, water, power, fuel, with source of supply (Quantitative)
- iv. Process description in brief, specifically indicating the gaseous emission, liquid effluent and solid and hazardous wastes.
- v. Measures for mitigating the impact on the environment and mode of discharge or disposal.
- vi. Capital cost of the project, estimated time of completion
- vii. Site selected for the project – Nature of land – Agricultural (single/double crop), barren, Govt/private land, status of its acquisition, nearby (in 2-3 km.) water body, population, with in 10km other industries, forest, eco-sensitive zones, accessibility, (note – in case of industrial estate this information may not be necessary)
- viii. Baseline environmental data – air quality, surface and ground water quality, soil characteristic, flora and fauna, socio-economic condition of the nearby population
- ix. Identification of hazards in handling, processing and storage of hazardous material and safety system provided to mitigate the risk.
- x. Likely impact of the project on air, water, land, flora-fauna and nearby population
- xi. Emergency preparedness plan in case of natural or in plant emergencies
- xii. Issues raised during public hearing (if applicable) and response given
- xiii. CSR plan with proposed expenditure.
- xiv. Occupational Health Measures
- xv. Post project monitoring plan

F. No. J-11011/251/2007-IA II (I)
Government of India
Ministry of Environment, Forest and Climate Change
(I.A. Division)

Indira Paryavaran Bhawan
Jor Bagh Road, Ali Ganj.
New Delhi - 110003
E-mail: sharath.kr@gov.in
Tele ph.: 011-24695319

Dated: 14th May, 2018

To
M/s ASR Multimetals Private Limited
Survey No. 394/2, 398-400, N.H. 8-A,
Near R.T.O Check Post,
Village Chhadawada, Taluka: Bhachau,
Samkhiyali (Kutch),
Gujarat-370 140

Email: asrmmpl@gmail.com; Fax No. 91-2837-283522

Subject: Proposed expansion project by M/s ASR Multimetals Private Limited, located at Village Chhadwada, Tehsil, Bhachan, District, Kutch, Gujarat – Extension of validity of the ToRs prescribed.

Sir,

This has reference to your online application vide proposal no. IA/GJ/IND/27526/2015 dated 5th April 2018 seeking extension of validity of terms of reference issued vide F. No. J - 11011/251/2007-IA II (I) dated 07.07.2015.

2.0 It was informed that the plant is operative from 2005. Initially company had installed rolling mill products. The details of rolling mill products for existing plant are as mentioned below:

Product	Quantity	Remarks
MS Rods	5000 MT/month	EC was not applicable to these products.
MS Wires	2500 MT/month	
MS Flats	2500 MT/month	CCA was renewed vide order no. AWH 55787 dated 25/07/2013 and valid up to 13.05.18
Re-rolled steel products of MS i.e channels, angles, bars, rounds, sections and profiles etc	2000 MT/month	
Steel billets/ ingots	12.333 MT/month	

3.0 Company later applied for expansion project for sponge iron, pig iron and captive power plant. The products were covered under EIA notification 2006 and accordingly EC was applied to MoEF. EC was obtained for the same vide letter no. F. No. J-11011/251/2007-IA II (I) dated 31st March 2008 with validity of five years. Products considered for EC are:

Product	Granted capacity	Installed capacity	Remark
Sponge iron	6000 MT/month	5500 MT/month	Company has obtained consent to operate for sponge iron plant and captive power plant vide order no. AWH 55787 dated 25/07/2013 and the plant has commissioned.
Captive power plant • Coal/ lignite based CPP • WHRB	20 MW • 16 MW • 4 MW	8 MW • 4 MW • 4 MW	
Pig iron	5400 MT/month	---	Pig iron plant was not installed and accordingly Consent to operate was not obtained.

4.0 Now the company proposes for expansion in their existing manufacturing capacity. Company has procured additional land for the same. The Extended product profile is as mentioned below:

Name of Products /By Products & Intermediate Products	Existing quantity	Proposed quantity MT/month	Total quantity MT/month
MS (MILD STEEL) Rods	5000 MT/Month	24000 MT/Month	36000 MT/Month
MS (MILD STEEL) Wires	2500 MT/Month		
MS (MILD STEEL) Flats	2500 MT/Month		
Re-Rolled Steel Products of MS (i.e. Channels, Angles Bars, Rounds, Sections & Profiles etc.)	2000 MT/Month		
Steel Billets / Ingots (Semi Finished Products)	12333 MT/Month	24000 MT/Month (Along with Preheater & LRF)	36333 MT/Month
Sponge iron	5500 MT/Month	15000 MT/Month	20500 MT/Month
Power from AFBC Boiler (Coal Base)	4 MW	17 MW	21 MW
Power from WHRB (Waste Heat Gases from Rotary Kiln)	4 MW	8 MW	12 MW

5.0 Terms of reference was issued to the proposed project by MoEF vide letter no. J - 11011/251/2007 - IA II (I) dated 07.07.2015. Due to market viability the project was kept on hold. As per the office memorandum vide letter no. J-11013/41/2006 IA.II(I) dated 29.08.2017, ToR will get expire on 07.07.2018. Therefore, requested to extend the validity of ToR for one more year to for preparation of EMP and PH.

6.0 The proposal was considered in the 31st meeting of Expert Appraisal Committee (Industry-I) held during 7th to 9th May 2018. After detailed deliberations the committee recommended for extension of validity of ToR one more year i.e. up to 06.07.2019

7.0 The Ministry of Environment, Forest and Climate Change has considered the application based on the recommendations of the Expert Appraisal Committee (Industry-I) and hereby decided to grant extension of validity of the terms of reference issued vide even letter number dated 07.07.2015 for one more year i.e. up to 06.07.2019 subject to following conditions.

- i. All other Terms and Conditions prescribed in the terms of reference issued vide F. No. J-11011/25/2007-IA II (I) dated 07.07.2015 will remain same.
- ii. The base line data and public consultation shall not be more than three years at the time of submission of the proposal for Environmental Clearance to the ministry.

This issues with the approval of competent authority.


(Sharath Kumar Pallerla)
Director

Copy to:-

1. **The Secretary**, Department of Environment, Government of Gujarat, Secretariat, Gandhinagar.
2. **The Additional Principal Chief Conservator of Forests**, Ministry of Environment, Forest and Climate Change, Regional Office (WZ), E-5, Kendriya Paryavaran Bhawan, E-5, Arera Colony, Link Road-3, Ravishankar Nagar, Bhopal - 462016
3. **The Chairman**, Central Pollution Control Board, Parivesh Bhawan, CBD-cum-Office Complex, East Arjun Nagar, Delhi-110032.
4. **The Member Secretary**, Central Ground Water Authority, A-2, W3, Curzon Road Barracks, K.G. Marg, New Delhi-110001.
5. **The Chairman**, Gujarat State Pollution Control Board, Sector 10-A, Gandhi Nagar - 382043, Gujarat.
6. **The District Collector**, Kutch District, Government of Gujarat.
7. **Guard File/Record File/Monitoring File.**
8. **MoEF&CC Website.**


(Sharath Kumar Pallerla)
Director

F. No. J-11011/251/2007-IA II (I)
Government of India
Ministry of Environment, Forest and Climate Change
(J.A. Division)

Indira Parvatan Bhawan
Jor Bagh Road, All India
New Delhi - 110003
E-mail: sharath.kr@gov.in
Tele ph: 011-24695419

Dated: 30th May 2018

To

M/s ASR Multimetals Private Limited
Survey No. 394/2, 398-400, N.H.8-A,
Near R.T.O Check Post,
Village Chhadawada, Taluka: Bhachau,
Samkhiyali (Kutch),
Gujarat-370 140

Email: asrmmpl@gmail.com; Fax No. 91-2837-283522

Subject: Proposed expansion project by M/s ASR Multimetals Private Limited, located at Village Chhadwada, Tehsil, Bhachau, District, Kutch, Gujarat - Corrigendum to the ToRs prescribed.

Sir,

This has reference to your letter dated 25th May 2018 for corrigendum to the terms of reference issued vide F. No. J - 11011/251/2007-IA.II(I) dated 07.07.2015 regarding conduct of public hearing by State Pollution Control Board.

2.0 The matter has been examined by the ministry and decided to issue corrigendum to the terms of reference issued vide F. No. J - 11011/251/2007-IA.II(I) dated 07.07.2015 as given below:

Reference	For	Read as
Par 8(i) of Page 3 of ToR Letter	Public hearing shall be conducted by Odisha Pollution Control Board	Public hearing shall be conducted by Gujarat Pollution Control Board

This issues with the approval of competent authority.


(Sharath Kumar Pallath)
Director