

F.No.10-42/2018-IA-III
Government of India
Ministry of Environment, Forest and Climate Change
(IA.III Section)

Indira Paryavaran Bhawan,
Jor Bagh Road, New Delhi - 3

Date: 7th August, 2018

To,

M/s Maharashtra Enviro Power Ltd,
CHW-01, Butibori Industrial Area, Vil. Butibori-Hingna,
Nagpur - 441110, Maharashtra
E Mail: kishore20m@gmail.com

Subject: Modification of Existing Common Hazardous Waste Treatment, Storage and Disposal Facility at Plot No. CHW-01, MIDC Butibori, Village Mandwa, Butibori, District Nagpur, Maharashtra by M/s Maharashtra Enviro Power Limited - Terms of Reference - reg.

Sir,

This has reference to your online proposal No. IA/MH/MIS/74850/2018 dated 3rd May, 2018, submitted to this Ministry for seeking Terms of Reference (ToR) in terms of the provisions of the Environment Impact Assessment (EIA) Notification, 2006 under the Environment (Protection) Act, 1986.

2. The proposal for grant of Terms of Reference (ToR) to the project 'Modification of Existing Common Hazardous Waste Treatment, Storage and Disposal Facility at Plot No. CHW-01, MIDC Butibori, Village Mandwa, Butibori, District Nagpur, Maharashtra by M/s Maharashtra Enviro Power Limited was considered by the Expert Appraisal Committee (Infra-2) in its 32nd meeting held on 2-4 July, 2018.

3. The details of the project, as per the documents submitted by the project proponent, and also as informed during the above said meeting, are under:-

- (i) The site is located at Plot No. CHW-01, MIDC Butibori, Village Mandwa, Butibori, District Nagpur, Maharashtra, was incorporated on 24/01/2005 as VEPL which was then converted to MEPL.
- (ii) It had obtained Consent to Establish vide Order No. BO/RO(P&P)/Nagpur-248-05/CC-282 dated 27/10/2005 and the first Consent to Operate vide Order No. BO/ROHQ/Nagpur/07/B-430 dated 22/02/2007 which was later on revised on name of MEPL vide Consent No. BO/RO(HQ)/HWMD/EIC No. NG-11661-14/CR/CC-6706 dated 06/06/2015 valid till 31/10/2019 - for the incineration facility and BO/RO(HQ)/HWMD/EIC No. NG-12344-15/CR/CC-7904 dated 16/07/2015 valid upto 28.02.2020- for the secured landfill facility. MEPL has an operational CHWTSDf with secured landfill (Capacity - 60,000 MT/year) and state of the art solid/hazardous waste destruction facility Plasma Gas Vitrification Reactor (PGVR) (Capacity - 3 T/hr i.e. 25,000 MT/year) with waste recovery cum power generation plant (Capacity - 6 MW/h).
- (iii) In view of an increase in receipt of incinerable waste from April 2016 from 1532 MT to maximum of 2545 MT at MEPL, MIDC, Butibori site, MEPL now proposes to restart the disposal of incinerable waste at this site only. However, for doing this MEPL is required to downsize the existing capacity of existing facility. MEPL is proposing to discontinue and uninstall the existing PGVR facility of 3 T/hr and

RBK

install a new rotary incinerator with 1 T/hr capacity to destruct the incinerable waste at this MIDC, Butibori site. That means the MEPL intends to downsize the capacity of its incineration facility.

- (iv) Proposed rotary incinerator will be installed as per CPCB guideline of common hazardous waste incinerator. Proposed new rotary incinerator shall be installed in the existing premises, near to existing PGVR area of MEPL.
- (v) The geographical position of the existing project site is 20°56'15" N 78°56'00" E at an elevation of about 290 m above Mean Sea Level.
- (vi) Lesser quantity of water will be required than the existing water requirement. Water will continue to be obtained from the existing MIDC, ButiBori water supply system. Lesser electric power is expected to be required for the proposed project. Electric power shall continue to be obtained from MSEB supply system.
- (vii) There shall be no change in the location of existing stack. Landfill leachate and Scrubber Bleed liquor from incineration system will be subjected to primary treatment and will be sent for incineration for further disposal. There shall be reduction in incinerator ash, as much lesser capacity incinerator shall be installed. The ash and ETP sludge shall continue to be disposed in the existing secured landfill facility within the premises.
- (viii) The estimated cost of the proposed rotary incinerator and all the associated works is Rs. 800 Lakhs.
- (ix) Employment potential: Existing facility has already appointed 30 skilled, semi-skilled and un-skilled workers from the local area. With the restarting of incineration operation at the facility, an additional 20 more skilled, semi-skilled and un-skilled workers will be employed at the facility.

4. The project/activity is covered under category A of item 7(d) 'Common hazardous waste treatment, storage and disposal facilities (TSDFs)' of the Schedule to the EIA Notification, 2006 and its amendments, and requires appraisal at Central level by sectoral EAC.

5. The EAC, in its 32nd meeting held on 2-4 July, 2018, after detailed deliberations, recommended the project for grant of ToR as specified by the Ministry as Standard ToR in April, 2015 for the said project/activity and the following ToR in addition to Standard ToR for preparation of EIA-EMP report. As per the recommendation of the EAC, the Ministry of Environment, Forest and Climate Change hereby accords ToR to the project 'Modification of Existing Common Hazardous Waste Treatment, Storage and Disposal Facility at Plot No. CHW-01, MIDC Butibori, Village Mandwa, Butibori, District Nagpur, Maharashtra by M/s Maharashtra Enviro Power Limited for preparation of the Environment Impact Assessment (EIA) Report and Environment Management Plan (EMP) with the following specific and general conditions in addition to Standard ToR provided at **Annexure -1:-**

- (i) Importance and benefits of the project.
- (ii) The E.I.A. would address to the conformity of site to the stipulations as made in the Hazardous and other Wastes (Management, Handling and Trans-boundary Movement) Rules, 2016 and will have a complete chapter indicating conformity to the said rules.
- (iii) Project proponents would also submit a write up on how their project proposal conform to the stipulations made in the "Protocol for Performance evolution and

JBK

monitoring of the Common Hazardous Waste Treatment Storage and Disposal facilities including common Hazardous Waste incinerators", published by the CPCB on May 24, 2010.

- (iv) Status of compliance to the provisions of the *Hazardous and Other Wastes (Management and Transboundary Movement) Rules, 2016*.
- (v) Compliance to the conditions of the consent to operate and authorization for the existing facilities. The EIA will discuss the compliance to the Pollution Control Laws and the notifications under the E.P. Act 1986 and get a certified report from the Pollution Control Board.
- (vi) Details of various waste management units with capacities for the proposed project.
- (vii) List of waste to be handled and their source along with mode of transportation.
- (viii) Other chemicals and materials required with quantities and storage capacities.
- (ix) Details of temporary storage facility for storage of hazardous waste at project site.
- (x) Details of pre-treatment facility of hazardous waste at TSDF.
- (xi) Details of air emissions, effluents, hazardous/solid waste generation and their management.
- (xii) Requirement of water, power, with source of supply, status of approval, water balance diagram, man-power requirement (regular and contract).
- (xiii) Process description along with major equipments and machineries, process flow sheet (quantitative) from waste material to disposal to be provided.
- (xiv) Hazard identification and details of proposed safety systems.
- (xv) Details of Drainage of the project up to 5 km radius of study area. If the site is within 1 km radius of any major river, peak and lean season river discharge as well as flood occurrence frequency based on peak rainfall data of the past 30 years. Details of Flood Level of the project site and maximum Flood Level of the river shall also be provided.
- (xvi) Ground water quality monitoring in and around the project site.
- (xvii) The Air Quality Index shall be calculated for base level air quality.
- (xviii) Status of the land purchases in terms of land acquisition Act and study the impact.
- (xix) Status of acquisition of land. If acquisition is not complete, stage of the acquisition process and expected time of complete possession of the land.
- (xx) R&R details in respect of land in line with state Government policy.
- (xxi) Details of effluent treatment and recycling process.
- (xxii) Leachate study report and detailed leachate management plan to be incorporated.
- (xxiii) Action plan for measures to be taken for excessive leachate generation during monsoon period.
- (xxiv) Action plan for any pollution of ground water is noticed during operation period or post closure monitoring period.
- (xxv) Detailed Environmental Monitoring Plan as well as Post Closure Monitoring Plan.
- (xxvi) A certificate of adequacy of available power from the agency supplying power to the project along with the load allowed for the project.
- (xxvii) A detailed Plan for green belt development.

PK

- (xxviii) A certificate from the local body supplying water, specifying the total annual water availability with the local authority, the quantity of water already committed, the quantity of water allotted to the project under consideration and the balance water available. This should be specified separately for ground water and surface water sources, ensuring that there is no impact on other users.
- (xxix) Any litigation pending against the project and/or any direction/order passed by any Court of Law against the project, if so, details thereof shall also be included. Has the unit received any notice under the Section 5 of Environment (Protection) Act, 1986 or relevant Sections of Air and Water Acts? If so, details thereof and compliance/ATR to the notice(s) and present status of the case.
- (xxx) The project proponents shall satisfactorily address to all the complaints/suggestions that have been received against the project till the date of submission of proposals for Appraisal.
- (xxxi) Plan for Corporate Environment Responsibility (CER) as specified under Ministry's Office Memorandum vide F.No. 22-65/2017-IA.III dated 1st May 2018 shall be prepared and submitted along with EIA Report.
- (xxxii) A tabular chart with index for point wise compliance of above ToRs.

General Guidelines

- (i) The EIA document shall be printed on both sides, as far as possible.
- (ii) All documents should be properly indexed, page numbered.
- (iii) Period/date of data collection should be clearly indicated.
- (iv) Authenticated English translation of all material provided in Regional languages.
- (v) The letter/application for EC should quote the MoEF&CC File No. and also attach a copy of the letter prescribing the ToR.
- (vi) The copy of the letter received from the Ministry on the ToR prescribed for the project should be attached as an annexure to the final EIA-EMP Report.
- (vii) The final EIA-EMP report submitted to the Ministry must incorporate the issues mentioned in ToR. The index of the final EIA-EMP report, must indicate the specific chapter and page no. of the EIA-EMP Report where the specific ToR prescribed by Ministry. Questionnaire related to the project (posted on MoEF&CC website) with all sections duly filled in shall also be submitted at the time of applying for EC.
- (viii) Grant of ToR does not mean grant of EC.
- (ix) The status of accreditation of the EIA consultant with NABET/QCI shall be specifically mentioned. The consultant shall certify that his accreditation is for the sector for which this EIA is prepared.
- (x) On the front page of EIA/EMP reports, the name of the consultant/consultancy firm along with their complete details including their accreditation, if any shall be indicated. The consultant while submitting the EIA/EMP report shall give an undertaking to the effect that the prescribed ToRs (ToR proposed by the project proponent and additional ToR given by the MoEF&CC) have been complied with and the data submitted is factually correct (Refer MoEF&CC Office memorandum dated 4th August, 2009).
- (xi) While submitting the EIA/EMP reports, the name of the experts associated with/involved in the preparation of these reports and the laboratories through which

the samples have been got analysed should be stated in the report. It shall clearly be indicated whether these laboratories are approved under the Environment (Protection) Act, 1986 and the rules made there under (Please refer MoEF&CC Office Memorandum dated 4th August, 2009). The project leader of the EIA study shall also be mentioned.

- (xii) All the ToR points as presented before the Expert Appraisal Committee (EAC) shall be covered.


6. The above ToR should be considered for the project 'Modification of Existing Common Hazardous Waste Treatment, Storage and Disposal Facility at Plot No. CHW-01, MIDC Butibori, Village Mandwa, Butibori, District Nagpur, Maharashtra by M/s Maharashtra Enviro Power Limited, in addition to all the relevant information as per the 'Generic Structure of EIA' given in Appendix III and IIIA in the EIA Notification, 2006. Public hearing is exempted for the project as per para 7(i) III Stage (3)(i)(b) of EIA Notification, 2006 for preparation of EIA/EMP Report, being site is located in the Notified industrial area.

7. The project proponent shall submit the detailed final EIA/EMP prepared as per ToR to the Ministry for considering the proposal for environmental clearance within 3 years as per the MoEF&CC O.M. No.J-11013/41/2006-IA-II(I) (P) dated 08.10.2014.

8. The consultants involved in preparation of EIA/EMP report after accreditation with Quality Council of India/National Accreditation Board of Education and Training (QCI/NABET) would need to include a certificate in this regard in the EIA/EMP reports prepared by them and data provided by other Organization(s)/ Laboratories including their status of approvals etc. vide Notification of the MoEF&CC dated 19.07.2013.

9. The prescribed ToR would be valid for a period of three years for submission of the EIA/EMP Reports.

10. This issues with the approval of Competent Authority.


07/08/2018
(Raghu Kumar Kodali)
Scientist 'F'

Copy to:

The Member Secretary, Maharashtra Pollution Control Board, Kalpataru Point, 3rd and 4th Floor, Opp. Cine Planet, Sion Circle, Mumbai - 400 022.

7(d): STANDARD TERMS OF REFERENCE FOR CONDUCTING ENVIRONMENT IMPACT ASSESSMENT STUDY FOR COMMON HAZARDOUS WASTE TREATMENT, STORAGE AND DISPOSAL FACILITIES (TSDFS) AND INFORMATION TO BE INCLUDED IN EIA/EMP REPORT

- 1) Reasons for selecting the site with details of alternate sites examined/rejected/selected on merit with comparative statement and reason/basis for selection. The examination should justify site suitability in terms of environmental damages, resources sustainability associated with selected site as compared to rejected sites. The analysis should include parameters considered along with weightage criteria for short-listing selected site.
- 2) Submit the details of the road/rail connectivity along with the likely impacts and mitigative measures
- 3) Submit the present land use and permission required for any conversion such as forest, agriculture etc
- 4) Examine the details of transportation of Hazardous wastes, and its safety in handling.
- 5) Examine and submit the details of on line pollutant monitoring.
- 6) Examine the details of monitoring of Dioxin and Furon.
- 7) MoU for disposal of ash through the TSDF.
- 8) MoU for disposal of scrubbing waste water through CETP.
- 9) Examine and submit details of monitoring of water quality around the landfill site.
- 10) Examine and submit details of the odour control measures.
- 11) Examine and submit details of impact on water body and mitigative measures during rainy season.
- 12) Environmental Management Plan should be accompanied with Environmental Monitoring Plan and environmental cost and benefit assessment. Regular monitoring shall be carried out for odour control.
- 13) Water quality around the landfill site shall be monitored regularly to examine the impact on the ground water.
- 14) The storage and handling of hazardous wastes shall be as per the Hazardous Waste Management Rules.
- 15) Submit details of a comprehensive Disaster Management Plan including emergency evacuation during natural and man-made disaster.

IRK

- 16) Public hearing to be conducted for the project in accordance with provisions of Environmental Impact Assessment Notification, 2006 and the issues raised by the public should be addressed in the Environmental Management Plan. The Public Hearing should be conducted based on the ToR letter issued by the Ministry and not on the basis of Minutes of the Meeting available on the web-site.
- 17) A detailed draft EIA/EMP report should be prepared in accordance with the above additional TOR and should be submitted to the Ministry in accordance with the Notification.
- 18) Details of litigation pending against the project, if any, with direction /order passed by any Court of Law against the Project should be given.
- 19) The cost of the Project (capital cost and recurring cost) as well as the cost towards implementation of EMP should be clearly spelt out.
- 20) Any further clarification on carrying out the above studies including anticipated impacts due to the project and mitigative measure, project proponent can refer to the model ToR available on Ministry website <http://moef.nic.in/Manual/Incinerator>

RK .
