


ANNEXURE - 12

COPY OF CCA

**GUJARAT POLLUTION CONTROL BOARD**
PARYAVARAN BHAVAN
Sector 10-A, Gandhinagar 382 010
Phone : (079) 23226295
Fax : (079) 23232156
Website : www.gpcb.gov.in

In exercise of the power conferred under section-25 of the Water (Prevention and Control of Pollution) Act-1974, under section-21 of the Air (Prevention and Control of Pollution) Act-1981 and Authorization under rule 5(4) of the Hazardous Waste (Management, Handling and Transboundary Movement) Rules -2008 framed under the E (P) Act-1986.

And whereas Board has received online application No.78786, dtd.14/03/2014 for the consolidated consent and authorization (CC & A-Renewal) of this Board under the provisions / rules of the aforesaid Acts, consolidated consent & authorization is hereby granted as under.

CONSENT AND AUTHORISATION:
(Under the provisions / rules of the aforesaid environmental acts)

To,

M/s. ANMOL ANTIOXIDANTS PVT. LTD. (18796),
PLOT NO: 35 & 36,
BEHIND HGI FOUNDRY, BASKA,
BASKA-385350,
TAL: HALOL,
DIST: PANCHMAHAL.

1. Consent Order No. : AWH-61842. Date of issue: 23/04/2014.

2. The consent shall be valid up to 13/03/2019 for use of outlet for the discharge of trade effluent due to operation of industrial plant for manufacture of the following items/products.

Sr. No.	PRODUCT	CAPACITY
1.	Ethisterone	0.2 MT/Month
2.	Nandrolone	0.1 MT/Month
3.	Betamethasone valerate	0.06 MT/Month
4.	Budesonide	0.03 MT/Month
5.	Mometasone furoate	0.03 MT/Month
6.	Triamcinolone	0.03 MT/Month
7.	Betamethasone Dipropionate	0.05 MT/Month
8.	Clobetasol propionate	0.07 MT/Month
9.	Triamcinolone propionate	0.07 MT/Month
10.	Sulphonated Melamine formaldehyde condensate solution	16 MT/Month
11.	Halobetasole propionate	0.03 MT/Month
12.	Cexamethasone sodium phosphate	0.05 MT/Month
13.	Clobetasol butyrate	0.03 MT/Month
14.	Beclomethasone Dipropionate	0.03 MT/Month
15.	Preclonolone sodium phosphate	0.05 MT/Month
16.	Betamethasone Sodium phosphate	0.05 MT/Month
17.	N (3- bromo propyl phthalide)	5 MT/Month
18.	Prednisolone Acetate	0.03 MT/Month

3. **CONDITION UNDER THE WATER ACT:**

3.1 The Quantity of the industrial effluent shall be not exceed 3100 Lit/day.

3.2 The quantity the domestic waste water (sewage) shall not exceed 2600 Lit/day.

3.3 **TRADE EFFLUENT:**

3.3.1 The industrial effluent shall conform to the following standards:

[Signature]

Clean Gujarat Green Gujarat
ISO - 9001 - 2008 & ISO - 14001 - 2004 Certified Organisation

PARAMETERS	CETP INLET NORMS
pH	5 to 9
Temperature	45°C
Colour (pt.co scale) in units	-
Suspended Solids	600 mg/l
Oil and Grease	20 mg/l
Phenolic Compounds	5 mg/l
Cyanides	0.2 mg/l
Fluorides	2 mg/l
Sulphides	2 mg/l
Ammonical Nitrogen	50 mg/l
Arsenic	0.2 mg/l
Total Chromium	2 mg/l
Hexavalent Chromium	1.0 mg/l
Copper	2 mg/l
Lead	0.2 mg/l
Mercury	0.01 mg/l
Nickel	5 mg/l
Zinc	5 mg/l
Cadmium	2 mg/l
BOD (5 days at 20°C)	500 mg/l
COD	2000 mg/l
Free Ammonia	5 mg/l

3.3.2. The final treated effluent conforming to the above standards shall be disposed to CETP of M/S Enviro Infrastructure Co. Ltd, At- Umraya, Dist-Vadodara through designated tankers of CETP authorities only.

3.3.3. Domestic effluent shall be disposed off through septic tank/soak pit system or it shall be treated along with industrial effluent or it shall be treated separately to conform to the following standards and shall be discharged on land for plantation or gardening within the factory premises.

BOD (5 days at 20°C)	Less than 20 mg/l
Suspended Solids	Less than 30 mg/l
Residual Chlorine	Minimum 0.5 ppm

4. CONDITIONS UNDER THE AIR ACT:

4.1 The following shall be used as fuel in boiler:

Sr. No.	Fuel	Quantity
1.	L.D.O/wood	101 KL/YEAR

4.2 The applicant shall install & operate comprehensive adequate air pollution in order to Achieve norms prescribed norms control system so as to achieve standards

4.3 The fue gas emission through stack attached to boiler shall conform to the following Standards.

Stack No.	Stack attached to	Stack height in meter	Parameter	Permissible limit
1.	Boiler	15 m (From G.L.)	Particulate Matter SO ₂ Nox	150 mg/NM ³ 100 ppm 50 ppm

4.4 The process emission through various stacks/vents attached to shall conform to the following Standards.



GUJARAT POLLUTION CONTROL BOARD

F ARYAVARAN BHAVAN
Sector 10-A, Gandhinagar 382 010

Phone : (079) 23226295

Fax : (079) 23232156

Website : www.gpcb.gov.in

Stack No.	Stack attached to	Stack height in meter	Air Pollution Control Measures	Parameter	Permissible limit
1.	2 Stage Scrubber	11 m (From G.L.)	Scrubber	HCL NH3 CL2	20 mg/NM ³ 175 mg/NM ³ 09 mg/NM ³

- 4.5 The concentration of the following parameters in the ambient air within the premises of the industry and a distance of 10 meters from the source other than the stack/vent shall not exceed the following levels.

PARAMETER	PERMISSIBLE ANNUAL LIMIT	PERMISSIBLE 24 HRS. AVERAGE
Particulate matter-10 (PM10)	60 Microgram /NM ³	100 Microgram /NM ³
Particulate matter-2.5 (PM2.5)	40 Microgram /NM ³	60 Microgram /NM ³
Oxides of Sulphur	50 Microgram /NM ³	80 Microgram /NM ³
Oxides of Nitrogen	40 Microgram /NM ³	80 Microgram /NM ³

- 4.6 The applicant shall provide portholes, ladder, platform etc at chimney(s) for monitoring the air emissions and the same shall be open for inspection to/and for use of Board's staff. The chimney(s) vents attached to various sources of emission shall be designed by numbers such as S-1, S-2, etc. and these shall be painted/ displayed to facilitate identification.
- 4.7 The industry shall take adequate measures for control of noise levels from its own sources within the premises so as to maintain ambient air quality standards in respect of noise to less than 75 dB(A) during day time and 70 dB(A) during night time. Daytime is reckoned in between 6 a.m. and 10 p.m. and nighttime is reckoned between 10 p.m. and 6 a.m.
5. **AUTHORISATION FOR THE MANAGEMENT & HANDLING OF HAZARDOUS WASTES Form-2 (See rule 5 (4)).**

5.1 Number of authorization: AWH-61842. Date of Issue: 23/04/2014.

5.2 M/s. ANMOL ANTIOXIDANTS PVT. LTD., is hereby granted an authorization to operate facility for following hazardous wastes on the premises situated at PLOT NO: 35 & 36, BEHIND HGI FOUNDRY, BASKA, BASKA-389350, TAL: HALOL, DIST. PANCHMAHAL.

Sr.No.	WASTE	QUANTITY	CATEGORY	FACILITY
1.	Used Oil	5 Lit /Month	I-5.1	Collection, Storage, Transportation and Disposal by selling to registered re-refiners.
2	Spent Carbon	45 KG/Month	I-28.2	Collection, Storage, Transportation and Disposal by sending to TSDF site of NECL, Nandesari.
3.	ETP Sludge	1240 KG/Month	I-34.3	Collection, Storage, Transportation and Disposal at TSDF site of NECL, Nandesari.
4	Discarded Bags/ Containers/ barrels/liners	100 Nos./ Month 150 Nos./ Month	I-33.3	Collection, Storage & reused for filling of ETP Sludge ETP Sludge
5.	Residue & waste	120 KG/Month	I-28.1	Collection, Storage, Transportation and Disposal at TSDF site of NECL, Nandesari.
6	Inorganic Acids	0.9 MT/ Month	II, D2	Collection, Storage & reused back in process

Clean Gujarat Green Gujarat

ISO - 9001 - 2008 & ISO - 14001 - 2004 Certified Organisation

- 5.3 The authorization is granted to operate a facility for collection, storage, and reuse within factory premises, transportation, and ultimate disposal of Hazardous wastes by selling out to registered recyclers/ Disposal back to supplier/ disposal by land filling at NECL common Site.
- 5.4 The authorization shall be in force for a period up to 13/03/2019.
- 5.5 The authorization is subject to the conditions stated below and such other conditions as may be specified in the rules from time to time under the Environment (Protection) Act-1986.
- 5.6 **TERMS AND CONDITIONS OF AUTHORISATION:-**
- 5.5.1 The applicant shall comply with the provisions of the Environment (Protection) Act - 1986 and the rules made there under.
- 5.5.2 The authorization shall be produced for inspection at the request of an officer authorized by the Gujarat Pollution Control Board.
- 5.5.3 The persons authorized shall not rent, lend, sell, and transfer or otherwise transport the hazardous wastes without obtaining prior permission of the Gujarat Pollution Control Board.
- 5.5.4 Any unauthorized change in personnel, equipment or working conditions as mentioned in the authorization order by the persons authorized shall constitute a breach of this authorization.
- 5.5.5 It is the duty of the authorized person to take prior permission of the Gujarat Pollution Control Board to close down the facility.
- 5.5.6 An application for the renewal of an authorization shall be made as laid down in rule 5 (6) (ii).
- 5.5.7 Industry shall have to display the relevant information with regard to hazardous waste as indicated in the Court's order in W.P. No.857 of 1995 dated 14th October 2008.
- 5.5.8 Industry shall have to display on-line data outside the main factory gate with regard to quantity and nature of hazardous chemicals being handled in the plant, including waste water and air emissions and solid hazardous waste generated within the factory premises.
- 5.5.9 Industry shall submit annual report within 15 days and subsequently by 31st January every year.
- 5.5.10 Industry shall have to manage waste oil, discarded containers etc., process waste as per Amended Rules - 2008 and shall apply Authorization / submit details for all applicable waste as per Amended Rules 2008 within 15 days.
- 5.5.11 Industry shall not recycle the waste falling under Schedule-4 of the Authorization Hazardous waste Rules-2008, till they obtain registration as a recycler from CPCB / GPCB.
- 6 GENERAL CONDITIONS: -**
- 6.1 Any change in personnel, equipment or working conditions as mentioned in the consents form/order should immediately be intimated to this Board.
- 6.2 The waste generator shall be totally responsible for (I.E. Collection, storage, transportation and ultimate disposal) of the wastes generated.
- 6.3 Records of waste generation, its management and annual return shall be submitted to Gujarat Pollution Control Board in Form - 4 by 31st January of every year.
- 6.4 In case of any accident, details of the same shall be submitted in Form - 5 to Gujarat Pollution Control Board.
- 6.5 As per "Public liability Insurance Act - 91" company shall get insurance policy, if applicable.



GUJARAT POLLUTION CONTROL BOARD

PARYAVARAN BHAVAN

Sector 10-A, Gandhinagar 382 01 0

Phone : (079) 2322629-5

Fax : (079) 2323215-6

Website : www.gpcb.gov.in

6.6 Empty drums and containers of toxic and hazardous material shall be treated as per guidelines published for "management & handling of discarded containers". Records of the same shall be maintained and forwarded to Gujarat Pollution Control Board regularly.

6.7 In no case any kind of hazardous waste shall be imported without prior approval of appropriate authority.

6.8 In case of transport of hazardous waste to a facility for (i.e. Treatment, Storage and disposal) existing in a state other than the state where hazardous waste are generated, the occupier shall obtain "No Objection certificate" from the state pollution Control Board, the Committee of the concerned state or Union Territory Administration where the facility exists.

6.9 Unit shall take all concrete measures to show tangible results in waste generation reduction, avoidance, reuse and recycle. Action taken in this regards shall be submitted within 03 months and also along with Form 4.

6.10 Industry shall have to display the relevant information with regard to hazardous waste as indicated in the Hon Supreme Court's order in W.P. No 657 of 1995 dated 14th October 2003.

6.11 Industry shall have to display on-line data outside the main factory gate with regard to quantity and nature of hazardous chemicals being handled in the plant including wastewater and air emissions and solid hazardous waste generated within the factory premises.

For and on behalf of
Gujarat Pollution Control Board

(M. V. PATEL)
ENVIRONMENTAL ENGINEER

Date: 08/05/2014

NO.GPCB/CCA-PN-87/ID:18798/ 212778

ISSUED TO:

M/s. ANMOL ANTIOXIDANTS PVT. LTD. (18798),
PLOT NO: 35 & 36,
BEHIND HGI FOUNDRY, BASKA,
BASKA-389360,
TAL: HALOL,
DIST: PANCHMAHAL.

Clean Gujarat Green Gujarat

ISO - 9001 - 2008 & ISO - 14001 - 2004 Certified Organisation

COMPLIANCE OF CCA

SR. NO.	CONDITIONS	REMARKS																																																									
1.	Consent order no. AWH: 61842 date of issue 23/04/2014	COMPLIED																																																									
2.	<p>The consent shall be valid up to 13/03/2019 for use of outlet for the discharge of trade effluent due to operation of industrial plant for manufacture of the following products:</p> <table><thead><tr><th>Sr. No.</th><th>PRODUCT</th><th>CAPACITY</th></tr></thead><tbody><tr><td>1</td><td>Ethisterone</td><td>0.2 MT/Month</td></tr><tr><td>2</td><td>Nandrolone</td><td>0.1 MT/Month</td></tr><tr><td>3</td><td>Betamethasone valerate</td><td>0.05 MT/Month</td></tr><tr><td>4</td><td>Budesonide</td><td>0.03 MT/Month</td></tr><tr><td>5</td><td>Mometasone furoate</td><td>0.03 MT/Month</td></tr><tr><td>6</td><td>Triamcinolone</td><td>0.03 MT/Month</td></tr><tr><td>7</td><td>Beclomethasone Dipropionate</td><td>0.05 MT/Month</td></tr><tr><td>8</td><td>Clobetasol propionate</td><td>0.07 MT/Month</td></tr><tr><td>9</td><td>Triamainolone propionate</td><td>0.07 MT/Month</td></tr><tr><td>10</td><td>Sulphonated Melamine formaldehyde condensate solution</td><td>18 MT/Month</td></tr><tr><td>11</td><td>Halobetasole propionate</td><td>0.03 MT/Month</td></tr><tr><td>12</td><td>Dexamethasone sodium phosphate</td><td>0.05 MT/Month</td></tr><tr><td>13</td><td>Clobetasol butyrate</td><td>0.03 MT/Month</td></tr><tr><td>14</td><td>Beclomethasone Dipropionate</td><td>0.03 MT/Month</td></tr><tr><td>15</td><td>Prednisolone sodium phosphate</td><td>0.03 MT/Month</td></tr><tr><td>16</td><td>Betamethasone Sodium phosphate</td><td>0.05 MT/Month</td></tr><tr><td>17</td><td>N (3- bromo propyl phthalide)</td><td>5 MT/Month</td></tr><tr><td>18</td><td>Prednisolone Acetate</td><td>0.03 MT/Month</td></tr></tbody></table>	Sr. No.	PRODUCT	CAPACITY	1	Ethisterone	0.2 MT/Month	2	Nandrolone	0.1 MT/Month	3	Betamethasone valerate	0.05 MT/Month	4	Budesonide	0.03 MT/Month	5	Mometasone furoate	0.03 MT/Month	6	Triamcinolone	0.03 MT/Month	7	Beclomethasone Dipropionate	0.05 MT/Month	8	Clobetasol propionate	0.07 MT/Month	9	Triamainolone propionate	0.07 MT/Month	10	Sulphonated Melamine formaldehyde condensate solution	18 MT/Month	11	Halobetasole propionate	0.03 MT/Month	12	Dexamethasone sodium phosphate	0.05 MT/Month	13	Clobetasol butyrate	0.03 MT/Month	14	Beclomethasone Dipropionate	0.03 MT/Month	15	Prednisolone sodium phosphate	0.03 MT/Month	16	Betamethasone Sodium phosphate	0.05 MT/Month	17	N (3- bromo propyl phthalide)	5 MT/Month	18	Prednisolone Acetate	0.03 MT/Month	COMPLIED
Sr. No.	PRODUCT	CAPACITY																																																									
1	Ethisterone	0.2 MT/Month																																																									
2	Nandrolone	0.1 MT/Month																																																									
3	Betamethasone valerate	0.05 MT/Month																																																									
4	Budesonide	0.03 MT/Month																																																									
5	Mometasone furoate	0.03 MT/Month																																																									
6	Triamcinolone	0.03 MT/Month																																																									
7	Beclomethasone Dipropionate	0.05 MT/Month																																																									
8	Clobetasol propionate	0.07 MT/Month																																																									
9	Triamainolone propionate	0.07 MT/Month																																																									
10	Sulphonated Melamine formaldehyde condensate solution	18 MT/Month																																																									
11	Halobetasole propionate	0.03 MT/Month																																																									
12	Dexamethasone sodium phosphate	0.05 MT/Month																																																									
13	Clobetasol butyrate	0.03 MT/Month																																																									
14	Beclomethasone Dipropionate	0.03 MT/Month																																																									
15	Prednisolone sodium phosphate	0.03 MT/Month																																																									
16	Betamethasone Sodium phosphate	0.05 MT/Month																																																									
17	N (3- bromo propyl phthalide)	5 MT/Month																																																									
18	Prednisolone Acetate	0.03 MT/Month																																																									
3.	<u>CONDITIONS UNDER WATER ACT:</u>																																																										
3.1	The quantity of industrial effluent shall not exceed 3100 L/day.	COMPLIED																																																									
3.2	The quantity of the domestic waste water (sewage) shall not exceed 2600 L/Day.	COMPLIED																																																									
3.3	<u>Trade Effluent</u>																																																										
3.3.1	<p>The Industrial effluent shall confirm to the following Standards</p> <table><thead><tr><th>PARAMETERS</th><th>CETP INLET NORMS</th></tr></thead><tbody><tr><td>pH</td><td>5 to 9</td></tr><tr><td>Temperature</td><td>45° C</td></tr><tr><td>Colour (pt.co.scale) in units</td><td>-</td></tr><tr><td>Suspended Solids</td><td>600 mg/l</td></tr><tr><td>Oil and Grease</td><td>20 mg/l</td></tr><tr><td>Phenolic Compounds</td><td>5 mg/l</td></tr><tr><td>Cyanides</td><td>0.2 mg/l</td></tr><tr><td>Fluorides</td><td>2 mg/l</td></tr><tr><td>Sulphides</td><td>2 mg/l</td></tr><tr><td>Ammonical Nitrogen</td><td>50 mg/l</td></tr><tr><td>Arsenic</td><td>0.2 mg/l</td></tr><tr><td>Total Chromium</td><td>2 mg/l</td></tr><tr><td>Hexavalent Chromium</td><td>1.0 mg/l</td></tr><tr><td>Copper</td><td>2 mg/l</td></tr><tr><td>Lead</td><td>0.2 mg/l</td></tr><tr><td>Mercury</td><td>0.01 mg/l</td></tr><tr><td>Nickle</td><td>5 mg/l</td></tr><tr><td>Zinc</td><td>5 mg/l</td></tr><tr><td>Cadmium</td><td>2 mg/l</td></tr><tr><td>BOD (5 days at 20°C)</td><td>500 mg/l</td></tr><tr><td>COD</td><td>2000 mg/l</td></tr><tr><td>Free Ammonia</td><td>5 mg/l</td></tr></tbody></table>	PARAMETERS	CETP INLET NORMS	pH	5 to 9	Temperature	45° C	Colour (pt.co.scale) in units	-	Suspended Solids	600 mg/l	Oil and Grease	20 mg/l	Phenolic Compounds	5 mg/l	Cyanides	0.2 mg/l	Fluorides	2 mg/l	Sulphides	2 mg/l	Ammonical Nitrogen	50 mg/l	Arsenic	0.2 mg/l	Total Chromium	2 mg/l	Hexavalent Chromium	1.0 mg/l	Copper	2 mg/l	Lead	0.2 mg/l	Mercury	0.01 mg/l	Nickle	5 mg/l	Zinc	5 mg/l	Cadmium	2 mg/l	BOD (5 days at 20°C)	500 mg/l	COD	2000 mg/l	Free Ammonia	5 mg/l	COMPLIED											
PARAMETERS	CETP INLET NORMS																																																										
pH	5 to 9																																																										
Temperature	45° C																																																										
Colour (pt.co.scale) in units	-																																																										
Suspended Solids	600 mg/l																																																										
Oil and Grease	20 mg/l																																																										
Phenolic Compounds	5 mg/l																																																										
Cyanides	0.2 mg/l																																																										
Fluorides	2 mg/l																																																										
Sulphides	2 mg/l																																																										
Ammonical Nitrogen	50 mg/l																																																										
Arsenic	0.2 mg/l																																																										
Total Chromium	2 mg/l																																																										
Hexavalent Chromium	1.0 mg/l																																																										
Copper	2 mg/l																																																										
Lead	0.2 mg/l																																																										
Mercury	0.01 mg/l																																																										
Nickle	5 mg/l																																																										
Zinc	5 mg/l																																																										
Cadmium	2 mg/l																																																										
BOD (5 days at 20°C)	500 mg/l																																																										
COD	2000 mg/l																																																										
Free Ammonia	5 mg/l																																																										

3.3.2	The final treated effluent confirming to the above standards shall be disposed to CETP of M/s. Enviro Infrastructure Co. Ltd. At Umarya, Dist. Vadodara through designated of CETP Authorities only.	COMPLIED																						
3.3.3	Domestic effluent shall be disposed off through septic tank/soak pit system or it shall be discharged on land for plantation or gardening within the factory premisis. <div><table><tr><td>BOD (5 days at 20o C)</td><td>Less than 20 mg/l</td></tr><tr><td>Suspended Solids</td><td>Less than 30 mg/l</td></tr><tr><td>Residual Chlorine</td><td>Minimum 0.5 ppm</td></tr></table></div>	BOD (5 days at 20o C)	Less than 20 mg/l	Suspended Solids	Less than 30 mg/l	Residual Chlorine	Minimum 0.5 ppm	COMPLIED																
BOD (5 days at 20o C)	Less than 20 mg/l																							
Suspended Solids	Less than 30 mg/l																							
Residual Chlorine	Minimum 0.5 ppm																							
4.	CONDITION UNDER AIR ACT – 81																							
4.1	The following shall be used as fuel in boiler. <div><table><tr><td>Sr. No.</td><td>Fuel</td><td>Quantity</td></tr><tr><td>1.</td><td>L.D.O/wood</td><td>101 KL/YEAR</td></tr></table></div>	Sr. No.	Fuel	Quantity	1.	L.D.O/wood	101 KL/YEAR	COMPLIED																
Sr. No.	Fuel	Quantity																						
1.	L.D.O/wood	101 KL/YEAR																						
4.2	The applicant shall install & Operate comprehensive adequate air pollution in order to achieve norms prescribed																							
4.3	The flue gas emission through stack attached to steam boiler shall conform to the following standards : <div><table><tr><td>Stack No.</td><td>Stack attached to</td><td>Stack height in meter</td><td>Parameter</td><td>Permissible limit</td></tr><tr><td>1.</td><td>Boiler</td><td>15 m (From G.L.)</td><td>Particulate Matter SO₂ Nox</td><td>150 mg/NM³ 100 ppm 50 ppm</td></tr></table></div>	Stack No.	Stack attached to	Stack height in meter	Parameter	Permissible limit	1.	Boiler	15 m (From G.L.)	Particulate Matter SO ₂ Nox	150 mg/NM ³ 100 ppm 50 ppm	COMPLIED												
Stack No.	Stack attached to	Stack height in meter	Parameter	Permissible limit																				
1.	Boiler	15 m (From G.L.)	Particulate Matter SO ₂ Nox	150 mg/NM ³ 100 ppm 50 ppm																				
4.4	The process gas emmision though various stacks / vents reactors, process and vessel shall conform to the following standards. <div><table><tr><td>Sr. no.</td><td>Stack attached to</td><td>Stack height in meter</td><td>Air pollution control system.</td><td>parameter</td><td>Permissible limit</td></tr><tr><td>1</td><td>2 Stage Scrubber</td><td>11 m (from GL)</td><td>Scrubber</td><td>HCL NH3 Cl₂</td><td>20 mg/Nm3 175 mg/Nm3 09 mg/Nm3</td></tr></table></div>	Sr. no.	Stack attached to	Stack height in meter	Air pollution control system.	parameter	Permissible limit	1	2 Stage Scrubber	11 m (from GL)	Scrubber	HCL NH3 Cl ₂	20 mg/Nm3 175 mg/Nm3 09 mg/Nm3	COMPLIED										
Sr. no.	Stack attached to	Stack height in meter	Air pollution control system.	parameter	Permissible limit																			
1	2 Stage Scrubber	11 m (from GL)	Scrubber	HCL NH3 Cl ₂	20 mg/Nm3 175 mg/Nm3 09 mg/Nm3																			
4.5	The concentrations of following parameter in the ambient air within the premises of industry shall not exceed the limit specified hereunder. <div><table><tr><td rowspan="2">Sr. no.</td><td rowspan="2">parameter</td><td colspan="2">Permissible limit(microgram /M³)</td></tr><tr><td>Annual</td><td>24 hoursAverage</td></tr><tr><td>1</td><td>Particulate matter(PM₁₀)</td><td>60</td><td>100</td></tr><tr><td>2</td><td>Particulate matter(PM_{2.5})</td><td>40</td><td>60</td></tr><tr><td>3</td><td>Oxides of sulphur(So_x)</td><td>50</td><td>80</td></tr><tr><td>4</td><td>Oxides of Nitrogen(No_x)</td><td>40</td><td>80</td></tr></table></div>	Sr. no.	parameter	Permissible limit(microgram /M ³)		Annual	24 hoursAverage	1	Particulate matter(PM ₁₀)	60	100	2	Particulate matter(PM _{2.5})	40	60	3	Oxides of sulphur(So _x)	50	80	4	Oxides of Nitrogen(No _x)	40	80	COMPLIED
Sr. no.	parameter			Permissible limit(microgram /M ³)																				
		Annual	24 hoursAverage																					
1	Particulate matter(PM ₁₀)	60	100																					
2	Particulate matter(PM _{2.5})	40	60																					
3	Oxides of sulphur(So _x)	50	80																					
4	Oxides of Nitrogen(No _x)	40	80																					

	5	HCL	-	200																																				
	6	CL ₂	--	100																																				
4.6	The applicant shall Provide porthole, ladder and platform at chimney(s) for monitoring of air emission and the same shall be open for inspection to/and for use of Board Staff The chimney(s) vent attached to various source of emission shall be designed by numbers such as S-1,S-2 etc. and this shall be painted /displayed to facilitate identification.				COMPLIED																																			
4.7	The industry shall take adequate measures For control of noise levels from its own Sources. within the premises so as to maintain ambient air quality standards in respect of noise to less than 75 dB(A) durind day time and 70 dB(A) during night time. Daytime is reckoned in between 6 a.m. to 10 p.m. and night time is reckoned between 10 p.m. to 6 a.m.				COMPLIED																																			
5. AUTHORIZATION FOR THE MANAGEMENT & HANDLING OF HAZARDOUS WASTES Form-2 (see rule 5(4))																																								
5.1	Numbers of authorization : AWH-61842, date of issue 23/04/2014.																																							
5.2	M/s. Anmol Antioxidants Pvt. Ltd. Is hereby granted an authorization to operate facility for following hazardous waste on the premises situated at plot no. 35 & 36, Behind HGI Foundary, Baska-389350, Tal. Halol, Dist. Panchmahal. <table><tr><th>Sr.No.</th><th>WASTE</th><th>QUANTITY</th><th>CATEGORY</th><th>FACILITY</th></tr><tr><td>1.</td><td>Used Oil</td><td>5 Lit /Month</td><td>I-5.1</td><td>Collection, Storage, Transportation and Disposal by selling to registered re-refiners</td></tr><tr><td>2</td><td>Spent Carbon</td><td>45 KG/Month</td><td>I-28.2</td><td>Collection, Storage, Transportation and Disposal by sending to TSDF site of NECL. Nandesari.</td></tr><tr><td>3.</td><td>ETP Sludge</td><td>1240 KG/Month</td><td>I-34.3</td><td>Collection, Storage, Transportation and Disposal at TSDF site of NECL. Nandesari.</td></tr><tr><td>4</td><td>Discarded Bags/ Containers/ barrels/liners</td><td>100 Nos./ Month 150 Nos./ Month</td><td>I-33.3</td><td>Collection, Storage & reused for filling of ETP Sludge ETP Sludge</td></tr><tr><td>5.</td><td>Residue & waste</td><td>120 KG/Month</td><td>I-28.1</td><td>Collection, Storage, Transportation and Disposal at TSDF site of NECL. Nandesari.</td></tr><tr><td>6</td><td>Inorganic Acids</td><td>0.9 MT/ Month</td><td>II ,D2</td><td>Collection, Storage & reused back in process</td></tr></table>				Sr.No.	WASTE	QUANTITY	CATEGORY	FACILITY	1.	Used Oil	5 Lit /Month	I-5.1	Collection, Storage, Transportation and Disposal by selling to registered re-refiners	2	Spent Carbon	45 KG/Month	I-28.2	Collection, Storage, Transportation and Disposal by sending to TSDF site of NECL. Nandesari.	3.	ETP Sludge	1240 KG/Month	I-34.3	Collection, Storage, Transportation and Disposal at TSDF site of NECL. Nandesari.	4	Discarded Bags/ Containers/ barrels/liners	100 Nos./ Month 150 Nos./ Month	I-33.3	Collection, Storage & reused for filling of ETP Sludge ETP Sludge	5.	Residue & waste	120 KG/Month	I-28.1	Collection, Storage, Transportation and Disposal at TSDF site of NECL. Nandesari.	6	Inorganic Acids	0.9 MT/ Month	II ,D2	Collection, Storage & reused back in process	COMPLIED
Sr.No.	WASTE	QUANTITY	CATEGORY	FACILITY																																				
1.	Used Oil	5 Lit /Month	I-5.1	Collection, Storage, Transportation and Disposal by selling to registered re-refiners																																				
2	Spent Carbon	45 KG/Month	I-28.2	Collection, Storage, Transportation and Disposal by sending to TSDF site of NECL. Nandesari.																																				
3.	ETP Sludge	1240 KG/Month	I-34.3	Collection, Storage, Transportation and Disposal at TSDF site of NECL. Nandesari.																																				
4	Discarded Bags/ Containers/ barrels/liners	100 Nos./ Month 150 Nos./ Month	I-33.3	Collection, Storage & reused for filling of ETP Sludge ETP Sludge																																				
5.	Residue & waste	120 KG/Month	I-28.1	Collection, Storage, Transportation and Disposal at TSDF site of NECL. Nandesari.																																				
6	Inorganic Acids	0.9 MT/ Month	II ,D2	Collection, Storage & reused back in process																																				
5.3	The authorization is granted to operate or facility for collection, storage, within the factory premises to transportation and ultimate disposal of hazardous waste by selling out to registered recyclers/disposal back to supplier/disposal by land filling at NECL common site.				COMPLIED																																			
5.4	The authORIZATION shall be in force for a period up 13/3/2019.				COMPLIED																																			

5.5	The authorization is subject to the conditions stated below and such other conditions as may be specified in the rules from time to time under the environment (protection) Act-1986.	COMPLIED
5.6	TERMS AND CONDITIONS OF AUTHORIZATION:	
5.6.1	The authorized person shall comply with the provisions of the Environment (Protection) Act,1986, and the rules made there under.	COMPLIED
5.6.2	The authorization or its renewal shall be produced for inspection at the request of an officer authorized by the Gujarat Pollution Control Board.	COMPLIED
5.6.3	The person authorized shall not rent, lend, sell, transfer or otherwise transport the hazardous and other wastes except what is permitted through this authorization.	COMPLIED
5.6.4	Any unauthorized change in personnel, equipment or working conditions as mentioned in the application by the person authorized shall constitute a breach of his authorization.	COMPLIED
5.6.5	It is the duty of the authorized person to take prior permission of the Gujarat Pollution Control Board to close down the facility.	COMPLIED
5.6.6	An application for the renewal of an authorization shall be made as laid down in rule 5(6) (ii).	COMPLIED
5.6.7	Industry shall have to display the relevant information with regard to hazardous waste as indicated in the Court's order in W.P. No. 657, of 1995 dated 14 th October 2003.	COMPLIED
5.6.8	Industry shall have to display on-line data outside the main factory gate with regard to and nature of hazardous chemicals being handled in the plant, including waste water and air emission and solid hazardous waste generated within the factory premises.	COMPLIED
5.6.9	Industry shall have to manage waste oil, discarded containers etc. process waste as per Amended rules-2003 and shall apply Authorization for all applicable waste as per Amended Rules-2003 with 15 Days.	COMPLIED
6	General Conditions:-	
6.1	Any Change In personal, equipment or working conditions as mentioned in the consents forms/order should immediately be intimated to the board.	COMPLIED
6.2	The waste generator shall be totally responsible for (I.E. Collection, Storage transportation and ultimate disposal of waste generated	COMPLIED
6.3	Record of waste generation, It's management and annual return shall be submitted to Gujarat Pollution Control Board in form -4 by 31 January every Year	COMPLIED
6.4	In case of any accident, details of the same shall be submitted in form-5 to Gujarat Pollution Control Board.	COMPLIED
6.5	As Per "Public Liability Insurance Act – 91" company shall get insurance policy if applicable.	COMPLIED

6.6	Empty drums and containers of toxic and hazardous material shall be treated as per guideline published for “management & handling of discarded containers”. Records of the same shall be maintained and forwarded to Gujarat Pollution Control Board.	COMPLIED
6.7	In no case any kind of hazardous waste shall be imported without prior approval of appropriate authority.	COMPLIED
6.8	In case of transport of hazardous waste to a facility for (I.E. Treatment, Storage and Disposal) existing in a state other than the state where hazardous waste are generated, the occupier shall obtained “No Objection certificate” from the state pollution control board, The committee of the concerned state or union territory administration where the facility exists.	COMPLIED
6.9	Unit shall take all concern measures to show to the tangible results in waste generation reduction, voidance, reuse and recycle action taken in the regards shall be submitted within 3 months and also along with Form 4.	COMPLIED
6.10	Industry shall have to display the relevant information with regard to hazardous waste as indicated in the Hon’ Supreme Court’s order in WP No 657 of 1996 dated 14 October 2003.	COMPLIED
6.11	Industry shall have to display online data outside the main factory gate with regard to quantity and nature of hazardous chemicals being handled in the plant including wastewater and air emissions and solid hazardous waste generated within the factory premises.	COMPLIED