



PUNJAB POLLUTION CONTROL BOARD

Zonal Office, Power House Road, Street No. 12, Bathinda

Website:- www.ppcb.gov.in

Office Dispatch No :

Registered/Speed Post

Date:

Industry Registration ID: R18MKS493422

Application No : 7687794

To,

Hardev Singh
Satia Industries Limited VPO- Rupana Sri Muktsar Sahib
Muktsar, Muktsar-152026

Subject: Grant of 'Consent to Operate' u/s 21 of Air (Prevention & Control of Pollution) Act, 1981 for discharge of emissions arising out of premises.

With reference to your application for obtaining 'Consent to Operate' u/s 21 of Air (Prevention & Control of Pollution) Act, 1981, you are hereby, authorized to operate an industrial unit for discharge of the emission(s) arising out of your premises subject to the Terms and Conditions as mentioned in this Certificate.

1. Particulars of Consent to Operate under Air Act, 1981 granted to the industry

Consent to Operate Certificate No.	CTOA/Fresh/MKS/2018/7687794
Date of issue :	09/07/2018
Date of expiry :	31/03/2023
Certificate Type :	Fresh

2. Particulars of the Industry

Name & Designation of the Applicant	Hardev Singh, (Director (Technical))
Address of Industrial premises	Satia industries limited (paper), Vpo- rupana, malout road, sri muktsar sahib, Muktsar, Muktsar-152026
Capital Investment of the Industry	54175.76 lakhs
Category of Industry	Red
Type of Industry	1059-Pulp & Paper (Large-Agro +wood) , Small Pulp & Paper (agro based-wheat straw/rice husk)
Scale of the Industry	Large
Office District	Muktsar
Consent Fee Details	Rs. 15,40,000/- vide online R. no. 248496834 dated 28.02.2018, Rs. 3,00,000/- vide R.No. 226181577 dt. 05.02.2018 in the account of unit no. 1 and Rs. 70,000/- vide R.No. 468349539 dt. 05.02.2018, 3,00,000/- vide no. 901473082 dt. 05.02.2018 under Water Act, 1974, 70,000/- vide no. 873475890 under Water Act, 1974 in account of unit no. 2

"This is computer generated document from OCMMS by PPCB"

Satia industries limited (paper), Vpo- rupana, malout road, sri muktsar sahib, Muktsar, Muktsar, 152026

Page 1

Raw Materials (Name with Quantity per day)	<i>Agro Waste such as wheat Straw, sarkanda, bagasse, Cotton Sticks, Wood & veneer Chips, bamboo, imported wood pulp and waste paper.</i>
Products (Name with Quantity per day)	<i>Writing and printing paper @ 300 TPD Co-generation plant of capacity 12.5 MW</i>
By-products, if any, (Name with Quantity per day)	--
Details of the machinery and process	<i>Raw Material, wet washing, cooking in Digesters, Brown Stock washing, screening and cleaning, Bleaching processes like Twin Roll Pressing (TRP), Oxygen De Lignification (ODL), Chlorine Dioxide Bleaching, Extraction Oxygen & Peroxide (EOP) washing and Hypo Washing, Final water washing+ chemical Additives, Paper making (Dewatering unit, Pressing, drying), paper finishing & dispatch</i>
Quantity of fuel required (in TPD) and capacity of boilers/ Furnace/Thermo heater etc.	<i>Rice husk @ 250-300 TPD for Cheema boiler of capacity 75 TPH, Rice husk @ 200-250 TPD for IBL Water tube boiler of capacity 50 TPH Furnace oil at the time of starting and black liquor for Recovery Boilers of capacity 50 TPH & 25 TPH</i>
Type of Air Pollution Control Devices to be installed	<i>ESPs have been installed with 75 TPH Cheema boiler, 50 TPH IBL Water tube boiler and with Recovery Boilers of capacity 50 TPH & 25 TPH.</i>
Stack height provided with each boiler/thermo heater/Furnace etc.	<i>Stack of 65 meters height above GL has been provided with Cheema boiler of capacity 75 TPH Stack of 50 meters height above GL has been provided with IBL Water tube boiler of capacity 50 TPH Stacks of 65 meters & 50 meters height above GL have been provided with Recovery Boilers of capacity 50 TPH & 25 TPH</i>
Sources of emissions and type of pollutants	<i>Cheema boiler of capacity 75 TPH IBL Water tube boiler of capacity 50 TPH Recovery Boilers of capacity 50 TPH Recovery Boilers of capacity 25 TPH (standby)</i>
Standards to be achieved under Air(Prevention & Control of Pollution) Act, 1981	<i>As prescribed by the PPCB/CPCB/MOEF.</i>

Assistant Environmental Engineer

For & on behalf

of

(Punjab Pollution Control Board)

Endst. No.:

Dated:

A copy of the above is forwarded to the following for information and necessary action please:

Environmental Engineer, Punjab Pollution Control Board, Regional Office, Bathinda

Assistant Environmental Engineer

For & on behalf

of

(Punjab Pollution Control Board)

"This is computer generated document from OCMMS by PPCB"

Satia industries limited (paper), Vpo- rupana, malout road, sri muksar sahib, Muksar, Muksar, 152026

Page2

TERMS AND CONDITIONS

A. GENERAL CONDITIONS

1. This consent is not valid for getting power load from the Punjab State Power Corporation Ltd. or for getting loan from the financial institutions.
2. The industry shall apply for renewal /extension of consent at least two months before expiry of the consent.
3. The industry shall not violate any of the norms prescribed under the Air (Prevention & Control of Pollution) Act, 1981, failing which, the consent shall be cancelled / revoked.
4. The achievement of adequacy and efficiency of the air pollution control devices installed shall be the entire responsibility of the industry
5. The authorized fuel being used shall not be changed without the prior written permission of the Board.
6. The industry shall not discharge any fugitive emissions. All gases shall be emitted through a stack of suitable height, as per the norms fixed by the Board from time to time.
7. The industry shall provide port-holes, platforms and/or other necessary facilities as may be required for collecting samples of emissions from any chimney, flue or duct or any other outlets.

Specifications of the port-holes shall be as under:-

- i) The sampling ports shall be provided atleast 8 times chimney diameter downstream and 2 times upstream from the flow disturbance. For a rectangular cross section the equivalent diameter (D_e) shall be calculated from the following equation to determine upstream, downstream distance:-
$$D_e = 2 LW / (L+W)$$

Where L= length in mts. W= Width in mts.
 - ii) The sampling port shall be 7 to 10 cm in diameter
8. The industry shall put display Board indicating environmental data in the prescribed format at the main entrance gate.
 9. The industry shall discharge all gases through a stack of minimum height as specified in the following standards laid down by the Board.

(i) Stack height for boiler plants

S.NO.	Boiler with Steam Generating Capacity	Stack heights
1.	Less than 2 ton/hr.	9 meters or 2.5 times the height of neighboring building which ever is more
2.	More than 2 ton/hr. to 5 ton/hr.	12 meters
3.	More than 5 ton/hr. to 10 ton/hr	15 meters
4.	More than 10 ton/hr. to 15 ton/hr	18 meters
5.	More than 15 ton/hr. to 20 ton/hr	21 meters
6.	More than 20 ton/hr. to 25 ton/hr.	24 meters
7.	More than 25 ton/hr. to 30 ton/hr.	27 meters
8.	More than 30 ton/hr.	30 meters or using the formula $H = 14 Q_g^{0.3}$ or $H = 74 (Q_p)^{0.24}$ Where Q_g = Quantity of SO ₂ in Kg/hr. Q_p = Quantity of particulate matter in Ton/day.

Note : Minimum Stack height in all cases shall be 9.0 mtr. or as calculated from relevant formula whichever is more.

(ii) For industrial furnaces and kilns, the criteria for selection of stack height would be based on fuel used for the corresponding steam generation.

(iii) Stack height for diesel generating sets:

Capacity of diesel generating set	Height of the Stack	
0-50 KVA	Height of the building	+ 1.5 mt
50-100 KVA	-do-	+ 2.0 mt.
100-150 KVA	-do-	+ 2.5 mt.
150-200 KVA	-do-	+ 3.0 mt.
200-250 KVA	-do-	+ 3.5 mt.
250-300 KVA	-do-	+ 3.5 mt.

For higher KVA rating stack height H (in meter) shall be worked out according to the formula:

$$H = h + 0.2 (KVA)^{0.5}$$

where h = height of the building in meters where the generator set is installed.

10. The pollution control devices shall be interlocked with the manufacturing process of the industry to ensure its regular operation.
11. The existing pollution control equipment shall be altered or replaced in accordance with the directions of the Board, and no pollution control equipment or chimney shall be altered or as the case may be erected or re-erected except with the prior approval of the Board.
12. The industry will provide canopy and adequate stack with the D.G sets so as to comply with the provision of notification No GSR-371 E dated 17-5-2002(amended from time to time) issued by MOEF under Environment (Protection) Act, 1986.
13. The Govt. of Punjab, Department of Science, Technology & Environment vide its notification no.4/46/92-3ST/2839 dt. 29/12/1993 has put prohibition on the use of rice husk as fuel after 1.4.1995 except the following:-
“In the form of briquettes and use of rice husk in fluidized bed combustion. So the industry shall make the necessary arrangement to comply with the above notification.”
14. The industry shall submit balance sheet of every financial year to the concerned Regional Office by 30th June of every year
15. That the industry shall submit a yearly certificate to the effect that no addition / up-gradation/ modification/ modernization has been carried out during the previous year otherwise the industry shall apply for the varied consent.
16.
 - a) The industry shall ensure that at any time the emission do not exceed the prescribed emissions standards laid down by the Board from time to time for such type of industry /emissions.
 - b) The industry shall ensure that the emissions from each stack shall conform to the following emission standards laid down by the Board in respect of the Industrial Boilers.

Steam Generating capacity A.	Required particulate matter B.	
Area upto 5 Km from Other than 'A' class Other than the periphery of I and Class-II town		
Less than 2 ton/hr.	800 mg/NM3	1200 mg/NM3
2 ton to 10 ton/hr.	500 mg/NM3	1000 mg/NM3
Above 10 ton to 15 ton/hr	350 mg/NM3	500 mg/NM3
Above 15 ton/hr	150 mg/NM3	150 mg/NM3

All emissions normalized to 12% carbon dioxide.

17. The industry shall ensure that the Hazardous Wastes generated from the premises are handled as per the provisions of the Hazardous Waste (Management, Handling and Transboundary Movement) Rules, 2008, without any adverse effect on the environment, in any manner.
18. The air pollution control equipments shall be kept at all time in good running condition and;

- (i) All failures of control equipments.
 - (ii) The emissions of any air pollutant into the atmosphere in excess of the standards lay down by the Board occurring or being apprehended to occur due to accident or other unforeseen act or event. 'Shall be intimated through fax to the concerned Regional Office as well as to the Director of Factories, Punjab, Chandigarh as required under rule 10 of the Punjab State Board for the Prevention and Control of Air Pollution Rules, 1983'.
19. The industry shall plant minimum of three suitable varieties of trees at the density of not less than 1000 trees per hectare all along the boundary of the industrial premises.
20. The industry shall submit a site emergency plan approved by the Chief Inspector of Factories, Punjab as applicable.
21. The industry shall comply with the conditions imposed by the SEIAA/MOEF in the Environmental Clearance granted to it as required under EIA notification dated 14/9/06, if applicable.
22. The industry shall make necessary arrangements for the monitoring of stack emissions and shall get its emissions analyzed from lab approved / authorized by the Board:-
- (i) Once in Year for Small Scale Industries.
 - (ii) Twice/thrice/four time in a Year for Large/Medium Scale Industries.
23. The industry shall maintain the following record to the satisfaction of the Board :-
- (i) Log books for running of air pollution control devices or pumps/motors used for it.
 - (ii) Register showing the result of various tests conducted by the industry for monitoring of stack emissions and ambient air.
 - (iii) Register showing the stock of absorbents and other chemicals to be used for scrubbers.
24. The industry will install the separate energy meter for running pollution control devices and shall maintain record with respect to operation of air pollution control device so as to satisfy the Board regarding the regular operation of air pollution control device and monthly reading / record may be sent to the Board by the fifth of the following month.
25. The industry shall provide online monitoring system as applicable, for in stack emission and shall maintain the record of the same for inspection of the Board Officers.
26. The Board reserves the right to revoke the consent granted to the industry at any time, in case the industry is found violating the provisions of Air (Prevention & Control of Pollution) Act, 1981 as amended from time to time.
27. The industry shall comply with any other conditions laid down or directions issued in due course by the Board under the provisions of the Air (Prevention & Control of Pollution) Act, 1981.
28. Nothing in this consent shall be deemed to neither preclude the institution of any legal action nor relieve the applicant from any responsibilities, liabilities or penalties to which the applicant is or may be subjected to under this or any other Act.
29. Any amendments/revisions made by the Board/CPCB/MOEF in the emission/stack height standards shall be applicable to the industry from the date of such amendments/revisions.
30. The industry shall dispose off its solid waste generated by the burning of fuel in an Environmentally Sound Manner within the premises/outside as approved by the Board, to avoid public nuisance and air pollution problem in the area.
31. The industry shall ensure that no air pollution problem or public nuisance is created in the area due to the discharge of emissions from the industry.
32. The industry shall provide adequate arrangement for fighting the accidental leakage/discharge of any air pollutant/gas/ liquids from the vessels, mechanical equipment's etc, which are likely to cause environmental pollution.
33. The industry shall not change or alter the manufacturing process(es) and fuel so as to change the quality/quantity of emissions generated without the prior permission of the Board.
34. The industry shall earmark a land within their premises for disposal of boiler ash in an environmentally sound manner, and / or the industry shall make necessary arrangements for proper disposal of fuel ash in a scientific manner and shall maintain proper record for the same, if applicable.
35. The industry shall obtain and submit Insurance cover under the Public Liability Insurance Act, 1991.
36. The industry shall provide proper and adequate air pollution control arrangements for control emission from its fuel handling area, if applicable.

37. The industry shall comply with the code of practice as notified by the Government/Board for the type of industries where the siting guidelines / Code of Practice have been notified.
38. The industry shall not cause any nuisance/traffic hazard in vicinity of the area
39. The industry shall ensure that the noise & air emission from D.G. sets do not exceed the standards prescribed for D.G. sets by the Ministry of Environment & Forests, New Delhi.
40. The industry shall ensure that there will not be significant visible dust emissions beyond the property line
41. The industry shall provide adequate and appropriate air pollution control devices to contain emissions from handling, transportation and processing of raw material & product of the industry.
42. The Industry shall ensure that its production capacity does not exceed the capacity mentioned in the consent and shall not carry out any expansion without the prior permission / NOC of the Board.

B. SPECIAL CONDITIONS

1. The industry will not commission its addition cogeneration plant of capacity 12.5 MW along with boiler of capacity 75 TPH without obtaining consents to operate of the Board.
2. The industry will comply with the hearing decision dt. 13.04.2018 given by Hon'ble Chairman of the Board every time.
3. The industry will comply with all the conditions of Environmental Clearance granted to it vide no.F.No.J-11011/196/2014-IA-II(I) dt. 29.05.2018 by MoEF&CC, New Delhi and will also comply with all the conditions of Environmental Clearance granted to it vide no.F.No.J-11011/196/2014-IA.II(I) dt. 05.02.2015 by MoEF&CC, New Delhi.
4. The industry will install/operate online continuous stack emission monitoring system for all the APCDs and shall ensure the connectivity with the server of PPCB / CPCB. The industry shall maintain proper record.
5. The industry will install ambient air quality monitoring stations along its premises and submit the compliance in Regional Office, Bathinda of the Board, within.
6. The industry will dispose off fuel ash generated from the burning of fuel in scientific manner so that no public nuisance be created during the handling of fuel and no complaint be received against the industry in this regard.
7. The industry will maintain record of fuel ash generated / disposed and submit the same to the Board on monthly basis.
8. The industry shall provide stack monitoring facility as per Emission Regulation Part-3(ERP-3) norms for all stacks attached with boilers.
9. The industry will ensure that the port hole and ladder facility is safe to carry out monitoring. In place of monkey ladder, spiral type/scaffold ladder shall be provided to ensure safety of monitoring personnel.
10. The industry will install / operate the CCTV cameras alongwith digital video recorder (DVR) on the pollution control devices and its connectivity with the server of the Board.
11. The industry will not irrigate the plantation area with its effluent within a width of 2-3 furrows along the banks of the drain, so that there is no chance of over flowing of effluent into drain.
12. On the basis of the study being conducted by the Board to reduce the water consumption per ton of paper produced, the industry shall take adequate steps for the compliance of the findings of the said report in case the same is implemented by the Board.

Assistant Environmental Engineer

For & on behalf

of

(Punjab Pollution Control Board)



PUNJAB POLLUTION CONTROL BOARD

Zonal Office, Power House Road, Street No. 12, Bathinda

Website:- www.ppcb.gov.in

Office Dispatch No :

Registered/Speed Post

Date:

Industry Registration ID: R18MKS493422

Application No : 7687650

To,

Hardev Singh
Satia Industries Limited VPO- Rupana Sri Muktsar Sahib
Muktsar,Muktsar-152026

Subject: Grant of 'Consent to Operate' an outlet u/s 25/26 of Water (Prevention & Control of Pollution) Act, 1974 for discharge of effluent.

With reference to your application for obtaining 'Consent to Operate' an outlet for discharge of the effluent u/s 25/26 of Water (Prevention & Control of Pollution) Act, 1974, you are, hereby, authorized to operate an industrial unit for discharge of the effluent(s) arising out of your premises subject to the Terms and Conditions as mentioned in this Certificate.

1. Particulars of Consent to Operate under Water Act, 1974 granted to the industry

Consent to Operate Certificate No.	CTOW/Fresh/MKS/2018/7687650
Date of issue :	09/07/2018
Date of expiry :	31/03/2023
Certificate Type :	Fresh

2. Particulars of the Industry


Name & Designation of the Applicant	Hardev Singh, (Director (Technical))
Address of Industrial premises	Satia industries limited (paper), Vpo- rupana, malout road, sri muktsar sahib, Muktsar,Muktsar-152026
Capital Investment of the Industry	54175.76 lakhs
Category of Industry	Red
Type of Industry	1059-Pulp & Paper (Large-Agro +wood) , Small Pulp &Paper (agro based-wheat straw/rice husk)
Scale of the Industry	Large
Office District	Muktsar
Consent Fee Details	Rs. 23,50,000/- vide online R. no. 236655048 dated 28.02.2018
Raw Materials(Name with quantity per day)	Agro Waste such as wheat Straw, sarkanda, bagasse, Cotton Sticks, Wood & veneer Chips, bamboo, imported wood pulp and waste paper.
Products (Name with quantity per day)	Writing and printing paper @ 300 TPD Co-generation plant of capacity 12.5 MW
By-Products, if any,(Name with quantity per day)	--

"This is computer generated document from OCMMS by PPCB"

Satia industries limited (paper),Vpo- rupana, malout road, sri muktsar sahib,Muktsar,Muktsar,152026

Page1

Details of the machinery and processes	<i>Raw Material, wet washing, cooking in Digesters, Brown Stock washing, screening and cleaning, Bleaching processes like Twin Roll Pressing (TRP), Oxygen De Lignification (ODL), Chlorine Dioxide Bleaching, Extraction Oxygen & Peroxide (EOP) washing and Hypo Washing, Final water washing+ chemical Additives, Paper making (Dewatering unit, Pressing, drying), paper finishing & dispatch</i>
Details of the Effluent Treatment Plant	<i>The industry has installed ETP for treatment of effluent of 3 No. streams (wet wash, pulp & machine washing and domestic effluent) consisting of bio-methanization plant (settling pit, 3 no. Hill screens with vibrating, clarifier, buffer tank, 2 nos. bio-reactors, tube settler, clarifier), equalization pit (where effluent from pulp mill also mixes), mixing tank, Primary clarifier, Aeration Tank (AT) 1 - 2 nos. (diffuser system) with oxygen injection system Intermediate clarifiers, Aeration Tank (AT) 2, Final clarifier & Final Outlet.</i>
Mode of Disposal	<i>Trade effluent @ 14635 KLD - discharged onto land for plantation in an area of 540 acres. Domestic effluent @ 60 KLD - discharged onto land for plantation in an area of 540 acres after treatment.</i>
Standards to be achieved under Water(Prevention & Control of Pollution) Act, 1974	<i>As prescribed by the PPCB/CPCB/MOEF.</i>



Assistant Environmental Engineer

For & on behalf

of

(Punjab Pollution Control Board)

Endst. No.:

Dated:

A copy of the above is forwarded to the following for information and necessary action please:

Environmental Engineer, Punjab Pollution Control Board, Regional Office, Bathinda

Assistant Environmental Engineer

For & on behalf

of

(Punjab Pollution Control Board)

TERMS AND CONDITIONS

A. GENERAL CONDITIONS

1. This consent is not valid for getting power load from the Punjab State Power Corporation Limited or for getting loan from the financial institutions.
2. The industry shall apply for renewal/further extension in validity of consent atleast two months before expiry of the consent.
3. The industry shall ensure that the effluent discharging through the authorized outlet shall confirm to the prescribed standards as applicable from time to time.
4. The industry shall plant minimum of three suitable varieties of trees at the density of not less than 1000 trees per hectare all along the boundary of the industrial premises.
5. The achievement of the adequacy and efficiency of the effluent treatment plant/pollution control devices/re-circulation system installed shall be the entire responsibility of the industry.
6. The industry shall ensure that the Hazardous Wastes generated from the premises are handled as per the provisions of the Hazardous Wastes(Management, Handling and Trans boundary Movement) Rules, 2008 as amended time to time , without any adverse effect on the environment, in any manner
7. The responsibility to monitor the effluent discharged from the authorized outlet and to maintain a record of the same rests with the industry. The Board shall only test check the accuracy of these reports for which the industry shall deposit the samples collection and testing fee with the Board as and when required.
8. The industry shall submit balance sheet of every financial year to the concerned Regional Office by 30th June of every year.
9. The industry shall submit a yearly certificate to the effect that no addition/up-gradation/ modification/modernization has been carried out during the previous year otherwise the industry shall apply for the varied consent.
10. During the period beginning from the date of issuance and the date of expiration of this consent, the applicant shall not discharge floating solids or visible foam.
11. Any amendments/revisions made by the Board in the tolerance limits for discharges shall be applicable to the industry from the date of such amendments/revisions.
12. The industry shall not change or alter the manufacturing process(es) so as to change the quality and/or quantity of the effluents generated without the written permission of the Board.
13. Any upset conditions in the plant/plants of the factory, which is likely to result in increased effluent and/or result in violation of the standards lay down by the Board shall be reported to the Environmental Engineer, Punjab Pollution Control Board of concerned Regional Office immediately failing which any stoppage and upset conditions that come to the notice of the Board/its officers, will be deemed to be intentional violation of the conditions of consent.
14. The industry shall provide terminal manhole(s) at the end of each collection system and a manhole upstream of final outlet (s) out of the premises of the industry for measurement of flow and for taking samples.
15. The industry shall for the purpose of measuring and recording the quantity of water consumed and effluent discharged, affix meters of such standards and at such places as approved by the Environmental Engineer, Punjab Pollution Control Board of the concerned Regional Office.
16. The industry shall maintain record regarding the operation of effluent treatment plant i.e. record of quantity of chemicals and energy utilized for treatment and sludge generated from treatment so as to satisfy the Board regarding regular and proper operation of pollution control equipment.
17. The industry shall provide online monitoring equipment's for the parameters as decided by concerned Regional Office with the effluent treatment plant/air pollution control devices installed, if applicable.
18. The pollution control devices shall be interlocked with the manufacturing process of the industry.
19. The authorized outlet and mode of disposal shall not be changed without the prior written permission of the Board.
20. The industry shall comply with the conditions imposed by the SEIAA / MOEF in the environmental clearance granted to it as required under EIA notification dated 14/9/06, if applicable.
21. The industry shall obtain and submit Insurance cover as required under the Public Liability Insurance Act, 1991.
22. The industry shall not use any unauthorized out-let(s) for discharging effluents from its premises. All unauthorized outlets, if any, shall be connected to the authorized outlet within one month from the date of issue of this consent.

23. The industry shall make necessary arrangements for the monitoring of effluent being discharged by the industry and shall monitor its effluents:-
- (i) Once in Year for Small Scale Industries.
 - (ii) Four in a Year for Large/Medium Scale Industries.
 - (iii) The industry will submit monthly reading/ data of the separate energy meter installed for running of effluent treatment plant/re-circulation system to the concerned Regional Office of the Board by the 5th of the following month.
24. The industry shall provide electromagnetic flow meters at the source of water supply, at inlet/outlet of effluent treatment plant within one month and shall maintain the record of the daily reading and submit the same to the concerned Regional Office by the 5th of the following month.
25. The Board reserves the right to revoke this consent at any time in case the industry is found violating any of the conditions of this consent and/or the provisions of Water (Prevention & Control of Pollution) Act, 1974 as amended from time to time.
26. The issuance of this consent does not convey any property right in either real or personal property, or any exclusive privileges, nor does it authorize any injury to private property or any invasion of personal rights, nor any infringement of Central, State or Local Laws or Regulations.
27. The consent does not authorize or approve the construction of any physical structures or facilities for undertaking of any work in any natural watercourse.
28. Nothing in this consent shall be deemed to neither preclude the institution of any legal action nor relieve the applicant from any responsibilities, liabilities or penalties to which the applicant is or may be subjected under this or any other Act.
29. The industry shall make necessary and adequate arrangements to hold back the effluent in case of failure of septic tank.
30. The diversion or bye pass of any discharge from facilities utilized by the applicant to maintain compliance with the terms and conditions of this consent is prohibited except.
- (i) Where unavoidable to prevent loss of life or some property damage or
 - (ii) Where excessive storm drainage or run off would damage facilities necessary for compliance with terms and conditions of this consent. The applicant shall immediately notify the consent issuing authority in writing of each such diversion or bye-pass.
31. The industry shall ensure that no water pollution problem is created in the area due to discharge of effluents from its industrial premises.
32. The industry shall comply with the code of practice as notified by the Government/ Board for the type of industries where the siting guidelines/ code of practice have been notified.
33. Solids, sludge, filter backwash or other pollutant removed from or resulting from treatment or control of waste waters shall be disposed off in such a manner to prevent any pollutants from such materials from entering into natural water.
34. The industry shall re-circulate the entire cooling water and shall also re-circulate/reuse to the maximum extent the treated effluent in processes
35. The industry shall make necessary and adequate arrangements to hold back the effluent in case of failure of re-circulation system/ effluent treatment plant.
36. The industry shall make proper disposal of the effluent so as to ensure that no stagnation occurs inside and outside the industrial premises during rainy season and no demand period.
37. Where excessive storm water drainage or run off, would damage facilities necessary for compliance with terms and conditions of this consent, the applicant shall immediately notify the consent issuing authority in writing of each such diversion or bye-pass.
38. The industry shall submit a detailed plan showing therein the distribution system for conveying waste-water for application on land for irrigation along with the crop pattern for the year.
39. The industry shall ensure that the effluent discharged by it is toxicity free.
40. The industry shall not irrigate the vegetable crops with the treated effluents which are used/ consumed as raw.
41. Drains causing oil & grease contamination shall will be segregated. Oil & grease trap shall be provided to recover oil & grease from the effluent.

42. The industry shall establish sufficient number of piezometer wells in consultation with the concerned Regional Office, of the Board to monitor the impact on the Ground Water Quantity due to the industrial operations, and the monitoring shall be submitted to the Environmental Engineer of the concerned Regional Office by the 5th of every month.
43. The industry shall ensure that its production capacity & quantity of trade effluent do not exceed the quantity mentioned in the consent and shall not carry out any expansion without the prior permission/NOC of the Board.

B. SPECIAL CONDITIONS

1. The industry will not commission its addition cogeneration plant of capacity 12.5 MW along with boiler of capacity 75 TPH without obtaining consents to operate of the Board.
2. The industry will comply with the hearing decision dt. 13.04.2018 given by Hon'ble Chairman of the Board every time.
3. The industry will comply with all the conditions of Environmental Clearance granted to it vide no.F.No.J-11011/196/2014-IA-II(I) dt. 29.05.2018 by MoEF&CC, New Delhi and will also comply with all the conditions of Environmental Clearance granted to it vide no.F.No.J-11011/196/2014-IA.II(I) dt. 05.02.2015 by MoEF&CC, New Delhi.
4. The industry will operate online continuous effluent monitoring system at the ETP and ensure the connectivity with the server of PPCB / CPCB. The industry shall maintain proper record.
5. The industry will install ambient air quality monitoring stations along its premises and submit the compliance in Regional Office, Bathinda of the Board.
6. The industry will not discharge any trade effluent or domestic effluent into drain under any circumstances.
7. The industry will not irrigate the plantation area with its effluent within a width of 2-3 furrows along the banks of the drain, so that there is no chance of over flowing of effluent into drain.
8. On the basis of the study being conducted by the Board to reduce the water consumption per ton of paper produced, the industry shall take adequate steps for the compliance of the findings of the said report in case the same is implemented by the Board.
9. The industry will install / operate the CCTV cameras alongwith digital video recorder (DVR) on the pollution control devices and its connectivity with the server of the Board.
10. The industry will maintain proper record of canal water used by it, wastewater reused back into the processes and treated wastewater discharged onto land for plantation.
11. The industry will maintain proper record of chemicals used for treatment of wastewater.
12. The industry will treat the entire black liquor in the chemical recovery plants and leakage of waste water, if any from the said plant will be collected in a tank for further treating in the chemical recovery plant.

Assistant Environmental Engineer

For & on behalf

of

(Punjab Pollution Control Board)