

**Government of Maharashtra**

SEAC 2013/CR- 106 /TC-1  
Environment department,  
Room No. 217, 2<sup>nd</sup> floor,  
Mantralaya Annexe,  
Mumbai 400 032  
Date: 22<sup>nd</sup> March, 2013

To,

M/s. Richa Realtors.  
1<sup>st</sup> Floor, J. V. House,  
D. S. Babrekar Marg,  
Dadar (W), Mumbai- 400 028.

**Subject: Environment Clearance for the Expansion of "EXISTING MHADA and MHADA new PMGP Colony's Residential Complex with Rehab Shop Line on plot bearing CTS No. 386, C.T.S. No. 1320 A(PT) of Village – Mulund at Eastern Express Highway, Mulund (E), Mumbai by M/s Richa Realtors- Environmental clearance regarding.**

Sir,


This has reference to your communication on the above mentioned subject. The proposal was considered as per the EIA Notification - 2006, by the State Level Expert Appraisal Committee-II, Maharashtra in its 8<sup>th</sup> meeting decided to recommend the project for prior environmental clearance to SEIAA. Information submitted by you has been considered by State Level Environment Impact Assessment Authority in its 56<sup>th</sup> & 57<sup>th</sup> Meetings.

2. It is noted that the proposal is for grant of Environmental Clearance for Expansion of "EXISTING MHADA and MHADA new PMGP Colony's Residential Complex with Rehab Shop Line on plot bearing CTS No. 386, C.T.S. No. 1320 A(PT) of Village Mulund at Eastern Express Highway, Mulund (E), Mumbai. SEAC considered the project under screening category 8(a) B2 as per EIA Notification 2006.


**Brief Information of the project submitted by Project Proponent is as:**

Name of the Project	Expansion of "EXISTING MHADA and MHADA new PMGP Colony's Residential Complex with Rehab Shop Line
Name of the Proponent	M/s. Richa Realtors
Type of Project:	Expansion project
Location of the project	CTS No. 386, C.T.S. No. 1320A(PT) of Village – Mulund at Eastern Express Highway, Mulund (E), Mumbai
Total plot area (sq.m.) Deductions Net Plot Area	1,00,002.00 Sq.m

-1-



<b>Permissible FSI (including TDR etc.)</b>	2,09,406.72 sq.m,
<b>Proposed Built Up Area(FSI &amp; Non FSI)</b>	4,54,097.30 sq.m.
<b>Ground Coverage Area (percentage of plot not open to sky)</b>	Ground coverage area is 38,116 Sq. m on total plot area of 1,00,002 Sq. m which is 38.12%
<b>Estimated Cost of the project</b>	616 Crores
<b>Number of Buildings &amp; configuration(s)</b>	<p><u>Sale Component</u> : 6 buildings  Gr+4Podium )1<sup>st</sup> to 37<sup>th</sup> including fire checking floor  Gr+4Podium )1<sup>st</sup> to 34<sup>th</sup> including fire checking floor  Gr+4Podium )1<sup>st</sup> to 41<sup>st</sup> including fire checking floor  Gr+4Podium )1<sup>st</sup> to 42<sup>th</sup> including fire checking floor  Gr+4Podium )1<sup>st</sup> to 32<sup>th</sup> including fire checking floor  Gr+4Podium )1<sup>st</sup> to 36<sup>th</sup> including fire checking floor</p> <p><u>Rehab Buildings</u>: 4 buildings  part ground &amp; part Stilt+18 upper floors or part ground &amp; part Stilt + 22 upper floors for Rehab)</p> <p><u>MHADA Component</u> :  1 buildingGr.+1+2 podium+28 floors</p>
<b>Number of tenants and shops</b>	Rehab-1,462 Shops-59 Sale-965 MHADA-610 Total tenements:3,096
<b>Number of expected residents/users</b>	Total population-15,303
<b>Tenant density per hector</b>	303 Tenements / hectare
<b>Height of Building(s)</b>	156.85m
<b>Right of way</b>	The 18.30 m wide Road and Eastern express Highway 44.5 m wide is abutting the project site. The plot is abutting the Eastern express Highway. Site is 1.07 km from Mulund Railway station & 4.9 km distance from Thane Railway Station.
<b>Turning radius</b>	Minimum 6m turning radius for Fire Tender
<b>Total Water Requirement</b>	Dry Season: <ul style="list-style-type: none"> <li>• Fresh water (KLD) &amp; source: 1495 KLD by MCGM</li> <li>• Recycled water (KLD): 1051 KLD</li> <li>• Total Water Requirement (KLD): 2546 KLD</li> <li>• Swimming pool make up (Cum): NA</li> <li>• Fire fighting (Cum): two UG tank of 300 cum (Sale), two UG tanks of 100 cum (MHADA) and two UG tanks of 50 cum for each block of rehab building.</li> </ul>

-2-  


	<p>Wet Season:</p> <ul style="list-style-type: none"> <li>• Fresh Water: 1495 (KLD) by MCGM</li> <li>• Rainwater recycled: 345 KLD</li> <li>• Recycled Water (KLD): 477KLD</li> <li>• Total Water Requirement (CMD): 2247 KLD</li> <li>• Swimming pool make up (CMD):NA</li> </ul>
<b>Rain Water Harvesting (RWH)</b>	<ul style="list-style-type: none"> <li>• Level of the ground water table – 0.5 m to 2 m</li> <li>• Size and no of RWH tank(s) and quantity: Tanks 80 cum for sale, 200 cum for Rehab &amp; 65 cum for MHADA</li> <li>• Location of the RWH tanks(s): Underground</li> <li>• Size, no. of recharge pits and quantity: Nil</li> </ul> <p>Budgetary allocation (capital cost and O&amp;M cost)</p> <p>For Rainwater harvesting –</p> <p>Capital cost: 85lakh</p> <p>O &amp; M Cost: 1 lakh</p>
<b>Strom water drainage</b>	<ul style="list-style-type: none"> <li>• Natural water drainage pattern:</li> </ul> <p>Quantity of storm water: 1.39 cum/s</p> <p>Size of SWD:</p> <p>B = 0.45 m</p> <p>D = 0.45 m</p> <p>wide Storm Water Drain Channel</p>
<b>Sewage &amp; Waste Water</b>	<ul style="list-style-type: none"> <li>• Sewage generation:</li> </ul> <p>Sale : 570KLD</p> <p>Rehab : 871 KLD</p> <p>MHADA-357 KLD</p> <p>STP Technology: SBR</p> <ul style="list-style-type: none"> <li>• Capacity of STP (CMD):</li> </ul> <p>Sale : 600KLD</p> <p>Rehab : 900KLD</p> <p>MHADA-400KLD</p> <ul style="list-style-type: none"> <li>• DG Set (during emergency): Provided</li> <li>• Budgetary allocation:</li> </ul> <p>Budget:450 (including civil cost)</p> <p>Operation and maintenance : 20 Lakhs</p>



**Solid Waste Management**

**Waste generation in the operation phase:**

- Dry waste: 2.43 T/Day
- Wet waste: 3.66 T/Day
- Hazardous waste : Used oil from DG sets
- STP sludge (Dry sludge): 0.479 T/Day

**Mode of Disposal of Waste:**

- Dry waste: segregated/sale/Collection by recyclers
- Wet Waste: Will be processed converted to manure by processing in Organic Waste Convertors.
- Hazardous Waste: Used oil from DG Sets
- STP Sludge (Dry Sludge): Required amount used as manure.

**Area Requirement:**

Location(s) and total area provided for the storage and treatment of the solid waste:

Particular	Nos	Area (sq.m)
Garbage Collection Room Eco biocompack (sale)	1	10-32Sq.m
Vermicomposter (Rehab and MHADA)	1	110 Sq.m

**Budgetary allocation (capital cost and O&M cost)**

For Solid waste management :

Capital Cost : Rs 100 Lakhs

O & M Cost : Rs. 4 Lakhs

**Green Belt Development**

**Total R.G. Area:**

- RG area under green belt:
- Podium RG: 9547.32 Sq.m.
- Rehab -12,611.35Sq.mt
- Ground Open Space Provided: 3,710.94 Sq.m
- Plantations:
- Number and list of trees species to be planted in the ground RG:53

Trees	Description
ASLTONIA SCHOLARIS	32
ANTHOCEPHALUS KADAMBA	15
AZADIRACHTA INDICA	18
BAUHINIA BLACKIANA	20
BOMBAX CEIBA	15
CASSIA FISTULA	10
DELONIX REGIA	17

<i>FILICIUM DECIPENS</i>	25
<i>LAGERSTROMA SPECIOSA</i>	20
<i>MICHELLA CHAMPACA ALBA</i>	10
<i>PLUMERIA ALBA</i>	27
<i>TABEBUIA ROSEA</i>	27
<i>PHOENIX DACTYLIFERA</i>	27
<i>ROYESTONIA REGIA</i>	25
<i>VETCHIA MEYERII</i>	10
<i>PIYCHOSPERMA MACARTHURII</i>	24
Total	318

<i>Shrubs</i>	
<i>ALPINIA SPECIOSA</i>	<i>VERBENA SPECIES</i>
<i>CANNIA MALAWIENSIS</i>	<i>WADDLEYA TRLOBATA</i>
<i>CHRYSALIDOCARPUS LUTCHENS</i>	<i>ZAPHRANTHES CANDIDA</i>
<i>DIANELLA TASMANICA</i>	<i>MPATIENCE WALLERANNIA</i>
<i>FICUS BENJAMINA</i>	<i>THUNBERGIA FRAGRANS</i>
<i>HEMEROCALLIS HYBRID</i>	<i>VERNONIA ELAEGNFOLE</i>
<i>HELICONIA PSITTACORUM GOLDEN</i>	<i>ZOYSIA JAPONICUS</i>
<i>HYMENOCALLIS SPECIES</i>	<i>TECOMA CAPENSIS</i>
<i>MURRAYA PANICULATA</i>	<i>RAPHIS EXCELSA</i>
<i>NERIUM OLEANDER</i>	<i>PISONIA ALBA</i>
<i>NEPHROLEPIS EXALATA</i>	<i>PLEOMELE REFLEXA VARIEGATED</i>
<i>OPHIOPOGON JABURAN VARIEGATED</i>	<i>PENNISETUM SPECIES GREEK</i>

- Number and list of shrubs and bushes species to be planted in the podium RG: 23 SPECIES
- Total number of trees at site: 852]
- Trees transplanted: 274
- Trees retained: 419
- New trees to be planted: 318
- Budgetary allocation (Capital cost and O&M cost)  
For Landscaping :  
  
Capital Cost: Rs. 900 Lakhs  
  
O & M Cost: Rs. 25 Lakhs

Energy

- Power Supply:
- Source – MSEB
  - Total demand-17.5 MW
  - DG sets: Sale -2 D.G sets of 750 kVA
  - Rehab- 1 D.G. Set of 500 kVA
  - MHADA- 1 DG set of 750 kVA
- Energy saving by Non-conventional method: 37%
- Budgetary allocation (capital cost and O&M cost) –



	<p>For Solar Energy system :</p> <p>Capital Cost: Rs. 60 Lakhs</p> <p>O &amp; M Cost: Rs.1.5 Lakhs</p> <p>DG Set:</p> <ul style="list-style-type: none"> <li>Number and capacity of the DG sets to be used: 2 D.G sets of 750 kVA as a back up</li> </ul> <p>Type of fuel used: HSD</p>																												
<p><b>Traffic Management</b></p>	<p>Parking Details:</p> <ul style="list-style-type: none"> <li>Number and area of podium: 4 (Sale)</li> <li>4-wheelers: 3,666 no's</li> </ul> <p>Width of all Internal roads (m): 6m wide internal roads</p>																												
<p><b>Environmental Management plan Budgetary Allocation</b></p>	<p>I. Construction phase(with Break – up) –</p> <ul style="list-style-type: none"> <li>Capital cost : Rs 5 lakhs</li> <li>O &amp; M cost : Rs 50,000</li> </ul> <p>II. Operation Phase (with Break-up)-</p> <table border="1" data-bbox="630 1131 1409 1832"> <thead> <tr> <th>SN</th> <th>Method Adopted</th> <th>Setting -up Cost (in lakhs)</th> <th>Annual Maintenance and Operational Cost ( in lakhs)</th> </tr> </thead> <tbody> <tr> <td>1.</td> <td>Sewage Treatment Plant</td> <td>450</td> <td>20</td> </tr> <tr> <td>2.</td> <td>Rain water Harvesting</td> <td>85</td> <td>1</td> </tr> <tr> <td>3.</td> <td>Landscaping</td> <td>900</td> <td>25</td> </tr> <tr> <td>4.</td> <td>Solar Energy</td> <td>60</td> <td>1.5</td> </tr> <tr> <td>5.</td> <td>Solid waste management</td> <td>100</td> <td>8</td> </tr> <tr> <td colspan="2">Total</td> <td>1595</td> <td>55.5</td> </tr> </tbody> </table> <ul style="list-style-type: none"> <li>Responsibility for further O &amp; M</li> <li>For the Sale building, Operation and Maintenance of Environmental Management Facilities (EMF) shall be taken care by the developers for first three years.</li> </ul>	SN	Method Adopted	Setting -up Cost (in lakhs)	Annual Maintenance and Operational Cost ( in lakhs)	1.	Sewage Treatment Plant	450	20	2.	Rain water Harvesting	85	1	3.	Landscaping	900	25	4.	Solar Energy	60	1.5	5.	Solid waste management	100	8	Total		1595	55.5
SN	Method Adopted	Setting -up Cost (in lakhs)	Annual Maintenance and Operational Cost ( in lakhs)																										
1.	Sewage Treatment Plant	450	20																										
2.	Rain water Harvesting	85	1																										
3.	Landscaping	900	25																										
4.	Solar Energy	60	1.5																										
5.	Solid waste management	100	8																										
Total		1595	55.5																										

6  



- |  |   |
|--|---|
|  | <ul style="list-style-type: none"><li>• The Developer will undertake Civil, Electrical and Mechanical Maintenance of the Rehab Buildings in the scheme for 10 years from the date of the occupation of the Rehab Building.</li><li>• MHADA Building will be handed over to MHADA.</li></ul> |
|--|---|

3. The proposal has been considered by SEIAA in its 56<sup>th</sup> & 57<sup>th</sup> meetings decided to accord environmental clearance to the said project under the provisions of Environment Impact Assessment Notification, 2006 subject to implementation of the following terms and conditions :-

- (i) This environmental clearance is issued subject to land use verification. Local authority / planning authority should ensure this with respect to Rules, Regulations, Notifications, Government Resolutions, Circulars, etc. issued if any. This environmental clearance issued with respect to the environmental consideration and it does not mean that State Level Impact Assessment Authority (SEIAA) approved the proposed land use.
- (ii) The height, Construction built up area of proposed construction shall be in accordance with the existing FSI/FAR norms of the urban local body & it should ensure the same along with survey number before approving layout plan & before according commencement certificate to proposed work. Plan approving authority should also ensure the zoning permissibility for the proposed project as per the approved development plan of the area.
- (iii) "Consent for Establishment" shall be obtained from Maharashtra Pollution Control Board under Air and Water Act and a copy shall be submitted to the Environment department before start of any construction work at the site.
- (iv) All required sanitary and hygienic measures should be in place before starting construction activities and to be maintained throughout the construction phase.
- (v) Project proponent shall ensure completion of STP, MSW disposal facility, green belt development prior to occupation of the buildings. No physical occupation or allotment will be given unless all above said environmental infrastructure is installed and made functional including water requirement in Para 2. Prior certification from appropriate authority shall be obtained.
- (vi) Provision shall be made for the housing of construction labour within the site with all necessary infrastructure and facilities such as fuel for cooking, mobile toilets, mobile STP, safe drinking water, medical health care, crèche and First Aid Room etc.
- (vii) Adequate drinking water and sanitary facilities should be provided for construction workers at the site. Provision should be made for mobile toilets. The safe disposal of wastewater and solid wastes generated during the construction phase should be ensured.
- (viii) The solid waste generated should be properly collected and segregated. dry/inert solid waste should be disposed off to the approved sites for land filling after recovering recyclable material
- (ix) Wet garbage should be treated by Organic Waste Converter and treated waste (manure) should be utilized in the existing premises for gardening. And, no wet garbage will be disposed outside the premises. Local authority should ensure this.
- (x) Arrangement shall be made that waste water and storm water do not get mixed.
- (xi) All the topsoil excavated during construction activities should be stored for use in horticulture / landscape development within the project site.
- (xii) Additional soil for leveling of the proposed site shall be generated within the sites (to the extent possible) so that natural drainage system of the area is protected and improved.



- (xiii) Green Belt Development shall be carried out considering CPCB guidelines including selection of plant species and in consultation with the local DFO/ Agriculture Dept.
- (xiv) Disposal of muck during construction phase should not create any adverse effect on the neighboring communities and be disposed taking the necessary precautions for general safety and health aspects of people, only in approved sites with the approval of competent authority.
- (xv) Soil and ground water samples will be tested to ascertain that there is no threat to ground water quality by leaching of heavy metals and other toxic contaminants.
- (xvi) Construction spoils, including bituminous material and other hazardous materials must not be allowed to contaminate watercourses and the dumpsites for such material must be secured so that they should not leach into the ground water.
- (xvii) Any hazardous waste generated during construction phase should be disposed off as per applicable rules and norms with necessary approvals of the Maharashtra Pollution Control Board.
- (xviii) The diesel generator sets to be used during construction phase should be low sulphur diesel type and should conform to Environments (Protection) Rules prescribed for air and noise emission standards.
- (xix) The diesel required for operating DG sets shall be stored in underground tanks and if required, clearance from concern authority shall be taken.
- (xx) Vehicles hired for bringing construction material to the site should be in good condition and should have a pollution check certificate and should conform to applicable air and noise emission standards and should be operated only during non-peak hours.
- (xxi) Ambient noise levels should conform to residential standards both during day and night. Incremental pollution loads on the ambient air and noise quality should be closely monitored during construction phase. Adequate measures should be made to reduce ambient air and noise level during construction phase, so as to conform to the stipulated standards by CPCB/MPCB.
- (xxii) Fly ash should be used as building material in the construction as per the provisions of Fly Ash Notification of September 1999 and amended as on 27th August, 2003. (The above condition is applicable only if the project site is located within the 100Km of Thermal Power Stations).
- (xxiii) Ready mixed concrete must be used in building construction.
- (xxiv) The approval of competent authority shall be obtained for structural safety of the buildings due to any possible earthquake, adequacy of fire fighting equipments etc. as per National Building Code including measures from lighting.
- (xxv) Storm water control and its re-use as per CGWB and BIS standards for various applications.
- (xxvi) Water demand during construction should be reduced by use of pre-mixed concrete, curing agents and other best practices referred.
- (xxvii) The ground water level and its quality should be monitored regularly in consultation with Ground Water Authority.
- (xxviii) The installation of the Sewage Treatment Plant (STP) should be certified by an independent expert and a report in this regard should be submitted to the Ministry before the project is commissioned for operation. Treated effluent emanating from STP shall be recycled/refused to the maximum extent possible. Treatment of 100% gray water by decentralized treatment should be done. Necessary measures should be made to mitigate the odour problem from STP.
- (xxix) Local body should ensure that no occupation certification is issued prior to operation of STP/MSW site etc. with due permission of MPCB.
- (xxx) Permission to draw ground water shall be obtained from the competent Authority prior to construction/operation of the project.

-8-  




- (xxxix) Separation of gray and black water should be done by the use of dual plumbing line for separation of gray and black water.
- (xxxii) Fixtures for showers, toilet flushing and drinking should be of low flow either by use of aerators or pressure reducing devices or sensor based control.
- (xxxiii) Use of glass may be reduced up to 40% to reduce the electricity consumption and load on air conditioning. If necessary, use high quality double glass with special reflective coating in windows.
- (xxxiv) Roof should meet prescriptive requirement as per Energy Conservation Building Code by using appropriate thermal insulation material to fulfill requirement
- (xxxv) Energy conservation measures like installation of CFLs /TFLs for the lighting the areas outside the building should be integral part of the project design and should be in place before project commissioning. Use CFLs and TFLs should be properly collected and disposed off/sent for recycling as per the prevailing guidelines/rules of the regulatory authority to avoid mercury contamination. Use of solar panels may be done to the extent possible like installing solar street lights, common solar water heaters system. Project proponent should install, after checking feasibility, solar plus hybrid non conventional energy source as source of energy.
- (xxxvi) Diesel power generating sets proposed as source of back up power for elevators and common area illumination during operation phase should be of enclosed type and conform to rules made under the Environment (Protection) Act, 1986. The height of stack of DG sets should be equal to the height needed for the combined capacity of all proposed DG sets. Use low sulphur diesel. The location of the DG sets may be decided with in consultation with Maharashtra Pollution Control Board.
- (xxxvii) Noise should be controlled to ensure that it does not exceed the prescribed standards. During nighttime the noise levels measured at the boundary of the building shall be restricted to the permissible levels to comply with the prevalent regulations.
- (xxxviii) Traffic congestion near the entry and exit points from the roads adjoining the proposed project site must be avoided. Parking should be fully internalized and no public space should be utilized.
- (xxxix) Opaque wall should meet prescriptive requirement as per Energy Conservation Building Code, which is proposed to be mandatory for all air-conditioned spaces while it is aspirational for non-air-conditioned spaces by use of appropriate thermal insulation material to fulfill requirement
- (xl) The building should have adequate distance between them to allow movement of fresh air and passage of natural light, air and ventilation
- (xli) Regular supervision of the above and other measures for monitoring should be in place all through the construction phase, so as to avoid disturbance to the surroundings.
- (xlii) Under the provisions of Environment (Protection) Act, 1986, legal action shall be initiated against the project proponent if it was found that construction of the project has been started without obtaining environmental clearance.
- (xliii) Six monthly monitoring reports should be submitted to the Department and MPCB.
- (xliv) A complete set of all the documents submitted to Department should be forwarded to the MPCB
- (xlv) In the case of any change(s) in the scope of the project, the project would require a fresh appraisal by this Department.
- (xlvi) A separate environment management cell with qualified staff shall be set up for implementation of the stipulated environmental safeguards.
- (xlvii) Separate funds shall be allocated for implementation of environmental protection measures/EMP along with item-wise breaks-up. These cost shall be included as part of the project cost. The funds earmarked for the environment protection measures



shall not be diverted for other purposes and year-wise expenditure should reported to the MPCB & this department.

- (xlvi) The project management shall advertise at least in two local newspapers widely circulated in the region around the project, one of which shall be in the Marathi language of the local concerned within seven days of issue of this letter, informing that the project has been accorded environmental clearance and copies of clearance letter are available with the Maharashtra Pollution Control Board and may also be seen at Website at <http://ec.maharashtra.gov.in>.
- (xlix) Project management should submit half yearly compliance reports in respect of the stipulated prior environment clearance terms and conditions in hard & soft copies to the MPCB & this department, on 1<sup>st</sup> June & 1<sup>st</sup> December of each calendar year.
- (l) A copy of the clearance letter shall be sent by proponent to the concerned Municipal Corporation and the local NGO, if any, from whom suggestions/representations, if any, were received while processing the proposal. The clearance letter shall also be put on the website of the Company by the proponent.
- (ii) The proponent shall upload the status of compliance of the stipulated EC conditions, including results of monitored data on their website and shall update the same periodically. It shall simultaneously be sent to the Regional Office of MoEF, the respective Zonal Office of CPCB and the SPCB. The criteria pollutant levels namely; SPM, RSPM, SO<sub>2</sub>, NO<sub>x</sub> (ambient levels as well as stack emissions) or critical sector parameters, indicated for the project shall be monitored and displayed at a convenient location near the main gate of the company in the public domain.
- (iii) The project proponent shall also submit six monthly reports on the status of compliance of the stipulated EC conditions including results of monitored data (both in hard copies as well as by e-mail) to the respective Regional Office of MoEF, the respective Zonal Office of CPCB and the SPCB.
- (liii) The environmental statement for each financial year ending 31<sup>st</sup> March in Form-V as is mandated to be submitted by the project proponent to the concerned State Pollution Control Board as prescribed under the Environment (Protection) Rules, 1986, as amended subsequently, shall also be put on the website of the company along with the status of compliance of EC conditions and shall also be sent to the respective Regional Offices of MoEF by e-mail.
4. The environmental clearance is being issued without prejudice to the action initiated under EP Act or any court case pending in the court of law and it does not mean that project proponent has not violated any environmental laws in the past and whatever decision under EP Act or of the Hon'ble court will be binding on the project proponent. Hence this clearance does not give immunity to the project proponent in the case filed against him, if any or action initiated under EP Act.
5. In case of submission of false document and non compliance of stipulated conditions, Authority/ Environment Department will revoke or suspend the Environmental Clearance without any intimation and initiate appropriate legal action under Environmental Protection Act, 1986.
6. The Environment department reserves the right to add any stringent condition or to revoke the clearance if conditions stipulated are not implemented to the satisfaction of the department or for that matter, for any other administrative reason.



7. **Validity of Environment Clearance:** The environmental clearance accorded shall be valid for a period of 5 years.
8. In case of any deviation or alteration in the project proposed from those submitted to this department for clearance, a fresh reference should be made to the department to assess the adequacy of the condition(s) imposed and to incorporate additional environmental protection measures required, if any.
9. The above stipulations would be enforced among others under the Water (Prevention and Control of Pollution) Act, 1974, the Air (Prevention and Control of Pollution ) Act, 1981, the Environment (Protection) Act, 1986 and rules there under, Hazardous Wastes (Management and Handling ) Rules, 1989 and its amendments, the public Liability Insurance Act, 1991 and its amendments.
10. Any appeal against this environmental clearance shall lie with the National Green Tribunal , Van Vigyan Bhawan, Sec- 5, R.K. Puram, New Dehli – 110 022, if preferred, within 30 days as prescribed under Section 16 of the National Green Tribunal Act, 2010.



(Valsa R Nair Singh)  
Secretary, Environment  
Department & MS, SEIAA

**Copy to:**

1. Shri. P.M.A Hakeem, IAS (Retd.), Chairman, SEIAA, 'Jugnu' Kottaram Road, Calicut- 673 006 Kerala.
2. Shri. Dr. S. Devotta, Chairman, SEAC, T2/302 Sky City, Vanagaram –Ambattur Road, Chennai – 600 095
3. Additional Secretary, MOEF, 'Paryavaran Bhawan' CGO Complex, Lodhi Road, New Delhi – 110510
4. Member Secretary, Maharashtra Pollution Control Board, with request to display a copy of the clearance.
5. The CCF, Regional Office, Ministry of Environment and Forest (Regional Office, Western Region, Kendriya Paryavaran Bhavan, Link Road No- 3, E-5, Ravi-Shankar Nagar, Bhopal- 462 016). (MP).
6. Regional Office, MPCB, Mumbai.
7. Collector, Mumbai.
8. CEO, Slum Rehabilitation Authority, Bandra (E), (Mumbai)
9. Commissioner, Bhrun Mumbai Municipal Corporation, Mumbai

10. IA- Division, Monitoring Cell, MoEF, Paryavaran Bhavan, CGO Complex, Lodhi Road, New Delhi-110003.

11. Select file (TC-3).