



State Environment Impact Assessment Authority, M.P.
(Government of India, Ministry of Environment & Forests)

Environmental Planning Coordination Organization (EPCO)
Paryavaran Parisar, E-5. Arera Colony
Bhopal-4620 16
visit us <http://www.mpseiaa.nic.in>
Tel:0755-2466970, 2466859
Fax : 0755-2462136

No. 2367 /SEIAA/2016
Date: 4.7.16

To,
Mr. Sanjib Ghosh, President
Vishnupuri Grih Nirman Sahkari Sanstha Mydt.
21, Zone-II, M.P. Nagar, Bhopal-462011(MP),
Email:rajhomesbpl@gmail.com
Mob: 9893309781 / 9893120303

Sub:- Case No. 2317/2014 Prior Environmental Clearance of Expansion Project for "Raj Classic Apartments, RBP and Part for Multiunit Construction Project" at Khasra no. 311/43, 43, 41, 45/1/1/1 Village Narela Shankari, Tehsil Huzur, District Bhopal (MP); Total Plot Area 3.44 ha. (34423.19 sq.m); Total Built up area 77812.22 sq.m by Vishnupuri Grih Nirman Sahkari Sanstha Mydt. through Mr. Sanjib Ghosh, President, 21, Zone-II, M.P. Nagar, Bhopal-462011(MP), Email:rajhomesbpl@gmail.com Mob: 9893309781 / 9893120303, Environmental Consultant Creative Envior Services, Bhopal.

Ref:- Your application dtd. 24.12.2014 received in SEIAA office on 24.12.2014.

With reference to above, the proposal has been appraised as per prescribed procedure & provisions under the EIA notification issued by the Ministry of Environment & Forests vide S.O. 1533 (E), dated 14th September 2006 and its amendment, on the basis of the mandatory documents enclosed with the application viz., Form I, Form IA, Conceptual Plan, drawings, ppt & the additional clarifications furnished in response to the observations by the State Expert Appraisal Committee (SEAC) and State Environment Impact Assessment Authority (SEIAA) constituted by the competent Authority.

- (i). The proposed project is a building construction of Residential & Business Centre having total built up area 77812.22 sq.m. The project comes under category (B) for project activity 8(a) of schedule of EIA Notification, 2006 because total construction is between 20,000 sq.m & 1,50,000 sq. m and plot area is less than 50 ha.
- (ii). As per the T & CP Bhopal (vide letter 1204 dtd.16/9/2014) the total land area is 3.88 ha (38823.19 sqm) and PP has applied for prior EC an area of 3.44 ha.
- (iii). As per Khasara Panchsala 2012-2013, the land is in the name of Vishnupuri Grih Nirman Sahkari Sanstha Mydt. The project includes the construction of Raj Classic Apartment : 250 HIG, 31 MIG; Informal sector : 34 LIG and 50 EWS; Multi unit block: 18 MIG and Raj business center.

Case No. 2317/2014

Issued vide letter no. 2367-68 dated 4.7.16

Case No.: To be quoted in registered cases for correspondence

1 of 5

- (iv). The source of water supply is Bhopal Municipal Corporation (letter dtd. 17.11.2014). The total water requirement for the proposed project is 294 KLD and fresh water requirement is 197 KLD. The total recycled water is 112 KLD. Existing population requires 35 KLD of water which is being supplied by existing water supply system.
- (v). The proposed waste water generation is 251 KLD. PP has provided sewage treatment plant of 300 KLD. The treated waste water is 226 KLD out of this 112 KLD will be recycled (Flushing - 97 KLD + Horticulture 15 KLD) and extra treated waste water is 114 KLD. 34 KLD waste water generate from existing construction. At present this sewage is being handled by the existing sewage treatment plant of Minal campus. However a new STP of 300 KLD is being installed for the proposed construction for 251 KLD capacities. The newly installed STP shall be available for the treatment of the additional 34 KLD waste water. PP has submitted BMC letter dtd. 08.05.15 for disposal of waste water.
- (vi). The Municipal Solid waste 874 KG per day shall be generated from proposed site and 140 kg shall be generated from existing site. The generated biodegradable and non biodegradable waste will be segregated at source within the campus. Recyclable waste is proposed to be sold to vendors for recycling. All non recyclable waste including sludge from STP will be disposed off at trenching ground of Municipal Corporation. **PP has submitted letter dtd. 20.11.14 issued from Bhopal Municipal Corporation for disposal of solid waste.**
- (vii). PP has provided the road width is 30 m and maximum height of the building, road width and MOS are as follows :-

Building	Max. Height	Front MOS	Side /Rear
Raj Classic apartment	30 m	15 m	7.5 m
Multi unit development	18 m	7.5 m	6 m
Raj Business centre	24 m	9 m	6 m

- (viii). PP has proposed to provide static tank (underground), overhead tank, landing valves with hose reels, external hydrant, automatic sprinkler system, pumping arrangement system, staircase/lifts pressurization/smoke extraction system etc.
- (ix). Parking provisions of the existing buildings are provided as open parking. 15 individual dwelling units have their own parking within the plots. PP has proposed car parking for 706 ECS at basement, podium and stilt level for proposed constructions.
- (x). The total power requirement is 1400 KW and DG sets for backup. PP has also proposed to provide Energy efficient CFL based lighting in common areas, landscape areas, signage, entry gates and boundary walls etc. along with energy conservation measures as per National Building Code 2005.
- (xi). PP has proposed to provide roof top rain water harvesting system with 03 nos. of recharging pits.
- (xii). PP has proposed 7402.2 sq.m (21%) area to be developed as green area by including 380 trees would be planted around the building in two/three rows, garden and open spaces and as avenue along the road.

Hence, Prior Environmental Clearance is accorded under the provisions of EIA notification dtd. 14.09.2006 & its amendments to the expansion Project for "Raj Classic Apartments, RBP and Part for Multiunit Construction Project" at Khasra no. 311/43, 43, 41, 45/1/1/1 Village Narela Shankari, Tehsil Huzur, District Bhopal (MP); Total Plot Area 3.44 ha. (34423.19 sq.m); Total Built up area 77812.22 sq.m by Vishnupuri Grih Nirman Sahkari Sanstha Mydt. through Mr. Sanjib Ghosh, President, 21, Zone-II, M.P. Nagar, Bhopal-462011(MP) with following Specific Conditions as recommended by SEIAA & SEAC in its meetings along with the Standard Conditions enclosed at **Annex-I**.

A. Specific Conditions as recommended by SEIAA:-

- (1) The entire demand of water should be met through Municipal Corporation, Bhopal and there should be no extraction of ground water.
- (2) The inlet and outlet point of natural drain system should be maintained with adequate size of channel for ensuring unrestricted flow of water.
- (3) PP should ensure linkage with municipal sewer line for disposal of waste water.
 - (a) Solid Waste Management:
 - (b) Provide compactors for MSW.
 - (c) Separate wet and dry bins must be provided at the ground level for facilitating segregation of waste.
 - (d) All non-biodegradable waste shall be handed over to authorized recyclers for which a written tie up must be done with the authorized recyclers.
 - (e) Organic waste composter/Vermiculture pit with a minimum capacity of 0.3 kg/tenement/day must be installed.
 - (f) Ensure linkage with Municipal Corporation for final disposal of MSW.
- (4) PP should ensure road width, front MOS and side / rear as per MPBVR 2012.
- (5) For fire fighting:-
 - (a) PP should ensure connectivity to the fire station from the project site.
 - (b) As per MPBVR, 2012 rule 42 (3) PP should submit necessary drawings and details to the Authority (Nagar Nigam, Bhopal) incorporating all the fire fighting measures recommended in National Building Code Part – IV point no. 3.4.6.1. The occupancy permit shall be issued by Nagar Nigam only after ensuring that all fire fighting measures are physically in place.
- (6) For Rain Water Harvesting, and Ground water recharge:
 - (a) PP should ensure the rain water harvesting with 03 nos of recharging pits. In addition, PP should provide recharging trenches. The base of the trenches should be Kachha with pebbles.
 - (b) A rain water harvesting plan needs to be designed where the recharge bores (minimum one per 5000 sq mt of built up area) shall be provided.

the rain water harvested should be stored in a tank for reuse in household through a provision of separate water tank and pipeline to avoid mixing with potable municipal water supply. The excess rain water harvested be linked to the tube well bore in the premise through a pipeline after filtering arrangement of the rain water.


- (c) The unpaved area shall be more than or equal to 20% of the recreational open spaces.
- (7) Energy:-
- (a) All common area lighting must be of LED/Solar lights.
- (b) At least 1% of connected applied load generated from renewable energy source such as photovoltaic cells or wind mills or hybrid be provided.
- (c) As per the provisions of the Ministry of New and Renewable Energy solar water heater of minimum capacity 100 lit/ 4 persons (25 litre per capita) to be installed.
- (d) Fly ash bricks should be used as building material in the construction as per the provisions of Fly Ash Notification of September, 1999 and as amended from time to time.
- (8) PP should ensure to provide car parking as proposed 706 ECS for proposed site.
- (9) Air Quality and Noise
- (a) Dust, smoke & debris prevention measures such as wheel washing, screens, barricading & debris chute shall be installed at the site during construction including plastic/tarpaulin sheet covers for trucks bringing in sand & material at the site.
- (b) The exhaust pipe of the DG set if installed must be minimum of 10mtr away from the building or incase it is less than 10m away, the exhaust pipe shall be taken up to 3m above the building.
- (10) Green belt :-
- (a) PP should ensure plantation 21% of the project area to plant two rows peripheral plantation at a distance of 3 to 5 m. of tree species (2 mt. high plants). Avenue plantation along the roads and formal garden area, trees of indigenous local varieties like Neem, Peepal, Kadam, Karanj, Kachnaar etc. should be planted.
- (b) PP should ensure to initiate plantation in the project site during construction.
- (c) Every effort should be made to protect the existing trees on the plot.
- (11) In the case of future expansion in the scope or any changes(s) in the scope of the project shall again require prior Environmental clearance as per EIA notification, 2006.
- (12) All decisions of Hon'ble NGT and other Courts will be binding on the PP.

B. Specific Conditions as recommended by SEAC:-

- (13) Fresh water requirement for the project shall not exceed 197 KLD. The excess treated water will be used for watering of municipal road side green area or

- error shall be made to supply this water to the construction sites for use in the construction works.
- (14) Peripheral plantation all around the project boundary shall be carried out using tall saplings of minimum 2 meters height of species which are fast growing with thick canopy cover preferably of perennial green nature. PP will also make necessary arrangements for the causality replacement and maintenance of the plants.
 - (15) As proposed, STP of 300 KLD be provided by the PP. Grit chamber with effective grit removal device shall also be provided in the STP.
 - (16) STP sludge shall be filter-pressed and the de-watered sludge shall be disposed off with the MSW. Power back-up for un-interrupted operations of STP shall be ensured.
 - (17) MSW storage area should have 48 hours storage capacity.

Standard Conditions - Encl: Annex-I


(Anupam Rajan)
Member Secretary


2368
Endt No. / SEIAA/ 2016
Copy to:-

or

Date 4.7.16

- (1). Principal Secretary, Urban Development & Environment Deptt. 3rd Floor, Mantralaya Vallabh Bhawan, Bhopal.
- (2). Secretary, SEAC, Research and Development Wing Madhya Pradesh Pollution Control Board, Paryavaran Parisar, E-5, Arera Colony Bhopal-462016.
- (3). Member Secretary, MPPCB, Paryavaran Parisar, E-5, Arera Colony, Bhopal-462016.
- (4). The Collector, District Bhopal -M.P.
- (5). The Commissioner, Municipal Corporation, Bhopal, MP
- (6). The Jt. Director, Town & Country Planning, Paryavaran Parisar, E-5, Arera Colony, Bhopal, MP
- (7). Director, I.A. Division, Monitoring Cell, MoEF, Gol, Ministry of Environment, Forest & Climate Change, Indira Paryavaran Bhawan, Jor Bagh Road, New Delhi – 110 003
- (8). Director (S), Regional office of the MOEF, (Western Region), Kendriya Paryavaran Bhawan, Link Road No. 3, Ravi Shankar Nagar, Bhopal-462016.
- (9). Guard file.

Encl: Standard Conditions (Annex-I)



(Dr. Sanjeev Sachdev)
Officer-in-Charge


or


Standard Conditions related to under item 8 (a) & 8 (b) of the schedule of EIA
notification, 2006
(Building/ construction projects / area development projects & township)

A. Construction Phase

1. The construction site shall be provided with adequately barricades of at least 3 m height on its periphery with adequate signage.
2. All required sanitary and hygienic measures should be in place before starting any construction work and are to be maintained throughout the project phase.
3. Provision shall be made for the housing of construction labour within the site with all necessary infrastructure and facilities such as fuel for cooking, mobile toilets, safe drinking water, medical health care, crèche etc. The housing may be in the form of temporary structures to be removed after the completion of the project.
4. Occupational health and safety measures for the workers including identification of work related health hazards, training on malaria eradication, HIV, and health effects on exposure to dust etc. shall be carried out. Periodic monitoring for exposure to respirable dust on the workers shall be conducted and records maintained including health records of the workers. Awareness programme for workers on impact of dust on their health and precautionary measures like use of personal equipments etc. shall be carried out periodically.
5. A First Aid Room will be provided in the project both during construction and operation of the project.
6. All the topsoil excavated during construction activities should be stored for use in horticulture/landscape development within the project site.
7. Disposal of muck during construction phase should not create any adverse effect on the neighbouring communities and be disposed taking the necessary precautions for general safety and health aspects of people, only in approved sites with the approval of competent authority.
8. Soil and ground water samples will be tested to ascertain that there is no threat to ground water quality by leaching of heavy metals and other toxic contaminants.
9. Construction spoils, including bituminous material and other hazardous materials, must not be allowed to contaminate water courses and the dump sites for such material must be secured so that they should not leach into the ground water.
10. Any hazardous waste generated during construction phase, should be disposed off as per applicable rules and norms with necessary approvals of the M.P. Pollution Control Board.



(Dr R P Singh)
Officer-in-Charge



(Dr Vinita Vipat)
Officer-in-Charge



(Dr Sadhna Tiwari)
Officer-in-Charge

1 of 6

11. The diesel generator sets (if any) to be used during construction phase should be low sulphur diesel type and should conform to Environment (Protection) Rules prescribed for air and noise emission standards.
12. The diesel required (if any) for operating DG sets shall be stored in underground tanks and if required, clearance from Chief Controller of Explosives shall be taken.
13. Wastewater generated from temporary labour tents will be diverted to the sewer network in the area.
14. No water logging should take place at any point during construction phase.
15. If the project site is located within the 100 km of Thermal Power Stations, then fly ash should be used as building material in the construction as per the provisions of Fly ash Notification of September, 1999 and amended as on 27th August, 2003.
16. As far as possible ready mixed concrete should be used in construction work.
17. Vehicles hired for bringing construction material to the site should be in good condition and should have a pollution check certificate and should conform to applicable air and noise emission standards and should be operated only during non-peak hours.
18. Ambient noise levels should conform to residential standards both during day and night. Incremental pollution loads on the ambient air and noise quality should be closely monitored during construction phase. Adequate measures should be made to reduce ambient air and noise level during construction phase, so as to conform to the stipulated standards by CPCB/MPPCB.
19. Storm water control and its use should be as per CGWB and BIS standards for various applications.
20. Water demand during construction should be reduced by use of pre-mixed concrete, curing agents and other best practices referred.
21. Care shall be taken during the wet drilling activities.
22. Spread of contaminated water should be prevented by installing temporary barriers of G.I. Sheets.
23. To prevent surface and ground water contamination by oil/grease, leak proof containers shall be used for storage and transportation of oil/grease. The floors of oil/grease handling area will be kept effectively impervious.
24. On-site burning of waste material will not be permitted.
25. Ground water should not be used during construction phase. Private tanker water suppliers may be asked to supply water during construction phase.
26. Commitment towards CSR have to be followed strictly.
27. Fixtures for showers, toilet flushing and drinking should be of low flow either by use of aerators or pressure reducing devices or sensor based control.


(Dr R P Singh)
Officer-in-Charge


(Dr Vinita Vipat)
Officer-in-Charge


(Dr Sadhna Tiwari)
Officer-in-Charge


2 of 6


28. Wherever possible, the area around the STP / ETP should be surrounded with dense green belt.
29. To reduce the electricity consumption and load on air conditioning, high quality double glass with special reflective coating in windows should be promoted.
30. Roof should meet prescriptive requirement as per Energy Conservation Building Code by using appropriate thermal insulation material to fulfill requirement.
31. Opaque wall should meet prescriptive requirement as per Energy Conservation Building Code which is proposed to be mandatory for all air-conditioned spaces while it is aspirational for non-air conditioned spaces by use of appropriate thermal insulation material to fulfill requirement.
32. Approval of the competent authority shall be obtained for structural safety of the buildings due to earthquake, adequacy of fire fighting equipments, etc. as per National Building Code including protection measures from lightening etc.

B. Operation Phase

1. The installation of the Sewage Treatment Plant (STP) as submitted by PP in the office of SEIAA should be certified by an independent expert and a report in this regard should be submitted to the Regional office of the Ministry of Environment & Forest, Gol before the project is commissioned for operation. Treated effluent discharge from STP shall be recycled/reused to the maximum extent possible. Treated effluent shall conform to the norms and standards of the M.P. Pollution Control Board. Necessary measures should be made to mitigate the odour problem from STP.
2. Treated waste water should not be used for air conditioning.
3. Treatment of 100% grey water by decentralized treatment should be done.
4. The bio-medical waste (if applicable) generated should be disposed off as per the provisions of Bio-medical waste (Management and Handling) Rules 1988 as amended till date.
5. Provision of separate entrance / exit gate should be made for collection of segregated bio-medical waste (if applicable) from the storage area.
6. The solid waste generated should be properly collected and segregated. Wet garbage should be composted and dry/inert solid waste should be disposed off to the approved sites for land filling after recovering recyclable material as per CPCB norms.
7. Diesel power generating sets if proposed as source of back up power for elevators and common area illumination during operation phase should be of enclosed type and confirm to rules made under the Environment (Protection) Act, 1986. The height of stack of DG sets should be equal to the height needed for the combined capacity of all proposed DG sets. Low sulphur diesel must be used. The location of the DG sets may be decided with in consultation with Madhya Pradesh Pollution Control Board.


(Dr R P Singh)
Officer-in-Charge



(Dr Vinita Vipat)
Officer-in-Charge



(Dr Sadhna Tiwari)
Officer-in-Charge


3 of 6

Issued vide No. 236788
Dated: 4.7.16

8. No water logging should take place at any point during operation phase.
9. The Project Proponent shall explore the possibility of using solar energy wherever possible.
10. Provision for plantation has to be made as per Madhya Pradesh Bhumi Vikas Niyam, 1984.
11. Any hazardous waste generated during operation phase, should be disposed off as per applicable rules and norms with necessary approvals of the M.P. Pollution Control Board.
12. Noise should be controlled to ensure that it does not exceed the prescribed standards of CPCB.
13. Weep holes in the compound walls shall be provided to ensure natural drainage of rain water in the catchment area during the monsoon period.
14. Rain water harvesting for roof run-off and surface run-off, should be implemented. Before recharging the surface run off, pre-treatment must be done to remove suspended matter, oil and grease. The bore well for rainwater recharging should be kept at least 5 mts. above the highest ground water table.
15. The ground water level and its quality should be monitored regularly in consultation with Central Ground Water Authority.
16. Traffic congestion near the entry and exit points from the roads adjoining the proposed project site must be avoided. Parking should be fully internalized and no public space should be utilized.
17. A Report on the energy conservation measures confirming to energy conservation norms finalized by Bureau of Energy Efficiency should be prepared incorporating details about building materials & technology, R & U Factors etc and submit to the Regional office of Ministry of Environment & Forest, Govt. in three months time.
18. Energy conservation measures like installation of CFLs/TFLs for the lighting the areas outside the building should be integral part of the project design and should be in place before project commissioning. Used CFLs and TFLs should be properly collected and disposed off/sent for recycling as per the prevailing guidelines/ rules of the regulatory authority to avoid mercury contamination. Use of solar panels may be done to the extent possible.
19. The building should have adequate distance between them to allow movement of fresh air and passage of natural light, air and ventilation.
20. The area earmarked for the parking shall be used for parking only. No other activity shall be permitted in this area.
21. Ozone Depleting Substances (Regulation & Control) Rules shall be followed while designing the air conditioning system (if any) of the project.


(Dr R P Singh)
Officer-in-Charge



(Dr Vinita Vipat)
Officer-in-Charge



(Dr Sadhna Tiwari)
Officer-in-Charge


State Environment Impact Assessment Authority, M.P.
(Government of India, Ministry of Environment & Forests)
Research and Development Wing, Madhya Pradesh Pollution Control Board,
Paryavaran Parisar, E-5, Arera Colony, Bhopal-4620 16

C. Others

1. All activities / mitigative measures proposed by PP in Environmental Impact Assessment (if applicable) and approved by SEAC must be ensured.
2. All activities / mitigative measures proposed by PP in Environmental Management Plan and approved by SEAC must be ensured.
3. All parameters listed in Environmental Monitoring Plan approved by SEAC must be monitored at approved locations and frequencies.
4. Project Proponent has to strictly follow the direction/guidelines issued by MoEF, CPCB and other Govt. agencies from time to time.
5. The funds earmarked for environmental protection measures shall be kept in separate account and shall not be diverted for other purpose. Year wise expenditure shall be reported to the MoEF, GoI, and its Regional Office located at Bhopal.
6. The Ministry or any other competent authority may alter/modify the conditions or stipulate any further condition in the interest of environment protection.
7. The Environmental Clearance shall be valid for a period of five years from the date of issue of this letter.
8. The project proponent shall also submit six monthly reports on 1st June and 1st December of each calendar year on the status of compliance of the stipulated EC conditions including results of monitored data to the regulatory Authority in hard and soft copies.
9. The Regional Office, MoEF, GoI, Bhopal and MPPCB shall monitor compliance of the stipulated conditions. A complete set of documents including Environment Impact Assessment Report, Environmental Management Plan and other documents information should be given to Regional Office of the MoEF, GoI at Bhopal and MPPCB.
10. The Project Proponent shall inform to the Regional Office, MoEF, GoI, Bhopal and MP PCB regarding date of financial closures and final approval of the project by the concerned authorities and the date of start of land development work.
11. In the case of expansion or any change(s) in the scope of the project, the project shall again require prior Environmental Clearance as per EIA notification, 2006.
12. The SEIAA of M.P. reserves the right to add additional safeguard measures subsequently, if found necessary, and to take action including revoking of the environment clearance under the provisions of the Environmental (Protection) Act, 1986, to ensure effective implementation of the suggested safeguard measures in a time bound and satisfactory manner.
13. All other statutory clearances such as the approvals for storage of diesel from Chief Controller of Explosives, Fire Department, Civil Aviation Department, Forest Conservation Act, 1980 and Wildlife (Protection) Act, 1972 etc. shall be obtained (as and when applicable), by the project proponent from the respective competent authorities.



(Dr R P Singh)
Officer-in-Charge



(Dr Vinita Vipat)
Officer-in-Charge



(Dr Sadhna Tiwari)
Officer-in-Charge

5 of 6

14. These stipulations would be enforced among others under the provisions of Water (Prevention and Control of Pollution) Act, 1974, the Air (Prevention and control of Pollution) act 1981, the Environment (Protection) Act, 1986, the Public Liability (Insurance) Act, 1991 and EIA Notification, 2006.
15. The proponent shall upload the status of compliance of the stipulated EC conditions, including results of monitored data on their website and shall update the same periodically. It shall simultaneously be sent to the Regional Office of MoEF, the respective Zonal Office of CPCB and the SPCB. The criteria pollutant levels namely; SPM, RSPM, SO₂, NOx (ambient levels as well as stack emissions) or critical sectoral parameters, indicated for the project shall be monitored and displayed at a convenient location near the main gate of the company and in the public domain.
16. The environmental statement for each financial year ending 31st March in Form-V as is mandated to be submitted by the project proponent to the concerned State Pollution Control Board as prescribed under the Environment (Protection) Rules, 1986, as amended subsequently, shall also be put on the website of the company along with the status of compliance of EC conditions and shall also be sent to the Regional Office of MoEF.
17. Concealing factual data or submission of false/fabricated data and failure to comply with any of the conditions mentioned above may result in withdrawal of this clearance and attract action under the provisions of Environment (Protection) Act, 1986.
18. A copy of the environmental clearance shall be submitted by the Project Proponent to the Heads of the Local Bodies, Panchayat and municipal bodies as applicable in addition to the relevant officers of the Government who in turn has to display the same for 30 days from the date of receipt.
19. The Project Proponent shall advertise at least in two local newspapers widely circulated, one of which shall be in the vernacular language of the locality concerned, within 7 days of the issue of the clearance letter informing that the project has been accorded environmental clearance and a copy of the clearance letter is available with the State Pollution Control Board and also at website of the State Level Environment Impact Assessment Authority (SEIAA) at www.mpseiaa.nic.in and a copy of the same shall be forwarded to the Regional Office, MoEF, GoI, Bhopal.
20. Any appeal against this prior environmental clearance shall lie with the Green Tribunal, if necessary, within a period of 30 days as prescribed under Section 16 of the National Green Tribunal Act, 2010.


(Dr R P Singh)
Officer-in-Charge


(Dr Vinita Vipat)
Officer-in-Charge


(Dr Sadhna Tiwari)
Officer-in-Charge