



State Level Environment Impact Assessment Authority (SEIAA)

Andhra Pradesh

Government of India

Ministry of Environment & Forests

A-3, Industrial Estate, Sanathnagar, Hyderabad- 500 018.

REGD.POST WITH ACK.DUE

Order No. SEIAA/AP/KRMR - 339/2013

Dt: 03.09.2013

Sub: SEIAA, A.P. - 5.54 Ha. Colour Granite Mine of M/s. Sireesha Geo Granite Pvt. Ltd., Sy. No. 168, Odyaram (V), Gangadhara (M), Karimnagar District - Environmental Clearance - Issued - Reg.

- I. This has reference to your application submitted vide Ir. dt. 19.10.2012, seeking Environmental Clearance for the proposed **Colour Granite Mine** in favour of **M/s. Sireesha Geo Granite Pvt. Ltd., Sy. No. 168, Odyaram (V), Gangadhara (M), Karimnagar District**. It was reported that the nearest human habitation viz., Odyaram (V) exists at a distance of about 1.0 km from the mine lease area. It was noted that the capital investment of the project is Rs. 90.0 Lakhs and capacity of the project is as follows:
- Mining of Colour Granite - 10,830.4 m³/Annum.**
- II. It is a semi-mechanized opencast quarry. The Blocks are cut by using jack hammer drilling, wedge-cutting and excavation. The separated blocks are dressed manually. It is reported that the life of the Mine is estimated as 20 years. The total mine lease area is 5.54 Ha.
- III. The proposal has been examined and processed in accordance with EIA Notification, 2006 and its amendments thereof. The State Level Expert Appraisal Committee (SEAC) examined the application, in its meetings held on 04.12.2012 & 18.01.2013. The Sub-committee constituted by the SEAC inspected the site on 25.12.2012 and submitted the report. The project is exempted from the process of public hearing as the mining lease area is less than 25 Ha., in accordance with the guidelines approved by the SEIAA, AP for processing the applications of mining projects. Based on the information furnished, presentation made by the proponent and the environmental consultant M/s. Sri Sai Manasa Nature Tech (P) Ltd, Hyderabad; inspection report of the Sub-Committee; the Committee considered the project proposal and recommended for issue of Environmental Clearance. The State Level Environment Impact Assessment Authority (SEIAA), in its meeting held on 16.02.2013 examined the proposal and the inspection report of the sub committee and the recommendations of SEAC and decided to issue Environmental Clearance subject to submission of commitment by the proponent. The proponent vide Ir. dt. 10.06.2013 submitted a commitment in compliance with O.M. dt. 16.11.2010 issued by MoE&F, GOI, New Delhi. The SEIAA, AP hereby **accords Environmental Clearance to the project** as mentioned at Para no. I under the provisions of the EIA Notification 2006 and its subsequent amendments issued under Environment (Protection) Act, 1986 subject to implementation of the following specific and general conditions:

A. Specific Conditions:

a) Air Pollution:-

- i. Wet drilling & wire saw cutting method shall be adopted to control dust emissions.
- ii. Greenbelt shall be developed along the boundary of mining lease area with tall growing trees, with the native species in consultation with the local DFO/Agriculture Department.
- iii. Fugitive dust emissions from all the sources should be controlled regularly. Water spraying arrangement on haul roads, loading and unloading and at transfer points should be provided and properly maintained.
- iv. The proponent shall take appropriate measures to ensure that the GLC shall comply with the revised NAAQ norms notified by MoE&F, GoI on 16.11.2009.

- v. The following measures are to be implemented to reduce air pollution during transportation of mineral:-
- Roads shall be graded to mitigate the dust emission.
 - Water shall be sprinkled at regular interval on the main haul road and other service roads by water sprinklers to suppress dust.
- vi. The following measures are to be implemented to reduce Noise pollution:-
- Proper and regular maintenance of vehicles and other equipment
 - Limiting time exposure of workers to excessive noise.
 - The workers employed shall be provided with protection equipment and earmuffs etc.
 - Speed of trucks entering or leaving the mine is to be limited to moderate speed of 25 kmph to prevent undue noise from empty trucks.
- vii. Measures should be taken to comply with the provisions laid under Noise Pollution (Regulation and Control) (Amendment) Rules, 2010; dt. 11.01.2010 issued by the MoE&F, GOI to control noise to the prescribed levels. Workers engaged in operations of HEMM, etc should be provided with ear plugs/muffs.

b) Water Pollution:-

- i. The source of water is bore wells / tankers. Total water requirement is 4.5 KLD. Out of that, 1.0 KLD is used for dust suppression; 0.5 KLD is used for development of green belt; 3.0 KLD is used for domestic purpose. Wastewater generated from the domestic section is to be disposed into septic tank followed by soak pit.
- ii. Garland drain and siltation ponds of appropriate size should be constructed for the working pit to arrest flow of silt and sediment. The water so collected should be utilized for watering the mine area, roads, green belt development etc. The drains should be regularly desilted, particularly after monsoon, and maintained properly.
- iii. Regular monitoring of ground water level and quality should be carried out by establishing a network of existing wells by the project proponent in and around project area in consultation with Regional Director, CGWB, Southern Region, Hyderabad. Data thus collected should be sent at regular interval to MoEF, CGWA and CGWB, Southern, Region, Hyderabad.
- iv. Suitable conservation measures to augment groundwater resources in the area shall be planned and implemented in consultation with Regional Director, CGWB, Southern Region, Hyderabad. Suitable measures should be taken for rainwater harvesting.
- v. Permission from the competent authority should be obtained for drawl of ground water, if any, required for this project.

c) Solid Waste :-

- i. Topsoil, if any, shall be stacked properly with proper slope with adequate measures and should be used for plantation purpose.
- ii. The following measures are to be adopted to control erosion of dumps:-
 - Retention/toe walls shall be provided at the foot of the dumps.
 - Worked out slopes are to be stabilized by planting appropriate shrub/grass species on the slopes.
- iii. Waste oils, used oils generated from the EM machines, mining operations, if any, shall be disposed as per the Hazardous Wastes (Management, Handling, and transboundary movement) Rules, 2008 and its amendments thereof to the recyclers authorized by APPCB.

B. General Conditions:

- i. This order is valid for a period of 20 years OR the expiry date of mine lease period issued by the Government of A.P., whichever is earlier. It was reported that the life of the mine is 20 years.

- ii. "Consent for Establishment" & "Consent for Operation" shall be obtained from Andhra Pradesh Pollution Control Board under Air and Water Act to carry on mining.
- iii. No change in mining technology and scope of working should be made without prior approval of the SEIAA, A.P. No further expansion or modifications in the mine shall be carried out without prior approval of the SEIAA, AP/ MoE&F, GoI, New Delhi, as applicable.
- iv. The half-yearly compliance reports in respect of the terms and conditions stipulated in this order & monitoring reports shall be uploaded in the website of the project periodically. It shall simultaneously be submitted in hard and soft copies to the SEIAA and Ministry's Regional office, Bangalore on 1st June and 1st December of each calendar year.
- v. Officials from the Regional Office of MoE&F, Bangalore who would be monitoring the implementation of environmental safeguards should be given full co-operation, facilities and documents/data by the project proponents during their inspection. A complete set of all the documents shall be submitted to the CCF, Regional Office to MoE&F, Bangalore.
- vi. Four ambient air quality-monitoring stations should be established in the core zone as well as in the buffer zone. Location of the stations should be decided based on the meteorological data, topographical features and environmentally and ecologically sensitive targets and frequency of monitoring should be undertaken in consultation with the State Pollution Control Board.
- vii. Data on ambient air quality should be regularly submitted to the Ministry including its Regional Office located at Bangalore and the State Pollution Control Board/ Central Pollution Control Board once in six months.
- viii. Personnel working in dusty areas should wear protective respiratory devices and they should also be provided with adequate training and information on safety and health aspects.
- ix. The project proponent shall ensure that no natural watercourse and/or water resources shall be obstructed due to any mining operations. Necessary safeguard measures to protect the first order streams, if any, originating from the mine lease shall be taken.
- x. Occupational health surveillance program of the workers should be undertaken periodically to observe any contractions due to exposure to dust and take corrective measures, if needed.
- xi. A separate environmental management cell with suitable qualified personnel should be set-up under the control of a Senior Executive, who will report directly to the Head of the Organization.
- xii. The funds earmarked for environmental protection measures (Capital cost of Rs 4.50 lakhs & Recurring cost of Rs. 0.90 lakhs/annum) should be kept in separate account and should not be diverted for other purpose. Year wise expenditure should be reported to the Ministry and its Regional Office located at Bangalore.
- xiii. The project proponent shall submit the copies of the environmental clearance to the Heads of local bodies, Panchayats and Municipal Bodies in addition to the relevant offices of the Government who in turn has to display the same for 30 days from the date of receipt.
- xiv. The project authorities should advertise at least in two local newspapers widely circulated, one of which shall be in the vernacular language of the locality concerned, within 7 days of the issue of the clearance letter informing that the project has been accorded environmental clearance and a copy of the clearance letter is available with the State Pollution Control Board and SEIAA, A.P.

- xv. The SEIAA or any other competent authority may alter/modify the above conditions or stipulate any further condition in the interest of environment protection.
- xvi. The proponent shall obtain all other mandatory clearances from respective departments.
- xvii. Environmental clearance is subject to final order of the Hon'ble Supreme Court of India in the matter of Goa Foundation Vs. Union of India in Writ Petition (Civil) No.460 of 2004 as may be applicable to this project.
- xviii. Any appeal against this Environmental Clearance shall lie with the National Green Tribunal, if preferred, within a period of 30 days as prescribed under Section 16 of the National Green Tribunal Act, 2010.
- xix. Concealing the factual data or failure to comply with any of the conditions mentioned above may result in withdrawal of this clearance and attract action under the provisions of Environment (Protection) Act, 1986.
- xx. The SEIAA may revoke or suspend the order, if implementation of any of the above conditions is not satisfactory. The SEIAA reserves the right to alter/modify the above conditions or stipulate any further condition in the interest of environment protection.
- xxi. The above conditions will be enforced inter-alia, under the provisions of the Water (Prevention & Control of Pollution) Act, 1974, the Air (Prevention & Control of Pollution) Act, 1981, the Environment (Protection) Act, 1986 and the Public Liability Insurance Act, 1991 along with their amendments and rules.

Sd/-
MEMBER SECRETARY
SEIAA, A.P.

Sd/-
MEMBER
SEIAA, A.P.


Sd/-
CHAIRMAN,
SEIAA, A.P.

To
Sri. B.Lakshman, Proprietor,
M/s. Sireesha Geo Granite Pvt. Ltd.,
(5.54 Ha. Colour Granite Mine),
H.No. 10-1-269, Near Paramitha School,
Bhagyanagar, Karimnagar District - 505001.
e-mail: varshitarocks33@yahoo.com
Ph.No. 9849133645.

Copy to:

1. Prof. M. Anji Reddy, Chairman, SEAC, A.P. for kind information.
2. The Member Secretary, APPCB for kind information.
3. The EE, RO: Ramagundam, APPCB for information.
4. The Regional Officer, MoE&F, GOI, Bangalore for kind information.
5. The Secretary, MoE&F, GOI New Delhi for kind information.

-//T.C.F.B.O.//-


Senior Environmental Engineer
(Unit - I)



ANDHRA PRADESH POLLUTION CONTROL BOARD
ZONAL OFFICE: HYDERABAD

B.Madhusudhana Rao, M.E., LL.B.,
Joint Chief Environmental Engineer

4th Floor, Hyderabad Collectorate Complex,
Nampally, Hyderabad
Phone: 23202486, Fax: 23202503
Email:hyd.zo.jcee@pcb.ap.gov.in

BY REGISTERED POST WITH ACKNOWLEDEMENT DUE

CONSENT & HW AUTHORIZATION ORDER

Order No:551-RGM/PCB/ZOH/CFO/2013- 2789

Date:12.11.2013

(Consent Order for Existing/New or altered discharge of sewage and/or trade effluents/outlet under Section 25/26 of the Water (Prevention & Control of Pollution) Act, 1974 and amendments thereof and Operation of the plant under section 21 of Air (Prevention & Control of Pollution) Act, 1981 and amendments thereof) and Authorization / Renewal of Authorization under Rule 5 of the Hazardous Wastes (Management, Handling and Transboundary Movement) Rules, 2008.

CONSENT is hereby granted under section 25/26 of the Water (Prevention & Control of Pollution) Act, 1974 and under section 21 of Air (Prevention & Control of Pollution) Act, 1981 (hereinafter referred to as 'the Acts') and the rules and orders made thereunder to.

M/s.Sireesha Geo Granites,
(5.54 Ha Colour Granite Mine),
Sy.No.168, Odyaram (V), Gangadhara (M),
Karimnagar District – 505 445.

(Hereinafter referred to as 'the Applicant') authorizing to operate the industrial plant, to discharge the effluents from the outlets and the quantity of Emissions per hour from the chimneys as detailed below.

i) Outlets for discharge of effluents:

Outlet No.	Outlet Description	Max Daily Discharge (KLD)	Point of Disposal
1.	Domestic effluents	2.0	Septic tank followed by soak pit

ii) Emissions from chimneys:

Chimney No.	Description of Chimney	Quantity of Emissions at peak flow	Emissions standards
1.	Attached to D.G. Set of capacity – 125 KVA	----	SPM – 115 mg/Nm ³

This order is subject to the provisions of the Acts and orders made thereunder and further subject to the terms and conditions incorporated in the schedule A and B enclosed to this order.

iii) Hazardous Waste Authorization:

Form – II
[See Rule 3I & 5(5)]

Authorization No.551-RGM /PCB/ZOH/HWM/2013-

Date:12.11.2013

The authorization is granted to handle hazardous waste as specified below:


S.No	Name and quantity of the Hazardous waste	Stream	Disposal option
1	Waste Oil (20 LPA)	5.1 of Sch-I	Shall be sold to authorized waste oil Re-Processors / Re – Cycling units.

This order is subject to the provisions of 'the Acts' and 'the Rules' and orders made thereunder and further subject to the terms and conditions incorporated in the schedule A, B and C enclosed to this order.

This consent is valid for manufacture the following products along with quantities only

S.No.	Product	Capacity
1.	Mining of Colour Granite (over an extent of 5.54 Ha.)	29.67 m ³ /day

This combined order of consent & Hazardous Waste Authorization shall be valid for a period ending with the 30.09.2014

B. I. 
JOINT CHIEF ENVIRONMENTAL ENGINEER

Encl: Schedules A, B & C.

To
M/s.Sireesha Geo Granites,
(5.54 Ha Colour Granite Mine),
Sy.No.168, Odyaram (V), Gangadhara (M),
Karimnagar District - 505.445.
E-mail: varshitarocks33@yahoo.com