

TAMIL NADU P...

Proceedings No. T-4/CPT/MGR(N)/F.1598/W&A/dated: 26-9-191.

Sub: TNPC Bd - Industries - M/s. OP.Steels Pvt. Ltd.,
B-27(N) SIPCOT Industrial
Complex, Gummidipoondi, Chengai-MGR Dt. ammendment
issued - Regarding.

- Ref: 1. This Office Proc. No.T/CAN/F,1598/W/11080/
dated: 26-4-191.
- 2. This office Proc. No.T/.../F.1598/A/18010
dated: 26-4-91.
- 3. Letter No. OPS/Pollution 91/from the
unit dated: 7-9-91.

--oOo--

Under section 25 of the Water (Prevention and Control of Pollution) Act, 1981, Consent has been issued to the unit to manufacture the following.

Alloy steel and M.S. castings - 170 T/day

The unit in its letter cited has sought for Ammendment in the discription of the products manufactured.

Hence under section 27 of the Water (Preventions and Control of Pollution) Act 1974 and section 21 of the Air (Prevention and Control of Pollution) Act 1981, the details of the products manufactured and furnished under special condition part I of the Consent order may be altered to read as follows.

Twisted round, Ribbed Bars, Rounds, Re-Rolled Products,
Alloy steel and M.S.Castings. .. 170 T/day.

All other conditions stipulated in the consent order remain unaltered.

(Signature)
For MEMBER SECRETARY.

To
The President,
M/s.O.P.Steels Pvt. Ltd.,
No.17, Mooker Nalla Muthu Street,
II Floor, Madras-600 001.

Copy to: The District Environmental Engineer,
TNPC Board, Ambattur.



O.P. STEELS PVT. LTD.

Office:
No: 17, Mooker Nalla Muthu Street,
II Floor, Madras-600 001
Phone: 523754
TLX : 041-5067 OPSI IN

Director, Industries,
Government of India,
New Delhi-110 002

REF:OPS:POLLUTION:91

Dated: 27th August, 1991.

The Chairman,
Tamil Nadu Pollution Control Board,
No.32, Santhome High Road,
Mylapore,
M A D R A S - 600 004.

Dear Sir,

Sub: Inclusion of an additional product in our consent order.

- Ref: 1) Proceedings No. 4/CM/P-1590/W/11070
Dated 26th April, 1991.
- 2) Proceedings No. 4/CM/P-1590/W/11010
Dated 26th April, 1991.
- 3) Your Letter No. 76/CM/P-1590/W/V91
Dated 27th August, 1991.

With reference to the above letter Dated 27th August, 1991, we would like to clarify that we proposed to make few more items like Twisted Rounds, Ribbed Bars, Rounds, Re-Rolled Products over and above the products approved like Alloy Steel & S.S. Castings. We also like to inform you that there is no change in the capacity of production with which will continue to 170 T/day.

We request you to kindly give us the amendment for the additional items to be manufactured at the earliest.

Thanking you,

Yours Faithfully,
for O.P. STEELS PVT. LTD.

Authorized Signatory.

CC 1- The Divisional Environmental Engineer,
Tamil Nadu Pollution Control Board,
95/B, Korakadam Road, MADRAS - 53.

Ref: 1. Your Application No. 18010 dt. 26.11.90

14

Registered Post with Acknowledgement Due (This document contains 13 pages)

TAMIL NADU POLLUTION CONTROL BOARD, MADRAS

CONSENT ORDER NO: 3886

DATED: 26/4/91

Proceedings No. T/CAN/W/45DB/A/18010

DATED: 26/4/91

Consent for Existing/New operation of the plant under Section 21 of the Air (Prevention and Control of Pollution) Act, 1981 as amended.

(hereinafter referred to as "The Applicant") authorising him/her/them to operate his/her/their industrial plant in the Air Pollution Control Area notified by the Government and to continue to make existing discharge of emissions/make now discharge of emissions from the stacks/chimneys.

M/S. O.P. Steels Pvt. Ltd.,
R.S. No. 62/A/1,2,3,4A pt 4B pt 4B 2 pt 625 Rt,
B/27 (N), Sipcot Industrial Complex,
Gummidipoondy.

The CONSENT is valid for a period ending with the 31st day of March Nineteen Ninety two for the existing/new operation of the plant under Section 21 of the Air (Prevention and Control of Pollution) Act, 1981 as amended.

Rel: 1. Your Application No. 18010 dt. 26.11.90

2. DEE/CAN/Tech/T No. RM62/90/ DE. 7.2.91

Dated.....18.4.91.....

CCO/Board Resolution No: 104/75

CONSENT is hereby granted under Section 21 of the Air (Prevention and Control of Pollution) Act, 1981 (Central Act 14 of 1981) as amended (hereinafter referred to as "The Act") and the rules and orders made thereunder to

The President,
M/S. O.P. Steels Pvt. Ltd.,
R.S. No. 62/A/1,2,3,4A pt 4B pt 4/3 625 Rt,
B/27 (N), Sipcot Industrial Complex,
Gummidipoondy.

(hereinafter referred to as "The Applicant") authorising him/her/them to operate his/her/their industrial plant in the Air Pollution Control Area as notified by the Government and to continue to make existing discharge of emissions/make now discharge of emissions from the stacks/chimneys.

This is subject to the provisions of the Act and the rules and orders made thereunder and further subject to the terms and conditions incorporated in the Special and General Conditions annexed.

This CONSENT is valid for a period ending with the 31st day of March Nineteen Ninety two

V. Sankar
30/4
for CHAIRMAN
Tamil Nadu Pollution Control Board
Madras
29/4/91

To

The President,
M/S. S.P. Steels Pvt. Limited,
No.4, VIII th Street,
Dr. Radhakrishnan Salai,
Mylapore,
Madras - 600 004.

Copy to: The District Environmental Engineer, Tamil Nadu Pollution Control Board,

Chengai Anna North

for information and necessary action.

Copy to: The Senior Environmental Engineer, Tamil Nadu Pollution Control Board,

Madras Region.

Copy to: The Commissioner/Executive Officer

Gummidipoondy Panchayat Union,
Gummidipoondy,
Chengai Anna North.

Spare:

SPECIAL CONDITIONS**1. Details of the Products Manufactured**

Sl.No.	Description	Quantity/Month
--------	-------------	----------------

1.	Alloy Steels & N.S. Castings	170 T/day.
----	---------------------------------	------------

This Consent is valid for the manufacture of products and the rate of production mentioned above. Any change in the quantity or quality of the products has to be brought to the notice of the Board and fresh consent has to be obtained.

2. Emission is permitted through the following chimneys/stacks and shall not exceed the figures indicated:

Chimney/Stack Number.	Description of Chimney/Stack	Maximum discharge M ³ /hour	Point of discharge (Height)
(1)	(2)	(3)	(4)

1.	Stack attached to Generator	215.3	9 m from Ground Level.
----	--------------------------------	-------	---------------------------

3(a) The emissions shall not contain constituents in excess of the tolerance limits as laid down hereunder.

Serial Number	Parameter	Units	Tolerance Limits.					
			CHIMNEYS/STACK NUMBER					
(1)	(2)	(3)	(1)	(2)	(3)	(4)	(5)	(6)

1. SO₂
2. CO
3. NO_x
4. SPM

The unit adheres to the Ambient Air Quality standards subscribed by the Board from time to time.

3(b) The ambient air in the industrial plant area shall not contain constituents in excess of the tolerance limits prescribed below:

Serial Number (1)	Parameter (2)	Units (3)	Tolerance Limits (4)
1.	SO ₂	Micrograms/M ³	80
2.	CO	Micrograms/M ³	2000
3.	NO _x	Micrograms/M ³	80
4.	SPM	Micrograms/M ³	200

3(c) The ambient noise level in the industrial plant area shall not exceed the limits prescribed below:

Limits in dB(A)	Day Time	Night Time
	(6 A.M. to 9 P.M.)	(9 P.M. to 6 A.M.)
	55	45

Serial Number	Characteristics.	Units	Tolerance Limits.						
			Outlet No.						
(1)	(2)	(3)	(1)	(2)	(3)	(4)	(5)	(6)	(7)
24.	Lead as (Pb)	mg/l							
25.	Selenium as (So)	mg/l							
26.	Mercury total as (Hg)	mg/l							
27.	Insecticides								
28.	Alpha emitters	Micro C/ml							
29.	Beta emitters	Micro C/ml							
30.	Free Ammonia as (NH ₃)	mg/l							
31.	Dissolved phosphates as (P)	mg/l							
32.	Total Kjeldahl Nitrogen as (N)	mg/l							
33.	Total Chromium as (Cr)	mg/l							
34.	Nickel as (Ni)	mg/l							
35.	Residual Sodium Carbonate	mg/l							

Serial Number	Characteristics	Units	Tolerance Limits						
			Outlet No.						
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	
12.	Copper as (Cu)	mg/l							
13.	Zinc as (Zn)	mg/l							
14.	Phenolic compounds as Phenol	mg/l							
15.	Oil and grease	mg/l							
16.	Iron as (B)	mg/l							
17.	BOD 5 days @ 20°C	mg/l	20						
18.	COD	mg/l							
19.	Total Residual Chlorine	mg/l							
20.	Arsenic as (As)	mg/l							
21.	Cadmium as (Cd)	mg/l							
22.	Chromium as (hexavalent Cr ⁶⁺)	mg/l							
23.	Cyanide as (CN)	mg/l							

GENERAL CONDITIONS

1. The applicant shall make an application for grant of fresh consent atleast 30 days before the date of expiry of this Consent Order.

2. The necessary fee, as proscribed for obtaining consent, shall be paid for by the applicant along with the application for Consent.

3. The industry shall immediately submit the revised application for consent to this Board in the event of any change in the quantity/quality of raw material, manufacturing process, rate of emissions, air pollution control equipment, etc.

4. The applicant shall either:-

(a) Not later than 30 days from the date of issue of this consent order, certify in writing to the Member Secretary that the applicant has installed or provided for an alternate electric power source sufficient to operate all facilities installed by the applicant to maintain compliance with the terms and conditions of the consent.

(b) Not later than 30 days from the date of this consent certify in writing to the Member Secretary that upon the reduction, loss or failure of one or more of the primary sources of electric power to any facilities installed by the applicant to maintain compliance with the terms and conditions of this consent, the applicant shall halt, reduce or otherwise control production and/or all emissions in order to maintain compliance with the terms and conditions of this consent.

5. No control equipments or chimney shall be altered or replaced or as the case may be erected or re-erected except with the previous approval of the Board.

6. The liquid effluent arising out of the operation of the air pollution control equipment shall also be treated in a manner and to the satisfaction of standards prescribed by the Board in accordance with the provisions of Water (Prevention and Control of Pollution) Act, 1974 as amended.

7. The solid waste, such as sweepings, wastage, package, empty containers, residues, sludge including that from air pollution control equipments collected within the premises of the industrial plant shall be disposed off scientifically to the satisfaction of the Board, so as not to cause fugitive emission, dust problems, or water pollution problem through leaching etc of any kind.

8. The applicant shall plant a minimum of three varieties of trees (Eucalyptus, Subabul and any other suitable variety) at the density of not less than 1,000 trees per acre. The plantation is stipulated over and above the bulk plantation of trees in that area and maintain them.

9. The applicant shall provide all facilities for collection of sample to the Board staff.

10. The stack monitoring system employed by the applicant shall be open for inspection to this Board at any time.

11. There shall not be any fugitive or episodal discharge from the premises.

12. In case of such episodal discharges/emissions the industry shall take immediate action to bring down the emission within the limits prescribed by the Board in special condition No: 3(a).

13. The applicant shall at all times maintain in good working order and operate as efficiently as possible all pollution control facilities to achieve the terms and conditions of the consent.

14. The issue of this consent does not convey any property right in either real or personal property or any exclusive privileges nor does it authorise any injury to private property or any invasion of personal rights, or any infringement of Central, State laws or regulations.

15. The applicant shall keep the premises of the industrial plant and air pollution equipments clean and make all hoods pipes, valves stacks/chimneys leak proof. The air pollution control equipments, location, inspection chambers, sampling port holes shall be made easily accessible at all time.

16. The applicant shall display this consent granted to him in a prominent place for perusal of the inspecting officers of this Board.

17. An inspection book shall be opened and made available to the Board's Officers during their visit to the factory.

18. If due to any technological improvement or otherwise this Board is of opinion that all or any of the conditions referred to above requires variation (including the change of any control equipment either in whole or in part) this Board shall, after giving the applicant an opportunity of being heard, vary all or any of such condition and thereupon the applicant shall be bound to comply with the conditions so varied.

19. The applicant, his/her/their legal heirs / representatives or assignees shall have no claim whatsoever to the continuation or renewal of this consent after the expiry of the period of this consent.

20. The Board reserves the right to review, impose additional condition or conditions, revoke change or alter the terms and conditions of this consent.

21. The industry Operates its industrial plant with adequate Air Pollution Control Measures.

V. Sankar 30/4
 For CHAIRMAN
 Tamil Nadu Pollution Control Board
 Madras

TAMIL NADU POLLUTION CONTROL BOARD

Proceedings No. T-4/CPT/MGR(N)/F.1598/W&A/dated: 26-9-91.

Sub: TNPC Bd - Industries - M/s. OP.Steels Pvt. Ltd.,
27(N) SIPCOT Industrial
Complex, Gummidipoondi, Chengai-MGR Dt. ammendment
issued - Regarding.

- Ref: 1. This Office Proc. No.T/CAN/F.1598/W/11080/
dated: 26-4-91.
2. This office Proc. No.T1/om/F.1598/A/18010
dated: 26-4-91.
3. Letter No. OPS/Pollution 91/from the
unit dated: 7-9-91.

--o0o--

Under section 25 of the Water (Prevention and Control of Pollution) Act, 1981, Consent has been issued to the unit to manufacture the following.

Alloy steel and M.S. castings - 170 T/day

The unit in its letter cited has sought for Ammendment in the description of the products manufactured.

Hence under section 27 of the Water (Prevention and Control of Pollution) Act 1974 and section 21 of the Air (Prevention and Control of Pollution) Act 1981, the details of the products manufactured and furnished under special condition part I of the Consent order may be altered to read as follows.

Twisted round, Ribbed Bars, Rounds, Re-Rolled Products,
Alloy steel and M.S.Castings. .. 170 T/day.

All other conditions stipulated in the consent order remain unaltered.

P. V. V. Ar
20.9.91
For MEMBER SECRETARY.

To

✓ The President,
M/s.O.P.Steels Ltd.,
No.17, Mooker Nalla Muthu Street,
II Floor, Madras-600 001.

Copy to: The District Environmental Engineer,
TNPC Board, Ambattur.

P.T.8

14

By Registered Post with
Acknowledgement Due
(This document contains 12 pages)



TAMIL NADU POLLUTION CONTROL BOARD, MADRAS

CONSENT ORDER NO: 6239

DATED: 26/4/91

Proceedings No: T/CAN/F 1598/W/11070

DATED: 26/4/91

Consent for Existing/New or Altered outlet/discharge of sewage and/or trade effluent under Section 25/26 of the Water (Prevention and Control of Pollution) Act, 1974 as amended.

Sub: TAMIL NADU POLLUTION CONTROL BOARD - CONSENT -

MESSRS.

O.P. Steels Pvt. Limited,
R.S. No. 62/A/ 1,2,3,4A pt 4B pt 4B 2 pt 625 Rt,
B 27 (N), Sipcot Industrial Complex,
Gummidipoondy.

for the discharge of sewage and/or trade effluent under Section 25/26 of the Water (Prevention and Control of Pollution) Act, 1974 (Central Act, 6 of 1974) as amended.

Ref: 1. Your Application No. 11070 Dt. 26.11.90

2. DEE/CAN/Tech/T No. RM62/90 pt. 7.2.91.

CES/Board Resolution No: 104-75

Dated: 18/4/91

CONSENT is hereby granted under Section 25/26 of the Water (Prevention and Control of Pollution) Act, 1974 (Central Act, 6 of 1974) as amended (hereinafter referred to as "The Act") and the rules and orders made thereunder to

The President,
M/S. O.P. Steels Pvt. Limited,
R.S. No. 62/A/1,2,3,4A pt 4B pt 4B 2 pt, 625 Rt,
B 27 (N), Sipcot Industrial Complex,
Gummidipoondy.

(hereinafter referred to as "The applicant") authorising him/her/them to continue to
into make new discharge or use new/altered outlet for discharge of sewage
trade effluent.

This is subject to the provisions of the Act and the rules and orders made thereunder and further subject to the terms and conditions incorporated in the Special and General Conditions annexed.

This CONSENT is valid for a period ending with the 31st day of March Nineteen Ninety two

V. Sankar
for CHAIRMAN
Tamil Nadu Pollution Control Board
Madras
21/4/91

To

The District Engineer, Tamil Nadu Pollution Control Board,
Chennai
Tamil Nadu

Copy to: The District Environmental Engineer, Tamil Nadu Pollution Control Board,

for information and necessary action.

Copy to: The District Environmental Engineer, Tamil Nadu Pollution Control Board,

for information and necessary action.

Copy to: The Commissioner/Executive Officer

Chennai
Tamil Nadu

Spare:

6.11.2011

This consent is valid for the manufacture³ of products and rate of production mentioned above. Any change in the quantity or quality of the products has to be brought to the notice of the Board and fresh consent has to be obtained.

SPECIAL CONDITIONS

1. Details of the Products Manufactured

2. Discharge of effluent is permitted from the following outlets. The quantity of effluent discharged shall not exceed the figures mentioned below:

Sl.No. (1)	Description (2)	Quantity/Month (3)	Point of Disposal (4)
1.	Alloy Steel Castings		

1.	Sewage	500	Outside the premises.
----	--------	-----	-----------------------

This consent is valid for the manufacture of products and rate of production mentioned above. Any change in the quantity or quality of the products has to be brought to the notice of the Board and fresh consent has to be obtained.

2. Discharge of effluent is permitted from the following outlets. The quantity of effluent discharged shall not exceed the figures mentioned below:

Outlet Number. (1)	Description of Outlet (2)	Maximum daily Discharge (in litres/day) (3)	Point of Disposal (4)
1.	Sewage	500	Outside the premises.

2.			(Connected to sipcot sewerage system)
----	--	--	---------------------------------------

3.	<u>Details of the products Manufactured</u>		
----	---	--	--

Sl.No.	Description	Quantity	Point of Disposal
5.			
6.			
7.			

3. The effluent discharged shall not contain constituents in excess of the tolerance limits as laid down hereunder.

Serial Number	Characteristics.	Units	Tolerance Limits.						
			Outlet No.						
(1)	(2)	(3)	(1)	(2)	(3)	(4)	(5)	(6)	(7)

1. pH Number 5.5 to 9

2. Temperature °C

3. Particles size of total Suspended solids mm/micron

4. Total suspended solids mg/l 30

5. Total dissolved solids (Inorganics) mg/l

6. Chlorides as (Cl) mg/l

7. Sulphides as (S) mg/l

8. Sulphates as (SO₄) mg/l

9. Fluorides as (F) mg/l

10. Ammoniacal Nitrogen as (N) mg/l

11. Sodium %

4. All units of the air pollution control equipment required to achieve the quality of the emissions to the tolerance limits prescribed above shall be completed within
Three months from the date of this order or before
 or along with the commissioning of production.

5. The applicant shall provide port holes for sampling the emission and access-platform for carrying out stack sampling and provide electrical outlet points and other arrangements for Chimneys/stacks and other sources of emissions so as to collect samples of emission by the Board or the applicant at any time in accordance with the provisions of the Act or Rules made therein.

6. The applicant shall at his own cost get the samples of emission collected and analysed by the TNPC Board Laboratory every month for the parameters indicated in condition No.3(a) and shall furnish in triplicate the report thereof to the Board by the 10th of succeeding month.

7. This consent is given by the Board in consideration of the particulars given in the application. Any change or alteration or deviation made in actual practice from the particulars furnished, in the application will also be ground for review/variation/revocation of the consent order under Section 21 of the Act to make such deviation as deemed fit for the purpose of the Act.

8. The applicant shall not change or alter either the quality, or quantity or rate of emission or install, replace or alter the air pollution control equipment or change the raw material or manufacturing process resulting in any change in quality and / or quantity of emissions, without the previous written permission of the Board.

9. The applicant shall provide and maintain at his own cost one/two/three ambient air quality monitoring stations for monitoring suspended particulate matter, Sulphur-dioxide, Oxides of Nitrogen, Hydro-carbon, Carbon-monoxide and monitor the same all in a day, once in a week/fortnight/month. The data collected shall be maintained in a register and a monthly extract furnished to the Board.

10. The applicant shall provide and maintain at his own cost a meteorological station to collect the data on wind velocity, direction, temperature, humidity, rainfall, etc. and the daily readings shall be recorded and the extract sent to the Board once in a month.

11. The applicant shall forward the following information to the Member Secretary, Tamil Nadu Pollution Control Board, Madras, regularly before 10th of every month:—

(a) Progress on the installation of Air Pollution Control equipments.

(b) Progress on the procurement and installation of equipments for monitoring ambient air quality, stacks, chimneys and meteorological data.

(c) Monthly extract of daily discharge of emissions through each chimney/stack.

(d) Report of Analysis of stack monitoring, ambient air quality monitoring,

meteorological data as required under Conditions...6,...9...&...10.

(e) Progress on planting of trees and plants as referred to under General Conditions No.8.

12. Any upset condition if any of the plant/plants of the factory which is likely to result in increased emissions and/or result in violation of the standards mentioned above shall be reported to the Head quarters and District Environmental Engineer's Office/Regional Senior Environmental Engineer's Office of the Board telegraphically.

13. The applicant shall furnish to the Visiting Officer of the Board any information regarding the stack monitoring system/or operation of the plant or any other particulars as may be pertinent in preventing and controlling of pollution of Air.

14. The applicant shall submit process flow sheet and particulars of proposed control equipments, monitoring equipments and time schedule for completing the installation of the same so as to reach the Board within 30 days from the date of receipt of this order.

15. The conditions imposed as above shall continue in force until revoked under Section 21 of the Act.

4. All units of the sewage/trade effluent treatment plant to achieve the quality of the effluent according to the tolerance limits prescribed above shall be completed within.....Three..... months from the date of this order or beforeor along with the commissioning of production.

5. Meters must be affixed at the entrance of the water supply connection so that such meters are easily accessible for inspection and maintenance and for other purposes of the Act, provided that the place where it is affixed shall in no case be at a point before which water has been tapped by the consumer for utilisation for any purposes whatsoever.

6. Separate meters with necessary pipe-line for assessing the quantity of water used for each of the purposes mentioned below:

a. Industrial cooling, spraying in mine pits or boiler feed.

b. Domestic purpose.

c. Process

d.

e.



7. The applicant shall take immediate action to install mechanical compositing sampling equipment and continuous flow measuring/recording devices on the effluent drains of trade as well as sewage effluent within three months from the date of this consent order. A record of daily effluent discharge shall be maintained.

8. This consent is given by the Board in consideration of the particulars given in the application. Any change or alteration or deviation made in actual practice, from the particulars furnished in the application will also be ground for review/variation/revocation of the consent order under section 27 of the Act and to make such variation as deemed fit for the purpose of the Act.

9. The applicant shall not change or alter either the quality or quantity of the rate of the discharge or temperature or the route of discharge without the previous written permission of the Board.

10. The applicant shall comply with and carry out directives/orders issued by the Board in this consent order and at all subsequent times without any negligence on his part. The applicant shall be liable for such legal action as per provisions of the Law/Act in case of non-compliance of any order/directives issued at any time and or violation of the terms and conditions of this consent order.

11. The following information shall be forwarded to the Member-Secretary regularly on or before 10th of every month:—

- a. Progress on the installation of effluent treatment plant:
- b. Progress on the installation of Mechanical composite sampling equipment and continuous flow recording/measuring devices.
- c. Monthly Statement of daily discharge of sewage as well as trade effluents.

12. Any upset condition in any of the plant/plants of the factory which is likely to result in increased effluent discharge and or result in violation of the standards mentioned above shall be reported to the Head Quarters and District Environmental Engineer's Office/ Regional Senior Environmental Engineer's Office of the Board telegraphically.

13. The applicant shall furnish to the visiting officer of the Board any information regarding the construction, installation or operation of the plant or of effluent treatment plant and any other particulars as may be pertinent to preventing and controlling pollution of water.

14. Notwithstanding anything contained in this conditional letter of consent, the Board hereby reserves to it the right and power under section 27(2) of the Water (Prevention and Control of Pollution) Act, 1974 (as amended) to review any and/or all the conditions imposed herein above and to make such variations as deemed fit for the purpose of the Act by the Board.

15. The conditions imposed as above shall continue in force until revoked under section 27 (2) of the Act:

16. The industry has to ensure that minimum three varieties of trees (Eucalyptus, Subabul, and any other suitable variety) are planted at the density of not less than 1,000 trees per acre. The trees may be planted along the boundaries of the industry or industrial premises. This plantation is stipulated over and above the bulk plantation of trees in that area and maintain them.