

**Government of Maharashtra**

SEAC-2011/CR-<sup>725</sup>/TC-1  
Environment department  
Room No. 217, 2<sup>nd</sup> floor,  
Mantralaya Annexe,  
Mumbai- 400 032.  
Dated: 30<sup>th</sup> September, 2014

To,  
M/s. Vornado Hinjewadi Township Pvt. Ltd.  
Add- Plot No. R-2/1, R-2/2, MIDC,  
Hinjewadi Phase- 3, Village Maan,  
Tehsil- Mulshi, Dist.-Pune,

**Subject: Environment Clearance for proposed residential project at Plot No. R-2/1, R-2/2, MIDC, Hinjewadi Phase-3, Pune by M/s. Vornado Hinjewadi Township Private Limited.**

Sir,

This has reference to your communication on the above mentioned subject. The proposal was considered as per the EIA Notification - 2006, by the State Level Expert Appraisal Committee-III, Maharashtra in its 4<sup>th</sup> meeting and recommend the project for prior environmental clearance to SEIAA. Information submitted by you has been considered by State Level Environment Impact Assessment Authority in its 71<sup>st</sup> meeting.

2. It is noted that the proposal is for grant of Environmental Clearance for proposed residential project at Plot No. R-2/1, R-2/2, MIDC, Hinjewadi Phase-3, Pune. SEAC-III considered the project under screening category 8(b) B1 as per EIA Notification 2006.

**Brief Information of the project submitted by Project Proponent is as-**

Name of Project	“VORNADO HINJEWADI TOWNSHIP” A Mixed Use Development Project
Project Proponent	M/s. Vornado Hinjewadi Township Pvt. Ltd.
Consultant	Ultra-Tech Environmental Consultancy & Laboratory.
Type of project	Mixed Use Development Project
Location of the project	Plot No. R-2/1, R-2/2, MIDC, Hinjewadi Phase- III, Pune
Whether in Corporation / Municipal / other area	MIDC
Applicability of the DCR	MIDC bye-laws
Total Plot Area (sq. m.)	1,84,432 m <sup>2</sup>
Deductions	
Net Plot area	
Permissible FSI (including TDR etc.)	1.8 FSI
Proposed Built-up Area	FSI : 3,27,633 m <sup>2</sup>

(FSI & Non-FSI)	Non FSI: 2,02,656 m <sup>2</sup> Total: 5,30,289m <sup>2</sup>			
Ground-coverage Percentage (%) <i>(Note: Percentage of plot not open to sky)</i>	58,072m <sup>2</sup> (31.49% on Plot area)			
Estimated cost of the Project	Rs. 877.50/-Crores			
No. of building & its configuration(s)	S. No.	Bldg.Type	No. of tenements	Configur ation
	1	A1	89	B+G+23
	2	A2 (2 Wings )	178	G+23
	3	A3 (2 Wings )	178	B+G+23
	4	A4	89	G+23
	5	A5 (2 Wings )	178	3B+G+23
	6	A6 (2 Wings )	178	3B+G+23
	7	A7	89	3B+G+23
	8	A8 (2 Wings )	178	3B+G+23
	9	A9 (2 Wings )	178	3B+G+23
	10	A10	89	B+G+23
	11	A11 (2 Wings )	178	B+G+23
	12	A12 (2 Wings )	178	B+G+23
	13	A13 (2 Wings )	178	B+G+23
	14	A14 (2 Wings )	178	B+G+23
	15	A15 (2 Wings )	178	G+23
	16	A16 (Comm / Res)	134	2B+G+18
	17	A17	89	B+G+23
	18	A18 (2 Wings )	178	B+G+23
	19	A19 (2 Wings )	178	B+G+23
	20	A20 (2 Wings )	178	B+G+23
	21	A21 (2 Wings )	178	B+G+23
	22	A22	89	B+G+23
	23	A23	89	B+G+23
	24	A24	89	B+G+23
	25	B1 – B30	30	G+1
	26	D1- D4	16	G+3
		C-2	2870	B+G
	28	C-3	4720.17	B+G
	29			G
	30	Club House1	300	G
	31			G
32	Club House 3	750	G	
Number of tenants and Shops	3562 no. of tenements			
Number of expected residents / users	20446nos.			
Tenant density per hectore	196.7 / hec.			

Height of the building(s)	S. No.	Building Type	Height of the Building (mt)
	1	A1	70
	2	A2 (2 Wings )	70
	3	A3 (2 Wings )	70
	4	A4	70
	5	A5 (2 Wings )	70
	6	A6 (2 Wings )	70
	7	A7	70
	8	A8 (2 Wings )	70
	9	A9 (2 Wings )	70
	10	A10	70
	11	A11 (2 Wings )	70
	12	A12 (2 Wings )	70
	13	A13 (2 Wings )	70
	14	A14 (2 Wings )	70
	15	A15 (2 Wings )	70
	16	A16 (Comm / Res)	60
	17	A17	70
	18	A18 (2 Wings )	70
	19	A19 (2 Wings )	70
	20	A20 (2 Wings )	70
	21	A21 (2 Wings )	70
	22	A22	70
	23	A23	70
	24	A24	70
	25	B1 – B30	7.9
	26	D1- D4	14.9
	27	C-2	4.2
	28	C-3	4.2
	29	Club house 1	4.5
	30	Club house 2	4.5
	31	Club house 3	4.5
	32	Club house	4.5
Right of way (Width of the road from the nearest fire station to the proposed building(s))	60 m& 36 m wide external road= Fire station is abutting to site.		
Turning radius for easy access of fire tender movement from all around the building excluding the width for the plantation	More than 9.00mt. wide.		
Total Water Requirement	Dry season: • Fresh water (CMD): 816& Source: MIDC& Tankers • Recycled water (CMD):1206 • Total Water Requirement (CMD):2022(including fresh		

	<p>water)</p> <ul style="list-style-type: none"> <li>• Swimming pool make up (Cum):15</li> <li>• Fire fighting (Cum):Capacity of Tanks : 200 and 250</li> </ul> <p>Wet Season:</p> <ul style="list-style-type: none"> <li>• Fresh Water (CMD): 816&amp; Source : MIDC &amp; Tankers</li> <li>• Recycled water (CMD) : 1206</li> </ul> <p>Total water requirement (CMD): 2022 (including fresh water)</p> <ul style="list-style-type: none"> <li>• Swimming pool make up (Cum): 15</li> <li>• Fire fighting (Cum): Capacity of Tanks : 200 and 250</li> </ul>
Rain Water Harvesting (RWH)	<ul style="list-style-type: none"> <li>•Level of the Ground water table: 3.50 to 8.00 m</li> <li>•Size and no of RWH tank(s) and Quantity: 2 nos. of RWH tanks with capacity 500 m<sup>3</sup>&amp; 224 m<sup>3</sup> respectively.</li> <li>•Location of the RWH tank(s): 500 m<sup>3</sup>- near A1 building&amp; 224 m<sup>3</sup> – near A23 Building.</li> <li>•Size, no of recharge pits and Quantity : 43 Nos. of rain water harvesting recharge pits</li> <li>•Size- 3 m X 3 m X 3 m.</li> <li>•Budgetary allocation (Capital cost and O&amp;M cost) Capital Cost: Rs. 181.9 Lacs O &amp; M Cost : Rs. 2.18 Lacs/ Year</li> </ul>
UGT tanks	<ul style="list-style-type: none"> <li>•Location(s) of the UG tank(s): Near to A3, A8, A11, A15, A16-01, A17, A19, &amp; A23</li> </ul>
Storm water drainage	<ul style="list-style-type: none"> <li>• Natural water drainage pattern: The plot is sloping from south east to North-West direction.</li> <li>• Quantity of storm water: 2.0 m<sup>3</sup>/sec Size of SWD: Size of the internal drain shall be 0.9 m dia.x 3 nos with average slope of 1:150</li> </ul>
Sewage and Waste Water	<ul style="list-style-type: none"> <li>• Sewage generation (CMD) : 1334</li> <li>• STP technology: MMBR Technology.</li> <li>• Capacity of STP (CMD): 2 Nos. of STPs of capacity 945m<sup>3</sup>&amp;395m<sup>3</sup></li> <li>• Location of the STP: Ist STP : Near building A2 IInd STP : Near building A24</li> <li>• DG sets (during emergency): Load considered in the Common D.G. Set</li> <li>• Budgetary allocation (Capital cost and O&amp;M cost): Capital Cost : Rs.235 lacs O &amp; M Cost :Rs. 86.5lacs/Year</li> </ul>
Solid waste Management	<p>Waste generation in the Pre Construction and Construction phase:</p> <ul style="list-style-type: none"> <li>•Waste generation: Approx. 37 kg/day</li> <li>•Quantity of the top soil to be preserved: 83949.6 CUM</li> <li>• Disposal of the construction way debris: This material shall be used for back filling and levelling of the plot and remaining will be disposed to authorized sites.</li> </ul>

	<p>Waste generation in the operation Phase:</p> <ul style="list-style-type: none"> <li>• Dry waste (Kg/day):3969</li> <li>• Wet waste (Kg/day):4705</li> <li>• E – waste (Kg/Month):Negligible</li> <li>• Hazardous waste (Kg/month):Negligible</li> <li>• Biomedical waste (Kg/month) (If applicable): Not applicable</li> <li>• STP Sludge (Dry sludge) (Kg/day):200</li> </ul> <p>Mode of Disposal of waste:</p> <ul style="list-style-type: none"> <li>• Wet &amp; Dry Garbage: Wet garbage will be disposed through OWC Plant. The dry garbage whatever generated will be disposed through approved waste collection agencies like Swatch, SantGadgebabaSwayamRojgarSevaSanstha Ltd.</li> <li>• E – waste:Not Applicable</li> <li>• Hazardous waste: disposed through authorized agencies</li> <li>• STP Sludge (Dry sludge): Will be used as manure</li> </ul> <p>Area requirement:</p> <ol style="list-style-type: none"> <li>1. Location(s) and total area provided for the storage and treatment of the solid waste: Area requirements for the collection, segregation and storage : Door to door collection of solid waste (Biodegradable and non-biodegradable) <ul style="list-style-type: none"> <li>A. OWC 1 &amp; 2- area – 176 m<sup>2</sup>(each)</li> <li>B. OWC 3 Area – 169 m<sup>2</sup></li> <li>C. Area segregation and storage for dry waste 35.2, 40.4 and 42 sq mt</li> </ul> </li> </ol> <p>Budgetary allocation (Capital cost and O&amp;M cost):</p> <p>Capital Cost : Rs: 87 lacs O &amp; M Cost : Rs. 3.09 Lacs / annum</p>
Green Belt Development	<p>Total RG area:62907.00m<sup>2</sup></p> <ol style="list-style-type: none"> <li>1. RG area other than green belt (Please specify for Playground, etc.):--</li> <li>2. RG area under green belt: <ul style="list-style-type: none"> <li>Softscape area – 56483 m<sup>2</sup></li> <li>Lawn area – 12371 m<sup>2</sup></li> <li>Shrub area – 16754 m<sup>2</sup></li> <li>Grass Pavers - 14083 m<sup>2</sup></li> <li>Area Under tree Cover- 13275 m<sup>2</sup></li> <li>Hardscape area- 6424 m<sup>2</sup></li> </ul> </li> <li>3. Plantation: <ul style="list-style-type: none"> <li>• Number and list of trees species to be planted in the ground RG: 2072 nos.</li> <li>• Number and list of shrubs and bushes species to be</li> </ul> </li> </ol>

	<p>planted in the podium RG</p> <ul style="list-style-type: none"> <li>• Number and list of trees species to be planted around the border of Nallah / stream / pond (If any):</li> <li>• Number, size, age and species of trees to be cut, trees to be transplanted :</li> <li>• NOC for the Tree cutting / transplanted/ compensatory plantation, if any:</li> </ul> <p>Existing tree: 240 nos.</p> <ul style="list-style-type: none"> <li>➤ Trees to be protected: 140 Nos.</li> <li>➤ Trees to be transplanted: 80 Nos.</li> <li>➤ Trees to be uprooted: 20 Nos.</li> </ul> <p>4. Budgetary allocation (Capital cost and O&amp;M cost):  Capital Cost :Rs. 110.08 lacs  O &amp; M Cost : Rs. 4.86 lacs/ Year</p>								
Energy	<p>Power supply:</p> <ul style="list-style-type: none"> <li>• Connected Load : 24,861.11 KW</li> <li>• Maximum demand : 15,306.72 KW</li> <li>• Source: MSEDCL</li> </ul> <p>Energy saving by non-conventional method:</p> <ul style="list-style-type: none"> <li>• Energy saving measures <ul style="list-style-type: none"> <li>▪ High efficacy lighting fixtures – T5, CFL with electronic ballasts.</li> <li>▪ Common area lights, Street lights &amp; Landscape lights will be energy efficient and solar based.</li> <li>▪ Illumination density in compliance as per clause 7.3 ECBC-2007.</li> <li>▪ CFC free Air conditioners shall be provided.</li> <li>▪ All the pumps shall have minimum 60% efficiency and motors shall have minimum 90 %.</li> <li>▪ Energy meters shall be installed to monitor the energy consumption for – External lighting, treated water pumping, municipal water pumping, common area etc</li> <li>▪ Timers will be installed in the outdoor lights so as to minimize the wastage of lighting during daytime</li> <li>▪ All cables will be de-rated to avoid heating during use. This also indirectly reduces losses and improved reliability.</li> </ul> </li> </ul> <p>detail calculations &amp; % of saving:  % saving in electrical energy with use of cfl, t5 fittings, led lights &amp; 20% solar lamps - 22.49%</p> <ul style="list-style-type: none"> <li>• compliance of the ecbc guidelines: (yes / no) (if yes then submit compliance in tabular form):</li> </ul> <table border="1" data-bbox="638 1859 1364 2033"> <thead> <tr> <th>Sr. no.</th> <th>Section</th> <th></th> <th>Comply</th> </tr> </thead> <tbody> <tr> <td></td> <td>Section 4.2</td> <td>Mandatory requirements for envelope</td> <td>Fenestration details as- U value and SHGS shall be in</td> </tr> </tbody> </table>	Sr. no.	Section		Comply		Section 4.2	Mandatory requirements for envelope	Fenestration details as- U value and SHGS shall be in
Sr. no.	Section		Comply						
	Section 4.2	Mandatory requirements for envelope	Fenestration details as- U value and SHGS shall be in						

			<p>co-ordinance with <i>Appendix C, in ECBC</i></p> <p>2. Opaque construction- U value shall be determined as per <i>Appendix C, in ECBC</i></p> <p>3. Building envelope ceiling as specified in <i>ECBC</i></p>
	Section 5.2	Mandatory requirements for HVAC	<p>For naturally ventilated spaces the design shall comply with NBC of India 2005 Part 8 Section 1, 5.4.3 and 5.7.1</p> <p>-Minimum equipment efficiencies, controls, piping and duct work shall be as mentioned by ECBC.</p>
	Section 6.2-	Mandatory requirements for service hot water and pumping	<p>The project would be providing solar water heating system for minimum 1/5 of design capacity.</p> <p>Equipment efficiency- Service water heating equipment shall meet or exceed the performance and minimum efficiency requirements presented in available Indian Standards.</p>
	Section 7.2	Mandatory requirements for lighting	<p>Lighting controls, Exit signs, lighting for exterior building grounds shall be provided as specified in ECBC, as applicable.</p>
	Section 8.2	Mandatory requirements	<p>Transformers, Energy efficient</p>

	<table border="1" data-bbox="624 228 1386 488"> <tr> <td data-bbox="624 228 699 488"></td> <td data-bbox="699 228 842 488"></td> <td data-bbox="842 228 1070 488">for electrical power</td> <td data-bbox="1070 228 1386 488">Motors, power factor correction, check metering and monitoring, power distribution systems shall be as specified in ECBC.</td> </tr> </table> <ul style="list-style-type: none"> <li>• Budgetary allocation (Capital cost and O&amp;M cost) Capital Cost : Rs. 306 Lacs O &amp; M Cost : Rs.39 Lacs / year</li> </ul> <p>DG Set:</p> <ul style="list-style-type: none"> <li>• Number and capacity of the DG sets to be used 9. Nos. D.G. Sets of 320 kVA each capacity shall be provided in case of power failure only.</li> <li>• Type of fuel used: HSD</li> </ul>			for electrical power	Motors, power factor correction, check metering and monitoring, power distribution systems shall be as specified in ECBC.																																									
		for electrical power	Motors, power factor correction, check metering and monitoring, power distribution systems shall be as specified in ECBC.																																											
Environmental Management plan Budgetary Allocation	<p>Construction phase (with Break-up):</p> <ul style="list-style-type: none"> <li>• Capital cost</li> <li>• O &amp; M cost (Please ensure manpower and other details)—</li> </ul> <table border="1" data-bbox="624 936 1386 1220"> <thead> <tr> <th>Sr. No.</th> <th>Parameter</th> <th>Total cost (in lacs)</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>Water for dust suppression</td> <td>1.2</td> </tr> <tr> <td>2</td> <td>Site sanitation</td> <td>1.0</td> </tr> <tr> <td>3</td> <td>Environmental monitoring</td> <td>0.78</td> </tr> <tr> <td>4</td> <td>Disinfection</td> <td>1.2</td> </tr> <tr> <td>5</td> <td>Health check up</td> <td>2.7</td> </tr> <tr> <td></td> <td>Total cost</td> <td>6.88</td> </tr> </tbody> </table> <p>Operation Phase (with Break-up)-</p> <ul style="list-style-type: none"> <li>• Capital cost</li> <li>• O&amp;M cost (Please ensure manpower and other details)</li> </ul> <table border="1" data-bbox="624 1355 1386 2031"> <thead> <tr> <th>#</th> <th>Parameter</th> <th>Set up cost (Rs in In Cr)</th> <th>Operational &amp; Maintenance Cost (Rs in In Lacs per annum)</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>Sewage Treatment Plant-</td> <td>235</td> <td>18.08</td> </tr> <tr> <td>2</td> <td>Rain Water Harvesting</td> <td>181.9</td> <td>2.18</td> </tr> <tr> <td>3</td> <td>Environmental Monitoring</td> <td>MoEF approved agency.</td> <td>18.38</td> </tr> <tr> <td>4</td> <td>Gardening</td> <td>110.08</td> <td>4.86</td> </tr> <tr> <td>5</td> <td>Solid waste management</td> <td>87</td> <td>3.09</td> </tr> </tbody> </table>	Sr. No.	Parameter	Total cost (in lacs)	1	Water for dust suppression	1.2	2	Site sanitation	1.0	3	Environmental monitoring	0.78	4	Disinfection	1.2	5	Health check up	2.7		Total cost	6.88	#	Parameter	Set up cost (Rs in In Cr)	Operational & Maintenance Cost (Rs in In Lacs per annum)	1	Sewage Treatment Plant-	235	18.08	2	Rain Water Harvesting	181.9	2.18	3	Environmental Monitoring	MoEF approved agency.	18.38	4	Gardening	110.08	4.86	5	Solid waste management	87	3.09
Sr. No.	Parameter	Total cost (in lacs)																																												
1	Water for dust suppression	1.2																																												
2	Site sanitation	1.0																																												
3	Environmental monitoring	0.78																																												
4	Disinfection	1.2																																												
5	Health check up	2.7																																												
	Total cost	6.88																																												
#	Parameter	Set up cost (Rs in In Cr)	Operational & Maintenance Cost (Rs in In Lacs per annum)																																											
1	Sewage Treatment Plant-	235	18.08																																											
2	Rain Water Harvesting	181.9	2.18																																											
3	Environmental Monitoring	MoEF approved agency.	18.38																																											
4	Gardening	110.08	4.86																																											
5	Solid waste management	87	3.09																																											



	6	Solar water heating	306	39
	7	WTP for swimming pool	10	2.40
	8	Development of exit pond	5	0.60
		Total	934.98	88.59
	<p>• Quantum and generation of Corpus fund and Commitment: Project proponent shall operate and maintain EMF for 3 years after giving possession and shall also generate corpus fund during 3 years for O &amp; M of Rs 265.77lacs (i.e.88.59 lacs x 3 years).</p> <p>• Responsibility for further O &amp;M: Corpus fund shall be handed over to the society. Environmental Management Facilities will be handed over with M.O.U. along with society.</p>			
Traffic Management	<p>Nos. of the junction to the main road &amp; design of confluence Traffic generated from this project will confluent on proposed 9mt. wide road</p> <p>Parking details:</p> <ul style="list-style-type: none"> <li>• Number and area of basement- 1 no.</li> <li>• Number and area of podia- 1 no.</li> <li>• Total Parking area: 1, 58,733.27Sq. mt.</li> <li>• Area per car: 26.18m2.</li> <li>• 2 Wheeler: 449 nos.</li> <li>• 4 Wheeler: 6063 nos.</li> <li>• Public Transport</li> </ul> <p>Width of all Internal roads (m):6-9 mt.wide road</p>			

3. The proposal has been considered by SEIAA in its 71<sup>st</sup> meeting & decided to accord environmental clearance to the said project under the provisions of Environment Impact Assessment Notification, 2006 subject to implementation of the following terms and conditions :

- (i) This environmental clearance is issued subject to land use verification. Local authority / planning authority should ensure this with respect to Rules, Regulations, Notifications, Government Resolutions, Circulars, etc. issued if any. Judgments/orders issued by Hon'ble High Court, Hon'ble NGT, Hon'ble Supreme Court regarding DCR provisions, environmental issues applicable in this matter should be verified. PP should submit exactly the same plans appraised by concern SEAC and SEIAA. If any discrepancy found in the plans submitted or details provided in the above para may be reported to environment department. This environmental clearance issued with respect to the environmental consideration and it does not mean that State Level Impact Assessment Authority (SEIAA) approved the proposed land use.

- (ii) This environmental clearance is issued subject to obtaining NOC from Forestry & Wild life angle including clearance from the standing committee of the National Board for Wild life as if applicable & this environment clearance does not necessarily implies that Forestry & Wild life clearance granted to the project which will be considered separately on merit.
- (iii) PP has to abide by the conditions stipulated by SEAC & SEIAA. It is noted that the MIDC approved the potential built up area vide letter dated 30.04.2014
- (iv) The height, Construction built up area of proposed construction shall be in accordance with the existing FSI/FAR norms of the urban local body & it should ensure the same along with survey number before approving layout plan & before according commencement certificate to proposed work. Plan approving authority should also ensure the zoning permissibility for the proposed project as per the approved development plan of the area.
- (v) "Consent for Establishment" shall be obtained from Maharashtra Pollution Control Board under Air and Water Act and a copy shall be submitted to the Environment department before start of any construction work at the site.
- (vi) All required sanitary and hygienic measures should be in place before starting construction activities and to be maintained throughout the construction phase.
- (vii) Project proponent shall ensure completion of STP, MSW disposal facility, green belt development prior to occupation of the buildings. No physical occupation or allotment will be given unless all above said environmental infrastructure is installed and made functional including water requirement in Para 2. Prior certification from appropriate authority shall be obtained.
- (viii) Provision shall be made for the housing of construction labour within the site with all necessary infrastructure and facilities such as fuel for cooking, mobile toilets, mobile STP, safe drinking water, medical health care, crèche and First Aid Room etc.
- (ix) Adequate drinking water and sanitary facilities should be provided for construction workers at the site. Provision should be made for mobile toilets. The safe disposal of wastewater and solid wastes generated during the construction phase should be ensured.
- (x) The solid waste generated should be properly collected and segregated. dry/inert solid waste should be disposed off to the approved sites for land filling after recovering recyclable material.
- (xi) Wet garbage should be treated by Organic Waste Converter and treated waste (manure) should be utilized in the existing premises for gardening. And, no wet garbage will be disposed outside the premises. Local authority should ensure this.
- (xii) Arrangement shall be made that waste water and storm water do not get mixed.
- (xiii) All the topsoil excavated during construction activities should be stored for use in horticulture / landscape development within the project site.

- (xiv) Additional soil for leveling of the proposed site shall be generated within the sites (to the extent possible) so that natural drainage system of the area is protected and improved.
- (xv) Green Belt Development shall be carried out considering CPCB guidelines including selection of plant species and in consultation with the local DFO/ Agriculture Dept.
- (xvi) Disposal of muck during construction phase should not create any adverse effect on the neighboring communities and be disposed taking the necessary precautions for general safety and health aspects of people, only in approved sites with the approval of competent authority.
- (xvii) Soil and ground water samples will be tested to ascertain that there is no threat to ground water quality by leaching of heavy metals and other toxic contaminants.
- (xviii) Construction spoils, including bituminous material and other hazardous materials must not be allowed to contaminate watercourses and the dumpsites for such material must be secured so that they should not leach into the ground water.
- (xix) Any hazardous waste generated during construction phase should be disposed off as per applicable rules and norms with necessary approvals of the Maharashtra Pollution Control Board.
- (xx) The diesel generator sets to be used during construction phase should be low sulphur diesel type and should conform to Environments (Protection) Rules prescribed for air and noise emission standards.
- (xxi) The diesel required for operating DG sets shall be stored in underground tanks and if required, clearance from concern authority shall be taken.
- (xxii) Vehicles hired for bringing construction material to the site should be in good condition and should have a pollution check certificate and should conform to applicable air and noise emission standards and should be operated only during non-peak hours.
- (xxiii) Ambient noise levels should conform to residential standards both during day and night. Incremental pollution loads on the ambient air and noise quality should be closely monitored during construction phase. Adequate measures should be made to reduce ambient air and noise level during construction phase, so as to conform to the stipulated standards by CPCB/MPCB.
- (xxiv) Fly ash should be used as building material in the construction as per the provisions of Fly Ash Notification of September 1999 and amended as on 27th August, 2003. (The above condition is applicable only if the project site is located within the 100Km of Thermal Power Stations).
- (xxv) Ready mixed concrete must be used in building construction.
- (xxvi) The approval of competent authority shall be obtained for structural safety of the buildings due to any possible earthquake, adequacy of fire fighting equipments etc. as per National Building Code including measures from lighting.

- (xxvii) Storm water control and its re-use as per CGWB and BIS standards for various applications.
- (xxviii) Water demand during construction should be reduced by use of pre-mixed concrete, curing agents and other best practices referred.
- (xxix) The ground water level and its quality should be monitored regularly in consultation with Ground Water Authority.
- (xxx) The installation of the Sewage Treatment Plant (STP) should be certified by an independent expert and a report in this regard should be submitted to the MPCB and Environment department before the project is commissioned for operation. Discharge of this unused treated effluent, if any should be discharge in the sewer line. Treated effluent emanating from STP shall be recycled/refused to the maximum extent possible. Discharge of this unused treated effluent, if any should be discharge in the sewer line. Treatment of 100% gray water by decentralized treatment should be done. Necessary measures should be made to mitigate the odour problem from STP.
- (xxxi) Local body should ensure that no occupation certification is issued prior to operation of STP/MSW site etc. with due permission of MPCB.
- (xxxii) Permission to draw ground water and construction of basement if any shall be obtained from the competent Authority prior to construction/operation of the project.
- (xxxiii) Separation of gray and black water should be done by the use of dual plumbing line for separation of gray and black water.
- (xxxiv) Fixtures for showers, toilet flushing and drinking should be of low flow either by use of aerators or pressure reducing devices or sensor based control.
- (xxxv) Use of glass may be reduced up to 40% to reduce the electricity consumption and load on air conditioning. If necessary, use high quality double glass with special reflective coating in windows.
- (xxxvi) Roof should meet prescriptive requirement as per Energy Conservation Building Code by using appropriate thermal insulation material to fulfill requirement
- (xxxvii) Energy conservation measures like installation of CFLs /TFLs for the lighting the areas outside the building should be integral part of the project design and should be in place before project commissioning. Use CFLs and TFLs should be properly collected and disposed off/sent for recycling as per the prevailing guidelines/rules of the regulatory authority to avoid mercury contamination. Use of solar panels may be done to the extent possible like installing solar street lights, common solar water heaters system. Project proponent should install, after checking feasibility, solar plus hybrid non conventional energy source as source of energy.
- (xxxviii) Diesel power generating sets proposed as source of back up power for elevators and common area illumination during operation phase should be of enclosed type and conform to rules made under the Environment (Protection) Act, 1986. The height of stack of DG sets should be equal to the height needed for the combined capacity of all


proposed DG sets. Use low sulphur diesel. The location of the DG sets may be decided with in consultation with Maharashtra Pollution Control Board.

- (xxxix) Noise should be controlled to ensure that it does not exceed the prescribed standards. During nighttime the noise levels measured at the boundary of the building shall be restricted to the permissible levels to comply with the prevalent regulations.
- (xl) Traffic congestion near the entry and exit points from the roads adjoining the proposed project site must be avoided. Parking should be fully internalized and no public space should be utilized.
- (xli) Opaque wall should meet prescriptive requirement as per Energy Conservation Building Code, which is proposed to be mandatory for all air-conditioned spaces while it is aspirational for non-air-conditioned spaces by use of appropriate thermal insulation material to fulfill requirement
- (xlii) The building should have adequate distance between them to allow movement of fresh air and passage of natural light, air and ventilation.
- (xliii) Regular supervision of the above and other measures for monitoring should be in place all through the construction phase, so as to avoid disturbance to the surroundings.
- (xliv) Under the provisions of Environment (Protection) Act, 1986, legal action shall be initiated against the project proponent if it was found that construction of the project has been started without obtaining environmental clearance.
- (xlv) Six monthly monitoring reports should be submitted to the Regional office MoEF, Bhopal with copy to this department and MPCB.
- (xlvi) A complete set of all the documents submitted to Department should be forwarded to the Local authority and MPCB.
- (xlvii) In the case of any change(s) in the scope of the project, the project would require a fresh appraisal by this Department.
- (xlviii) A separate environment management cell with qualified staff shall be set up for implementation of the stipulated environmental safeguards.
- (xlix) Separate funds shall be allocated for implementation of environmental protection measures/EMP along with item-wise breaks-up. These cost shall be included as part of the project cost. The funds earmarked for the environment protection measures shall not be diverted for other purposes and year-wise expenditure should reported to the MPCB & this department.
- (l) The project management shall advertise at least in two local newspapers widely circulated in the region around the project, one of which shall be in the Marathi language of the local concerned within seven days of issue of this letter, informing that the project has been accorded environmental clearance and copies of clearance letter are available with the Maharashtra Pollution Control Board and may also be seen at Website at <http://ec.maharashtra.gov.in>.

- (li) Project management should submit half yearly compliance reports in respect of the stipulated prior environment clearance terms and conditions in hard & soft copies to the MPCB & this department, on 1<sup>st</sup> June & 1<sup>st</sup> December of each calendar year.
  - (lii) A copy of the clearance letter shall be sent by proponent to the concerned Municipal Corporation and the local NGO, if any, from whom suggestions/representations, if any, were received while processing the proposal. The clearance letter shall also be put on the website of the Company by the proponent.
  - (liii) The proponent shall upload the status of compliance of the stipulated EC conditions, including results of monitored data on their website and shall update the same periodically. It shall simultaneously be sent to the Regional Office of MoEF, the respective Zonal Office of CPCB and the SPCB. The criteria pollutant levels namely; SPM, RSPM, SO<sub>2</sub>, NO<sub>x</sub> (ambient levels as well as stack emissions) or critical sector parameters, indicated for the project shall be monitored and displayed at a convenient location near the main gate of the company in the public domain.
  - (liv) The project proponent shall also submit six monthly reports on the status of compliance of the stipulated EC conditions including results of monitored data (both in hard copies as well as by e-mail) to the respective Regional Office of MoEF, the respective Zonal Office of CPCB and the SPCB.
  - (lv) The environmental statement for each financial year ending 31<sup>st</sup> March in Form-V as is mandated to be submitted by the project proponent to the concerned State Pollution Control Board as prescribed under the Environment (Protection) Rules, 1986, as amended subsequently, shall also be put on the website of the company along with the status of compliance of EC conditions and shall also be sent to the respective Regional Offices of MoEF by e-mail.
4. The environmental clearance is being issued without prejudice to the action initiated under EP Act or any court case pending in the court of law and it does not mean that project proponent has not violated any environmental laws in the past and whatever decision under EP Act or of the Hon'ble court will be binding on the project proponent. Hence this clearance does not give immunity to the project proponent in the case filed against him, if any or action initiated under EP Act.
  5. In case of submission of false document and non compliance of stipulated conditions, Authority/ Environment Department will revoke or suspend the Environmental Clearance without any intimation and initiate appropriate legal action under Environmental Protection Act, 1986.
  6. The Environment department reserves the right to add any stringent condition or to revoke the clearance if conditions stipulated are not implemented to the satisfaction of the department or for that matter, for any other administrative reason.
  7. **Validity of Environment Clearance:** The environmental clearance accorded shall be valid for a period of 5 years.
  8. In case of any deviation or alteration in the project proposed from those submitted to this department for clearance, a fresh reference should be made to the department to assess the adequacy of the condition(s) imposed and to incorporate additional environmental protection measures required, if any.
  9. The above stipulations would be enforced among others under the Water (Prevention and Control of Pollution) Act, 1974, the Air (Prevention and Control of Pollution ) Act, 1981,

the Environment (Protection) Act, 1986 and rules there under, Hazardous Wastes (Management and Handling ) Rules, 1989 and its amendments, the public Liability Insurance Act, 1991 and its amendments.

10. Any appeal against this environmental clearance shall lie with the National Green Tribunal (Western Zone Bench, Pune), New Administrative Building, 1<sup>st</sup> Floor, D-, Wing, Opposite Council Hall, Pune, if preferred, within 30 days as prescribed under Section 16 of the National Green Tribunal Act, 2010
11. This Environment Clearance is issued for proposed residential project at Plot No. R-2/1, R-2/2, MIDC, Hinjewadi Phase-3, Pune by M/s. Vornado Hinjewadi Township Private Limited

  
(Medha Gadgil)  
Additional Chief Secretary,  
Environment department &  
MS, SEIAA

**Copy to:**

1. Shri. R. C. Joshi, IAS (Retd.), Chairman, SEIAA, Flat No. 26, Belvedere, Bhulabhai desai road, Breach candy, Mumbai- 400026.
2. Shri. Jagdish Joshi, Chairman, SEAC-III, 3 Tahiti CHS Juhu- Versova Link Road, Andheri (W), Mumbai- 400.
3. Additional Secretary, MoEF & CC, Indira Paryavaran Bhavan, Jorbagh Road, Aliganj, New Delhi-110003.
4. Member Secretary, Maharashtra Pollution Control Board, with request to display a copy of the clearance.
5. The CCF, Regional Office, Ministry of Environment and Forest (Regional Office, Western Region, Kendriya Paryavaran Bhavan, Link Road No- 3, E-5, Ravi-Shankar Nagar, Bhopal- 462 016). (MP).
6. Regional Office, MPCB, Pune.
7. Collector, Pune
8. Commissioner, Municipal Corporation, Pune
9. IA- Division, Monitoring Cell, MoEF & CC, Indira Paryavaran Bhavan, Jorbagh Road, Aliganj, New Delhi-110003.

( EC uploaded on 9/10/2014 )

