


Minutes of the 818th Meeting held on 26th May 2022 afternoon

The 818th meeting of the State Level Environment Impact Assessment Authority (SEIAA) was held under the Chairmanship of Shri H. K. Dashand attended by Prof.(Dr.) V. K. Srivastava, Member and Shri S. J. Pandit, Member Secretary of the State Level Environment Impact Assessment Authority (SEIAA) at Paryavaran Bhawan, Sector 10 A Gandhinagar.


The following cases were taken up during the meeting:-

1.	Bhavanbhai Ramjibhai Kakadiya "Jyoti Auraa" at Block. No. 7, T.P.S.No. 33 (Dumbhal), F.P.No. 12, O.P.No. 7, Moje. Dumbhal, dist. Surat Building and Construction Project - 8(a) Application Date: 18/2/2021	EC	Granted
Deliberation & Decision of SEIAA			
The proposal of SEAC dated 27.04.2022 recommending the grant of EC was discussed.			
After detailed deliberation, the Environment Clearance is Granted incorporating all the conditions stipulated by SEAC, including the additional conditions prescribed in the minutes of 668 th SEIAA meeting dated 08 th December 2021 and herein given.			
a) The treated wastewater discharge to SMC drainage line shall not exceed 116 KLD. Necessary permission from SMC shall be obtained for discharging of same in the drainage line. The treated water to be discharge should meet all standard limits prescribed as per the norms of GPCB/CPCB and competent authority which shall be displayed and inform to local bodies.			
b) PP shall sponsore tree plantation in 5 ha of community / institution land with proper maintainance and provision of fencing and watering in consultation with District Forest Officer, Surat and Forests and Environment Department, Sachivalaya, Gandhinagar before completion of the project as per the clarification given in para 3 of OM of MoEF&CC, GOI dated 25.02.2021. The expenditure of supporting above activities will be within the total outlay of CER committed by PP.			
c) PP will provide funds, actually required for the development of STP of capacity not less than 250 KLD as the EMP and budgetory provision appear to be inadequate.			
2.	Glorina Associate "Glorina World" at Old R.S No-358, New R.S No-229/1, TPS No -75(Vesu-Magdalla-Gavier- Abhva), FP No 26, Sub Plot No -2 Vesu, Ta. Chorasi, Dist. Surat Building and Construction Project - 8(a) Application Date: 04/3/2022	EC	Granted
Deliberation & Decision of SEIAA			
The proposal of SEAC dated 27.04.2022 recommending the grant of EC was discussed.			
After detailed deliberation, the Environment Clearance is Granted incorporating all the conditions stipulated by SEAC, including the additional conditions prescribed in the minutes of 668 th SEIAA meeting dated 08 th December 2021 and herein given.			
a) The treated wastewater discharge to SMC drainage line shall not exceed 32.66 KLD. Necessary permission from SMC shall be obtained for discharging of same in the drainage line. The treated water to be discharge should meet all standard limits prescribed as per the norms of GPCB/CPCB and competent authority which shall			




Handwritten signatures of the members and secretary.

	<p>be displayed and inform to local bodies.</p> <p>b) PP shall sponsor tree plantation in 4 ha of community / institution land with proper maintainance and provision of fencing and watering in consultation with District Forest Officer, Surat and Forests and Environment Department, Sachivalaya, Gandhinagar before completion of the project as per the clarification given in para 3 of OM of MoEF&CC, GOI dated 25.02.2021. The expenditure of supporting above activities will be within the total outlay of CER committed by PP.</p> <p>c) PP will provide funds, actually required for the development of STP of capacity not less than 80 KLD as the EMP and budgetory provision appear to be inadequate.</p>		
3.	<p>Slum Upgradation Department (SMC) "Pradhan Mantri AwasYojna- AHP" at T.P.S.No. 13 (Vesu - Bharthana), F.P.No. 165, 166 (S.E.W.S), Ta. Chorasi, Dist. Surat Building and ConstructionProject - 8(a) Application Date: 22/02/2022</p>	EC	Granted
Deliberation & Decision of SEIAA			
<p>The proposal of SEAC dated 27.04.2022 recommending the grant of EC was discussed.</p> <p>After detailed deliberation, the Environment Clearance is Granted incorporating all the conditions stipulated by SEAC, including the additional conditions prescribed in the minutes of 668th SEIAA meeting dated 08th December 2021 and herein given.</p> <p>a) The treated wastewater discharge to SMC drainage line shall not exceed 150KLD. Necessary permission from SMC shall be obtained for discharging of same in the drainage line. The treated water to be discharge should meet all standard limits prescribed as per the norms of GPCB/CPCB and competent authority which shall be displayed and inform to local bodies.</p> <p>b) PP shall sponsor tree plantation in 5 ha of community / institution land with proper maintainance and provision of fencing and watering in consultation with District Forest Officer, Surat and Forests and Environment Department, Sachivalaya, Gandhinagar before completion of the project as per the clarification given in para 3 of OM of MoEF&CC, GOI dated 25.02.2021. The expenditure of supporting above activities will be within the total outlay of CER committed by PP.</p> <p>c) PP will provide funds, actually required for the development of STP of capacity not less than 300 KLD as the EMP and budgetory provision appear to be inadequate.</p>			
4.	<p>Slum Upgradation Department (SMC) "Pradhan Mantri AwasYojna" at T.P.S.No. 46 (Jahangirpura), F.P.No. 103, Ta. Adajan, Dist. Surat Building and ConstructionProject - 8(a) Application Date: 22/02/2022</p>	EC	Granted
Deliberation & Decision of SEIAA			
<p>The proposal of SEAC dated 27.04.2022 recommending the grant of EC was discussed.</p> <p>After detailed deliberation, the Environment Clearance is Granted incorporating all the conditions stipulated by SEAC, including the additional conditions prescribed in the minutes of 668th SEIAA meeting dated 08th December 2021 and herein given.</p> <p>a) The treated wastewater discharge to SMC drainage line shall not exceed 216 KLD.</p>			




Law H. J. Chav

	<p>Necessary permission from SMC shall be obtained for discharging of same in the drainage line. The treated water to be discharge should meet all standard limits prescribed as per the norms of GPCB/CPCB and competent authority which shall be displayed and inform to local bodies.</p> <p>b) PP shall sponsore tree plantation in 8 ha of community / institution land with proper maintainance and provision of fencing and watering in consultation with District Forest Officer, Surat and Forests and Environment Department, Sachivalaya, Gandhinagar before completion of the project as per the clarification given in para 3 of OM of MoEF&CC, GOI dated 25.02.2021. The expenditure of supporting above activities will be within the total outlay of CER committed by PP.</p> <p>c) PP will provide funds, actually required for the development of STP of capacity not less than 450 KLD as the EMP and budgetory provision appear to be inadequate.</p>		
5.	<p>AK Mithaiwala Infra LLP "Blue Water" at Survey No: 86, F.P. No. 79, O.P. No. 79, Final TPS. No. 84/A (Makarba) Moje. Makarba, Ta. Vejalpur, Dist. Ahmedabad Building and Construction Project - 8(a) Application Date: 22/02/2022</p>	EC	Granted
Deliberation & Decision of SEIAA			
<p>The proposal of SEAC dated 27.04.2022 recommending the grant of EC was discussed.</p> <p>After detailed deliberation, the Environment Clearance is Granted incorporating all the conditions stipulated by SEAC, including the additional conditions prescribed in the minutes of 668th SEIAA meeting dated 08th December 2021 and herein given.</p> <p>a) The treated wastewater discharge to AMC drainage line shall not exceed 42KLD. Necessary permission from AMC shall be obtained for discharging of same in the drainage line. The treated water to be discharge should meet all standard limits prescribed as per the norms of GPCB/CPCB and competent authority which shall be displayed and inform to local bodies.</p> <p>b) PP shall sponsore tree plantation in 4 ha of community / institution land with proper maintainance and provision of fencing and watering in consultation with District Forest Officer, Ahmedabad and Forests and Environment Department, Sachivalaya, Gandhinagar before completion of the project as per the clarification given in para 3 of OM of MoEF&CC, GOI dated 25.02.2021. The expenditure of supporting above activities will be within the total outlay of CER committed by PP.</p>			
6.	<p>Akshay D Teraiya "Adhishthan Luxuria" at Block No 37, F.P. No: 05, O.P. No: 05, T.P.S. No: 71, Muthiya, Ahmedabad Building and Construction Project - 8(a) Application Date: 26/02/2022</p>	EC	Granted
Deliberation & Decision of SEIAA			
<p>The proposal of SEAC dated 27.04.2022 recommending the grant of EC was discussed.</p> <p>After detailed deliberation, the Environment Clearance is Granted incorporating all the conditions stipulated by SEAC, including the additional conditions prescribed in the minutes of 668th SEIAA meeting dated 08th December 2021 and herein given.</p> <p>a) The treated wastewater discharge to AMC drainage line shall not exceed</p>			



Handwritten signatures and initials.

	<p>208.2KLD. Necessary permission from AMC shall be obtained for discharging of same in the drainage line. The treated water to be discharge should meet all standard limits prescribed as per the norms of GPCB/CPCB and competent authority which shall be displayed and inform to local bodies.</p> <p>b) PP shall sponsore tree plantation in 0.5 ha of community / institution land with proper maintainance and provision of fencing and watering in consultation with District Forest Officer, Ahmedabad and Forests and Environment Department, Sachivalaya, Gandhinagar before completion of the project as per the clarification given in para 3 of OM of MoEF&CC, GOI dated 25.02.2021. The expenditure of supporting above activities will be within the total outlay of CER committed by PP.</p>		
7.	<p>Arman Logistics Park "Arman Logistics Park" at Survey no. 409A, 409B, 411,412, 413, 414, 415, 416, 417 & 418 at village Kerala & Survey no. 919 & 921, Vill. Bhayala, Ta. Bavla, Dist.Ahmedabad</p> <p>Building and ConstructionProject - 8(a)</p> <p>Application Date: 22/02/2022</p>	EC	Granted
<p align="center">Deliberation & Decision of SEIAA</p> <p>The proposal of SEAC dated 27.04.2022 recommending the grant of EC was discussed.</p> <p>After detailed deliberation, the Environment Clearance is Granted incorporating all the conditions stipulated by SEAC, including the additional conditions prescribed in the minutes of 668th SEIAA meeting dated 08th December 2021 and herein given.</p> <p>a) The treated wastewater will be reused in gardening and flushing purpose. Hence, there is no discharge of of domestic wastewater.</p> <p>b) PP shall sponsore tree plantation in 21 ha of community / institution land with proper maintainance and provision of fencing and watering in consultation with District Forest Officer, Ahmedabad and Forests and Environment Department, Sachivalaya, Gandhinagar before completion of the project as per the clarification given in para 3 of OM of MoEF&CC, GOI dated 25.02.2021. The expenditure of supporting above activities will be within the total outlay of CER committed by PP.</p>			
8.	<p>Gujarat State Police Housing Corporation Ltd. "Police Training Center, Khalal" at Survey no: 3-A/Paiki 1, Khalal, Ta. Kathalal, Dist. Kheda</p> <p>Building and ConstructionProject - 8(a)</p> <p>Application Date: 04/04/2022</p>	EC	Granted
<p align="center">Deliberation & Decision of SEIAA</p> <p>The proposal of SEAC dated 05.05.2022 recommending the grant of EC was discussed.</p> <p>After detailed deliberation, the Environment Clearance is Granted incorporating all the conditions stipulated by SEAC, including the additional conditions prescribed in the minutes of 668th SEIAA meeting dated 08th December 2021 and herein given.</p> <p>a) The treated wastewater discharge to Khalal grampanchayat drainage line shall not exceed 385 KLD. Necessary permission from Khalal grampanchayat shall be obtained for discharging of same in the drainage line. The treated water to be discharge should meet all standard limits prescribed as per the norms of GPCB/CPCB and competent authority which shall be displayed and inform to local bodies.</p>			




Handwritten signatures and initials at the bottom of the page.

	b) PP shall sponsore tree plantation in 24 ha of community / institution land with proper maintainance and provision of fencing and watering in consultation with District Forest Officer, Kheda and Forests and Environment Department, Sachivalaya, Gandhinagar before completion of the project as per the clarification given in para 3 of OM of MoEF&CC, GOI dated 25.02.2021. The expenditure of supporting above activities will be within the total outlay of CER committed by PP.		
9.	Classic Build Projects Pvt. Ltd "„Classic Highland" at Sub Plot B of F.P. No: 52+62+67, Survey No: 52/2/1/P, 52/2/2/P, 52/2/3/P, 54/1/P, 54/2/3/P, 67, 75, T.P. S. No: 84/A, Makarba, Ahmedabad Building and Construction Project - 8(a) Application Date: 21/12/2021	EC	Granted
Deliberation & Decision of SEIAA			
The proposal of SEAC dated 05.05.2022 recommending the grant of EC was discussed.			
After detailed deliberation, the Environment Clearance is Granted incorporating all the conditions stipulated by SEAC, including the additional conditions prescribed in the minutes of 668 th SEIAA meeting dated 08 th December 2021 and herein given.			
a) The treated wastewater discharge to AMC drainage line shall not exceed 75.23 KLD. Necessary permission from AMC shall be obtained for discharging of same in the drainage line. The treated water to be discharge should meet all standard limits prescribed as per the norms of GPCB/CPCB and competent authority which shall be displayed and inform to local bodies. b) PP shall sponsore tree plantation in 8 ha of community / institution land with proper maintainance and provision of fencing and watering in consultation with District Forest Officer, Ahmedabad and Forests and Environment Department, Sachivalaya, Gandhinagar before completion of the project as per the clarification given in para 3 of OM of MoEF&CC, GOI dated 25.02.2021. The expenditure of supporting above activities will be within the total outlay of CER committed by PP.			
10.	Surat Municipal Corporation under Pradhan Mantri Awas Yojana "“Development of Integrated Group at T.P Scheme No. 03 (Katargam) R.S No. 435/B, 435/C/1, 435/C/3, 437/B/1, 437/B/3 O.P No. 312, F.P No. 312/A Paikee, Moje. Katargam, Dist. surat Building and Construction Project - 8(b) Application Date: 28/03/2022	TOR	Deferred
Deliberation & Decision of SEIAA			
The proposal of SEAC dated 05.05.2022 recommending the Terms of Reference was discussed.			
After detailed deliberation, it was decided to defer the case for scrutiny of High court order in this project.			



Additional condition to the category 8(a) and 8(b) projects.

1. PP shall take all require mitigation measures so as to comply with the ambient noise levels standards of the residential area during day and night time as per Noise Pollution (Control and Regulation) Rules, 2000.
2. PP shall take all require dust mitigation measures so as to comply with the National Ambient Air Quality standards 2009.



San H H *Chay*

3. The project proponent shall prepare, display at prominent place in the construction site and implement the fire and safety SOPs for fall protection, ladders and staircase, scaffolds, trenching and excavation, electrical safety, crane operation, occupation noise mitigation procedure, welding and cutting including the provisions for PPE kits etc.
4. PP shall ensure allocation of parking to each and every member of the society as per the rules and ensure proper parking and traffic system within the premises to avoid congestion and unsafe parking in the premises. The PP shall also ensure notarized undertaking from the maintenance society at the time of hand over to comply with all the conditions of EC scrupulously failing which the EC liable to be withdrawn.
5. The above conditions is also applicable to the ECs already been accorded to Projects. This should be checked by respective agencies entrusted with the task of inspection and action.

Sr. No.	NAME	Designation	
1.	Shri H. K. Dash	Chairman	
2.	Prof. (Dr.) V. K. Srivastava	Member	
3.	Shri S. J. Pandit	Member Secretary	