





Minutes of the 816th Meeting held on 25th May 2022 afternoon

The 816th meeting of the State Level Environment Impact Assessment Authority (SEIAA) was held under the Chairmanship of Shri H. K. Dash and attended by Prof.(Dr.) V. K. Srivastava, Member and Shri S. J. Pandit, Member Secretary of the State Level Environment Impact Assessment Authority (SEIAA) at Paryavaran Bhawan, Sector 10 A Gandhinagar.


The following cases were taken up during the meeting:-

1.	Zephyr Synthesis Pvt Limited Block No.345/P, Vil. Lunej, Ta. Khambhat, Dist. Anand. Chemical Project - 5(f) Application Date: 18/2/2021	EC	Granted
<p style="text-align: center;">Deliberation & Decision of SEIAA</p> <p>The proposal of SEAC dated 21.04.2022 recommending the grant of EC was discussed.</p> <p>After detailed deliberation, the Environment Clearance is Granted incorporating all the conditions stipulated by SEAC, including the additional conditions prescribed in the minutes of 665th SEIAA meeting dated 06th December 2021.</p> <p>Unit shall maintain the ZLD condition.</p>			
2.	Vinjay Products Plot No. 240/ 249, Vil. GIDC Talod, Ta. Talod, Dist. Sabarkantha. Chemical Project - 5(f) Application Date: 25/7/2020	EC	Granted
<p style="text-align: center;">Deliberation & Decision of SEIAA</p> <p>The proposal of SEAC dated 21.04.2022 recommending the grant of EC was discussed.</p> <p>After detailed deliberation, the Environment Clearance is Granted incorporating all the conditions stipulated by SEAC, including the additional conditions prescribed in the minutes of 665th SEIAA meeting dated 06th December 2021.</p> <p>Unit shall maintain the ZLD condition.</p>			
3.	Bhagirath N. Parikh "Synnove Atmosphere " (Builtup Area: 32926.06 Sq.Meter) Block No.: 300,301, F.P. No. 124,125, T.P.S. No. 02, Vil. Sevasi, Ta. , Dist. Vadodara. Building and Construction Project - 8(a) Application Date: 31/01/2022	EC	Refer Back
<p style="text-align: center;">Deliberation & Decision of SEIAA</p> <p>The proposal of SEAC dated 27.04.2022 recommending the grant of EC was discussed.</p> <p>After detailed deliberation, the proposal is referred back to SEAC for the following.</p> <p>a) The STP capacity is provided as 150 KLD however in EMP the budgetary provision is for only 80 KLD STP which requires to be rectified.</p>			
4.	Solid Construction Company "NEXUS-6" (Builtup Area: 32501.17 Sq.Meter) City Survey No.1253/1/2/3/4, Chakalasi Party, Vil. Nadiad, Ta. Nadiad, Dist. Kheda. Building and Construction Project - 8(a) Application Date: 24/1/2022	EC	Granted
<p style="text-align: center;">Deliberation & Decision of SEIAA</p> <p>The proposal of SEAC dated 27.04.2022 recommending the grant of EC was discussed.</p>			




	<p>After detailed deliberation, the Environment Clearance is Granted incorporating all the conditions stipulated by SEAC, including the additional conditions prescribed in the minutes of 668th SEIAA meeting dated 08th December 2021 and herein given.</p> <ol style="list-style-type: none"> The treated wastewater discharge to Nadiad nagarpalika drainage line shall not exceed 116.67 KLD. Necessary permission from Nadiad Nagarpalika shall be obtained for discharging of same in the drainage line. The treated water to be discharge should meet all standard limits prescribed as per the norms of GPCB/CPCB and competent authority which shall be displayed and inform to local bodies. PP shall sponsore tree plantation in 5 ha of community / institution land with proper maintainance and provision of fencing and watering in consultation with District Forest Officer, Nadiad and Forests and Environment Department, Sachivalaya, Gandhinagar before completion of the project as per the clarification given in para 3 of OM of MoEF&CC, GOI dated 25.02.2021. The expenditure of supporting above activities will be within the total outlay of CER committed by PP. Project proponent shall provide staircase 2 nos of 2.0 mtr width in each block. All the staircase shall open out at ground level from the highest point of building [with access from each floor] for emergency evacuation. 2 nos of lifts shall be provided in each building. 		
5.	<p>Pujan Developers "Construction Project – Residential flats of Pujan Elegant" (Builtup Area: 28172.83) T.P. Scheme No. 2 O.P. No. 24 F.P. No. 46 Near New SP school, Vil. Surendranagar Madhya, Ta. wadhwan, Dist. Surendranagar. Building and ConstructionProject - 8(a) Application Date: 25/1/2021</p>	EC	Granted
<p align="center">Deliberation & Decision of SEIAA</p> <p>The proposal of SEAC dated 27.04.2022 recommending the grant of EC was discussed.</p> <p>After detailed deliberation, the Environment Clearance is Granted incorporating all the conditions stipulated by SEAC, including the additional conditions prescribed in the minutes of 668th SEIAA meeting dated 08th December 2021 and herein given.</p> <ol style="list-style-type: none"> The treated wastewater discharge to surendranagar nagarpalika drainage line shall not exceed 52.8 KLD. Necessary permission from Nadiad Nagarpalika shall be obtained for discharging of same in the drainage line. The treated water to be discharge should meet all standard limits prescribed as per the norms of GPCB/CPCB and competent authority which shall be displayed and inform to local bodies. PP shall sponsore tree plantation in 4 ha of community / institution land with proper maintainance and provision of fencing and watering in consultation with District Forest Officer, Surendranagar and Forests and Environment Department, Sachivalaya, Gandhinagar before completion of the project as per the clarification given in para 3 of OM of MoEF&CC, GOI dated 25.02.2021. The expenditure of supporting above activities will be within the total outlay of CER committed by PP. Project proponent shall provide staircase 1 nos of 2.0 mtr width in each block. All the staircase shall open out at ground level from the highest point of building [with access from each floor] for emergency evacuation. 2 nos of lifts shall be provided in each building. 			




6.	ECO Homes Developers LLP "ECO PARK" for High Rise Residential Building" (Builtup Area: 27016.76) TPS No. 43 (Bhimrad), RS No. 7 & 139, OP No. 11 & 12, FP No. 55, Sub Plot No. 1, Vil. , Ta. Choryasi, Dist. Surat. Building and Construction Project - 8(a) Application Date: 22/2/2022	EC	Granted
<p align="center">Deliberation & Decision of SEIAA</p> <p>The proposal of SEAC dated 27.04.2022 recommending the grant of EC was discussed.</p> <p>After detailed deliberation, the Environment Clearance is Granted incorporating all the conditions stipulated by SEAC, including the additional conditions prescribed in the minutes of 668th SEIAA meeting dated 08th December 2021 and herein given.</p> <p>a) The treated wastewater discharge to SMC drainage line shall not exceed 31 KLD. Necessary permission from SMC shall be obtained for discharging of same in the drainage line. The treated water to be discharge should meet all standard limits prescribed as per the norms of GPCB/CPCB and competent authority which shall be displayed and inform to local bodies.</p> <p>b) PP shall sponsore tree plantation in 6 ha of community / institution land with proper maintainance and provision of fencing and watering in consultation with District Forest Officer, Surat and Forests and Environment Department, Sachivalaya, Gandhinagar before completion of the project as per the clarification given in para 3 of OM of MoEF&CC, GOI dated 25.02.2021. The expenditure of supporting above activities will be within the total outlay of CER committed by PP.</p> <p>c) PP shall provide the STP of capacity with 10 % higher than the waste water generation.</p>			
7.	Krutik Patel & Mr. Manojkumar Patel M/s. Maruti Developers "Sriprad Aayansh" (Builtup Area: 22013.89) Draft T.P.S No. 26, F.P. No. 10, Vil. Vasana Hadmatiya, Ta. Dist. Gandhinagar. Building and Construction Project - 8(a) Application Date: 23/02/2022	EC	Granted
<p align="center">Deliberation & Decision of SEIAA</p> <p>The proposal of SEAC dated 27.04.2022 recommending the grant of EC was discussed.</p> <p>After detailed deliberation, the Environment Clearance is Granted incorporating all the conditions stipulated by SEAC, including the additional conditions prescribed in the minutes of 668th SEIAA meeting dated 08th December 2021 and herein given.</p> <p>a) The treated wastewater discharge to GMC drainage line shall not exceed 38 KLD. Necessary permission from GMC shall be obtained for discharging of same in the drainage line. The treated water to be discharge should meet all standard limits prescribed as per the norms of GPCB/CPCB and competent authority which shall be displayed and inform to local bodies.</p> <p>b) PP shall sponsore tree plantation in 5 ha of community / institution land with proper maintainance and provision of fencing and watering in consultation with District Forest Officer, Gandhinagar and Forests and Environment Department, Sachivalaya, Gandhinagar before completion of the project as per the clarification given in para 3 of OM of MoEF&CC, GOI dated 25.02.2021. The expenditure of supporting above activities will be within the total outlay of CER committed by PP.</p>			
	SEIAA SPP Corporation "Santvan Seron" (Builtup Area: 25963.39)	EC	Granted



Handwritten signatures and initials: HS, San, Jay



	F.P NO.: 46 Paikee Sub Plot-1, Paikee Sub Plot A, Op No. :54, Block No: 131, Tp no :9,, Vil. , Ta. , Dist. Surat. Building and Construction Project - 8(a) Application Date: 15/2/2022		
	Deliberation & Decision of SEIAA		
	<p>The proposal of SEAC dated 27.04.2022 recommending the grant of EC was discussed.</p> <p>After detailed deliberation, the Environment Clearance is Granted incorporating all the conditions stipulated by SEAC, including the additional conditions prescribed in the minutes of 668th SEIAA meeting dated 08th December 2021 and herein given.</p> <p>a) The treated wastewater discharge to SMC drainage line shall not exceed 44 KLD. Necessary permission from SMC shall be obtained for discharging of same in the drainage line. The treated water to be discharge should meet all standard limits prescribed as per the norms of GPCB/CPCB and competent authority which shall be displayed and inform to local bodies.</p> <p>b) PP shall sponsore tree plantation in 5 ha of community / institution land with proper maintainance and provision of fencing and watering in consultation with District Forest Officer, Surat and Forests and Environment Department, Sachivalaya, Gandhinagar before completion of the project as per the clarification given in para 3 of OM of MoEF&CC, GOI dated 25.02.2021. The expenditure of supporting above activities will be within the total outlay of CER committed by PP.</p>		
9.	Kasturi Enterprise "Proposed Residential Project" Revenue Survey No. 140/P3/P1/P2, Plot No 2, TP No. 36/3, FP No. 49/2, OP No. 49, Vil. Ghanteshwar, Ta. Rajkot, Dist. Rajkot. Chemical Project - 8(a) Application Date: 16/2/2022	EC	Granted
	Deliberation & Decision of SEIAA		
	<p>The proposal of SEAC dated 27.04.2022 recommending the grant of EC was discussed.</p> <p>After detailed deliberation, the Environment Clearance is Granted incorporating all the conditions stipulated by SEAC, including the additional conditions prescribed in the minutes of 668th SEIAA meeting dated 08th December 2021 and herein given.</p> <p>a) The treated wastewater discharge to RMC drainage line shall not exceed 52.96 KLD. Necessary permission from RMC shall be obtained for discharging of same in the drainage line. The treated water to be discharge should meet all standard limits prescribed as per the norms of GPCB/CPCB and competent authority which shall be displayed and inform to local bodies.</p> <p>b) PP shall sponsore tree plantation in 3 ha of community / institution land with proper maintainance and provision of fencing and watering in consultation with District Forest Officer, Surat and Forests and Environment Department, Sachivalaya, Gandhinagar before completion of the project as per the clarification given in para 3 of OM of MoEF&CC, GOI dated 25.02.2021. The expenditure of supporting above activities will be within the total outlay of CER committed by PP.</p>		
	Miteshbhai Chunibhai Gajera and others "Laxmi Master" F.P No.- 19 (Katargam), F.P. No.- 86+87, O.P.No.-50+51, F.S.No.-242+243/1+2, Vil. , Ta. , Dist. Surat. Chemical Project - 8(a) Application Date: 17/2/2022	EC	Granted
	Deliberation & Decision of SEIAA		



	<p>The proposal of SEAC dated 27.04.2022 recommending the grant of EC was discussed.</p> <p>After detailed deliberation, the Environment Clearance is Granted incorporating all the conditions stipulated by SEAC, including the additional conditions prescribed in the minutes of 668th SEIAA meeting dated 08th December 2021 and herein given.</p> <ol style="list-style-type: none"> The treated wastewater discharge to SMC drainage line shall not exceed 130 KLD. Necessary permission from SMC shall be obtained for discharging of same in the drainage line. The treated water to be discharge should meet all standard limits prescribed as per the norms of GPCB/CPCB and competent authority which shall be displayed and inform to local bodies. PP shall sponsore tree plantation in 14 ha of community / institution land with proper maintainance and provision of fencing and watering in consultation with District Forest Officer, Surat and Forests and Environment Department, Sachivalaya, Gandhinagar before completion of the project as per the clarification given in para 3 of OM of MoEF&CC, GOI dated 25.02.2021. The expenditure of supporting above activities will be within the total outlay of CER committed by PP.
--	---

Note :Additional condition to the category 8(a) and 8(b) projects.

- PP shall take all require mitigation measures so as to comply with the ambient noise levels standards of the residential area during day and night time as per Noise Pollution (Control and Regulation) Rules, 2000.
- PP shall take all require dust mitigation measures so as to comply with the National Ambient Air Quality standards 2009.
- The project proponent shall prepare, display at prominent place in the construction site and implement the fire and safety SOPs for fall protection, ladders and staircase, scaffolds, trenching and excavation, electrical safety, crane operation, occupation noise mitigation procedure, welding and cutting including the provisions for PPE kits etc.
- PP shall ensure allocation of parking to each and every member of the society as per the rules and ensure proper parking and traffic system within the premises to avoid congestion and unsafe parking in the premises. The PP shall also ensure notarized undertaking from the maintenance society at the time of hand over to comply with all conditions of EC scrupulously failing which the EC liable to be withdrawn.
- The above conditions is also applicable to the ECs already been accorded to Projects. This should be checked by respective agencies entrusted with the task of inspection and action.

Sr. No.	NAME	Designation	
1.	Shri H. K. Dash	Chairman	
2.	Prof. (Dr.) V. K. Srivastava	Member	
3.	Shri S. J. Pandit	Member Secretary	