

Minutes of the

208th MEETING

**STATE LEVEL ENVIRONMENT IMPACT ASSESSMENT
AUTHORITY**

Date: 19.05.2017

Time: 11.00 AM

**MINUTES OF THE 208th MEETING OF THE STATE LEVEL ENVIRONMENT IMPACT ASSESSMENT
AUTHORITY HELD ON 19.05.2017**

Agenda No.	Description	File No.	Minutes
a)	Confirmation of the minutes of the 207 th meeting of the Authority held on 10.05.2017		The minutes of the 207 th Meeting of the Authority held on 10.05.2017 was confirmed
b)	The Action taken on the decisions of the 207 th meeting of the Authority held on 10.05.2017		The Member Secretary tabled the action taken report on the decisions of the 207 th meeting and discussed.
1.	To consider grant of Environmental Clearance to M/s. Casa Grande Coimbatore LLP., for the Proposed Construction of Residential Development Project with a built up area of – 38814.83 Sq.M at S.F No. 29/2, 30/2, 31/2A, 32/1, 32/2 & 33/1A1A of Kalapatti Village, Coimbatore North Taluk, Coimbatore District Under Sl. No 8 (a) of the Schedule – Building And Construction Projects.	5953	<p>The Authority after detailed discussion decided to issue of Environmental Clearance with imposing the following conditions.</p> <ol style="list-style-type: none"> 1. The Project Proponent has to recover 100% of Rain Water ended during normal rainy season and should have established adequate storage facility for reuse in order to preserve the fresh water demand. 2. The Project Proponent has to obtain concern letter from Coimbatore Corporation for disposing the treated Sewage into the Coimbatore Corporation existing sewage treatment plant. 3. Coimbatore Corporation has to monitor the transportation of Sewage by insisting the project proponent to install the GPS provision in each vehicle.


MEMBER SECRETARY


MEMBER


CHAIRMAN

			4. Authority is not accepting the disposal of Treated Sewage in agricultural land
2.	To Consider Grant Of Environmental Clearance To M/S. Lakshmi Royal Home Constructions for the Proposed Construction Of Residential Cum Commercial Development With A Built Up Area Of – 45846.23 Sq.M At Old Sf. No. 333/2, 335/1, 335/2, 335/3B, 336/1B, 336/2A, 336/2B, 336/2C, 336/2D, 336/2E and 336/2F of Vanagaram Village, Ambattur Taluk, Thiruvallur District Under Sl. No 8 (a) Of The Schedule – Building And Construction Projects.	5746	<p>The Authority after detailed discussion decided to issue of Environmental Clearance with imposing the following conditions.</p> <ol style="list-style-type: none"> 1. The Project Proponent has to put up rain water harvesting storage facility of 564cu.m for to harvest and reuse in entire rain water during normal rains. Only when rains are resulting to flood the excess rain water recovered shall be disposed to recharge pits/wells and further access shall alone be discharged into road side stump water rain. 2. The project proponent has to discharge the treated sewage in to the Corporation STP after satisfying the TNPCB standards. The project has to be commissioned only after proposed disposal arrangements are established.
3.	To consider grant of Environmental Clearance to Mr. K.R.Anerudan, for the Proposed Construction of Residential Apartment Project With A Built Up Area of – 33824.05 Sq.M at S.F No. 386/3B1, 386/3B2, 386/3B3, 386/3B4, 386/3B5, 386/3B6, 386/3B7,	6054	<p>The Authority after detailed discussion decided to issue of Environmental Clearance with imposing the following conditions.</p> <ol style="list-style-type: none"> 1. The project proponent has to

MEMBER SECRETARY

MEMBER

CHAIRMAN

	<p>386/3B8, 386/3B9 of Perungalathur Village, Tambaram Taluk, Kanchipuram District Under Sl. No 8 (a) of the Schedule – Building And Construction Projects.</p>		<p>discharge the excess treated sewage in to the Corporation STP after satisfying the TNPCB standards. The project has to be commissioned only after proposed disposal arrangements are established.</p> <ol style="list-style-type: none"> 2. The project proponent has to bear the cost of transportation of treated sewage for a period not less than 10 years as committed. All vehicles carrying sewage for disposal shall be provided with the GPS system and the PP has to maintain proper records and the same shall be produced during the inspection. 3. The project proponent has to ensure that no any liquid or solid waste shall find access to the nearby water bodies during the construction phase and operation phase. 4. The construction authority should ensure that the nearby water bodies, wetland eco-system, and forest eco-system around are not defiled in any way through their activities due to the proposed project and thereafter.
--	-----------------------------------------------------------------------------------------------------------------------------------------------------------------	--	------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------

MEMBER SECRETARY

MEMBER

CHAIRMAN

4.	To consider grant of Environmental Clearance To Mr. Raju Gupta for the Proposed Construction of IT Park Project With A Built Up Area of – 69228.53 Sq.M At S.F No. 202/3, 202/4, 202/5, 202/6, 202/7, 202/8, 202/9A, 202/9B, 202/10, 202/11, 203/10B, 206/3 And 206/4 Of Zamin Pallavaram Village, Tamaram Taluk, Kanchipuram District Under Sl. No 8 (a) Of The Schedule – Building And Construction Projects.	5984	<p>The Authority after detailed discussion decided to issue of Environmental Clearance with imposing the following conditions.</p> <ol style="list-style-type: none"> 1. The Project Proponent has to put up rain water harvesting storage facility of 406 Cu.m for to harvest and reuse in entire rain water during normal rains. Only when rains are resulting to flood the excess rain water recovered shall be disposed to recharge pits/wells and further access shall alone be discharged into road side stump water rain. 2. The project proponent has to ensure that no any liquid or solid waste shall find access to the nearby water bodies during the construction phase and operation phase. 3. The construction authority should ensure that the nearby water bodies, wetland eco-system, and forest eco-system around are not defiled in any way through their activities due to the proposed project and thereafter.
----	-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------	------	-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------

MEMBER SECRETARY

MEMBER

CHAIRMAN

5.	To consider grant of Environmental Clearance to M/s. Jones Foundations Pvt Ltd for the Proposed Construction Of Residential Apartments With A Built Up Area Of – 41002.36 Sq.M(Combined Double Basement Floor For Block 1to 3, Block 1: Ground Floor + 15 Floors (Ground Floor & 1st Floor For Commercial Space & Departmental Store) , Block 2: Ground Floor (Part/Stilt Floor (Part) + 15 Floors (Ground Floor Part + First Floor Part For Club House & Block 3 Stilt + Fifteen Floors) at S.F.No. 9/4B, 10/1A, 10/1B1, 10/1B2, 10/2A, 10/2B1, 10/2B2A, 10/3A1, 10/3A2A, 10/3A2B, 10/3B, 10/3B2 & 17/5A1, Kovilambakkam Village, Sholinganallur Taluk, Kancheepuram District Under Sl. No 8 (a) Of The Schedule – Building And Construction Projects.	6317	<p>The Authority after detailed discussion decided to issue of Environmental Clearance with imposing the following conditions.</p> <ol style="list-style-type: none"> 1. The Project Proponent has to put up rain water harvesting storage facility of 256 cu.m for to harvest and reuse in entire rain water during normal rains. Only when rains are resulting to flood the excess rain water recovered shall be disposed to recharge pits/wells and further access shall alone be discharged into road side stump water rain. 2. The project proponent has to discharge the treated sewage in to the Corporation STP after satisfying the TNPCB standards. The project has to be commissioned only after proposed disposal arrangements are established. 3. The project proponent has to bear the cost of transportation of treated sewage for a period not less than 10 years as committed. All vehicles carrying sewage for disposal shall be provided
----	----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------	------	----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------


MEMBER SECRETARY


MEMBER


CHAIRMAN

			<p>with the GPS system and the PP has to maintain proper records and the same shall be produced during the inspection.</p> <p>4. The project proponent has to ensure that no any liquid or solid waste shall find access to the Pallikaranai Marsh area during the construction phase and operation phase.</p> <p>5. The construction authority should ensure that the Pallikaranai wetland ecosystem and the lakes around are not defiled in any way through their activities due to the proposed project and thereafter.</p> <p>6. The Project activities shall not cause any damage to ecosystem such as to water bodies/lakes and wetlands surrounding to the project site.</p>
6.	To consider Grant of Environmental Clearance to M/s. Prestige Estates Projects Limited for the Proposed Construction of Commercial Development Project with a Built Up Area of – 35,511 Sq.M at R.S.No. 27/6 Block No. 4 and R.S.No. 31/1 Block No.5, Nungambakkam Village, Egmore Taluk, Chennai District in the State of Tamil Nadu Under Sl. No 8 (a) of the Schedule – Building	5726	<p>The Authority after detailed discussion decided to issue of Environmental Clearance with imposing the following conditions.</p> <p>1. The Project Proponent has to put up rain water harvesting storage</p>

MEMBER SECRETARY

MEMBER

CHAIRMAN

	and Construction Projects.		<p>facility of 941 Cu.m for to harvest and reuse in entire rain water during normal rains. Only when rains are resulting to flood the excess rain water recovered shall be disposed to recharge pits/wells and further access shall alone be discharged into road side stump water rain.</p> <p>2. The Project activities shall not cause any damage to ecosystem such as to water bodies/lakes and wetlands surrounding to the project site.</p> <p>3. The project activities shall not cause any adverse impact to the forest area around.</p> <p>4. The project proponent has to ensure that no any liquid or solid waste shall find access to the nearby water bodies during the construction phase and operation phase.</p> <p>5. The construction authority should ensure that the nearby water bodies, wetland eco-system, and forest eco-system around are not defiled in any way through their activities due to the proposed project and thereafter.</p>
--	----------------------------	--	--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------


MEMBER SECRETARY


MEMBER


CHAIRMAN

7.	To consider grant of Environmental Clearance to M/S. ROYALCARE SUPER SPECIALITY HOSPITAL LIMITED for the Proposed Expansion of Hospital Facility S.F NOS: 554/2B, 554/3, 554/4B1, 555/1, 555/2A, 555/3A, 555/4A, Neelambur Village, Sulur Taluk, Coimbatore District, Tamil Nadu.	6119	<p>The Authority after detailed discussion decided to issue of Environmental Clearance with imposing the following conditions.</p> <ol style="list-style-type: none"> 1. The PP has to ensure that no bio medical waste shall find access to the water bodies/lakes and wetlands surrounding to the project site. 2. All bio medical shall be kept in closed container under fenced and roofed area. 3. The Project activities shall not cause any damage to ecosystem such as to water bodies/lakes and wetlands surrounding to the project site including Noyyal river system which is close to the project site.
----	-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------	------	------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------

MEMBER SECRETARY

MEMBER

CHAIRMAN