Minutes of 691st SEAC-1 Meeting Dated 06/10/2022

The 691st meeting of SEAC-1 was held in the Directorate of Environment, U.P. through dual-mode (physically/virtually) at 10:00 AM on 06/10/2022. Following members participated in the meeting:

| 1. | Shri Rajive Kumar, | Chairman, SEAC-1 |
|----|-----------------------------|-----------------------------|
| 2. | Dr. Ratan Kar, | Member, SEAC-1 (through VC) |
| 3. | Shri Om Prakash Srivastava, | Member, SEAC-1 (through VC) |
| 4. | Dr. Brij Bihari Awasthi, | Member, SEAC-1 |
| 5. | Shri Umesh Chandra Sharma, | Member, SEAC-1 (through VC) |
| 6. | Shri Ashish Tiwari, | Member-Secretary, SEAC-1 |

The Chairman welcomed the members to the 691st SEAC-1 meeting which was conducted via dual-mode (virtually/physically). Nodal Officer, SEAC-1 informed the committee that the agenda has been approved by the Member Secretary, SEAC-1/Director Environment. Nodal Officer, SEAC-1 placed the agenda items along with the available file and documents before the SEAC-1.

1. "Ordinary Soil Excavation Project" at Gata No. 424, 433Mi, 411, 405ka, 408, 414, 415, 438, Village- Imliya Manpur, Tehsil- Mahmoodabad, District- Sitapur. Shri Rambachan S/o Shri Baiju. Area – 1.765 ha., File No. 6375/Proposal No. SIA/UP/MIN/290601/2022

The consultant informed the committee that they are strictly following the rules, regulations and other instructions of QCI/NABET. A presentation was made by the project proponent along with their consultant M/s Paramarsh (Servicing Environment and Development), Lucknow, U.P. Based on the documents submitted and presentation made by the project proponent along with the consultant, the following facts have emerged: -

- 1. The environmental clearance is sought for Ordinary Soil Excavation Project at Gata No.- 424, 433Mi, 411, 405ka, 408, 414, 415, 438, Village- Imliya Manpur, Tehsil- Mahmoodabad, District-Sitapur, U.P. (Leased Area 1.765 ha).
- 2. Salient features of the project as submitted by the project proponent:

| 1. | On-line proposal No. | SIA/UP/MIN/ 290601/2022 | | | | | |
|-----|--------------------------------------|--|------------|--------------------------|---------------|--|--|
| 2. | File No. allotted by SEIAA, UP | 7240 | 7240 | | | | |
| 3. | Name of Proponent | Shri Ramb | oachan S/o | Shri Baiju | | | |
| 4. | Full correspondence address of | | • | Post- Gadaicha, Tehsil- | Mahmoodabad, | | |
| | proponent | District- S | itapur, U. | P. | | | |
| 5. | Name of Project | Ordinary S | Soil Excav | ation Project | | | |
| 6. | Project location (Plot/ Khasra /Gata | Gata No | 424, 433N | Mi, 411, 405ka, 408, 414 | 4, 415, 438 | | |
| | No.) | | | | | | |
| 7. | Name of Village | Imliya Ma | ınpur | | | | |
| 8. | Tehsil | Mahmoodabad | | | | | |
| 9. | District | Sitapur | | | | | |
| 10. | Name of Minor Mineral | Ordinary S | Soil | | | | |
| 11. | Sanctioned LeaseArea (inHa.) | 1.765 ha. | | | | | |
| 12. | Max.&Min mrl within lease area | 123 mRL- 122 mRL | | | | | |
| 13. | Pillar Coordinates (Verified by DMO) | Gata Pillar Latitude (N) Longitude (E) | | | | | |
| | | No. | | | | | |
| | | 424 | A | 27°18'41.35"N | 81°10'29.33"E | | |
| | | 424 | В | 27°18'43.65"N | 81°10'31.68"E | | |

| | | | C | | 27°18'42.13"N | 81°10'3 | |
|-----|---|---------------------------|-------------|-------|-------------------|------------|---------|
| | | | D | | 27°18'40.20"N | 81°10'3 | |
| | | | A | | 27°18'40.65"N | 81°10'3 | |
| | | | В | | 27°18'42.98"N | 81°10'4 | |
| | | 433Mi | С | | 27°18'42.41"N | 81°10'4 | |
| | | | D | | 27°18'41.59"N | 81°10'4 | |
| | | | Е | | 27°18'40.06"N | 81°10'3 | |
| | | | A | | 27°18'43.21"N | 81°10'3 | |
| | | | В | | 27°18'44.44"N | 81°10'3 | |
| | | 411 | С | | 27°18'45.29"N | 81°10'3 | 3.62"E |
| | | | D | | 27°18'44.17"N | 81°10'3 | 5.76"E |
| | | | Е | | 27°18'42.36"N | 81°10'3 | 3.89"E |
| | | | A | | 27°18'44.16"N | 81°10'3' | 7.57"E |
| | | 405ka | В | | 27°18'44.95"N | 81°10'3 | 8.17"E |
| | | 403Ka | С | | 27°18'43.89"N | 81°10'3 | 9.94"E |
| | | | D | | 27°18'43.09"N | 81°10'3 | 9.02"E |
| | | | A | | 27°18'41.94"N | 81°10'3 | 5.88"E |
| | | 408 | В | | 27°18'43.56"N | 81°10'3 | 7.51"E |
| | | 408 | С | | 27°18'42.66"N | 81°10'3 | 8.70"E |
| | | | D | | 27°18'41.09"N | 81°10'3' | 7.03"E |
| | | | A | | 27°18'45.05"N | 81°10'3 | 1.93"E |
| | | 11 414 | В | | 27°18'45.96"N | 81°10'3 | |
| | | 414 | С | | 27°18'45.31"N | 81°10'3 | |
| | | | D | | 27°18'44.43"N | 81°10'3 | |
| | | | A | | 27°18'45.05"N | 81°10'3 | |
| | | | В | | 27°18'45.52"N | 81°10'3 | |
| | | 415 | C | | 27°18'45.58"N | 81°10'3 | |
| | | | D | | 27°18'45.15"N | 81°10'3 | |
| | | | A | | 27°18'40.05"N | 81°10'4 | |
| | | | В | | 27°18'41.67"N | 81°10'4 | |
| | | 438 | C | | 27°18'41.32"N | 81°10'4 | |
| | | | D | | 27°18'39.67"N | 81°10'4 | |
| 14. | Total Geological Reserves | 39714 m ³ | | | 2, 100,10, 1. | 01 10 . | 0.70 E |
| 15. | Total Mineable Reserves | 36536 m | 3 | | | | |
| | | 36000 m ³ | | | | | |
| 16. | Total Proposed Production (in three months) | | | | | | |
| 17. | Proposed Production | 36000 m ³ | within 3 n | nontl | ıs | | |
| 18. | Method of Mining | Opencast S | Semi-Mec | hani | zed | | |
| 19. | No. of working days | 90 days | | | | | |
| 20. | Working hours/day | 8 Hours/D |)av | | | | |
| | | | | | | | |
| 21. | No.Of workers | 26 (averag | | | | | |
| 22. | Type of Land | Govt. Rev | enue Land | l | | | |
| 23. | Ultimate Depth of Mining | 2.50 meter | r (average) |) | | | |
| 24. | Nearest metalled road from site | 0.40 km | | | | | |
| 25. | Water Requirement | | SE. | | DEOLIDEMENT | L(NID) | |
| 23. | water requirement | PURPOS | | | REQUIREMENT | (KLD) | |
| | | | & Others | 4 | 0.30 | | |
| | | | sion of dus | τ | 2.40 | | |
| | | Plantatio | | | 1.80 | | |
| | | Others(i | ı any) | | 4.50 | | |
| 2.5 | 2 | Total | 1 /~ | | 4.50 | 15 . | |
| 26. | Name of QCI Accredited Consultant | | | vicin | g Environment and | i Developm | ient)., |
| | with QCI No and period of validity. | Lucknow, | | 1045 | D 4 0224 | | |
| | | QCI/NABET/EIA/2124/RA0224 | | | | | |
| 25 | A 1972 12 19 19 19 19 19 | Validity- May 01, 2024 | | | | | |
| 27. | Any litigation pending against the | No | | | | | |
| | project or land in any court | | | | | | |

| 28. | Details of 500 m certificate | DMO, 101/Khanan/Sitapur/2022-23, Dated 06.06.2022 |
|-----|-----------------------------------|---|
| | Verified by Mining Officer | |
| 29. | Details of Lease Area in approved | NA |
| | DSR | |
| 30. | Proposed CER cost | 0.55 Lakh |
| 31. | Proposed EMP cost | 10.39 Lakh |
| 32. | Length and breadth of Haul Road. | Length- 0.40 Km, Width- more than 6.0 m |
| 33. | No. of Trees to be Planted | 100 |

- 3. The mining would be restricted to unsaturated zone only above the phreatic water table and will not intersect the ground water table at any point of time.
- 4. This project does not attract any of the general conditions applicable on mining projects specified in EIA Notification 14/09/2006.
- 5. The mining operation will not be carried out in safety zone of any bridge or embankment or in eco-fragile zone such as habitat of any wild fauna.
- 6. There is no litigation pending in any court regarding this project.
- 7. The project proposal falls under category–1(a) of EIA Notification, 2006 (as amended).

The consultant (EIA Coordinator) also submitted an affidavit dated 26/08/2022 mentioning is as follows:

- 1. I, Pankaj Srivastava S/o Sri V.V. Srivastava am EIA Coordinator of Paramarsh Servicing Environment and Development.
- 2. I have prepared EMP report for EC in the name of Shri Rambachan, S/o Shri Baiju for the Ordinary Soil Excavation Project at Gata No.- 424, 433Mi, 411, 405ka, 408, 414, 415, 438Mi, Village- Imliya Manpur, Tehsil- Mahmoodabad, District- Sitapur, U.P. (Leased Area 1.765 ha) with my team.
- 3. I have personally visited the site of proposal and certify that no Mining activity has been undertaken on the project site for the present proposal.
- 4. I am satisfied with that all the necessary data/information submitted along with EMP are true and correct.
- 5. I certify that this project proposal has been uploaded for the first time on Parivesh Portal.
- 6. I certify that there is no mismatch between information/data provided on the online application submitted on Parivash Portal and hard copy which is submitted after acceptance of application.
- 7. The EIA report for the Proposal is prepared by my team as per guideline laid down by OCI/NABET.

RESOLUTION AGAINST AGENDA NO. 01

The committee discussed the matter and recommended grant of environmental clearance for the project proposal along with general and specific conditions as annexed at Annexure-2 to these minutes.

2. "Ordinary Soil Excavation" Project at Gata No. 419ka, 419kha & 421, Village-Kankarkheda Tehsil & District- Moradabad, Shri Mou Raza, Area:2.059 Ha., File No. 7241/Proposal No. SIA/UP/MIN/288281/2022

The consultant informed the committee that they are strictly following the rules, regulations and other instructions of QCI/NABET. A presentation was made by the project proponent along with their consultant M/s Ind Tech House Consult. Based on the documents submitted and presentation made by the project proponent along with the consultant, the following facts have emerged: -

Minutes of 691st SEAC-1 Meeting Dated 06/10/2022

- 1. The environmental clearance is sought for Ordinary Soil Excavation" Project at Gata No.419Kha, 419Ka & 421, Village-Kankarkheda, Tehsil & District- Moradabad, Uttar Pradesh, (Leased Area: 2.059 Ha.).
- 2. Salient features of the project as submitted by the project proponent:

| | nament features of the project as submitted by the project proponent. | | | | | | |
|-----|---|---|--|--|--|--|--|
| 1. | On Line Proposal No. | | SIA/UP/MIN/288281/2022 | | | | |
| 2. | File No. allotted by SEIAA, UP | 7241 | | | | | |
| 3. | Name of Proponent | Mou. Raza S/o Shri. Noshe | | | | | |
| 4. | Full correspondence address of | R/o- Vill-Lakhanpur, Ladapur, PO-Udmawala Roshanpur, Tehsil | | | | | |
| | proponent and mobile no. | | & District-Moradabad U.P. | | | | |
| 5. | Name of Project | Proposed "Ordi | nary Soil 1 | Excavation" Project named Mou. Raza at | | | |
| | | Gata No419K | ha, 419 K | a & 421 in the Village-Kankarkheda, | | | |
| | | Tehsil & Distric | Tehsil & District- Moradabad, Uttar Pradesh. (Area:2.059 Ha.). | | | | |
| 6. | Project Location(Plot.Khsra/Gata No.) | Gata No419K | ha, 419Ka | & 421 | | | |
| 7. | Name of Village | Kankarkheda | | | | | |
| 8. | Tehsil | Moradabad | | | | | |
| 9. | District | Moradabad | | | | | |
| 10. | Name of Minor Mineral | Ordinary Soil | | | | | |
| 11. | Sanctioned Lease Area (in Ha.) | 2.059 Ha | | | | | |
| 12. | Max. & Min mRL within lease area | 202.00 mRL & | 200.00mR | L | | | |
| 13. | Pillar Coordinates (Verified by DMO) | GATA NO. | | 419Ka | | | |
| | , , , | A | 28°54' | 12.58"N 78°52'54.55"E | | | |
| | | В | | 13.20"N 78°52'56.23"E | | | |
| | | С | | 12.86"N 78°52'56.44"E | | | |
| | | D | | 12.19"N 78°52'54.69" | | | |
| | | | | | | | |
| | | | | | | | |
| | | GATA NO. | | 419Kha | | | |
| | | A | 28°54' | 12.13"N 78°52'54.72"E | | | |
| | | B 28°54'12.83"N 78°52'56.53"E | | 12.83"N 78°52'56.53"E | | | |
| | | С | 28°54' | 13.25"N 78°52'56.32"E | | | |
| | | D | 28°54' | 13.57"N 78°52'57.59"E | | | |
| | | Е | 28°54' | 12.48"N 78°52'59.24"E | | | |
| | | F | 28°54' | 10.78"N 78°52'56.01"E | | | |
| | | GATA NO. | • | 421 | | | |
| | | A | 28°54'12 | .35"N 78°52'50.77"E | | | |
| | | В | 28°54'15 | .29"N 78°52'54.02"E | | | |
| | | С | 28°54'14 | .11"N 78°52'55.62"E | | | |
| | | D | 28°54'13 | | | | |
| | | Е | | .09"N 78°52'55.31"E | | | |
| | | F | 28°54'12 | | | | |
| | | G | | .21"N 78°52'56.25"E | | | |
| | | Н | | 99"N 78°52'53.23"E | | | |
| | | | | | | | |
| 14. | Total Geological Reserves | 45,298 m ³ | | | | | |
| 15. | Total Mineable Reserve | 35000 m ³ / 3 mg | onths | | | | |
| 16. | Proposed Production | 35000 m ³ /3 mo | | | | | |
| 17. | Sanctioned Period of Mine lease | 3 months | | | | | |
| 18. | Method of Mining | | ıal / Semi | Mechanized Mining Method | | | |
| 19. | No. of working days | 90 Days | | <u>U</u> | | | |
| 20. | Working hours/day | 8 Hours | | | | | |
| 21. | No. of workers | 19 workers | | | | | |
| 22. | No. of vehicles movement/day | 43 Trucks / Day | 7 | | | | |
| 23. | Type of Land | Pvt. Land (Unev | | ıltural Land) | | | |
| 24. | Ultimate of Depth of Mining | 2.2 m | | / | | | |
| 25. | Nearest metalled road from site | 1.0 Km | | | | | |
| 26. | Water Requirement | PURPOSE | | REQUIREMENT (KLD) | | | |
| -5. | | Drinking 0.19 | | | | | |
| | | Suppression of | dust | 0.90 | | | |
| L | | - Suppression of | 4401 | 0.20 | | | |

Minutes of 691st SEAC-1 Meeting Dated 06/10/2022

| | | Plantation | 0.05 | |
|-----|---|---|----------|--|
| | | Others (if any) | - | |
| | | Total | 1.14 KLD | |
| 27. | Name of QCI Accredited Consultant with QCI No and period of validity. | Ind Tech House Consult Certificate No- NABET/EIA/2023/SA 0174 | | |
| | | Period of Validity- 29-04- | -2023 | |
| 28. | Any litigation pending against the project or land in any court | No | | |
| 29. | Details of 500 m Cluster Map & Certificate verified by Mining Officer | Letter No 71/Khanij/2022, Date-07.05.2022 | | |
| 30. | Proposed EMP cost | 1.18 Lakhs | | |
| 31 | Proposed total Project cost | 12.55 Lakhs | | |
| 32. | Length and breadth of Haul Road | 150 mtr Length & 6m width haulage road | | |
| 33 | No. of Trees to be Planted | 25 Trees | | |

- 3. The mining would be restricted to unsaturated zone only above the phreatic water table and will not intersect the ground water table at any point of time.
- 4. This project does not attract any of the general conditions applicable on mining projects specified in EIA Notification 14/09/2006.
- 5. The mining operation will not be carried out in safety zone of any bridge or embankment or in eco-fragile zone such as habitat of any wild fauna.
- 6. There is no litigation pending in any court regarding this project.
- 7. The project proposal falls under category-1(a) of EIA Notification, 2006 (as amended).

The consultant (EIA Coordinator) also submitted an affidavit dated 29/08/2022 mentioning is as follows:

- 1. I, Umesh Pratap Singh S/o Late Surya Pal Singh Chauhan am EIA Coordinator of Ind Tech House Consult.
- 2. I have prepared EMP report for the proposal (SIA/UP/MIN/288281/2022), Project Name: Ordinary Soil Excavation" Project at Gata No.419Kha, 419Ka & 421, Village-Kankarkheda, Tehsil & District- Moradabad, Uttar Pradesh, (Leased Area: 2.059 Ha.) with my team.
- 3. I have personally visited the site of proposal and certify that no Mining activity has been undertaken on the project site for the present proposal.
- 4. I am satisfied with that all the necessary data/information submitted along with EMP are true and correct
- 5. I certify that this project proposal has been uploaded for the first time on Parivesh Portal.
- 6. I certify that there is no mismatch between information/data provided on the online application submitted on Parivash Portal and hard copy which is submitted after acceptance of application.
- 7. The EIA report for the Proposal is prepared by my team as per guideline laid down by QCI/NABET.

RESOLUTION AGAINST AGENDA NO. 02

The committee discussed the matter and recommended grant of environmental clearance for the project proposal along with general and specific conditions as annexed at Annexure-2 to these minutes.

3. Group Housing Project "Uninav Utopia" Khasra No. 112, Village Morti, Raj Nagar Extension, District- Ghaziabad, Shri Sachin Kumar., File No. 7242/Proposal No. SIA/UP/MIS/291351/2022

RESOLUTION AGAINST AGENDA NO-03

The project proponent/consultant did not appear. The committee discussed and deliberated that the project file should be closed and be opened only after request from the project proponent. The file shall not be treated as pending at SEAC. The matter will be discussed only after submission of online requests on prescribed online portal.

4. "Building Stone (Khanda, Gitti& Boulder) Mine" Project at Gata No.- 1073, Khand No.- 01, Village- Jarar, Tehsil- Naraini, District- Banda, M/s MaaKamakhya Granite, Smt. Saroj Singh W/o Shri Shailendra Singh, Applied Area: 2.0 ha., File No. 7243/4787/Proposal No. SIA/UP/MIN/50659/2019

The consultant informed the committee that they are strictly following the rules, regulations and other instructions of QCI/NABET. A presentation was made by the project proponent along with their consultant M/s Paramarsh (Servicing Environment and Development), Lucknow, U.P. Based on the documents submitted and presentation made by the project proponent along with the consultant, the following facts have emerged: -

- 1. The environmental clearance is sought for "Building Stone (Khanda, Gitti & Boulder)" Project at Gata No.- 1073 (Khand No.- 01), Village- Jarar, Tehsil- Naraini, District- Banda, State-Uttar Pradesh, M/s Maa Kamakhya Granite, (Leased Area: 2.0 ha.).
- 2. The terms of reference in the matter were issued by SEIAA, U.P. vide letter no. 193/Parya/SEAC/4787/2019, dated: 31/07/2019.
- 3. The public hearing was organized on 19/11/2019. Final EIA report submitted by the project proponent through online Parviesh Portal on 06/09/2022.

4. Salient features of the project as submitted by the project proponent:

| | 1 3 | , 1 3 | 1 1 | | | |
|-----|---|--|------------------------|-------------------------|---|--|
| 1. | On-line proposal No. | SIA/UP/MIN/50659/2019 | | | | |
| 2. | File No. allotted by SEIAA, UP | 7243 & 4787 | | | | |
| 3. | Name of Proponent | M/s Maa Ka | ımakhya Granite, | | | |
| | | Prop Smt. | Saroj Singh W/o Shri S | Shailendra Singh | | |
| 4. | Full correspondence address of proponent | Add- Mahol | oa Road, Kyotara, Dist | rict- Banda, U.P. | | |
| 5. | Name of Project | Building Sto | one (Khanda, Gitti & B | Soulder) Mining Project | t | |
| 6. | Project location (Plot/ Khasra /Gata No.) | Gata No 10 | 073 (Khand No 01) | | | |
| 7. | Name of Village | Jarar | | | | |
| 8. | Tehsil | Naraini | | | | |
| 9. | District | Banda | | | | |
| 10. | Name of Minor Mineral | Building Stone (Khanda, Gitti & Boulder) | | | | |
| 11. | Sanctioned Lease Area (in Ha.) | 2.0 ha. | | | | |
| 12. | Max.& Min mrl within lease area | 148.0 mRL- | 137.0 mRL | | | |
| 13. | Pillar Coordinates (Verified by DMO) | Pillars | Latitude (N) | Longitude (E) | | |
| | | A | 25° 18' 55.12"N | 80° 21' 05.10"E | | |
| | | В | 25° 18' 58.72"N | 80° 21' 09.69"E | | |
| | | С | 25° 18' 53.90"N | 80° 21' 12.98"E | | |
| | | D | 25° 18' 52.83"N | 80° 21' 12.13"E | | |
| | | Е | 25° 18' 53.48"N | 80° 21' 07.58"E | | |
| 14. | Total Geological Reserves | 1710539 m ³ | | | | |

| 15. | Total Mineable Reserves | 663998 m ³ | | | |
|-----|---|--|---------------------------------------|--|--|
| 16. | Total Proposed Production (in five year) | 100000 m ³ | | | |
| 17. | Proposed Production / year | Year | Production | | |
| | | 1 st | 20,000 m ³ | | |
| | | 2 nd | 20,000 m ³ | | |
| | | 3 rd | 20,000 m ³ | | |
| | | 4 th | 20,000 m ³ | | |
| | | 5 th | 20,000 m ³ | | |
| | | Total | 100000 m ³ | | |
| 18. | Sanctioned Period of Mine lease | 10 Year | | | |
| 19. | Method of Mining | Opencast Semi-Mec | hanized | | |
| 20. | No.of working days | 300 days | | | |
| 21. | Working hours/day | 8 Hours/Day | | | |
| 22. | No.Of workers | 33 | | | |
| 23. | Type of Land | Govt. Land | | | |
| 24. | Ultimate Depth of Mining | 6 Meter (average) | | | |
| 25. | Nearest metalled road from site | 0.60 km | | | |
| 26. | Water Requirement | PURPOSE | REQUIREMENT (KLD) | | |
| | | Drinking & Others | | | |
| | | Suppression of dus | st 3.60 | | |
| | | Plantation | 2.00 | | |
| | | Others(if any) | | | |
| | | Total | 5.95 | | |
| 27. | Name of QCI Accredited Consultant with | | vicing Environment and | | |
| | QCI No and period of validity. | Development)., Luc | | | |
| | | NABET/EIA/2124/I | - | | |
| | | Validity- May 01, 20 | 024 | | |
| 28. | Any litigation pending against the project or | No | | | |
| 20 | land in any court | DIAN D. 1 | W N 047/11 "20 D 1 D 1 | | |
| 29. | Details of 500 m Cluster certificate | | etter No. 847/ khanij-30, Banda Dated | | |
| 20 | Verified by Mining Officer | 25/04/2022 | 22 | | |
| 30. | Details of Lease Area in approved DSR | Page No. 02, Sr. No | . 22 | | |
| 31. | Proposed CER cost | | | | |
| 33. | Proposed EMP cost | 19.70 Lakh Length- 0.60 km, Width- more than 6.0 m | | | |
| | Length and breadth of Haul Road. | | ium- more than 6.0 m | | |
| 34. | No. of Trees to be Planted | 2000 | | | |

- 5. The mining would be restricted to unsaturated zone only above the phreatic water table and will not intersect the ground water table at any point of time.
- 6. This project does not attract any of the general conditions applicable on mining projects specified in EIA Notification 14/09/2006.
- 7. The mining operation will not be carried out in safety zone of any bridge or embankment or in eco-fragile zone such as habitat of any wild fauna.
- 8. There is no litigation pending in any court regarding this project.
- 9. The project proposal falls under category–1(a) of EIA Notification, 2006 (as amended).

The consultant (EIA Coordinator) also submitted an affidavit dated 26/08/2022 mentioning is as follows:

- 1. I, Dr. Shibeswar Prasad, S/o Dr. Bisheshwar Prasad am EIA Coordinator of Paramarsh Servicing Environment and Development.
- 2. I have prepared EIA report for EC in the name of M/s Maa Kamakhya Granite for the "Building Stone (Khanda, Gitti & Boulder)" Project at Gata No.- 1073 (Khand No.- 01), Village- Jarar, Tehsil- Naraini, District- Banda, State-Uttar Pradesh, (Leased Area: 2.0 ha.) with my team.
- 3. I have personally visited the site of proposal and certify that no Mining activity has been undertaken on the project site for the present proposal.

- 4. I am satisfied with that all the necessary data/information submitted along with EIA are true and correct.
- 5. I certify that this project proposal has been uploaded for the first time on Parivesh Portal.
- 6. I certify that there is no mismatch between information/data provided on the online application submitted on Parivash Portal and hard copy which is submitted after acceptance of application.
- 7. I state that all the TOR Points have been complied and all the issues raised during Public Hearing have been properly addressed in EIA report.
- 8. The EIA report for the Proposal is prepared by my team as per guideline laid down by OCI/NABET.

RESOLUTION AGAINST AGENDA NO. 04

The committee discussed the matter and recommended grant of environmental clearance for the project proposal along with general and specific conditions as annexed at Annexure-1 to these minutes. The committee also stipulated the following specific conditions:

- 1. The project proponent shall install solar light in their site office.
- 2. During the submission of 6 monthly compliance reports, the project proponent should make sure that the periodically taken site photographs should also be annexed along with the compliance report.
- 3. Preference should be given to indigenous local species as per the consultation of the local district Forest Officer.
- 4. The maximum height of the bench should be 06 meters and the width of the bench should be at least twice the height of the bench as per the mine plan approval letter by DGM, U.P
- 5. In case the blasting is proposed during a mining operation, the project proponent needs to assess its impact on the displacement of human beings/wild animals/birds/other species, and the suitable measures proposed and taken for their rehabilitation and resettlement need to be clearly described in first 6 monthly compliance report.
- 6. The project proponent shall submit a final mine closure plan/Exit protocol for rehabilitation of mined-out land to match its surrounding land use 3years before the closure of the mine to SEIAA, UP and Department of Mines and Geology, UP for approval. The project proponent shall ensure the implementation of the approved plan under the supervision of the Dept. of Mines and Geology.
- 7. The project proponent shall plan and implement collection drain and siltation basins of adequate size to arrest the silt and sediment flow from the quarry area. The surface runoff rainwater harvesting and other water conservation measures on a long-term basis are to be taken in consultation with the Central/State Groundwater Board. The water so collected should be utilized for watering the haulage area, roads, and green belt development, etc.
- 8. The project proponent shall take all suitable measures to prevent pollution of groundwater and nearby water bodies in consultation with the State Pollution Control Board and consent to operate (if applicable) should be obtained from the State Pollution Control Board before the start of production from the mine.
- 9. Link Road from the quarry site to the main road shall be constructed as an all-weather road with blacktopping and maintained by the project proponent.
- 10. Vehicular emissions should be kept under control and regularly monitored. Suitable measures shall be taken for proper maintenance of vehicles used in a quarry operation and transportation.
- 11. The project proponent should explore the possibilities of rainwater harvesting.

5. "Building Stone (Khanda, Gitti& Boulder) Mine" Project at Gata No.- 1073, Khand No.- 02, Village- Jarar, Tehsil- Naraini, District- Banda, M/s Maa Kamakhya Granite, Smt. Saroj Singh, Applied Area: 2.0 ha, File No. 7244/4788/Proposal No. SIA/UP/MIN/50661/2019

The consultant informed the committee that they are strictly following the rules, regulations and other instructions of QCI/NABET. A presentation was made by the project proponent along with their consultant M/s Paramarsh (Servicing Environment and Development), Lucknow, U.P. Based on the documents submitted and presentation made by the project proponent along with the consultant, the following facts have emerged: -

- 1. The environmental clearance is sought for "Building Stone (Khanda, Gitti & Boulder)" Project at Gata No.- 1073 (Khand No.- 02), Village- Jarar, Tehsil- Naraini, District- Banda, State-Uttar Pradesh M/s Maa Kamakhya Granite, (Leased Area: 2.0 ha.).
- 2. The terms of reference in the matter were issued by SEIAA, U.P. vide letter no. 192/Parya/SEAC/4788/2019, dated: 31/07/2019.
- 3. The public hearing was organized on 19/11/2019. Final EIA report submitted by the project proponent through online Parviesh Portal on 06/09/2019.
- 4. Salient features of the project as submitted by the project proponent:

| 1. | On-line proposal No. | SIA/UP/MIN/50661/2019 | | | | |
|-----|---|------------------------|-----------------------------|-------------------------|--|--|
| 2. | File No. allotted by SEIAA, UP | 7244 & 478 | | | | |
| 3. | Name of Proponent | | makhya Granite, | | | |
| . | Thumb of Frependin | | Saroj Singh W/o Shri S | Shailendra Singh | | |
| 4. | Full correspondence address of proponent | | oa Road, Kyotara, Dist | | | |
| 5. | Name of Project | | | Soulder) Mining Project | | |
| 6. | Project location (Plot/ Khasra /Gata No.) | | 073 (Khand No 02) | , , | | |
| 7. | Name of Village | Jarar | | | | |
| 8. | Tehsil | Naraini | | | | |
| 9. | District | Banda | | | | |
| 10. | Name of Minor Mineral | Building Sto | one (Khanda, Gitti & B | Boulder) | | |
| 11. | Sanctioned Lease Area (in Ha.) | 2.0 ha. | | | | |
| 12. | Max.& Min mrl within lease area | 153.0 mRL- | 142.0 mRL | | | |
| 13. | Pillar Coordinates (Verified by DMO) | Pillars | Latitude (N) | Longitude (E) | | |
| | | A | 25° 18' 57.84"N | 80° 21' 02.64"E | | |
| | | В | 25° 19' 01.88"N | 80° 21' 07.53"E | | |
| | | С | 25° 18' 58.72"N | 80° 21' 09.69"E | | |
| | | D | 25 [°] 18' 55.12"N | 80° 21' 05.10"E | | |
| 14. | Total Geological Reserves | 1849153 m ³ | | | | |
| 15. | Total Mineable Reserves | 675351 m ³ | | | | |
| 16. | Total Proposed Production (in five year) | 100000 m^3 | | | | |
| 17. | Proposed Production / year | Year | | duction | | |
| | | 1 st | | 000 m^3 | | |
| | | 2 nd | | 000 m^3 | | |
| | | 3 rd | | 000 m^3 | | |
| | | 4 th | | 000 m ³ | | |
| | | 5 th | | 000 m ³ | | |
| | | Total | 100 | 0000 m^3 | | |
| 18. | Sanctioned Period of Mine lease | 10 Year | | | | |
| 19. | Method of Mining | | mi-Mechanized | | | |
| 20. | No.of working days | 300 days | | | | |
| 21. | Working hours/day | 8 Hours/Day | <i>y</i> | | | |
| 22. | No. of workers | 33 | | | | |
| 23. | Type of Land | Govt. Revenue Land | | | | |
| 24. | Ultimate Depth of Mining | 6 Meter (average) | | | | |

| 25. | Nearest metalled road from site | 0.60 km | | | |
|-----|---|---|--------------------|--|--|
| 26. | Water Requirement | PURPOSE | REQUIREMENT (KLD) | | |
| | | Drinking & Others | 0.35 | | |
| | | Suppression of dust | 3.60 | | |
| | | Plantation | 2.00 | | |
| | | Others(if any) | | | |
| | | Total | 5.95 | | |
| 27. | Name of QCI Accredited Consultant with | M/s Paramarsh (Servicin | ng Environment and | | |
| | QCI No and period of validity. | Development)., Lucknow, U.P. | | | |
| | | NABET/EIA/2124/RA 0224 | | | |
| | | Validity- May 01, 2024 | | | |
| 28. | Any litigation pending against the project or | No | | | |
| | land in any court | | | | |
| 29. | Details of 500 m Cluster certificate | DMO Banda vide Letter No. 846/ khanij-30, Banda Dated | | | |
| | Verified by Mining Officer | 25/04/2022 | | | |
| 30. | Details of Lease Area in approved DSR | Page No. 02, Sr. No. 23 | | | |
| 31. | Proposed CER cost | 1.50 Lakh | | | |
| 32. | Proposed EMP cost | 19.70 Lakh | | | |
| 33. | Length and breadth of Haul Road. | Length- 0.60 km, Width- more than 6.0 m | | | |
| 34. | No. of Trees to be Planted | 2000 | | | |

- 5. The mining would be restricted to unsaturated zone only above the phreatic water table and will not intersect the ground water table at any point of time.
- 6. This project does not attract any of the general conditions applicable on mining projects specified in EIA Notification 14/09/2006.
- 7. The mining operation will not be carried out in safety zone of any bridge or embankment or in eco-fragile zone such as habitat of any wild fauna.
- 8. There is no litigation pending in any court regarding this project.
- 9. The project proposal falls under category–1(a) of EIA Notification, 2006 (as amended).

The consultant (EIA Coordinator) also submitted an affidavit dated 26/08/2022 mentioning is as follows:

- 1. I, Dr. Shibeswar Prasad, S/o Dr. Bisheshwar Prasad am EIA Coordinator of Paramarsh Servicing Environment and Development.
- 2. I have prepared EIA report for EC in the name of M/s Maa Kamakhya Granite for the "Building Stone (Khanda, Gitti & Boulder)" Project at Gata No.- 1073 (Khand No.- 02), Village- Jarar, Tehsil- Naraini, District- Banda, State-Uttar Pradesh M/s Maa Kamakhya Granite, (Leased Area: 2.0 ha.) with my team.
- 3. I have personally visited the site of proposal and certify that no Mining activity has been undertaken on the project site for the present proposal.
- 4. I am satisfied with that all the necessary data/information submitted along with EIA are true and correct.
- 5. I certify that this project proposal has been uploaded for the first time on Parivesh Portal.
- 6. I certify that there is no mismatch between information/data provided on the online application submitted on Parivash Portal and hard copy which is submitted after acceptance of application.
- 7. I state that all the TOR Points have been complied and all the issues raised during Public Hearing have been properly addressed in EIA report.
- 8. The EIA report for the Proposal is prepared by my team as per guideline laid down by QCI/NABET.

RESOLUTION AGAINST AGENDA NO. 05

The committee discussed the matter and recommended grant of environmental clearance for the project proposal along with general and specific conditions as annexed at Annexure-1 to these minutes. The committee also stipulated the following specific conditions:

- 1. The project proponent shall install solar light in their site office.
- 2. During the submission of 6 monthly compliance reports, the project proponent should make sure that the periodically taken site photographs should also be annexed along with the compliance report.
- 3. Preference should be given to indigenous local species as per the consultation of the local district Forest Officer.
- 4. The maximum height of the bench should be 06 meters and the width of the bench should be at least twice the height of the bench as per the mine plan approval letter by DGM, U.P
- 5. In case the blasting is proposed during a mining operation, the project proponent needs to assess its impact on the displacement of human beings/wild animals/birds/other species, and the suitable measures proposed and taken for their rehabilitation and resettlement need to be clearly described in first 6 monthly compliance report.
- 6. The project proponent shall submit a final mine closure plan/Exit protocol for rehabilitation of mined-out land to match its surrounding land use 3years before the closure of the mine to SEIAA, UP and Department of Mines and Geology, UP for approval. The project proponent shall ensure the implementation of the approved plan under the supervision of the Dept. of Mines and Geology.
- 7. The project proponent shall plan and implement collection drain and siltation basins of adequate size to arrest the silt and sediment flow from the quarry area. The surface runoff rainwater harvesting and other water conservation measures on a long-term basis are to be taken in consultation with the Central/State Groundwater Board. The water so collected should be utilized for watering the haulage area, roads, and green belt development, etc.
- 8. The project proponent shall take all suitable measures to prevent pollution of groundwater and nearby water bodies in consultation with the State Pollution Control Board and consent to operate (if applicable) should be obtained from the State Pollution Control Board before the start of production from the mine.
- 9. Link Road from the quarry site to the main road shall be constructed as an all-weather road with blacktopping and maintained by the project proponent.
- 10. Vehicular emissions should be kept under control and regularly monitored. Suitable measures shall be taken for proper maintenance of vehicles used in a quarry operation and transportation.
- 11. The project proponent should explore the possibilities of rainwater harvesting.
- 6. "Building Stone, Khanda, Boulder, Blastt (Gitti), [Granite] & Hilly Red Morrum Mining Project" located at Arazi No. 1525 Village: Pahra, Tehsil: Sadar, District: Mahoba, Shri Anubhav Singh S/o Kalyan Singh, Area- 3.650 Ha., File No. 6920/Proposal No. SIA/UP/MIN/71977/2022

The consultant informed the committee that they are strictly following the rules, regulations and other instructions of QCI/NABET. A presentation was made by the project proponent along with their consultant M/s Environmental Research and Analysis, Lucknow (U.P).

The project proponent/consultant informed the committee that for the preparation of EIA report for the above project, the consultant use the baseline monitoring data from the period (1st December, 2021 to 28th February, 2022) of the project Building Stone (Khanda, Boulders, Ballast (Gitti)) Granite & Red Morrum Mining Project (File No. 6844) at Gata no. 2509 & 2516, Village-Pahara, Tehsil-Sadar & District-Mahoba, U.P. (Leased area: 1.303 ha) with the consent of project proponent Shri Upendra Kumar Shukla, S/o Shri Ram Khilawan Shukla, M/s Shukla Contrator & Supplier.

Based on the documents submitted and presentation made by the project proponent along with the consultant, the following facts have emerged: -

- 1. The environmental clearance is sought for Building Stone, Khanda, Boulder, Blastt (Gitti, Granite] & Hilly Red Morrum Mining Project" located at Arazi No. 1525 Village: Pahra, Tehsil: Sadar, District: Mahoba, U.P., (Leased Area- 3.650 Ha.).
- 2. The terms of reference in the matter were issued by SEIAA, U.P. vide letter no. 45/Parya/SEIAA/6920/2022, dated 06/05/2022.
- 3. The public hearing was organized on 12/07/2022. Final EIA report submitted by the project proponent through online Parviesh Portal on 06/09/2022.
- 4. Salient features of the project as submitted by the project proponent:

| 4. Salient features of the project as submitted by the project proponent: | | | | | |
|---|---|--|--|--|--|
| 1. On-line proposal No. | SIA/UP/MIN/71977/2022 | | | | |
| 2. File No. allotted by SEIAA, U.P | 6920 | | | | |
| 3. Name of Proponent | Shri Anubhav Singh S/o - Shri Kalyan Singh | | | | |
| 4. Full correspondence address of proponent | R/O- Mu. Vishal Nagar, Kabrai Tehsil - Sadar, Distric | | | | |
| and mobile no. | Mahoba (U.P.) | | | | |
| 5. Name of Project | Building Stone, Khanda , Boulder, Blastt (Gitti), [Granite] & | | | | |
| | Hilly Red Morrum Mining Project | | | | |
| 6. Project location (Plot/Khasra/Gata No.) | Arazi No. 1525 | | | | |
| 7. Name of River | NA D. I. | | | | |
| 8. Name of Village | Pahara | | | | |
| 9. Tehsil | Sadar | | | | |
| 10. District | Mahoba (U.P.) | | | | |
| 11. Name of Minor Mineral | Building Stone, Khanda , Boulder, Blastt (Gitti), [Granite] & | | | | |
| 12. Sanctioned Lease Area (in Ha.) | Hilly Red Morrum Mining Project 3.650 Ha. | | | | |
| 13. Mineable Area (in Ha.) | 3.4 Ha. (Safety Margin 0.25 Ha.) | | | | |
| 14. Zero level mRL | NA | | | | |
| 15. Max. & Min mrl within lease area | The highest point is 169 m from MSL and the lowest point is | | | | |
| 13. Wida. & William William lease area | 154m from MSL. | | | | |
| 16. Pillar Coordinates (Verified by DMO) | Pillar Latitude(N) Longitude(E) | | | | |
| , , | A N25°21'39.352" E80°03'12.593" | | | | |
| | B N25°21'40.553" E80°03'16.491" | | | | |
| | C N25°21'39.135" E80°03'19.047" | | | | |
| | D N25°21'35.420" E80°03'19.706" | | | | |
| | E N25°21'31.975" E80°03'19.076" | | | | |
| | F N25°21'31.136" E80°03'17.298" | | | | |
| | G N25°21'32.338" E80°03'17.683" | | | | |
| | H N25°21'34.070" E80°03'15.152" | | | | |
| | | | | | |
| | I N25°21'35.722" E80°03'16.034" | | | | |
| | J N25°21'36.716" E80°03'14.245" | | | | |
| | K N25°21'35.942" E80°03'13.107" | | | | |
| | L N25°21'37.889" E80°03'11.548" | | | | |
| 17. Total Geological Reserves | $7,51,960 \text{ m}^3$ | | | | |
| 18. Sanction Quantity as per LOI | 1,13,150 m ³ per year as per LOI | | | | |
| 19. Proposed Production/year | 1,13,150 m ³ per year as per LOI | | | | |
| 20. Total Proposed Production (in five years) | 5,65,750 m ³ in five years | | | | |
| 21. Total Proposed Production (in ten years) | 11,31,500 m ³ in ten years | | | | |
| 22. Sanctioned Period of Mine lease | 10 Years as per LOI | | | | |
| 23. Method of Mining | Open cast, Semi-Mechanized | | | | |
| 24. No. of working days | 250 | | | | |
| 25. Working hours/day | 8 hours/day | | | | |
| 26. No. Of workers | Approximately 45 workers | | | | |
| 27. No. Of vehicles movement/day | Approximately 35-38 movements per day | | | | |
| | | | | | |

| 28. Type of Land | Building Stone, Khanda, Bould | Building Stone, Khanda, Boulder, Blastt (Gitti), [Granite] & | | |
|--|----------------------------------|--|--|--|
| | Hilly Red Morrum Mining Project | | | |
| 29. Ultimate Depth of Mining | 30.0 m for 5 years as per approv | ved mining plan | | |
| 30. Nearest metalled road from site | NH-34 at 4.22 km towards Wes | t direction from the Project site. | | |
| 31. Water Requirement | PURPOSE | REQUIREMENT (KLD) | | |
| | Drinking water | 0.55 KLD | | |
| | Dust suppression | 3.24 KLD | | |
| | Plantation | 4.0 KLD | | |
| | Others (if any) | - | | |
| | Total | 7.79 KLD (approx. 7.8 KLD) | | |
| 32. Name of QCI Accredited Consultant with | Environmental Research and Ar | nalysis, Lucknow (U.P) | | |
| QCI No and period of validity. | Certificate No. NABET/ EIA/ 1 | 922/RA 0200 Valid up to 30 | | |
| | Dec, 2022 | | | |
| 33. Any litigation pending against the project | No | | | |
| or land in any court | | | | |
| 34. Details of 500 m Cluster Map & | (Letter No. 2067/ एम०एम०सी० | -30/2021-22 on Date- | | |
| certificate issued by Mining Officer | 26/10/2021 | | | |
| 35. Details of Lease Area in approved DSR | Letter No 8471/M.M.C30-K | hanij(2020-21) on date 10-03- | | |
| | 2021 | | | |
| 36. Proposed EMP cost | Rs. 19,21,686/- | | | |
| 37. Proposed Total Project cost | Rs. 2,00,00,000/- | | | |
| 38. Length and breadth of Haul Road | 360 m length and 6.0 m width | | | |
| 39. No. of Trees to be Planted | 4000 | | | |
| 40. Monitoring Period | 1st December, 2021 to 28th Febr | ruary, 2022 winter season | | |

- 5. The mining would be restricted to unsaturated zone only above the phreatic water table and will not intersect the ground water table at any point of time.
- 6. This project does not attract any of the general conditions applicable on mining projects specified in EIA Notification 14/09/2006.
- 7. The mining operation will not be carried out in safety zone of any bridge or embankment or in eco-fragile zone such as habitat of any wild fauna.
- 8. There is no litigation pending in any court regarding this project.
- 9. The project proposal falls under category-1(a) of EIA Notification, 2006 (as amended).

The consultant (EIA Coordinator) also submitted an affidavit dated 10/08/2022 mentioning is as follows:

- 1. I, Vishnu Kumar Awasthi S/o Lt. R.G. Awasthi is EIA Coordinator of Environmental Research and Analysis, Lucknow.
- 2. I have prepared EIA/EMP report for the proposal no. SIA/UP/MIN/71977/2022, project proponent Shri Anubhav Singh, S/o Shri Kalyan Singh for the project Building Stone, Khanda, Boulder, Blastt (Gitti, Granite] & Hilly Red Morrum Mining Project" located at Arazi No. 1525 Village: Pahra, Tehsil: Sadar, District: Mahoba, U.P., (Leased Area- 3.650 Ha.) with my team.
- 3. I have personally visited the site of proposal and certify that no Mining activity has been undertaken on the project site for the present proposal.
- 4. I am satisfied with that all the necessary data/information submitted along with EIA/EMP are true and correct.
- 5. I certify that this project proposal has been uploaded for the first time on Parivesh Portal.
- 6. I certify that there is no mismatch between information/data provided on the online application submitted on Parivash Portal and hard copy which is submitted after acceptance of application.
- 7. I state that all the TOR Points have been complied and all the issues raised during Public Hearing have been properly addressed in EIA report.
- 8. The EIA report for the Proposal is prepared by my team as per guideline laid down by QCI/NABET.

RESOLUTION AGAINST AGENDA NO. 06

The committee discussed the matter and recommended grant of environmental clearance for the project proposal along with general and specific conditions as annexed at Annexure-1 to these minutes. The committee also stipulated the following specific conditions:

- 1. The project proponent shall install solar light in their site office.
- 2. During the submission of 6 monthly compliance reports, the project proponent should make sure that the periodically taken site photographs should also be annexed along with the compliance report.
- 3. Preference should be given to indigenous local species as per the consultation of the local district Forest Officer.
- 4. The maximum height of the bench should be 06 meters and the width of the bench should be at least twice the height of the bench as per the mine plan approval letter by DGM, U.P
- 5. In case the blasting is proposed during a mining operation, the project proponent needs to assess its impact on the displacement of human beings/wild animals/birds/other species, and the suitable measures proposed and taken for their rehabilitation and resettlement need to be clearly described in first 6 monthly compliance report.
- 6. The project proponent shall submit a final mine closure plan/Exit protocol for rehabilitation of mined-out land to match its surrounding land use 3years before the closure of the mine to SEIAA, UP and Department of Mines and Geology, UP for approval. The project proponent shall ensure the implementation of the approved plan under the supervision of the Dept. of Mines and Geology.
- 7. The project proponent shall plan and implement collection drain and siltation basins of adequate size to arrest the silt and sediment flow from the quarry area. The surface runoff rainwater harvesting and other water conservation measures on a long-term basis are to be taken in consultation with the Central/State Groundwater Board. The water so collected should be utilized for watering the haulage area, roads, and green belt development, etc.
- 8. The project proponent shall take all suitable measures to prevent pollution of groundwater and nearby water bodies in consultation with the State Pollution Control Board and consent to operate (if applicable) should be obtained from the State Pollution Control Board before the start of production from the mine.
- 9. Link Road from the quarry site to the main road shall be constructed as an all-weather road with blacktopping and maintained by the project proponent.
- 10. Vehicular emissions should be kept under control and regularly monitored. Suitable measures shall be taken for proper maintenance of vehicles used in a quarry operation and transportation.
- 11. The project proponent should explore the possibilities of rainwater harvesting.
- 7. "River bed mining (Mixed Form) Mining Project" located at Gata No. 2/40/14, 2/40/16 Village- Shahalipur Kotra, Tehsil- Nagina & District- Bijnor, M/s Naithani Contractor, Shri Sanjay Naithani, S/o Shri Sunil Dutt Naithani, Area 1.012 Ha., File No. 7245/Proposal No. SIA/UP/MIN/291425/2022

The consultant informed the committee that they are strictly following the rules, regulations and other instructions of QCI/NABET. A presentation was made by the project proponent along with their consultant M/s Environmental Research and Analysis, Lucknow (U.P). Based on the documents submitted and presentation made by the project proponent along with the consultant, the following facts have emerged: -

1. The environmental clearance is sought for "River bed mining (Mixed Form) Mining Project" located at Gata No. 2/40/14, 2/40/16 Village- Shahalipur Kotra, Tehsil- Nagina & District- Bijnor, U.P., M/s Naithani Contractor, (Leased Area 1.012 Ha.).

2. Salient features of the project as submitted by the project proponent:

| 2. Salient features of the project as subn | , , , , , , , | | | | |
|--|--|--|--|--|--|
| 1. On-line proposal No. | SIA/UP/MIN/291425/202 | 2 | | | |
| 2. File No. allotted by SEIAA, UP | 7245 | | | | |
| 3. Name of Proponent | M/s- NAITHANI CONTF | | | | |
| | Prop :- Shri Sanjay Naith | ani S/o- Shri Sı | unil Dutt Naithani | | |
| 4. Full correspondence address of | R/O- Udayarampur, Post kalaldhari, Kotdwar | | | | |
| proponent and mobile no. | Distt Pauri Garhwal (Utt | arakhand) | | | |
| 5. Name of Project | RBM (mixed form) (Niji | Bhumi) mine | | | |
| 6. Project location (Plot/Khasra/Gata No.) | Gata No 2/40/14, 2/40/16 | / | | | |
| 7. Name of River | Khoh River | | | | |
| 8. Name of Village | Shahalipur Kotra | | | | |
| 9. Tehsil | Nagina | | | | |
| 10. District | Bijnor (U.P.) | | | | |
| 11. Name of Minor Mineral | RBM (mixed form) mine | | | | |
| 12. Sanctioned Lease Area (in Ha.) | 1.012 Ha. | | | | |
| ` ' | | 1100 II) | | | |
| 13. Mineable Area (in Ha.) | 0.8940 Ha. (Safety zone 0 | .1180 Ha.) | | | |
| 14. Zero level mRL | 249.0 mRL | | | | |
| 15. Max. & Min mrl within lease area | The Highest mRL of the l | ease area is 240 | 6mRL & lowest is | | |
| | 243mRL. | | | | |
| 16. Pillar Coordinates (Verified by DMO) | Points Lat | itude | Longitude | | |
| | A 29°33 | 57.2"N | 78°28'43.4"E | | |
| | | 0.40"N | 78°28'44.1"E | | |
| | | | | | |
| | C 29°34'1.54"N 78°28'40.4"E | | | | |
| | D 29°33'58.27"N 78°28'39.82"E | | | | |
| 17. Total Geological Reserves | 40,480 m ³ | | | | |
| 18. Total Mineable Reserves | 25,300 m ³ | | | | |
| 19. Total Proposed Production (in five | 25,300 m ³ (as per LOI) | | | | |
| year) | | | | | |
| 20. Proposed Production/year | 25,300 m ³ in 6 months | | | | |
| | | | | | |
| 21. Sanctioned Period of Mine lease | 6 months | | | | |
| 21. Sanctioned Period of Mine lease22. Method of Mining | 6 months Open cast, semi-mechaniz | red | | | |
| | | ed | | | |
| 22. Method of Mining 23. No. of working days | Open cast, semi-mechaniz | red | | | |
| 22. Method of Mining | Open cast, semi-mechaniz | red | | | |
| 22. Method of Mining 23. No. of working days 24. Working hours/day 25. No. Of workers | Open cast, semi-mechaniz 180 8 hours/day 25 | | | | |
| 22. Method of Mining 23. No. of working days 24. Working hours/day 25. No. Of workers 26. No. Of vehicles movement/day | Open cast, semi-mechaniz 180 8 hours/day 25 12 Vehicles movement/da | | | | |
| 22. Method of Mining 23. No. of working days 24. Working hours/day 25. No. Of workers 26. No. Of vehicles movement/day 27. Type of Land | Open cast, semi-mechaniz 180 8 hours/day 25 12 Vehicles movement/da Niji Bhumi | у | | | |
| 22. Method of Mining 23. No. of working days 24. Working hours/day 25. No. Of workers 26. No. Of vehicles movement/day 27. Type of Land 28. Ultimate Depth of Mining | Open cast, semi-mechaniz 180 8 hours/day 25 12 Vehicles movement/da Niji Bhumi 3.0 m as per Approved M | y ining Plan | wards SW direction from | | |
| 22. Method of Mining 23. No. of working days 24. Working hours/day 25. No. Of workers 26. No. Of vehicles movement/day 27. Type of Land | Open cast, semi-mechaniz 180 8 hours/day 25 12 Vehicles movement/da Niji Bhumi 3.0 m as per Approved M Raipur-Tandamaidas road | y ining Plan | wards SW direction from | | |
| 22. Method of Mining 23. No. of working days 24. Working hours/day 25. No. Of workers 26. No. Of vehicles movement/day 27. Type of Land 28. Ultimate Depth of Mining 29. Nearest metalled road from site | Open cast, semi-mechaniz 180 8 hours/day 25 12 Vehicles movement/da Niji Bhumi 3.0 m as per Approved M Raipur-Tandamaidas road the project site. | y ining Plan l is 1.35 km tov | | | |
| 22. Method of Mining 23. No. of working days 24. Working hours/day 25. No. Of workers 26. No. Of vehicles movement/day 27. Type of Land 28. Ultimate Depth of Mining | Open cast, semi-mechaniz 180 8 hours/day 25 12 Vehicles movement/da Niji Bhumi 3.0 m as per Approved M Raipur-Tandamaidas road the project site. PURPOSE | y ining Plan l is 1.35 km tov | REMENT (KLD) | | |
| 22. Method of Mining 23. No. of working days 24. Working hours/day 25. No. Of workers 26. No. Of vehicles movement/day 27. Type of Land 28. Ultimate Depth of Mining 29. Nearest metalled road from site | Open cast, semi-mechaniz 180 8 hours/day 25 12 Vehicles movement/da Niji Bhumi 3.0 m as per Approved M Raipur-Tandamaidas road the project site. PURPOSE Drinking water | y ining Plan l is 1.35 km tov | REMENT (KLD) 0.35 KLD | | |
| 22. Method of Mining 23. No. of working days 24. Working hours/day 25. No. Of workers 26. No. Of vehicles movement/day 27. Type of Land 28. Ultimate Depth of Mining 29. Nearest metalled road from site | Open cast, semi-mechaniz 180 8 hours/day 25 12 Vehicles movement/da Niji Bhumi 3.0 m as per Approved M Raipur-Tandamaidas road the project site. PURPOSE Drinking water Suppression of dust | y ining Plan l is 1.35 km tov | REMENT (KLD) 0.35 KLD 1.98 KLD | | |
| 22. Method of Mining 23. No. of working days 24. Working hours/day 25. No. Of workers 26. No. Of vehicles movement/day 27. Type of Land 28. Ultimate Depth of Mining 29. Nearest metalled road from site | Open cast, semi-mechaniz 180 8 hours/day 25 12 Vehicles movement/da Niji Bhumi 3.0 m as per Approved M Raipur-Tandamaidas road the project site. PURPOSE Drinking water Suppression of dust Plantation | y ining Plan l is 1.35 km tov | REMENT (KLD) 0.35 KLD | | |
| 22. Method of Mining 23. No. of working days 24. Working hours/day 25. No. Of workers 26. No. Of vehicles movement/day 27. Type of Land 28. Ultimate Depth of Mining 29. Nearest metalled road from site | Open cast, semi-mechaniz 180 8 hours/day 25 12 Vehicles movement/da Niji Bhumi 3.0 m as per Approved M Raipur-Tandamaidas road the project site. PURPOSE Drinking water Suppression of dust | y ining Plan l is 1.35 km tov | REMENT (KLD) 0.35 KLD 1.98 KLD | | |
| 22. Method of Mining 23. No. of working days 24. Working hours/day 25. No. Of workers 26. No. Of vehicles movement/day 27. Type of Land 28. Ultimate Depth of Mining 29. Nearest metalled road from site 30. Water Requirement | Open cast, semi-mechaniz 180 8 hours/day 25 12 Vehicles movement/da Niji Bhumi 3.0 m as per Approved M Raipur-Tandamaidas road the project site. PURPOSE Drinking water Suppression of dust Plantation Others (if any) Total | y ining Plan d is 1.35 km tov REQUI | REMENT (KLD) 0.35 KLD 1.98 KLD 0.01 KLD - | | |
| 22. Method of Mining 23. No. of working days 24. Working hours/day 25. No. Of workers 26. No. Of vehicles movement/day 27. Type of Land 28. Ultimate Depth of Mining 29. Nearest metalled road from site 30. Water Requirement | Open cast, semi-mechaniz 180 8 hours/day 25 12 Vehicles movement/da Niji Bhumi 3.0 m as per Approved M Raipur-Tandamaidas road the project site. PURPOSE Drinking water Suppression of dust Plantation Others (if any) Total M/s Environmental Resea | y ining Plan d is 1.35 km too REQUI 2.34 rch and Analys | REMENT (KLD) 0.35 KLD 1.98 KLD 0.01 KLD | | |
| 22. Method of Mining 23. No. of working days 24. Working hours/day 25. No. Of workers 26. No. Of vehicles movement/day 27. Type of Land 28. Ultimate Depth of Mining 29. Nearest metalled road from site 30. Water Requirement | Open cast, semi-mechaniz 180 8 hours/day 25 12 Vehicles movement/da Niji Bhumi 3.0 m as per Approved M Raipur-Tandamaidas road the project site. PURPOSE Drinking water Suppression of dust Plantation Others (if any) Total M/s Environmental Resea Certificate No. QCI/NAB | y ining Plan d is 1.35 km too REQUI 2.34 rch and Analys ET/EIA/1922/F | REMENT (KLD) 0.35 KLD 1.98 KLD 0.01 KLD | | |
| 22. Method of Mining 23. No. of working days 24. Working hours/day 25. No. Of workers 26. No. Of vehicles movement/day 27. Type of Land 28. Ultimate Depth of Mining 29. Nearest metalled road from site 30. Water Requirement 31. Name of QCI Accredited Consultant with QCI No And period of validity. | Open cast, semi-mechaniz 180 8 hours/day 25 12 Vehicles movement/da Niji Bhumi 3.0 m as per Approved M Raipur-Tandamaidas road the project site. PURPOSE Drinking water Suppression of dust Plantation Others (if any) Total M/s Environmental Resea | y ining Plan d is 1.35 km too REQUI 2.34 rch and Analys ET/EIA/1922/F | REMENT (KLD) 0.35 KLD 1.98 KLD 0.01 KLD | | |
| 22. Method of Mining 23. No. of working days 24. Working hours/day 25. No. Of workers 26. No. Of vehicles movement/day 27. Type of Land 28. Ultimate Depth of Mining 29. Nearest metalled road from site 30. Water Requirement | Open cast, semi-mechaniz 180 8 hours/day 25 12 Vehicles movement/da Niji Bhumi 3.0 m as per Approved M Raipur-Tandamaidas road the project site. PURPOSE Drinking water Suppression of dust Plantation Others (if any) Total M/s Environmental Resea Certificate No. QCI/NAB | y ining Plan d is 1.35 km too REQUI 2.34 rch and Analys ET/EIA/1922/F | REMENT (KLD) 0.35 KLD 1.98 KLD 0.01 KLD | | |
| 22. Method of Mining 23. No. of working days 24. Working hours/day 25. No. Of workers 26. No. Of vehicles movement/day 27. Type of Land 28. Ultimate Depth of Mining 29. Nearest metalled road from site 30. Water Requirement 31. Name of QCI Accredited Consultant with QCI No And period of validity. 32. Any litigation pending against the project or land in any court | Open cast, semi-mechaniz 180 8 hours/day 25 12 Vehicles movement/da Niji Bhumi 3.0 m as per Approved M Raipur-Tandamaidas road the project site. PURPOSE Drinking water Suppression of dust Plantation Others (if any) Total M/s Environmental Resea Certificate No. QCI/NAB and valid up to 30/12/202 | y ining Plan d is 1.35 km too REQUI 2.34 rch and Analys ET/EIA/1922/F | REMENT (KLD) 0.35 KLD 1.98 KLD 0.01 KLD | | |
| 22. Method of Mining 23. No. of working days 24. Working hours/day 25. No. Of workers 26. No. Of vehicles movement/day 27. Type of Land 28. Ultimate Depth of Mining 29. Nearest metalled road from site 30. Water Requirement 31. Name of QCI Accredited Consultant with QCI No And period of validity. 32. Any litigation pending against the | Open cast, semi-mechaniz 180 8 hours/day 25 12 Vehicles movement/da Niji Bhumi 3.0 m as per Approved M. Raipur-Tandamaidas road the project site. PURPOSE Drinking water Suppression of dust Plantation Others (if any) Total M/s Environmental Resea Certificate No. QCI/NAB and valid up to 30/12/202 No | y ining Plan d is 1.35 km too REQUI 2.34 rch and Analys ET/EIA/1922/F | REMENT (KLD) 0.35 KLD 1.98 KLD 0.01 KLD - KLD Approx. sis, Lucknow (U.P) RA/0200 | | |
| 22. Method of Mining 23. No. of working days 24. Working hours/day 25. No. Of workers 26. No. Of vehicles movement/day 27. Type of Land 28. Ultimate Depth of Mining 29. Nearest metalled road from site 30. Water Requirement 31. Name of QCI Accredited Consultant with QCI No And period of validity. 32. Any litigation pending against the project or land in any court | Open cast, semi-mechaniz 180 8 hours/day 25 12 Vehicles movement/da Niji Bhumi 3.0 m as per Approved M Raipur-Tandamaidas road the project site. PURPOSE Drinking water Suppression of dust Plantation Others (if any) Total M/s Environmental Resea Certificate No. QCI/NAB and valid up to 30/12/202 | y ining Plan d is 1.35 km too REQUI 2.34 rch and Analys ET/EIA/1922/F | REMENT (KLD) 0.35 KLD 1.98 KLD 0.01 KLD - KLD Approx. sis, Lucknow (U.P) RA/0200 | | |
| 22. Method of Mining 23. No. of working days 24. Working hours/day 25. No. Of workers 26. No. Of vehicles movement/day 27. Type of Land 28. Ultimate Depth of Mining 29. Nearest metalled road from site 30. Water Requirement 31. Name of QCI Accredited Consultant with QCI No And period of validity. 32. Any litigation pending against the project or land in any court 33. Details of 500 m Cluster Map & certificate issued by Mining Officer | Open cast, semi-mechaniz 180 8 hours/day 25 12 Vehicles movement/da Niji Bhumi 3.0 m as per Approved M Raipur-Tandamaidas road the project site. PURPOSE Drinking water Suppression of dust Plantation Others (if any) Total M/s Environmental Resea Certificate No. QCI/NAB and valid up to 30/12/202 No Letter No. 359/ खनिज-अनु | y ining Plan d is 1.35 km tow REQUI 2.34 rch and Analys ET/EIA/1922/I | REMENT (KLD) 0.35 KLD 1.98 KLD 0.01 KLD | | |
| 22. Method of Mining 23. No. of working days 24. Working hours/day 25. No. Of workers 26. No. Of vehicles movement/day 27. Type of Land 28. Ultimate Depth of Mining 29. Nearest metalled road from site 30. Water Requirement 31. Name of QCI Accredited Consultant with QCI No And period of validity. 32. Any litigation pending against the project or land in any court 33. Details of 500 m Cluster Map & certificate issued by Mining Officer 34. Details of Lease Area in approved | Open cast, semi-mechaniz 180 8 hours/day 25 12 Vehicles movement/da Niji Bhumi 3.0 m as per Approved Mr. Raipur-Tandamaidas road the project site. PURPOSE Drinking water Suppression of dust Plantation Others (if any) Total M/s Environmental Resea Certificate No. QCI/NAB and valid up to 30/12/202 No Letter No. 359/ खनिज-अनु | y ining Plan d is 1.35 km tow REQUI 2.34 rch and Analys ET/EIA/1922/I | REMENT (KLD) 0.35 KLD 1.98 KLD 0.01 KLD | | |
| 22. Method of Mining 23. No. of working days 24. Working hours/day 25. No. Of workers 26. No. Of vehicles movement/day 27. Type of Land 28. Ultimate Depth of Mining 29. Nearest metalled road from site 30. Water Requirement 31. Name of QCI Accredited Consultant with QCI No And period of validity. 32. Any litigation pending against the project or land in any court 33. Details of 500 m Cluster Map & certificate issued by Mining Officer 34. Details of Lease Area in approved DSR | Open cast, semi-mechaniz 180 8 hours/day 25 12 Vehicles movement/da Niji Bhumi 3.0 m as per Approved Mr. Raipur-Tandamaidas road the project site. PURPOSE Drinking water Suppression of dust Plantation Others (if any) Total M/s Environmental Resea Certificate No. QCI/NAB and valid up to 30/12/202 No Letter No. 359/ खनिज-अनु 1475/एम० 228/2017(खनन दिनांक — 14/09/2020 | y ining Plan d is 1.35 km tow REQUI 2.34 rch and Analys ET/EIA/1922/I | REMENT (KLD) 0.35 KLD 1.98 KLD 0.01 KLD | | |
| 22. Method of Mining 23. No. of working days 24. Working hours/day 25. No. Of workers 26. No. Of vehicles movement/day 27. Type of Land 28. Ultimate Depth of Mining 29. Nearest metalled road from site 30. Water Requirement 31. Name of QCI Accredited Consultant with QCI No And period of validity. 32. Any litigation pending against the project or land in any court 33. Details of 500 m Cluster Map & certificate issued by Mining Officer 34. Details of Lease Area in approved DSR 35. Proposed EMP cost | Open cast, semi-mechaniz 180 8 hours/day 25 12 Vehicles movement/da Niji Bhumi 3.0 m as per Approved Mr. Raipur-Tandamaidas road the project site. PURPOSE Drinking water Suppression of dust Plantation Others (if any) Total M/s Environmental Resea Certificate No. QCI/NAB and valid up to 30/12/202 No Letter No. 359/ खनिज-अनु 1475/एम० 228/2017(खनन दिनांक — 14/09/2020 Rs 4,00,000/- | y ining Plan d is 1.35 km tow REQUI 2.34 rch and Analys ET/EIA/1922/I | REMENT (KLD) 0.35 KLD 1.98 KLD 0.01 KLD | | |
| 22. Method of Mining 23. No. of working days 24. Working hours/day 25. No. Of workers 26. No. Of vehicles movement/day 27. Type of Land 28. Ultimate Depth of Mining 29. Nearest metalled road from site 30. Water Requirement 31. Name of QCI Accredited Consultant with QCI No And period of validity. 32. Any litigation pending against the project or land in any court 33. Details of 500 m Cluster Map & certificate issued by Mining Officer 34. Details of Lease Area in approved DSR 35. Proposed EMP cost 36. Proposed Total Project cost | Open cast, semi-mechaniz 180 8 hours/day 25 12 Vehicles movement/da Niji Bhumi 3.0 m as per Approved Mr. Raipur-Tandamaidas road the project site. PURPOSE Drinking water Suppression of dust Plantation Others (if any) Total M/s Environmental Resea Certificate No. QCI/NAB and valid up to 30/12/202 No Letter No. 359/ खनिज-अनु 1475/एम० 228/2017(खनन दिनांक — 14/09/2020 Rs 4,00,000/- Rs. 2,00,00,000/- | y ining Plan d is 1.35 km too REQUI 2.34 rch and Analys ET/EIA/1922/I 2 | REMENT (KLD) 0.35 KLD 1.98 KLD 0.01 KLD | | |
| 22. Method of Mining 23. No. of working days 24. Working hours/day 25. No. Of workers 26. No. Of vehicles movement/day 27. Type of Land 28. Ultimate Depth of Mining 29. Nearest metalled road from site 30. Water Requirement 31. Name of QCI Accredited Consultant with QCI No And period of validity. 32. Any litigation pending against the project or land in any court 33. Details of 500 m Cluster Map & certificate issued by Mining Officer 34. Details of Lease Area in approved DSR 35. Proposed EMP cost | Open cast, semi-mechaniz 180 8 hours/day 25 12 Vehicles movement/da Niji Bhumi 3.0 m as per Approved Mr. Raipur-Tandamaidas road the project site. PURPOSE Drinking water Suppression of dust Plantation Others (if any) Total M/s Environmental Resea Certificate No. QCI/NAB and valid up to 30/12/202 No Letter No. 359/ खनिज-अनु 1475/एम० 228/2017(खनन दिनांक — 14/09/2020 Rs 4,00,000/- | y ining Plan d is 1.35 km too REQUI 2.34 rch and Analys ET/EIA/1922/I 2 | REMENT (KLD) 0.35 KLD 1.98 KLD 0.01 KLD | | |

| 38. No. of Trees to be Planted | 10 |
|--------------------------------|----|

- 3. The mining would be restricted to unsaturated zone only above the phreatic water table and will not intersect the ground water table at any point of time.
- 4. This project does not attract any of the general conditions applicable on mining projects specified in EIA Notification 14/09/2006.
- 5. The mining operation will not be carried out in safety zone of any bridge or embankment or in eco-fragile zone such as habitat of any wild fauna.
- 6. There is no litigation pending in any court regarding this project.
- 7. The project proposal falls under category–1(a) of EIA Notification, 2006 (as amended).

The consultant (EIA Coordinator) also submitted an affidavit dated 02/09/2022 mentioning is as follows:

- 1. I, Vishnu Kumar Awasthi S/o Lt. R.G. Awasthi is EIA Coordinator of Environmental Research and Analysis, Lucknow.
- I have prepared EC report for the proposal no. SIA/UP/MIN/291425/2022, M/s Naithani Contractor, project proponent Shri Sanjay Naithani, S/o Shri Sunil Dutt Naithani of "RBM (Mixed Form) Mining Project" located at Gata No. 2/40/14, 2/40/16 Village- Shahalipur Kotra, Tehsil- Nagina & District- Bijnor, M/s Naithani Contractor, (Leased Area 1.012 Ha.) with my team.
- 3. I have personally visited the site of proposal and certify that no Mining activity has been undertaken on the project site for the present proposal.
- 4. I am satisfied with that all the necessary data/information submitted along with EMP are true and correct.
- 5. I certify that this project proposal has been uploaded for the first time on Parivesh Portal.
- 6. I certify that there is no mismatch between information/data provided on the online application submitted on Parivash Portal and hard copy which is submitted after acceptance of application.
- 7. The EIA report for the Proposal is prepared by my team as per guideline laid down by QCI/NABET.

RESOLUTION AGAINST AGENDA NO. 07

The committee discussed the matter and recommended grant of environmental clearance for the project proposal along with general and specific conditions as annexed at Annexure-3 to these minutes. The committee also stipulated the following specific conditions:

- 1. In compliance of Hon'ble NGT Order dated 06.05.2022, for subsequent years, Project Proponent shall submit fresh annual replenishment study to SEIAA, UP for amendment in EC for mineable quantity and maximum permissible depth for mining based on scientific findings of replenishment study. Such study shall be placed before SEAC for appraisal for next three years to assess rate of deposition and accordingly, mineable production capacity and depth can be prescribed based on trends analysis, provided it is found scientifically satisfactory by the SEAC. The placing of the study report SEAC is mandatory for initial three years.
- 2. NOC from Irrigation Department/ Concerning Authority regarding river bed mining to be obtained before start of mining activity.
- 3. The project proponent shall install solar light in their site office.
- 4. During the submission of 6 monthly compliance reports, the project proponent should make sure that the periodically taken site photographs should also be annexed along with the compliance report.
- 5. Preference should be given to indigenous local species as per the consultation of the local district Forest Officer.
- 6. Link Road from the quarry site to the main road shall be constructed as an all-weather road with blacktopping and maintained by the project proponent.

- 7. Vehicular emissions should be kept under control and regularly monitored. Suitable measures shall be taken for proper maintenance of vehicles used in a quarry operation and transportation.
- 8. The project proponent should explore the possibilities of rainwater harvesting.
- 9. Agreement/ Consent between project proponent and competent authority/ landowner for haulage road from lease site to link road.
- 10. Latest technology (water sprinklers/ tankers) to be adopted for mitigating dust at source points in lease area and haulage road during operational activity/vehicular movement.
- 11. As per the proposed plan, plantation with area specific plant species, number of plants to be planted.
- 12. Water requirement details along with source of water and the permission/ agreement with the concerning authority/ water supplying agencies to be submitted.
- 8. "Ordinary Soil Mining Project" of Shri Pushpendra Singh, located at Village-Sharifnagar, Tehsil- Thakurdwara, District- Moradabad, Shri Pushpendra Singh S/o Shri Harphool Singh, Area- 1.639 ha., File No. 7036/Proposal No. SIA/UP/MIN/266827/2022

RESOLUTION AGAINST AGENDA NO-08

The project proponent/consultant did not appear. The committee discussed and deliberated that the project file should be closed and be opened only after request from the project proponent. The file shall not be treated as pending at SEAC. The matter will be discussed only after submission of online requests on prescribed online portal.

9. Expansion of Panchsheel Primrose Group Housing Complex at Khasra No.804, 805, 806, 807, 808, 809, 812, 813, 814, 815, 816, 817, 819, 820, 821, 838, 839, 840, 851 & 852, Village- Harsaon, NH-24, Ghaziabad, M/s Panchsheel Buildtech Pvt. Ltd., File No. 7119/6889/Proposal No. SIA/UP/MIS/77433/2010

RESOLUTION AGAINST AGENDA NO-09

The committee observed that in this case project proponent has been authorized Mr. Praduman, S/o Mr. Jitendra Singh for the purpose of getting the environmental clearance from Environment Department. The SEAC strongly feels that director of the company or officer responsible for the operation of the project should come before the SEAC as only they will be in a position to explain the project in a proper manner. Accordingly, SEAC defer this project for the next meeting and advised project proponent/consultant to come along with director or person fully responsible of the operation of the project.

10. <u>Soil Excavation from Gata No.- 03, 97 Village- Singhariya, Tehsil & District-Sitapur, Shri Arvind Kumar S/o Shri Ram Asre. Area – 1.219 ha., File No. 7045/Proposal No. SIA/UP/MIN/268273/2022</u>

The consultant informed the committee that they are strictly following the rules, regulations and other instructions of QCI/NABET. A presentation was made by the project proponent along with their consultant M/s Paramarsh (Servicing Environment and Development), Lucknow, U.P. Based on the documents submitted and presentation made by the project proponent along with the consultant, the following facts have emerged: -

1. The environmental clearance is sought for Soil Excavation Project at Gata No.- 03, 97, Village-Singhariya, Tehsil & District- Sitapur, U.P. (Area – 1.219 ha).

2. Salient features of the project as submitted by the project proponent:

| | ballent leatures of the project as subm | | | | | | | |
|------|---|---|-------------------------------------|-----------------|-------------------------|----------------|--|--|
| 1. | On-line proposal No. | SIA/UP/MIN/ 268273/2022 | | | | | | |
| 2. | File No. allotted by SEIAA, UP | 7045 | | | | | | |
| 3. | Name of Proponent | | Shri Arvind Kumar S/o Shri Ram Asre | | | | | |
| 4. | Full correspondence address of | R/o: Vill | lage- Hardo | oi Chu | ıngi, Krishna Naga | ar | | |
| | proponent | | District- Sitapur, U.P. | | | | | |
| 5. | Name of Project | Ordinary | Ordinary Soil Excavation Project | | | | | |
| 6. | Project location (Plot/ Khasra /Gata No.) | | Gata No 03, 97 | | | | | |
| 7. | Name of River | Not App | licable | | | | | |
| 8. | Name of Village | Singhari | | | | | | |
| 9. | Tehsil | Sitapur | <i>J</i> | | | | | |
| 10. | District | Sitapur | | | | | | |
| 11. | Name of Minor Mineral | Ordinary | Soil | | | | | |
| 12. | Sanctioned LeaseArea (inHa.) | 1.219 ha | | | | | | |
| 13. | Max.&Min mrl within lease area | | L- 141 mRI | L | | | | |
| 14. | Pillar Coordinates (Verified by | Gata | Pillar | | Latitude (N) | Longitude (E) | | |
| | DMO) | No. | | | . , | | | |
| | | | A | | 27°34'10.95"N | 80°38'18.16"E | | |
| | | | В | | 27°34'10.69"N | 80°38'18.68"E | | |
| | | | С | | 27°34'9.98"N | 80°38'18.13"E | | |
| | | 3 | D | | 27°34'9.44"N | 80°38'18.92"E | | |
| | | | Е | | 27°34'9.02"N | 80°38'18.62"E | | |
| | | | F | | 27°34'8.42"N | 80°38'19.50"E | | |
| | | | G | | 27°34'7.86"N | 80°38'18.96"E | | |
| | | | Н | | 27°34'9.40"N | 80°38'16.65"E | | |
| | | | A | | 27°34'9.37"N | 80°38'8.68"E | | |
| | | 97 | В | | 27°34'8.19"N | 80°38'10.20"E | | |
| | | | С | | 27°34'6.53"N | 80°38'8.38"E | | |
| | | | D | , | 27°34'7.76"N | 80°38'6.81"E | | |
| 15. | Total Geological Reserves | 30475 m | | | | _ | | |
| 16. | Total Mineable Reserves | 27428 1 | n^3 | | | | | |
| 17. | Total Proposed Production (in three months) | 27428 m | 1 | | | | | |
| 18. | Proposed Production / year | 27428 m | ³ /within 3 1 | month | ns | | | |
| 19. | Sanctioned Period of Mine lease | | | | with land owners | | | |
| 20. | Method of Mining | | t Semi-Med | | | | | |
| 21. | No.of working days | 90 days | | | | | | |
| 22. | Working hours/day | 8 Hours/ | Day | | | | | |
| 23. | No.Of workers | 32 (avera | age) | | | | | |
| 24. | No.Of vehicle movement /day | 30 (avera | age) | | | | | |
| 25. | Type of Land | | evenue Lan | d | | | | |
| 26. | Ultimate Depth of Mining | | er (average | | | | | |
| 27. | Nearest metalled road from site | 0.15 km | | | | | | |
| 28. | Water Requirement | PURPO | | | REQUIREMEN' | T (KLD) | | |
| | | | ng& Others | | 0.35 | - () | | |
| | | | ssion of du | | 0.90 | | | |
| | | Plantat | | | 0.10 | | | |
| | | | | | | | | |
| | | Others(if any) Total 1.35 | | | | | | |
| 29. | Name of QCI Accredited Consultant | | marsh (Ser | vicin | g Environment and | d Develonment) | | |
| | with QCI No and period of | Lucknov | | , , , , , , , , | 5 Zir ii Oiiii Ciit all | a Development, | | |
| | validity. | | | 2124/1 | RA0224 | | | |
| | , andry. | QCI/NABET/EIA/2124/RA0224 Validity- May 01, 2024 | | | | | | |
| 30. | Any litigation pending against the | No | 01, 2 | | | | | |
| 50. | project or land in any court | 1,0 | | | | | | |
| 31. | Details of 500 m Cluster Map & | DMO 7 | 47/Khanan | /Sitan | ur/2021-22. Dated | 1 28.12.2021 | | |
| J 1. | certificate | DMO, 747/Khanan/Sitapur/2021-22, Dated 28.12.2021 | | | | | | |
| | Verified by Mining Officer | | | | | | | |
| | | | | | | | | |

| 32. | Details of Lease Area in approved | NA |
|-----|-----------------------------------|---|
| | DSR | |
| 33. | Proposed CER cost | 0.25 Lakh |
| 34. | Proposed EMP cost | 2.02 Lakh |
| 35. | Length and breadth of Haul Road. | Length- 0.15 Km, Width- more than 6.0 m |
| 36. | No. of Trees to be Planted | 100 |

- 3. The mining would be restricted to unsaturated zone only above the phreatic water table and will not intersect the ground water table at any point of time.
- 4. This project does not attract any of the general conditions applicable on mining projects specified in EIA Notification 14/09/2006.
- 5. The mining operation will not be carried out in safety zone of any bridge or embankment or in eco-fragile zone such as habitat of any wild fauna.
- 6. There is no litigation pending in any court regarding this project.
- 7. The project proposal falls under category–1(a) of EIA Notification, 2006 (as amended).

The consultant (EIA Coordinator) also submitted an affidavit dated 26/08/2022 mentioning is as follows:

- 1. I, Pankaj Srivastava S/o Sri V.V. Srivastava am EIA Coordinator of Paramarsh Servicing Environment and Development.
- 2. I have prepared EMP report for EC in the name of Shri Arvind Kumar S/o Shri Ram Asre for the Soil Excavation Project at Gata No.- 03, 97, Village- Singhariya, Tehsil & District- Sitapur, U.P. (Area 1.219 ha) with my team.
- 3. I have personally visited the site of proposal and certify that no Mining activity has been undertaken on the project site for the present proposal.
- 4. I am satisfied with that all the necessary data/information submitted along with EMP are true and correct.
- 5. I certify that this project proposal has been uploaded for the first time on Parivesh Portal.
- 6. I certify that there is no mismatch between information/data provided on the online application submitted on Parivash Portal and hard copy which is submitted after acceptance of application.
- 7. The EIA report for the Proposal is prepared by my team as per guideline laid down by QCI/NABET.

RESOLUTION AGAINST AGENDA NO. 10

The committee discussed the matter and recommended grant of environmental clearance for the project proposal along with general and specific conditions as annexed at Annexure-2 to these minutes.

11. River Bed Sand/Morrum Mining Project from River Dhasan located at Khand No.-06, Village- Tolakhangaran, Tehsil- Rath, District- Hamirpur, Shri Ram Kumar Singh, Area: 13.0 Ha., File No. 6633/5699/Proposal No. SIA/UP/MIN/68371/2020

The committee noted that the matter was earlier listed in $623^{\rm rd}$ SEAC meeting dated 08/02/2022 and the project proponent did not appear in the meeting. The project proponent through online Parivesh portal on 12/09/2022 have requested to list the matter in next SEAC meeting and the matter was listed in $691^{\rm st}$ SEAC meeting dated 06/10/2022.

The consultant informed the committee that they are strictly following the rules, regulations and other instructions of QCI/NABET. A presentation was made by the project proponent along with their consultant M/s Cognizance Research India Pvt. Ltd. Based on the documents submitted and

presentation made by the project proponent along with the consultant, the following facts have emerged: -

- 1. The environmental clearance is sought for Sand/Morrum Mine at Khand No. 06. Village-Tolakhangaran, Tehsil-Rath, District-Hamirpur, U.P., (Leased Area: 13.0 ha).
- 2. The terms of reference in the matter were issued by SEIAA, U.P. Ref. no. 263/Parya/SEAC/5699/2019, dated 28/08/2020.
- 3. The public hearing was organized on 14/07/2021. Final EIA report submitted by the project proponent on 12/09/2022.
- 4. Salient features of the project as submitted by the project proponent:

| | On-line proposal No. SIA/UP/MIN/68371/2020 | | | | | |
|----------|--|-----------------------------|--------------------|---------|---------------|--|
| 1. | On-line proposal No. | | 3/1/2020 | | | |
| 2. | File No. allotted by SEIAA, UP | 5699/6633 | | | | |
| 3. | Name of Proponent | Shri Ram Kumar | | | | |
| 4. | Full correspondence address of | | Gursari, District- | Jhansi, | | |
| | proponent and mobile No. | Uttar Pradesh (Pi | incode: 284202) | | | |
| | | Mobile No- | | | | |
| <u> </u> | N. CD. | Email- | | | | |
| 5. | Name of Project | Sand/Morrum M | lining project | | | |
| 6. | Project location | Khand 06 | | | | |
| 7 | (Plot/Khasra/Gata No.) Name of River | Diaman | | | | |
| 7. | | Dhasan | | | | |
| 8. | Name of Village | Tolakhangaran | | | | |
| 9. | Tehsil | Rath | | | | |
| 10. | District | Hamirpur | | | | |
| 11. | Name of Minor Mineral | Sand/Morrum | | | | |
| 12. | Sanctioned Lease Area (in Ha.) | 13 | 435 | | | |
| 13. | Max & Min mRL within lease | Max- 127 mRL a | and Min- 125.126 | mRL | | |
| 1.4 | area | | | | 1 | |
| 14. | Pillar Coordinates (Verified by | Pillar No. | Latitude | | Longitude | |
| | DMO) | A 25°42'9.47"N 79°22'11.96" | | | | |
| | | В | 25°42'9.67" | N | 79°22'19.80"E | |
| | | С | 25°42'3.99" | | 79°22'19.93"E | |
| | | D | 25°41'54.28' | | 79°22'22.33"E | |
| | | Е | 25°41'46.77' | "N | 79°22'27.16"E | |
| | | F | 25°41'45.30' | "N | 79°22'21.32"E | |
| | | G | 25°41'53.67' | "N | 79°22'18.06"E | |
| | | Н | 25°41'59.50' | "N | 79°22'13.77"E | |
| 15. | Total Geological Reserves | 3,44,052 cum | | | | |
| 16. | Total Mineable Reserves in LOI | 10,39,870 cum | | | | |
| 17. | Total Proposed Production | 10,39,870 cum | | | | |
| 18. | Proposed Production/year | 2,07,974 cum | | | | |
| 19. | Sanctioned Period of Mine lease | 5 years | | | | |
| 20. | Method of Mining | Open Cast Semi- | mechanized Meth | od | | |
| 21. | No. of working days | 260 days | | | | |
| 22. | Working hours/day | 8 hrs | | | | |
| 23. | No. of workers | 59 | | | | |
| 24. | No. of vehicles movement/day | 60 | | | | |
| 25. | Type of Land | Government was | te land | | | |
| 26. | Ultimate Depth of Mining | 1.874 | | | | |
| 27. | Nearest metalled road from site | 0.8 km | | | | |
| 28. | Water Requirement | PUR | POSE | REQUI | REMENT (KLD) | |
| | _ | Drinking | | 0.59 | ` / | |
| | | Suppression of | dust | 7.20 | | |
| | | Plantation | _ | 0.65 | | |
| | | Others (if any) | | 0.59 | | |

| | | Total | 9.03 |
|-----|----------------------------------|----------------------------------|-----------------|
| 29. | Any litigation pending against | No | |
| | the project or land in any court | | |
| 30. | Details of 500 m Cluster Map & | Yes, 63/ Khanij M M C- Tees- Viv | vidh(2020-2021) |
| | certificate issued by Mining | | |
| | Officer | | |
| 31. | Details of Lease Area in | Yes, given in the DSR | |
| | approved DSR | | |
| 32. | Proposed CER cost | Rs 5,52,000 /- | |
| 33. | Proposed EMP cost | Rs 8,77,000 /- | |
| 34. | Length and breadth of Haul | Length: 0.6 km, width: 6 m | |
| | Road | | |
| 35. | No. of Trees to be Planted | 325 plants | |

- 5. The mining would be restricted to unsaturated zone only above the phreatic water table and will not intersect the ground water table at any point of time.
- 6. This project does not attract any of the general conditions applicable on mining projects specified in EIA Notification 14/09/2006.
- 7. The mining operation will not be carried out in safety zone of any bridge or embankment or in eco-fragile zone such as habitat of any wild fauna.
- 8. There is no litigation pending in any court regarding this project.
- 9. The project proposal falls under category–1(a) of EIA Notification, 2006 (as amended).

The consultant (EIA Coordinator) also submitted an affidavit dated 03/10/2022 mentioning is as follows:

- I, Ankur Sharma S/o Lalit Mohan Sharma is EIA Coordinator of Cognizance Research India Pvt. Ltd.
- 2. I have prepared EIA/EMP report for the proposal no. SIA/UP/MIN/68371/2020 of river bed Sand/Morrum Mine at Khand No. 06. Village- Tolakhangaran, Tehsil- Rath, District- Hamirpur, U.P., (Leased Area: 13.0 ha) with my team.
- 3. I have personally visited the site of proposal and certify that no Mining activity has been undertaken on the project site for the present proposal.
- 4. I am satisfied with that all the necessary data/information submitted along with EIA/EMP project preparations are true and correct.
- 5. I certify that this project proposal has been uploaded for the first time on Parivesh Portal.
- 6. I certify that there is no mismatch between information/data provided on the online application submitted on Parivash Portal and hard copy which is submitted after acceptance of application.
- 7. I state that all the TOR Points have been complied and all the issues raised during Public Hearing have been properly addressed in EIA report.
- 8. The EIA report for the Proposal is prepared by my team as per guideline laid down by QCI/NABET.

RESOLUTION AGAINST AGENDA NO. 11

The committee discussed the matter and recommended grant of environmental clearance for the project proposal along with general and specific conditions as annexed at Annexure-3 to these minutes. The committee also stipulated the following specific conditions:

1. In compliance of Hon'ble NGT Order dated 06.05.2022, for subsequent years, Project Proponent shall submit fresh annual replenishment study to SEIAA, UP for amendment in EC for mineable quantity and maximum permissible depth for mining based on scientific findings of replenishment study. Such study shall be placed before SEAC for appraisal for next three years to assess rate of

- deposition and accordingly, mineable production capacity and depth can be prescribed based on trends analysis, provided it is found scientifically satisfactory by the SEAC. The placing of the study report SEAC is mandatory for initial three years.
- 2. NOC from Irrigation Department/ Concerning Authority regarding river bed mining to be obtained before start of mining activity.
- 3. The project proponent shall install solar light in their site office.
- 4. During the submission of 6 monthly compliance reports, the project proponent should make sure that the periodically taken site photographs should also be annexed along with the compliance report.
- 5. Preference should be given to indigenous local species as per the consultation of the local district Forest Officer.
- 6. Link Road from the quarry site to the main road shall be constructed as an all-weather road with blacktopping and maintained by the project proponent.
- 7. Vehicular emissions should be kept under control and regularly monitored. Suitable measures shall be taken for proper maintenance of vehicles used in a quarry operation and transportation.
- 8. The project proponent should explore the possibilities of rainwater harvesting.
- 9. Agreement/ Consent between project proponent and competent authority/ landowner for haulage road from lease site to link road.
- 10. Latest technology (water sprinklers/ tankers) to be adopted for mitigating dust at source points in lease area and haulage road during operational activity/vehicular movement.
- 11. As per the proposed plan, plantation with area specific plant species, number of plants to be planted.
- 12. Water requirement details along with source of water and the permission/ agreement with the concerning authority/ water supplying agencies to be submitted.

12. Expansion of Institutional Building "Eye of Noida (EON)" at Plot No.01A, Sector-140A, Noida, District- Gautam Buddha Nagar, U.P., M/s Fairfox IT Infra Pvt. Ltd. Shri Rajiv., File No. 7172/6986/Proposal No. SIA/UP/MIN/79155/2022

The committee noted that the matter was earlier listed in 676th SEAC meeting dated 04/08/2022 and the project proponent did not appear in the meeting. The project proponent through online Parivesh portal on 13/09/2022 has requested to list the matter in next SEAC meeting and the matter was listed in 691st SEAC meeting dated 06/10/2022.

The consultant informed the committee that they are strictly following the rules, regulations and other instructions of QCI/NABET. A presentation was made by the project proponent along with their consultant M/s Ambiental Global Pvt. Ltd. Based on the documents submitted and presentation made by the project proponent along with the consultant, the following facts have emerged: -

- 1. The environmental clearance is sought for Expansion of Institutional Building "Eye of Noida (EON)" at Plot No.01A, Sector-140A, Noida, District- Gautam Buddha Nagar, U.P., M/s Fairfox IT Infra Pvt. Ltd.
- 2. The terms of reference in the matter were issued through online Parivesh Portal on 25/03/2022.
- 3. Environmental clearance for the existing project was issued by SEIAA, U.P. vide EC Identification no. EC22B038UP125972, dated 14/03/2022 for the plot area 55,247.50 m² and built up area 1,13,330.552 m² respectively.
- 4. Comparative details of existing and expansion project:

| S. No. | Particulars | Existing Area Details | Proposed Area Details | Post Expansion | Units |
|--------|-----------------|-----------------------|-----------------------|----------------|--------|
| | | as per Earlier EC/ | as per new Site Plan | | |
| | | Approved site plan | | | |
| 1 | Total Plot Area | 55247.50 | - | 55247.50 | (Sq.m) |
| | (Phase) | | | | |
| 2 | FAR Area | 55876.638 | 118,085.418 | 173962.056 | |

Minutes of 691st SEAC-1 Meeting Dated 06/10/2022

| 3 | Non FAR | 57453.914 | 56283.177 | 113737.091 | (Sq.m) |
|----|-----------------|----------------------|--------------------|--------------------|--------|
| | | (Basement- | | (Basement- | |
| | | 49768.873) + Service | | 92819.020)+ | |
| | | Area-7685.041) | | (Service Area- | |
| | | | | 20918.07) | |
| 4 | Total Built Up | 1,13,330.552 | 174368.595 | 287699.147 | (Sq.m) |
| | Area (FAR+ Non | (Phase-1) | | | |
| | FAR) | | | | |
| 5 | Ground Coverage | 16,414.03 | 520.47 | 16934.50 | (Sq.m) |
| 7 | Green | 5853.27 | 14075.83 | 19929.10 | (Sq.m) |
| | Area/Landscape | (10.59% of the plot | | | |
| | Area | area) | | | |
| 8 | Maximum Height | 95.01 | - | 95.01 | (m) |
| | of the building | | | | |
| 9 | Parking details | 1950 | 1776 | 3726 | Nos. |
| | | (Basement-01: 1173+ | (Basement-01: 270+ | (Basement-01: 1443 | |
| | | Basment-02: 777) | Basment-02: 1505) | + Basment-02: | |
| | | | | 2282) | |
| 10 | Occupancy | 5587.66 | 11808.54 | 17396.20 | Nos. |
| | - • | [55876.638(@ 10 | | [173962.056 (@ 10 | |
| | | sqm/person)] | | sqm/person)] | |

5. Salient features of the project:

| S. No. | Description | Existing |
|--------|-------------------------------------|---|
| 1. | Plot Area | 55247.50 Sq.m |
| 2. | Built-up Area | 287699.147 Sq.m [1,13,330.552 (Existing as per SEAC-2 597th Meeting dated November 29, 2021) + 174368.595 |
| 2 | | Sq.m (Newly Proposed)] |
| 3. | Green Area | 19929.10 Sq.m [5853.27 (Existing)+14075.83(Newly Proposed)) |
| 4. | Estimated Water Requirement with | • |
| | source: | 214 KLD source :nearby CSTPs |
| | Construction Phase | 821.93 KLD |
| | Operational Phase | Fresh water- 400.11 KLD, source- Municipal Supply |
| | | Treated water-421.82 KLD, source- In house STP |
| 5. | Estimated wastewater generation and | 617.565 KLD (STP with capacity of 750 KLD based on |
| | treatment | MBBR) |
| 6. | Power Demand and Source | 10500 kVA by Uttar Pradesh Power Corporation Limited |
| | Power Back-up | (UPPCL). |
| | • | 7 Nos. of DG sets of 1500 KVA) |
| 7. | Solid Waste Generation | In construction phase total 328 Kg/day & in operation |
| | | phase total 4176 Kg/day |
| 8. | Parking Facilities Required | Required :3481 ECS. |
| | Total Parking required | Provided:3726 ECS. |
| | Total Parking Proposed | |
| 9. | RWH Pits | 09 pits |
| 10. | Project Cost | 360 crores |
| 11. | Project Completion Date | December, 2025 |

6. Detailed area statement:

| Particulars | | Area | Units |
|---|---|------------|-------|
| Total Plot Area | = | 55247.50 | SqMts |
| Permissible Ground Coverage @30% of Plot Area | = | 16574.250 | SqMts |
| Permissible FAR @3.0 of Plot Area (A) | | 165742.500 | SqMts |
| Green FAR @5% (B) | | 8287.125 | SqMts |
| Total Permissible FAR (A+B) | = | 174029.63 | SqMts |
| Permissible Services Area @15% on FAR | = | 24861.375 | SqMts |
| Achieved Ground Coverage | = | 16394.950 | SqMts |
| Achieved FAR | = | 173962.056 | SqMts |
| Achieved Services | = | 20918.071 | SqMts |
| Landscaping Detail | | | |

Minutes of 691st SEAC-1 Meeting Dated 06/10/2022

| Open Area (Plot Area - Ground Coverage) | = | 38673.25 | SqMts |
|--|---|----------|---------------|
| Required Green @50% of (Plot Area - Ground Coverage) | = | 19336.63 | SqMts |
| Provided Green Area | = | 19929.10 | SqMts |
| No of Trees Required @ 1Tree/100 SQMT of Open Area | = | 387 | No s |
| No of Trees Provided (Note 50% of Evergreen) | = | 390 | No s |
| | | | |
| Parking Calculation | | | |
| Parking Required = FAR / 50 | = | 3,481 | ECS Requiresd |
| Proposed ECS detail | | | |
| Proposed ECS in Basement - 02 =43298.585/30 | = | 1443 | ECS |
| Proposed ECS in Basement - 01 =41081.47/18 | = | 2282 | ECS |
| Total Proposed ECS | = | 3726 | ECS Provided |

| Total FAR & Ground | | 3 | | | |
|--------------------|--------|------------|--------------------|------------------|---------------------------|
| Description | Height | FAR Area | Ground Coverage | Total Non FAR | Total Services Area |
| Block A | G + 22 | 53462.495 | 3945.162 | | 6222.148 |
| Block B | G + 16 | 39157.017 | 3880.472 | | 4645.159 |
| Block C | G + 1 | 808.920 | 423.360 | | 40.700 |
| Block D | G + 16 | 39157.017 | 3880.472 | | 4645.159 |
| Block E | G + 15 | 36994.370 | 3336.062 | | 4415.124 |
| Kiosk | | 193.000 | 193.000 | | |
| Bridge | | 540.170 | 540.170 | | |
| Meter Room | | 46.374 | 46.374 | | |
| ISO Panel Room | | | 50.227 | | 50.227 |
| Mumty | | | 59.652 | | 59.652 |
| Guard Room | | | 40.000 | | 40.000 |
| Total | | 170359.363 | 16394.950 | | 20118.169 |
| Basement-02 | | | | 49031.716 | 392.084 |
| Basement-01 | | 3602.694 | | 43787.304 | 407.818 |
| Grand Total | 1 | 173962.056 | 16394.950 | 92819.020 | 20918.071 |

7. Water calculation details:

| S.No. | Description | Occupancy | Rate of | Domestic | Flushing |
|-------|--|-----------|---------|-------------|-------------|
| | | | water | Water | Water |
| | | | demand | Requirement | Requirement |
| | | | (LPD) | (KLD) | (KLD) |
| 1 | Population | | | • | |
| 2 | [173962.056 Sq.m (@ 10 sqm/person)] | 17396.2 | | | |
| 3 | Staffs @ 90% of Total residential population | 15656.58 | 45 | 391.41 | 313.13 |
| 4 | Visitors/Floating@ 10% of Total residential population | 1739.62 | 15 | 8.70 | 17.40 |

| 5 | Total | | | 400.11 | 330.53 |
|----|-----------------------------------|---------|------------|---------|--------|
| 6 | Capacity of STP (80 % of Domestic | | | 617.565 | KLD |
| | Water+ 90% of Flushing Water) | | | | |
| 7 | Add 20% as environmental norms | | | 123.51 | KLD |
| | requirement | | | | |
| 8 | Total | | | 741.08 | KLD |
| 9 | Proposed capacity of STP | | | 750.00 | KLD |
| 10 | Total Treated Water Generation | | | 555.81 | KLD |
| 11 | Horticulture/Gardening | 19929.1 | 4 | 79.72 | KLD |
| | | | lt/sqm/day | | |
| 12 | HVAC Cooling | 1653 TR | 7lit/TR/hr | 11.57 | KLD |

8. Waste water details:

| 1 | Total Water Requirement | 821.93 | KLD |
|---|---|---------|-----|
| 2 | Fresh water requirement | 400.11 | KLD |
| 3 | Treated Water Requirement | 421.82 | KLD |
| 4 | Waste water Generation | 617.565 | KLD |
| 5 | Proposed Capacity of STP | 750 | KLD |
| 6 | Treated Water Available for Reuse | 421.82 | KLD |
| 7 | Discharged in Municipal Sewer/ Nearby construction sites/ | 133.993 | KLD |
| | NDA Gardens | | |

9. Parking details:

| Parking Calculation | | | | |
|-------------------------------|---------------|---|-------|---------------|
| Parking Required = FAR / 50 | | | 3,481 | ECS Requiresd |
| Proposed ECS detail | | | | |
| Proposed ECS in Basement - 02 | =43298.585/30 | = | 1443 | ECS |
| Proposed ECS in Basement - 01 | =41081.47/18 | = | 2282 | ECS |
| Total Proposed ECS | | = | 3726 | ECS Provided |

^{10.} The project proposal falls under category–8(b) of EIA Notification, 2006 (as amended).

RESOLUTION AGAINST AGENDA NO. 12

The committee discussed the matter and recommended grant of environmental clearance on the proposal as above alongwith standard environmental clearance conditions prescribed by MoEF&CC, GoI and following additional conditions:

Additional Conditions:

- 1. Project proponent is advised to explore the possibility and getting the cement in container rather through the plastic bag.
- 2. Project proponent should ensure that there will be no use of "Single use of Plastic" (SUP).
- 3. In compliance to Hon'ble Supreme Court order dated 13/01/2020 in IA no. 158128/2019 and 158129/2019 in Writ petition no. 13029/1985 (MC Mehta Vs. GoI and others) anti-smog guns shall be installed to reduce dust during excavation.
- 4. The project proponent shall comply the use of fuel for backup power as per guidelines by "Commission of Air Quality Management in NCR", directions of courts and CPCB shall be strictly adhered regarding DG sets (cleaner fuel as PNG/CNG/permissible fuel in NCR). The project proponent shall follow the orders/guidelines issued by Hon'ble Court(s)/Competent authorities from time to time.

Standard Environmental Clearance Conditions prescribed by MoEF&CC:

- 1. Statutory compliance:
 - 1. The project proponent shall obtain all necessary clearance/ permission from all relevant agencies including town planning authority before commencement of work. All the construction shall be done in accordance with the local building byelaws.

- The approval of the Competent Authority shall be obtained for structural safety of buildings
 due to earthquakes, adequacy of firefighting equipment etc as per National Building Code
 including protection measures from lightning etc.
- 3. The project proponent shall obtain forest clearance under the provisions of Forest (Conservation) Act, 1986, in case of the diversion of forest land for non-forest purpose involved in the project.
- 4. The project proponent shall obtain clearance from the National Board for Wildlife, if applicable.
- 5. The project proponent shall obtain Consent to Establish / Operate under the provisions of Air (Prevention & Control of Pollution) Act, 1981 and the Water (Prevention & Control of Pollution) Act, 1974 from the concerned State Pollution Control Board/ Committee.
- 6. The project proponent shall obtain the necessary permission for drawl of ground water / surface water required for the project from the competent authority.
- 7. A certificate of adequacy of available power from the agency supplying power to the project along with the load allowed for the project should be obtained.
- 8. All other statutory clearances such as the approvals for storage of diesel from Chief Controller of Explosives, Fire Department, Civil Aviation Department shall be obtained, as applicable, by project proponents from the respective competent authorities.
- 9. The provisions of the Solid Waste (Management) Rules, 2016, e-Waste (Management) Rules, 2016, and the Plastics Waste (Management) Rules, 2016 shall be followed.
- 10. The project proponent shall follow the ECBC/ECBC-R prescribed by Bureau of Energy Efficiency, Ministry of Power strictly.
- 2. Air quality monitoring and preservation:
 - 1. Notification GSR 94(E) dated 25.01.2018 of MoEF&CC regarding Mandatory Implementation of Dust Mitigation Measures for Construction and Demolition Activities for projects requiring Environmental Clearance shall be complied with.
 - 2. A management plan shall be drawn up and implemented to contain the current exceedance in ambient air quality at the site.
 - 3. The project proponent shall install system to carryout Ambient Air Quality monitoring for common/criterion parameters relevant to the main pollutants released (e.g. PM10 andPM25) covering upwind and downwind directions during the construction period.
 - 4. Construction site shall be adequately barricaded before the construction begins. Dust, smoke & other air pollution prevention measures shall be provided for the building as well as the site. These measures shall include screens for the building under construction, continuous dust/ wind breaking walls all around the site (at least 3 meter height). Plastic/tarpaulin sheet covers shall be provided for vehicles bringing in sand, cement, murram and other construction materials prone to causing dust pollution at the site as well as taking out debris from the site.
 - 5. Sand, murram, loose soil, cement, stored on site shall be covered adequately so as to prevent dust pollution.
 - 6. Wet jet shall be provided for grinding and stone cutting.
 - 7. Unpaved surfaces and loose soil shall be adequately sprinkled with water to suppress dust.
 - 8. All construction and demolition debris shall be stored at the site (and not dumped on the roads or open spaces outside) before they are properly disposed. All demolition and construction waste shall be managed as per the provisions of the Construction and Demolition Waste Rules 2016.
 - 9. The diesel generator sets to be used during construction phase shall be low sulphur diesel type and shall conform to Environmental (Protection) prescribed for air and noise mission standards.

- 10. The gaseous emissions from DG set shall be dispersed through adequate stack height as per CPCB standards. Acoustic enclosure shall be provided to the DG sets to mitigate the noise pollution. The location of the DG set and exhaust pipe height shall be as per the provisions of the Central Pollution Control Board (CPCB) norms.
- 11. For indoor air quality the ventilation provisions as per National Building Code of India.
- 3. Water quality monitoring and preservation:
 - 1. The natural drain system should be maintained for ensuring unrestricted flow of water. No construction shall be allowed to obstruct the natural drainage through the site, on wetland and water bodies. Check dams, bio-swales, landscape, and other sustainable urban drainage systems (SUDS) are allowed for maintaining the drainage pattern and to harvest rain water.
 - 2. Buildings shall be designed to follow the natural topography as much as possible. Minimum cutting and filling should be done.
 - 3. Total fresh water use shall not exceed the proposed requirement as provided in the project details.
 - 4. The quantity of fresh water usage, water recycling and rainwater harvesting shall be measured and recorded to monitor the water balance as projected by the project proponent. The record shall be submitted to the Regional Office, MoEF&CC along with six monthly Monitoring reports.
 - 5. A certificate shall be obtained from the local body supplying water, specifying the total annual water availability with the local authority, the quantity of water already committed, the quantity of water allotted to the project under consideration and the balance water available. This should be specified separately for ground water and surface water sources, ensuring that there is no impact on other users.
 - 6. At least 20% of the open spaces as required by the local building bye-laws shall be pervious. Use of Grass pavers, paver blocks with at least 50% opening, landscape etc. would be considered as pervious surface.
 - 7. Installation of dual pipe plumbing for supplying fresh water for drinking, cooking and bathing etc and other for supply of recycled water for flushing, landscape irrigation car washing, thermal cooling, conditioning etc. shall be done.
 - 8. Use of water saving devices/ fixtures (viz. low flow flushing systems; use of low flow faucets tap aerators etc) for water conservation shall be incorporated in the building plan.
 - 9. Use of water saving devices/ fixtures (viz. low flow flushing systems; use of low flow faucets tap aerators etc) for water conservation shall be incorporated in the building plan.
 - 10. Water demand during construction should be reduced by use of pre-mixed concrete, curing agents and other best practices referred.
 - 11. The local bye-law provisions on rain water harvesting should be followed. If local byelaw provision is not available, adequate provision for storage and recharge should be followed as per the Ministry of Urban Development Model Building Byelaws, 2016. Rain water harvesting recharge pits/storage tanks shall be provided for ground water recharging as per the CGWB norms.
 - 12. A rain water harvesting plan needs to be designed where the recharge bores of minimum one recharge bore per 5,000 square meters of built up area and storage capacity of minimum one day of total fresh water requirement shall be provided. In areas where ground water recharge is not feasible, the rain water should be harvested and stored for reuse. The ground water shall not be withdrawn without approval from the Competent Authority.
 - 13. All recharge should be limited to shallow aquifer.
 - 14. No ground water shall be used during construction phase of the project.

- 15. Any ground water dewatering should be properly managed and shall conform to the approvals and the guidelines of the CGWA in the matter. Formal approval shall be taken from the CGWA for any ground water abstraction or dewatering.
- 16. The quantity of fresh water usage, water recycling and rainwater harvesting shall be measured and recorded to monitor the water balance as projected by the project proponent. The record shall be submitted to the Regional Office, MoEF&CC along with six monthly Monitoring reports.
- 17. Sewage shall be treated in the STP with tertiary treatment. The treated effluent from STP shall be recycled/re-used for flushing, AC make up water and gardening. As proposed, not related water shall be disposed in to municipal drain.
- 18. No sewage or untreated effluent water would be discharged through storm water drains.
- 19. Onsite sewage treatment of capacity of treating 100% waste water to be installed. The installation of the Sewage Treatment Plant (STP) shall be certified by an independent expert and a report in this regard shall be submitted to the Ministry before the project is commissioned for operation. Treated waste water shall be reused on site for landscape, flushing, cooling tower, and other end-uses. Excess treated water shall be discharged as per statutory norms notified by Ministry of Environment, Forest and Climate Change. Natural treatment systems shall be promoted.
- 20. Periodical monitoring of water quality of treated sewage shall be conducted. Necessary measures should be made to mitigate the odor problem from STP.
- 21. Sludge from the onsite sewage treatment, including septic tanks, shall be collected, conveyed and disposed as per the Ministry of Urban Development, Centre Public Health and Environmental Engineering Organization (CPHEEO) Manual on Sewerage and Sewage Treatment Systems, 2013.

4. Noise monitoring and prevention:

- Ambient noise levels shall conform to residential area/commercial area/industrial area/silence
 zone both during day and night as per Noise Pollution (Control and Regulation) Rules, 2000.
 Incremental pollution loads on the ambient air and noise quality shall be closely monitored
 during construction phase. Adequate measures shall be made to reduce ambient air and noise
 level during construction phase, so as to conform to the stipulated standards by CPCB /
 SPCB.
- 2. Noise level survey shall be carried as per the prescribed guidelines and report in this regard shall be submitted to Regional Officer of the Ministry as a part of six-monthly compliance report.
- 3. Acoustic enclosures for DG sets, noise barriers for ground-run bays, ear plugs for operating personnel shall be implemented as mitigation measures for noise impact due to ground sources.

5. Energy Conservation measures:

- 1. Compliance with the Energy Conservation Building Code (ECBC) of Bureau of Energy Efficiency shall be ensured. Buildings in the States which have notified their own ECBC, shall comply with the State ECBC.
- 2. Outdoor and common area lighting shall be LED.
- 3. Concept of passive solar design that minimize energy consumption in buildings by using design elements, such as building orientation, landscaping, efficient building envelope, appropriate fenestration, increased day lighting design and thermal mass etc. shall be incorporated in the building design. Wall, window, and roof u-values shall be as per ECBC specifications.

- 4. Energy conservation measures like installation of CFLs/ LED for the lighting the area outside the building should be integral part of the project design and should be in place before project commissioning.
- 5. Solar, wind or other Renewable Energy shall be installed to meet electricity generation equivalent to 1% of the demand load or as per the state level/ local building bye-laws requirement, whichever is higher.
- 6. Solar power shall be used for lighting in the apartment to reduce the power load on grid. Separate electric meter shall be installed for solar power. Solar water heating shall be provided to meet 20% of the hot water demand of the commercial and institutional building or as per the requirement of the local building bye-laws, whichever is higher. Residential buildings are also recommended to meet its hot water demand from solar water heaters, as far as possible.

6. Waste Management:

- 1. A certificate from the competent authority handling municipal solid wastes, indicating the existing civic capacities of handling and their adequacy to cater to the M.S.W. generated from project shall be obtained.
- 2. Disposal of muck during construction phase shall not create any adverse effect on the neighboring communities and be disposed taking the necessary precautions for general safety and health aspects of people, only in approved sites with the approval of competent authority.
- 3. Separate wet and dry bins must be provided in each unit and at the ground level for facilitating segregation of waste. Solid waste shall be segregated into wet garbage and inert materials.
- 4. Organic waste compost/ Vermiculture pit/ Organic Waste Converter within the premises with a minimum capacity of 0.3 kg/person/day must be installed.
- 5. All non-biodegradable waste shall be handed over to authorized recyclers for which a written tie up must be done with the authorized recyclers.
- 6. Any hazardous waste generated during construction phase, shall be disposed off as per applicable rules and norms with necessary approvals of the State Pollution Control Board.
- 7. Use of environment friendly materials in bricks, blocks and other construction materials, shall be required for at least 20% of the construction material quantity. These include Fly Ash bricks, hollow bricks, AACs, Fly Ash Lime Gypsum blocks, Compressed earth blocks, and other environment friendly materials.
- 8. Fly ash should be used as building material in the construction as per the provision of Fly Ash Notification of September, 1999 and amended as on 27th August, 2003 and 25th January, 2016. Ready mixed concrete must be used in building construction.
- 9. Any wastes from construction and demolition activities related thereto shall be managed so as to strictly conform to the Construction and Demolition Rules, 2016.
- 10. Used CFLs and TFLs should be properly collected and disposed off/sent for recycling as per the prevailing guidelines/ rules of the regulatory authority to avoid mercury contamination.

7. Green Cover:

- 1. No tree can be felled/transplant unless exigencies demand. Where absolutely necessary, tree felling shall be with prior permission from the concerned regulatory authority. Old trees should be retained based on girth and age regulations as may be prescribed by the Forest Department. Plantations to be ensured species (cut) to species (planted).
- 2. A minimum of 1 tree for every 80 sqm of land should be planted and maintained. The existing trees will be counted for this purpose. The landscape planning should include plantation of native species. The species with heavy foliage, broad leaves and wide canopy cover are desirable. Water intensive and/or invasive species should not be used for landscaping.
- 3. Where the trees need to be cut with prior permission from the concerned local Authority, compensatory plantation in the ratio of 1:10 (i.e. planting of 10 trees for every 1 tree that is cut) shall be done and maintained. Plantations to be ensured species (cut) to species (planted). Area for green belt development shall be provided as per the details provided in the project document.
- 4. Topsoil should be stripped to a depth of 20 cm from the areas proposed for buildings, roads, paved areas, and external services. It should be stockpiled appropriately in designated areas and reapplied during plantation of the proposed vegetation on site.

8. Transport:

- 1. A comprehensive mobility plan, as per MoUD best practices guidelines (URDPFI), shall be prepared to include motorized, non-motorized, public, and private networks. Road should be designed with due consideration for environment, and safety of users. The road system can be designed with these basic criteria.
 - a. Hierarchy of roads with proper segregation of vehicular and pedestrian traffic.
 - b. Traffic calming measures.
 - c. Proper design of entry and exit points.
 - d. Parking norms as per local regulation.
- 2. Vehicles hired for bringing construction material to the site should be in good condition and should have a pollution check certificate and should conform to applicable air and noise emission standards be operated only during non-peak hours.
- 3. A detailed traffic management and traffic decongestion plan shall be drawn up to ensure that the current level of service of the roads within a 05 kms radius of the project is maintained and improved upon after the implementation of the project. This plan should be based on cumulative impact of all development and increased habitation being carried out or proposed to be carried out by the project or other agencies in this 05 Kms radius of the site in different scenarios of space and time and the traffic management plan shall be duly validated and certified by the State Urban Development department and the P.W.D./ competent authority for road augmentation and shall also have their consent to the implementation of components of the plan which involve the participation of these departments.

9. Human health issues:

- 1. All workers working at the construction site and involved in loading, unloading, carriage of construction material and construction debris or working in any area with dust pollution shall be provided with dust mask.
- 2. For indoor air quality the ventilation provisions as per National Building Code of India.
- 3. Emergency preparedness plan based on the Hazard identification and Risk Assessment (HIRA) and Disaster Management Plan shall be implemented.
- 4. Provision shall be made for the housing of construction labour within the site with all necessary infrastructure and facilities such as fuel for cooking, mobile toilets, mobile STP, safe drinking water, medical health care, crèche etc. The housing may be in the form of temporary structures to be removed after the completion of the project.
- 5. Occupational health surveillance of the workers shall be done on a regular basis.
- 6. A First Aid Room shall be provided in the project both during construction and operations of the project.

10. Corporate Environment Responsibility:

- 1. The project proponent shall comply with the provisions contained in this Ministry's OM vide F.No. 22-65/2017-IA.III dated 1st May 2018, as applicable, regarding Corporate Environment Responsibility.
- 2. The company shall have a well laid down environmental policy duly approved by the Board of Directors. The environmental policy should prescribe for standard operating procedures to have proper checks and balances and to bring into focus any infringements/deviation/violation of the environmental / forest / wildlife norms / conditions. The company shall have defined system of reporting infringements / deviation / violation of the environmental / forest / wildlife norms / conditions and / or shareholders / stake holders. The copy of the board resolution in this regard shall be submitted to the MoEF&CC as a part of six-monthly report.
- 3. A separate Environmental Cell both at the project and company head quarter level, with qualified personnel shall be set up under the control of senior Executive, who will directly to the head of the organization.
- 4. Action plan for implementing EMP and environmental conditions along with responsibility matrix of the company shall be prepared and shall be duly approved by competent authority. The year wise funds earmarked for environmental protection measures shall be kept in separate account and not to be diverted for any other purpose. Year wise progress of implementation of action plan shall be reported to the Ministry/Regional Office along with the Six Monthly Compliance Report.

11. Miscellaneous:

- 1. The project proponent shall prominently advertise it at least in two local newspapers of the District or State, of which one shall be in the vernacular language within seven days indicating that the project has been accorded environment clearance and the details of MoEFCC/SEIAA website where it is displayed.
- 2. The copies of the environmental clearance shall be submitted by the project proponents to the Heads of local bodies, Panchayats and Municipal Bodies in addition to the relevant offices of the Government who in turn has to display the same for 30 days from the date of receipt.
- 3. The project proponent shall upload the status of compliance of the stipulated environment clearance conditions, including results of monitored data on their website and update the same on half-yearly basis.
- 4. The project proponent shall submit six-monthly reports on the status of the compliance of the stipulated environmental conditions on the website of the ministry of Environment, Forest and Climate Change at environment clearance portal.
- 5. The project proponent shall submit the environmental statement for each financial year in Form-V to the concerned State Pollution Control Board as prescribed under the Environment (Protection) Rules, 1986, as amended subsequently and put on the website of the company.
- 6. The project proponent shall inform the Regional Office as well as the Ministry, the date of financial closure and final approval of the project by the concerned authorities, commencing the land development work and start of production operation by the project.
- 7. The project authorities must strictly adhere to the stipulations made by the State Pollution Control Board and the State Government.
- 8. The project proponent shall abide by all the commitments and recommendations made in the EIA/EMP report, commitment made during Public Hearing and also that during their presentation to the Expert Appraisal Committee.
- 9. No further expansion or modifications in the plant shall be carried out without prior approval of the Ministry of Environment, Forests and Climate Change (MoEF&CC).
- 10. Concealing factual data or submission of false/fabricated data may result in revocation of this environmental clearance and attract action under the provisions of Environment (Protection) Act, 1986.
- 11. The Ministry may revoke or suspend the clearance, if implementation of any of the above conditions is not satisfactory.
- 12. The Ministry reserves the right to stipulate additional conditions if found necessary. The Company in a time bound manner shall implement these conditions.
- 13. The Regional Office of this Ministry shall monitor compliance of the stipulated conditions. The project authorities should extend full cooperation to the officer (s) of the Regional Office by furnishing the requisite data / information/monitoring reports.
- 14. The above conditions shall be enforced, inter-alia under the provisions of the Water (Prevention & Control of Pollution) Act, 1974, the Air (Prevention & Control of Pollution) Act, 1981, the Environment (Protection) Act, 1986, Hazardous and Other Wastes (Management and Transboundary Movement) Rules, 2016 and the Public Liability Insurance Act, 1991 along with their amendments and Rules and any other orders passed by the Hon'ble Supreme Court of India / High Courts and any other Court of Law relating to the subject matter.
- 15. Any appeal against this EC shall lie with the National Green Tribunal, if preferred, within a period of 30 days as prescribed under Section 16 of the National Green Tribunal Act, 2010.

13. <u>Stone (Sand Stone) Mining at Arazi No.-615MI, 692/615MI, Village-Sahira, Tehsil-Lalganj, District- Mirzapur, Shri Rajendra Kumar Singh, Area- 2.02 Ha. File No. 6542/Proposal No. SIA/UP/MIN/64303/2021</u>

The committee noted that the matter was earlier discussed in 639^{th} SEIAA meeting dated 11/08/2022 and decided is as follows:

"SEIAA noted that SEAC-1 has recommended to grant EC to the above project. SEIAA gone through file and documents and found that production capacity of 20200 m³/annum for five

years has been recommended in the MoM whereas in the mining plan there is year-wise variation in production capacity. Hence SEIAA opined to refer the project to SEAC-1 for review/comments."

As per the direction of SEIAA, the matter was listed in 689th SEAC meeting dated 27/09/2022. The committee discussed the matter and directed the project proponent to submit revised mining plan from Geology and Mining Department along with revised salient features of the project for further consideration of the matter.

The project submit the revised mining plan dated 30/09/2022 approved by Geology and Mining Department, Lucknow along with revised salient features as directed by SEAC. The committee discussed the matter and recommended grant of environmental clearance on the proposal alongwith environmental clearance conditions as earlier stipulated in 673rd SEAC meeting dated 19/07/2022 with following revised salient features:

| 1. On-line proposal No. | SIA/UP/MIN/64303/2021 | | | | | |
|---|--|---|----------|---------------|--|--|
| 2. File No. allotted by SEIAA, UP | 6542 | 6542 | | | | |
| 3. Name of Proponent | Shri Rajendra | Shri Rajendra Kumar Singh S/O Shri Ram Dhawan Singh | | | | |
| 4. Full correspondence address of proponent and | R/o-153 Ward | l No 6, Chopan | Road, Pa | arshoi, Obra, | | |
| mobile no. | Sonbhadra, (U | J.P.)231219 | | | | |
| 5. Name of Project | Building Ston | e (Sand Stone) | Mining P | roject | | |
| 6. Project location (Plot/Khasra/Gata No.) | Gata No. 615 | MI, 692/615MI | | | | |
| 7. Name of River | NA | | | | | |
| 8. Name of Village | Sahira | | | | | |
| 9. Tehsil | Lalganj | | | | | |
| 10. District | Mirzapur (U.l | P) | | | | |
| 11. Name of Minor Mineral | Building Ston | e (Sand Stone) | Mining P | roject | | |
| 12. Sanctioned Lease Area (in Ha.) | 2.02 Ha. | | | | | |
| 13. Mineable Area (in Ha.) | 1.5806 ha.(Sa | fety area 0.4394 | 4 Ha) | | | |
| 14. Zero level mRL | NA | | | | | |
| 15. Max. & Min mrl within lease area | Maximum mF | RL 151 mRL Mi | inimum 1 | mRL 149 mRL | | |
| 16. Pillar Coordinates (Verified by DMO) | Pillar | Latitude(| N) | Longitude(E) | | |
| | A | 25°03'28.7' | 'N | 82°20'28.2" E | | |
| | В | 25°03'33.9' | 'N | 82°20'29.2" E | | |
| | С | 25°03'34.0' | 'N | 82°20'21.7" E | | |
| | D | 25°03'27.9' | 'N | 82°20'26.8" E | | |
| 17. Total Geological Reserves | 5,38,526.54 m | 1 ³ | | · | | |
| 18. Mineable Quantity | 20,200 m³ per year as per LOI | | | | | |
| 19. Total Proposed Production (in five year) | 1 ' ' | 1,01,000 m ³ | | | | |
| 20. Proposed Production/year | 20,200 m ³ per | 20,200 m³ per year | | | | |
| 21. Sanctioned Period of Mine lease | 10 Year | 10 Year | | | | |
| 22. Total Production (in 10 year as per LOI) | 2,02,000 m ³ | 2,02,000 m ³ | | | | |
| 23. Method of Mining | Open cast, ser | Open cast, semi-mechanized | | | | |
| 24. No. of working days | 250 | | | | | |
| 25. Working hours/day | 8 hours/day | | | | | |
| 26. No. Of workers | 19 | | | | | |
| 27. No. Of vehicles movement/day | 14-17 Vehicles movement/day | | | | | |
| 28. Type of Land | Building Stone (Sand Stone)Mining Project | | | | | |
| 29. Ultimate Depth of Mining | 18.0 meter for five year as per approved mining plan | | | | | |
| 30. Nearest metaled road from site | | NH-7 about 3.10 km towards South direction from the | | | | |
| | project site. | | | | | |
| 31. Water Requirement | PURPOSE REQUIREMENT (KI | | | | | |
| | Drinking water 0.29 KLD | | | 0.29 KLD | | |

Minutes of 691st SEAC-1 Meeting Dated 06/10/2022

| | Suppression of dust | 3.6 KLD | |
|---|--|--------------------|--|
| | Plantation | 3.0 KLD | |
| | Others (if any) | - | |
| | Total | 6.8 KLD OR 6.9 KLD | |
| | | Approx. | |
| 32. Name of QCI Accredited Consultant with QCI | Environmental Research and Analysis, Lucknow (U.P) | | |
| No | Certificate No. NABET/EIA/1922/RA0200 | | |
| And period of validity. | and valid up to 30 Dec. 2022 | | |
| 33. Any litigation pending against the project or | No | | |
| land in any court | | | |
| 34. Details of 500 m Cluster Map & certificate | Letter No 1506/Khanij/2021 date 02/09/2021 | | |
| issued by Mining Officer | | | |
| 35. Details of Lease Area in approved DSR | Shudhi Patra- 2147/Khanij/2021 date-20/10/2021 | | |
| 36. Proposed EMP cost | Rs. 16,76,800/- | | |
| 37. Total Project cost | Rs. 97,00,000/- | | |
| 38. Length and breadth of Haul Road | 300 m length and 6.0 m width | | |
| 39. No. of Trees to be Planted | 3000 | | |
| 40. Monitoring Period | 1 October 2021 to 31 December 2021 | | |

(Dr. Brij Bihari Awasthi) (Umesh Chandra Sharma) (Dr. Ratan Kar) Member Member Member

(Om Prakash Srivastava) (Ashish Tiwari) (Rajive Kumar) Member Member-Secretary, SEAC Chairman

Nodal, SEAC-1

MoM prepared by Secretariat in consultation with Chairman & Members on the basis of decisions taken by SEAC-1 during the meeting.

Annexure-1

General and Specific Conditions for Gitti, Patthar & Boulder Mining Projects: -

A. General Conditions:

- 1. This environmental clearance is subject to allotment of mining lease in favour of project proponent by District Administration/Mining Department.
- 2. Forest clearance shall be taken by the proponent as necessary under the law.
- 3. Any addition of the mining area, change of Khasra numbers, enhancement of capacity, change in mining technology, modernization, and scope of working shall again require prior environmental clearance as per EIA notification, 2006.
- 4. No change in the calendar plan including excavation, the quantum of mineral and waste shall be made.
- 5. Mining will be carried out as per the approved mining plan. In case of any violation of the mining plan, the Environmental Clearance given by SEIAA will stand cancelled.
- 6. Four ambient air quality monitoring stations shall be established in the core zone as well as in the buffer zone for RSPM, SPM, SO₂, NO_x monitoring. The location of the stations should be decided based on the meteorological data, topographical features, and environmentally and ecologically sensitive targets and frequency of monitoring should be undertaken in consultation with the State Pollution Control Board. The monitored data for criteria pollutants shall be regularly uploaded on the company's website and also displayed on the website.
- 7. Data on ambient air quality (RPM, SPM, SO₂, NO_x) should be regularly submitted to the Integrated Regional Office, MoEF&CC, GoI, Lucknow and the State Pollution Control Board / Central Pollution Control Board once in six months.
- 8. Ambient air quality at the boundary of the mine premises shall conform to the norms prescribed in MoEF notification no. GSR/826(E) dated 16.11.09.
- 9. Fugitive dust emissions from all the sources shall be controlled regularly. Water spraying arrangement on haul roads, loading and unloading, and at transfer points shall be provided and properly maintained.
- 10. Measures shall be taken for control of noise levels below 85 dBA in the work environment. Workers engaged in operations of HEMM, etc. shall be provided with earplugs/muffs and health records of the workers shall be maintained.
- 11. Industrial wastewater (workshop and wastewater from the mine) should be properly collected, treated to conform to the standards prescribed under GSR 422 (E) dated 19th May 1993 and 31st December 1993 or as amended from time to time. Oil and grease traps shall be installed before the discharge of workshop effluents.
- 12. Personnel working in areas shall be provided with protective respiratory devices like masks and they shall also be imparted adequate training and information on safety and health aspects.
- 13. Special measures shall be adopted to prevent the nearby settlements from the impacts of mining activities.
- 14. The transportation of the materials shall be limited to the day hours' time only.
- 15. Provision shall be made for housing the laborers within the site with all necessary infrastructure and facilities such as fuel for cooking, mobile toilets, safe drinking water, medical health care, crèche, etc. The housing may be in the form of temporary structures to be removed after the completion of the project.
- 16. A separate Environmental Management Cell with suitably qualified personnel shall be setup under the control of a Senior Executive, who will report directly to the Head of the Organization.
- 17. The Project Proponent shall inform the Integrated Regional Office, MoEF&CC, GoI, Lucknow and State Pollution Control Board regarding the date of financial closures and final approval of the project by the concerned authorities and the date of start of land development work.
- 18. The funds earmarked for environmental protection measures shall be kept in a separate account and shall not be diverted for other purposes. The year-wise expenditure shall be reported to the Integrated Regional Office, MoEF&CC, GoI, Lucknow and State Pollution Control Board

- 19. The Integrated Regional Office, MoEF&CC, GoI, Lucknow and State Pollution Control Board shall monitor compliance with the stipulated conditions. A complete set of documents including Environment Impact Assessment Report, Environmental Management Plan, Public hearing, and other documents information should be given to the Integrated Regional Office, MoEF&CC, GoI, Lucknow and State Pollution Control Board
- 20. A copy of the environmental clearance shall be submitted by the Project Proponent to the Heads of the Local Bodies, Panchayat, and Municipal Bodies as applicable in the matter.
- 21. The Project Proponent shall advertise at least in two local newspapers widely circulated, one of which shall be in the vernacular language of the locality concerned, within 7 days of the issue of the clearance letter informing that the project has been accorded environmental clearance and a copy of the clearance letter is available with the State Level Environment Impact Assessment Authority (SEIAA).
- 22. The Project Proponent has to submit a regular half-yearly compliance report of the stipulated prior environmental clearance terms and conditions in hard and soft copy to the SEIAA, U.P. on 1st June and 1st December of each calendar year.
- 23. The SEIAA may alter/modify the above conditions or stipulate any further condition in the interest of environmental protection.
- 24. Concealing factual data or submission of false/fabricated data and failure to comply with any of the conditions mentioned above may result in withdrawal of this clearance and attract action under the provisions of the Environment (Protection) Act, 1986.

B. Specific Conditions:

- 1. At the time of operation, the project proponent will comply with all the guidelines issued by the Government of India/State Govt./District Administration related to Covid-19.
- 2. This environmental clearance does not create or verify any claim of the applicant on the proposed site/activity.
- 3. In case it has been found that the E.C. obtained by providing incorrect information, submitting that the distance between the two adjoining mines is greater than 500mt. and the area is less than 05ha, but factually the distance is less than 500 mt, and the mine is located in the cluster of area equal to or more than 05ha, the E.C issued will stand revoked.
- 4. This environmental clearance shall be subject to a valid lease in favor of the project proponent for the proposed mining proposals. In case, the project proponent does not have a valid lease, this environmental clearance shall automatically become null and void.
- 5. The Environmental clearance will be co-terminus with the mining lease period/Mining Plan whichever is less. The Mining plan approved by the Dept. of Mines and Geology shall be strictly implemented and shall not be operated beyond the validity period.
- 6. Explosive cannot be stored on the site. The Project proponent shall take approval from Chief Controller of Explosive, if applicable for use or storage of explosive or any such materials.
- 7. A comprehensive EIA including mining areas within 15 K.M. to assess the impact of the mining activity on the surrounding area shall be undertaken and a report submitted to this Authority within one year.
- 8. No two pits shall be simultaneously worked i.e. before the first is exhausted and reclamation work completed, no mineral bearing area shall be worked.
- 9. After exhausting the first mine pit and before starting mining operations in the next pit, reclamation and plantation work in the exhausted pit shall be completed to ensure that reclamation, forest cover, and vegetation are visible during the first year of mining operations in the next pit. This process will follow till the last pit is exhausted. Adequate rehabilitation of mined pit shall be completed before any new ore-bearing area is worked for expansion.
- 10. An adequate buffer zone shall be maintained between two consecutive mineral-bearing deposits.
- 11. The sprinkling of water on haul roads to control dust will be ensured by the project proponent.
- 12. Green belt development shall be carried out considering CPCB guidelines including the selection of plant species and in consultation with the local DFO / Agriculture Department. Herbs and shrubs shall also form a part of the afforestation programme besides tree plantation. The company shall involve local people in the plantation programme. Details of year-wise

- afforestation programme including rehabilitation of mined-out area shall be submitted to the Integrated Regional Office, MoEF&CC, GoI, Lucknow every year.
- 13. Blast vibrations study shall be conducted and an observation report submitted to the Integrated Regional Office, MoEF&CC, GoI, Lucknow and UPPCB within six months. The report shall also include measures for the prevention of blasting associated impact on nearby houses and agricultural fields.
- 14. Controlled blasting techniques with sequential blasting shall be adopted. The blasting shall be carried out in the daytime only. The project proponent shall ensure prevention of displacement of human beings/wild animals/birds etc. and in case any such displacement is caused due to blasting/mining operation by any chance the project proponent shall take suitable measures for their rehabilitation and resettlement.
- 15. Appropriate arrangement for shelter and drinking water for the mining workers has to be ensured at the mining site.
- 16. Maintenance of village roads used for transportation of minerals is to be done by the company regularly at its own expenses. The link roads from mining area to main road shall be constructed as all-weather road with black topping and maintained by the project proponent.
- 17. The surface runoff rain water harvesting/rain water recharge and water conservation measures will be taken by project proponent in consultation with central /State ground water Board .The project proponent shall plan and implement collection drain and siltation basins of adequate size to arrest the silt and sediment flows from the mining area. The supernatant of the siltation basin and rain water harvested water shall be utilized for watering the haulage area, roads and green belt development etc.
- 18. Status of implementation shall be submitted to the Integrated Regional Office, MoEF&CC, GoI, Lucknow and UP Pollution Control Board within six months and thereafter every year from the next consequent year.
- 19. The self-environmental audit shall be conducted annually. Every three years third-party environmental audit shall be carried out.
- 20. Measures for prevention and control of soil erosion and management of silt shall be undertaken. Protection of dumps against erosion shall be carried out with geotextile matting or other suitable material, and thick plantations of native trees and shrubs shall be carried out at the dump slopes. Dumps shall be protected by retaining walls.
- 21. Trenches/garland drains shall be constructed at foot of dumps and coco filters installed at regular intervals to arrest silt from being carried to water bodies. An adequate number of Check Dams and Gully Plugs shall be constructed across seasonal/perennial nallahs if any flowing through the ML area and silts arrested. De silting at regular intervals shall be carried out.
- 22. Garland drain of appropriate size, gradient, and length shall be constructed for both mine pit and waste dump and sump capacity shall be designed keeping 50% safety margin over and above peak sudden rainfall (based on 50 years data) and maximum discharge in the area adjoining the mine site. Sump capacity shall also provide an adequate retention period to allow proper settling of silt material. Sedimentation pits shall be constructed at the corners of the garland drains and de silted at regular intervals.
- 23. Ground and surface water, if any in and near the core zone (within 5.0 km of the lease) shall be regularly monitored for contamination and depletion due to mining activity and records maintained. The monitoring data shall be submitted to the Integrated Regional Office, MoEF&CC, GoI, Lucknow and U.P. Pollution Control Board regularly. Further, monitoring points shall be located between the mine, and drainage in the direction of flow of groundwater shall be set up and records maintained.
- 24. Fugitive dust generation shall be controlled. Fugitive dust emission shall be regularly monitored at locations of nearest human habitation (including schools and other public amenities located nearest to sources of dust generation as applicable) and records submitted to the Integrated Regional Office, MoEF&CC, GoI, Lucknow and U.P. Pollution Control Board regularly.
- 25. Baseline data for ambient air quality shall be generated and maintained and RSPM level in ambient air in the nearby human habitation (villages) shall also be monitored along with other parameters.
- 26. Corporate Environmental Responsibility (CER) shall be by the project proponent and the details of the various heads of expenditure are to be submitted as per the guidelines provided in the

- recent CER notification No. 22-65/2017-IA.III dated 01/05/2018. Work to be executed with the installation of five hand pumps for drinking water, solar light in villages of streets, construction of two numbers of toilets at the primary school with name displayed and address and details of the beneficiary and gram Pradhan along with phone number, photographs should be submitted to Directorate as well as to the District Magistrate / Chief Development officers.
- 27. Transportation of minerals shall be done by covering the trucks with tarpaulin or other suitable mechanisms so that no spillage of mineral/dust takes place.
- 28. Occupational health and safety measures for the workers including identification of work-related health hazards, training on malaria eradication, HIV, and health effects on exposure to mineral dust, etc. shall be carried out. Periodic monitoring for exposure to respirable mineral dust on the workers shall be conducted and records maintained including the health records of the workers. Awareness programmes for workers on the impact of mining on their health and precautionary measures like the use of personal protective equipment etc. shall be carried out periodically. A review of the impact of various health measures shall be conducted followed by follow-up action wherever required.
- 29. The project proponent will ensure for employing local people as per requirement, necessary protection measures around the mine pit and waste dump, and garland drain around the mine pit and waste dump.
- 30. Topsoil / solid waste shall be stacked properly with proper slope and adequate safeguards and shall be utilized for backfilling (wherever applicable) for reclamation and rehabilitation of the mined-out area. Topsoil shall be separately stacked for utilization later for reclamation and shall not be stacked along with overburden.
- 31. Overburden (OB) shall be stacked at the earmarked dump site(s) only and shall not be kept active for long period. The maximum height of the dump shall not exceed 20 m, each stage shall preferably be of a maximum of 10 m and the overall slope of the dump shall not exceed 35°. The OB dump shall be backfilled. The OB dumps shall be scientifically vegetated with suitable native species to prevent erosion and surface runoff.
- 32. Monitoring and management of rehabilitated areas shall continue until the vegetation becomes self-sustaining. Compliance status shall be submitted to the Regional Office, Ministry of Environment & Forests, GoI, Lucknow, and U.P. Pollution Control Board on a six-monthly basis.
- 33. The slope of the mining bench and ultimate pit limit shall be as per the mining scheme approved by the Indian Bureau of Mines.
- 34. Permission for the abstraction of groundwater shall be taken from Central Ground Water Board. Regular monitoring of ground and surface water sources for level and quality shall be carried out by establishing a network of existing wells and constructing new piezometers during the mining operation. The monitoring shall be carried out four times in a year i.e., premonsoon (AprilMay), monsoon (August), post-monsoon (November), and winter (January), and the data thus collected shall be regularly sent to MoEF&CC, Central Ground Water Authority, and Regional Director, Central Ground Water Board.
- 35. The wastewater from the mine shall be treated to conform to the prescribed standards before discharging into the natural stream. The discharged water from the Tailing Dam, if any shall be regularly monitored and report submitted to the Integrated Regional Office, MoEF&CC, GoI, Lucknow, Central Pollution Control Board, and the State Pollution Control Board.
- 36. Hydrogeological study of the area shall be reviewed by the project proponent annually. In case the adverse effect on groundwater quality and quantity is observed mining shall be stopped and resumed only after mitigating steps to contain any adverse impact on groundwater is implemented.
- 37. Vehicular emissions shall be kept under control and regularly monitored. Vehicles used for transportation of minerals and others shall have valid permissions as prescribed under Central Motor Vehicle Rules, 1989 and its amendments. The vehicles transporting minerals shall be covered with a tarpaulin or other suitable enclosures so that no dust particles / fine matters escape during the period of transportation. No overloading of minerals for transportation shall be committed. The trucks transporting minerals shall not pass through the wildlife sanctuary if any in the study area.

Minutes of 691st SEAC-1 Meeting Dated 06/10/2022

- 38. Prior permission from the Competent Authority shall be obtained for the extraction of groundwater if any.
- 39. A final mine closure plan, along with details of Corpus Fund, shall be submitted to the Integrated Regional Office, MoEF&CC, GoI, Lucknow and U.P. Pollution Control Board 5 years in advance of final mine closure for approval.
- 40. Project Proponent shall explore the possibility of using solar energy where ever possible.
- 41. Commitment towards CER has to be followed strictly.
- 42. Regular health checkup record of the mineworkers has to be maintained at the site in a proper register. It should be made available for inspection whenever asked.
- 43. Project Proponent has to strictly follow the direction/guidelines issued by MoEF&CC, CPCB, and other Govt. Agencies from time to time.
- 44. The blasting will be done only after getting permission from the Mining Department.

Annexure-2

General and Specific Conditions for Soil Earth Mining Projects:-

General condition:

- 1. This environmental clearance does not create or verify any claim of applicant on the proposed site/activity.
- 2. Any mining activity shall be undertaken only after valid permission from Mining Department/District Administration and written agreement with land owner from where earth excavation is proposed.
- 3. No change is mining technology and scope of working shall be made without approval of Authority.
- 4. Personnel working in dusty areas shall be provided with protective respiratory devices and they shall also be imparted adequate training and information on safety and health aspects.
- 5. The Authority reserves the right to revoke the clearance if conditions stipulated are not implemented. The Authority will also be entitled to impose additional environmental conditions or modify the existing ones, if necessary.
- 6. In case of any deviation or alteration in the project proposed from those submitted to this Authority for clearance, a fresh reference should be made to the Authority to assess the adequacy of the condition(s) imposed and to add additional environmental protection Measures required, if any.
- 7. Concealing factual data or submission of false/fabricated data and failure to comply with any of the conditions mentioned above may result in withdrawal of this clearance and attract action under the provisions of Environment (Protection) Act, 1986.

Specific Conditions:

- 1. The Environmental clearance will be co-terminus with the agreement/mining plan whichever is less.
- 2. Environment management should be in accordance with the present environment status of the project.
- 3. Approach kaccha road should be made motorable and maintained periodically.
- 4. Transportation of soil should be undertaken in covered containers.
- 5. Rehabilitation plan with planting of trees to be submitted along with the closure plan.
- 6. Land to be leveled and handed over to the owners after completion of excavation work.
- 7. A valid NOC from State Pollution Control Board shall be obtained for the Brick kiln prior to operation as per law and all guidelines must be followed, if applicable.
- 8. The mining operations shall be strictly limited to the proposed mining sites and proposed purpose.
- 9. Top soil should be adequately preserved and should be used for landscaping.
- 10. Excavated soil should be properly stored in a manner not to increase surrounding air pollution level.
- 11. Water sprinkling should be exercised during excavation and storage of soil for suppression of fugitive dust.
- 12. Excavated area should be properly reclaimed and ensured that no open bore hole is left.
- 13. Safety measures for the people working at the site shall be duly taken care of as per law.
- 14. The excavation work shall be done in day time only.
- 15. The project boundary shall be properly covered to restrict dust dispersion.
- 16. Precautionary measures during soil excavation for conservation and protection of rare and endangered flora and fauna found in the study area.
- 17. Noise level shall be maintained as per standards for both day and night.
- 18. The route map for soil transportation from excavation plots to work site should be firmed up and necessary permissions shall be sought from District Administration.
- 19. Vehicles hired for the transportation should be in good condition and should have Pollution Check Certificate and should conform to applicable air and noise emission standards.

- 20. Personnel exposure monitoring for respirable mineral dust shall be carried out for the workers and records maintained including health records of the workers. Awareness program for workers on impact of mining on their health and precautionary measures like use of personal protective equipments etc. shall be carried out periodically. First aid facilities and adequate sanitary facility in the form of temporary toilets/septic tanks.
- 21. Solid waste material vizgutkha rappers, plastic bags, glasses etc. to be generated during project activity will be separately stored in bins and managed as per Solid Waste Management Rules.
- 22. Project proponent should maintain daily register for information of (a) collection of soil/clay, (b) manpower & (c) transportation purpose.
- 23. Soil mining shall strictly be undertaken as per rules and regulations/permissions obtained from District Administration/Mining Department
- 24. Corporate Environmental Responsibility (CER) shall be prepared by the project proponent and the details of the various heads of expenditure to be submitted as per the guidelines provided in the recent CER notification No. 22-65/2017-IA.III dated 01/05/2018. A copy of resolution as above shall be submitted to the authority along with list of beneficiaries with their mobile nos./address.
- 25. The borrowing/excavation activity shall be restricted to a maximum depth of 2 m. below general ground level at the site.
- 26. The borrowing/excavation activity shall be restricted to 2 m. above the ground water table at the site.
- 27. The borrowing/excavation activity shall not alter the natural drainage pattern of the area.
- 28. The borrowed/excavated pit shall be restored by the project proponent for useful purpose(s).
- 29. Appropriate fencing all around the borrowed/excavated pit shall be made to prevent any mishap.
- 30. Measures shall be taken to prevent dust emission by covering of borrowed/excavated earth during transportation.
- 31. Safeguards shall be adopted against health risks on account of breeding of vectors in the water bodies created due to borrowing/excavation of earth.
- 32. Workers/labourers shall be provided with facilities for drinking water and sanitation.
- 33. A berm shall be left from the boundary of adjoining field having a width equal to at least half the depth of proposed excavation.
- 34. A minimum distance of 15 m from any civil structure shall be kept from the periphery of any excavation area.

Annexure-3

General and Specific Conditions for Sand/Morum Mining Proposals

General Conditions:

- 1. This environmental clearance is subject to allotment of mining lease in favour of project proponent by District Administration/Mining Department.
- 2. Forest clearance shall be taken by the proponent as necessary under law.
- 3. Any change in mining area, khasra numbers, entailing capacity addition with change in process and or mining technology, modernization and scope of working shall again require prior Environmental Clearance as per the provisions of EIA Notification, 2006 (as amended).
- 4. Precise mining area will be jointly demarcated at site by project proponent and officials of Mining/Revenue department prior to starting of mining operations. Such site plan, duly verified by competent authority along-with copy of the Environmental Clearance letter will be displayed on a hoarding/board at the site. A copy of site plan will also be submitted to SEIAA within a period of 02 months.
- 5. Mining and loading shall be done only within day hours' time.
- 6. No mining shall be carried out in the safety zone of any bridge and/or embankment.
- 7. It shall be ensured that standards related to ambient air quality/effluent as prescribed by the Ministry of Environment & Forests are strictly complied with. Water sprinklers and other dust control majors should be applied to take-care of dust generated during mining operation. Sprinkling of water on haul roads to control dust will be ensured by the project proponent.
- 8. All necessary statutory clearances shall be obtained before start of mining operations. If this condition is violated, the clearance shall be automatically deemed to have been cancelled.
- 9. Parking of vehicles should not be made on public places.
- 10. No tree-felling will be done in the leased area, except only with the permission of Forest Department.
- 11. No wildlife habitat will be infringed.
- 12. It shall be ensured that excavation of minor mineral does not disturb or change the underlying soil characteristics of the river bed /basin, where mining is carried out.
- 13. It shall be ensured that mining operation of Sand/Moram will not in any way disturb the, velocity and flow pattern of the river water significantly.
- 14. It shall be ensured that there is no fauna dependant on the river bed or areas close to mining for its nesting. A report on the same, vetted by the competent authority shall be submitted to the RO, PCB and SEIAA within 02 months.
- 15. Primary survey of flora and fauna shall be carried out and data shall be submitted to the RO, PCB and SEIAA within six months.
- 16. Hydro-geological study shall be carried out by a reputed organization/institute within six months and establish that mining in the said area will not adversely affect the ground water regime. The report shall be submitted to the RO, PCB and SEIAA within six months. In case adverse impact is observed /anticipated, mining shall not be carried out.
- 17. Adequate protection against dust and other environmental pollution due to mining shall be made so that the habitations (if any) close by the lease area are not adversely affected. The status of implementation of measures taken shall be reported to the RO, UPPCB and SEIAA and this activity should be completed before the start of sand mining.
- 18. Need-based assessment for the nearby villages shall be conducted to study economic measures which can help in improving the quality of life of economically weaker section of society. Income generating projects/tools such as development of fodder farm, fruit bearing orchards, vocational training etc. can form a part of such program me. The project proponent shall provide separate budget for community development activities and income generating programmes.
- 19. Green cover development shall be carried out following CPCB guidelines including selection of plant species and in consultation with the local DFO/Horticulture Officer.

- 20. Separate stock piles shall be maintained for excavated top soil, if any, and the top soil should be utilized for green cover/tree plantation.
- 21. Dispensary facilities for first-aid shall be provided at site.
- 22. An Environmental Audit should be annually carried out during the operational phase and submitted to the SEIAA.
- 23. The District Mining Officer should quarterly monitor compliance of the stipulated conditions. The project proponent will extend full cooperation to the District Mining Officer by furnishing the requisite data/information/monitoring reports. In case of any violations of stipulated conditions the District Mining Officer will report to SEIAA.
- 24. The project proponent shall submit six monthly reports on the status of compliance of the stipulated environmental clearance conditions including results of monitored data (both in hard & soft copies) to the SEIAA, the District Officer and the respective Regional Office of the State Pollution Control Board by 1st June and 1st December every year.
- 25. A copy of the clearance letter shall be sent by the proponent to concerned Panchayat, Zila Parisad/ Municipal Corporation and Urban Local Body.
- 26. Transportation of materials shall be done by covering the trucks / tractors with tarpaulin or other suitable mechanism to avoid fugitive emissions and spillage of mineral/dust.
- 27. Waste water, from temporary habitation campus be properly collected & treated before discharging into water bodies the treated effluent should conform to the standards prescribed by MoEF/CPCB.
- 28. Measures shall be taken for control of noise level to the limits prescribed by C.P.C.B.
- 29. Special Measures shall be adopted to protect the nearby settlements from the impacts of mining activities. Maintenance of Village roads through which transportation of minor minerals is to be undertaken, shall be carried-out by the project proponent regularly at his own expenses.
- 30. Measure for prevention & control of soil erosion and management of silt shall be undertaken. Protection of dumps against erosion, if any, shall be carried-out with geo textile matting or other suitable material.
- 31. Under corporate social responsibility a sum of 5% of the total project cost or total income whichever is higher is to be earmarked for total lease period. Its budget is to be separately maintained. CER component shall be prepared based on need of local habitant. Income generating measures which can help in upliftment of poor section of society, consistent with the traditional skills of the people shall be identified. The programme can include activities such as development of fodder farm, fruit bearing orchards, free distribution of smokeless Chula etc.
- 32. Possibility for adopting nearest three villages shall be explored and details of civic amenities such as roads, drinking water etc proposed to be provided at the project proponent's expenses shall be submitted within 02 months from the date of issuance of Environment Clearance.
- 33. The funds earmarked for environmental protection measures should be kept in separate account and should not be diverted for other purpose. Year wise expenditure should be reported to the Integrated Regional Office, MoEF&CC, GoI, Lucknow, SEIAA, U.P and UPPCB.
- 34. Action plan with respect to suggestion/improvement and recommendations made and agreed during Public Hearing shall be submitted to the District mines Officer, concern Regional Officer of UPPCB and SEIAA within 02 months.
- 35. Environmental clearance is subject to obtaining clearance under the Wildlife (Protection) Act, 1972 from the competent authority, if applicable to this project.
- 36. The proponent shall observe every 15 day for nesting of any turtle in the area. Based on the observations so made, if turtle nesting is observed, necessary safeguard measures shall be taken in consultation with the State Wildlife Department. For the purpose, awareness shall be created amongst the workers about the nesting sites so that such sites, if any, are identified by the workers during operations of the mine for taking required safeguard measures. In this regards the safety notified zone should be left so that the habitat/nesting area is undisturbed.
- 37. The project proponent shall undertake adequate safeguard measures during extraction of river bed material and ensure that due to this activity the hydro geological regime of the surrounding area shall not be affected.
- 38. The project proponent shall obtain necessary prior permission of the competent Authorities for withdrawal of requisite quantity of water (surface water and groundwater), required for the project.

- 39. Appropriate mitigative measures shall be taken to prevent pollution of the river in consultation with the State Pollution Control Board. It shall be ensured that there is no leakage of oil and grease in the river from the vehicles used for transportation.
- 40. Vehicular emissions shall be kept under control and regularly monitored. The vehicles carrying the mineral shall not be overloaded.
- 41. Provision shall be made for the housing of construction labour within the site with all necessary infrastructure and facilities such as fuel for cooking, mobile toilets, mobile STP, safe drinking water, medical health care, crèche etc. (MoEF circular Dated: 22-09-2008 regarding stipulation of condition to improve the living conditions of construction labour at site).
- 42. Personnel working in dusty areas should wear protective respiratory devices and they should also be provided with adequate training and information on safety and health aspects. Occupational health surveillance program of the workers should be undertaken periodically to observe any contractions due to exposure to dust and take corrective measures, if needed.
- 43. A copy of the clearance letter shall be sent by the proponent to concerned Panchayat, Zila Parishad/ Municipal Corporation, Urban Local Body and the Local NGO, if any, from whom suggestions/ representations, if any, were received while processing the proposal. The clearance letter shall also be put on the website of the Company by the proponent.
- 44. The environmental statement for each financial year ending 31st March in Form-V as is mandated to be submitted by the project proponent to the concerned State Pollution Control Board as prescribed under the Environment (Protection) Rules, 1986, as amended subsequently, shall also be put on the website of the company along with the status of compliance of environmental clearance conditions and shall also be sent to the Integrated Regional Office, MoEF&CC, GoI, Lucknow by e-mail.
- 45. The green cover development/tree plantation is to be done in an area equivalent to 20% of the total leased area either on river bank or along road side (Avenue Plantation).
- 46. Debris from the river bed will be collected and stored at secured place and may be utilized for strengthen the embankment.
- 47. Safety measures to be taken for the safety of the people working at the mine lease area should be given, which would also include measure for treatment of bite of poisonous reptile/insect like snake.
- 48. Periodical and Annual medical checkup of workers as per Mines Act and they should be covered under ESI as per rule.

Specific Conditions:

- 1. The Environmental clearance will be co-terminus with the mining lease period/mining plan whichever is less.
- 2. At the time of operation, project proponent will comply with all the guidelines issued by Government of India/State Govt./District Administration related to Covid-19.
- 3. Environment management in according to environmental status and impact of the project.
- 4. During the school opening and closing time transportation of minerals will be restricted.
- 5. Selection of plants for green belt should be on the basis of pollution removal index. Project proponent should ensure survival of tree saplings. Mortality should be replaced from time to time.
- 6. No mining activity should be carried out in-stream channel as per SSMMG, 2016.
- 7. Pakkamotorable haul road to be maintained by the project proponent.
- 8. A separate Environmental Management Cell with suitable qualified personnel shall be set-up under the control of a Senior Executive, who will report directly to the Head of the Organization.
- 9. Permission from the competent authority regarding evacuation route should be taken.
- 10. One month monitoring report of the area for air quality, water quality, Noise level. Besides flora & fauna should be examined twice a week and be submitted within 45 days for a record.
- 11. Provision for cylinder to workers should be made for cooking.
- 12. The capacity of trucks/tractor for loading purpose will be in tonnes as per Transport Department applicable norms and standard fixed by the Government.

- 13. Approach road kaccha is to be made motarable and tree saplings to be planted on both sides of the road. Width of the haul road shall be more than 6 meter.
- 14. Indigenous plants should be planted according to CPCB guidelines and in consultation with local Divisional Forest Officer.
- 15. The project proponent shall in 2 years conduct detailed replenishment study duly authenticated by a QCI-NABET accredited consultant, and the District Mines Officer.
- 16. Provision for two toilets and hand pumps should be made at mining site.
- 17. Drinking water for workers would be provided by tankers.
- 18. Mining should be done by Bar scalping methods extraction (typically 0.3 -0.6 m or 1 2 ft) as per sustainable sand mining management guidelines 2016.
- 19. A buffer/safe zone shall be maintained from the habitation as per mining guidelines.
- 20. Corporate Environmental Responsibility (CER) plan shall be prepared by the project proponent and the details of the various heads of expenditure to be submitted as per the guidelines provided in the recent CER notification No. 22-65/2017-IA.III dated 01/05/2018.
- 21. Health/Insurance card, Medical claim, regular health check-up camps, facilities shall be provided to the regular/temporary/Contractual or any base workers. Copy of receipt shall be produced to the Directorate of Environment along with the compliance report.
- 22. Measure for conservation of water through rainwater harvesting and cleaning and maintenance of natural surface water bodies of the nearby areas may be considered as one of the activity in CER.
- 23. The excavated mining material should be carried and transported in such a way that no obstruction to the free flow of water takes place. Suitable measure should be taken and details to be provided to concern Department.
- 24. Submit annual replenishment report certified by an authorized agency. In case the replenishment is lower than the approved rate of production, then the mining activity / production levels shall be decreased / stopped accordingly till the replenishment is completed.
- 25. The project proponent shall ensure that if the project area falls within the eco-sensitive zone of National park/ Sanctuary prior permission of statuary committee of National board for wild life under the provision of Wildlife (Protection) Act, 1972 shall be obtained before commencement of work.
- 26. If in future this lease area becomes part of cluster of equal to or more than 05 ha. then additional conditions based on the EIA shall be imposed. The lease holder shall mandatorily follow cluster conditions otherwise it will amount to violation of E.C. conditions. If the certificate related to cluster provided by the competent authority is found false or incorrect then punitive actions as per law shall be initiated against the authority issuing the cluster certificate.
- 27. Project falling within 10 KM area of Wild Life Sanctuary is to obtain a clearance from National Board Wild Life (NBWL) even if the eco-sensitive zone is not earmarked.
- 28. To avoid ponding effect and adverse environmental conditions for sand mining in area, progressive mining should be done as per sustainable sand mining management guidelines 2016.
- 29. In case it has been found that the E.C. obtained by providing incorrect information, submitting that the distance between the two adjoining mines is greater than 500mt. and area is less than 05 ha, but factually the distance is less than 500 mt and the mine is located in cluster of area equal or more than 05 ha, the E.C issued will stand revoked.
- 30. The project proponent shall in 2 years conduct detailed replenishment study duly authenticated by a QCI-NABET accredited consultant, and the District Mines Officer which shall form the basis for midterm review of conditions of Environmental Clearance.
- 31. The mining work will be open-cast and manual/semi mechanized (subject to order of Hon'ble NGT/Hon'ble Courts (s)). Heavy machine such as excavator, scooper etc. should not be employed for mining purpose. No drilling/blasting should be involved at any stage.
- 32. It shall be ensured that there shall be no mining of any type within 03 m or 10% of the width which-ever is less, shall be left on both the banks of precise area to control and avoid erosion of river bank. The mining is confined to extraction of sand/moram from the river bank only.

- 33. The project proponent shall undertake adequate safeguard measures during extraction of river bank material and ensure that due to this activity the hydro-geological regime of the surrounding area shall not be affected.
- 34. The project proponent shall adhere to mining in conformity to plan submitted for the mine lease conditions and the Rules prescribed in this regard clearly showing the no work zone in the mine lease i.e. the distance from the bank of river to be left un-worked (Non mining area), distance from the bridges etc. It shall be ensured that no mining shall be carried out during the monsoon season.
- 35. The project proponent shall ensure that wherever deployment of labour attracts the Mines Act, the provision thereof shall be strictly followed.
- 36. The project proponent will provide personal protective equipment (PPE) as required, also provid adequate training and information on safety and health aspects. Periodical medical examination of the workers engaged in the project shall be carried out and records maintained. For the purpose, schedule of health examination of the workers should be drawn and followed accordingly.
- 37. The critical parameters such as PM10, PM2.5, SO2 and NOx in the ambient air within the impact zone shall be monitored periodically. Further, quality of discharged water if any shall also be monitored [(TDS, DO, pH, Fecal Coliform and Total Suspended Solids (TSS)].
- 38. Effective safeguard measures, such as regular water sprinkling shall be carried out in critical areas prone to air pollution and having high levels of particulate matter such as loading and unloading point and all transfer points. Extensive water sprinkling shall be carried out on haul roads.
- 39. It should be ensured that the Ambient Air Quality parameters conform to the norms prescribed by the Central Pollution Control Board in this regard.
- 40. The extended mining scheme will be submitted by the proponent before expiry of present mining plan.
- 41. Four ambient air quality-monitoring stations should be established in the core zone as well as in the buffer zone for monitoring PM10, PM2.5, SO2 and NOx. Location of the stations should be decided based on the meteorological data, topographical features and environmentally and ecologically sensitive targets and frequency of monitoring should be undertaken in consultation with the State Pollution Control Board.
- 42. Common road for transportation of mineral is to be maintained collectively. Total cost will be shared/worked out on the basis of lease area among users.
- 43. Proponent will provide adequate sanitary facility in the form of mobile toilets to the labours engaged for the project work.
- 44. Solid waste material viz., gutkhapouchs, plastic bags, glasses etc. to be generated during project activity will be separately storage in bins and managed as per Solid Waste Management rules.
- 45. Natural/customary paths used by villagers should not be obstructed at any time by the activities proposed under the project.
- 46. Digital processing of the entire lease area in the district using remote sensing technique should be done regularly once in three years for monitoring the change of river course by Directorate of Geology and Mining, Govt. of Uttar Pradesh. The record of such study to be maintained and report be submitted to Integrated Regional Office, MoEF&CC, GoI, Lucknow, SEIAA, U.P. and UPPCB.
- 47. The project authorities shall advertise at least in two local newspapers widely circulated, one of which shall be in the vernacular language of the locality concerned, within 7 days of the issue of the clearance letter informing that the project has been accorded environmental clearance and a copy of the clearance letter is available with the State Pollution Control Board and also at web site of the SEIAA at http://www.seiaaup.in and a copy of the same shall be forwarded to the Integrated Regional Office, MoEF&CC, GoI, Lucknow, CPCB, State PCB.
- 48. The MoEF&CC/SEIAA or any other competent authority may alter/modify the above conditions or stipulate any further condition in the interest of environment protection.
- 49. Concealing factual data or submission of false/fabricated data and failure to comply with any of the conditions mentioned above may result in withdrawal of this clearance and attract action under the provisions of Environment (Protection) Act, 1986.

Minutes of 691st SEAC-1 Meeting Dated 06/10/2022

- 50. Any appeal against this environmental clearance shall lie with the National Green Tribunal, if preferred, within a period of 30 days as prescribed under Section 11 of the National Environment Appellate Authority Act, 1997.
- 51. Waste water from potable use be collected and reused for sprinkling.
- 52. A width of not less than 50 meter or 10% width of river can be restricted for mining activities from river bank. A condition can be imposed that mining will be done from river activities from river bank.