



MINUTES OF THE 221<sup>st</sup> MEETING OF STATE EXPERT APPRAISAL COMMITTEE (SEAC), A.P.,  
HELD ON - 22<sup>nd</sup> June, 2023 AT VIJAYAWADA, A.P.

221<sup>st</sup>  
SEAC, A.P.

22.06.2023.



सत्यमेव जयते


MINUTES OF THE 221<sup>st</sup> MEETING OF STATE EXPERT APPRAISAL COMMITTEE (SEAC), ANDHRA  
PRADESH

HELD ON.

22.06.2023, AT VIJAYAWADA A.P.

Member Secretary  
SEAC

Chairman  
SEAC

	<b>MINUTES OF THE 221<sup>st</sup> MEETING OF STATE EXPERT APPRAISAL COMMITTEE (SEAC), A.P., HELD ON - 22<sup>nd</sup> June, 2023 AT VIJAYAWADA, A.P.</b>
---	---

**Present: The following members were present. (Through hybrid mode Conference)**

1.	Dr.G.V.R. Srinivasa Rao, Professor, Civil Engineering Department, Andhra University, Visakhapatnam	Chairperson
2.	Dr.Dinesh Sankar Reddy. Registrar(I/C), Professor of Chemical Engineering, NIT, Tadepalligudem, West Godavari	Member
3.	Prof. G. Gnana Mani, Retd., Professor of Zoology, Andhra University, Visakhapatnam	Member
4.	Prof. U. Shameem. Chairman, Dept. of Zoology, Andhra University, Visakhapatnam	Member
5.	Dr.Kiranmai, Assistant Professor, Dept. of Biotechnology, Vikrama Simhapuri University, Nellore, SPSR Nellore District	Member
6.	Prof. C. Sasidhar, Professor, Civil Engineering Dept, JNTU, Anantapur	Member
7.	Prof. N. Siva Prasad Reddy, Director (Academics), Brindavan Institute of Technology & Science, Kurnool	Member
8.	Prof. D. Bharathi, Professor, Dept. of Bio Sciences & Sericulture, Sri Padmavathi Mahila Viswa Vidhyalayam, Tirupati	Member
9.	Sri Katamneni Venkata Ramana, Head of Mining Dept. Government Polytechnic, Narsipatnam.	Member
10.	Dr.M. Sunandana Reddy, Associate Professor, RGM College of Engineering & Technology (Autonomous), Nandyal.	Member
11.	Sri Matli. Chandra Sekhar Professor, Head of Department of Civil Engineering, NIT, Warangal.	Member
12.	Dr. G. Madhavi, Associate Professor, Department of Chemistry, Sri Venkateswara University, Tirupati	Member
13.	Prof. K. Thyaga Raju, Professor, Department of Biochemistry, S.V. University, Tirupati.	Member
14.	Dr.Gummalla Prasanthi, Professor, Vijaya Institute of Pharmaceutical Sciences, Vijayawada	Member
15.	Sri. N. V Bhaskar Rao, Chief Environmental Engineer, (FAC) Andhra Pradesh Pollution Control Board. Vijayawada.	Member Secretary.

  
Member Secretary  
SEAC

  
Chairman  
SEAC

Agenda Item No: 208.13 & 213.12 & 221.01  
 131.568 Ha. Mining of Limestone of M/s. Sree Jayajothi Cements Private Limited (SJCPL) at USHB Erragudi Village, Sy.No.20 of Hussainapuram & Sy.No. 390 of Yanakandla Village, Mandal Banaganapalli, Nandyal District (Erstwhile Kurnool), Andhra Pradesh - Environmental Clearance - EIA Case - Reg.

SIA/AP/MIN/4075  
 05/2022  
 Category: B1(Major Mineral)

The proposed project is for mining of **Lime stone** in an area of **131.568 Ha** with a proposed production capacity of **0.6 Million TPA** with a condition that the total production during a scheme should be limited to the approved quantity as per Mining scheme/ plan.

The proposed project falls under Item No. 1(a) of the schedule of the EIA Notification 2006 and its amendments thereof - (i). Mining of minerals (<250 ha of mining lease area in respect of non-coal mine lease).

The representative of the project and their consultant BS Envi Tech (P) Ltd., have attended the meeting and presented their proposal. The SEAC committee observed that:

- The project proponent has obtained TOR from MoEF&CC vide order dt.07.09.2021 and Public hearing was held on 12.10.2022
- The issue was appraised in the 208<sup>th</sup> SEAC meeting and the decision of SEAC is as follows:

"The Committee after examining the project proposals, presentations, mining plan, MoEF&CC Notifications & OMs, and detailed deliberations, recommended to raise ADS for submission of Modified mining plan as per NGT norms and compliance for Public hearing minutes".

- It is observed that there was a habitation viz., Erragudi at about 30M from the proposed site of the mine in the western direction.
- As per the Hon'ble NGT order in O. A No. 304/2019 the minimum distances to be considered for stone quarrying units while appraising for Environmental clearance are as below.

Mining Type		Minimum Distance	Locations
A.	When Blasting is not involved	100m	Residential/Public buildings, Inhabited sites, Protected monuments, Heritage sites, National/ State Highways, District roads, public roads, railway line/area, ropeway or ropeway trestle or station, Bridges, Dams, Reservoirs, River, Canals or Lakes or Tanks or any other locations

  
 Member Secretary  
 SEAC

  
 Chairman  
 SEAC





B.	When Blasting is involved	200m	to be considered by States
----	---------------------------------	------	----------------------------

\*\*Note: The regulations for danger zone (500 m) prescribed by Directorate General of Mines Safety also have to be complied compulsorily and necessary measures should be taken to minimize the impact on environment.

- E. The order further states that: "However, if any state is already having stringent criteria than the above for minor mineral mining (i.e. more prescribed distances than the above), the same shall be applicable."
- F. However, the proponent raised his concern about the applicability of NGT order in O. A no. 304/2019 for limestone mining.
- G. The SEAC has informed the following to the kind notice of the SEIAA:
1. It is observed that the above NGT order recommended the above guidelines taking into consideration stone quarries.
  2. However, while appraising the proposals related to mining activity, it is observed that many of the mines with Minor/Major minerals like the present proposal are located in the vicinity of the above cited locations mentioned in the NGT order and attracting blasting activity and the subsequent fly rock conditions that affect the nearby habitations.
  3. During the appraisal of such applications of mining activities **like the present case** and in the absence of specific OM / SOP / Specific Directions, the members of the committee are of the opinion that the same minimum distance criteria [ie, 100m when blasting is not involved and 200m when blasting is involved] be followed for all Major/Minor Mineral mines keeping in view of the safety of the nearby habitations and minimize the impact on the environment and the same is being recommended in good number of cases earlier.
  4. However, taking into the account:
    - a) Concern of the applicant about the applicability of above cited distance criteria for limestone mining activity
    - b) The note as per the Hon'ble NGT order in O. A No. 304/2019 which states that, the regulations for danger zone (500 m) prescribed by Directorate General of Mines Safety also have to be complied compulsorily and necessary measures should be taken to minimize the impact on environment, and
    - c) Having no specific OM / SOP / Notification / Specific Directions regarding the distance criteria to be followed during the appraisal of all Minor / Major minerals put together.

Member Secretary  
SEAC

Chairman  
SEAC



	<p>H. The committee resolved to request SEIAA to issue specific directions on the distance criteria to be followed to appraise the present application. It is further resolved to request SEIAA to issue specific guidelines on the distance criteria to be followed for the appraisal of all such applications related to Minor /Major mineral mines in future.</p> <p><b>I. Decision of SEIAA:</b></p> <p>a) The issue was discussed in the SEIAA meeting held on 13.03.2023 and decided to seek legal opinion in respect of Hon'ble NGT order in O.A. No.304/2019, dated 21.07.2020. The SEIAA examined the following court orders in the meeting held on 06.05.2023</p> <ol style="list-style-type: none"><li>O.A.No.304/2019 of NGT orders dt.21.07.2020</li><li>Hon'ble High Court order of Kerala W.P.No.15962 of 2020 dt.21.12.2020.</li><li>W.A.No.250 of 2021 dt.16.03.2021.</li></ol> <p>b) Hon'ble NGT M.A.Nos.80 to 83, 85 to 88, 95 &amp; 96/2021 in O.A.No.304/2019 order dt.09.12.2021 The Hon'ble NGT M.A.Nos.80 to 83, 85 to 88, 95 &amp; 96/2021 in O.A.No.304/2019 order dt.09.12.2021 constituted a seven member joint Committee to study the impact of blasting with Nonel Detonation technology at distances of 50m, 75m,100m, 125m, 150m, 200m and 250m. The matter stands adjourned for hearing on 08.05.2023. The SEIAA will take a decision after the outcome of hearing on 08.05.2023. The issue will be placed in next SEIAA meeting.</p> <p>J. The project proponent vide letter dt. 11.05.2023 informed that they are proposing to leave 200m Safety zone from Erragudi village structures and an area of 10.26 Ha was earmarked as a Non-mining zone area towards the village.</p> <p>K. The project proponent has also furnished approved modified mining plan dt. 10.03.2023 and requested the Member Secretary SEIAA, A.P to raise ADS for uploading of Modified Mining plan dt. 10.03.2023.</p> <p>Accordingly, this proposal is placed in 221<sup>st</sup> SEAC meeting:</p> <p>The Committee after examining the project proposals, presentations, mining plan, MoEF&amp;CC' Notifications &amp; OMs, and detailed deliberations, <b>recommended to raise ADS</b> for uploading of Modified mining plan as per NGT norms and also response of the proponent on the Public hearing minutes.</p>
Agenda item No.215.23& 221.02	<b>21.587 Ha Mining of Manganese of M/s. Rai Bahadur Seth Sreeram Durga Prasad and Fatecha nd Narsing Das (RBSSD &amp; FN Das) at Sy. No. 20(P) Garividi (V), Garividi (M), Vizianagaram (Dist.), Andhra Pradesh - Environmental Clearance - EIA Case - Reg.</b>
SIA/AP/MIN/4157 98/2023	<b>Category: B2 at par with B1 (Major Mineral)</b> The proposed project is for Mining of Manganese in an area of 21.587 Ha with a proposed of production capacity of Manganese - 50,000 TPA with a condition that the total production during a scheme should be limited to the approved quantity as per Mining scheme/ plan.  The proposed project falls under Item No. 1(a) of the schedule of the EIA

  
Member Secretary  
SEAC

  
Chairman  
SEAC





Notification 2006 and its amendments thereof - (i). Mining of minerals ( $\leq 250$  ha of mining lease area in respect of non-coal mine lease).

The representative of the project proponent and their consultant B S Enviro Tec Pvt Ltd., have attended the meeting and presented their proposal. The SEAC committee observed that:

1. The project proponent has obtained violation TOR with public hearing on 24.01.2019 and also obtained TOR extension on 23.08.2022. The Public hearing was held on 21.12. 2022.
2. The issue was appraised in the 213<sup>th</sup> SEAC meeting and the decision of SEAC is as follows:

"The Committee after examining the project proposals, presentations, MoEF&CC Notifications & OMs and detailed deliberations, EIA report and PH minutes recommended to **raise ADS** for submission of revised water and soil quality analysis reports".

3. Accordingly, the project proponent has submitted revised water and soil quality analysis reports on 21.04.2023. Hence, this proposal was placed in 221<sup>st</sup> SEAC meeting.
4. The base line data was collected from October, 2021 to December, 2021 and the predominant wind direction is observed to be South West to North East. The maximum concentration of SPM is observed to be 61.2  $\mu\text{g}/\text{m}^3$ . The incremental concentration is 3.08  $\mu\text{g}/\text{m}^3$  and GLC of SPM will fall within in mine lease area.
5. The proponent volunteered to contribute towards welfare & community development activities to Garividi village as a part of Corporate Social Responsibility (CSR) activity.
6. Under EMP budget the proponent has proposed following:
  - i. Proposed to provide Garland Drains, settling tanks & trench in the mine lease area to control surface runoff
  - ii. Proposed to provide Continuous water sprinkling through water tanker for Suppression the dust particles.

**7. S.O No 804 dt 14.03.2017 compliance:**

- i. Credible action was initiated vide CC No 75/2017 in the court of 1<sup>st</sup> class Magistrate, Cheepurupalli, and paid penalty of Rs. 25,000/- on 20.11.2017.
- ii. The project proponent submitted undertaking on 01.09.2018 stating that the violation will not be repeated.
- iii. The project proponent has submitted remediation and resource augmentation plan with a cost of **Rs 14,12,000/-** and also uploaded the acknowledged BG submitted at SEIAA, A.P at vijayawada.
- iv. The project proponent has submitted production dispatch letter issued by ADMG,(FAC) Vizianagaram vide letter dt. **27.03.2023**
- v. The Penalty was calculated in compliance with SOP issued by MoEF&CC GoI vide OM dt. 07.07.2021 and the details is as follows:

  
Member Secretary  
SEAC

  
Chairman  
SEAC



S N o	Name of the mine	Project cost in Rs.	Total produc tion during violatio n period as reporte d by mining Dept,  letter dated 27.03.2 023	Turnover during violation period in Rs as reported by the mining departme nt vide letter dated 27.03.202 3	1% of proje ct cost in Rs	0.25 % of turn over during violati on period in Rs.	Total penalt y amou nt to be levied as per OM 07.07. 20 21 in Rs
1.	M/s. Rai Bahadhur Seth Sreeram Prasad Fatecha Narsing Das (RBSSD & FN Das)  SIA/AP/MIN/41 5798/2023	Rs. 20,00,000/-	Mining of Mangane-1,14,441 Cum	Rs. 9,03,45,593.32/-	20,000/-	Rs. 2,25,864/-	Rs. 2,45,864/-

e) The project proponent has uploaded the acknowledged payment of penalty amount of Rs. 2,45,864/- at APPCB Board Office Vijayawada on 17.04.2023.

The Committee after examining the project proposals, presentations, mining plan, MoEF&CC Notifications & OMs, EIA Report, PH hearing minutes and detailed deliberations, recommended to **issue Environmental Clearance** with following conditions:

1. The proponent shall comply with the proposals furnished in the Environmental management plan and Environmental Impact Assessment report.
2. The project proponent shall develop a greenbelt of 1km along approach roads & village Road.
3. The project proponent shall maintain 7.5mt greenbelt in buffer zone and existing buffer zone plantation should not be disturbed.
4. The proponent shall take dust suppression measures to meet the CPCB stipulated ambient air quality standards at any point of time.
5. The proponent shall carryout continuous water sprinkling for suppression of

  
Member Secretary  
SEAC

  
Chairman  
SEAC



	<p>dust generated due to transport vehicles.</p> <p>6. The vehicles carrying the mine's material shall be covered with tarpaulin sheet.</p> <p>7. The project proponent shall carry out mining activities with proper benches.</p> <p>8. The project proponent shall strictly implement the Waste management plan as mentioned in the EIA report &amp; EMP plan.</p> <p>9. The project proponent shall not use village road for mineral transportation purpose.</p> <p>10. The project proponent shall comply assurance given in the public hearing.</p>
<p><b>Agenda Item No: 221.03</b></p>	<p><b>2.834 Hects of Lime Stone of Sri M.Mahesh Khanna at Sy.No. 514/B, 457/2A &amp; 457/3A of Gadigarevula &amp; Durvesi Village, Gadivemula Mandal, Kurnool District Andhra Pradesh- Environmental Clearance - Reg.</b></p>
<p><b>SIA/AP/MIN/4283 10/2023</b></p>	<p><b>Category: B2 (Major Mineral)</b></p> <p>The proposed project is for mining of <b>Lime Stone</b> in an area of <b>2.834</b> with a proposed production capacity of <b>39,094 TPA</b> with a condition that the total production during a scheme should be limited to the approved quantity as per Mining scheme/ plan.</p> <p>The proposed project falls under Item No. 1(a) of the schedule of the EIA Notification 2006 and its amendments thereof - (i). Mining of minerals (<math>\leq 250</math> ha of mining lease area in respect of non-coal mine lease).</p> <p>The project proponent and their RQP, NVSPL Ravikanth, have attended the meeting and presented the case. The SEAC committee observed that:</p> <ol style="list-style-type: none"> <li>a) As per the approved mining plan, the total provided mineral reserves are 3,79,500T. The proponent proposed to excavate 39094 TPA and Life of the mine is 9.7 years.</li> <li>b) The Committee noted that there two Existing quarry leases, one Lol issued within the radius of 500 mts area and the total cluster area is &lt; 5.0 Ha as per cluster letter issued by Asst. Director of Mines &amp; Geology, Banaganapalle, vide Lr. dated: 04.01.2023.</li> <li>c) The committee observed that this is an existing mine and obtained work order and which is valid up to 06.01.2054.</li> <li>d) The project proponent has obtained production and dispatch details issued by the Mining Department vide letter dt. 29.12.2022 and the committee observed that there are no dispatches after 15.01.2016. Hence, committee treated this proposal as non-violation case.</li> <li>e) The proponent volunteered to provide <b>Mini Ambulance</b> to the <b>durvesi</b> village panchayat as a part of Corporate Social Responsibility (CSR) activity and shall maintain till the life of the mine.</li> <li>f) Under EMP budget the proponent has proposed following:             <ol style="list-style-type: none"> <li>i. Proposed to provide Garland Drain and trench with bund walls to control surface runoff.</li> <li>ii. Proposed to provide Continuous water sprinkling through water tanker for Suppression the dust particles.</li> </ol> </li> </ol> <p>The Committee after examining the project proposals, presentations, mining plan, MoEF&amp;CC Notifications &amp; OMs and detailed deliberations, <b>recommended to issue Environmental Clearance</b> with following conditions:</p>

  
 Member Secretary  
 SEAC

  
 Chairman  
 SEAC





1. The proponent shall comply with the proposals furnished in the Environmental management plan.
2. The project proponent shall develop greenbelt of 1km along approach roads & village Roadsides.
3. The project proponent shall maintain 7.5mt greenbelt in buffer zone and existing buffer zone plantation should not be disturbed.
4. The proponent shall take dust suppression measures to meet the CPCB stipulated ambient air quality standards at any point of time.
5. The proponent shall carryout suppression of dust generated due to transport vehicles by water spraying tankers continuously.
6. The vehicles carrying the mines material shall be covered with tarpaulin during vehicular movement.
7. The project proponent shall not use village road for mineral transportation purpose.
8. The project proponent shall provide **Mini Ambulance** to the **durvesi** village panchayat as a part of Corporate Social Responsibility (CSR) activity and shall maintain till the life of the mine.

Agenda Item:  
214.14 & 221.04

M/s. H R R Construction Pvt. Ltd. & Others is proposing to construct Commercial cum Residential Building at T.S.No. 75 Part, Waltair Ward, Block No. 09, Zone-III, Division No. 19, G.V.M.C Limits, Visakhapatnam, Andhra Pradesh - Environmental Clearance - Reg.

SIA/AP/INFRA2/41  
5907/2023

Category :B2 (Building and Construction Projects)

The Proposal of M/s. H R R Construction Pvt. Ltd. & Others is Commercial cum Residential Building project with Built Up area - 1,24,444.46 Sq.m in total plot area of 13237.65 Sq.m.


The project falls under Item No. 8(a) of the schedule of the EIA Notification 2006 and its amendments thereof - Building and Construction Projects (<20,000 Sq.mtrs and >1,50,000 sq. m. of built up area).

The proponent and their consultant Sri. Chandra Sekhar, M/s. Space enviro have attended the meeting and presented the case. The SEAC committee observed that:

- a) The project proponent has proposed to construct Commercial cum Residential Building (3 cellars+ Ground Floor+ 23 Upper floors) in site area of about 13237.65 Sq.m. at T.S.No. 75 Part, Waltair Ward, Block No. 09, Zone-III, Division No. 19, G.V.M.C Limits, and the details are as follows:

S.No.	Description of Built-up Area	No. of floors	Built Up Area (Sqm)
1.	Commercial Built-up Area	G + 1 <sup>st</sup> Floors	4,989.82 Sqm
2.	Residential Built-up Area	2 <sup>nd</sup> to 23 <sup>rd</sup> Floors	88,977.24 Sqm
3.	Amenities Built-up Area	G + 1 <sup>st</sup> Floors	2,760.91 Sqm
4.	Parking Built-up Area	3 Cellars	27,716.49 Sqm

  
Member Secretary  
SEAC

  
Chairman  
SEAC





Total Built-up Area (1+2+3)	3 Cellars + Ground + 23 Upper Floors	1,24,444.46 Sq.m
-----------------------------	---	---------------------

b) The project proponent has obtained following statutory permissions from concerned departments.

- The project proponent has obtained NOC from Airport Authority of India on 11.11.2020.
- The project proponent has obtained fire NOC on 15.12.2022.
- The project proponent has obtained SBC report from Andhra University, Visakhapatnam dt.19.01.2023.

c) The water source for the project is GVMC, Visakhapatnam, 242.35 KLD water required for the proposal and total Wastewater Generation - 203.68 KLD. The proponent proposed to provide 230 KLD sewage treatment plant and after treatment 87.71 KLD is used for Flushing, Gardening and remaining 89.29 KLD of water is proposed to be discharged into municipal sewer.

d) About 935.45 kgs/day of garbage is expected to be generated for which the proponent proposed to provide garbage chute to ensure the disposal as per solid management rules 2016.

e) The issue was appraised in the 214<sup>th</sup> SEAC meeting and the decision of SEAC is as follows:  
"The Committee after examining the project proposals, presentations, MoEF&CC Notifications & OMs, detailed deliberations, recommended to raise ADS for submission of :

- The proponent shall carryout Traffic Density study
- The proponent shall submit proper land documents and submit court disposal order on land litigations.
- The proponent shall submit modified cellar plan (for two cellars only) to avoid damages/collapse of Adjacent Apartments while excavating the cellar and foundations.
- Detailed Procedure for cellar and foundation excavation.
- The proponent shall submit Geo-technical report and grouting activity for cellars to prevent the damages to the adjacent apartments during the excavation for the cellars.
- The proponent shall submit the latest site photographs with Geo coordinates and date."

f) Accordingly, the proponent submitted ADS reply on 08.05.2023 and again this proposal is placed in 221<sup>st</sup> SEAC meeting.

g) During the appraisal the SEAC committee examined the latest site photographs with Geo- coordinates, and the committee observed that the excavation works of the project has been started without taking prior Environmental Clearance. **Hence, the committee treated this proposal as a violation case and directed the project proponent to apply for violation TOR.**

The Committee after examining the project proposals, presentations, MoEF&CC Notifications & OMs, detailed deliberations and ADS replies **recommended to reject** the proposal as the proposed project falls under violation category and directed the proponent to apply for violation TOR.

  
Member Secretary  
SEAC

  
Chairman  
SEAC





Agenda Item:  
216.13. & 221.05

M/s. R Square Motels Resorts and Infra Pvt. Ltd., proposing to construct "The Kadapa Central Mall & Multiplex" at Sy.No: 184/1, 184/3, 185/1, 185/2, 202/1A, 203/2, 204, 205/1, 205/2, 205/3, 205/605/1, 205/2, 205/3, Maruthi Nagar, Kadapa Municipal Corporation, YSR Kadapa District, Andhra Pradesh - Environmental Clearance - Reg.

SIA/AP/INFRA2/41  
4384/2023

Category: B2 (Building and Construction Projects)

The Proposal of R Square Motels Resorts and Infra Pvt. Ltd., is Central Mall & Multiplex project with Built Up area - 87586.15Sq.m in total plot area is 14278.99Sq.m

The project falls under Item No. 8(a) of the schedule of the EIA Notification 2006 and its amendments thereof - Building and Construction Projects (<20,000 Sq.mtrs and >1,50,000 sq. m. of built up area).

The proponent and their consultant Sri. Chandra Sekhar, M/s. Space enviro have attended the meeting and presented the case. The SEAC committee observed that:

- a) The project proponent has proposed to construct Central Mall & Multiplex project ( 3 basements+ Ground + 6 upper floors+ Terrace Floor) with Built Up area - 87586.15Sq.m and total plot area is 14278.99Sq.m at Sy.No: 184/1, 184/3, 185/1, 185/2, 202/1A, 203/2, 204, 205/1, 205/2, 205/3, 205/605/1, 205/2, 205/3, Maruthi Nagar, Kadapa Municipal Corporation, YSR Kadapa District and the details are as follows:

S.No.	Block Details	No. of floors	Built Up Area (Sq.m)
1.	Commercial Floor wise BUA	Ground + 6 Upper Floors + Terrace Floors	63,513.07
2.	Parking BUA	3 Basements	24,073.08
Total Built-Up Area			87,586.15

- b) The proponent submitted a development agreement made on 24.11.2022 with landowners.
- c) The Geo-technical investigation was conducted by MEDINI GEO- Engineer Services Hyderabad.
- d) The project proponent has obtained NOC from Airport Authority of India on 09.12.2022 and also obtained fire NOC on 06.02.2023.
- e) The water source is Municipal corporation Supply, Kadapa, 925.13 KLD water required for the proposal, and total Wastewater Generation - 605 KLD. The proponent proposed to provide 650 KLD sewage treatment plant and 575 KLD water treated water is proposed to be re-cycled.
- f) About 2552.09 kgs/day of garbage is expected to be generated for which the proponent proposed to provide garbage chute (Organic waste converter machine) to ensure the disposal as per solid management rules 2016.

  
Member Secretary  
SEAC

  
Chairman  
SEAC



- g) The issue was appraised in the 216th SEAC meeting and the decision of SEAC is as follows:  
"The Committee after examining the project proposals, presentations, MoEF&CC Notifications & OMs, detailed deliberations, recommended to raise ADS for uploading of:
1. The EMP with corrected water balance, solid waste management measures.
  2. The project proponent shall obtain Bore log/ soil profile log reports up to 15m.
  3. Detailed Procedure for cellar/ basement and foundation excavation as the site is in densely population area.
  4. The proponent shall submit Geo-technical report and grouting activity for cellars/basements to prevent the damages to the adjacent apartments during the excavation for the cellars.
  5. The proponent shall submit the latest site photographs with Geo coordinates and date to ascertain status of construction".
- h) Accordingly, the proponent submitted ADS reply on 30.05.2023 and again this proposal is placed in 221st SEAC meeting.
- i) The committee appraised the application from the Environmental point of view only with respect to liquid, solid and air pollution management.
- j) The proponent volunteered to develop avenue plantation in Kadapa city as a part of Corporate Social Responsibility (CSR) activity and shall maintain till it grows.

The Committee, after examining the project proposals, presentations, MoEF&CC Notifications & OMs, detailed deliberations, ADS reply **recommended to issue Environmental Clearance** with the following additional conditions:

1. The proponent shall construct and commission STP along with commissioning of project, treat the effluents to meet irrigation standards at any point of time before using for gardening purpose or disposal into municipal drain.
2. The proponent shall implement the solid waste management as per the Solid Waste Management Rules, 2016 applicable for constructions projects.
3. The proponent shall ensure sustainable environmental management, solid and liquid wastes and implement environmental conditions given at Appendix-XIV of EIA notification 2006 and its amendments thereof.
4. The proponent shall construct rainwater harvesting pit and storm water drains to recharge the groundwater and utilize the same within the premises.
5. The proponent shall comply with the proposals furnished in the Environmental management plan.
6. The project proponent shall obtain all statutory permissions as required before starting the construction.
7. The project proponent shall install organic waste converter for the treatment and disposal of wet garbage in a scientific manner.
8. The parking area shall be in compliance with NBC/ MoEF&CC, GoI/ Local Government regulations as applicable, whichever is higher.


  
Member Secretary  
SEAC

  
Chairman  
SEAC





	9. The project proponent shall comply with the Environmental conditions specified for construction and building projects in the appendix of MoEF&CC, GoI, S.O No (E) 5703 dt. 14.11.2018.
<b>Agenda Item:</b> 219.32 & 221.06	<b>M/s. SLV AMARAVATHI GRAND III proposed for construction of Residential Building at RS.No: 123/1,126/1, Carmel Nagar, Gunadala, Vijayawada Urban, NTR District, AP - Environmental Clearance - Reg.</b>
<b>SIA/AP/INFRA2/42</b> <b>2495/2023</b>	<b>Category :B2 (Building and Construction Projects)</b>  The Proposal of <b>M/s. SLV AMARAVATHI GRAND III</b> is for construction of <b>Residential and commercial building with Built Up area -78472.94 sq.mt</b> and total plot area is 18067.96 sq.mt.  The project falls under Item No. 8(a) of the schedule of the EIA Notification 2006 and its amendments thereof - Building and Construction Projects (<20,000 Sq.mtrs and >1,50,000 sq. m. of built up area).  The proponent and their consultant, Sri Sai Manasa Nature Tech pvt Ltd., have attended the meeting and presented the proposal. The SEAC committee observed that:  a) The project proponent has proposed to construct Residential and commercial building project (4 Residential buildings, 1 Amenities & 1 Commercial block with 215 Residential units) at RS.No: 123/1,126/1, Carmel Nagar, Gunadala, Vijayawada Urban, NTR District. b) The water source is ground water, the 166 KLD water required for the proposal and total Wastewater Generation - 139 KLD. The proponent proposed to provide 200 KLD sewage treatment plant and proponent proposed to re-use the 138KLD of treated water for greenbelt, flusing, HVAC cooling, floor washings and dust suppression of internal roads. c) About 674 kgs/day of garbage is expected to be generated for which the proponent proposed to provide garbage chute to ensure the disposal as per solid management rules 2016. d) The project proponent has submitted a Soil Bearing Capacity (SBC) report from M/s. Siddhartha Engineering college. e) The issue was appraised in the 219th SEAC meeting and the decision of SEAC is as follows:  "The Committee after examining the project proposals, presentations, MoEF&CC Notifications & OMs, detailed deliberations, recommended to raise ADS for uploading of:  i. Permission from Ground water department to draw ground water ii. Consolidated land documents. iii. The project proponent shall submit plans/ drawings for driveway and commercial block parking. iv. The project proponent shall submit a traffic density plan. v. Details of STP Designs. vi. DPR covering the above said points".  f) Accordingly, the proponent submitted ADS reply on 01.06.2023 furnishing the

  
Member Secretary  
SEAC

  
Chairman  
SEAC





**MINUTES OF THE 221<sup>st</sup> MEETING OF STATE EXPERT APPRAISAL COMMITTEE (SEAC), A.P., HELD ON - 22<sup>nd</sup> June, 2023 AT VIJAYAWADA, A.P.**

permission of Ground water department, plans/ Drawings for driveway and commercial block parking, traffic density plan, STP design details etc., and again this proposal is placed in 221<sup>st</sup> SEAC meeting.

- g) The committee appraised the application from the Environmental point of view only with respect to liquid, solid and air pollution management.
- h) The proponent volunteered to develop avenue plantation in Vijayawada city as a part of Corporate Social Responsibility (CSR) activity and shall maintain till it grows.

The Committee, after examining the project proposals, presentations, MoEF&CC Notifications & OMs, detailed deliberations, ADS reply, **recommended to issue Environmental Clearance** with the following additional conditions.

1. The proponent shall construct and commission STP along with commissioning of project, treat the effluents to meet irrigation standards at any point of time before using for gardening purpose or disposal into municipal drain
2. The proponent shall implement the solid waste management as per the Solid Waste Management Rules, 2016 applicable for constructions projects.
3. The proponent shall construct rainwater harvesting pit and storm water drains to recharge the groundwater and utilize the same within the premises.
4. The proponent shall comply with the proposals furnished in the Environmental management plan.
5. The project proponent shall obtain all statutory permissions as required before starting the construction.
6. The project proponent shall install organic waste converter for the treatment and disposal of wet garbage in a scientific manner.
7. The parking area shall be in compliance with NBC/ MoEF&CC, GoI/ Local Government regulations as applicable, whichever is higher.
8. The project proponent shall comply with the Environmental conditions specified for construction and building projects in the appendix of MoEF&CC, GoI, S.O No (E) 5703 dt. 14.11.2018.

**Agenda Item No: 221.07**

**Proposed Construction of Multi Stored Residential Apartments of M/s. Varsha Builders Private Limited., Sy. No. 147/4P, 147/5P & 147/8P of Yendada, Zone - 1, Div. No. 6. GVMC Limits, Visakhapatnam District, Andhra Pradesh- Environmental Clearance Expansion - Reg.**

**SIA/AP/INFRA2/41 0067/2022**

Category: B (Building and Construction Projects)

The Proposal of M/s. Varsha Builders Private Limited., is for construction of **Multi Stored Residential Apartments for expansion of built up area of from 30892.65 Sq. m to 33071.35 Sq. m by addition of an Environment Deck Floor** without any change in the site area and number of flats.

The project falls under Item No. 8(a) of the schedule of the EIA Notification 2006 and its amendments thereof - Building and Construction Projects (<20,000 Sq.mtrs and >1,50,000 sq. m. of built up area).

The proponent and their consultant, M/s. S V Enviro Labs attended the meeting

  
Member Secretary  
SEAC

  
Chairman  
SEAC





and presented the proposal. The SEAC committee observed that:

- a) The project is located in coastal zone, falls under CRZ -II category and obtained CRZ Clearance from APCZMA vide Lr. No. 255/CRZ/CON/2020 - 599 Dt: 02.03.2021 for site area of 3551.0 Sq. m and built up area of 30780.02 Sq. m.
- b) Earlier, the project has obtained EC vide Order No. SEIAA/AP/VSP/CON/04/2021/3121/169.53/166.39 dt: 06.01.2022 for the built up area of 30892.65 Sq. m (3 Basement floors + 2 Stilt floors + Ground + upper 14 floors).
- c) Now the proponent has proposed for construction of an additional "Environment Deck" Floor between the 7th & 8th floors and increasing built up area from 8 floor to 14 floor and 2 Stilt floors.
- d) The project proponent has obtained CRZ expansion vide Lr. No. 255/CRZ/CON/2021 Dt: 23.03.2023 for the Built up area of UA of 33071.33 Sq. m (3 basements + 2 Stilt floors + Ground + Upper 7 floors + Environmental Deck Floor + 8th floor to upper 14th floors) without any change in the site area and number of flats.
- e) The Government of Andhra Pradesh Municipal Administration & Urban Development (M) Department vide Memo No. 802505/M2/ 2019, dt 24.05.2019 accorded permission for allowing Environment Deck floor in all High- Rise buildings having minimum of Ten Floors (Excluding parking floors) duly exempting the same from the calculation of height and parking requirements subject to occupation of Minimum of 80% of the area for the activities such as i. flower Gardens/ Butterfly Garden, ii. Walking Tracks/ Jogging tracks, iii. Gardens iv. Water bodies and fish ponds v. Breakout space, vi) viewing Galleries etc., and remaining area for indoor activities like Gymnasium, Saloon, Spa ect., and ensuring sufficient safety provisions. This "Environment Deck " shall be allowed beyond 18.0m of Height in High rise buildings (Excluding parking floors).
- f) The project proponent has submitted certified compliance report (CCR), from IRO, MoEF&CC, GoI, Vijayawada vide File No. IRO/VII/EPA/EC-B/102/10-120/2023 Dt: 20.04.2023.

The Committee after examining the project proposals, presentations, MoEF&CC Notifications & OMs, detailed deliberations, and recommended to **issue** Environmental Clearance with the following additional conditions.

1. The proponent shall construct and commission STP along with commissioning of project, treat the effluents to meet irrigation standards at any point of time before using for gardening purpose or disposal into municipal drain.
2. The proponent shall implement the solid waste management as per the Solid Waste Management Rules, 2016 applicable for constructions projects.

  
Member Secretary  
SEAC

  
Chairman  
SEAC





MINUTES OF THE 221<sup>st</sup> MEETING OF STATE EXPERT APPRAISAL COMMITTEE (SEAC), A.P.,  
HELD ON - 22<sup>nd</sup> June, 2023 AT VIJAYAWADA, A.P.

		<ol style="list-style-type: none"><li>3. The proponent shall construct rainwater harvesting pit and storm water drains to recharge the groundwater and utilize the same within the premises.</li><li>4. The proponent shall comply with the proposals furnished in the Environmental management plan.</li><li>5. The project proponent shall obtain all statutory permissions as required before starting the construction.</li><li>6. The project proponent shall install organic waste converter for the treatment and disposal of wet garbage in a scientific manner.</li><li>7. The parking area shall be in compliance with NBC/ MoEF&amp;CC, GoI/ Local Government regulations as applicable, whichever is higher.</li><li>8. The project proponent shall comply with the Environmental conditions specified for construction and building projects in the appendix of MoEF&amp;CC, GoI, S.O No (E) 5703 dt. 14.11.2018.</li><li>9. The project proponent shall comply conditions stipulated in the CRZ NOC dt.02.03.2021 and dt.23.03.2023.</li></ol>
Agenda No:221.08	Item	<b>Development of Industrial Park over an extent of 911.77 Acres (368.98 Ha) at Survey Nos.453, 454, 455, 456, 457, 457, 459, 460, 461, 471, 522, 523, 524, 530, 531 &amp; 535 over an extent of 369.95 Ha (911-77 Acres) in Meedivemula Village, Orvakallu Mandal, Kurnool District, Andhra Pradesh by M/s. APIIC Meedivemula Industrial Park - Environmental Clearance - Reg.</b>
SIA/AP/INFRA1/42 8833/2023		<p><b>Category: A</b></p> <p>The Andhra Pradesh Industrial Infrastructure Corporation, (APIIC) proposed to develop Industrial Park at Meedivemula village, Orvakal Mandal, Kurnool district, Andhra Pradesh with an extent of 368.98 Hectare (911.77 Acres).</p> <p>The project falls under Item No. 7 (c) Industrial estates/parks/complexes/areas, export processing Zones (EPZs), Special Economic Zones (SEZs), Biotech Parks, Leather Complexes.</p> <p>The proponent and their consultant, M/s. ECOMEN Labs have attended the meeting and presented the proposal. The SEAC committee observed that:</p> <ol style="list-style-type: none"><li>a) The project proponent has obtained <b>auto TOR</b> with Public hearing on 10.11.2021 and public hearing conducted on 28.06.2022.</li><li>b) The APIIC has proposed to develop Meedivemula industrial park for the <b>Bulk drugs and intermediates</b>, Drug formulations, Electrical Equipment, Fabricated Metal Products, Machinery &amp; Equipment, Instruments &amp; Equipment, Non-metallic mineral products viz., Stones &amp; Slabs, Glass Cutlery; Ceramic Tiles, Paver Block and Fly Ash Bricks manufacturing units.</li><li>c) The committee observed that the "Bulk drugs and intermediates" falls under category A project list. During the course of meeting the committee opined that the said industrial park falls under <b>Category A project</b> list and as per the EIA notification 2006, "If at least one industry in the proposed industrial estate falls under the Category A, entire industrial area shall be treated as Category A, irrespective of the area". and shall be appraised by</li></ol>

  
Member Secretary  
SEAC

  
Chairman  
SEAC





	<p>the Expert Appraisal Committee (EAC) at <b>central Level as category A project.</b></p> <p>d) The committee directed the proponent to apply under Category A project at Central Level as the "Bulk drugs and intermediates" falls under category A project.</p> <p>The Committee after examining the project proposals, presentations, MoEF&amp;CC Notifications &amp; OMs, detailed deliberations and <b>recommended to reject</b> the proposal and directed the proponent to apply under Category A project at Central Level as the "Bulk drugs and intermediates" Manufacturing units proposed in the Industrial Park falls under category A project.</p>
<b>Agenda</b> 221.09	<b>Item:</b> <b>Construction of Proposed Development of Padmavathi Nagar Township by Tirupati Urban Development Authority (TUDA) Survey Nos.</b>
SIA/AP/INFRA2/42 9023/2023	The project proponent and also their consultant have not attended the meeting and the committee recommend <b>to raise ADS</b> seeking reasons for not attending the meeting and also to place this case only after the project proponent request the SEAC to place their proposal in the SEAC meeting.
<b>Agenda</b> No:221.10	<b>Item</b> <b>M/s. Krishna Plywood Industries established a plywood plant at R. Sy. No. 37/5, 6, 7, 8 &amp; 17 of Savaravalli Village, Bhogapuram Mandal, Vizianagaram District, Andhra Pradesh- Environmental Clearance - Reg.</b>
SIA/AP/IND3/422 415/2023	<p>Category -B2.</p> <p>The Proposal of <b>M/s. Krishna Plywood Industries.,</b> is for Environmental Clearance for production of the Phenol Formaldehyde Resin/Urea Formaldehyde Resin/Melamine Urea Formaldehyde Resin/Melamine Formaldehyde Resin - 3.5 Tons/Day (or) 1000 Tons/annum.</p> <p>The proposed project falls under Item No.5 (f) of the schedule of the EIA Notification 2006 and its amendments thereof - 5(f)- basic organic chemicals, other synthetic organic chemicals, and chemical intermediates.</p> <p>The project proponent and their consultant, M/s. SV Enviro Labs &amp; Consultants have attended the meeting and presented their proposal. The SEAC committee observed that:</p> <ol style="list-style-type: none"><li>M/s. Krishna Plywood Industries has proposed to establish a Resin Plant in their existing plywood manufacturing unit at R. Sy. No. 37/5, 6, 7, 8 &amp; 17 of Savaravalli Village, Bhogapuram Mandal, Vizianagaram District for their captive consumption with an additional investment of Rs. 35 Lakhs.</li><li>The MoEF&amp;CC, GoI vide letter dt. 10.04.2019 issued clarification regarding Exemption of Environmental Clearance for making in-house resin by plywood and panel industries.</li><li>As per the clarification given by MoEF&amp;CC, GoI "the process of manufacturing of Resin, was of the opinion that this activity may be listed under Category 'B2' and the procedure required for Category 'B2' may be followed to produce resin not exceeding 1000 tons per annum (4 tons per day) by captive manufacturing and utilization in plywood". The present proposal is for 3.5 Tonnes /day of resin production and falls <b>under</b></li></ol>

  
Member Secretary  
SEAC

  
Chairman  
SEAC





**Category B2.**

- d) The water consumption for the resin plant is 6.5 KLD and wastewater generation is only Condensate water of about 0.2 KLD which is proposed to be recycled. 0.8 KLD domestic wastewater is proposed to be disposed into septic tank and soak pit.
- e) The proponent volunteered to allocate funds for providing amenities to the local school / PHCs and development of village roads in the **Savaravalli** Village as a part of Corporate Social Responsibility (CSR) activity.

The Committee after examining the project proposals, presentations, MoEF& CC Notifications & OMs and detailed deliberations, **recommended for issue of Environmental Clearance to this proposal for manufacturing of Phenol Formaldehyde Resin/Urea Formaldehyde Resin/Melamine Urea Formaldehyde Resin/Melamine Formaldehyde Resin @ one product at any point of time with production capacity -3.5 Tonnes/day** for captive utilization in the manufacturing of plywood only stipulating additional conditions:

1. The project proponent shall submit an undertaking to SEIAA, A.P that the Resin produced will be used for their captive manufacturing and utilization in plywood only.
2. The Project Proponent shall implement the ZLD system for treatment and disposal of effluents.
3. The industry shall adopt an appropriate pollution control system to achieve Zero Liquid Discharge (ZLD) and ensure that there will be no discharge from the unit.
4. The industry shall establish suitable scrubbing system in consultation with the APPCB.
5. The industry shall provide an effective solvent recovery system.
6. The industry shall provide hazardous waste container (drums) cleaning/washing system (Container detoxification)
7. The industry shall send hazardous waste to the authorized cement industries/ TSDF/ authorized recyclers by properly maintaining the system.
8. The industry shall not use wood as a fuel for Thermic fluid heater without Permission from forest department
9. Strict measures shall be taken to control odour with appropriate odour abatement methods. Sub coolers for brine circulation shall be installed to reduce solvent evaporation losses into the atmosphere. All the solvent storage tanks shall be connected to vent condensers with chilled water circulation to minimize the solvent loss. The proponent shall install VOC meter in the plant to monitor.
10. The industry shall strengthen the nearby water pond and shall not discharge any wastewater into the nearby water pond.

  
Member Secretary  
SEAC

  
Chairman  
SEAC





<p><b>Agenda Item:</b> 202.06 &amp; 221.11</p>	<p>17.63 Ha of Mining of Karlam Manganese mine of M/s S.K. Sarawagi &amp; Co. Pvt. Ltd. at Sy.No. 278,279,281/1 to 8, Karlam Village, Chiipurupalli Mandal, Vizianagaram District, Andhra Pradesh - Environmental Clearance Expansion - Reg.</p>
<p>SIA/AP/MIN/4026 69/2022</p>	<p><b>Category: B2 at par with B1. (Major Mineral)</b></p> <p>The proposed project of M/s Sarawagi &amp; Co is for an enhancement of production quantity of Manganese ore - 1500 TPA to 40055.94 TPA in their mine lease area of 17.63 Ha with a condition that the total production during a scheme should be limited to the approved quantity as per Mining scheme/ plan.</p> <p>The proposed project falls under Item No. 1(a) of the schedule of the EIA Notification 2006 and its amendments thereof - (i). Mining of minerals (<math>\leq 250</math> ha of mining lease area in respect of non-coal mine lease).</p> <p>The project proponent and their consultant SV Enviro Labs &amp; Consultants have attended the meeting and presented their proposal. The SEAC committee observed that:</p> <ul style="list-style-type: none"><li>a) The project proponent obtained Environmental clearance vide order dt. 26.03.2013 for production capacity of 1500 TPA and EC was valid for a period of 20 years i.e., 25.03.2023.</li><li>b) The project proponent obtained Auto TOR on 23.03.2021 for enhancement production capacity. The public hearing for expansion project was held on 08.06. 2022.</li><li>c) The proponent furnished certified compliance certificate (CCC) dt 26.02.21 from APPCB. As per MoEF&amp; CC, GoI OM dt 08.06.2022, the validity of CCC validity is only for one year.</li><li><b>d) Public Hearing Details:</b> The majority of the villagers present in the public hearing are not in favour of the enhancement of the production capacity of the mine and the issues raised area dust problems due to existing mine operations , depletion of ground water , impact on farmers , damage of cashew gardens , crop loss, road damages , dumping of waste in farmers lands etc..</li><li>e) <b>Reply of the proponent during the public hearing is as follows:</b> Sri Ashok Konda, Proponent has informed that villagers have expressed their problems, out of which some problems can be solved. He stated that they got EC in 2007 for 20 years with existing quantity of 1500 TPA, but not operated regularly and got production up to 100-110 MT only. They have mined upto 6-9 m in an area of 7-8 acres only out of total permitted mine area of 43 acres, they placed the dump in an area of 1.03 acres at a height of 10 ft within lease area towards East concern they have carried out DGPS survey for 43 acre and laid 32 pillars around the boundary, they are</li></ul>

  
Member Secretary  
SEAC

  
Chairman  
SEAC



	<p>carrying out sprinkling, developed plantation, but the same was eaten by cattle and spend Rs 2-3 lakh of CSR fund for Street lights. He also stated that some parts of the dump nigh fallen in the farmers land due to wind/rain the same will be cleared and will give RO plant and jobs to the villagers if needed.</p> <p>f) The committee appraised the final EIA and noted that the predominant wind direction is from North East to South-west and maximum GLCs i.e., 4.11 µg/m<sup>3</sup> observed and falls in 0.98KM in South-west direction of the mine.</p> <p>g) <b>EMP budget details:</b> Capital cost of the EMP measures proposed: 7.2 Lakhs. Recurring of the EMP measures proposed: 6.5 Lakhs/Annum. Amount proposed for CSR activities: 5.0 Lakhs.</p> <p>h) The proponent volunteered to provide Digital classroom to <b>Chiipurupalli</b> Village as a part of Corporate Social Responsibility (CSR) activity and shall maintain till the life of the mine.</p> <p>The Committee, after examining the project proposals, presentations, EIA appraisal, mining plan, MoEF&amp;CC' Notifications &amp; OMs and detailed deliberations, recommended to raise ADS for following.</p> <ol style="list-style-type: none"><li>1. The project proponent shall submit latest certified compliance report from IRO, Vijayawada.</li><li>2. The project proponent shall submit renewal copy of existing Bank Guarantee.</li><li>3. The project proponent shall submit latest production &amp; dispatch letter.</li><li>4. The project proponent shall submit credible action completion details.</li><li>5. Detailed waste management plan as waste is expected @ 1:4</li></ol> <p>The project proponent has submitted ADS reply on 11.05.2023 along with Certified Compliance from IRO, detailed waste management plan and latest production and dispatch details. The proposal was placed in 221st SEAC meeting:</p> <p>The Committee, after examining the project proposals, presentations, EIA appraisal, mining plan, MoEF&amp;CC' Notifications &amp; OMs and detailed deliberations, <b>recommended</b> to constitute a subcommittee with a) Prof. G. Gnana Mani, b) Prof. U. Shameem and c) Sri. K. Venkata Ramana to verify the objections/facts of public hearing pertaining to the waste dumps and spillover of the waste of the mine.</p>
<b>Agenda</b> <b>Item No.221.12</b>	<b>M/s. Archimedis Laboratories Private Limited located at Survey No. 108 &amp; 109, Jayanthipuram Village, Jaggayyapet Mandal, Krishna District Andhra Pradesh - Corrigendum in EC - Reg.</b>
<b>SIA/AP/IND3/272</b> <b>113/2022</b>	Category: B2  The SEIAA, A.P., issued Environmental Clearance to <b>M/s. Archimedis Laboratories Private Limited</b> vide Order No. SEIAA/AP/KRI/IND/02/2022/3948/180.35& 178.30, dated 03.05.2022.

  
Member Secretary  
SEAC

  
Chairman  
SEAC





The project proponent has applied for Corrigendum of Environmental Clearance and requested to incorporate the following corrections:

Page No. (In EC)	Information mentioned in EC copy	Correction required in EC copy
5	Wastewater generation  11. The total wastewater generation is HTDS - 138 KLD and LTDS - 12 KLD. The sewage generation of 6 KLD shall be treated in STP of capacity - 10 KLD	The total wastewater generation is HTDS - 138 KLD and LTDS - 121 KLD. The sewage generation of 6 KLD shall be treated in STP of capacity - 10 KLD.

The committee verified the Form- I, Project report and Environmental clearance dt. 03.05.2022 and **recommended to issue** above corrigendum to Environmental clearance dt. 05.02.2022 for the quantity of LTDS wastewater generation from 12 KLD (as mentioned in page no 5 of EC order dt. 03.05.2022) to 121 KLD as it was typographical error.

Agenda  
Item No.221.13

**M/s. Hetero Labs Limited - Unit-III at Sy. No: 119, 126, 120, 125 (P), 138 (P), Narasapuram Village, Nakkapalli Mandal, Visakhapatnam District Andhra Pradesh - Amendment in EC - Reg.**

SIA/AP/IND3/299  
050/2023

Category: A

- a) The SEIAA, A.P., issued Environmental Clearance (EC) Expansion to **M/s. Hetero Labs Limited - Unit-III** vide Order No. SEIAA/AP/IND/VSP/3/2021/3067/169.49/166.62, dated 20.01.2022.
- b) Now the project proponent has applied for Amendment in the granted EC order dt 20.01.2022 and details are as follows:
  1. Marine disposal of treated effluent in place of zero liquid discharge.
  2. Divide the given single group of products into two categories (API's & Intermediates).
- c) The SEAC committee noted the MoEF&CC, GoI, notification S.O. No. 1223(E), dated 27.03.2020 and MoEF&CC Office Memorandum dated 13.04.2020, wherein " All proposals for projects or activities in respect of Active Pharmaceutical Ingredients (API), received up to the 30th September 2020, shall be appraised , as Category 'B2' projects provided that any subsequent amendment or expansion or change in product mix, after the 30th September 2020, shall be considered as per the provisions in force at that time."
- d) Further, MoEF&CC, GoI has extended the time specified vide S.O. No. 3636(E), dated 15.10.2020 and **last extension was issued upto 31.12.2021** vide S.O. 2859(E) dt 16.07.2021. **The extract of the notification is as follows:**

"All proposals for projects or activities in respect of Active Pharmaceutical Ingredients (API), received from 16th July 2021 to 31st December 2021,

  
Member Secretary  
SEAC

  
Chairman  
SEAC





**MINUTES OF THE 221<sup>st</sup> MEETING OF STATE EXPERT APPRAISAL COMMITTEE (SEAC), A.P., HELD ON - 22<sup>nd</sup> June, 2023 AT VIJAYAWADA, A.P.**

shall be appraised, as Category 'B2' projects, provided that any subsequent amendment or expansion or change in product mix, after the **31st December, 2021**, shall be considered as per the provisions in force at that time."

- e) The project proponent has applied for EC amendment on 29.03.2023 after completion of specified time mentioned in the S.O. 2859(E) dt 16.07.2021 **i.e., after 31.12.2021.**
- f) The committee observed that the time specified to A categories projects for appraisal as B2 was upto only 31.12.2021 and present proposal for amendment was received after the specified time limit. Hence, the committee directed the proponent to apply for amendment to the EC at Central Level as per the MoEF&CC, GoI Notification S.O. No 2859(E) dt 16.07.2021.

The Committee after examining the project proposals, presentations, MoEF&CC Notifications & OMs, detailed deliberations, and recommended to **reject EC amendment proposal** and directed the proponent apply for amendment to the EC at Central Level as per the MoEF&CC, GoI Notification S.O. No 2859(E) dt 16.07.2021.

Agenda  
Item No.221.14

**M/s. Aurobindo Antibiotics Pvt. Ltd. at Sy.No. 350, 351, 353, 354 to 358, 361 to 375 and 380 to 382, A.V. Nagaram village, Kakinada SEZ area, Tondangi Mandal, Kakinada District (Formerly East Godavari District), Andhra Pradesh - Amendment in EC - Reg.**

SIA/AP/IND3/299  
548/2023

**Category: A**

- a) The SEIAA, A.P., issued Environmental Clearance (EC) to **M/s. Aurobindo Antibiotics Pvt. Ltd** vide Order No. SEIAA /AP/ IND/EG/09/2020/ 2192/161.46/158.34, dated 29.07.2021.
- b) Now the project proponent has applied for Amendment in the granted EC order 29.07.2021 for change in name from "**M/s. Aurobindo Antibiotics Pvt. Ltd.**" to "**M/s. Lyfius Pharma Pvt. Ltd**", Site area, Sy.Nos, Sea Water Intake Quantity and Desalination brine quantity
- c) The SEAC committee noted the MoEF&CC, GoI, notification S.O. No. 1223(E), dated 27.03.2020 and MoEF&CC Office Memorandum dated 13.04.2020, wherein " All proposals for projects or activities in respect of Active Pharmaceutical Ingredients (API), received up to the 30th September 2020, shall be appraised , as Category 'B2' projects provided that any subsequent amendment or expansion or change in product mix, after the 30th September 2020, shall be considered as per the provisions in force at that time."
- d) Further, MoEF&CC, GoI has extended the time specified vide S.O. No. 3636(E), dated 15.10.2020 and **last extension was issued upto 31.12.2021** vide S.O. 2859(E) dt 16.07.2021. **The extract of the notification is as follows:**

"All proposals for projects or activities in respect of Active Pharmaceutical Ingredients (API), received from 16th July 2021 to 31st December 2021,

  
Member Secretary  
SEAC

  
Chairman  
SEAC





	<p>shall be appraised, as Category 'B2' projects, provided that any subsequent amendment or expansion or change in product mix, after the <b>31st December, 2021</b>, shall be considered as per the provisions in force at that time."</p> <p>e) The project proponent has applied for EC amendment on 21.04.2023 after completion of specified time mentioned in the S.O. 2859(E) dt 16.07.2021 <b>i.e., after 31.12.2021.</b></p> <p>f) The committee observed that the time specified to A categories projects for appraisal as B2 was up to only 31.12.2021 and present proposal for amendment was received after the specified time limit. Hence, the committee directed the proponent to apply for amendment to the EC at Central Level as per the MoEF&amp;CC, GoI Notification S.O. No 2859(E) dt 16.07.2021.</p> <p>The Committee after examining the project proposals, presentations, MoEF&amp;CC' Notifications &amp; OMs, detailed deliberations, and recommended to <b>reject EC amendment proposal</b> and directed the proponent apply for amendment to the EC at Central Level as per the MoEF&amp;CC, GoI Notification S.O. No 2859(E) dt 16.07.2021.</p>
Agenda Item No.221.15	<b>M/s. Auroactive Pharma Pvt. Ltd. at Sy.No.347 to 353, A.V. Nagaram Village, Kakinada SEZ area, Tondangi Mandal, Kakinada District (Formerly East Godavari District), Andhra Pradesh - Amendment in EC - Reg.</b>
SIA/AP/IND3/299 562/2023	<p><b>Category: A</b></p> <p>a) The SEIAA, A.P., issued Environmental Clearance (EC) to <b>M/s. Aurobindo Antibiotics Pvt. Ltd</b> vide Order No. SEIAA / AP/ IND/ EG/09/ 2020/ 2195/161.47/158.35, dated 29.07.2021.</p> <p>b) Now the project proponent has applied for Amendment in the granted EC order 29.07.2021 for change in name from "<b>M/s. Auroactive Pharma Pvt.</b>" to "<b>M/s. Lyfius</b>", Site area, Sy.Nos, Sea Water Intake Quantity and Desalination brine quantity.</p> <p>c) The SEAC committee noted the MoEF&amp;CC, GoI, notification S.O. No. 1223(E), dated 27.03.2020 and MoEF&amp;CC Office Memorandum dated 13.04.2020, wherein " All proposals for projects or activities in respect of Active Pharmaceutical Ingredients (API), received up to the 30th September 2020, shall be appraised , as Category 'B2' projects provided that any subsequent amendment or expansion or change in product mix, after the 30th September 2020, shall be considered as per the provisions in force at that time."</p> <p>d) Further, MoEF&amp;CC, GoI has extended the time specified vide S.O. No. 3636(E), dated 15.10.2020 and <b>last extension was issued upto 31.12.2021</b> vide S.O. 2859(E) dt 16.07.2021. <b>The extract of the notification is as follows:</b></p> <p>"All proposals for projects or activities in respect of Active Pharmaceutical Ingredients (API), received from 16th July 2021 to 31st December 2021, shall be appraised, as Category 'B2' projects, provided that any subsequent amendment or expansion or change in product mix, after the <b>31st</b></p>

  
Member Secretary  
SEAC

  
Chairman  
SEAC





December, 2021, shall be considered as per the provisions in force at that time."

- e) The project proponent has applied for EC amendment on 21.04.2023 after completion of specified time mentioned in the S.O. 2859(E) dt 16.07.2021 i.e., after 31.12.2021.
- f) The committee observed that the time specified to A categories projects for appraisal as B2 was up to only 31.12.2021 and present proposal for amendment was received after the specified time limit. Hence, the committee directed the proponent to apply for amendment to the EC at Central Level as per the MoEF&CC, GoI Notification S.O. No 2859(E) dt 16.07.2021.

The Committee after examining the project proposals, presentations, MoEF&CC Notifications & OMs, detailed deliberations, and recommended to **reject EC amendment proposal** and directed the proponent apply for amendment to the EC at Central Level as per the MoEF&CC, GoI Notification S.O. No 2859(E) dt 16.07.2021.

Agenda  
Item No.221.16

M/s. Sri Raghavendra Chemicals at Sy. No. 106F, 108B, 108F, 108G, Isvi Village, Adoni Mandal, Kurnool District, Andhra Pradesh - Amendment in EC - Reg.

SIA/AP/IND3/299  
928/2023

Category: A

- a) The SEIAA, A.P., issued Environmental Clearance (EC) to **M/s. Sri Raghavendra Chemicals** vide Order No. SEIAA/AP/KNL/IND/3/2021/3079/178.3 & 175.3, dated 16.04.2022.
- b) Now the project proponent has applied for Amendment in the granted EC order 29.07.2021 for change in name from "**M/s. Sri Raghavendra Chemicals.**" to "**M/s. A-One Pharma Chem Private Limited.**"
- c) The SEAC committee noted the MoEF&CC, GoI, notification S.O. No. 1223(E), dated 27.03.2020 and MoEF&CC Office Memorandum dated 13.04.2020, wherein " All proposals for projects or activities in respect of Active Pharmaceutical Ingredients (API), received up to the 30th September 2020, shall be appraised , as Category 'B2' projects provided that any subsequent amendment or expansion or change in product mix, after the 30th September 2020, shall be considered as per the provisions in force at that time."
- d) Further, MoEF&CC, GoI has extended the time specified vide S.O. No. 3636(E), dated 15.10.2020 and **last extension was issued upto 31.12.2021** vide S.O. 2859(E) dt 16.07.2021. **The extract of the notification is as follows:**

"All proposals for projects or activities in respect of Active Pharmaceutical Ingredients (API), received from 16th July 2021 to 31st December, 2021, shall be appraised, as Category 'B2' projects, provided that any subsequent amendment or expansion or change in product mix, after the **31st December, 2021**, shall be considered as per the provisions in force at that time."


  
Member Secretary  
SEAC

  
Chairman  
SEAC





	<p>e) The project proponent has applied for EC amendment on 21.04.2023 after completion of specified time mentioned in the S.O. 2859(E) dt 16.07.2021 i.e., after 31.12.2021.</p> <p>f) The committee observed that the time specified to A categories projects for appraisal as B2 was up to only 31.12.2021 and present proposal for amendment was received after the specified time limit. Hence, the committee directed the proponent to apply for amendment to the EC at Central Level as per the MoEF&amp;CC, GoI Notification S.O. No 2859(E) dt 16.07.2021.</p> <p>The Committee after examining the project proposals, presentations, MoEF&amp;CC Notifications &amp; OMs, detailed deliberations, and recommended to <b>reject EC amendment proposal</b> and directed the proponent apply for amendment to the EC at Central Level as per the MoEF&amp;CC, GoI Notification S.O. No 2859(E) dt 16.07.2021.</p>
Agenda Item No: 221.17	<b>10.522 Ha, Manganese Ore Mine of M/s. Mahalaxhmi Minerals at Sy No. 798 of Garbham Villages, Merakamudidam Mandal, Vizianagaram District, Andhra Pradesh - EC Extension - Reg.</b>
SIA/AP/MIN/3002 38/2023	<p>Category: B2 at par with B1.</p> <p>a) The SEIAA, A.P., issued Environmental Clearance to <b>M/s. Mahalaxhmi Minerals vide order dt. 11.11.2011 for mining of Manganese ore - 2500 TPA.</b></p> <p>b) <b>Subsequently, the SEIAA, A.P., issued Amendment vide order dt. 23.10.2013 for amendment of mining of Manganese Ore quantity from 2500 TPA to 24,000 TPA and also the valid of EC order to 9 years. i.e., up to 22.10.2022.</b></p> <p>c) Now the project proponent has applied for extension of EC on 13.05.2023 in the parivesh Portal after expiry of the validity of the EC amendment order dt 23.10.2013.</p> <p>d) The project proponent has informed that earlier, they had applied for EC-Extension vide proposal No. 2924042 dt. 30.09.2022 and informed that the same was not showing in the parivesh portal now.</p> <p>The Committee, after examining the project proposals, presentations, MoEF&amp;CC Notifications &amp; OMs and detailed deliberations, recommended to <b>defer</b> for submission of proof of earlier request proposal dt. 30.09.2022 for extension of validity of EC order.</p>
Agenda Item No: 221.18	<b>M/s. Sree Praseedha Steels and Minerals Private Limited (Formerly M/s. Steel Exchange India Ltd.) Plot No. 1, IDA Parwada, E-Bonangi Village, Parawada Mandal, Visakhapatnam District, Andhra Pradesh - Terms of Referance (TOR)- Reg.</b>
SIA/AP/IND1/427 895/2023	<p>Category: B</p> <p>The proposed project is a re-rolling mill for producing MS CTD Bars - 100 TPD at Plot No. 1, IDA Parwada, E-Bonangi Village, Parawada Mandal, Visakhapatnam District, Andhra Pradesh in an extent of 2.16 ha (5.34 acres).</p>

  
Member Secretary  
SEAC

  
Chairman  
SEAC





**MINUTES OF THE 221<sup>st</sup> MEETING OF STATE EXPERT APPRAISAL COMMITTEE (SEAC), A.P., HELD ON - 22<sup>nd</sup> June, 2023 AT VIJAYAWADA, A.P.**

	<p>The proposed project falls under Item No. 3(a) of the schedule of the EIA Notification 2006 and its amendments thereof - <b>Metallurgical industries (Ferrous &amp; nonferrous)</b></p> <p>The project proponent and their consultant, M/s. Team Labs attended the meeting and presented their proposal. The SEAC committee observed that:</p> <ol style="list-style-type: none"><li>M/s. Sree Praseedha Steels and Minerals Private Limited is operating re-rolling mill at Plot No. 1, IDA Parwada, E-Bonangi Village, Parawada Mandal, Visakhapatnam District in an area of about 5.4 Acres.</li><li>The unit was issued with CTO by APPCB vide order No.7166/APPCB/ZO-VSP/VSP/CFO/2022 dated 17.09.2022 with a valid up to 30.06.2023.</li><li>The MoEF&amp;CC GoI, vide Notification S.O. No. 3250(E) dt. 20.07.2022 mandated that all existing re-rolling mills must initiate the process of environmental clearance before July 2023, following the due process mentioned in the above notification and as mentioned in SO 1533 (E) dt. 14.09.2006.</li><li>The unit has applied for the regularization of the existing rolling mill in compliance with the notification S.O. 3250(E) dt. 20.07.2022 issued by MoEF&amp;CC, GoI. As per the notification, the public hearing was exempted for these projects seeking environmental clearance as part of regularization based on the NGT order dt. 12.02.2020 in O.A. no. 55/2019(WZ).</li></ol> <p>The Committee after examining the project proposals, presentations, MoEF&amp;CC Notifications &amp; OMs, detailed deliberations, recommended to <b>issue</b> Standard terms of TOR without Public hearing with following additional conditions:</p> <ol style="list-style-type: none"><li>The project proponent shall prepare EIA and EMP</li><li>The project proponent shall provide plan for dust suppression measures within the site.</li><li>The project proponent shall submit a water balance statement along with the details of ETP and mode of disposal.</li><li>The project proponent shall submit detailed plantation plan along with no of species and land allocated for development of greenbelt.</li><li>The project proponent shall submit photographs of the greenbelt already developed with Geo- Coordinates.</li></ol>
<b>Agenda Item No. 221.19</b>	<b>Construction of Educational and Hostel Buildings of M/s SRM University at Survey No. 447, 429, 416, 420, 421, 425, 368, 374, 372, 428, 424, 422, 431, 419, 418, 417, 445, 369, 403, 370, 430, 446, 460, 461, 22, 365, 361, 370, 360 KURAGALLU VILLAGE, MANGALGIRI MANDAL, GUNTUR District, Andhra Pradesh - TOR - reg.</b>
<b>SIA/AP/INFRA2/43 0525/2023</b>	<p>Category: B1</p> <p>The proposed project is for expansion of Sri Ramaswamy Memorial (SRM) University for Construction of Educational and Hostel Buildings at site located at Sy. No. 447, 429, 416, 420, 421, 425, 368, 374, 372, 428, 424, 422, 431, 419, 418, 417, 445, 369, 403, 370, 430, 446, 460, 461, 22, 365, 361, 370, 360 of Kuragallu Village, Mangalgiri Mandal, Guntur District, Andhra Pradesh.</p> <p>The proposed project falls under Item No. 8(b) of the schedule of the EIA Notification 2006 and its amendments thereof <math>\geq 1,50,000</math> sq. mtrs and <math>&lt; 3,00,000</math> sq. mtrs built up area or covering an area <math>\geq 50</math> Ha.</p>

  
Member Secretary  
SEAC

  
Chairman  
SEAC



The project proponent and their consultant M/s. SV enviro have attended the meeting and presented their proposal. The SEAC noted that:

- The project is an educational institution and the Government of Andhra Pradesh MA & UD (CRDA.2) Department vide G.O MS. No. 296 Dated: 16.11.2016 allotted a land area of 200 Acres to SRM University in two phases in which an area of 93.0 Acres is under Phase - I development.
- The institute commenced operations in the year 2016. At present, they have a transit campus with a completed built-up area of 1,48,983.24 Sq. m.
- Now they proposed for construction of Educational and Hostel Buildings with Built Up area 65,191 Sq.m, thereby the builtup area increases from 1,48,983.24 Sq. m to 2,14,174.44 Sq. m. The details of the additional buitup area are as follows:

S. No	Building Name	No. of floors	Area Sq. m
Phase - 2			
1	Student Hostel (Block - A) (Additional 21 floors added)	G + 25 floors after expansion	14951.52
2	Student Hostel (Block - B)	G + 4	10844.85
3	Utility Block Extension (Additional 2 floors)	G + 3 floors after expansion	6841.36
Sub - Total			32637.73
Phase - 3			
1.	Research Block	G+3	32247.47
2.	Food Quadrant	G	306.0
Sub - Total			32553.47
Total Built-up Area to be Constructed in Phase 2 & 3			65191.2

- As per the MoEF & CC Notification S.O.3252 (E) Dated: 22.12.2014, Educational area increases to 2,14,174.44 Sq. m and hence, the project requires Environmental Clearance.

The Committee, after examining the project proposals, presentations, MoEF&CC Institutions with built up area is less than 1,50,000 Sq. m does not require EC. However, with the proposed additional built-up area of 65191.2 Sq.m, the total builtup Notifications & OMs, detailed deliberations, recommended to recommended to raise ADS for submission of the following additional information:

- The proponent shall submit NOC from Irrigation Department as the stream/ Vagu is passing through the institute in Northwest direction and proposed buildings are very nearby Stream/ Vagu.

Member Secretary  
SEAC

Chairman  
SEAC



**MINUTES OF THE 221<sup>st</sup> MEETING OF STATE EXPERT APPRAISAL COMMITTEE (SEAC), A.P., HELD ON - 22<sup>nd</sup> June, 2023 AT VIJAYAWADA, A.P.**

	<ol style="list-style-type: none"><li>2. The project proponent shall submit details of no of floor permitted in each of the building as per the SBC report.</li><li>3. The project proponent shall submit the existing building stability report along with the details of proposed floors.</li><li>4. The proponent shall submit a Geo-technical report and grouting activity for cellars/basements to prevent damage to the adjacent Structures during the foundation stage.</li><li>5. The proponent shall submit the latest site photographs with Geo coordinates and date to ascertain status of construction.</li><li>6. The project proponent shall upload NOC from Airport Authority of India.</li><li>7. The project proponent shall upload fire NOC.</li><li>8. The project proponent shall the design details of STP and also permission obtained from the local bodies for the discharge of treated wastewater discharge permission.</li><li>9. The project proponent shall upload SBC report along with Foundation recommendations.</li><li>10. The EMP with corrected water balance, solid waste management proposals.</li><li>11. DPR covering the above said points.</li></ol>
<b>Agenda Item No. 221.20</b>	<b>M/s. Vedadri Envirotech Foundation for establishment of Common Effluent Treatment Plant (CETP) at Survey No. 22/3B, 22/4, 23/1, 23/2, 23/3 &amp; 23/4, Gowravaram Village &amp; Panchayat, Jaggayyapeta Mandal, NTR District, Andhra Pradesh - TOR - reg.</b>
<b>SIA/AP/INFRA2/43 0614/2023</b>	<p>Category: B</p> <p>The proposed project is for the establishment of Common Effluent Treatment Plant (CETP) with a capacity of 2400 KLD (1200 KLD - LTDS and 1200 KLD of HTDS) to treat the effluent at Sy. No's.: 22/3B, 22/4, 23/1, 23/2, 23/3 &amp; 23/4, Gowravaram Village &amp; Panchayat, Jaggayyapeta Mandal, NTR District, Andhra Pradesh State in an area of 8.84 Acres (35774.21 Sqm).</p> <p>The proposed CETP falls under Category "B" schedule 7(h) as per the EIA notification, 14th September 2006, and subsequent amendments.</p> <p>The project proponent and their consultant M/s. Right source Industrial Solutions Pvt. Ltd. attended the meeting and presented their proposal. The SEAC noted that:</p> <ol style="list-style-type: none"><li>a) The proposed project is establishment of Common Effluent Treatment Plant (CETP) with a capacity of 2400 KLD by the Pharmaceutical industries in Jaggayyapeta and surrounding areas on cooperative basis to treat the effluent generated from the member industries.</li><li>b) The proposed site is at Sy. No's.: 22/3B, 22/4, 23/1, 23/2, 23/3 &amp; 23/4, Gowravaram Village &amp; Panchayat, Jaggayyapeta Mandal, NTR District, in an area of 8.84 Acres (35774.21 Sqm). The proposed cost of the CETP is Rs. 150.0 Crores.</li><li>c) The proposed CETP receives HTDS and LTDS Effluent from the member industries by Road tankers with manifest system. The proposed CETP is ZLD system having biological ETP, Stripper, MEE, ATFD and RO system.</li></ol>


  
Member Secretary  
SEAC

  
Chairman  
SEAC





	<p>d) Recovered water from the CETP will be sent back to the member industry by road tankers at pro-rate of their effluent.</p> <p>e) The SEAC noted that the Jaggayyapeta Extension Reserved Forest is about 0.49KM. Hence, committee recommended to raise ADS for submission of Forest NOC.</p> <p>The Committee after examining the project proposals, presentations, MoEF&amp;CC' Notifications &amp; OMs, detailed deliberations, recommended to raise ADS for uploading of Forest NOC as the Jaggayyapeta Extension Reserved Forest is about 0.49Km from the proposed site of the CETP.</p>
<p>Agenda Item No. 207.34 &amp; 213.40 &amp; 221.21</p>	<p>81.95 Ha Manganese Ore of M/s. Mahalakshmi Minerals, DEVADA MANGANESE BLOCK located at Sy No. 78,91 of Kondapalem and Sy.nos. 145,146,147,152,153&amp; 154 of Koduru village, Sy. Nos. 3,4,12,231 of Duvvm village, Garividi Mandal Vizianagaram District, Andhra Pradesh - TOR Amendment - Refer back case - reg.</p>
<p>SIA/AP/MIN/2950 78/2022</p>	<p>The project proponent and also their consultant have not attended the meeting and the committee recommend to <b>raise ADS</b> seeking reasons for not attending the meeting and also to place this case only after the project proponent request the SEAC to place their proposal in the SEAC meeting.</p>
<p>Agenda Item No. 221.22</p>	<p>M/s. Sadhana Minerals at 5.416 Ha of Mica, Quartz, Feldspar &amp; Vermiculate Mine of M/s Sadhana Minerals, Sy.No.683/P of Chaganam (V), Sydapuram (M), SPSR Nellore District. A.P.- Amendment of EC- Reg.</p>
<p>SIA/AP/MIN/3009 84/2023</p>	<p>The project proponent has obtained EC vide order dt. 09.10.2015 for mining of Feldspar, Mica, Quartz and vermiculate - 3607 TPA over an extent of 5.416 Ha. The EC was issued for the open cast mining method and is valid for a period of 14 years i.e., 08.10.2029.</p> <p>Now the proponent has applied for EC Amendment for inclusion of mining method i.e., Underground mining method in addition to existing open cast method in the existing mine.</p> <p>The committee verified the application, IBM approved mining plan, EMP, EC order dt. 09.10.2015 and recommended to issue EC Amendment for inclusion of mining method i.e., Underground mining method in addition to existing open cast method mining method (Mentioned in Page No 35 &amp; - 44 of IMB approved Mining plan) and Life of the mine is 5.67 years.</p> <p>The Committee after examining the project proposals, presentations, MoEF&amp;CC' Notifications &amp; OMs and detailed deliberations, recommended to issue Amendment to EC for inclusion of mining method i.e., Underground mining method in addition to existing open cast method mining method with following conditions:</p> <ol style="list-style-type: none"><li>1. The proponent shall comply with the proposals furnished in Environmental</li></ol>

  
Member Secretary  
SEAC

  
Chairman  
SEAC





**MINUTES OF THE 221<sup>st</sup> MEETING OF STATE EXPERT APPRAISAL COMMITTEE (SEAC), A.P., HELD ON - 22<sup>nd</sup> June, 2023 AT VIJAYAWADA, A.P.**

	<p>management plan.</p> <ol style="list-style-type: none"><li>The project proponent shall develop greenbelt along roadside and shall take dust suppression measures.</li><li>Buffer zone Plantation should not be disturbed, and the project proponent shall further plant the plants in Buffer zone.</li><li>The project proponent shall comply with the conditions stipulated in DGMS rules and regulations.</li><li>The project proponent shall provide minimum 2 no of shafts for the underground mining and it should be interlock with each other.</li></ol>
<b>Agenda</b> <b>Item No. 221.23</b>	<b>M/s.Sadhana Minerals 1.323 Hectares of Mica, Quartz and Feldspar Mine Sy.No.690/1(P) &amp; 690/4(P) of Chaganam Village, Sydapuram Mandal, SPSR Nellore District.A.P.- Amendment of EC- Reg.</b>
<b>SIA/AP/MIN/3009</b> <b>13/2023</b>	<p>The project proponent has obtained EC vide order dt. 28.03.2023 for mining of Feldspar, Mica &amp; Quartz - 2787 TPA over an extent of 1.323 Ha. The EC was issued for the underground mining method and is valid for a period of 20 years i.e., 28.03.2043.</p> <p>Now the proponent has applied for Amendment for EC for usage of explosives for blasting in the underground mining method.</p> <p>The project proponent and their consultant M/s. Global Enviro Labs have attended the meeting and presented their proposal. The SEAC noted that:</p> <ol style="list-style-type: none"><li>Drilling and Blasting activities are proposed in the mining applied area. and as per the order of Hon'ble NGT in O.A No 304/2019 a minimum distance of 200 meters is required for the allowing mining with blasting from residential/ public buildings, inhabited sites.</li><li>The Nearest habitation is Jaflapuram village and is at a distance of about 157 mts from boundary point 2 in South East side of the applied area.</li><li>The proponent has proposed manual underground method of mining in the applied area as it falls in 100 mts buffer area from Habitation of Jaflapuram village.</li><li>The project proponent has proposed no drilling and blasting operations within 200 mts from Jaflapuram village as per the orders of the hon'ble NGT in OA No.304/2019 and this buffer area from 100 to 200 mts (0.502 ha) will be used for dumping and Plantation.</li><li>The mining operations with drilling and blasting (with explosives) will be continued in the applied area at North and NE sides by leaving the 200 mts buffer area from Habitation of Jaflapuram village.</li><li>The project proponent has submitted approved mining plan as per the NGT norms by leaving 0.502 Ha as non-mining zone.</li></ol> <p>The committee verified the application, approved mining plan 19.01.2023, EMP, EC order dt. 28.03.2023 and recommended to issue Amendment to the EC order dt. 28.03.2023 for amending the part -B specific condition .1(b) as the project proponent shall use explosives for Jack hammer drilling &amp; blasting (Mentioned in Page No 24 approved Mining plan).</p>

  
Member Secretary  
SEAC

  
Chairman  
SEAC