

70th SEIAA A.P. MINUTES

SEIAA Agenda Item: 70.23 SEAC Agenda Item 80.49	1.47 Acres. Construction project of Daiwik Hotel & Residences, Sy. No. 714/1A1/D, 715/3, 716/1A2, Tukivakam (V), Renigunta, Tirupati, Chittoor District – Environmental Clearance – Reg.
--	---

Recommendations of the SEAC 11.09.2015: Issue of EC to this project by stipulation standard conditions applicable for construction project.

Decision of the SEIAA: Agreed with the recommendation of the SEAC

SEIAA Agenda Item: 70.24 SEAC Agenda Item 80.52	Construct of Srivari Seva Sadan, Block 1 & 2, T S No.1, 3 & 5, Ward No.2, Block D, Tirumala Gram Panchayat, Tirupathi Urban Mandal, Chittoor District – Environmental Clearance – Reg.
--	---

Recommendations of the SEAC 11.09.2015: Issue of EC.

Decision of the SEIAA: Agreed with the recommendation of the SEAC

SEIAA Agenda Item: 70.32 SEAC Agenda Item 80.51	26.04 Acres. Construction of Additional Floor to the Existing Hospital & College Building of NRI Academy of Sciences, Sy.No. 227, 229-2A, 229-2B2, 229-2B1, 229-1C, 234-D2, 234-B, 234-C, 234-D1A, 234-A, Chinakakani (V), Mangalagiri (M), Guntur District – Environmental Clearance – Reg.
--	---

Recommendations of the SEAC 11.09.2015: Issue of EC to this project by stipulation standard conditions applicable for construction project

Decision of the SEIAA: Agreed with the recommendation of the SEAC.

SEIAA Agenda Item: 70.38 SEAC Agenda Item 80.10	26 Acres Expansion of LPG Storage facility from 1350 MT to 3150 MT by installing 3X600 MT mounded storage unit and TLF extension at Kondapalli Bottling Plant by IOCL, Kondpally Village, Ibrahimpatnam Mandal, Krishna District. – Environmental Clearance (TOR case) – Reg.
--	--

Recommendations of the SEAC 10.09.2015: Issue of Standard TOR to the Proposed Project with validity period of 2 years.

SEIAA Decision : Agreed with the recommendation of the SEAC.

SEIAA Agenda Item: 70.40	37467.91Sq.m. Construction of Residential Complex of M.B.M.R.Real Estates Pvt. Ltd., (Sri Anjaneya Township), Sy. No.291/1, 291/3, 292, Eedupugallu (V), Kankipadu (M), Krishna District – Environmental Clearance – Reg.
SEAC Agenda Item 80.50	

Recommendations of the SEAC 11.09.2015: Issue of EC to this project by stipulation standard conditions applicable for construction project.

Decision of the SEIAA: Agreed with the recommendation of the SEAC

SEIAA Agenda Item: 70.41	M/s.Inchem Laboratories Pvt.Ltd., PlotNo.52C, 52F, 52G, 52J, 52B & 52C, IDA, Kondapally (V), Ibrahimpatnam (M), Krishna District – Submitted EIA Report - Environmental Clearance – Reg.
SEAC Agenda Item 80.63	

Recommendations of the SEAC 11.09.2015: Issue of EC with standard conditions applicable for Pharma industry.

Decision of the SEIAA: Agreed with the recommendation of the SEAC

SEIAA Agenda Item: 70.59	Providing of 1 x 20 KL Above Ground Tank for Ethanol by Bharat Petroleum Corporation Ltd. at Ongole Depot, Sy.No. 548 to 555, Surareddy palem (V), Tanguturu (M), Prakasam District – Environmental Clearance (TOR Case) – Reg.
SEAC Agenda Item 80.45	

Recommendations of the SEAC 11.09.2015: To issue of Standard TOR to the Proposed Project with validity period of 2 years.

SEIAA Decision : Agreed with the recommendation of the SEAC.