

## Minutes of the 561<sup>st</sup> Meeting of SEIAA dated. 08.08.2019

The 561<sup>st</sup> meeting of the State Level Environment Impact Assessment Authority was convened on 08.08.2019 at the Authority's Office in Environmental Planning and Co-Ordination Organization (EPCO), Paryavaran Parisar, Bhopal. The meeting was chaired by Shri Rakesh K. Shrivastava, Chairman, SEIAA. The following members attended the meeting:-

- |                              |                  |
|------------------------------|------------------|
| 1. Shri R.K. Sharma          | Member           |
| 2. Shri Jitendra Singh Rajee | Member Secretary |

### A. Following mining and other than mining cases have been considered:-

S.No.	Case No.	Category	No. & date of latest SEAC & SEIAA meeting
1.	5710/2018	8(a)	385 <sup>th</sup> SEAC meeting dated 12-07-2019
2.	6269/2019	1(a)	377 <sup>th</sup> SEAC meeting dated 02-07-2019
3.	6239/2019	1(a)	377 <sup>th</sup> SEAC meeting dated 02-07-2019
4.	6295/2019	1(a)	377 <sup>th</sup> SEAC meeting dated 02-07-2019
5.	6320/2019	1(a)	377 <sup>th</sup> SEAC meeting dated 02-07-2019
6.	6283/2019	1(a)	377 <sup>th</sup> SEAC meeting dated 02-07-2019
7.	6270/2019	1(a)	378 <sup>th</sup> SEAC meeting dated 03-07-2019
8.	6290/2019	1(a)	376 <sup>th</sup> SEAC meeting dated 01-07-2019
9.	6291/2019	1(a)	376 <sup>th</sup> SEAC meeting dated 01-07-2019
10.	6272/2019	1(a)	378 <sup>th</sup> SEAC meeting dated 03-07-2019
11.	6181/2019	1(a)	378 <sup>th</sup> SEAC meeting dated 03-07-2019
12.	6230/2019	1(a)	379 <sup>th</sup> SEAC meeting dated 04-07-2019
13.	6109/2019	1(a)	382 <sup>nd</sup> SEAC meeting dated 09-07-2019
14.	6223/2019	1(a)	382 <sup>nd</sup> SEAC meeting dated 09-07-2019
15.	6364/2019	1(a)	379 <sup>th</sup> SEAC meeting dated 04-07-2019
16.	6365/2019	1(a)	379 <sup>th</sup> SEAC meeting dated 04-07-2019
17.	6275/2019	1(a)	377 <sup>th</sup> SEAC meeting dated 02-07-2019
18.	6264/2019	1(a)	378 <sup>th</sup> SEAC meeting dated 03-07-2019
19.	6254/2019	1(a)	379 <sup>th</sup> SEAC meeting dated 04-07-2019
20.	6031/2019	1(a)	385 <sup>th</sup> SEAC meeting dated 12-07-2019
21.	3631/2015	1(a)	385 <sup>th</sup> SEAC meeting dated 12-07-2019
22.	5225/2016	1(a)	385 <sup>th</sup> SEAC meeting dated 12-07-2019
23.	5231/2016	1(a)	385 <sup>th</sup> SEAC meeting dated 12-07-2019
24.	5232/2016	1(a)	385 <sup>th</sup> SEAC meeting dated 12-07-2019
25.	5258/2016	1(a)	385 <sup>th</sup> SEAC meeting dated 12-07-2019
26.	2671/2015	1(a)	385 <sup>th</sup> SEAC meeting dated 12-07-2019
27.	5877/2019	1(a)	385 <sup>th</sup> SEAC meeting dated 12-07-2019
28.	5859/2019	1(a)	385 <sup>th</sup> SEAC meeting dated 12-07-2019
29.	5856/2019	1(a)	385 <sup>th</sup> SEAC meeting dated 12-07-2019

- Case No. 5710/2018:** Environment Clearance for Proposed "Shri Aurobindo Institute of Medical Sciences" at Indore-Ujjain State Highway, Village-Bhanwrasla, Tehsil- Sanwer, District- Indore MP Land area- 14.78 ha.(1,47,880 sq.m.) Total builtup-area - 1,42,770.16 sq.m (Hospital Area - 33525.34 sq.m, Institutional Area - 66497.46 sq.m. & Residential Area - 42747. 36 sq.m.) Already Constructed Area - 1,29,751 sq.m. by M/s Aurobindo Institute of Medical Sciences through Director Shri Vinod Bhandari Indore-Ujjain State Highway Near MR 10 Crossing, Indore MP -

(Jitendra Singh Rajee)  
Member Secretary

(R.K. Sharma)  
Member

(Rakesh K. Shrivastava)  
Chairman

453555 E-mail- [saims.aurobindoinstitute@gmail.com](mailto:saims.aurobindoinstitute@gmail.com) Telephone No. 0731- 4231000  
Env't. Consultant: Greencindia Consulting (P) Ltd, NCR, Ghaziabad

1. Sri Aurobindo institute of Medical Sciences is a medical research private university in village Bhanwrasla, Sanwer Tehsil in Indore District. It is Medical College cum Hospital (800 bedded) over an area of 14.78 ha and built-up area of 142770.16 sq.m. . The project includes Teaching Hospital, Hospital Extension, Medical College, Auditorium(Medical), Dental College, Auditorium (Dental) Mortuary Block, Resident Staff Quarter, Girl's Hostel Block, Boy's Hostel Block, Dean's Bungalow, Nursing Hostel, Residential Building-I, Residential Building-II, Residential Quarter, PG Hostel, Management College, Engineering College, Laser Building, Guest House & Commercial, Medical College Extension etc.

**2. Chronology of the project:**

- The construction of the project started in 2003 and the institution became operational in 2012. After a site visit as made by MPPCB, Regional office, Indore, a letter was issued on **21<sup>st</sup> December, 2011** to stop construction work for expansion and it was then when it came to the knowledge of the Proponent that Environment Clearance for the project is to be taken.
- An application to MPSEIAA was submitted for expansion under case no. **839/2012** for plot area 191920 m<sup>2</sup> and 141229.148 m<sup>2</sup> Built-up Area (16481.92 m<sup>2</sup> for expansion) on **14<sup>th</sup> August, 2012**.
- SEAC in its 106<sup>th</sup> meeting dated **10<sup>th</sup> October, 2012** found this as a case of violation as PP constructed more than 124747 m<sup>2</sup> of Built-up Area between 2004 and 2011 without EC and ordered for a ground visit by the Site Committee.
- In the site visit dated **12<sup>th</sup> October, 2012**, it was suggested that the Proponent may withdraw the present application for expansion and submit a fresh application for entire Built-up Area of 141228 m<sup>2</sup>.
- The revised application was submitted on **10<sup>th</sup> January, 2013 for total built-up area of 1,42,770.16 m<sup>2</sup>**.
- During the 119<sup>th</sup> meeting of SEAC, presentation held on **2<sup>nd</sup> February, 2013**, certain queries were raised and the Project Proponent was asked to submitted the reply of queries on **22<sup>nd</sup> April, 2013**.
- The case was recommended for Environmental Clearance in the SEAC 136<sup>th</sup> meeting held on **23<sup>rd</sup> July, 2013**.
- The case was then heard in SEIAA on **1<sup>st</sup> November, 2013** where SEIAA out rightly rejected the project as per Para no.7 of Memorandum No.**J-11013/41/2006-IA.II** dated **12<sup>th</sup> December, 2012** issued by Ministry of Environment & Forests, GOI.
- The Proponent submitted a request letter to Principal Secretary, GOMP on **15<sup>th</sup> April, 2014** asking to reconsider the project.
- Subsequently, a letter was submitted to MS, SEIAA on **27<sup>th</sup> June, 2014** to reconsider the case. Also a letter was submitted to RO, MPPCB on **11<sup>th</sup> July, 2014** to apologies for the violation made.
- On **17<sup>th</sup> July, 2014**, a case was filed by MPPCB against Sri Aurobindo Institute of Medical Sciences.

(Jitendra Singh Raje)  
Member Secretary

(R.K. Sharma)  
Member

(Rakesh K. Shrivastava)  
Chairman

- SEIAA in its 157<sup>th</sup> meeting dated **26<sup>th</sup> August, 2014** stated that it is not clear whether SEIAA has the power to review the case again and decided that a letter to be sent to MoEF&CC to clarify the procedure.
  - On 22<sup>nd</sup> December, 2014, MoEF&CC vide its S.O no.3252 (E) exempted educational institutions from obtaining Environmental Clearance. Hence the Proponent thought that no violation case is now pending on them and continued with the project of teaching and medical research.
  - On 9<sup>th</sup> June, 2015, MoEF& CC published a clarification to S.O no.3252 (E) through an OM stating that although educational institutions including universities are exempted from taking Environmental Clearance, in case of medical universities/institutes, the component of hospitals will continue to require prior Environmental Clearance.
  - Finally when the MoEF &CC's notification dated 14<sup>th</sup> March, 2017 regarding violation cases came into action, the proponent decided to apply for this project under this window as a last chance of receiving Environmental Clearance.
3. The Environmental Impact Assessment Notification dated 14th September 2006 as amended to date, states that all project under Item 8(a) shall be appraised as Category B and requires environment clearance from State Environment Impact Assessment Authority. However as the present project is a violation project, it was required to prepare an EIA Report. In line with the aforementioned EIA notification, the project was considered for Terms of Reference during 326<sup>th</sup> SEAC Meeting 21.08.
  4. The case was considered in 326<sup>th</sup> SEAC meeting dtd. 21<sup>st</sup> Aug, 2018, and Committee considering the recent Gol, MoEF & CC Notification dated 8<sup>th</sup> March, 2018 recommends that case may be dealt as per the provisions laid down in this notification and the project may granted Terms of Reference for undertaking Environment Impact Assessment and preparation of Environment Management Plan on assessment of ecological damage, remediation plan and natural and community resource augmentation plan and it shall be prepared as a independent chapter in the EIA report by the accredited consultant.
  5. Accordingly, ToR was granted by the SEAC on 19<sup>th</sup> Sept, 2018. 18 and EIA report submitted by PP on 05.07.19 and forwarded to SEAC on 08.07.19. The case was discussed in SEAC 385<sup>th</sup> meeting dtd. 12.07.19, and recommended the EC subject to the special conditions and submission of bank gurantee (BG) with three years validity of Rs. 54,12,250.00/- (equivalent to amount proposed in remediation and resource augmentation plan) with the MP Pollution control Board .
  6. There are three reserve forest in the area. Agriculture fields were also observed in the area.
  7. There was **no endangered, endemic and rare species of plant and animal** observed **around 10 km** radius. Only common species of trees, small plant, shrubs, and herbs were observed.
  8. After the deliberation the case was discussed in depth and recorded that:-
    - i. PP has submitted the remediation plan and natural community resource augmentation plan corresponding to the ecological damage assessed and economic benefits derived due to violation in the tune of suggested guidelines by the committee, with the supported by documentary proofs,

(Jitendra Singh Rajee)  
Member Secretary

(R.K. Sharma)  
Member

(Rakesh K. Shrivastava)  
Chairman

such as bills, CA audit, certificates, photographs , prescribed various undertakings and CER.

- ii. The cost of the project is INR 224 Crore. The Cost for Remediation Plan, Natural & Community Resource Augmentation plan is INR 83.92 Lakh. The project proponent already had invested for components mentioned under Remediation Plan by providing STP, ETP, organic converter and planting trees of cost INR 76.85 Lakh. **The following table lists out the activity which could have impact on environmental parameters along with the remediation plan and budgetary estimate for the operation phase of the project.**

Environmental Factors / Attributes	Remedial Plan/Augmentation Plan	Remedial Cost		EMP Cost		Remarks
		Capital Cost (in Rs.)	Recurring Cost (in Rs.)	Capital Cost (in Rs.)	Recurring Cost (per annum) (in Rs.)	
Land use as per approved Master plan by TNCP, Indore	-	-	-	-	-	Land has been diverted from Agriculture to Public/Semi Public use by T&CP in 2004.
Environmental Sensitive places, land acquisition status, resettlement & rehabilitation	-	-	-	-	-	Project involves no R&R issues. Land has been purchased from land owners. Land leased documents and diversion order submitted.
Baseline Environmental Quality	For baseline monitoring of air, water, soil and noise. <b>1. For Water: Including ground, surface &amp; sewage water sample Total Cost (Water) = Rs. 60,000</b> <b>2. For Air: Total Cost (Air) = Rs. 42,500</b> <b>3. For Noise: Monitoring = Total Cost (Noise) = Rs. 43,500</b> <b>4. For Soil: Total Cost (Soil) = Rs. 9,000</b>	1,55,000	-	-	-	No monitoring done at the initial stage. Thus remedial cost considered. Cost of RDS = Rs. 1,25,000 Cost of Noise meter = Rs. 30,000
b) Ground Water	No ground water abstraction done during construction. Water was sourced through tankers. Thus	-	-	-	24,000	No violation was done. The water was supplied through Tankers for construction phase

(Jitendra Singh Rajee)  
Member Secretary

(R.K. Sharma)  
Member

(Rakesh K. Shrivastava)  
Chairman

# Minutes of the 561<sup>st</sup> Meeting of SEIAA dated. 08.08.2019

	no violation.					
c) Surface water	Water disposed to open agricultural land without proper channelization	4,00,000	-	-	24,000	Presently 650 KLD STP is present which was set up in 2005. 50 KLD ETP also installed in 2010 for treatment of wastewater
d) Air	No dust suppression mechanisms such as water sprinkling present during construction.	-	8,21,250	45,000	1,70,000	Cost of water @ Rs. 250/ KL. It is including transportation & sprinkling for dust suppression at site for 6 months. Total Cost (in Rs.) = 45,000 Trees will be planted as part of the remediation inside the campus and in neighboring villages
e) Biodiversity	-	-	-	-	-	Not applicable.
f) Noise & Vibration	Impact of Noise generation and entry's noise level on health of workers during construction phase @ Rs. 50,000 per year for 2 years (From 3 <sup>rd</sup> year, check-up was conducted)	-	1,00,000	1,44,000	30,000	Site is fully barricaded, attached the bills of Contractor, who has arranged the barricading.
g) Socio economy & health	-	-	-	-	-	Not applicable
G (a) Occupational Health checkup for 150 workers	-	-	-	-	-	Checkup of employees were done. Attached as
G (b) Personal protection equipment	-	-	-	-	-	Contractor himself provided all the personal protection equipments like; helmets, jackets, hand gloves & boots. It was under the scope of Contractor. Agreement attached at
G (c) Shelter and Sanitation	Rs. 60000 for setting up two temporary toilets and Rs. 150000 for septic tank	2,10,000	-	-	3,88,000	Bio filter STP was operational since 2005 and function till 2010 when STP was converted to MBBR technology.
Contour plan with slopes, drainage pattern of the site and surrounding area. Any obstruction of the same by the project.	-	-	-	-	50,000	Drain was planned as per contour plan of the site. No obstruction was present at site. Contour plan submttd.
Tree felling	-	-	-	-	-	No tree felling was done.

(Jitendra Singh Rajee)  
Member Secretary

(R.K. Sharma)  
Member

(Rakesh K. Shrivastava)  
Chairman

# Minutes of the 561<sup>st</sup> Meeting of SEIAA dated. 08.08.2019

Tree Plantation	-	-	-	-	1,00,000	1780 Trees /plants were planted. Greenbelt of 4.88 ha which includes landscape (2.84 ha) and plantation areas (2.04 ha).
Permission for Forest land	-	-	-	-	-	No forest land was involved in the project.
Environment policy	Presently there is no Environmental Policy.	2,00,000	-	-	-	Environmental policy to be prepared by Consultant and passed by the Directors.
Ground water classification	No ground water abstraction done during construction. Water was sourced through tankers. Thus no violation.	-	-	-	-	Total of Rs. 40,00,000 was approximately spent on purchasing water through tankers. Bills of 2008-12 submted Permission of ground water from Gram Panchayat is available and from CGWB is under progress.
Source of water requirement, use of treated waste water	-	-	-	-	1,92,000	Water demand fulfilled by the tankers on daily basis. No waste water generation.
Rain water harvesting	-	-	-	-	50,000	21 recharge pits for Rain water harvesting proposed. Photographs submitted.
Soil characteristics & ground water table	-	-	-	-	36000	Total No. of samples annually = 12. Cost per sample = Rs. 3000
Top soil conservation	Total soil generated from excavation is 13962 m <sup>3</sup> out of which 6289 m <sup>3</sup> was top soil. The whole volume of soil was used for landscaping and levelling. Thus there is no violation.	-	-	-	-	Top soil was reused for leveling the ground area and garden area.
Solid waste generation treatment	All solid waste generated was used in land and road levelling during construction phase. Thus no violation.	-	-	-	18,76,500	Presently, all inorganic municipal waste disposed through IMC (Indore Municipal Corporation). Bills submitted. Organic waste generated is treated in Organic waste converter plant (200 kg/day capacity) on site. For Biomedical waste MoU signed with Houswin Incinerator
Energy conservation & Energy efficiency (LED bulb & solar)	Solar water heating system	2,20,000	-	-	-	Procurement of Solar water heating system in process. Conventional electrical

(Jitendra Singh Rajee)  
Member Secretary

(R.K. Sharma)  
Member

(Rakesh K. Shrivastava)  
Chairman

## Minutes of the 561<sup>st</sup> Meeting of SEIAA dated. 08.08.2019

system)						light fittings replaced by LED fittings. Negotiation for Solar System is in process.
DG sets	-	-	-	-	2,47,000	No DG sets were used during construction phase as connection was available from MPEB. 5 DG sets on the project site. Approximate AMC cost Rs. 2,47,000/-
Parking & roads	22,328 m <sup>2</sup> of an area has been allotted to parking and roads.	-	-	-	1,75,000	Parking and Roads as per approved plan.
Transportation of materials for construction	-	-	-	-	-	It was under the scope contractor. It was ensured all trucks carrying construction material were covered.
Disaster management plan	Quarterly trainings @Rs. 2,000/- per training (for ~7 years of operation period)	56,000	-	-	-	-
a) Fire	Automatic fire hydrant system with alarm to be installed in hospital area	32,50,000	-	-	-	150 fire extinguisher of different Categories installed in the premises. As per the suggestions of SEAC fire hydrant system will be installed. Automatic fire hydrant system with sprinkler and smoke detector.
b) Accident & First aid etc.	-	-	-	-	34,000	Health Services provided by SAIMS Hospital.
c) Safety	-	-	-	-	50,000	All construction sites were equipped with modern equipments for loading, unloading and wire nets, helmets, gloves, boots and safety belts for workers. It was under the scope of contractor.
	<b>44,91,000</b>	<b>9,21,250</b>	<b>,89,000</b>	<b>31,99,500</b>		
<b>Total Remediation Cost (in Rs.)</b>	<b>54,12,250</b>		<b>33,88,500</b>			

- iii. Vide letter dtd. 05.08.09 PP has submitted Bank gurantee in SEIAA office of Rs. 54,12,250.00 with three years validity which can be sent to MPPCB for depositing the same.

(Jitendra Singh Rajee)  
Member Secretary

(R.K. Sharma)  
Member

(Rakesh K. Shrivastava)  
Chairman

- iv. Regarding land documents PP has submitted Khasra panchsala 2012-13. As per the KP the land is the name of Shri Aurobindo Institute of Medical Sciences.
- v. The total water required is 702.9 KLD, of which, fresh water requirement is 461.20 KLD while treated water requirement is 251.7 KLD which includes flushing. 25 KLD treated water is used for landscaping and remaining treated water (290 KL) is supplied to nearby agricultural land. The water is sourced from bore wells present in the site. Ground Water Extraction permission (dtd. 30.06.03 obtained from gram Panchyat, Sanwer , Indore. It was observed by the authority the huge amount of water extracted from ground however PP has not obtained permission from CGWA.
- vi. Based on water calculation including, STP and ETP of capacities 650 KLD & 50 KLD respectively have been installed. The increased capacities have been kept considering future needs. The STP is based on MBBR technology. The wastewater will be collected and conveyed by underground network that is designed to collect wastewater from the entire complex and finally treated in the Sewage Treatment Plant located within the proposed project area.
- vii. Total power required for the project during operation phase is estimated to be around 1,310 kW (1.31 MW). DG Sets of capacity 1097.5 kVA (2 x 250 kVA, 1 x 62.5 kVA, 1 x 35 kVA, and 1 x 500 kVA) using HSD fuel are provided which serve as backup power supply during power failure.
- viii. The segregation and storage of wastes is done at site. The municipal solid waste is then collected by Indore Municipality for proper disposal.
- ix. All the bio-medical wastes are segregated and stored in a covered area, from where it is taken away by Hoswin Incinerators Pvt Limited. The employees are trained to collect and haul away biomedical waste in special containers (usually cardboard boxes, or reusable plastic bins) for treatment at a facility designed to handle biomedical waste. Tie-up has been made with M/s Hoswin Incinerator Private Limited for collection and treatment of biomedical wastes. Different waste types would be collected and stored separately in appropriately designed wastes storage facilities as per Bio-Medical Waste (Management & Handling) Rules, 1998 and handed over to the authorized vendors for final disposal.
- x. Rain water harvesting system has been installed within the premises to recharge ground water. RWH pits and storm water line has already been constructed. 21 recharging pit proposed for the project.
- xi. As per the NBC-2005, the fire fighting system consists of portable fire extinguishers, hose reel, wet riser, yard hydrant, automatic sprinkler system and fire alarm system. The hospital and college buildings are provided with automatic fire detection and alarm system. There is one fire station within 10km of the project site, at Sangam Nagar, 10km south of the site.
- xii. The project is a completed project, with the Hospital and Medical College operational since 2012. Out of the total area, 4.88ha has been developed as a green belt and landscaped area. In addition to this, trees have been planted along all roads in the residential areas and institutional buildings. A total of 1220 large trees and 494 small trees/shrubs have been planted around the campus in addition to various seasonal flowering plants such as chrysanthimum, dahlia and marigold.

(Jitendra Singh Rajee)  
Member Secretary

(R.K. Sharma)  
Member

(Rakesh K. Shrivastava)  
Chairman



- xiii. The estimated project cost is Rs. 224 Crores.
- xiv. As per MoEF&CC's OM dated 1st May, 2018, **1.5 % of the project cost** is to be spent on **CER** (Corporate Environment Responsibility) activities for green-field projects having project cost >100 crores. As such for the proposed project, an amount of **Rs. 3.36 Crores** has to be earmarked for spending under CER activities. The amount earmarked in the budget will be separately kept and will not be used for any other purposes. The budget may be increased as per the actual requirement during the implementation stage.

Budget Allocation for CER Activities							
Project Cost in INR Crore							Rs. 224 Crores
Corporate Environment Responsibility in INR Crore @ 1.5% of the project cost							Rs.3.36 Crores
Sl. No.	Activity	Year wise implementation and Budgetary provision during operation phase					Total budgetary provision (Rs.)
		1 <sup>st</sup> year	2 <sup>nd</sup> year	3 <sup>rd</sup> year	4 <sup>th</sup> year	5 <sup>th</sup> year	
Health Related facilities							
1	Free of cost distribution of medicine / body check-up tests in the hospital and local area.	30,00,000	30,00,000	30,00,000	30,00,000	30,00,000	1,50,00,000
2	Training for health awareness.	5,00,000	5,00,000	5,00,000	5,00,000	5,00,000	25,00,000
3	Periodic medical check-up camp by appointing specialist doctor for eyes, skin, heart and dental twice in a year in neighbouring villages	24,00,000	24,00,000	24,00,000	24,00,000	24,00,000	1,20,00,000
4	Assistance in providing study materials, uniform, books to the poor students located nearby area	3,00,000	3,00,000	3,00,000	3,00,000	3,00,000	15,00,000
5	Scholarship to the deserving students for higher education	3,20,000	3,20,000	3,20,000	3,20,000	3,20,000	16,00,000
6	Installation of computer systems in schools	2,00,000	2,00,000	2,00,000	2,00,000	2,00,000	10,00,000
		Total					3,36,00,000

**The Authority after consideration all the requisite documents with status and data submissions made by the PP it is decided to accept the recommendations of 385<sup>th</sup> SEAC meeting dtd.12.07.19 with special conditions and accord Environmental Clearance for the "Shri Aurobindo Institute of Medical Sciences" at Indore-Ujjain State Highway, Village-Bhanwrasla, Tehsil-Sanwer, District- Indore MP Land area- 14.78 ha.(1,47,880 sq.m.) Total builtup-area - 1,42,770.16 sq.m (Hospital Area - 33525.34 sq.m, Institutional Area - 66497.46 sq.m. & Residential Area - 42747. 36 sq.m.) Already Constructed Area - 1,29,751 sq.m. by M/s Aurobindo Institute of Medical Sciences through Director Shri Vinod Bhandari Indore-Ujjain State Highway Near MR 10 Crossing, Indore MP - 453555, subject to following specific conditions imposed by SEIAA:-**

1. The fresh water supply arrangement should be met through Municipal Corporation if the project site falls within municipal area and for withdrawal of ground water PP should be obtain from CGWA.

(Jitendra Singh Rajee)  
Member Secretary

(R.K. Sharma)  
Member

(Rakesh K. Shrivastava)  
Chairman

2. The inlet and outlet point of natural drain system should be maintained with adequate size of channel for ensuring unrestricted flow of water.
3. **Disposal of waste water.**
  - a. PP should ensure disposal of waste water arrangement should be done in such a manner that water supply sources are not impaired.
  - b. PP should ensure linkage with municipal sewer line for disposal of extra treated waste water if project site comes within the municipal area..
  - c. The project not having provision for discharge of excess treated sewage cannot permit to start operation unless proper arrangements are put in place for its safe handling.
4. **Solid & Biomedical Waste Management:**
  - a. Separate wet and dry bins must be provided at the ground level for facilitating segregation of waste.
  - b. The solid waste generated should be properly collected and segregated. Wet garbage should be composted and dry inert solid waste should be disposed off to the approved sites for land filling after recovering recyclable material.
  - c. Ensure linkage with Municipal Corporation for final disposal of MSW.
  - d. PP should make regular coordination with authorized Incinerator for collection and treatment of biomedical wastes .
  - e. The proponent should ensure that the project fulfills all the provisions of Hazardous Wastes (Management, Handling and Transboundary Movement) Rules, 2008 including collection and transportation design etc
5. PP should ensure building height, road width, front MOS and side / rear as per approved layout of T & CP.
6. **For firefighting:-**
  - a. PP should ensure distance of fire station approachable from the project site.
  - b. As per the suggestions of SEAC ensure to install fire hydrant system, Automatic fire hydrant system with sprinkler and smoke detector.
  - c. As per MPBVR, 2012 rule 42 (3) PP should submit necessary drawings and details to the Authority (Nagar Nigam, Indore) incorporating all the fire fighting measures recommended in National Building Code 2005. The occupancy permit shall be issued by Nagar Nigam only after ensuring that all fire fighting measures are physically in place.
7. **For Rain Water Harvesting, and Storm water management:-**
  - a. PP should ensure the rain water harvesting with 21 recharging pits and these pits should be connected laterally to consume the surplus runoff. In addition, PP should provide recharging trenches. The base of the trenches should be Kachha with pebbles.
  - b. The storm water from roof – top, paved surfaces and landscaped surfaces should be properly channelized to the rain water harvesting sumps through

(Jitendra Singh Raje)  
Member Secretary

(R.K. Sharma)  
Member

(Rakesh K. Shrivastava)  
Chairman

efficient storm water network as proposed. The budget should be included in EMP plan for storm water management.

- c. PP should ensure to proper storm water drainage system is available in and around the site for transporting excess storm water runoff to drains, thereby discarding possibility of flooding in and around the site.
  - d. Rain water harvesting for roof run- off and surface run- off, as plan submitted should be implemented. Before recharging the surface run off, pre-treatment must be done to remove suspended matter, oil and grease.
8. PP should ensure to provide car parking explore the possibility to increase the number of car parking at least 2000ECS.
9. **Green belt :-**
- a. PP should ensure plantation in an area of, 4.88ha as a green belt and landscaped area with regular maintenance and also explore the possibility to plant trees of indigenous local varieties like Neem, Peepal, Kadam, Karanj, Kachnaar, Saltree, Gulmohar etc.
  - b. The green belt of the adequate width and density preferably with local species along the periphery of the plot shall be raised if possible so as to provide protection against particulates and noise.
10. PP should ensure to complete the activities listed under ecological remediation, Natural resource augmentation & community resource augmentation for a total amount of Rs. **54,12,250/**.
11. The amount specified as CER is Rs. **3.36 Crores** and CER is applicable it will be adjusted against the fund available with MPPCB who will use it as CER for government activities/projects for the following purposes: water conservation, storm water management, urban greening, and biodiversity conservation and mitigation projects implementation.
12. PP shall carry out the works assigned under ecological damage, natural resource augmentation and community resource augmentation within a period of six months and submitted to same in MPSEIAA.
13. PP should ensure to submit half yearly compliance report and CSR activity report with photographs of plantation in MP-SEIAA. If PP is failed to upload or submit two consecutive half yearly compliance reports of EC conditions to concerned authority (SEIAA and Regional Office, MoEF&CC,GoI, Bhopal) than prior environmental clearance issued to PP will automatically be treated as cancelled/ revoked as per OM No. 930/SEIAA/2019 dated 30.05.2019 issued by MPSEIAA.
2. **Case No. – 6269/2019**, Prior Environmental Clearance for Expansion of **Granite Stone Mine** (opencast semi mechanized method) in an area of 2.971 ha. for (2018-19 : 1,00,000 cum per annum, 2019-20 : 2,00,000 cum per annum and 2020-21 : 2,00,000 cum per annum) production capacity at Khasra No. 480 at Village - Badhaurakalan, Tehsil - Gaurihar, Dist. Chhatarpur (MP) by Shri Dharmendra Singh, R/o C-99, Govindpuri, Tathipur, Dist. Gwalior, MP - 471510.

This case was recommended in 377<sup>th</sup> SEAC meeting dated 01.07.2019 and it was recorded that.....

(Jitendra Singh Raje)  
Member Secretary

(R.K. Sharma)  
Member

(Rakesh K. Shrivastava)  
Chairman

----- PP has submitted the response of above quarries same date vide letter dated 02.07.2019, which was placed before the committee and the same found satisfactory. The EMP and other submissions made by the PP were found to be satisfactory and acceptable, hence committee after deliberation found that the EMS and other submissions made by the PP were found to be satisfactory and acceptable, hence committee decided to recommend the case for grant of prior EC subject to the following special conditions in addition to the standard conditions at annexure 'A':

**After detailed discussions and perusal of recommendations of 377<sup>th</sup> SEAC meeting dated 02.07.2019, presentation made by the PP in SEIAA, it was decided to accept the recommendation of SEAC for grant of prior EC to the project subject to the following specific conditions:-**

- I. Before commencing any mining activity fencing shall be carried out all around the lease area. Proper watch and ward arrangements should be made with installation of signage at 4 corners of lease area to avoid any untoward incident involving public and animals by the PP.
- II. PP shall not start mining activity before execution of lease agreement.
- III. The entire area shall be fenced and three rows of plantation should be done on the periphery of the boundary.
- IV. PP shall ensure that the proper water supply arrangements for dust suppression, regular sprinkling, plantation and drinking purposes especially in summer season.
- V. PP shall ensure to construct and maintained the approach road. Plantation will be carried out on both side of approach road.
- VI. PP shall ensure proper implementation of plantation, dust suppression, construction of approach road and maintenance of existing pakka road & as part of Environmental Management Plan. Additional budget provision shall be made as part of EMP.
- VII. Total 3000 saplings shall be planted by PP in three years under plantation programme suitable indigenous tree species Lease boundary, approach road. Plantation of Sissoo, Amaltash, Maharukh, Khirni, Chirol & Amla on priority shall be ensured by PP.
- VIII. The mining operation shall be restricted to above ground water table and in no case it should intersect the ground water table. In case of working below the ground water table approval of the Central Ground Water Board shall be obtained.
- IX. Transportation of minerals shall not be carried out inside the village area.
- X. The over burden and waste will be stacked for five years and then simultaneously backfilled in the mined out area where plantation will be raised on it.
- XI. PP shall ensure protection and conservation of existing trees falling under mining lease area and in no way these will be permitted to be cut / uprooted.
- XII. PP shall ensure generation of employment opportunities to nearby Village on priority bases.

(Jitendra Singh Raje)  
Member Secretary

(R.K. Sharma)  
Member

(Rakesh K. Shrivastava)  
Chairman

- XIII. Payments of wages to the workers shall be done in consonance with the provisions in the labour laws.
- XIV. Proper infrastructure with shelter, drinking water, toilet and first-aid facilities shall be provided for the laborers. A provision should be made to construct a pakka rest shelter along with toilet and drinking water facility.
- XV. PP should also carry out regular sprinkling in the mining lease area to arrest dust emission from mining activities affecting the nearby agriculture field.
- XVI. Mining shall be limited to the area as shown in surface plan and as per the approved mining scheme.
- XVII. PP must ensure implementation of the following activities with separate budget provision of Rs. 4.40 Lakhs / year under CSR as committed.
  - (a) Contribution of social welfare for village school (smart class & library).
  - (b) Solar energy system & LED Street light for village@ 15000 per pole (6 pole /year).
  - (c) Installation of hand pump in nearby village@50,000x3.

**The modification to the above activities can be made with the permission of the district administration and need based activity for the development of nearby villages shall be implemented by PP in consultation with the District Collector and Gram Panchayat**

- XVIII. PP should ensure to submit half yearly compliance report and CSR activity report with photographs of plantation in MP-SEIAA. If PP is failed to upload or submit two consecutive half yearly compliance reports of EC conditions to concerned authority (SEIAA and Regional Office, MoEF&CC,GoI,Bhopal) than prior environmental clearance issued to PP will automatically be treated as cancelled/ revoked as per OM No. 930/SEIAA/2019 dated 30.05.2019 issued by MPSEIAA.

**Hence, Prior Environmental Clearance is granted for Expansion of Granite Stone Mine (opencast semi mechanized method) in an area of 2.971 ha. for 1,00,000 cum. per annum production capacity as recommended by SEAC at Khasra No. 480 at Village - Badhaurakalan, Tehsil - Gaurihar, Dist. Chhatarpur (MP) for the lease period to Shri Dharmendra Singh, R/o C-99, Govindpuri, Tathipur, Dist. Gwalior, MP - 471510.**

- 3. **Case No. - 6239/2019** Prior Environment Clearance for **Sand Quarry** (opencast manual method) in an area of 3.10 ha. for production capacity of 45,000 cum per annum at Khasra No. 330 at Village - Dadua, Tehsil - Lahar, Dist. - Bhind (M.P.) by Shri Jyoti Bhushan, Ward No. 13, Daboh, Dist. Bhind, (M.P.) – 477001.

**PP was called for presentation but PP could not present in the meting due to some unavoidable circumstances. Hence, case is differed for next upcoming meeting.**

- 4. **Case No. – 6295/2019** Prior Environment Clearance for **Boulder Stone Quarry** (opencast manual/semi mechanized method) in an area of 4.90 ha. for production capacity of 89,670 cum per annum at Khasra No. 503 at Village - Amiliha, Tehsil -

(Jitendra Singh Rajee)  
Member Secretary

(R.K. Sharma)  
Member

(Rakesh K. Shrivastava)  
Chairman

Gurh , Dist. Rewa (MP) by M/s Dilip Buildcon Ltd, Plot No. 5, Govind Narayan Singh Gate Ka Andar, Chuna Bhatti, Kolar Road, Dist. Bhopal, MP – 486001

**PP was called for presentation but PP could not present in the meting due to some unavoidable circumstances. Hence, case is differed for next upcoming meeting.**

5. **Case No. 6320/2019:** Prior Environmental Clearance for Crusher Stone Quarry (Opencast Manual/Semi Mechanized Method) in an area of 4.450 ha. for production capacity of 121500 cum/year at Khasra Nos. 163/1/2, 163/2/2, 164/1/2, 176/1/Kh at Village- Khadampur, Tehsil - Bairasiya, Dist. Bhopal MP by M/s Dilip Buildcon Ltd, Plot No. 5, Govind Narayan Singh Gate Ke Ander, Chuna Bhatti, Kolar Road, Dist. Bhopal, MP - 462001. Email: saifahmad@dilipbuildcon.co.in, Mobile No. 7024157945.

**PP was called for presentation but PP could not present in the meting due to some unavoidable circumstances. Hence, case is differed for next upcoming meeting.**

6. **Case No. 6383/2019:** Prior Environmental Clearance for Stone Quarry (Opencast Manual/Semi Mechanized Method) in an area of 1.00 ha. for production capacity of 5845 cum/year at Khasra Nos. 247/6/2, 247/6/3 at Village- Chacha Khedi, Tehsil - Biora, Dist. Rajgarh MP by Shri Devi Singh, R/o Village - Manki, Tehsil - Biora, Dist. Rajgarh, MP – 465661. Email: [devisinghgs123@gmail.com](mailto:devisinghgs123@gmail.com), Mobile No. 9993343080.

**PP was called for presentation but PP could not present in the meting due to some unavoidable circumstances. Hence, case is differed for next upcoming meeting.**

7. **Case No. - 6270/2019** Prior Environment Clearance for **Sand Quarry** in an area of 1.030 ha. for production capacity of 29,220 cum per annum at Khasra No. 118, 120 at Village - Padhora, Tehsil - Raun, Dist.- Bhind (M.P.) by Shri Satyaprakash Singh, Sarsai Ka Pura, Dist. Bhind, (M.P.) – 477001

**PP was called for presentation but PP could not present in the meting due to some unavoidable circumstances. Hence, case is differed for next upcoming meeting.**

8. **Case No. 6290/2019:** Prior Environmental Clearance for Murrum Quarry (Opencast Manual/Semi Mechanized Method) in an area of 2.00 ha. for production capacity of 11666 cum/year at Khasra No. 758/1 Parts at Village- Kalakhedi, Tehsil - Huzur, Dist. Bhopal MP by Shri Vineet Chaturvedi, R/o Mukhtiyarganj, Pushpanjali Colony, Raghuraj Nagar, Dist. Satna, MP Email : cvineet400@gmail.com.

This case was recommended in 376<sup>th</sup> SEAC meeting dated 1.7.2019 and it was recorded that.....

*"----- PP has submitted the response of above quarries same date vide letter dated 01.07.2019, which was placed before the committee and the same found satisfactory. The EMP and other submissions made by the PP were found to be satisfactory and acceptable, hence committee after deliberation found that The EMS and other submissions made by the PP were found to be satisfactory and acceptable, hence committee decided to recommend the case for grant of prior EC subject to the following special conditions in addition to the standard conditions at annexure 'A':*

(Jitendra Singh Rajee)  
Member Secretary

(R.K. Sharma)  
Member

(Rakesh K. Shrivastava)  
Chairman

PP/Consultant made a presentation on all aspects of the project and all concerned issues were discussed in detail. After detailed discussions and perusal of recommendations of 376<sup>th</sup> SEAC meeting dated 1.7.19, presentation made by the PP in SEIAA, it was decided to accept the recommendation of SEAC for grant of prior EC to the project subject to the following specific conditions:-

- i. Before commencing any mining activity fencing shall be carried out all around the lease area. Proper watch and ward arrangements should be made with installation of signage at 4 corners of lease area to avoid any untoward incident involving public and animals by the PP.
- ii. PP shall not start mining activity before execution of lease agreement.
- iii. The depth of the pit shall be as per the Approved Mining Plan.
- iv. The entire area shall be fenced and three rows of plantation should be done on the periphery of the boundary.
- v. PP shall ensure the proper water supply arrangements for dust suppression, regular sprinkling, plantation and drinking purposes especially in summer season.
- vi. Total 2600 saplings shall be planted by PP in first three years under plantation programme suitable indigenous tree species Lease boundary, approach road. Plantation of Neem, Kathal, Munga, Amaltas, Pipal, Jamun, Bargad etc. on priority shall be ensured by PP.
- vii. PP shall ensure proper implementation of plantation, dust suppression, construction of approach road and maintenance of existing pakka road as part of Environmental Management Plan. Additional budget provision shall be made as part of EMP.
- viii. PP must ensure implementation of the following activities with separate budget provision of Rs. 0.60 Lakh/years under CSR.
  - a) Distribution of simple water filter in nearest school in village as Kalakhedi, Rasuliya Pathar, Jamuniyakhurd Jhirniya and Ratanpur.
  - b) Construction work of sewage drain paved cement and concrete near in village as Kalakhedi, Rasuliya Pathar, Jamuniyakhurd Jhirniya and Ratanpur.

**The modification to the above activities can be made with the permission of the district administration and need based activity for the development of nearby villages shall be implemented by PP in consultation with the District Collector and Gram Panchayat.**

- ix. PP should ensure to submit half yearly compliance report and CSR activity report with photographs of plantation in MP-SEIAA. If PP is failed to upload or submit two consecutive half yearly compliance reports of EC conditions to concerned authority (SEIAA and Regional Office, MoEF&CC,GoI,Bhopal) than prior environmental clearance issued to PP will automatically be treated as cancelled/ revoked as per OM No. 930/SEIAA/2019 dated 30.05.2019 issued by MPSEIAA.

(Jitendra Singh Raje)  
Member Secretary

(R.K. Sharma)  
Member

(Rakesh K. Shrivastava)  
Chairman

Hence, Prior Environmental Clearance is granted for Murrum Quarry (Opencast Manual/Semi Mechanized Method) in an area of 2.00 ha for production capacity of 11666 cum/year at Khasra No. 758/1 Parts at Village- Kalakhedi, Tehsil - Huzur, Dist. Bhopal MP for the lease period to Shri Vineet Chaturvedi, R/o Mukhtiyarganj, Pushpanjali Colony, Raghuraj Nagar, Dist. Satna, MP.

9. **Case No. 6291/2019:** Prior Environmental Clearance for Murrum Quarry (Opencast Manual/Semi Mechanized Method) in an area of 1.00 ha. for production capacity of 5966 cum/year at Khasra No. 36 Part at Village- Kalakhedi, Tehsil - Huzur, Dist. Bhopal MP by Shri Ajeet Kumar Mishra, R/o House No. F-302, Savaye Complex, Gulmohar Colony, Dist. Bhopal, MP. Email: majeet820@gmail.com.

This case was recommended in 376<sup>th</sup> SEAC meeting dated 1.7.2019 and it was recorded that.....

*"----- PP has submitted the response of above quarries same date vide letter dated 01.07.2019, which was placed before the committee and the same found satisfactory. The EMP and other submissions made by the PP were found to be satisfactory and acceptable, hence committee after deliberation found that The EMS and other submissions made by the PP were found to be satisfactory and acceptable, hence committee decided to recommend the case for grant of prior EC subject to the following special conditions in addition to the standard conditions at annexure 'A':*

PP/Consultant made a presentation on all aspects of the project and all concerned issues were discussed in detail. After detailed discussions and perusal of recommendations of 376<sup>th</sup> SEAC meeting dated 1.7.19, presentation made by the PP in SEIAA, it was decided to accept the recommendation of SEAC for grant of prior EC to the project subject to the following specific conditions:-

- i. Before commencing any mining activity fencing shall be carried out all around the lease area. Proper watch and ward arrangements should be made with installation of signage at 4 corners of lease area to avoid any untoward incident involving public and animals by the PP.
- ii. PP shall not start mining activity before execution of lease agreement.
- iii. The depth of the pit shall be as per the Approved Mining Plan.
- iv. The entire area shall be fenced and three rows of plantation should be done on the periphery of the boundary.
- v. PP shall ensure the proper water supply arrangements for dust suppression, regular sprinkling, plantation and drinking purposes especially in summer season.
- vi. Total 1320 saplings shall be planted by PP in first three years under plantation programme suitable indigenous tree species Lease boundary, approach road. Plantation of Neem, Pipal, Auri, Jamun, Bargad, Mango etc. on priority shall be ensured by PP.
- vii. PP shall ensure proper implementation of plantation, dust suppression, construction of approach road and maintenance of existing pakka road as part of Environmental Management Plan. Additional budget provision shall be made as part of EMP.

(Jitendra Singh Rajee)  
Member Secretary

(R.K. Sharma)  
Member

(Rakesh K. Shrivastava)  
Chairman



- viii. PP must ensure implementation of the following activities with separate budget provision of Rs. 0.60 Lakh/years under CSR.
- a) Repairing and white wash and painting of Village School in Village name Rasuliya Pathar No. of household >200.
  - b) LED Lights with solar panel at internet Village road (5 nos) in Village name Ratanpur No. of household >120.
  - c) Tanker water supply to a common overhead tank in the Village so that water is accessible to all during summer (Rs. 300/tanker, 1 trip/day for 3 months) in Village name Jamuniyakhurd No. of household >280.
  - d) Distribution of chair/tables, lights carpet, utensils and other associated items of Village community center for organizing function in Village name Jhirniya No. of household >300.
  - e) Repairing sewage drain of Village in Village name Kalakhedi No. of household >500.

**The modification to the above activities can be made with the permission of the district administration and need based activity for the development of nearby villages shall be implemented by PP in consultation with the District Collector and Gram Panchayat.s**

- ix. PP should ensure to submit half yearly compliance report and CSR activity report with photographs of plantation in MP-SEIAA. If PP is failed to upload or submit two consecutive half yearly compliance reports of EC conditions to concerned authority (SEIAA and Regional Office, MoEF&CC, Gol, Bhopal) than prior environmental clearance issued to PP will automatically be treated as cancelled/ revoked as per OM No. 930/SEIAA/2019 dated 30.05.2019 issued by MPSEIAA.

**Hence, Prior Environmental Clearance is granted for Murrum Quarry (Opencast Manual/Semi Mechanized Method) in an area of 1.00 ha. for production capacity of 5966 cum/year at Khasra No. 36 Part at Village- Kalakhedi, Tehsil - Huzur, Dist. Bhopal MP for the lease period to Shri Ajeet Kumar Mishra, R/o House No. F-302, Savaye Complex, Gulmohar Colony, Dist. Bhopal, MP.**

- 10. Case No. – 6272/2019** Prior Environment Clearance for **Stone Quarry** (opencast manual method) in an area of 1.350 ha. for production capacity of 24,990 cum per annum at Khasra No. 29/1 Parts at Village - Harraha, Tehsil - Maunganj, Dist. Rewa (MP) by M/s Adaypur Suppliers & Contractors, Prop. Shri Deependra Singh, Village - Adaypur, Post - Kamarjee, Tehsil - Churhat, Dist. Sidhi, MP

This case was recommended in 378<sup>th</sup> SEIAA dated 03.07.2019 and it was recorded that.....

*PP has submitted the response of above quarries same date vide letter dated 03.07.2019, which was placed before the committee and the same found satisfactory. The EMP and other submissions made by the PP were found to be satisfactory and acceptable, hence committee after deliberation found that The EMS and other submissions made by the PP were found to be satisfactory and acceptable, hence committee decided to recommend the case for grant of prior*

(Jitendra Singh Rajee)  
Member Secretary

(R.K. Sharma)  
Member

(Rakesh K. Shrivastava)  
Chairman

*EC subject to the following special conditions in addition to the standard conditions at annexure 'A':*

PP/Consultant made a presentation on all aspects of the project and all concerned issues were discussed in detail. **After detailed discussions and perusal of recommendations of 378<sup>th</sup> SEAC dated 03.07.2019, presentation made by the PP in SEIAA, it was decided to accept the recommendation of SEAC for grant of prior EC to the project subject to the following specific conditions:-**

- I. Before commencing any mining activity fencing shall be carried out all around the lease area. Proper watch and ward arrangements should be made with installation of signage at 4 corners of lease area to avoid any untoward incident involving public and animals by the PP.
- II. PP shall demarcate a barrier zone of 7.5 m as no mining zone in the periphery of mining lease area and develop a green belt. Three row plantations shall be carried out in the greenbelt area in current year with proper watering arrangement.
- III. PP shall not start mining activity before execution of lease agreement.
- IV. The depth of the pit shall be as per the Approved Revised Mining Plan.
- V. The mining operation shall be restricted to above ground water table and in no case it should intersect the ground water table. In case of working below the ground water table approval of the Central Ground Water Board shall be obtained.
- VI. Before commencing the mining activity, site demarcation should be done leaving 20 m. from kachha road southern & eastern side as a "no mining zone". The demarcation should be done by the Revenue Officials in the presence of Mining Officer, Sidhi.
- VII. Total 1600 saplings shall be planted by PP for first three years under plantation programme but PP should ensure to plant 3 years old saplings of suitable local tree species Lease boundary & approach road. Plantation of Neem, Pipal, Bargad, Amaltas, Mango, Aonla, Jamun, Sishoo etc. **will be planted on priority.**
- VIII. PP shall ensure to construct pakka approach road and maintained it. Plantation will be carried out on both side of the approach road.
- IX. Payments of wages to the workers shall be done in consonance with the provisions in the labour laws.
- X. Mining shall be limited to the area as shown in surface plan and as per the approved mining scheme.
- XI. PP shall ensure the proper water supply arrangements for dust suppression, regular sprinkling, plantation and drinking purposes especially in summer season.
- XII. PP shall ensure proper implementation of plantation, dust suppression, construction of approach road and maintenance of existing pakka road as part of Environmental Management Plan. Additional budget provision shall be made as part of EMP.

(Jitendra Singh Raje)  
Member Secretary

(R.K. Sharma)  
Member

(Rakesh K. Shrivastava)  
Chairman

XIII. PP must ensure implementation of the following activities with separate budget provision of Rs. 1.6 Lakhs under CSR as committed..

- a) Installation of hand pump in village common area 3 sets at village Harraha.
- b) Constructed/repairing in govt. school building (white wash & painting), boundary wall and conducted a traffic awareness program in consultation with gram panchayat at village Duhmaniya.
- c) Installation of LED lights with solar panel in village road and distribution of chair/table, lights, carpet, utensils and other associates items in village community center at village Baharadabar.
- d) Provide water supply to common overhead tank in summer season, Installation of water filter-2 in govt. school and distribution of chair/table, lights, carpet, utensils and other associates items in village community center at village Saraiha.
- e) Constructed work of sewage drain paved cement and concrete at village Gadauha.

**The modification to the above activities can be made with the permission of the district administration and need based activity for the development of nearby villages shall be implemented by PP in consultation with the District Collector and Gram Panchayat.**

XIV. PP should ensure to submit half yearly compliance report and CSR activity report with photographs of plantation in MP-SEIAA. If PP is failed to upload or submit two consecutive half yearly compliance reports of EC conditions to concerned authority (SEIAA and Regional Office, MoEF&CC, Gol, Bhopal) than prior environmental clearance issued to PP will automatically be treated as cancelled/ revoked as per OM No. 930/SEIAA/2019 dated 30.05.2019 issued by MPSEIAA..

**Hence, Prior Environmental Clearance is granted for Stone Quarry (opencast manual/semi mechanized method) in an area of 1.350 ha. for production capacity of 24,990 cum per annum at Khasra No. 29/1 Parts at Village - Harraha, Tehsil - Maunganj, Dist. Rewa (MP) for the lease period to M/s Adaypur Suppliers & Contractors, Prop. Shri Deependra Singh, Village - Adaypur, Post - Kamarjee, Tehsil - Churhat, Dist. Sidhi, MP.**

**11. Case No. 6181/2019** Prior Environmental Clearance for Metal Stone Quarry (Open cast manual /semi mechanized method) in an area of 2.0 ha. for production capacity of 8863 cum/ year at Khasra No. 448 MN/1 at Village - Jharkua, Tehsil - Amanganj, Dist. Panna (MP) by Shri Prahalad Tiwari, Village - Kethi, Tehsil - Pawai, Dist. Panna, MP.

**This case was recommended in 378 SEAC meeting dated 03.07.2019 and PP was called for presentation but PP could not present in the meeting for presentation hence, case is deferred for upcoming SEIAA meeting.**

**12. Case No. 6230/2019** Prior Environmental Clearance for Stone Quarry (Open cast manual /semi mechanized method) in an area of 1.0 ha. for production capacity of 7666 cum/ year at Khasra No. 85 at Village - Karanpura, Tehsil - Dindori, Dist.

(Jitendra Singh Raje)  
Member Secretary

(R.K. Sharma)  
Member

(Rakesh K. Shrivastava)  
Chairman

Dindori (MP) by Shri Rajendrapal Kushram S/o Shri Raisingh Kushram, Ward No. 03, Dist. Dindori, MP.

This case was recommended in 379<sup>th</sup> SEAC dated 04.07.2019 and it was recorded that.....

----- The EMP and other submissions made by the PP were found to be satisfactory and acceptable, hence committee after deliberation found that The EMS and other submissions made by the PP were found to be satisfactory and acceptable, hence committee decided to recommend the case for grant of prior EC subject to the following special conditions in addition to the standard conditions at annexure 'A':

PP/Consultant made a presentation on all aspects of the project and all concerned issues were discussed in detail. **After detailed discussions and perusal of recommendations of 379<sup>th</sup> SEAC dated 04.07.2019, presentation made by the PP in SEIAA, it was decided to accept the recommendation of SEAC for grant of prior EC to the project subject to the following specific conditions:-**

- I. Before commencing any mining activity fencing shall be carried out all around the lease area. Proper watch and ward arrangements should be made with installation of signage at 4 corners of lease area to avoid any untoward incident involving public and animals by the PP.
- II. PP shall not start mining activity before execution of lease agreement.
- III. The depth of the pit shall be as per the Approved Mining Plan.
- IV. No overburden will be dumped outside the mine lease area.
- V. PP shall ensure to construct appropriate size garland drain & settling tank as recommended by SEAC all around the lease area
- VI. Before commencing the mining activity, site demarcation should be done leaving 100 m. from water body located in East direction in ML area as a "no mining zone". The demarcation should be done by the Revenue Officials in the presence of Mining Officer, Dindori.
- VII. PP shall ensure to construct parapet wall in the lease area towards water body and concreting the ground surface around it to minimize siltation/mud deposition.
- VIII. The entire area shall be fenced and two rows of plantation should be done on the periphery of the boundary towards kaccha road & nearest habitation.
- IX. PP shall ensure that the proper water supply arrangements for dust suppression, regular sprinkling, plantation and drinking purposes especially in summer season.
- X. PP shall ensure to construct and maintained the approach road. Plantation will be carried out on both side of approach road.
- XI. PP shall ensure proper implementation of plantation, dust suppression, construction of approach road and maintenance of existing pakka road & as part of Environmental Management Plan. Additional budget provision shall be made as part of EMP.
- XII. Total 1100 saplings shall be planted by PP under plantation programme suitable indigenous tree species Lease boundary, approach road. Plantation

(Jitendra Singh Raje)  
Member Secretary

(R.K. Sharma)  
Member

(Rakesh K. Shrivastava)  
Chairman

of Neem, Peepal, Karanj, Mahua, Mango, jackfruit, drumstick etc. will be planted on priority.

- XIII. PP must ensure implementation of the following activities with separate budget provision of Rs.0.50 lakh under CSR

(a) Water filter for primary schools village Karnapura & Imali.

(b) Seesaw, Slide & Swing.

**The modification to the above activities can be made with the permission of the district administration and need based activity for the development of nearby villages shall be implemented by PP in consultation with the District Collector and Gram Panchayat**

- XIV. PP should ensure to submit half yearly compliance report and CSR activity report with photographs of plantation in MP-SEIAA. If PP is failed to upload or submit two consecutive half yearly compliance reports of EC conditions to concerned authority (SEIAA and Regional Office, MoEF&CC,GoI,Bhopal) than prior environmental clearance issued to PP will automatically be treated as cancelled/ revoked as per OM No. 930/SEIAA/2019 dated 30.05.2019 issued by MPSEIAA.

**Hence, Prior Environmental Clearance is granted for Stone Quarry (Open cast manual /semi mechanized method) in an area of 1.0 ha. for production capacity of 7666 cum/ year at Khasra No. 85 at Village - Karanpura, Tehsil - Dindori, Dist. Dindori (MP) for the lease period to Shri Rajendrapal Kushram S/o Shri Raisingh Kushram, Ward No. 03, Dist. Dindori, MP.**

- 13. Case No. – 6109/2019** Prior Environment Clearance for **Stone Quarry** (opencast manual/semi mechanized method) in an area of 1.791 ha. for production capacity of 52,611 cum per annum at Khasra No. 307/1/1/2, 307/1/2, 307/1/3 at Village - Banka, Tehsil - Chandiya, Dist. Umariya (MP) by M/s Sukhda Minerals, Director Shri Sandeep Kumar Tiwari, Sawarkar Ward, Dist. Katni, MP

This case was recommended in 382<sup>nd</sup> SEIAA dated 09.07.2019 and it was recorded that.....

*PP has submitted the response of above quarries same date vide letter dated 09.07.2019, which was placed before the committee and the same found satisfactory. The EMP and other submissions made by the PP were found to be satisfactory and acceptable, hence committee after deliberation found that The EMS and other submissions made by the PP were found to be satisfactory and acceptable, hence committee decided to recommend the case for grant of prior EC subject to the following special conditions in addition to the standard conditions at annexure 'A':*

PP/Consultant made a presentation on all aspects of the project and all concerned issues were discussed in detail. **After detailed discussions and perusal of recommendations of 382<sup>nd</sup> SEAC dated 09.07.2019, presentation made by the PP in SEIAA, it was decided to accept the recommendation of SEAC for grant of prior EC to the project subject to the following specific conditions:-**

- I. Before commencing any mining activity fencing shall be carried out all around the lease area. Proper watch and ward arrangements should be made with installation of signage at 4 corners of lease area to avoid any untoward incident involving public and animals by the PP.

(Jitendra Singh Rajee)  
Member Secretary

(R.K. Sharma)  
Member

(Rakesh K. Shrivastava)  
Chairman

- II. PP shall demarcate a barrier zone of 7.5 m as no mining zone in the periphery of mining lease area and develop a green belt. Three row plantations shall be carried out in the greenbelt area in current year with proper watering arrangement.
- III. PP shall not start mining activity before execution of lease agreement.
- IV. The depth of the pit shall be as per the Approved Revised Mining Plan.
- V. The mining operation shall be restricted to above ground water table and in no case it should intersect the ground water table. In case of working below the ground water table approval of the Central Ground Water Board shall be obtained.
- VI. Before commencing the mining activity, site demarcation should be done leaving 50 m. from pakka road southern and northern side as a "no mining zone". The demarcation should be done by the Revenue Officials in the presence of Mining Officer, Umariya.
- VII. Total 1800 saplings shall be planted by PP for first three years under plantation programme but PP should ensure to plant 3 years old saplings of suitable local tree species Lease boundary & approach road. Plantation of Neem, Pipal, Bargad, Ashok, Mango, Subabool, Karanj etc. will be planted on priority.
- VIII. PP shall ensure to construct pakka approach road and maintained it. Plantation will be carried out on both side of the approach road.
- IX. Payments of wages to the workers shall be done in consonance with the provisions in the labour laws.
- X. Mining shall be limited to the area as shown in surface plan and as per the approved mining scheme.
- XI. PP shall ensure the proper water supply arrangements for dust suppression, regular sprinkling, plantation and drinking purposes especially in summer season.
- XII. PP shall ensure proper implementation of plantation, dust suppression, construction of approach road and maintenance of existing pakka road as part of Environmental Management Plan. Additional budget provision shall be made as part of EMP.
- XIII. PP must ensure implementation of the following activities with separate budget provision of Rs. 1.0 Lakhs under CSR as committed.
  - a) Provide water filter in primary govt. schools at village Banka and Patari,
  - b) Provide seesaw, slide and swing at village Banka and Patari.
  - c) Provide sports kit for football, volleyball and repairing black board & boundary wall in govt. middle school at village Majholi,

**The modification to the above activities can be made with the permission of the district administration and need based activity for**

(Jitendra Singh Raje)  
Member Secretary

(R.K. Sharma)  
Member

(Rakesh K. Shrivastava)  
Chairman

**the development of nearby villages shall be implemented by PP in consultation with the District Collector and Gram Panchayat.**

- XIV. PP should ensure to submit half yearly compliance report and CSR activity report with photographs of plantation in MP-SEIAA. If PP is failed to upload or submit two consecutive half yearly compliance reports of EC conditions to concerned authority (SEIAA and Regional Office, MoEF&CC,GoI,Bhopal) than prior environmental clearance issued to PP will automatically be treated as cancelled/ revoked as per OM No. 930/SEIAA/2019 dated 30.05.2019 issued by MPSEIAA..

**Hence, Prior Environmental Clearance is granted for Stone Quarry (opencast manual/semi mechanized method) in an area of 1.791 ha. for production capacity of 52,611 cum per annum at Khasra No. 307/1/1/2, 307/1/2, 307/1/3 at Village - Banka, Tehsil - Chandiya, Dist. Umariya (MP) for the lease period to M/s Sukhda Minerals, Director Shri Sandeep Kumar Tiwari, Sawarkar Ward, Dist. Katni, MP.**

- 14. Case No. 6223/2019** Prior Environmental Clearance for Stone Quarry (Open cast manual /semi mechanized method) in an area of 1.0 ha. for production capacity of 8039 cum/ year at Khasra No. 139 at Village - Kathotiya, Tehsil - Shahpura, Dist. Dindori (MP) by Smt. Nandani Markam W/o Shri Santosh Markam, Ward No. 3, Dist. Dindori, MP - 481880.

This case was recommended in 382<sup>nd</sup> SEAC dated 09.07.2019 and it was recorded that.....

----- PP has submitted the response of above quarries same date vide letter dated 09.07.2019, which was placed before the committee and the same found satisfactory. The EMP and other submissions made by the PP were found to be satisfactory and acceptable, hence committee after deliberation found that The EMS and other submissions made by the PP were found to be satisfactory and acceptable, hence committee decided to recommend the case for grant of prior EC subject to the following special conditions in addition to the standard conditions at annexure 'A':

PP/Consultant made a presentation on all aspects of the project and all concerned issues were discussed in detail. **After detailed discussions and perusal of recommendations of 382<sup>nd</sup> SEAC dated 09.07.2019, presentation made by the PP in SEIAA, it was decided to accept the recommendation of SEAC for grant of prior EC to the project subject to the following specific conditions:-**

- I. Before commencing any mining activity fencing shall be carried out all around the lease area. Proper watch and ward arrangements should be made with installation of signage at 4 corners of lease area to avoid any untoward incident involving public and animals by the PP.
- II. PP shall not start mining activity before execution of lease agreement.
- III. The depth of the pit shall be as per the Approved Mining Plan.
- IV. No overburden will be dumped outside the mine lease area.
- V. The entire area shall be fenced and three rows of plantation should be done on the periphery of the boundary.
- VI. PP shall ensure that the proper water supply arrangements for dust suppression, regular sprinkling, plantation and drinking purposes especially in summer season.

(Jitendra Singh Rajee)  
Member Secretary

(R.K. Sharma)  
Member

(Rakesh K. Shrivastava)  
Chairman

- VII. PP shall ensure to construct and maintained the approach road. Plantation will be carried out on both side of approach road.
- VIII. PP shall ensure proper implementation of plantation, dust suppression, construction of approach road and maintenance of existing pakka road & as part of Environmental Management Plan. Additional budget provision shall be made as part of EMP.
- IX. Total 1100 saplings shall be planted by PP under plantation programme suitable indigenous tree species Lease boundary, approach road. Plantation of Neem, Peepal, Karanj, Mahua, Mango, jackfruit, drumstick etc. will be planted on priority.
- X. PP must ensure implementation of the following activities with separate budget provision of Rs.0.50 lakh under CSR
  - (a) Water filter for primary schools village Kathotiya & Bagli.
  - (b) Seesaw, Slide & Swing.

**The modification to the above activities can be made with the permission of the district administration and need based activity for the development of nearby villages shall be implemented by PP in consultation with the District Collector and Gram Panchayat**

- XI. PP should ensure to submit half yearly compliance report and CSR activity report with photographs of plantation in MP-SEIAA. If PP is failed to upload or submit two consecutive half yearly compliance reports of EC conditions to concerned authority (SEIAA and Regional Office, MoEF&CC, Gol, Bhopal) than prior environmental clearance issued to PP will automatically be treated as cancelled/ revoked as per OM No. 930/SEIAA/2019 dated 30.05.2019 issued by MPSEIAA.

**Hence, Prior Environmental Clearance is granted for Stone Quarry (Open cast manual /semi mechanized method) in an area of 1.0 ha. for production capacity of 8039 cum/ year at Khasra No. 139 at Village - Kathotiya, Tehsil - Shahpura, Dist. Dindori (MP) for the lease period to Smt. Nandani Markam W/o Shri Santosh Markam, Ward No. 3, Dist. Dindori, MP - 481880..**

- 15. Case No. – 6364/2019** Prior Environment Clearance for **Laterite and Ochre Mine** (opencast manual/semi mechanized method) in an area of 1.376 ha. for production capacity of 17,330 tonne per annum at Khasra No. 749 at Village - Kari Gohi, Tehsil - Raghuraj Nagar, Dist. Satna (MP) by Shri Rajesh Kumar Agrawal, 47 - Prabhat Vihar Colony, Panna Naka, P.O. & District -m Satna, MP – 485001

This case was recommended in 379<sup>th</sup> SEIAA dated 04.07.2019 and it was recorded that.....

*PP has submitted the response of above quarries same date vide letter dated 04.07.2019, which was placed before the committee and the same found satisfactory. The EMP and other submissions made by the PP were found to be satisfactory and acceptable, hence committee after deliberation found that the EMS and other submissions made by the PP were found to be satisfactory and acceptable, hence committee decided to recommend the case for grant of prior EC subject to the following special conditions in addition to the standard conditions at annexure 'A':*

(Jitendra Singh Rajee)  
Member Secretary

(R.K. Sharma)  
Member

(Rakesh K. Shrivastava)  
Chairman



PP/Consultant made a presentation on all aspects of the project and all concerned issues were discussed in detail. **After detailed discussions and perusal of recommendations of 379<sup>th</sup> SEAC dated 04.07.2019, presentation made by the PP in SEIAA, it was decided to accept the recommendation of SEAC for grant of prior EC to the project subject to the following specific conditions:-**

- I. Before commencing any mining activity fencing shall be carried out all around the lease area. Proper watch and ward arrangements should be made with installation of signage at 4 corners of lease area to avoid any untoward incident involving public and animals by the PP.
- II. PP shall demarcate a barrier zone of 7.5 m as no mining zone in the periphery of mining lease area and develop a green belt. Three row plantations shall be carried out in the greenbelt area in current year with proper watering arrangement.
- III. PP shall not start mining activity before execution of lease agreement.
- IV. The depth of the pit shall be as per the Approved Revised Mining Plan.
- V. The mining operation shall be restricted to above ground water table and in no case it should intersect the ground water table. In case of working below the ground water table approval of the Central Ground Water Board shall be obtained.
- VI. Before commencing the mining activity, site demarcation should be done leaving 100 m. from settlements north-east side as a "no mining zone". The demarcation should be done by the Revenue Officials in the presence of Mining Officer, Satna.
- VII. PP shall ensure protection and conservation of existing trees falling under mining lease area, if the trees will be cut/uprooted during mining operation then the permission from competent authority shall be taken by the PP and compensatory plantation of 2340 plants in three rows plantation will be carried out in the periphery of the ML area.
- VIII. PP shall ensure no drilling & blasting in mining lease area.
- IX. Total 1800 saplings shall be planted by PP for first five years under plantation programme but PP should ensure to plant 3 years old saplings of suitable local tree species Lease boundary & approach road. Plantation of Neem, Pipal, Bargad, Mahua, Bans, Gulmohar, Amaltas, Satparni, Ashoka, Awala, Mango, Jamun, Imly etc. will be planted on priority.
- X. PP shall ensure to construct pakka approach road and maintained it. Plantation will be carried out on both side of the approach road.
- XI. Payments of wages to the workers shall be done in consonance with the provisions in the labour laws.
- XII. Mining shall be limited to the area as shown in surface plan and as per the approved mining scheme.
- XIII. PP shall ensure the proper water supply arrangements for dust suppression, regular sprinkling, plantation and drinking purposes especially in summer season.

(Jitendra Singh Raje)  
Member Secretary

(R.K. Sharma)  
Member

(Rakesh K. Shrivastava)  
Chairman

- XIV. PP shall ensure proper implementation of plantation, dust suppression, construction of approach road and maintenance of existing pakka road as part of Environmental Management Plan. Additional budget provision shall be made as part of EMP.
- XV. PP must ensure implementation of the following activities with separate budget provision of Rs. 0.50 Lakhs as capital and Rs. 1.50 Lakhs/year as recurring cost under CSR as committed.

- a) Construct/repairing school/anganwadi building, toilets, drain line, road in consultation with grampanchayat/gram sabha at village Kari Gohi, Barui, Sonbarsa, Kathra.
- b) Provide fresh water supply & solar light in consultation with grampanchayat/gram sabha at village Kari Gohi, Barui, Sonbarsa, Kathra.

**The modification to the above activities can be made with the permission of the district administration and need based activity for the development of nearby villages shall be implemented by PP in consultation with the District Collector and Gram Panchayat.**

- XVI. PP should ensure to submit half yearly compliance report and CSR activity report with photographs of plantation in MP-SEIAA. If PP is failed to upload or submit two consecutive half yearly compliance reports of EC conditions to concerned authority (SEIAA and Regional Office, MoEF&CC, Gol, Bhopal) than prior environmental clearance issued to PP will automatically be treated as cancelled/ revoked as per OM No. 930/SEIAA/2019 dated 30.05.2019 issued by MPSEIAA..

**Hence, Prior Environmental Clearance is granted for Laterite and Ochre Mine (opencast manual/semi mechanized method) in an area of 1.376 ha. for production capacity of 17,330 tonne per annum at Khasra No. 749 at Village - Kari Gohi, Tehsil - Raghurajnagar, Dist. Satna (MP) for the lease period to Shri Rajesh Kumar Agrawal, 47 - Prabhat Vihar Colony, Panna Naka, P.O. & District -m Satna, MP – 485001.**

- 16. Case No. – 6365/2019** Prior Environment Clearance for **Ochre Mine** (opencast manual method) in an area of 3.354 ha. for production capacity of 5244 cum per annum at Khasra No. 21P, 23, 24, 25/1 at Village - Baskuta, Tehsil - Bandhogarh, Dist. Umari (MP) by Shri Rajesh Kumar Agrawal, 47 - Prabhat Vihar Colony, Panna Naka, P.O. & District - Satna, MP – 485001.

This case was recommended in 379<sup>th</sup> SEIAA dated 04.07.2019 and it was recorded that.....

*PP has submitted the response of above quarries same date vide letter dated 02.07.2019, which was placed before the committee and the same found satisfactory. The EMP and other submissions made by the PP were found to be satisfactory and acceptable, hence committee after deliberation found that The EMS and other submissions made by the PP were found to be satisfactory and acceptable, hence committee decided to recommend the case for grant of prior EC subject to the following special conditions in addition to the standard conditions at annexure 'A':*

PP/Consultant made a presentation on all aspects of the project and all concerned issues were discussed in detail. **After detailed discussions and perusal of**

(Jitendra Singh Raje)  
Member Secretary

(R.K. Sharma)  
Member

(Rakesh K. Shrivastava)  
Chairman

**recommendations of 379<sup>th</sup> SEAC dated 04.07.2019, presentation made by the PP in SEIAA, it was decided to accept the recommendation of SEAC for grant of prior EC to the project subject to the following specific conditions:-**

- I. Before commencing any mining activity fencing shall be carried out all around the lease area. Proper watch and ward arrangements should be made with installation of signage at 4 corners of lease area to avoid any untoward incident involving public and animals by the PP.
- II. PP shall demarcate a barrier zone of 7.5 m as no mining zone in the periphery of mining lease area and develop a green belt. Three row plantations shall be carried out in the greenbelt area in current year with proper watering arrangement.
- III. PP shall strictly follow the conditions given in Commissioner Committee report and construct chainlink fencing in the lease boundary towards forest area
- IV. PP shall not start mining activity before execution of lease agreement.
- V. The depth of the pit shall be as per the Approved Revised Mining Plan.
- VI. The mining operation shall be restricted to above ground water table and in no case it should intersect the ground water table. In case of working below the ground water table approval of the Central Ground Water Board shall be obtained.
- VII. Total 6436 saplings shall be planted by PP for first five years under plantation programme but PP should ensure to plant 3 years old saplings of suitable local tree species Lease boundary & approach road. Plantation of Neem, Pipal, Bargad, Mahua, Bans, Gulmohar, Amaltas, Satparni, Ashoka, Awala, Mango, Jamun, Emly etc. will be planted on priority.
- VIII. PP shall ensure to construct pakka approach road and maintained it. Plantation will be carried out on both side of the approach road.
- IX. Payments of wages to the workers shall be done in consonance with the provisions in the labour laws.
- X. Mining shall be limited to the area as shown in surface plan and as per the approved mining scheme.
- XI. PP shall ensure the proper water supply arrangements for dust suppression, regular sprinkling, plantation and drinking purposes especially in summer season.
- XII. PP shall ensure proper implementation of plantation, dust suppression, construction of approach road and maintenance of existing pakka road as part of Environmental Management Plan. Additional budget provision shall be made as part of EMP.
- XIII. PP must ensure implementation of the following activities with separate budget provision of Rs. 0.50 Lakhs as capital and Rs. 2.00 Lakhs/year as recurring cost under CSR as committed.

(Jitendra Singh Raje)  
Member Secretary

(R.K. Sharma)  
Member

(Rakesh K. Shrivastava)  
Chairman

- a) Construct/repairing school/aganwadi building, toilets, drain line, road in consultation with grampanchayat/gram sabha at village Baskuta, Harrai, Kachhara, Goraia, Shehra.
- b) Provide fresh water supply & solar light in consultation with grampanchayat/gram sabha at village Baskuta, Harrai, Kachhara, Goraia, Shehra.

**The modification to the above activities can be made with the permission of the district administration and need based activity for the development of nearby villages shall be implemented by PP in consultation with the District Collector and Gram Panchayat.**

- XIV. PP should ensure to submit half yearly compliance report and CSR activity report with photographs of plantation in MP-SEIAA. If PP is failed to upload or submit two consecutive half yearly compliance reports of EC conditions to concerned authority (SEIAA and Regional Office, MoEF&CC,Gol,Bhopal) than prior environmental clearance issued to PP will automatically be treated as cancelled/ revoked as per OM No. 930/SEIAA/2019 dated 30.05.2019 issued by MPSEIAA..

**Hence, Prior Environmental Clearance is granted for Ochre Mine (opencast manual method) in an area of 3.354 ha. for production capacity of 5244 cum per annum at Khasra No. 21P, 23, 24, 25/1 at Village - Baskuta, Tehsil - Bandhogarh, Dist. Umaria (MP) for the lease period to Shri Rajesh Kumar Agrawal, 47 - Prabhat Vihar Colony, Panna Naka, P.O. & District -m Satna, MP – 485001.**

- 17. Case No. 6275/2019:** Prior Environment Clearance for Basalt/Boulder & Crusher Stone Quarry in an area of 1.74 ha. (103645 cum per annum) (Khasra No. 17, 24P), Village - Manegaon, Tehsil - Jabalpur, Dist. Jabalpur (MP) by M/s Wagad Infraprojects Pvt. Ltd, Halmukam, Dhanwantri Nagar, Dist. Jabalpur, MP.

**The case was discussed in 377<sup>th</sup> SEIAA meeting dtd. 02.07.2019 and it was recorded that.....**

*The case was presented by the PP and their consultant, being it's a case Stone Quarry with total area of 38.44 ha. including this mine. During presentation as per Google image based on coordinates provided by PP, following sensitive features were observed around the lease area.*

- *The lease is elongated in shape in the north- south direction and north part of the lease up to approx. 95 meters habitation is in existance and alike the south end, lease is in close proximity of habitation. (approx. 60 meters)*
- *Even in the Collect orate Office (Mining Cell) letter no. 2475/ Khanij/ SEIAA/ 2018, dated 27.03.2018 it is mentioned that Primary School Building is just 26 meters from the lease.*

*Hence, in the above context considering the sensitivity (habitations on north and south side and a school) in the light of MMR, 1996, minimum 100 meters area is to be left from the public place. Thus committee after deliberations recommends that on above ground this case cannot be considered for grant of EC*

**As per above observation and recommendation of SEAC, it is decided to reject the case considering sensitivity / environmental issues. Copy to PP and all concerned.**

(Jitendra Singh Rajee)  
Member Secretary

(R.K. Sharma)  
Member

(Rakesh K. Shrivastava)  
Chairman

- 18. Case No. - 6264/2019** M/s Shreenath Ji Infrastructures, Shri Uday Prakash Tiwari, S/o Shri Shivdayal Tiwari, 31, Gulmohar Park, Rajendra Nagar, Dist. - Bareilly, (U.P.). Prior Environment Clearance for Crusher Stone Quarry in an area of 1.290 ha. Capacity – 45,864 cum per annum, at Khasra No. 23, 26, Village - Lakhanpura, Tehsil - Dabra, Dist.- Gwalior (M.P.).

**The case was discussed in 378<sup>th</sup> SEIAA meeting dtd. 03.07.2019 and it was recorded that.....**

*".....The PP vide letter dated nil informed that due to some reasons they want to get their case rejected. Committee considered the request of PP and recommends that on the basis of PP's request case may be rejected and file may be sent to SEIAA for onward necessary action..*

**As per above observation and recommendation of SEAC, it is decided to close the case as PP has withdrawn the case. Copy to PP and all concerned.**

- 19. Case No. – 6254/2019** Prior Environment Clearance for Murrum Deposit Quarry in an area of 4.0 ha. (19500 cum per annum) (Khasra No. 02), Village - Kunjargaon, Tehsil - Handla, Dist. Harda (MP) by Shri Ritesh Sharma, Mausam Restaurant, Subhash Ward, Dist. Harda, MP

**The case was discussed in 379<sup>th</sup> SEIAA meeting dtd. 04.07.2019 and it was recorded that.....**

*".....The PP vide letter dated nil informed that the case was scheduled on SEAC meeting 379<sup>th</sup> but due to illness of his father he wanted to reject their case. Thus committee after deliberations recommends that on above grounds this case may be rejected and case file may be sent to SEIAA for necessary action".*

**As per above observation and recommendation of SEAC, it is decided to close the case as PP has withdrawn the case. Copy to PP and all concerned.**

- 20. Case No. - 6031/2019** Prior Environment Clearance for Sand Quarry in an area of 2.606 ha. (74,400 cum per annum) (Khasra No. 415/1, 416/1, 416/2, 416/3, 417/1), Village - Rattapayli, Tehsil - Kiranapur, Dist. Balaghat (MP) by Shri Dajiram Nagphase, Gram/Post - Pala, Tehsil - Kiranapur, Dist. Balaghat, MP – 481001 .

**The case was discussed in 385<sup>th</sup> SEIAA meeting dtd. 12.07.2019 and it was recorded that.....**

*".....The case was placed before the committee wherein committee observed that it's a case of sand mining from agricultural field which is deposited due to flooding and bank erosion (refer mine plan p/08 "nature and source of sand"). Committee further observed that the lease is in close proximity with the river and appears to be in the flood prone area of river with proposed depth of mining is 03 meters. The mining in close proximity with river during monsoon creates threat to the safety of miners/workers in case of flooding and thus the condition "No mining shall be carried out during monsoon season" was recommended to SEIAA. Committee after deliberations decided that with above justification the condition was imposed and file may be sent to SEIAA for necessary action."*

**As per above observation of SEAC, EC condition will remain same as imposed earlier in EC letter as no change is recommended in EC conditions. Copy to PP.**

- 21. Case No. 3631/2015:** Prior Environmental Clearance for Sand Mine in an area of 14.00 ha. for production capacity of 1,40,000 cum/year at Khasra no.-154 at Village-Janwasa, Tehsil-Budhni, District-Sehore (MP) by Shri Atul Gondal, M/s Sainik Foods

(Jitendra Singh Rajee)  
Member Secretary

(R.K. Sharma)  
Member

(Rakesh K. Shrivastava)  
Chairman

Pvt. Ltd., HIGGD-5, Dindayal Nagar, Phase-1, Kanth Road, Muradabad (UP)-461661.

This case was discussed in 385<sup>th</sup> SEAC meeting dated 12.7.2019 and it was recorded that.....

*----- TOR's were issued to the following cases and till date neither the EIA nor any request for TOR validity extension has received from PP and the validity of TOR has been expired. Hence, committee after deliberations decided that these following cases may be sent to SEIAA for delisting:*

**Since validity of ToR is expired hence as per above recommendation of SEAC, it has been decided to delist the case on the condition that if PP intends to present the case in SEIAA, it will then be relisted for appraisal. Copy to PP and all concerned.**

- 22. Case No.5225/15** Vikrant Mohan Gour, Sub Leese, Dewas, M.P.- 466001 - Prior Environment Clearance for River Sand Quarry in an area of 7.800 ha. (16000 cum/year) at Village-Chobaradhira, Tehsil - Tonk Khurd, Dist. Dewas (MP)

This case was discussed in 385<sup>th</sup> SEAC meeting dated 12.7.2019 and it was recorded that.....

*----- TOR's were issued to the following cases and till date neither the EIA nor any request for TOR validity extension has received from PP and the validity of TOR has been expired. Hence, committee after deliberations decided that these following cases may be sent to SEIAA for delisting:*

**Since validity of ToR is expired hence as per above recommendation of SEAC, it has been decided to delist the case on the condition that if PP intends to present the case in SEIAA, it will then be relisted for appraisal. Copy to PP and all concerned.**

- 23. Case No.5231/15** Shri Vinay Kumar, H.No. 83, Rudra Enclave, Malakhedi, Hoshangabad (MP) - Prior Environment Clearance for Sand Quarry in an area of 9.050 ha. (20000 cum/year) at Village-Chobaradhira-A, Tehsil - Dongarkhurd, Dist. Dewas (MP)

This case was discussed in 385<sup>th</sup> SEAC meeting dated 12.7.2019 and it was recorded that.....

*----- TOR's were issued to the following cases and till date neither the EIA nor any request for TOR validity extension has received from PP and the validity of TOR has been expired. Hence, committee after deliberations decided that these following cases may be sent to SEIAA for delisting:*

**Since validity of ToR is expired hence as per above recommendation of SEAC, it has been decided to delist the case on the condition that if PP intends to present the case in SEIAA, it will then be relisted for appraisal. Copy to PP and all concerned.**

- 24. Case No.5232/15** Shri Vinay Kumar, H.No. 83, Rudra Enclave, Malakhedi, Hoshangabad (MP) - Prior Environment Clearance for Sand Mining in an area of 8.760 ha. (10000 cum/year) at Village-Jiyajigarh, Tehsil - Dongarkhurd, Dist. Dewas (MP)

This case was discussed in 385<sup>th</sup> SEAC meeting dated 12.7.2019 and it was recorded that.....

(Jitendra Singh Raje)  
Member Secretary

(R.K. Sharma)  
Member

(Rakesh K. Shrivastava)  
Chairman

----- TOR's were issued to the following cases and till date neither the EIA nor any request for TOR validity extension has received from PP and the validity of TOR has been expired. Hence, committee after deliberations decided that these following cases may be sent to SEIAA for delisting:

**Since validity of ToR is expired hence as per above recommendation of SEAC, it has been decided to delist the case on the condition that if PP intends to present the case in SEIAA, it will then be relisted for appraisal. Copy to PP and all concerned.**

- 25. Case No. 5258/2019:** Prior Environmental Clearance for **River Sand Quarry** in an area of 11.606 ha. for production capacity of 116080 cum/year at Khasra no.-01, Village-Badgaon, Tehsil - Narsullaganj, Dist. Sehore (MP) by Shri Ashu Singh Bhati, Sub Lessee of MPSMCL, Village - Badgaon, Tehsil - Narsullaganj, District - Sehore, M.P.

This case was discussed in 385<sup>th</sup> SEAC meeting dated 12.7.2019 and it was recorded that.....

----- TOR's were issued to the following cases and till date neither the EIA nor any request for TOR validity extension has received from PP and the validity of TOR has been expired. Hence, committee after deliberations decided that these following cases may be sent to SEIAA for delisting:

**Since validity of ToR is expired hence as per above recommendation of SEAC, it has been decided to delist the case on the condition that if PP intends to present the case in SEIAA, it will then be relisted for appraisal. Copy to PP and all concerned.**

- 26. Case No. – 2671/2015** Smt. Urmila Chaturvedi, M.M. Choubey Ward, Behind Chaturvedi Complex, Katni (M.P.)-483501- Prior Environment Clearance for approval of Rajarwara Limestone Mins in an area of 2.902 ha. (32,000 MTPA) at Village-Rajarwara, Tehsil-Vijayraghavgarh, District-Katni (MP)

This case was discussed in 385<sup>th</sup> SEAC meeting dated 12.7.2019 and it was recorded that.....

----- TOR's were issued to the following cases and till date neither the EIA nor any request for TOR validity extension has received from PP and the validity of TOR has been expired. Hence, committee after deliberations decided that these following cases may be sent to SEIAA for delisting:

**This case has already been closed as maximum limit of 4 years ToR validity was expired. Copy to PP and all concerned.**

- 27. Case No. - 5877/2019** Shri Shiv Kumar Sharma, Gole Ka Mandir, Hanuman Nagar Gird, Dist. Gwalior, MP – 474001- Prior Environment Clearance for Sand Mine in an area of 1.0 Ha. (16473 cum per annum) (Khasra No. 309, 310, 311, 312, 313, 314), Village- Rampurghat, Tehsil - Gaurihar, Dist. Chhatarpur (MP)

This case was discussed in 385<sup>th</sup> SEAC meeting dated 12.7.2019 and it was recorded that.....

----- Query was issued to the following cases and sufficient opportunities have been given to the following PPs but till date PPs have not submit their query, hence, these cases are recommended for delisting in the light of MoEF&CC OM file No. J-11013-5-2009-IA-II (part) dated 30/10/2012.

(Jitendra Singh Rajee)  
Member Secretary

(R.K. Sharma)  
Member

(Rakesh K. Shrivastava)  
Chairman

**As per above recommendation of SEAC, it has been decided to delist the case on the condition that if PP intends to present the case in SEIAA, it will then be relisted for appraisal. Copy to PP and all concerned.**

- 28. Case No. 5859/2019** Sarpanch, Gram Panchayat, Village - Mahoba, Tehsil - Gaurihar, Dist. Chhatarpur, MP – 471516 - Prior Environment Clearance for Sand Mine in an area of 4.0 Ha. (71760 cum per annum) (Khasra No. 1163 (Part)), Village- Mahoba, Tehsil - Gaurihar, Dist. Chhatarpur (MP)

This case was discussed in 385<sup>th</sup> SEAC meeting dated 12.7.2019 and it was recorded that.....

*----- Query was issued to the following cases and sufficient opportunities have been given to the following PPs but till date PPs have not submit their query, hence, these cases are recommended for delisting in the light of MoEF&CC OM file No. J-11013-5-2009-IA-II (part) dated 30/10/2012.*

**As per above recommendation of SEAC, it has been decided to delist the case on the condition that if PP intends to present the case in SEIAA, it will then be relisted for appraisal. Copy to PP and all concerned.**

- 29. Case No. - 5856/2019** Sarpanch, Gram Panchayat, Village - Bhabua, Tehsil - Rajnagar, Dist. Chhatarpur, MP – 471516 - Prior Environment Clearance for Sand Mine in an area of 4.0 Ha. (67329 cum per annum) (Khasra No. 1147 (Part)), Village- Bhabua, Tehsil - Rajnagar, Dist. Chhatarpur (MP)

This case was discussed in 385<sup>th</sup> SEAC meeting dated 12.7.2019 and it was recorded that.....

*----- Query was issued to the following cases and sufficient opportunities have been given to the following PPs but till date PPs have not submit their query, hence, these cases are recommended for delisting in the light of MoEF&CC OM file No. J-11013-5-2009-IA-II (part) dated 30/10/2012.*

**As per above recommendation of SEAC, it has been decided to delist the case on the condition that if PP intends to present the case in SEIAA, it will then be relisted for appraisal. Copy to PP and all concerned.**

*Meeting ended with a vote of thanks to the Chair.*

(Jitendra Singh Rajee)  
Member Secretary

(R.K. Sharma)  
Member

(Rakesh K. Shrivastava)  
Chairman