



सत्यमेव जयते

State Level Environment Impact Assessment Authority-Karnataka

(Constituted by MoEF, Government of India, under section 3(3) of E(P) Act, 1986)

Proceedings of the 210th SEIAA Meeting held on 10th January 2022 at 11 :00. AM at Room No. 709, 7th Floor, Gate IV, M.S Building, Bangalore-560001.

Members present: -

1. Dr. K. R. Sree Harsha - Chairman, SEIAA
2. Shri. K. N. Shivalinge Gowda - Member, SEIAA
3. Shri. Vijay Mohan Raj V, IFS - Member Secretary, SEIAA

The Chairman welcomed the members and initiated the discussion. The subjects discussed and the decisions made on each of the agenda points are as follows:

210.1. Fresh Projects (Recommended for EC):

Construction Projects:

- 210.1.1. Residential Apartment Project at Chikkanayakanahalli Village, Varthur Hobli, Bengaluru East Taluk, Bengaluru District by M/s. MANA Projects Pvt. Ltd. - Online Proposal No. SIA/KA/MIS/235835/2021 (SEIAA 129 CON 2021)

M/s. Mana Projects Private Limited have proposed for construction of Residential Apartment Project on a plot area of 8,296.06 Sqm. The total built up area is 29,288.99Sqm. The proposed project consists of 216 units in Tower-1 & Tower-2 having BF+Stilt+12UF. Total water consumption is 164 KLD (Fresh water + Recycled water). The total wastewater generated is 148 KLD. The project proponent has proposed to construct Sewage Treatment plant with capacity of 200 KLD. The project cost is Rs. 48 Crores.

Details of the project are as follows:

Sl. No	PARTICULARS	INFORMATION
1	Name & Address of the Project Proponent	Mr. Kishore Kumar. H, Authorized Signatory, M/s. Mana Projects Private Limited, No. 20/7, "Swamy Legato", 3 rd Floor, Kadubeesanahalli, Marathahalli Outer Ring Road, Bengaluru - 560 103
2	Name & Location of the Project	Proposed Residential Apartment Building, Sy. Nos. 33/1, 33/2 & 33/3, Chikkanayakanahalli Village, Varthur Hobli,

		Bengaluru East Taluk, Bengaluru.
3	Type of Development	
	a. Residential Apartment / Villas / Row Houses / Vertical Development / Office / IT/ ITES/ Mall/ Hotel/ Hospital /other	Residential Apartment Category 8(a), Building & Construction project as per the EIA notification 2006
	b. Residential Township/ Area Development Projects	NA
4	New/ Expansion/ Modification/ Renewal	New
5	Water Bodies/ Nalas in the vicinity of project site	--
6	Plot Area (Sqm)	8,296.06 Sqm
7	Built Up area (Sqm)	29,288.99Sqm
8	FAR • Permissible • Proposed	2.25 2.245
9	Building Configuration [Number of Blocks / Towers / Wings etc., with Numbers of Basements and Upper Floors]	Tower-1 & Tower-2 : BF+Stilt+12UF
10	Number of units/plots in case of Construction/Residential Township/ Area Development Projects	216 Nos
11	Height Clearance	As per CCZM, permissible building height is 58 m and the proposed building height is 39.15 m.
12	Project Cost (Rs. In Crores)	Rs. 48 Crores
13	Disposal of Demolition waster and or Excavated earth	There is no demolition waste. Total Excavated earth quantity -16,593 m ³ For Backfilling - 4,646 m ³ For Landscaping - 4,389 m ³ For Driveway & hardscape - 3,860 m ³ Excess earth used for compound wall formation - 3,698 m ³
14	Details of Land Use (Sqm)	
	a. Ground Coverage Area	2,968.06 Sqm

b.	Kharab Land	-
c.	Total Green belt on Mother Earth for projects under 8(a) of the schedule of the EIA notification, 2006	2,742.83 Sqm
d.	Internal Roads	2,428.07 Sqm
e.	Paved area	
f.	Others Specify	Road Widening area - 157.10
g.	Parks and Open space in case of Residential Township/ Area Development Projects	-
h.	Total	8,296.06 Sqm
15	WATER	
I.	Construction Phase	
a.	Source of water	Domestic water from external suppliers and for construction through STP tertiary treated water.
b.	Quantity of water for Construction in KLD	14 KLD
c.	Quantity of water for Domestic Purpose in KLD	4.5 KLD
d.	Waste water generation in KLD	4.0 KLD
e.	Treatment facility proposed and scheme of disposal of treated water	Domestic sewage generated during construction phase to be collected and lifted to BWSSB treatment plant.
II.	Operational Phase	
a.	Total Requirement of Water in KLD	Fresh 109 KLD
		Flushing 55 KLD
		Total 164 KLD
b.	Source of water	Halanayakanahalli Gram Panchayath
c.	Wastewater generation in KLD	148 KLD
d.	STP capacity	STP Capacity - 200 KLD
e.	Technology employed for Treatment	Sequential Batch Reactor Technology
f.	Scheme of disposal of excess treated water if any	Excess 67 KLD for construction work/ Avenue plantation.
16	Infrastructure for Rain water harvesting	
a.	Capacity of sump tank to store Roof run off	60 Cum
b.	No's of Ground water recharge pits	12 Nos.
17	Storm water management plan	Storm water sump of capacity 30 Cum to be provided and excess storm water will be

		routed to Internal garland drains in order to carry out the storm water into the recharge pits and to be managed within the site, excess runoff to be routed in to the external storm water drain on northeast side of project site.
18	WASTE MANAGEMENT	
	I. Construction Phase	
a.	Quantity of Solid waste generation and mode of Disposal as per norms	Domestic solid waste to be handed over to local vendors Construction debris -29 Cum, to be reused within the site for road and pavement formation.
	II. Operational Phase	
a.	Quantity of Biodegradable waste generation and mode of Disposal as per norms	245 kg/day ,to be segregated at household levels and to be processed in proposed organic waste converter.
b.	Quantity of Non-Biodegradable waste generation and mode of Disposal as per norms	367 kg/day, Recyclable wastes to be handed over to authorized waste recyclers
c.	Quantity of Hazardous Waste generation and mode of Disposal as per norms	Waste Oil Generation: 0.243 L/ running hour of DG Hazardous wastes like waste oil from DG sets, used batteries etc. to be handed over to the authorized hazardous waste recyclers.
d.	Quantity of E waste generation and mode of Disposal as per norms	E-Wastes to be collected separately & handed over to authorized E-waste recyclers for further processing.
19	POWER	
a.	Total Power Requirement - Operational Phase	1186 kW
b.	Numbers of DG set and capacity in KVA for Standby Power Supply	250 kVA - 2 Nos
c.	Details of Fuel used for DG Set	104.76 l/hr
d.	Energy conservation plan and Percentage of savings including plan for utilization of solar energy as per ECBC 2007	Total energy savings is 25 %
20	PARKING	
a.	Parking Requirement as per norms	253 Nos

		Road	Towards	Existing	Changed
b.	Level of Service (LOS) of the connecting Roads as per the Traffic Study Report	Gattahalli Road	--	B	B
		Sarjapur a main Road	Sarjapura	D	B
			ORR	D	B
c.	Internal Road width (RoW)	12.5 m wide road			
21	CER Activities	To provide new building to Anganwadi Kendara in Hadosiddapura Village.			
22	EMP <ul style="list-style-type: none"> • Construction phase • Operation Phase 	During Construction: Capital Investment - 2.50 Lakh Construction - 13.30 Lakh/annum During Operation: Capital investment - 113.00 Lakh Operation Investment - 14.55 Lakh/annum			

The subject was discussed in the SEAC meeting held 20th December 2021. The Committee has recommended to SEIAA for issue of EC and the extract of the proceedings of the Committee meeting is as below:

The proposal is for construction of residential apartments in an area earmarked for residential use as per RMP of BDA. The committee during appraisal sought clarification regarding provisions made for harvesting rain water in the proposed area and provisions for electric vehicle charging facilities. The proponent submitted clarifications and informed the committee that for harvesting runoff rain water from roof top a tank of 60cum capacity and for runoff from hardscape an additional tank of 30cum capacity and for recharging the ground water using the excess water 11nos of recharge pits have been proposed within the project area. He further informed that they have made provision for charging electrical vehicles in 15% out of the total parking slots in the proposed project.

The proponent had also submitted revised tree list with a provision to grow 104 trees in the proposed project area. The proponent committed to take precautionary measures during and after construction to maintain the environmental parameters within permissible limits in the proposed project and agreed to comply with the ECBC and NBC guidelines for the proposed construction and adhere to the by-laws stipulated by the governing authority for buffers and setbacks.

The committee noted that the baseline parameters are within permissible limits and informed the proponent to leave buffers from the lake/drain as per the Revised Comprehensive Development Plan 2015 (RCDP) as directed by Hon'ble Supreme Court order CIVIL APPEAL NO. 5016 OF 2016 dated 5th March 2019 and informed the proponent to harvest maximum rainwater in the proposed project area.

The committee after discussion decided to recommend the proposal to SEIAA for issue of EC.

The Authority perused the proposal and took note of the recommendation of SEAC.

The Authority after discussion decided to clear the proposal for issue of Environmental Clearance subject to following:

1. *If the distance of nearest Protected Area (National Park/ Sanctuary/Bio sphere reserve/ migratory corridor) is within 10 KM, a certificate from the Chief Wild Life Warden (CWLW) along with his recommendation, else a certificate from the proponent that the proposed site is more than 10 KM away from any Protection Authority (PA) (National Park/ Sanctuary/Bio sphere reserve/ migratory corridor) shall be submitted.*
2. *A time bound action plan for implementation of proposed CER activities as a part of EMP shall be furnished.*
3. *The project proponent shall ensure that tree planting/afforestation measures proposed in the EMP shall be strictly complied and an undertaking to this effect shall be submitted*


Additional Condition:

1. *Assured water supply, commensurate with the ultimate occupancy envisaged in the project, shall be ensured before commencement of the project.*
2. *25% of parking space shall have charging facility to enable charging of electric vehicles.*
3. *The entry and exit of the proposed project should not lead to hindrance/obstruction for free flowing traffic on abutting Roads.*

210.1.2. Residential Multi-storeyed Apartment Building with Club House at Siddapura Village, Varthur Hobli, Bengaluru East Taluk, Bengaluru District by Sri P K Raghothama Rao Smt Gita R Rao and Smt Anasuya Rao TS - Online Proposal No. SIA/KA/MIS/233321/2021 (SEIAA 126 CON 2021)


Sri. P. K. Raghothama Rao, Smt. T. S. Anasuya Rao & Smt. Gita R. Rao have proposed for construction of Development of Residential Multi-storeyed Apartment Building with Club House Project on a plot area of 8,599.50 Sqm. The total built up area is 36,045.00 Sqm. The proposed project consists of 155 No's of Residential units with 2BF+GF+13UF+TF. Total water consumption is 108 KLD (Fresh water + Recycled water). The total wastewater generated is 92 KLD. The project proponent has proposed to construct Sewage Treatment plant with capacity of 95 KLD. The project cost is Rs. 60 Crores.



Drafted by 



Details of the project are as follows:



Sl. No	PARTICULARS	INFORMATION
1	Name & Address of the Project Proponent	Sri. P. K. Raghothama Rao, Smt. T. S. Anasuya Rao & Smt. Gita R. Rao. No. 5, 1 st Floor, 9 th Cross, Indiranagar 1 st Stage, Bengaluru - 560 038
2	Name & Location of the Project	Development of Residential Multi-storeyed Apartment Building with Club House BBMP Khatha No. 502, 501 & 500, Sy. Nos. 80/2, 80/3 & 80/4, Siddapura Village, Varthur Hobli, Bengaluru East Taluk, Bengaluru.
3	Type of Development	
a.	Residential Apartment / Villas / Row Houses / Vertical Development / Office / IT / ITES / Mall / Hotel / Hospital / other	Residential Apartment Category : 8(a), Building & Construction project as per the EIA notification 2006
b.	Residential Township / Area Development Projects	NA
4	New / Expansion / Modification / Renewal	New
5	Water Bodies / Nalas in the vicinity of project site	NA
6	Plot Area (Sqm)	8,599.50 Sqm
7	Built Up area (Sqm)	36,045.00 Sqm
8	FAR <ul style="list-style-type: none"> • Permissible • Proposed 	2.25 2.248
9	Building Configuration [Number of Blocks / Towers / Wings etc., with Numbers of Basements and Upper Floors]	2BF+GF+13UF+TF
10	Number of units/plots in case of Construction / Residential Township / Area Development Projects	155 nos
11	Height Clearance	NOC form Airports Authority of India Dt: 14/09/2021.

Drafted by 

12	Project Cost (Rs. In Crores)	Rs. 60 Crores	
13	Disposal of Demolition waster and or Excavated earth	Existing building to be demolished and generated waste debris of quantity 1250 cum to be reused within the site. Total Excavated earth quantity - 23,587 m ³ For Backfilling - 5,095 m ³ For Landscaping - 5,921 m ³ For Driveway & hardscape - 5,645 m ³ Excess earth will be used for compound wall formation - 6,926 m ³	
14	Details of Land Use (Sqm)		
a.	Ground Coverage Area	1,829.78 Sqm	
b.	Kharab Land	-	
c.	Total Green belt on Mother Earth for projects under 8(a) of the schedule of the EIA notification, 2006	3,947.17 Sqm	
d.	Internal Roads	2,822.55 Sqm	
e.	Paved area		
f.	Others Specify	-	
g.	Parks and Open space in case of Residential Township/ Area Development Projects	-	
h.	Total	8,599.50 Sqm	
15	WATER		
I.	Construction Phase		
a.	Source of water	Domestic water requirement is by external suppliers and for construction purpose is by STP tertiary treated water.	
b.	Quantity of water for Construction in KLD	17 KLD	
c.	Quantity of water for Domestic Purpose in KLD	4.5 KLD	
d.	Waste water generation in KLD	3.8 KLD	
e.	Treatment facility proposed and scheme of disposal of treated water	Domestic sewage generated during construction phase to be collected and lifted to BWSSB treatment plant	
II.	Operational Phase		
a.	Total Requirement of Water in KLD	Fresh	72 KLD
		Flushing	36 KLD
		Total	108 KLD
b.	Source of water	BWSSB	
c.	Wastewater generation in KLD	92 KLD	

	d.	STP capacity	95 KLD
	e.	Technology employed for Treatment	Sequential Batch Reactor Technology
	f.	Scheme of disposal of excess treated water if any	Excess 23 KLD for construction work/ Avenue plantation.
16	Infrastructure for Rain water harvesting		
	a.	Capacity of sump tank to store Roof run off	40 Cum
	b.	No's of Ground water recharge pits	10 Nos.
17	Storm water management plan		Storm water collection sump of capacity 40 cum to be provided and excess storm water to be routed to Internal garland drains in order to carry out the storm water into the recharge pits within the site.
18	WASTE MANAGEMENT		
	I. Construction Phase		
	a.	Quantity of Solid waste generation and mode of Disposal as per norms	Domestic solid waste to be handed over to local vendors Construction debris -36 cum, to be reused within the site
	II. Operational Phase		
	a.	Quantity of Biodegradable waste generation and mode of Disposal as per norms	158 kg/day, to be segregated at household levels and to be processed in proposed organic waste converter.
	b.	Quantity of Non-Biodegradable waste generation and mode of Disposal as per norms	237 kg/day, Recyclable wastes to be handed over to authorized waste recyclers
	c.	Quantity of Hazardous Waste generation and mode of Disposal as per norms	Waste Oil Generation: 0.146 L/ running hour of DG Hazardous wastes like waste oil from DG sets, used batteries etc. to be handed over to the authorized hazardous waste recyclers.
	d.	Quantity of E waste generation and mode of Disposal as per norms	E-Wastes to be collected separately & it to be handed over to authorized E-waste recyclers for further processing.
19	POWER		
	a.	Total Power Requirement - Operational Phase	802 kW
	b.	Numbers of DG set and capacity in KVA for Standby Power Supply	300 kVA - 1 No

	c.	Details of Fuel used for DG Set	62.856 l/hr			
	d.	Energy conservation plan and Percentage of savings including plan for utilization of solar energy as per ECBC 2007	The energy savings is 26 %			
20	PARKING					
	a.	Parking Requirement as per norms	266 Nos			
	b.	Level of Service (LOS) of the connecting Roads as per the Traffic Study Report	Road	Towards	Existin g	Changed
			Nallur ahalli Main Road	Along Nallurahall i main road	B	C
			HAL Old Airpor t road	VarthurKod i Marathaha lli	C	B
					C	B
	c.	Internal Road width (RoW)	18 m wide road			
21	CER Activities		To provide drinking water and computer facility for Siddapura Govt. Higher Primary School.			
22	EMP <ul style="list-style-type: none"> • Construction phase • Operation Phase 		During Construction: Capital Investment - 2.50 Lakh Construction - 13.30 Lakh/annum During Operation: Capital investment - 90.00 Lakh Operation Investment - 14.55 Lakh/annum			

The subject was discussed in the SEAC meeting held on 20th December 2021. The Committee has recommended to SEIAA for issue of EC and the extract of the proceedings of the Committee meeting is as below:

The proposal is for construction of residential apartment in an area which is earmarked in RMP of BDA for industrial high tech zone, for which the proponent clarified that as per zoning regulations, the proposed land use is permitted in the area and the land has been converted for residential use by Deputy Commissioner Bangalore.

The committee during appraisal sought clarification about handling of demolition waste, provision for harvesting rain water in the proposed area, details of existing trees in the area and provisions for electric vehicle charging facilities. The proponent submitted clarifications and informed the committee that about 1250Cum demolition waste which will be generated will be utilized within the site area and for harvesting runoff rain water from roof top a tank of 40cum capacity and for runoff from hardscape

an additional tank of 40cum capacity and for recharging the ground water using the excess water 10nos of recharge pits have been proposed within the project area. The proponent also submitted a revised tree list, consisting of 139of existing trees, out of which 35 trees would be removed and 104 trees will be retained and an additional 105 trees would be grown in lieu of the ones that are to be removed, thus proposing a total of 209 trees in the project area. He further informed that they have made provisions for charging of electric vehicles in the proposed project.

The proponent committed to take precautionary measures during and after construction to maintain the environmental parameters within permissible limits in the proposed project and agreed to comply with the ECBC and NBC guidelines for the proposed construction and adhere to the by-laws stipulated by the governing authority for buffers and setbacks.

The committee noted that the baseline parameters are within permissible limits and informed the proponent to leave buffers from the lake/drain as per the Revised Comprehensive Development Plan 2015 (RCDP) as directed by Hon'ble Supreme Court order CIVIL APPEAL NO. 5016 OF 2016 dated 5th March 2019 and informed the proponent to harvest maximum rainwater in the proposed project area.

The committee after discussion decided to recommend the proposal to SEIAA for issue of EC.


The Authority perused the proposal and took note of the recommendation of SEAC.


The Authority after discussion decided to clear the proposal for issue of Environmental Clearance subject to following:

- 1. If the distance of nearest Protected Area (National Park/ Sanctuary/Bio sphere reserve/ migratory corridor) is within 10 KM, a certificate from the Chief Wild Life Warden (CWLW) along with his recommendation, else a certificate from the proponent that the proposed site is more than 10 KM away from any Protection Authority (PA) (National Park/ Sanctuary/Bio sphere reserve/ migratory corridor) shall be submitted.*
- 2. A time bound action plan for implementation of proposed CER activities as a part of EMP shall be furnished.*
- 3. The project proponent shall ensure that tree planting/afforestation measures proposed in the EMP shall be strictly complied and an undertaking to this effect shall be submitted*

Additional Condition:

- 1 Assured water supply, commensurate with the ultimate occupancy envisaged in the project, shall be ensured before commencement of the project.*
- 2 25% of parking space shall have charging facility to enable charging of electric vehicles.*

Drafted by 

 11

210.1.3. Residential Apartment Project at Sy No. 39 & 40/2, Kada Agrahara Village, Sarjapura Hobli, Anekal Taluk, Bengaluru Urban District by M/s. Modern Spaces - Online Proposal No. SIA/KA/MIS/236508/2021 (SEIAA 132 CON 2021)


M/s. Modern Spaces have proposed for Development of Residential Apartment Project on a plot area of 23,066.76 Sq.mt. The total built up area is 62,206.97 Sq.mt. The proposed project consists of 348nos units in 4 Blocks having S+GF+3UF. Total water consumption is 238 KLD (Fresh water + Recycled water). The total wastewater generated is 214 KLD. The project proponent has proposed to construct Sewage Treatment plant with capacity of 245 KLD. The project cost is Rs. 105.79 Crores.

Details of the project are as follows:

Sl. No	PARTICULARS	INFORMATION
1	Name & Address of the Project Proponent	Mr. Shravanth P.Partner, M/s. Modern Spaces,# 1140, 17th Cross, 5th main, HSR Layout, Sector-7, Bengaluru-560 102.
2	Name & Location of the Project	Development of Residential Apartment Sy. No. 39 & 40/2, Kada Agrahara Village, Sarjapura Hobli, Anekal Taluk, Bengaluru.
3	Type of Development	
a.	Residential Apartment / Villas / Row Houses / Vertical Development / Office / IT/ ITES/ Mall/ Hotel/ Hospital / other	Residential Apartment Category 8(a), Building & Construction project as per the EIA notification 2006
b.	Residential Township/ Area Development Projects	NA
4	New/ Expansion/ Modification/ Renewal	New
5	Water Bodies/ Nalas in the vicinity of project site	Nalain Southern side and 9 m buffer for the same.
6	Plot Area (Sqm)	23,066.76 Sq.mt
7	Built Up area (Sqm)	62,206.97 Sq.mt
8	FAR <ul style="list-style-type: none"> • Permissible • Proposed 	2.25 2.08
9	Building Configuration [Number of Blocks / Towers / Wings etc., with Numbers of Basements and Upper Floors]	4 Blocks : S+GF+3UF

10	Number of units/plots in case of Construction/Residential Township/ Area Development Projects	348nos
11	Height Clearance	As per CCZM map, the permissible height is 135 m AMSL and proposed building height is 14.95 m.
13	Project Cost (Rs. In Crores)	Rs. 105.79 Crores
13	Disposal of Demolition waster and or Excavated earth	No demolition work. Total Excavated earth quantity - 5,568 m ³ For Backfilling - 1,114 m ³ For Landscaping - 2,305 m ³ For internal driveway & hardscape- 1,512m ³ For site formation - 637 m ³
14	Details of Land Use (Sq.m)	
a.	Ground Coverage Area	12,258.14 Sq.mt
b.	Kharab Land	202Sq.mt
c.	Total Green belt on Mother Earth for projects under 8(a) of the schedule of the EIA notification, 2006	4,612.98 Sq.mt
d.	Internal Roads	4838 Sq.mt
e.	Paved area	-
f.	Others Specify	C A Area - 1,155.64 Sq.mt
g.	Parks and Open space in case of Residential Township/ Area Development Projects	-
h.	Total	23,066.76 Sq.mt
15	WATER	
I.	Construction Phase	
a.	Source of water	Tertiary treated water for construction & External Tanker water suppliers for domestic use.
b.	Quantity of water for Construction in KLD	35 KLD
c.	Quantity of water for Domestic Purpose in KLD	6 KLD
d.	Waste water generation in KLD	5.4 KLD
e.	Treatment facility proposed and scheme of disposal of treated water	Domestic sewage generated during construction phase will be lifted to BWSSB sewage treatment plant through external


		agencies for further treatment.
II.	Operational Phase	
a.	Total Requirement of Water in KLD	Fresh water 158 KLD
		For Flushing 80 KLD
		Total 238 KLD
b.	Source of water	Yamare Gram panchayath
c.	Wastewater generation in KLD	214 KLD
d.	STP capacity	245 KLD
e.	Technology employed for Treatment	Sequential Batch Reactor Technology
f.	Scheme of disposal of excess treated water if any	Excess 91 KLD will be used for avenue plantation/ construction works.
16	Infrastructure for Rain water harvesting	
a.	Capacity of sump tank to store Roof run off	250 m ³ (100 cum & 150 cum)
	No's of Ground water recharge pits	12 Nos.
17	Storm water management plan	Storm water collection sump of 75 cum capacity to be provided and excess will be used for ground water recharge.
18	WASTE MANAGEMENT	
I.	Construction Phase	
a.	Quantity of Solid waste generation and mode of Disposal as per norms	The domestic solid wastes to be handed over to local vendors. Construction debris - 62 cum, to be reused within the site for road and pavement formation.
II.	Operational Phase	
a.	Quantity of Biodegradable waste generation and mode of Disposal as per norms	355 kg/day, to be segregated at household levels and to be processed in proposed organic waste converter.
b.	Quantity of Non-Biodegradable waste generation and mode of Disposal as per norms	533 kg/day, recyclable wastes to be handed over to authorized waste recyclers.
c.	Quantity of Hazardous Waste generation and mode of Disposal as per norms	Waste Oil Generation: 0.486 L/ running hour of DG Hazardous wastes like waste oil from DG sets, used batteries etc. to be handed over to the authorized hazardous waste recyclers.
d.	Quantity of E waste	E-Wastes to be collected separately & it to be






	generation and mode of Disposal as per norms	handed over to authorized E-waste recyclers for further processing.					
19	POWER						
a.	Total Power Requirement - Operational Phase	1,578 kW					
b.	Numbers of DG set and capacity in KVA for Standby Power Supply	500 kVA X 2 Nos.					
c.	Details of Fuel used for DG Set	210 L/hr					
d.	Energy conservation plan and Percentage of savings including plan for utilization of solar energy as per ECBC 2007	Total energy savings is 26 %					
20	PARKING						
a.	Parking Requirement as per norms	386 Nos of ECS					
b.	Level of Service (LOS) of the connecting Roads as per the Traffic Study Report	Road	Toward s	Existing		Changed	
		Kada Agrahara Road	Sarjapura main road	0.03	A	0.13	A
		Sarjapura Road	Sarjapur	0.46	C	0.32	B
			ORR	0.48	C	0.34	B
c.	Internal Road width (RoW)	12 m wide road					
21	CER Activities	To provide computer and internet facilities to Kommasandra Lower Primary School.					
22	EMP <ul style="list-style-type: none"> • Construction phase • Operation Phase 	During Construction: Capital Investment - 5.0 Lakh Construction - 17.1 Lakh/annum During Operation: Capital investment - 134 Lakh Operation Investment - 14.64 Lakh/annum					

The subject was discussed in the SEAC meeting held on 20th December 2021. The Committee has recommended to SEIAA for issue of EC and the extract of the proceedings of the Committee meeting is as below:

The proposal is for construction of residential apartment in an area which is earmarked by Anekal Planning Authority for industrial zone, for which the proponent

Drafted by 

clarified that the proposed land has been converted for residential use by Deputy Commissioner, Bangalore Rural District.

The committee during appraisal sought clarification for foot kharaband nala present in the project area as per village map, provisions for rain water harvesting in the proposed area and provisions for electric vehicle charging facilities. The proponent submitted clarifications and informed the committee that as per Deputy Commissioner Bangalore Order dated 24/09/2021 the foot kharab of 2Guntas has been rerouted and the same has been incorporated in the conceptual plan submitted along with a buffer of 9mtrs for the nala in the Southern portion as per zoning guidelines. For harvesting rain water, the proponent has proposed 250cum(100cum+150cum) storage tank for runoff from roof top and a additional tankof 75cum capacity for runoff from landscape and paved areas in addition to 12nos of recharge pits. He further informed that they have made provision for charging electrical vehicles in 15% out of the total parking slots in the proposed project.



The proponent had also submitted revised tree list with a provision to grow 288 trees in the proposed project area. The proponent committed to take precautionary measures during and after construction to maintain the environmental parameters within permissible limits in the proposed project and agreed to comply with the ECBC and NBC guidelines for the proposed construction and adhere to the by-laws stipulated by the governing authority for buffers and setbacks.

The committee noted that the baseline parameters are within permissible limits and informed the proponent to harvest maximum rainwater in the proposed project area and after discussion decided to recommend the proposal to SEIAA for issue of EC with a condition to leave the kharab area open for public use.

The Authority perused the proposal and took note of the recommendation of SEAC. The Authority noted that the rerouting of the foot Kharab of 2 Guntas has been approved vide Deputy Commissioner Order dated 24.09.2021.

The Authority after discussion decided to clear the proposal for issue of Environmental Clearance subject to following:

- 1. If the distance of nearest Protected Area (National Park/ Sanctuary/Bio sphere reserve/ migratory corridor) is within 10 KM, a certificate from the Chief Wild Life Warden (CWLW) along with his recommendation, else a certificate from the proponent that the proposed site is more than 10 KM away from any Protection Authority (PA) (National Park/ Sanctuary/Bio sphere reserve/ migratory corridor) shall be submitted.*
- 2. A time bound action plan for implementation of proposed CER activities as a part of EMP shall be furnished.*


16

3. The project proponent shall ensure that tree planting/afforestation measures proposed in the EMP shall be strictly complied and an undertaking to this effect shall be submitted

Additional Condition:


1. Assured water supply, commensurate with the ultimate occupancy envisaged in the project, shall be ensured before commencement of the project.
2. 25% of parking space shall have charging facility to enable charging of electric vehicles.
3. The PP shall strictly adhere to the local Planning Authority Bye-Laws.

210.1.4. Modification and Horizontal Expansion of Residential Villas. Project at Huttanahalli Village Panchayath, Jala Hobli, Bengaluru North Taluk, Bengaluru District by M/s. Adarsh Nivaas Pvt. Ltd. - Online Proposal No. SIA/KA/MIS/239650/2021 (SEIAA 138 CON 2021)

M/s. Adarsh Nivaas Private Limited have proposed for Modification and Horizontal Expansion of Residential Villas Project on a plot area of 2,22,700.48 Sqmt. The total built up area is 1,11,150.87 Sqmt. The proposed project consists of 343 villas having G+1UF & B+G+1UF. Total water consumption is 323 KLD (Fresh water + Recycled water). The total wastewater generated is 290 KLD. The project proponent has proposed to construct Sewage Treatment plant with capacity of 300KLD. The project cost is Rs. 215.55 Crores.

Details of the project are as follows:

Sl. No	PARTICULARS	INFORMATION
1	Name & Address of the Project Proponent	M/s. Adarsh Nivaas Private Limited #10, Vittal Mallya Rd, Bengaluru -560001.
2	Name & Location of the Project	Modification and Horizontal Expansion of Residential Villas At Sy Nos. 60/1, 60/2, 60/3, 60/4P, 61, 111/1, 111/2, 111/6, 112/1, 112/2, 122/1, 122/2, 122/3, 123/1, 123/2, 123/3, 123/4, 126/1, 126/2, 126/3, 127, 128P, 129/P, 130/1P, 131/1, 171, 172, 173, 174, 175, 176 & 177 of Huttanahalli Village, Jalahobli, Bengaluru North Taluk, Bengaluru Urban District.
3	Type of Development	
a.	Residential Apartment / Villas / Row Houses / Vertical Development / Office / IT/ ITES/ Mall/	Residential villas Category 8(a), Building & Construction project as per the EIA notification 2006.

	Hotel/ Hospital / other	
b.	Residential Township/ Area Development Projects	NA
4	New/ Expansion/ Modification/ Renewal	Modification and Horizontal Expansion
5	Water Bodies/ Nalas in the vicinity of project site	Tertiary nala in western side and buffer of 3m is provided as per local byelaws
6	Plot Area (Sqm)	2,22,700.48 Sqmt
7	Built Up area (Sqm)	1,11,150.87 Sqmt
8	FAR <ul style="list-style-type: none"> • Permissible • Proposed 	2.5 0.492
9	Building Configuration [Number of Blocks / Towers / Wings etc., with Numbers of Basements and Upper Floors]	G+1UF & B+G+1UF.
10	Number of units/plots in case of Construction/ Residential Township/ Area Development Projects	343 villas.
11	Height Clearance	Permissible - 10 m. Achieved - 7.85 m.
12	Project Cost (Rs. In Crores)	Rs. 215.55 Crores.
13	Disposal of Demolition waster and or Excavated earth	Total quantity of Excavated earth : 3,46,465.58 Cum For Back filling in foundation : 79,159 Cum For landscaping : 1,62,279 Cum Roads and walkways : 84,345 Cum For Site Formation : 14,619 Cum For preparation of soil block for STP Room, DG Room, Compound wall and podium landscaping partition walls - 6,063.58 Cum.
14	Details of Land Use	
a.	Ground Coverage Area	57,590.78 Sqmt
b.	Kharab Land	2,023.43 Sqmt
c.	Total Green belt on Mother Earth for projects under 8(a) of the schedule of the EIA notification, 2006	95,458.01 Sqmt
d.	Internal Roads	--
e.	Paved area	

f.	Others Specify	Driveway / Ramp area - 28,114.88 Sqmt CA Area - 11,088.26 Sqmt Road Widening area - 17,381.04 Sqmt Visitors Parking - 11,044.08 Sqmt	
g.	Parks and Open space in case of Residential Township/ Area Development Projects	--	
h.	Total	2,22,700.48 Sqmt	
15	WATER		
I.	Construction Phase		
a.	Source of water	Doddajala Grama Panchayath	
b.	Quantity of water for Construction in KLD	13 KLD	
c.	Quantity of water for Domestic Purpose in KLD	23 KLD	
d.	Waste water generation in KLD	21.5 KLD	
e.	Treatment facility proposed and scheme of disposal of treated water	The total sewage generated from construction site & labour camp is 21.5 KLD which to be treated in existing mobile STP; Treated sewage to be re-used for Dust Suppression, Gardening & Construction purpose.	
II.	Operational Phase		
a.	Total Requirement of Water in KLD	Fresh	215 KLD
		Recycled	108 KLD
		Total	323 KLD
b.	Source of water	Chikkajala Grama Panchayath.	
c.	Waste water generation in KLD	290 KLD	
d.	STP capacity	300 KLD	
e.	Technology employed for Treatment	Sequencing Batch Reactor (SBR) Technology.	
f.	Scheme of disposal of excess treated water if any	For Flushing - 108 KLD For Landscaping - 168 KLD	
16	Infrastructure for Rain water harvesting		
a.	Capacity of sump tank to store Roof run off	300 Cum	
b.	No's of Ground water recharge pits	75 Nos.	
17	Storm water management plan	Runoff from hardscape landscapeto be stored in pond of capacity 1400cum and 75 Nos. of Recharge pits.	

18	WASTE MANAGEMENT				
	I. Construction Phase				
a.	Quantity of Solid waste generation and mode of Disposal as per norms	Construction Site - 45 kg/day Labour colony - 45 kg/day 90 kg/day of Solid waste generated from the labor camp and construction site to be collected manually and handed over to authorized recyclers.			
	II. Operational Phase				
a.	Quantity of Biodegradable waste generation and mode of Disposal as per norms	472 kg/day, Biodegradable wastes to be segregated at the source and to be processed in proposed organic waste converter			
b.	Quantity of Non-Biodegradable waste generation and mode of Disposal as per norms	708 kg/day, Non-biodegradable Wastes to be given to the waste recyclers.			
c.	Quantity of Hazardous Waste generation and mode of Disposal as per norms	1.22 L/hr, Hazardous wastes like waste oil from DG sets, used batteries etc. to be handed over to the authorized hazardous waste recyclers.			
d.	Quantity of E waste generation and mode of Disposal as per norms	E-Wastes to be collected separately & it will be handed over to authorized E-waste recyclers for further processing.			
19	POWER				
a.	Total Power Requirement - Operational Phase	4,500 kVA			
b.	Numbers of DG set and capacity in KVA for Standby Power Supply	1010 kVA X 2 Nos. & 500 kVA X 1 No			
c.	Details of Fuel used for DG Set	527.96 L/hr			
d.	Energy conservation plan and Percentage of savings including plan for utilization of solar energy as per ECBC 2007	Total Energy Savings: 24.99%			
20	PARKING				
a.	Parking Requirement as per norms	360 Nos of ECS			
b.	Level of Service (LOS) of the connecting Roads as per the Traffic Study Report	Road		Existing	Modified
		Bellary Road	To Yelahanka	C	D
			To BIAL	C	D

		Meesaganahalli road	A	A
	c.	Internal Road width (RoW)	30 m Road	
21		CER Activities	Doddajala Amanikere lake developmental activities, which is at a distance of 1.70km from proposed project area.	
22		EMP	During Construction: Capital investment - 7.0 lakhs During Construction - 29 lakhs/ annum During Operation: Capital investment - 163.0 lakhs Operation Investment - 25.0 lakhs/ annum	
		• Construction phase		
		• Operation Phase		

The subject was discussed in the SEAC meeting held on 20th December 2021. The Committee has recommended to SEIAA for issue of EC and the extract of the proceedings of the Committee meeting is as below:

The proposal is for modification and horizontal expansion of residential villas for which EC was issued earlier on 03/10/2013 and amendment to EC was issued on 29/07/2021 for BUA of 48,092.20Sq m in plot area of 97,654.89Sq m and now the proposal is for a BUA of 1,11,150.87 Sq m in a plot area of 2,22,700.48Sq m. The proponent has submitted satisfactory Certified Compliance Report from MOEF&CC dated 14/10/2021, for the earlier EC.

The committee during appraisal sought clarification about the cart track road and the nala present in the project area as per village map, provisions for harvesting rain water in the proposed area and details of trees proposed to be grown in the project location. The proponent submitted clarifications and informed the committee that cart track kharab of 10Guntas in northern direction will be left for free access to public and 3mtrs buffer on both sides as per BIAAPA regulations for the nala passing from north to south in the proposed area and the same is incorporated in the conceptual plan. For harvesting rain water, the proponent has proposed 300cum storage tank for runoff from roof top and a pond of 1400cum capacity for runoff from landscape and paved areas in addition to 75nos of recharge pits.

The proponent has submitted revised tree list making provision to grow 2650 trees in the proposed project area. The proponent has committed to take precautionary measures during and after construction to maintain the environmental parameters within permissible limits in the proposed project and agreed to comply with the ECBC and NBC guidelines for the proposed construction and adhere to the by-laws stipulated by the governing authority for buffers and setbacks.

The committee noted that the baseline parameters are within permissible limits and informed the proponent to harvest maximum rainwater in the proposed project area.

The Committee after discussion decided to recommend the proposal to SEIAA for issue of EC with a condition to leave the cart track kharab for free access to public and to take necessary permission to construct culvert/bridge on nala.


The Authority perused the proposal and took note of the recommendation of SEAC.

The Authority after discussion decided to clear the proposal for issue of Environmental Clearance subject to following:

1. *The project proponent shall furnish Notarized undertaking that he shall maintain Buffer zone as per bylaw and compliance to provisions of CDP.*
2. *The project proponent shall leave the buffer from the lake /drain as per the RCDP 2015 as directed by supreme court order CIVIL APPEAL NO. 5016 OF 2016 dated 5th March 2019.*
3. *If the distance of nearest Protected Area (National Park/ Sanctuary/Bio sphere reserve/ migratory corridor) is within 10 KM, a certificate from the Chief Wild Life Warden (CWLW) along with his recommendation, else a certificate from the proponent that the proposed site is more than 10 KM away from any Protection Authority (PA) (National Park/ Sanctuary/Bio sphere reserve/ migratory corridor) shall be submitted.*
4. *A time bound action plan for implementation of proposed CER activities as a part of EMP shall be furnished - CER activities may be furnished on a project mode and financial allocation to be commensurate with the project Cost.*
5. *The project proponent shall ensure that tree planting/afforestation measures proposed in the EMP shall be strictly complied and an undertaking to this effect shall be submitted*

Additional Condition:

1. *Assured water supply, commensurate with the ultimate occupancy envisaged in the project, shall be ensured before commencement of the project.*
2. *The PP shall make provision for charging facility to enable charging of electric vehicles for all villas.*
3. *The PP shall encourage individual household Waste Composting.*
4. *The PP shall ensure that car track Kharab of 10 Guntas shall remain free access to public at all times and 3-meter buffer on both sides as per BIAAPA regulations.*
5. *The PP shall obtain necessary permissions to construct Culvert/Bridge on Nala.*
6. *The PP shall strictly adhere to the local Planning Authority Bye-Laws.*



210.1.5. Residential Apartment Building Project at Balagere Village, Bangalore East Taluk, Bangalore Urban District by M/s. S & M Developers - Online Proposal No. SIA/KA/MIS/238129/2021 (SEIAA 133 CON 2021)

M/s. S & M Developers have proposed for Construction of residential building Project on a plot area of 13,354.515 Sqm. The total built up area is 48,387.16 Sqm. The proposed project consists of 294 units in Block 1 & 2 having B+G+21UF. Total water consumption is 199 KLD (Fresh water + Recycled water). The total wastewater generated is 159 KLD. The project proponent has proposed to construct Sewage Treatment plant with capacity of 175 KLD. The project cost is Rs. 39.2 Crores.

Details of the project are as follows:

Sl. No	PARTICULARS	INFORMATION
1	Name & Address of the Project Proponent	Sri C Madhusudhan Reddy, Managing partner, M/s. S & M Developers 36/7 & 36/8, Balagere, Bangalore-560087.
2	Name & Location of the Project	Construction of residential building at Sy. No. 47/1, 47/4 (Old Sy. No. 47/1), 49/6, 49/8 (Old Sy. No. 49/6), Balagere Village, VarthurHobli, Bengaluru Taluk, Bengaluru District- 560087
3	Type of Development	
	a. Residential Apartment / Villas / Row Houses / Vertical Development / Office / IT/ ITES/ Mall/ Hotel/ Hospital / other	Residential Apartment Category 8(a), Building & Construction project as per the EIA notification 2006
	b. Residential Township/ Area Development Projects	Not Applicable
4	New/ Expansion/ Modification/ Renewal	New
5	Water Bodies/ Nalas in the vicinity of project site	Varthur Lake - 693 m (N)
6	Plot Area (Sqm)	13,354.515 Sqm
7	Built Up area (Sqm)	48,387.16 Sqm
8	FAR • Permissible • Proposed	2.5 2.49
9	Building Configuration [Number of Blocks / Towers / Wings etc., with Numbers of Basements and Upper Floors]	Block 1 & 2 : B+G+21UF

10	Number of units/plots in case of Construction/Residential Township/ Area Development Projects	294 units
11	Height Clearance	Justification has been submitted informing that an existing building namely Sobha Dreams with a height of 89 mtrs on a site with elevation of 878 AMSL is adjacent to the proposed area. The proposed project is 71.38 mtrs at a site elevation of 877 AMSL. Obtained AAI, NOC dated:03/12/2021.
12	Project Cost (Rs. In Crores)	39.5 Crores
13	Disposal of Demolition waster and or Excavated earth	Excavated Earth :8100 Cum Backfilling : 4050 Cum Road and walkway : 2430 Cum Gardening : 1620 Cum
14	Details of Land Use (Sqm)	
	a. Ground Coverage Area	4029.09 Sqm
	b. Kharab Land	--
	c. Total Green belt on Mother Earth for projects under 8(a) of the schedule of the EIA notification, 2006	4406.99 Sqm
	d. Internal Roads	4918.43 Sqm
	e. Paved area	
	f. Others Specify	--
	g. Parks and Open space in case of Residential Township/ Area Development Projects	--
	h. Total	13,354.515 Sqm
15	WATER	
	I. Construction Phase	
	a. Source of water	STP treated water for construction purpose & Tanker water for domestic
	b. Quantity of water for Construction in KLD	10 KLD
	c. Quantity of water for Domestic Purpose in KLD	4.5 KLD
	d. Waste water generation in KLD	3.6 KLD
	e. Treatment facility proposed	Septic tank with soak pit and mobile STP in

	and scheme of disposal of treated water	site.
II.	Operational Phase	
a.	Total Requirement of Water in KLD	Fresh 132 KLD
		Recycled 67 KLD
		Total 199 KLD
b.	Source of water	BWSSB
c.	Waste water generation in KLD	159 KLD
d.	STP capacity	175 KLD
e.	Technology employed for Treatment	Sequencing Batch Reactor (SBR) Technology
f.	Scheme of disposal of excess treated water if any	For flushing : 67 KLD For car washing :16 KLD For gardening : 35 KLD Other construction purpose : 33 KLD
16	Infrastructure for Rain water harvesting	
a.	Capacity of sump tank to store Roof run off	100 cum
	No's of Ground water recharge pits	17 no's
17	Storm water management plan	Runoff from hard land scape areas to be stored in pond of capacity 170cum and excess water to be used for recharge of ground water through 17nos of groundwater recharge pits within the plot area.
18	WASTE MANAGEMENT	
I.	Construction Phase	
a.	Quantity of Solid waste generation and mode of Disposal as per norms	10 kg/day, Solid waste to be collected manually and handed over to local body for further processing
II.	Operational Phase	
a.	Quantity of Biodegradable waste generation and mode of Disposal as per norms	397 Kg/day, Organic wastes to be segregated & collected separately and processed in organic waste converter. Sludge generated from STP of capacity 8kg/day to be reused as manure for greenery development purposes.
b.	Quantity of Non-Biodegradable waste generation and mode of Disposal as per norms	265Kg/day, Recyclable waste to be given to the waste collectors for recycling for further processing.
c.	Quantity of Hazardous	200 Litres/annum of Waste oil generated from

	Waste generation and mode of Disposal as per norms	the DG sets to be collected in leak proof barrels and handed over to the authorized waste oil recyclers.
d.	Quantity of E waste generation and mode of Disposal as per norms	E-Wastes to be collected & stored in bins and disposed to the authorized & approved KSPCB E-waste processors.
19	POWER	
a.	Total Power Requirement - Operational Phase	BESCOM - 1000 kW
b.	Numbers of DG set and capacity in KVA for Standby Power Supply	1X500 KVA
c.	Details of Fuel used for DG Set	Low Sulphur Content Diesel
d.	Energy conservation plan and Percentage of savings including plan for utilization of solar energy as per ECBC 2007	Total saving is 20%
20	PARKING	
a.	Parking Requirement as per norms	324 no's ECS
b.	Level of Service (LOS) of the connecting Roads as per the Traffic Study Report	Towards Varthur - B Towards Marathalli - C
c.	Internal Road width (RoW)	Approach road width - 18 m Internal road width is- 8 m
21	CER Activities	To provide smart class, drinking water facility and sanitary facility to Balagere Government primary school
22	EMP <ul style="list-style-type: none"> • Construction phase • Operation Phase 	During Construction: Capital investment - 9.4lakhs Operation investment - 0.95 lakhs/ annum During Operation: Capital investment - 184 lakhs Operation Investment - 20.5 lakhs/ annum

The subject was discussed in the SEAC meeting held on 20th December 2021. The Committee has recommended to SEIAA for issue of EC and the extract of the proceedings of the Committee meeting is as below:

The proposal for construction of residential apartment in an area earmarked in BDA RMP for residential use. The committee during appraisal sought clarification for provisions made for harvesting rain water in the proposed area. The proponent

submitted clarifications and informed the committee that for harvesting runoff rain water from roof top a tank of 100cum capacity and for runoff from hardscape a pond of 170cum capacity and for recharging the ground water using the excess water 17nos of recharge pits have been proposed within the project area.

The proponent further informed the committee that they have made provisions to grow 175 trees in the proposed project area. The proponent committed to take precautionary measures during and after construction to maintain the environmental parameters within permissible limits in the proposed project and agreed to comply with the ECBC and NBC guidelines for the proposed construction and adhere to the by-laws stipulated by the governing authority for buffers and setbacks.

The committee noted that the baseline parameters are within permissible limits and informed the proponent to leave buffers from the lake/drain as per the Revised Comprehensive Development Plan 2015 (RCDP) as directed by Hon'ble Supreme Court order CIVIL APPEAL NO. 5016 OF 2016 dated 5th March 2019 and informed the proponent to harvest maximum rainwater in the proposed project area. The committee after discussion decided to recommend the proposal to SEIAA for issue of EC.



The Authority perused the proposal and took note of the recommendation of SEAC.

The Authority after discussion decided to clear the proposal for issue of Environmental Clearance subject to following:

- 1. If the distance of nearest Protected Area (National Park/ Sanctuary/Bio sphere reserve/ migratory corridor) is within 10 KM, a certificate from the Chief Wild Life Warden (CWLW) along with his recommendation, else a certificate from the proponent that the proposed site is more than 10 KM away from any Protection Authority (PA) (National Park/ Sanctuary/Bio sphere reserve/ migratory corridor) shall be submitted.*
- 2. A time bound action plan for implementation of proposed CER activities as a part of EMP shall be furnished.*
- 3. The project proponent shall ensure that tree planting/afforestation measures proposed in the EMP shall be strictly complied and an undertaking to this effect shall be submitted*

Additional Condition:

- 1. Assured water supply, commensurate with the ultimate occupancy envisaged in the project, shall be ensured before commencement of the project.*
- 2. 25% of parking space shall have charging facility to enable charging of electric vehicles.*

 27

210.1.6. Construction of Residential Development Project at Dandupallya Village, Kasaba Hobli, Hoskote Taluk, Bengaluru Rural District by Sri K N Revanna - Online Proposal No.SIA/KA/MIS/237705/2021 (SEIAA 131 CON 2021)


Mr. S H Krishnappa , Mr. K N Revanna Mr. K N Chinna Reddy have proposed for construction of development of Residential Apartment Project on a plot area of 11,836.89 Sqm. The total built up area is 28,883.29 Sqm. The proposed project consists of 238 units in Building- having 1:B+G+4U and Club house having G+1F. Total water consumption is 161 KLD (Fresh water + Recycled water). The total wastewater generated is 129 KLD. The project proponent has proposed to construct Sewage Treatment plant with capacity of 145 KLD. The project cost is Rs. 30Crores.

Details of the project are as follows:

Sl. No	PARTICULARS	INFORMATION
1	Name & Address of the Project Proponent	Mr. S H KRISHNAPPA Mr. K N REVANNA Mr. K N CHINNA REDDY, #770/138B, F-2 Road, Jeevanbhimanagar, Bangalore-560075.
2	Name & Location of the Project	Proposed development of Residential Apartment at Sy. Nos. 90/3, 91/2, Dandupalya Village, Hoskote Taluk, Bengaluru Rural District - 562114
3	Type of Development	
a.	Residential Apartment / Villas / Row Houses / Vertical Development / Office / IT/ ITES/ Mall/ Hotel/ Hospital /other	Residential Apartment Category 8(a), Building & Construction project as per the EIA notification 2006
b.	Residential Township/ Area Development Projects	Not Applicable
4	New/ Expansion/ Modification/ Renewal	New
5	Water Bodies/ Nalas in the vicinity of project site	Dandupalya Lake- 0.80 km (E) Thirumagondanahalli Lake-1.4km (N)
6	Plot Area (Sqm)	11,836.89 Sqm
7	Built Up area (Sqm)	28,883.29 Sqm
8	FAR Permissible Proposed	2.00 1.99
9	Building Configuration [Number of Blocks / Towers / Wings etc., with Numbers of Basements and Upper Floors]	Building-1:B+G+4U Club house - G+1F
10	Number of units/plots in case	238 units

	of Construction/ Residential Township/ Area Development Projects	
11	Height Clearance	Permissible top elevation of about 1136.47M AMSL and proposed project is having top elevation of 903.95mtr AMSL
12	Project Cost (Rs. In Crores)	30 Crores
13	Disposal of Demolition waster and or Excavated earth	Excavated Earth : 9000 Cum Backfilling : 4500 Cum Road and walkway :2700 Cum Gardening :1800 Cum
14	Details of Land Use (Sqm)	
a.	Ground Coverage Area	4778.33 Sqm
b.	Kharab Land	--
c.	Total Green belt on Mother Earth for projects under 8(a) of the schedule of the EIA notification, 2006	3904.98 Sqm
d.	Internal Roads	1716.24 Sqm
e.	Paved area	
f.	Others Specify	Civic Amenities : 624.63 Sqm Road area : 812.72 Sqm
g.	Parks and Open space in case of Residential Township/ Area Development Projects	--
h.	Total	11,836.89 Sqm
15	WATER	
I.	Construction Phase	
a.	Source of water	STP treated water for construction purpose & Tanker water for domestic
b.	Quantity of water for Construction in KLD	10 KLD
c.	Quantity of water for Domestic Purpose in KLD	4.5 KLD
d.	Waste water generation in KLD	3.6 KLD
e.	Treatment facility proposed and scheme of disposal of treated water	Septic tank with soak pit and mobile STP
II.	Operational Phase	
a.	Total Requirement of Water in KLD	Fresh
		Recycled
		Total
b.	Source of water	Hoskote Municipality

	c.	Waste water generation in KLD	129 KLD
	d.	STP capacity	145 KLD
	e.	Technology employed for Treatment	Sequencing Batch Reactor (SBR) Technology
	f.	Scheme of disposal of excess treated water if any	No excess treated water
16	Infrastructure for Rain water harvesting		
	a.	Capacity of sump tank to store Roof run off	130 Cum
	b.	No's of Ground water recharge pits	11 no's
17	Storm water management plan		Runoff from hard land scape areas to be stored in pond of capacity 50cum and excess water to be used for recharge of ground water through 11nos of groundwater recharge pits within the plot area.
18	WASTE MANAGEMENT		
	I. Construction Phase		
	a.	Quantity of Solid waste generation and mode of Disposal as per norms	10 kg/day, Solid waste to be collected manually and handed over to local body for further processing
	II. Operational Phase		
	a.	Quantity of Biodegradable waste generation and mode of Disposal as per norms	322 Kg/day, Organic wastes to be segregated & collected separately and processed in organic waste converter Sludge generated from STP of capacity 7kg/day to be reused as manure for greenery development purposes.
	b.	Quantity of Non-Biodegradable waste generation and mode of Disposal as per norms	214Kg/day, Recyclable waste to be given to the waste collectors for recycling for further processing.
	c.	Quantity of Hazardous Waste generation and mode of Disposal as per norms	200 Litres/annum of Waste oil generated from the DG sets to be collected in leak proof barrels and handed over to the authorized waste oil recyclers.
	d.	Quantity of E waste generation and mode of Disposal as per norms	E-Wastes to be collected & stored in bins and disposed to the authorized & approved KSPCB E-waste processors.
19	POWER		
	a.	Total Power Requirement - Operational Phase	BESCOM - 850 kW
	b.	Numbers of DG set and	1X250 KVA

		capacity in KVA for Standby Power Supply	
	c.	Details of Fuel used for DG Set	Low Sulphur Content Diesel
	d.	Energy conservation plan and Percentage of savings including plan for utilization of solar energy as per ECBC 2007	Total savings of 22%
20	PARKING		
	a.	Parking Requirement as per norms	266 no's ECS
	b.	Level of Service (LOS) of the connecting Roads as per the Traffic Study Report	Towards Hoskote - B Towards Malur - B
	c.	Internal Road width (RoW)	Approach road width - 12 m Internal road width- 3 m
21	CER Activities		To provide smart class and sanitary facility to Varadapura Government primary school
22	EMP Construction phase Operation Phase		During Construction: Capital investment - 10.3lakhs Operation investment - 0.95 lakhs/ annum During Operation: Capital investment - 180 lakhs Operation Investment - 20.5 lakhs/ annum

The subject was discussed in the SEAC meeting held on 20th December 2021. The Committee has recommended to SEIAA for issue of EC and the extract of the proceedings of the Committee meeting is as below:

The proposal is for construction of residential apartment in an area which is earmarked in BMRDA for residential use.

The committee during appraisal sought clarification for provisions made for harvesting rain water in the proposed area. The proponent submitted clarifications and informed the committee that for harvesting runoff rain water from roof top a tank of 130cum capacity and for runoff from hardscape a pond of 50cum capacity and for recharging the ground water using the excess water 11nos of recharge pits have been proposed within the project area.

The proponent further informed the committee that they have made provisions to grow 165 trees in the proposed project area. The proponent committed to take precautionary measures during and after construction to maintain the environmental parameters within permissible limits in the proposed project and agreed to comply with the ECBC and NBC guidelines for the proposed construction and adhere to the by-laws stipulated by the governing authority for buffers and setbacks.

The committee noted that the baseline parameters are within permissible limits and informed the proponent to harvest maximum rainwater in the proposed project area. The committee after discussion decided to recommend the proposal to SEIAA for issue of EC

The Authority perused the proposal and took note of the recommendation of SEAC.

The Authority after discussion decided to clear the proposal for issue of Environmental Clearance subject to following:



- 1. The project proponent shall furnish Notarized undertaking that he shall maintain Buffer zone as per bylaw and compliance to provisions of CDP.*
- 2. The project proponent shall leave the buffer from the lake /drain as per the RCDP 2015 as directed by supreme court order CIVIL APPEAL NO. 5016 OF 2016 dated 5th March 2019.*
- 3. If the distance of nearest Protected Area (National Park/ Sanctuary/Bio sphere reserve/ migratory corridor) is within 10 KM, a certificate from the Chief Wild Life Warden (CWLW) along with his recommendation, else a certificate from the proponent that the proposed site is more than 10 KM away from any Protection Authority (PA) (National Park/ Sanctuary/Bio sphere reserve/ migratory corridor) shall be submitted.*
- 4. A time bound action plan for implementation of proposed CER activities as a part of EMP shall be furnished - CER activities may be worked with more explicit mode and commensurate with the project Cost.*
- 5. The project proponent shall ensure that tree planting/afforestation measures proposed in the EMP shall be strictly complied and an undertaking to this effect shall be submitted*

Additional Condition:

- 1. Assured water supply, commensurate with the ultimate occupancy envisaged in the project, shall be ensured before commencement of the project.*
- 2. 25% of parking space shall have charging facility to enable charging of electric vehicles.*
- 3. The PP shall strictly adhere to the local Planning Authority Bye-Laws.*

210.1.7. Development of Commercial Building Project at Chikkajala Villae, Jala Hobli, Bangalore North Taluk, Bangalore Urban District by Sri C.R. Suresh- Online Proposal No.SIA/KA/MIS/138424/2020(SEIAA 15 CON 2020)

Sri. C R Suresh and Others have proposed for construction of Residential / Commercial Development project on a plot area of 39,355.13 Sqmt. The total built up area

 32


is 56,683.97 Sqmt. The proposed project consists of 278 Units. Total water consumption is 244.12 KLD (Fresh water + Recycled water). The total wastewater generated is 231.9 KLD. The project proponent has proposed to construct Sewage Treatment plant with capacity of 270 KLD. The project cost is Rs. 113.0 Crores.

Details of the project are as follows:

Sl. No	PARTICULARS	INFORMATION
1	Name & Address of the Project Proponent	Sri. C R Suresh and Others, No.140 C, Villa Shoba Malachite, Jakkur Post, Bangalore-560064
2	Name & Location of the Project	Residential / Commercial Development project by Sri. C R Suresh and Others, at Sy No. 77/3A, 77/3B, 77/4, 77/5, 77/6, 77/7, 77/9, 77/15, 77/16, 77/17, 78/8, 78/10A1, 78/10B of Chikkajala Village, JalaHobli, Bangalore North Taluk, Bangalore Urban District.
3	Type of Development	
a.	Residential Apartment / Villas / Row Houses / Vertical Development / Office / IT/ ITES/ Mall/ Hotel/ Hospital /other	Residential / Commercial Development project Category 8(a), Building & Construction project as per the EIA notification 2006
b.	Residential Township/ Area Development Projects	NA
4	New/ Expansion/ Modification/ Renewal	New
5	Water Bodies/ Nalas in the vicinity of project site	Chikkajala Lake : 0.35 kms (NW) DoddaJala lake: 0.95 kms(NE)
6	Plot Area (Sqm)	39,355.13 Sqmt
7	Built Up area (Sqm)	56,683.97 Sqmt
8	FAR <ul style="list-style-type: none"> • Permissible • Proposed 	3.00 2.466
9	Building Configuration [Number of Blocks / Towers / Wings etc., with Numbers of Basements and Upper Floors]	Blocks A&B: LB+UB+GF+19UF+T Block C: LB+UB+GF+15UF+T Commercial spaces is proposed in Block C b/w GF to 6 th floor.
10	Number of units/plots in case of Construction/Residential Township/ Area Development	278 Units

	Projects		
11	Height Clearance	As per CCZM of Bangalore permitted height is 9mtrs and and proposed height is 59.90mtrs	
12	Project Cost (Rs. In Crores)	Rs. 113.0 Cr.	
13	Disposal of Demolition waste and or Excavated earth	Total quantity 65,700.08cum	
		Back filling for footings	32,850.04cu.m
		Site filling required	5,176.34cu.m
		Back filling for retaining wall	2,008.17cu.m
		Top soil for Landscaping	6,587.13cu.m
	Filling for internal roads	19,078.39cu.m	
14	Details of Land Use (Sqmt)		
a.	Ground Coverage Area	2,878.40 Sqmt	
b.	Kharab Land	--	
c.	Total Green belt on Mother Earth for projects under 8(a) of the schedule of the EIA notification, 2006	12,987.19 Sqmt	
d.	Internal Roads	7,533.29 Sqmt	
e.	Park Area	2,443.39 Sqmt	
f.	Civic Amenities Area	1,967.76 Sqmt	
g.	Open space area	11,545.10 Sqmt	
i.	Total	39,355.13Sqmt	
15	WATER		
I.	Construction Phase		
a.	Source of water	Nearby treated water suppliers	
b.	Quantity of water for Construction in KLD	50 KLD	
c.	Quantity of water for Domestic Purpose in KLD	10 KLD	
d.	Waste water generation in KLD	8 KLD	
e.	Treatment facility proposed and scheme of disposal of treated water	Through mobile STP	
II.	Operational Phase		
a.	Total Requirement of Water in KLD	Fresh	72.23
		Recycled	80.27+91.62

		Total	244.12
b.	Source of water	Gram Panchayat	
c.	Waste water generation in KLD	231.9 KLD	
d.	STP capacity	270 KLD	
e.	Technology employed for Treatment	SBR Technology	
f.	Scheme of disposal of excess treated water if any	No Disposal.	
16	Infrastructure for Rain water harvesting		
a.	Capacity of sump tank to store Roof run off	155.0 cu.m.	
b.	No's of Ground water recharge pits	46 Nos.	
17	Storm water management plan	The storm water from the site to be collected in pond of capacity 730cum.	
18	WASTE MANAGEMENT		
I.	Construction Phase		
a.	Quantity of Solid waste generation and mode of Disposal as per norms	40kg/day, Separate collection bins to be used for organic and inorganic waste. Organic waste to be converted in organic convertor. Inorganic solid waste to be handed over to authorized recyclers.	
II.	Operational Phase		
a.	Quantity of Biodegradable waste generation and mode of Disposal as per norms	397.02 kg/day, Biodegradable waste to be converted in organic convertor.	
b.	Quantity of Non-Biodegradable waste generation and mode of Disposal as per norms	264.68 kg/day. Non- Biodegradable waste to be handed over to authorized recyclers	
c.	Quantity of Hazardous Waste generation and mode of Disposal as per norms	Nil	
d.	Quantity of E waste generation and mode of Disposal as per norms	E-waste generation to be handed over to authorized recyclers	
19	POWER		
a.	Total Power Requirement - Operational Phase	1750 kVA	
b.	Numbers of DG set and capacity in KVA for Standby	1 x 1000 kVA + 3 x 250 kVA	

		Power Supply	
	c.	Details of Fuel used for DG Set	HSD
	d.	Energy conservation plan and Percentage of savings including plan for utilization of solar energy as per ECBC 2007	Total energy savings 24.07%
20		PARKING	
	a.	Parking Requirement as per norms	383 ECS
	b.	Level of Service (LOS) of the connecting Roads as per the Traffic Study Report	NH 44 - B
	c.	Internal Road width (RoW)	8.0 m
21		CER Activities	Year
			Corporate Environmental Responsibility (CER)
	1st		Rain Water Harvesting in GHPS Chikkajala
	2nd		Avenue planation and planation in Primary Health Care Center Chikkajala
	3rd		Solar Panels Provision in GHPS Chikkajala
	4th		Drinking Water and Sanitation facility supply in GHPS Chikkajala
	5th	Health camp in GHPS Chikkajala	
22		EMP (Construction & Operation)	Capital Investment : 61.49 Lakhs Construction : 16.50 Lakh/annum During Operation: Capital investment : 300.00 Lakh Operation Investment : 64.70 Lakh/annum

The subject was discussed in the SEAC meeting held on 21st December 2021. The Committee has recommended to SEIAA for issue of EC and the extract of the proceedings of the Committee meeting is as below:

The proposal was initially considered in 244th SEAC meeting the proponent remained absent and the committee had deferred the appraisal of the project. Presently proposed project is for construction of residential and commercial buildings and the proposed area is earmarked for residential use as per BIAAPA zoning regulation. The proponent informed the committee that they had planned for phase wise development and for the present proposal the plot area is increased from 16,288.37 Sqmt to

39,355.13Sqmt with respect to earlier submission and BUA for the current proposal is 56,683.97Sqmt.

The committee during appraisal sought clarification for nala present in the project area as per village map, provisions for harvesting rain water in the proposed area and provisions to convert organic waste to biogas. The proponent submitted clarifications and informed the committee that as per village map there is nala in eastern side of the plot and a buffer of 9mtr is proposed as per BIAAPA regulations. For harvesting rain water, the proponent has proposed 155cum storage tank for runoff from rooftop and a pond of 730cum capacity for runoff from landscape and paved areas in addition to 46nos of deep well recharge structures within the project area. Proponent agreed to convert organic waste to biogas for kitchen use and has made provisions in EMP.

The proponent further submitted revised tree list and informed the committee that they have made provisions to grow 498 trees in the proposed project area. The proponent committed to take precautionary measures during and after construction to maintain the environmental parameters within permissible limits in the proposed project and agreed to comply with the ECBC and NBC guidelines for the proposed construction and adhere to the by-laws stipulated by the governing authority for buffers and setbacks.

The committee noted that the baseline parameters are within permissible limits and informed the proponent to harvest maximum rainwater in the proposed project area. The committee after discussion decided to recommend the proposal to SEIAA for issue of EC.

The Authority perused the proposal and took note of the recommendation of SEAC.

The Authority after discussion decided to clear the proposal for issue of Environmental Clearance subject to following:

- 1. The project proponent shall furnish Notarized undertaking that he shall maintain Buffer zone as per bylaw and compliance to provisions of CDP.*
- 2. The project proponent shall leave the buffer from the lake /drain as per the RCDP 2015 as directed by supreme court order CIVIL APPEAL NO. 5016 OF 2016 dated 5th March 2019.*
- 3. If the distance of nearest Protected Area (National Park/ Sanctuary/Bio sphere reserve/ migratory corridor) is within 10 KM, a certificate from the Chief Wild Life Warden (CWLW) along with his recommendation, else a certificate from the proponent that the proposed site is more than 10 KM away from any Protection Authority (PA) (National Park/ Sanctuary/Bio sphere reserve/ migratory corridor) shall be submitted.*
- 4. STP should be redesigned for Biological Nitrogen Removal. / BNR unit along with design calculation and revised budgetary allocation for the same should be submitted.*



5. A time bound action plan for implementation of proposed CER activities as a part of EMP shall be furnished.
6. The project proponent shall ensure that tree planting/afforestation measures proposed in the EMP shall be strictly complied and an undertaking to this effect shall be submitted
7. The PP shall submit Rain Water harvesting details.

Additional Condition:

1. Assured water supply, commensurate with the ultimate occupancy envisaged in the project, shall be ensured before commencement of the project.
2. 25% of parking space shall have charging facility to enable charging of electric vehicles.
3. The PP shall strictly adhere to the local Planning Authority Bye-Laws.


Mining Projects:


210.1.8. Ordinary Sand Quarry Project at Bhagodi Village, Chittapur Taluk, Kalaburagi District (9-10 Acres) by Sri Srimantha Jagadevappa Indi - Online Proposal No. SIA/KA/MIN/233900/2021 (SEIAA 115 MIN 2020)


Sri Srimanth Jagadevappa Indi have applied for Environmental clearance from SEIAA for quarrying of "Ordinary Sand Quarry" over an extent 9-10 Acres (3.743 Hectares) in Patta Land at Sy. Nos. 60/1 & 66/2 of Bhagodi Village, Chittapur Taluk, Kalaburagi District

Details of the project are as follows:

Sl. No	PARTICULARS	INFORMATION
1	Name & Address of the Project Proponent	Sri Srimanth Jagadevappa Indi S/o Jagadevappa Indi, Horti Village, Indi Taluk, Vijayapura District.
2	Name & Location of the Project	"Ordinary Sand Quarry" over an extent 9-10 Acres (3.743 Hectares) in Patta Land at Sy. Nos. 60/1 & 66/2 of Bhagodi Village, Chittapur Taluk, Kalaburagi District
3	Type of Mineral	Ordinary Sand Quarry
4	New / Expansion / Modification / Renewal	New
5	Type of Land [Forest, Government Revenue, Gomal, Private/Patta, Other]	Patta Land

Drafted by 





38

6	Area in Ha	3.743 Ha
7	Annual production (metric ton /Cum) per annum	63,330 TPA
8	Project Cost (Rs. In Crores)	1.22 crores
9	Proved quantity of mine/quarry-Cu.m/Tons	1,90,000 Tonnes
10	Permitted quantity per annum-Cu.m/Ton	63,330 TPA
11	CER Action Plan:	
	Year	Corporate Environmental Responsibility (CER)
	1 st	Providing solar power panels to common public places
	2 nd	Enhancing ground water through construction of check dams
	3 rd	Avenue plantation either side of the approach road near Quarry site & Repair of road With drainages
12	EMP Budget	Rs.29.38 lakhs (Capital Cost) &Rs. 17.36 lakhs (Recurring cost)

The subject was discussed in the SEAC meeting held on 13th December 2021. The Committee has recommended to SEIAA for issue of EC and the extract of the proceedings of the Committee meeting is as below:

The TOR was issued by SEIAA on 09th June 2021 and EIA report was submitted on 12th October 2021. The proponent has obtained NOCs from Forest & Revenue Dept. and has applied for land conversion. The lease was notified by C&I Dept. on 09.01.2019.

There is an existing cart track road to a length of 1.7 km connecting the lease area to an all weather black topped road and the proponent informed that the quarrying operation will be commenced after strengthening the approach road to the quarry & the road connecting to the crusher as per IRC (Indian Road Congress) standard norms and growing of trees all along the approach road.

Public hearing was conducted on 17.09.2021 and the committee observed that some apprehension has been raised by the public regarding dust pollution due to mining, for which the proponent informed that dust pollution will be suppressed by sprinkling water during mining activity and also the approach road would be strengthened. The proponent also submitted pointwise compliance to all the other general issues raised by the public during public hearing.

The proponent has collected baseline data for air, water, soil and noise and all parameters are within permissible limits. The proponent informed that all mitigative measures will be taken to ensure that the parameters are maintained within permissible limits.

Considering the proved mineable reserve of 1,90,000 tonnes as per the approved quarry plan, the committee estimated the life of the mine as 3 years and decided to recommend the proposal to SEIAA for issue of Environment Clearance for an annual production of 63,330 tons per annum for 3 years plan period.

The Authority perused the proposal and took note of the recommendation of SEAC.

The Authority after discussion decided to clear the proposal for issue of Environmental Clearance subject to following:

1. *If the distance of nearest Protected Area (National Park/ Sanctuary/Bio sphere reserve/ migratory corridor) is within 10 KM, a certificate from the Chief Wild Life Warden (CWLW) along with his recommendation, else a certificate from the proponent that the proposed site is more than 10 KM away from any Protection Authority (PA) (National Park/ Sanctuary/Bio sphere reserve/ migratory corridor).*
2. *Safety measures proposed shall be submitted.*
3. *A time bound action plan for implementation of proposed CER activities as a part of EMP shall be furnished.*
4. *The proponent shall furnish a certificate that there is no sand quarry within 5 KM of project site.*
5. *The PP shall submit Land Conversion Order.*
6. *The PP shall Strictly follow norms for dust pollution along with all complaints raised in Public Hearing.*

Additional Conditions:


1. *Dust suppression measures have to be strictly followed.*
2. *The PP shall utilize the permission as per the Sand policy of the GoK Notification No. CI 343 MMN 2019 (Part 7) dated 01.12.2021.*

210.1.9. Ordinary Sand Quarry Project at Gadagoli Village, Ron Taluk, Gadag District (10-00 Acres) by M/s. Sri Sai Supreme Solutions - Online Proposal No. SIA/KA/MIN/236337/2021 (SEIAA 321 MIN 2020)

M/s. Sri Sai Supreme Solutions have applied for Environmental clearance from SEIAA for quarrying of Ordinary Sand Quarry over an extent of 10-00 Acres (4.046 Hectares) at Sy.Nos. 9/2, 9/3, 9/4, 9/5, 9/6, 9/7 & 9/8 of Gadagoli Village, Ron Taluk, Gadag District

Details of the project are as follows:

Sl. No	PARTICULARS	INFORMATION
1	Name & Address of the Project Proponent	Sri. Gururaj M Annigeri, Managing Partner, M/s. Sri Sai Supreme Solutions, Sri Mata, Plot No.25, Shivananda Nagar, Kalasapur Road, Gadag-582103.

Drafted by: 


 40

2	Name & Location of the Project	Ordinary Sand Quarry over an extent of 10-00 Acres (4.046 Hectares) at Sy.Nos. 9/2, 9/3, 9/4, 9/5, 9/6, 9/7 & 9/8 of Gadagoli Village, Ron Taluk, Gadag District
3	Type of Mineral	Ordinary Sand
4	New / Expansion / Modification / Renewal	New
5	Type of Land [Forest, Government Revenue, Gomal, Private/Patta, Other]	Patta Land
6	Area in Ha	4.046 Ha
7	Annual production (metric ton /Cum) per annum	46,394 TPA
8	Project Cost (Rs. In Crores)	1.41 Crores
9	Proved quantity of mine/quarry-Cu.m/Tons	1,39,182 Tonnes
10	Permitted quantity per annum-Cu.m/Ton	46,394 TPA
11	CER Action Plan:	
	Year	Corporate Environmental Responsibility (CER)
	1 st	Providing solar power panels to common public places
	2 nd	Health camp in nearby community places and Scientific support and awareness to local farmers to increase yield of crop and fodder
	3 rd	Avenue plantation either side of the approach road near Quarry site & Repair of road With drainages and Construction of ponds for animals
12	EMP Budget	Rs.38.28 lakhs (Capital Cost) & Rs. 16.41 lakhs (Recurring cost)

The subject was discussed in the SEAC meeting held on 13th December 2021. The Committee has recommended to SEIAA for issue of EC and the extract of the proceedings of the Committee meeting is as below:

The TOR was issued by SEIAA on 25th February 2021 and EIA report was submitted on 29.10.2021. The proponent has obtained land conversion order and NOCs from Forest & Revenue Dept. The lease was notified by C&I Dept. on 23.11.2020.

There is an existing cart track road to a length of 1.45 km connecting the lease area to an all weather black topped road and the proponent informed that the quarrying operation will be commenced after strengthening the approach road to the quarry & the road connecting to the crusher as per IRC (Indian Road Congress) standard norms and growing of trees all along the approach road. The public hearing was conducted on 18.08.2021 and the committee observed that there is no major negative opinion and the proponent further informed that dust pollution will be suppressed by sprinkling water during mining activity and also the approach road would be strengthened.



The proponent has collected baseline data for air, water, soil and noise and all parameters are within permissible limits. The proponent informed that all mitigative measures will be taken to ensure that the parameters are maintained within permissible limits.

Considering the proved mineable reserve of 1,39,182 tonnes as per the approved quarry plan, the committee estimated the life of the mine as 3 years and committee decided to recommend the proposal to SEIAA for issue of Environment Clearance for an annual production of Production is 46,394 tons per annum for 3 years plan period.

The Authority perused the proposal and took note of the recommendation of SEAC.

The Authority after discussion decided to clear the proposal for issue of Environmental Clearance subject to following:

- 1. If the distance of nearest Protected Area (National Park/ Sanctuary/Bio sphere reserve/ migratory corridor) is within 10 KM, a certificate from the Chief Wild Life Warden (CWLW) along with his recommendation, else a certificate from the proponent that the proposed site is more than 10 KM away from any Protection Authority (PA) (National Park/ Sanctuary/Bio sphere reserve/ migratory corridor).*
- 2. Safety measures proposed shall be submitted.*
- 3. A time bound action plan for implementation of proposed CER activities as a part of EMP shall be furnished.*
- 4. The proponent shall furnish a certificate that there is no sand quarry within 5 KM of project site.*
- 5. The PP shall Strictly follow norms for dust pollution along with all complaints raised in Public Hearing*

Additional Conditions:

- 1. Dust suppression measures have to be strictly followed.*
- 2. The PP shall utilize the permission as per the Sand policy of the GoK Notification No. CI 343 MMN 2019 (Part 7) dated 01.12.2021.*

210.1.10. Building Stone Quarry (M-Sand) Project at Siragumpi Village, Yelburga Taluk, Koppal District (6-00 Acres) by SRI H.P. MADHUKAR Online Proposal No. SIA/KA/MIN/232356/2021 (SEIAA 544 MIN 2021)

Sri H.P. Madhukar have applied for Environmental clearance from SEIAA for quarrying of Building Stone Quarry (M-Sand) in 6-00 Acre of Patta Land bearing Sy. No. 118/1 & 118/4 of Siragumpi Village, Yelburga Taluk & Koppal District, Karnataka

Details of the project are as follows:

Sl.No	PARTICULARS	INFORMATION
1	Name & Address of the Projects Proponent	Sri H.P. Madhukar , #41, Prashanth, Vijaynagar Extension, Hubli-580032
2	Name & Location of the Project	Building Stone Quarry (M-Sand) in 6-00 Acre of Patta Land bearing Sy. No. 118/1 & 118/4 of Siragumpi Village, Yelburga Taluk & Koppal District, Karnataka.
3	Type Of Mineral	Building Stone
4	New / Expansion / Modification / Renewal	New
5	Type of Land [Forest, Government Revenue, Gomal, Private / Patta, Other]	Patta Land
6	Area in Ha	6-00 Acres
7	Annual Production (Metric Ton / Cum) Per Annum	1,53,063 Tons/ Annum (Avg.)
8	Project Cost (Rs. In Crores)	0.50 (Rs. 50 Lakhs)
9	Proved Quantity of mine/ Quarry- Cu.m / Ton	9,73,184 Tons (including waste)
10	Permitted Quantity Per Annum - Cu.m / Ton	1,53,063 Tons/ Annum (Max.)
11	CER Action Plan:	<ul style="list-style-type: none"> Propose to provide Roof top Rain water Harvesting facility to nearby Govt. Higher Primary School, Siragumpi. Propose take up 400 No. of additional plantation on either side of the approach road from quarry location to Siragumpi Village.
12	EMP Budget	Rs. 18.12 Lakhs (Capital Cost) & 21.13 Lakhs (Recurring cost)

The subject was discussed in the SEAC meeting held on 13th December 2021. The Committee has recommended to SEIAA for issue of EC and the extract of the proceedings of the Committee meeting is as below:

The Proponent has obtained land conversion order and NOCs from Forest and Revenue Dept. The lease was notified on 15.09.2021.

There is an existing cart track road to a length of 1.45 km connecting the lease area to an all weather black topped road and the proponent informed that the quarrying operation will be commenced after strengthening the approach road to the quarry & the road connecting to the crusher as per IRC (Indian Road Congress) standard norms & growing of trees all along the approach road & in his own land of 20-00 Acres. The proponent informed that the top soil utilized for tree planting.

As per the Cluster Sketch there are no other leases within 500 meter radius. The area of the lease is 6-00 Acres and hence the project is categorized as B2.

The proponent has collected baseline data for air, water, soil and noise and all parameters are within permissible limits. The proponent informed that all mitigative measures will be taken to ensure that the parameters are maintained within permissible limits.

Considering the proved mineable reserve of 9,73,184 tonnes as per the approved quarry plan, the committee estimated the life of the mine as 7 years and decided to recommend the proposal to SEIAA for issue of Environment Clearance for an annual production of 1,53,063 TPA.

The Authority perused the proposal and took note of the recommendation of SEAC.

This proposal was appraised during 270th SEAC meeting and decided to recommend the proposal for issue of Environmental Clearance. The Project proponent vide his letter dated 29.12.2021 requested SEAC to include Murrum in the proceedings. The Authority perused the request made by the project proponent vide letter dated 29.12.2021 as per the Proceedings of the 270th SEAC meeting recommended the proposal to SEIAA for issue of EC only for Sealable quantity of Building Stone material but not mentioned about the quantity of Murrum.


The Authority after discussion decided to reconsider the proposal after receipt of 272nd SEAC proceedings.

210.1.11. Aluru Building Stone Quarry Project at Aluru Village, Davanagere Taluk & District (2-00 acres) by SRI MALLIKARJUNA S/O SANGAPPA S N - Online Proposal No. SIA/KA/MIN/230726/2021 (SEIAA 551 MIN 2021)

Sri Mallikarjuna have applied for Environmental clearance from SEIAA for quarrying of "Building Stone Quarry" Extent-2.00 Acre Sy. No:68/4, Aluru Village, Davanagere Taluk & District.

Details of the project are as follows:

Sl. No	PARTICULARS	INFORMATION
1	Name & Address of the Project Proponent	Sri Mallikarjuna G S S/o Sangappa S N Ganaganakatte Village, Anagodu Hobli, Davanagere Taluk, Davanagere district.
2	Name & Location of the Project	"Building Stone Quarry" of Sri Mallikarjuna S/o Sangappa S N Extent-2.00 Acre Sy. No:68/4, Aluru Village, Davanagere Taluk

Drafted by 

 44

		& District.
3	Type of Mineral	Building stone
4	New /expansion/modification /renewal	New
5	Type of Land [Forest, Government Revenue, Gomal, Private/Patta, Other]	Patta Land.
6	Area in Ha	2-00 Acre(0.8097 Ha)
7	Annual production (metric ton /Cum) per annum	42,978 tons/ annum (max.)
8	Project Cost (Rs. In Crores)	1.00 Crores
9	Proved quantity of mine/quarry- Cu.m/Tons	2,80,488 tons (including waste)
10	Permitted quantity per annum- Cu.m/Ton	42,978 tons/ annum (max.)
11	CER Activities	
	Year	Corporate Environmental Responsibility (CER)
	1 st	Desilting of AluruNala every year before monsoon
	2 nd	Desilting of AluruNala every year before monsoon
	3 rd	Desilting of Aluru Nala every year before monsoon
	4 th	Desilting of AluruNala every year before monsoon
	5 th	Desilting of AluruNala every year before monsoon.
12	EMP Budget	Rs. 11.35 lakhs (Capital Cost) & Rs. 11.60 lakhs (Recurring cost)

The subject was discussed in the SEAC meeting held on 13th December 2021. The Committee has recommended to SEIAA for issue of EC and the extract of the proceedings of the Committee meeting is as below:

The Proponent has obtained NOCs from Forest and Revenue Dept. and has applied for Land Conversion. The lease was notified on 24.02.2020.

There is an existing cart track road to a length of 250 mts connecting the lease area to an all weather black topped road and the proponent informed that the quarrying operation will be commenced after strengthening the approach road to the quarry&the road connecting to the crusher as per IRC (Indian Road Congress) standard norms and growing of trees all along the approach road.

As per the Cluster Sketch there are 4 leases including this lease within 500 meter radius& the area of all these leases is 7.10 Acres and hence the project is categorized as B2. The proponent has collected baseline data for air, water, soil and noise and all parameters are within permissible limits. The proponent informed that all mitigative

measures will be taken to ensure that the parameters are maintained within permissible limits.

Considering the proved mineable reserve of 2,80,488 tons (including waste) as per the approved quarry plan, the committee estimated the life of the mine as 7 years and decided to recommend the proposal to SEIAA for issue of Environment Clearance for an annual production of 42,978 tons/ annum (max).

The Authority perused the proposal and took note of the recommendation of SEAC.

The Authority after discussion decided to clear the proposal for issue of Environmental Clearance subject to following:

1. *If the distance of nearest Protected Area (National Park/ Sanctuary/Bio sphere reserve/ migratory corridor) is within 10 KM, a certificate from the Chief Wild Life Warden (CWLW) along with his recommendation, else a certificate from the proponent that the proposed site is more than 10 KM away from any Protection Authority (PA) (National Park/ Sanctuary/Bio sphere reserve/ migratory corridor).*
2. *Safety measures proposed shall be submitted.*
3. *A time bound action plan for implementation of proposed CER activities as a part of EMP shall be furnished.*
4. *The PP Shall Submit Land Conversion Order.*

Additional Conditions:


Dust suppression measures have to be strictly followed.

210.1.12. Building Stone Quarry Project at Warkalli Village, Yadgir Taluk, Yadgir District (1-24 Acres) by SRI SHANKAR SHARNAPPA GOSI - Online Proposal No. SIA/KA/MIN/221362/2021 (SEIAA 552 MIN 2021)

Sri Shankar have applied for Environmental clearance from SEIAA for quarrying of "Building Stone Quarry" at Sy. No. 148/3, Warkanalli Village, Yadgir Taluk, Yadgir District

Details of the project are as follows:

Sl. No	PARTICULARS	INFORMATION
1	Name & Address of the Project Proponent	Sri Shankar S/o SharanappaGoshi Koliwada, Yadgir Taluk- Yadgir Dist-
2	Name & Location of the Project	"Building Stone Quarry" of SriShankarSharanappaGoshi at Sy. No. 148/3, Warkanalli Village, Yadgir Taluk, Yadgir District
3	Type of Mineral	Building stone

Drafted by 

 46



4	New / expansion/ modification / renewal	New
5	Type of Land [Forest, Government Revenue, Gomal, Private/Patta, Other]	Patta Land.
6	Area in Ha	1-24 Acre(0.6477 Ha)
7	Annual production (metric ton /Cum) per annum	42,263 tons/ annum (including waste)
8	Project Cost (Rs. In Crores)	2.0 Crores
9	Proved quantity of mine/quarry-Cu.m/Tons	2,36,842tons
10	Permitted quantity per annum- Cu.m/Ton	42,263 tons/ annum (including waste)
11	CER Activities	
	Year	Corporate Environmental Responsibility (CER)
	1 st	Rejuvenation of Warkanalli Water Pond (Desilting of Nala every year before monsoon)
	2 nd	Rejuvenation of Warkanalli Water Pond (Desilting of Nala every year before monsoon)
	3 rd	Rejuvenation of Warkanalli Water Pond (Desilting of Nala every year before monsoon)
	4 th	Rejuvenation of Warkanalli Water Pond (Desilting of Nala every year before monsoon)
	5 th	Rejuvenation of Warkanalli Water Pond (Desilting of Nala every year before monsoon)
12	EMP Budget	Rs.10.68 lakhs (Capital Cost) & Rs. 11.35 lakhs (Recurring cost)

The subject was discussed in the SEAC meeting held on 13th December 2021. The Committee has recommended to SEIAA for issue of EC and the extract of the proceedings of the Committee meeting is as below:

The Proponent has obtained NOCs from Forest and Revenue Dept. and has applied for Land Conversion. The lease was notified on 03.05.2018.

There is an existing cart track road to a length of 300 mts connecting the lease area to an all weather black topped road and the proponent informed that the quarrying operation will be commenced after strengthening the approach road to the quarry & the road connecting to the crusher as per IRC (Indian Road Congress) standard norms and growing of trees all along the approach road. The proponent informed that garland drains will be constructed for free flow of water from tertiary nala existing in the project site.

Drafted by 

47

As per the Cluster Sketch there are 3 leases including this lease within 500 meter radius & the area of all these leases is 4-32 Acres and hence the project is categorized as B2. The proponent has collected baseline data for air, water, soil and noise and all parameters are within permissible limits. The proponent informed that all mitigative measures will be taken to ensure that the parameters are maintained within permissible limits.

Considering the proved mineable reserve of 2,36,842 tons (including waste) as per the approved quarry plan, the committee estimated the life of the mine as 6 years and decided to recommend the proposal to SEIAA for issue of Environment Clearance for an annual production of 42,263 tons/ annum (including waste).

The Authority perused the proposal and took note of the recommendation of SEAC.

The Authority after discussion decided to clear the proposal for issue of Environmental Clearance subject to following:

1. *If the distance of nearest Protected Area (National Park/ Sanctuary/Bio sphere reserve/ migratory corridor) is within 10 KM, a certificate from the Chief Wild Life Warden (CWLW) along with his recommendation, else a certificate from the proponent that the proposed site is more than 10 KM away from any Protection Authority (PA) (National Park/ Sanctuary/Bio sphere reserve/ migratory corridor).*
2. *Safety measures proposed shall be submitted.*
3. *A time bound action plan for implementation of proposed CER activities as a part of EMP shall be furnished.*

Additional Conditions:


Dust suppression measures have to be strictly followed.


210.1.13. Building Stone Quarry Project at Galataga Village, Nipani Taluk, Belagavi District (0.708 Ha) by M/s. SHRI NAVAGRAHA STONE INDUSTRIES - Online Proposal No. SIA/KA/MIN/232549/2021 (SEIAA 546 MIN 2021)

M/s. Shri Navagraha Stone Industries have applied for Environmental clearance from SEIAA for quarrying of - Building Stone in 1-00Acre 30 Gunta of Patta Land bearing Sy. No: 327/3 (P) in Galataga Village, Nipani Taluk, Belagavi District, Karnataka

Details of the project are as follows:

Sl.No	PARTICULARS	INFORMATION
1	Name & Address of the Projects	M/s. Shri Navagraha Stone Industries

Drafted by 



48

	Proponent	(S.S.D.B.P Mahaswamiji)NavagrahatirthVarur, P. B. Road, VarurHubbali, Dharwad - 581207
2	Name & Location of the Project	Building Stone Quarry in 1-00Acre 30 Guntaof Patta Land bearing Sy. No: 327/3 (P) in Galataga Village, NipaniTaluk, BelagaviDistrict, Karnataka.
3	Type Of Mineral	Building Stone
4	New / Expansion / Modification / Renewal	New
5	Type of Land [Forest, Government Revenue, Gomal, Private / Patta, Other]	Patta Land
6	Area in Ha	1-00 Acres 30 Gunta (0.708 Ha)
7	Annual Production (Metric Ton / Cum) Per Annum	37,000Tons/ Annum (Avg.)
8	Project Cost (Rs. In Crores)	0.50 (Rs. 50 Lakhs)
9	Proved Quantity of mine/ Quarry- Cu.m / Ton	3,91,577 Tons
10	Permitted Quantity Per Annum - Cu.m / Ton	37,718Tons/ Annum (Max.)
11	CER Action Plan:	<ul style="list-style-type: none"> • Local road maintenance. • Drinking water supply infrastructure for Galataga village. • Rain water harvesting to Galataga school premises.
12	EMP Budget	Rs. 0.90 Lakhs (Capital Cost) &1.02 Lakhs (Recurring cost)

The subject was discussed in the SEAC meeting held on 13th December 2021. The Committee has recommended to SEIAA for issue of EC and the extract of the proceedings of the Committee meeting is as below:

The Proponent has obtained land conversion order andNOCs from Forest, Revenue Dept. The lease was notified on 19.09.2020.

There is an existing cart track road to a length of 62 mts connecting the lease area to an all weather black topped road and the proponent informed that the quarrying operation will be commenced after strengthening the approach road to the quarry & the road connecting to the crusher as per IRC (Indian Road Congress) standard norms and growing of trees all along the approach road. The proponent informed that garland drains will be constructed to allow free flow of water from tertiary nala existing in the project site.

As per the Cluster Sketch there are 2 leases within 500 meter radius, including the present lease. The total cluster area becomes 3-30 Acres and hence the project is categorized as B2. The proponent has collected baseline data for air, water, soil and noise

and all parameters are within permissible limits. The proponent informed that all mitigative measures will be taken to ensure that the parameters are maintained within permissible limits.

Considering the proved mineable reserve of 3,91,577 Tons as per the approved quarry plan, the committee estimated the life of the mine as 11 years and decided to recommend the proposal to SEIAA for issue of Environment Clearance for an annual production of 37,718 Tons/ Annum (Max.).

The Authority perused the proposal and took note of the recommendation of SEAC. The Authority perused the documents and it is observed that land conversion order was issued on 19.04.2018, which was valid for two years of validity.

The Authority after discussion decided to clear the proposal for issue of Environmental Clearance subject to following:

1. *If the distance of nearest Protected Area (National Park/ Sanctuary/Bio sphere reserve/ migratory corridor) is within 10 KM, a certificate from the Chief Wild Life Warden (CWLW) along with his recommendation, else a certificate from the proponent that the proposed site is more than 10 KM away from any Protection Authority (PA) (National Park/ Sanctuary/Bio sphere reserve/ migratory corridor).*
2. *Safety measures proposed shall be submitted.*
3. *A time bound action plan for implementation of proposed CER activities as a part of EMP shall be furnished.*
4. *The PP shall submit recent/renewed land conversion order.*

Additional Conditions:


Dust suppression measures have to be strictly followed.

210.1.14. Pink Granite Quarry Project at Adapura Village, Lingsuguru Taluk, Raichur District (5-00 Acres) by Sri Abdul Razak Phaniband - Online Proposal No. SIA/KA/MIN/232587/2021 (SEIAA 555 MIN 2021)


Sri Abdul Razak Phanib have applied for Environmental clearance from SEIAA for quarrying of Pink Granite Quarry" of Sy. Nos. 53/* /4 & 53/* /5, Adapura Village, Lingsuguru Taluk, Raichur District,

Details of the project are as follows:

Sl. No	PARTICULARS	INFORMATION
1	Name & Address of the Project Proponent	Sri. Abdul RazakPhanibandS/o. Kasim Ali,Ward No. 03,MadinaGalli, Ilkal Taluk,Bagalkot District- 587125

Drafted by 







2	Name & Location of the Project	"Pink Granite Quarry" of Sri Abdul RazakPhaniband, Sy. Nos. 53/* /4 & 53/* /5, Adapura Village,Lingsuguruu Taluk,Raichur District,
3	Type of Project	Pink Granite Quarry
4	New / Expansion / Modification / Renewal	New
5	Type of Land [Forest, Government Revenue, Gomal, Private/Patta, Other]	Patta Land
6	Area in Ha	2.023Ha
7	Annual production (metric ton /Cum) per annum	4,500cum (40% recovery and 60% waste)
8	Project Cost (Rs. In Crores)	1.38Crores
9	Proved quantity of mine/quarry-Cu.m/Tons	6,64,802 Cu.m (40% recovery and 60% waste)
10	Permitted quantity per annum-Cu.m/Ton	4,500cum (40% recovery and 60% waste)
11	CER Action Plan:	
	Year	Corporate Environmental Responsibility (CER)
	1 st	Providing solar power panels to common public places
	2 nd	Enhancing ground water through construction of check dams
	3 rd	The proponent proposes to distribute nursery plants at Adapura Village & Strengthening of approach road
	4 th	Cleaning out and deepening of Bannigol pond
	5 th	Health camp in nearby community places
12	EMP Budget	Rs.45.61 lakhs (Capital Cost) &Rs. 14.27 lakhs (Recurring cost)

The subject was discussed in the SEAC meeting held on 13th December 2021. The Committee has recommended to SEIAA for issue of EC and the extract of the proceedings of the Committee meeting is as below:

The proponent has obtained land conversion order and NOCs from Forest and Revenue Dept. The lease was notified by C&I Dept on 18.08.2021.

There is an existing cart track road to a length of 2.97 km connecting the lease area to an all weather black topped road and the proponent informed that the quarrying operation will be commenced after strengthening the approach road to the quarry & the road connecting to the crusher as per IRC (Indian Road Congress) standard norms and growing of trees all along the approach road.

Drafted by 

As per the Cluster sketch there are three other leases within 500 meter radius from the lease area, out of which 2 leases were granted prior to 09.09.2013. The area of the two leases including the subject lease is 9-00 acres and hence the project is categorized as B2. The proponent has collected baseline data of air, water, soil and noise which are within the permissible limits. The proponent informed that all mitigative measures will be taken to ensure that the parameters will be maintained within the permissible limits.

The committee based on the proved quantity of 6,64,802 cum (40% recovery and 60% waste) estimated the life of the mine co-terminus with the lease period and recommended the proposal to SEIAA for issue of EC with annual production of 4,500 cum (40% recovery and 60% waste).

The Authority perused the proposal and took note of the recommendation of SEAC.

The Authority after discussion decided to clear the proposal for issue of Environmental Clearance subject to following:

- 1. If the distance of nearest Protected Area (National Park/ Sanctuary/Bio sphere reserve/ migratory corridor) is within 10 KM, a certificate from the Chief Wild Life Warden (CWLW) along with his recommendation, else a certificate from the proponent that the proposed site is more than 10 KM away from any Protection Authority (PA) (National Park/ Sanctuary/Bio sphere reserve/ migratory corridor).*
- 2. Safety measures proposed shall be submitted.*
- 3. A time bound action plan for implementation of proposed CER activities as a part of EMP shall be furnished.*
- 4. Since there is substantial quantity of generation of waste from the quarry activity, all due precautions with respect to environment management aspects of waste dump shall be observed.*

Additional Conditions:

Dust suppression measures have to be strictly followed.

210.1.15. Building Stone Quarry Project at Hangarahalli Village, Srirangapatna Taluk, Mandya District (1-00 Acre) by SRI ARUNKUMAR P - Online Proposal No. SIA/KA/MIN/233341/2021 (SEIAA 558 MIN 2021)


Sri Arun Kumar. P, have applied for Environmental clearance from SEIAA for quarrying of "Building Stone Quarry" of Sy. No. 186/2, Hangarahalli Village, Srirangapatna Taluk, Mandya District,


Details of the project are as follows:


Sl. No	PARTICULARS	INFORMATION
1	Name & Address of the Project Proponent	Sri Arun Kumar. P S/o N. Puttaswamy, No. 2572/1, 2 nd Cross, Kalidasa Road, Mysore- 570002.
2	Name & Location of the Project	"Building Stone Quarry" of Sri Arun Kumar. P, Sy. No. 186/2, Hangarahalli Village, Srirangapatna Taluk, Mandya District,
3	Type of Mineral	Building Stone Quarry
4	New / Expansion / Modification / Renewal	New
5	Type of Land [Forest, Government Revenue, Gomal, Private/Patta, Other]	Patta Land
6	Area in Ha	0.4047 Ha
7	Annual Production Proposed (Metric Tons/ CUM) / Annum	8,960cum(including waste)(max)
8	Project Cost (Rs. In Crores)	1.03crores
9	Proved quantity of mine/quarry- Cu.m/Tons	1,15,550 Cum (including waste)
10	Permitted quantity per annum- Cu.m/Ton	8,960cum(including waste)(max)
11	CER Action Plan:	
	Year	Corporate Environmental Responsibility (CER)
	1 st	Rain water harvesting pits near by GLPS school at Hangarahalli Village
	2 nd	Providing solar power panels to common public places
	3 rd	The proponent proposes to distribute nursery plants at Hangarahalli Village & Strengthening of approach road
	4 th	Avenue plantation either side of the approach road near Quarry site & Repair of road With drainages
	5 th	Health camp in nearby community places
12	EMP Budget	Rs.10.51 lakhs (Capital Cost) & Rs. 7.20 lakhs (Recurring cost)

The subject was discussed in the SEAC meeting held on 13th December 2021. The Committee has recommended to SEIAA for issue of EC and the extract of the proceedings of the Committee meeting is as below:

The proponent has obtained NOCs from Forest Dept and Revenue Department and has applied for land conversion. The lease was notified on 04.06.2021.

Drafted by 





There is an existing cart track road to a length of 260mtr connecting the lease area to an all weather black topped road and the proponent informed that the quarrying operation will be commenced after strengthening the approach road to the quarry&the road connecting to the crusher as per IRC (Indian Road Congress) standard norms and growing of trees all along the approach road.

As per the Cluster sketch prepared by the DMG there are no other leases within the 500 meter radius of this lease area. The total area of the subject lease is 1-00 Acre and the project is categorized as B2. The proponent has collected baseline data for air, water, soil and noise and all parameters are within permissible limits. The proponent informed that all mitigative measures will be taken to ensure that the parameters are maintained within permissible limits.

Considering the proved mineable reserve of 1,15,550 Cum (including waste)as per the approved quarry plan, the committee estimated the life of the mine as 14 years and decided to recommend the proposal toSEIAA for issue of Environmental Clearance for an annual maximum production of 8,960cum (including waste).

The Authority perused the proposal and took note of the recommendation of SEAC.

The Authority after discussion decided to clear the proposal for issue of Environmental Clearance subject to following:

1. *If the distance of nearest Protected Area (National Park/ Sanctuary/Bio sphere reserve/ migratory corridor) is within 10 KM, a certificate from the Chief Wild Life Warden (CWLW) along with his recommendation, else a certificate from the proponent that the proposed site is more than 10 KM away from any Protection Authority (PA) (National Park/ Sanctuary/Bio sphere reserve/ migratory corridor).*
2. *Safety measures proposed shall be submitted.*
3. *A time bound action plan for implementation of proposed CER activities as a part of EMP shall be furnished.*
4. *The PP shall submit Land Conversion Order.*



Additional Conditions:

Dust suppression measures have to be strictly followed.

210.1.16. Building Stone Quarry Project at Gananguru Village, Srirangapatna Taluk, Mandya District (1-02 Acres) by SRI VIJAY KUMAR H S - Online Proposal No. SIA/KA/MIN/233385/2021 (SEIAA 559 MIN 2021)

Sri Vijay Kumar H S, have applied for Environmental clearance from SEIAA for quarrying of "Building Stone Quarry" of Sy. No. 104/2, Gananguru Village, Srirangapatna Taluk, Mandya District, Karnataka

Drafted by 






54

Details of the project are as follows:

Sl. No	PARTICULARS	INFORMATION
1	Name & Address of the Project Proponent	Sri. Vijay Kumar H S S/o Srinivas, No. 21/2, Maidunahalli Village & post, IlavalaHobli,Mysore Taluk,Mysore District.
2	Name & Location of the Project	"Building Stone Quarry" of Sri Vijay Kumar H S, Sy. No. 104/2,Gananguru Village,Srirangapattna Taluk,Mandya District,Karnataka
3	Type of Mineral	Building Stone Quarry
4	New / Expansion / Modification / Renewal	New
5	Type of Land [Forest, Government Revenue, Gomal, Private/Patta, Other]	PattaLand
6	Area in Ha	0.424 Ha
7	Annual Production Proposed (Metric Tons/ CUM) / Annum	9,000 Cum (including waste) - Max
8	Project Cost (Rs. In Crores)	1.05crores
9	Proved quantity of mine/quarry- Cu.m/Tons	1,23,750 Cu.m(including waste)
10	Permitted quantity per annum- Cu.m/Ton	9,000 Cum (including waste) - Max
11	CER Action Plan:	
	Year	Corporate Environmental Responsibility (CER)
	1 st	Providing solar power panels to common public places
	2 nd	Cleaning out and deepening of Jakkanahalli pond
	3 rd	The proponent proposes to distribute nursery plants at Gananguru Village & Strengthening of approach road
	4 th	Scientific support and awareness to local farmers to increase yield of crop and fodder
	5 th	Health camp in nearby community places
12	EMP Budget	Rs.10.59 lakhs (Capital Cost) &Rs. 7.21 lakhs (Recurring cost)

The subject was discussed in the SEAC meeting held on 13th December 2021. The Committee has recommended to SEIAA for issue of EC and the extract of the proceedings of the Committee meeting is as below:

Drafted by 

The proponent has obtained NOCs from Forest & Revenue Department and applied for land conversion. The lease was notified on 23.04.2021.

There is an existing cart track road to a length of 270mtr connecting the lease area to an all weather black topped road and the proponent informed that the quarrying operation will be commenced after strengthening the approach road to the quarry & the road connecting to the crusher as per IRC (Indian Road Congress) standard norms and growing of trees all along the approach road.

As per the Cluster sketch prepared by the DMG there are 19 other leases within the 500 meter radius from this lease area, out of which 13 leases granted lease prior to 09.09.2013 and the total area of 7 leases including the subject lease is 10-17 acres and hence the project is categorized as B2.

The proponent has collected baseline data for air, water, soil and noise and all parameters are within permissible limits. The proponent informed that all mitigative measures will be taken to ensure that the parameters are maintained within permissible limits.

Considering the proved mineable reserve of 1,23,750 cum (including waste) as per the approved quarry plan, the committee estimated the life of the mine as 14 years and decided to recommend the proposal to SEIAA for issue of Environmental Clearance for an annual maximum production of 9,000 cum (including waste).


The Authority perused the proposal and took note of the recommendation of SEAC.


The Authority after discussion decided to clear the proposal for issue of Environmental Clearance subject to following:

1. *If the distance of nearest Protected Area (National Park/ Sanctuary/Bio sphere reserve/ migratory corridor) is within 10 KM, a certificate from the Chief Wild Life Warden (CWLW) along with his recommendation, else a certificate from the proponent that the proposed site is more than 10 KM away from any Protection Authority (PA) (National Park/ Sanctuary/Bio sphere reserve/ migratory corridor).*
2. *Safety measures proposed shall be submitted.*
3. *A time bound action plan for implementation of proposed CER activities as a part of EMP shall be furnished.*
4. *The PP Shall submit Land Conversion Order.*

Additional Conditions:

Dust suppression measures have to be strictly followed.

Drafted by 



210.1.17. Building Stone Quarry Project at Nidaramangala Village, Malur Taluk, Kolar District (2-20 Acres) by SRI AHAMEDULLA KHAN - Online Proposal No. SIA/KA/MIN/233530/2021 (SEIAA 560 MIN 2021)

Sri. Ahamedulla Khan have applied for Environmental clearance from SEIAA for quarrying of "Building Stone Quarry" of, Sy. No. 155Nidaramangala Village, Malur Taluk, Kolar District, Karnataka.

Details of the project are as follows:

Sl. No	PARTICULARS	INFORMATION										
1	Name & Address of the Project Proponent	Sri Ahamedulla Khan S/o Abdul Latheef Khan, No. 86, 17 th Cross, 2 nd Main Road, Lakkasandra, Bengaluru - 560030										
2	Name & Location of the Project	"Building Stone Quarry" of Sri. Ahamedulla Khan, Sy. No. 155Nidaramangala Village, Malur Taluk, Kolar District, Karnataka.										
3	Type of Mineral	Building Stone Quarry										
4	New / Expansion / Modification / Renewal	Renewal - (QL. No. KL 990)										
5	Type of Land [Forest, Government Revenue, Gomal, Private/Patta, Other]	Government Gomala Land										
6	Area in Ha	1.011Ha										
7	Annual Production Proposed (Metric Tons/ CUM) / Annum	1,05,410 TPA										
8	Project Cost (Rs. In Crores)	1.24crores										
9	Proved quantity of mine/quarry- Cu.m/Tons	5,27,788 Tonnes										
10	Permitted quantity per annum- Cu.m/Ton	1,05,410 TPA										
11	CER Action Plan:	<table border="1"> <thead> <tr> <th>Year</th> <th>Corporate Environmental Responsibility (CER)</th> </tr> </thead> <tbody> <tr> <td>1st</td> <td>Providing solar power panels to common public places</td> </tr> <tr> <td>2nd</td> <td>Rain water harvesting pits near by GHPS school at Nidaramangala village</td> </tr> <tr> <td>3rd</td> <td>Cleaning out and deepening of Nidaramangala pond</td> </tr> <tr> <td>4th</td> <td>Scientific support and awareness to local farmers to increase yield of crop and fodder</td> </tr> </tbody> </table>	Year	Corporate Environmental Responsibility (CER)	1 st	Providing solar power panels to common public places	2 nd	Rain water harvesting pits near by GHPS school at Nidaramangala village	3 rd	Cleaning out and deepening of Nidaramangala pond	4 th	Scientific support and awareness to local farmers to increase yield of crop and fodder
Year	Corporate Environmental Responsibility (CER)											
1 st	Providing solar power panels to common public places											
2 nd	Rain water harvesting pits near by GHPS school at Nidaramangala village											
3 rd	Cleaning out and deepening of Nidaramangala pond											
4 th	Scientific support and awareness to local farmers to increase yield of crop and fodder											

	5 th	The proponent proposes to distribute nursery plants at Nidaramangala Village & Strengthening of approach road
12	EMP Budget	Rs.21.56 lakhs (Capital Cost) &Rs. 9.22 lakhs (Recurring cost)

The subject was discussed in the SEAC meeting held on 13th December 2021. The Committee has recommended to SEIAA for issue of EC and the extract of the proceedings of the Committee meeting is as below:

The proponent has obtained NOCs from Forest Dept. and Revenue Department. The lease was granted on 25.05.2011 for 10 years. As per the audit report certified by DMG authorities the proponent has worked from 2011-12 to 2013-14 and there is no further quarrying activity being carried out till 2021-22.

There is an existing cart track road to a length of 720meters connecting the lease area to an all weather black topped road and the proponent informed that the quarrying operation will be commenced after strengthening the approach road to the quarry & the road connecting to the crusher as per IRC (Indian Road Congress) standard norms and growing of trees all along the approach road.

Since, the lease was granted prior to 09.09.2013, the project is categorized as B2. The proponent has collected baseline data for air, water, soil and noise and all parameters are within permissible limits. The proponent informed that all mitigative measures will be taken to ensure that the parameters are maintained within permissible limits.

Considering the proved mineable reserve of 5,27,788 tons (including waste) as per the approved quarry plan, the committee estimated the life of the mine as 5 years and decided to recommend the proposal to SEIAA for issue of Environmental Clearance for an annual production of 1,05,410 tonnes per annum (including waste).

The Authority perused the proposal and took note of the recommendation of SEAC.

The Authority after discussion decided to clear the proposal for issue of Environmental Clearance subject to following:

1. *If the distance of nearest Protected Area (National Park/ Sanctuary/Bio sphere reserve/ migratory corridor) is within 10 KM, a certificate from the Chief Wild Life Warden (CWLW) along with his recommendation, else a certificate from the proponent that the proposed site is more than 10 KM away from any Protection Authority (PA) (National Park/ Sanctuary/Bio sphere reserve/ migratory corridor).*
2. *Safety measures proposed shall be submitted.*
3. *A time bound action plan for implementation of proposed CER activities as a part of EMP shall be furnished.*

4. The PP shall submit a letter from DMG regarding status of his lease renewal or extension.

Additional Conditions:

Dust suppression measures have to be strictly followed.

210.1.18. Building Stone Quarry Project at Aluru Village, Davanagere Taluk & District (1-07 Acres) by G M PRATHIMA - Online Proposal No. SIA/Ka/MIN/231644/2021 (SEIAA 564 MIN 2021)

Smt. Prathima G Mat, have applied for Environmental clearance from SEIAA for quarrying of "Building Stone Quarry" of Sy. No. 85/B2A, Aluru Village, Davanagere Taluk, Davanagere District.

Details of the project are as follows:

Sl. No	PARTICULARS	INFORMATION						
1	Name & Address of the Project Proponent	Smt. Prathima G M, 3648, 9 th Main Road, M C C B Block Southern Extension, Davanagere-577004						
2	Name & Location of the Project	"Building Stone Quarry" of Smt.Prathima G Mat, Sy. No. 85/B2A, Aluru Village, Davanagere Taluk, Davanagere District.						
3	Type of Mineral	Building stone						
4	New /expansion/modification /renewal	New						
5	Type of Land [Forest, Government Revenue, Gomal, Private/Patta, Other]	Patta Land.						
6	Area in Ha	1-07 Acre(0.4757 Ha)						
7	Annual production (metric ton /Cum) per annum	24,180 tons/annum - Max						
8	Project Cost (Rs. In Crores)	0.55 Crores						
9	Proved quantity of mine/ quarry- Cu.m/Tons	119340 tons (including waste)						
10	Permitted quantity per annum- Cu.m/Ton	24,180 tons/annum - Max						
11	CER Activities	<table border="1"> <thead> <tr> <th>Year</th> <th>Corporate Environmental Responsibility (CER)</th> </tr> </thead> <tbody> <tr> <td>1st</td> <td>Desilting of MallakknahalliNala every year before monsoon.</td> </tr> <tr> <td>2nd</td> <td>Desilting of MallakknahalliNala every year before monsoon</td> </tr> </tbody> </table>	Year	Corporate Environmental Responsibility (CER)	1 st	Desilting of MallakknahalliNala every year before monsoon.	2 nd	Desilting of MallakknahalliNala every year before monsoon
Year	Corporate Environmental Responsibility (CER)							
1 st	Desilting of MallakknahalliNala every year before monsoon.							
2 nd	Desilting of MallakknahalliNala every year before monsoon							

	3 rd	Desilting of MallakknahalliNala every year before monsoon	
	4 th	Desilting of MallakknahalliNala every year before monsoon	
	5 th	Desilting of MallakknahalliNala every year before monsoon	
12	EMP Budget	Rs.6.95 lakhs (Capital Cost) & Rs. 11.00 lakhs (Recurring cost)	

The subject was discussed in the SEAC meeting held on 13th December 2021. The Committee has recommended to SEIAA for issue of EC and the extract of the proceedings of the Committee meeting is as below:

The proponent has obtained land conversion order and NOCs from Forest & Revenue Department. The lease was notified on 03.09.2021.

There is an existing cart track road to a length of 450meters connecting the lease area to an all weather black topped road and the proponent informed that the quarrying operation will be commenced after strengthening the approach road to the quarry & the road connecting to the crusher as per IRC (Indian Road Congress) standard norms and growing of trees all along the approach road.

As per the Cluster sketch prepared by the DMG there are 4 leases including the subject lease within the 500 meter radius from this lease area and the total area of all these leases is 4.33 acres. Hence the project is categorized as B2. The proponent has collected baseline data for air, water, soil and noise and all parameters are within permissible limits. The proponent informed that all mitigative measures will be taken to ensure that the parameters are maintained within permissible limits.

Considering the proved mineable reserve of 1,19,340 tonnes (including waste) as per the approved quarry plan, the committee estimated the life of the mine as 5 years and decided to recommend the proposal to SEIAA for issue of Environmental Clearance for an annual maximum production of 24,180 TPA(including waste).

The Authority perused the proposal and took note of the recommendation of SEAC.

The Authority after discussion decided to clear the proposal for issue of Environmental Clearance subject to following:

1. *If the distance of nearest Protected Area (National Park/ Sanctuary/Bio sphere reserve/ migratory corridor) is within 10 KM, a certificate from the Chief Wild Life Warden (CWLW) along with his recommendation, else a certificate from the proponent that the proposed site is more than 10 KM away from any Protection Authority (PA) (National Park/ Sanctuary/Bio sphere reserve/ migratory corridor).*
2. *Safety measures proposed shall be submitted.*

3. A time bound action plan for implementation of proposed CER activities as a part of EMP shall be furnished.

Additional Conditions:

Dust suppression measures have to be strictly followed.

210.1.19. Building Stone Quarry Project at Aluru Village, Davanagere Taluk & District (1-00 Acre) by Sri G B NAGARAJAPPA S/o BASAPPA - Online Proposal No. SIA/KA/MIN/232287/2021 (SEIAA 565 MIN 2021)

Sri. Nagarajappa have applied for Environmental clearance from SEIAA for quarrying of "Building Stone Quarry" at Sy. Nos. 85/6,85/7 of Aluru Village, Davanagere Taluk, Davanagere District.

Details of the project are as follows:

Sl. No	PARTICULARS	INFORMATION
1	Name & Address of the Project Proponent	Sri Nagarajappa G B S/o Basappa, Aluru Village, Anagodu Hobli, Davanagere-577512
2	Name & Location of the Project	"Building Stone Quarry" of SriNagarajappaat Sy. Nos. 85/6,85/7 of Aluru Village, Davanagere Taluk, Davanagere District.
3	Type of Mineral	Building stone
4	New /expansion/modification /renewal	New
5	Type of Land [Forest, Government Revenue, Gomal, Private/Patta, Other]	Patta Land.
6	Area in Ha	1-00 Acre(0.4048 Ha)
7	Annual production (metric ton /Cum) per annum	21,112 tons/ annum (including waste)
8	Project Cost (Rs. In Crores)	0.50
9	Proved quantity of mine/quarry-Cu.m/Tons	1,10,526 tons
10	Permitted quantity per annum- Cu.m/Ton	21,112 tons/ annum (including waste)
11	CER Activities	
	Year	Corporate Environmental Responsibility (CER)
	1 st	Desilting of MellakattiNala every year before monsoon.
	2 nd	Desilting of MellakattiNala every year before monsoon

	3 rd	Desilting of MellakattiNala every year before monsoon	
	4 th	Desilting of MellakattiNala every year before monsoon	
	5 th	Desilting of MellakattiNala every year before monsoon	
12	EMP Budget	Rs.6.37 lakhs (Capital Cost) & Rs.9.95 lakhs (Recurring cost)	

The subject was discussed in the SEAC meeting held on 13th December 2021. The Committee has recommended to SEIAA for issue of EC and the extract of the proceedings of the Committee meeting is as below:

The proponent has obtained land conversion order and NOCs from Forest & Revenue Department. The lease was notified on 03.09.2021.

There is an existing cart track road to a length of 480meters connecting the lease area to an all weather black topped road and the proponent informed that the quarrying operation will be commenced after strengthening the approach road to the quarry & the road connecting to the crusher as per IRC (Indian Road Congress) standard norms and growing of trees all along the approach road.

As per the Cluster sketch prepared by the DMG there are 4 leases including the subject lease within the 500 meter radius from this lease area and the total area of all these leases is 4.33 acres. Hence the project is categorized as B2. The proponent has collected baseline data for air, water, soil and noise and all parameters are within permissible limits. The proponent informed that all mitigative measures will be taken to ensure that the parameters are maintained within permissible limits.

Considering the proved mineable reserve of 1,10,526 tonnes (including waste) as per the approved quarry plan, the committee estimated the life of the mine as 5 years and decided to recommend the proposal to SEIAA for issue of Environmental Clearance for an annual maximum production of 21,112 TPA (including waste).

The Authority perused the proposal and took note of the recommendation of SEAC.

The Authority after discussion decided to clear the proposal for issue of Environmental Clearance subject to following:

1. *If the distance of nearest Protected Area (National Park/ Sanctuary/Bio sphere reserve/ migratory corridor) is within 10 KM, a certificate from the Chief Wild Life Warden (CWLW) along with his recommendation, else a certificate from the proponent that the proposed site is more than 10 KM away from any Protection Authority (PA) (National Park/ Sanctuary/Bio sphere reserve/ migratory corridor).*
2. *Safety measures proposed shall be submitted.*
3. *A time bound action plan for implementation of proposed CER activities as a part of EMP shall be furnished.*



Additional Conditions:


Dust suppression measures have to be strictly followed.

210.1.20. Building stone Quarry Project at Jainapur Village, Chikkodi Taluk, Belagavi District (11-32 Acres) by M/s. VINAYAK STONE CRUSHER - Online Proposal No. SIA/KA/MIN/234233/202 (SEIAA 567 MIN 2021)

M/s. Vinayak Stone Crusher have applied for Environmental clearance from SEIAA for quarrying of Jainapur Building stone Quarry, ,Extent of 11-32 Acres (4.777 Ha), in Sy.No 38(P), Jainapur Village, Chikkodi Taluk, Belagavi District.

Details of the project are as follows:

Sl.No.	PARTICULARS	INFORMATION
1	Name & Address of the Project Proponent	M/s. Vinayak Stone Crusher, Partner Sri Vinayak R. Channavar, At & Post Jainapur-591 201, Chikkodi Taluk, Belagavi District
2	Name & Location of the Project	Jainapur Building stone Quarry, Fresh Grant, Extent of 11-32 Acres (4.777 Ha), in Sy.No 38(P), Jainapur Village, Chikkodi Taluk, Belagavi District
3	Type of Mineral	Building Stone
4	New / Expansion / Modification / Renewal	New
5	Type of Land(Forest, Government Revenue, Gomal, Private/Patta, Others	Patta Land
6	Area in Ha.	4.777 Ha
7	Annual Production Proposed (Metric Tons/CUM)/ Annum	3,00,000 tonnes/ Annum
8	Project Cost (in Crores)	0.50 (50.0 Lakhs)
9	Proved Quantity of mine/ Quarry- Cu.m / Ton	45,82,106 Tonnes
10	Permitted Quantity Per Annum - Cu.m / Ton	3,00,000 tonnes/ Annum
10	Mineral Waste to be handled (Metric tonnes / CUM)/ Annum	78,945 Cum/ Annum

Drafted by 




68

11	EMP Budget	Capital Cost Rs.36,74,000/- and Recurring Cost Rs.14,01,000/-	
12	CER	Years	Corporate Environmental Responsibility (CER) Rejuvenating of Jainapur water tank.
		1 st	De-silting of tank bed
		2 nd	Nala training to tank catchment areas
		3 rd	Construction of inlets & outlets
		4 th	Stone pitching to tank bund
		5 th	Reconstruction & Restoration of tank bund places

The subject was discussed in the SEAC meeting held on 13th December 2021. The Committee has recommended to SEIAA for issue of EC and the extract of the proceedings of the Committee meeting is as below:

The Proponent obtained land conversion order and NOCs from Forest and Revenue Dept. The lease was notified on 16.09.2021.

There is an existing cart track road to a length of 366meters connecting the lease area to an all weather black topped road and the proponent informed that the quarrying operation will be commenced after strengthening the approach road to the quarry&the road connecting to the crusher as per IRC (Indian Road Congress) standard norms and growing of trees all along the approach road.

As per the Cluster Sketch there is one other lease within 500 meter radius and the EC for which was issued prior to 15.01.2016. The total area of the subject lease is 11-32 Acres and hence the project is categorized as B2. The proponent has collected baseline data for air, water, soil and noise and all parameters are within permissible limits. The proponent informed that all mitigative measures will be taken to ensure that the parameters are maintained within permissible limits.

Considering the proved quantity of 45,82,106 Tonnes as per the approved quarry plan, the committee estimated the life of the mine as 16 years and decided to recommend the proposal to SEIAA for issue of Environmental Clearance for an annual production of 3,00,000 tonnes.

The Authority perused the proposal and took note of the recommendation of SEAC.

The Authority after discussion decided to clear the proposal for issue of Environmental Clearance subject to following:

1. *If the distance of nearest Protected Area (National Park/ Sanctuary/Bio sphere reserve/ migratory corridor) is within 10 KM, a certificate from the Chief Wild Life Warden (CWLW) along with his recommendation, else a certificate from the proponent that the proposed site is more than 10 KM away from any Protection Authority (PA) (National Park/ Sanctuary/Bio sphere reserve/ migratory corridor).*
2. *Safety measures proposed shall be submitted.*
3. *A time bound action plan for implementation of proposed CER activities as a part of EMP shall be furnished.*

Additional Conditions:

Dust suppression measures have to be strictly followed.

210.1.21. Building Stone Quarry Project at Aluru Village, Davanagere Taluk & District (1-00 Acre) by SRI KRISHNAPPA S/O THIPPANNA - Online Proposal No. SIA/KA/MIN/234032/2021 (SEIAA 568 MIN 2021)

Sri Krishnappa S/o Thippanna have applied for Environmental clearance from SEIAA for quarrying of "Building Stone Quarry" at, Sy. No. 85/10, Aluru Village, Davanagere Taluk, Davanagere District.

Details of the project are as follows:

Sl. No	PARTICULARS	INFORMATION
1	Name & Address of the Project Proponent	Sri Krishnappa S/o Thippanna, #299, Aluru Village, Anagodu Hobli, Davanagere-577512
2	Name & Location of the Project	"Building Stone Quarry" of Sri Krishnappa S/o Thippannaat, Sy. No. 85/10, Aluru Village, Davanagere Taluk, Davanagere District.
3	Type of Mineral	Building stone
4	New /expansion/modification /renewal	New
5	Type of Land [Forest, Government Revenue, Gomal, Private/Patta, Other]	Patta Land.
6	Area in Ha	1-00 Acre(0.4048 Ha)

7	Annual production (metric ton /Cum) per annum	22,386 tons/ annum - Max
8	Project Cost (Rs. In Crores)	0.50
9	Proved quantity of mine/quarry- Cu.m/Tons	1,10,864 tons (including waste)
10	Permitted quantity per annum- Cu.m/Ton	22,386tons/ annum - Max
11	CER Activities	
	Year	Corporate Environmental Responsibility (CER)
	1 st	Desilting of AluruNala every year before monsoon
	2 nd	Desilting of AluruNala every year before monsoon
	3 rd	Desilting of AluruNala every year before monsoon
	4 th	Desilting of AluruNala every year before monsoon
	5 th	Desilting of AluruNala every year before monsoon Plantations both side of Nala.
12	EMP Budget	Rs.7.80 lakhs (Capital Cost) & Rs. 8.50 lakhs (Recurring cost)

The subject was discussed in the SEAC meeting held on 13th December 2021. The Committee has recommended to SEIAA for issue of EC and the extract of the proceedings of the Committee meeting is as below:


The proponent has obtained land conversion order and NOCs from Forest & Revenue Department. The lease was notified on 02.09.2021.



There is an existing cart track road to a length of 500meters connecting the lease area to an all weather black topped road and the proponent informed that the quarrying operation will be commenced after strengthening the approach road to the quarry&the road connecting to the crusher as per IRC (Indian Road Congress) standard norms and growing of trees all along the approach road.

As per the Cluster sketch prepared by the DMG there are 4 leases including the subject lease within the 500 meter radius from this lease area and the total area of all these leases is 4.33 acres. Hence the project is categorized as B2. The proponent has collected baseline data for air, water, soil and noise and all parameters are within permissible limits. The proponent informed that all mitigative measures will be taken to ensure that the parameters are maintained within permissible limits.

Considering the proved mineable reserve of 1,10,864 tonnes (including waste) as per the approved quarry plan, the committee estimated the life of the mine as 5 years and decided to recommend the proposal to SEIAA for issue of Environmental Clearance for an annual maximum production of 22,386 TPA (including waste).

The Authority perused the proposal and took note of the recommendation of SEAC.

Drafted by 

The Authority after discussion decided to clear the proposal for issue of Environmental Clearance subject to following:

1. *If the distance of nearest Protected Area (National Park/ Sanctuary/Bio sphere reserve/ migratory corridor) is within 10 KM, a certificate from the Chief Wild Life Warden (CWLW) along with his recommendation, else a certificate from the proponent that the proposed site is more than 10 KM away from any Protection Authority (PA) (National Park/ Sanctuary/Bio sphere reserve/ migratory corridor).*
2. *Safety measures proposed shall be submitted.*
3. *A time bound action plan for implementation of proposed CER activities as a part of EMP shall be furnished.*

Additional Conditions:


Dust suppression measures have to be strictly followed.

210.1.22. Building Stone Quarry Project at Gadikatte Village, Nyamathi Taluk, Davangere District (1-00 Acre) by SRI. Shashidhar S/O T Narayanappa - Online Proposal No. SIA/KA/MIN/232656/2021 (SEIAA 572 MIN 2021)

Sri T N Shashidhar have applied for Environmental clearance from SEIAA for quarrying of "Building Stone Quarry" at Sy. No. 52/8B(P), Gadikatte Village, Nyamati Taluk, Davanagere District.

Details of the project are as follows:

Sl. No	PARTICULARS	INFORMATION
1	Name & Address of the Project Proponent	SRI T N Shashidhar, #152/A, Sriranga Police Layout Near, Vriddasharama Gopala, Shimoga, Shimoga-577205
2	Name & Location of the Project	"Building Stone Quarry" of Sri T N Shashidhar at Sy. No. 52/8B(P), Gadikatte Village, Nyamati Taluk, Davanagere District.
3	Type of Mineral	Building stone
4	New / expansion/ modification /renewal	New
5	Type of Land [Forest, Government Revenue, Gomal, Private/Patta, Other]	Patta Land.
6	Area in Ha	1-00Acre(0.4048 Ha)
7	Annual production (metric ton /Cum) per annum	30,263 tons/annum - Max

Drafted by 

 67

8	Project Cost (Rs. In Crores)	0.50 Crores
9	Proved quantity of mine/quarry-Cu.m/Tons	1,36,842 tons (including waste)
10	Permitted quantity per annum-Cu.m/Ton	30,263 tons/annum - Max
11	CER Activities	
	Year	Corporate Environmental Responsibility (CER)
	1 st	Desilting of GadikatteNala every year before monsoon.
	2 nd	Desilting of GadikatteNala every year before monsoon
	3 rd	Desilting of GadikatteNala every year before monsoon
	4 th	Desilting of GadikatteNala every year before monsoon
	5 th	Desilting of GadikatteNala every year before monsoon
12	EMP Budget	Rs.9.00 lakhs (Capital Cost) & Rs. 11.20 lakhs (Recurring cost)

The subject was discussed in the SEAC meeting held on 13th December 2021. The Committee has recommended to SEIAA for issue of EC and the extract of the proceedings of the Committee meeting is as below:


The proponent has obtained NOCs from Forest & Revenue Department and applied for land conversion. The lease was notified on 03.09.2021.

There is an existing cart track road to a length of 300meters connecting the lease area to an all weather black topped road and the proponent informed that the quarrying operation will be commenced after strengthening the approach road to the quarry&the road connecting to the crusher as per IRC (Indian Road Congress) standard norms and growing of trees all along the approach road.

As per the Cluster sketch prepared by the DMG there are 2 leases including the subject lease within the 500 meter radius from lease area and the total area of all these leases is 2-00 acres. Hence the project is categorized as B2. The proponent has collected baseline data for air, water, soil and noise and all parameters are within permissible limits. The proponent informed that all mitigative measures will be taken to ensure that the parameters are maintained within permissible limits.

Considering the proved mineable reserve of 1,36,842 tonnes (including waste) as per the approved quarry plan, the committee estimated the life of the mine as 5 years and decided to recommend the proposal to SEIAA for issue of Environmental Clearance for an annual maximum production of 30,263 TPA (including waste).

The Authority perused the proposal and took note of the recommendation of SEAC.



The Authority after discussion decided to clear the proposal for issue of Environmental Clearance subject to following:

1. *If the distance of nearest Protected Area (National Park/ Sanctuary/Bio sphere reserve/ migratory corridor) is within 10 KM, a certificate from the Chief Wild Life Warden (CWLW) along with his recommendation, else a certificate from the proponent that the proposed site is more than 10 KM away from any Protection Authority (PA) (National Park/ Sanctuary/Bio sphere reserve/ migratory corridor).*
2. *Safety measures proposed shall be submitted.*
3. *A time bound action plan for implementation of proposed CER activities as a part of EMP shall be furnished.*
4. *The PP shall Submit land Conversion Order.*

Additional Conditions:


Dust suppression measures have to be strictly followed.

210.1.23. Building Stone Quarry Project at Gadikatte Village, Nyamathi Taluk, Davangere District (1-00 Acre) by SRI SHIVA NAIK S/O DHAKYA NAIK - Online Pro (SEIAA 573 MIN 2021)

Sri Shiva Naik S/o Dhakya Naik have applied for Environmental clearance from SEIAA for quarrying of "Building Stone Quarry" at Sy.No.52/8B(P),Gadikatte Village, Nyamathi Taluk, Davanagere district

Details of the project are as follows:

Sl. No	PARTICULARS	INFORMATION
1	Name & Address of the Project Proponent	SriShivaNaik D S/o Dhakya Naik Gejjanahalli Village,KoteGangur Post, Shimoga Taluk & Districts
2	Name & Location of the Project	"Building Stone Quarry" of Sri Shiva Naik S/o Dhakya Naikat Sy.No.52/8B(P),Gadikatte Village, Nyamathi Taluk, Davanagere district
3	Type of Mineral	Building stone
4	New /expansion/modification /renewal	New
5	Type of Land [Forest, Government Revenue, Gomal, Private/Patta, Other]	Patta Land.

Drafted by 

 69

6	Area in Ha	1-00Acre(0.4048 Ha)
7	Annual production (metric ton /Cum) per annum	28,947 tons/annum - Max.
8	Project Cost (Rs. In Crores)	0.50 Crores
9	Proved quantity of mine/quarry-Cu.m/Tons	1,31,579 tons (including waste)
10	permitted quantity per annum- Cu.m/Ton	28,947 tons/annum - Max.
11	CER Activities:	
	Year	Corporate Environmental Responsibility (CER)
	1 st	Desilting of Kugonahalli Nala every year before monsoon.
	2 nd	Desilting of Kugonahalli Nala every year before monsoon
	3 rd	Desilting of Kugonahalli Nala every year before monsoon
	4 th	Desilting of Kugonahalli Nala every year before monsoon
	5 th	Desilting of Kugonahalli Nala every year before monsoon
12	EMP Budget	Rs.5.20 lakhs (Capital Cost) & Rs. 11.15 lakhs (Recurring cost)

The subject was discussed in the SEAC meeting held on 13th December 2021. The Committee has recommended to SEIAA for issue of EC and the extract of the proceedings of the Committee meeting is as below:



The proponent has obtained NOCs from Forest, Revenue Department and applied for land conversion. The lease was notified on 03.09.2021.

There is an existing cart track road to a length of 350meters connecting the lease area to an all weather black topped road and the proponent informed that the quarrying operation will be commenced after strengthening the approach road to the quarry&the road connecting to the crusher as per IRC (Indian Road Congress) standard norms and growing of trees all along the approach road.

As per the Cluster sketch prepared by the DMG there are 2 leases including the subject lease within the 500 meter radius from this lease area and the total area of all these leases is 2-00 acres. Hence the project is categorized as B2. The proponent has collected baseline data for air, water, soil and noise and all parameters are within permissible limits. The proponent informed that all mitigative measures will be taken to ensure that the parameters are maintained within permissible limits.

Considering the proved mineable reserve of 1,31,579 tons (including waste)as per the approved quarry plan, the committee estimated the life of the mine as 5 years and decided to recommend the proposal to SEIAA for issue of Environmental Clearance for an annual maximum production of 28,947 tons/annum.

Drafted by 

The Authority perused the proposal and took note of the recommendation of SEAC.

The Authority after discussion decided to clear the proposal for issue of Environmental Clearance subject to following:

1. *If the distance of nearest Protected Area (National Park/ Sanctuary/Bio sphere reserve/ migratory corridor) is within 10 KM, a certificate from the Chief Wild Life Warden (CWLW) along with his recommendation, else a certificate from the proponent that the proposed site is more than 10 KM away from any Protection Authority (PA) (National Park/ Sanctuary/Bio sphere reserve/ migratory corridor).*
2. *Safety measures proposed shall be submitted.*
3. *A time bound action plan for implementation of proposed CER activities as a part of EMP shall be furnished.*
4. *The PP shall submit land conversion order.*

Additional Conditions:

Dust suppression measures have to be strictly followed.

210.1.24. Building Stone Quarry Project at Aluru Village, Davanagere Taluk & District (1-20 Acres) by SRI LINGARAJU S/O DHARMAPPA- Online Proposal No. SIA/KA/MIN/232368/2021 (SEIAA 574 MIN 2021)

Sri D Lingaraju S/o Dharmappahave applied for Environmental clearance from SEIAA for quarrying of "Building Stone Quarry" at, Sy. No.64/12 Aluru Village, Davanagere Taluk, Davanagere District.

Details of the project are as follows:

Sl. No	PARTICULARS	INFORMATION
1	Name & Address of the Project Proponent	Sri D Lingaraju S/o Dharmappa, 84, Srirama Badavane, Nituvalli Davanagere-577004
2	Name & Location of the Project	"Building Stone Quarry" of Sri D Lingaraju S/o Dharmappaat, Sy. No.64/12 Aluru Village, Davanagere Taluk, Davanagere District.
3	Type of Mineral	Building stone
4	New / expansion/ modification /renewal	New
5	Type of Land [Forest,	Patta Land.

Drafted by  

	Government Revenue, Gomal, Private/Patta, Other]	
6	Area in Ha	1-20Acre(0.6072 Ha)
7	Annual production (metric ton /Cum) per annum	33,280 tons/annum - Max.
8	Project Cost (Rs. In Crores)	0.75 Crores
9	Proved quantity of mine/quarry- Cu.m/Tons	2,60,000 tons (including waste)
10	permitted quantity per annum- Cu.m/Ton	33,280 tons/annum - Max.
11	CER Activities	
	Year	Corporate Environmental Responsibility (CER)
	1 st	Desilting of KumeganhalliNala every year before monsoon.
	2 nd	Desilting of KumeganhalliNala every year before monsoon
	3 rd	Desilting of KumeganhalliNala every year before monsoon
	4 th	Desilting of KumeganhalliNala every year before monsoon
	5 th	Desilting of KumeganhalliNala every year before monsoon
12	EMP Budget	Rs.7.35 lakhs (Capital Cost) & Rs. 11.15 lakhs (Recurring cost)


The subject was discussed in the SEAC meeting held on 13th December 2021. The Committee has recommended to SEIAA for issue of EC and the extract of the proceedings of the Committee meeting is as below:



The proponent has obtained land conversion order and NOCs from Forest & Revenue Department. The lease was notified on 19.08.2021.

There is an existing cart track road to a length of 300meters connecting the lease area to an all weather black topped road and the proponent informed that the quarrying operation will be commenced after strengthening the approach road to the quarry & the road connecting to the crusher as per IRC (Indian Road Congress) standard norms and growing of trees all along the approach road.

As per the Cluster sketch prepared by the DMG there are 7 leases including the subject lease within the 500 meter radius from this lease area and the total area of all these leases is 9-25 acres. Hence the project is categorized as B2. The proponent has collected baseline data for air, water, soil and noise and all parameters are within permissible limits. The proponent informed that all mitigative measures will be taken to ensure that the parameters are maintained within permissible limits.

Considering the proved mineable reserve of 2,60,000 tons (including waste) as per the approved quarry plan, the committee estimated the life of the mine as 9 years and decided to recommend the proposal to SEIAA for issue of Environmental Clearance for an annual maximum production 33,280 tons/annum.

Drafted by 

72

The Authority perused the proposal and took note of the recommendation of SEAC.

The Authority after discussion decided to clear the proposal for issue of Environmental Clearance subject to following:

1. *If the distance of nearest Protected Area (National Park/ Sanctuary/Bio sphere reserve/ migratory corridor) is within 10 KM, a certificate from the Chief Wild Life Warden (CWLW) along with his recommendation, else a certificate from the proponent that the proposed site is more than 10 KM away from any Protection Authority (PA) (National Park/ Sanctuary/Bio sphere reserve/ migratory corridor).*
2. *Safety measures proposed shall be submitted.*
3. *A time bound action plan for implementation of proposed CER activities as a part of EMP shall be furnished.*

Additional Conditions:


Dust suppression measures have to be strictly followed.



210.1.25. Building Stone Quarry Project at Tavaragera Village, Kalaburgi Taluk & District (5-00 Acres) by SRI VIKAS PHATAK - Online Proposal No. SIA/KA/MIN/234708/2021 (SEIAA 576 MIN 2021)

Sri. Vikas have applied for Environmental clearance from SEIAA for quarrying of Building Stone Quarry in 5-00 Acres of Patta Land bearing Sy. No. 36/* /4 of Tavaragera Village, Kalaburagi Taluk & District

Details of the project are as follows:

Sl.No	PARTICULARS	INFORMATION
1	Name & Address of the Projects Proponent	Sri Vikas S/o. Sri Ramkishan Phatak 157, Khatagarpur Shahabazar, Kalaburagi.
2	Name & Location of the Project	Building Stone Quarry in 5-00 Acres of Patta Land bearing Sy. No. 36/* /4 of Tavaragera Village, Kalaburagi Taluk & District
3	Type Of Mineral	Building Stone
4	New / Expansion / Modification / Renewal	New
5	Type of Land [Forest, Government Revenue, Gomal, Private / Patta, Other]	Patta Land

Drafted by 

6	Area in Ha	5-00Acres
7	Annual Production (Metric Ton / Cum) Per Annum	1,13,090 Tons/ Annum (Max.)
8	Project Cost (Rs. In Crores)	0.50 (Rs. 50 Lakhs)
9	Proved Quantity of mine/ Quarry- Cu.m / Ton	10,91,450Tons (including waste)
10	Permitted Quantity Per Annum - Cu.m / Ton	1,13,090 Tons/ Annum (Max.)
11	CER Action Plan: <ul style="list-style-type: none"> Propose take up 500 No. of additional plantation on either side of the approach road from quarry location to Tavaragera Village Road and to provide Roof top Rain water Harvesting facility to nearby Govt. Primary School, Tavaragera Village. 	
12	EMP Budget	Rs. 32.85Lakhs (Capital Cost) &20.93 Lakhs (Recurring cost)

The subject was discussed in the SEAC meeting held on 13th December 2021. The Committee has recommended to SEIAA for issue of EC and the extract of the proceedings of the Committee meeting is as below:


The Proponent has obtained land conversion order and NOCs from Forest, Revenue Dept. The lease was notified on 09.07.2021.


There is an existing cart track road to a length of 1.17 km connecting the lease area to an all weather black topped road and the proponent informed that the quarrying operation will be commenced after strengthening the approach road to the quarry & the road connecting to the crusher as per IRC (Indian Road Congress) standard norms and growing of trees all along the approach road.

As per the cluster sketch there are 4 leases within 500 meter radius, including the subject lease. Out of which one newly notified area for which the application was not made for EC. The total area of the remaining 3 leases including the subject lease is 12-00 Acres and project is categorized as B2. The proponent has collected baseline data for air, water, soil and noise and all parameters are within permissible limits. The proponent informed that all mitigative measures will be taken to ensure that the parameters are maintained within permissible limits.

Considering the proved mineable reserve of 10,91,450 Tons (including waste) as per the approved quarry plan, the committee estimated the life of the mine as 10 years and decided to recommend the proposal to SEIAA for issue of Environmental Clearance for an annual maximum production 1,13,090 Tons/ Annum.

The Authority perused the proposal and took note of the recommendation of SEAC.

Drafted by 

The Authority after discussion decided to clear the proposal for issue of Environmental Clearance subject to following:

1. If the distance of nearest Protected Area (National Park/ Sanctuary/Bio sphere reserve/ migratory corridor) is within 10 KM, a certificate from the Chief Wild Life Warden (CWLW) along with his recommendation, else a certificate from the proponent that the proposed site is more than 10 KM away from any Protection Authority (PA) (National Park/ Sanctuary/Bio sphere reserve/ migratory corridor).
2. Safety measures proposed shall be submitted.
3. A time bound action plan for implementation of proposed CER activities as a part of EMP shall be furnished.
4. The PP shall submit land conversion Order.

Additional Conditions:


Dust suppression measures have to be strictly followed.

210.1.26. Building Stone Quarry Project at Byguru Village, Chikkamagaluru Taluk & District (1-00 Acre) by SRI MANJUNATHA G.S. - Online Proposal No. SIA/KA/MIN/234746/2021 (SEIAA 577 MIN 2021)

Sri Manjunatha G.S. have applied for Environmental clearance from SEIAA for quarrying of Building Stone Quarry in 1-00 Acre of Patta Land bearing Sy. No. 167, Byguru Village, Chikkamagaluru Taluk & District

Details of the project are as follows:

Sl.No	PARTICULARS	INFORMATION
1	Name & Address of the Projects Proponent	Sri Manjunatha G.S./o Sri Sheshagowda Gavigadde, Kanati Post, Havathi Hobli, Chikkamagaluru District
2	Name & Location of the Project	Building Stone Quarry in 1-00 Acre of Patta Land bearing Sy. No. 167, Byguru Village, Chikkamagaluru Taluk & District
3	Type Of Mineral	Building Stone
4	New / Expansion / Modification / Renewal	New
5	Type of Land [Forest, Government Revenue, Gomal, Private / Patta, Other]	Patta Land

Drafted by 

 75

6	Area in Ha	1-00Acres
7	Annual Production (Metric Ton / Cum) Per Annum	9,468 Tons/ Annum (including waste)
8	Project Cost (Rs. In Crores)	0.25 (Rs. 25 Lakhs)
9	Proved Quantity of mine/ Quarry- Cu.m / Ton	47,340Tons (including waste)
10	Permitted Quantity Per Annum - Cu.m / Ton	9,468 Tons/ Annum (including waste)
11	<u>CER Action Plan:</u>	
	<ul style="list-style-type: none"> Propose take up 100 No. of additional plantation on either side of the approach road from quarry location to Devarahalli Village Road 	
12	EMP Budget	Rs. 1.27 Lakhs (Capital Cost) &7.22 Lakhs (Recurring cost)

The subject was discussed in the SEAC meeting held on 14th December 2021. The Committee has recommended to SEIAA for issue of EC and the extract of the proceedings of the Committee meeting is as below:


The Proponent has obtained land conversion order and NOCs from Forest, Revenue Dept. The lease was notified on 17.11.2020.

There is an existing cart track road to a length of 500meters connecting the lease area to an all weather black topped road and the proponent informed that the quarrying operation will be commenced after strengthening the approach road to the quarry&the road connecting to the crusher as per IRC (Indian Road Congress) standard norms and growing of trees all along the approach road.

As per the cluster sketch there are no other leases within 500 meter radius and the total area of the subject lease is 1-00 Acre and hence the project is categorized as B2. The proponent has collected baseline data for air, water, soil and noise and all parameters are within permissible limits. The proponent informed that all mitigative measures will be taken to ensure that the parameters are maintained within permissible limits.

Considering the proved mineable reserve of 47,340 Tons (including waste) as per the approved quarry plan, the committee estimated the life of the mine as 5 years and decided to recommend the proposal to SEIAA for issue of Environmental Clearance for an annual maximum production 9,468 Tons/ Annum (including waste).

The Authority perused the proposal and took note of the recommendation of SEAC. The Authority observed that there is Residential building within 200 meter from the proposed project site. Therefore, the Authority decided to issue Environment Clearance with manual operation (No Blasting).



The Authority after discussion decided to clear the proposal for issue of Environmental Clearance subject to following:

1. If the distance of nearest Protected Area (National Park/ Sanctuary/Bio sphere reserve/ migratory corridor) is within 10 KM, a certificate from the Chief Wild Life Warden (CWLW) along with his recommendation, else a certificate from the proponent that the proposed site is more than 10 KM away from any Protection Authority (PA) (National Park/ Sanctuary/Bio sphere reserve/ migratory corridor).
2. Safety measures proposed shall be submitted.
3. A time bound action plan for implementation of proposed CER activities as a part of EMP shall be furnished.
4. The PP shall submit undertaking for manual method of quarrying.

Additional Conditions:

Dust suppression measures have to be strictly followed.

210.1.27. Stone (Cherry Lime Stone) Quarry Project at Kalluru Road Village, Chincholli Taluk, Kalburgi District (1-00 Acre) by SRI SIDDAPPA - Online Proposal No. SIA/KA/MIN/234838/2021 (SEIAA 579 MIN 2021)

Sri Siddappa have applied for Environmental clearance from SEIAA for quarrying of Shahabad Stone (Cherty Lime Stone) Quarry in 1-00 Acre of Patta Land bearing Sy. No. 36/1, Kallur Road Village, Chincholi Taluk, Kalaburgi District.

Details of the project are as follows:

Sl.No	PARTICULARS	INFORMATION
1	Name & Address of the Projects Proponent	Sri Siddappa S/o. Sri Annarao Trilapur R/o Kanakapur Village, Chincholi Taluk, Kalburgi District
2	Name & Location of the Project	Shahabad Stone (Cherty Lime Stone) Quarry in 1-00 Acre of Patta Land bearing Sy. No. 36/1, Kallur Road Village, Chincholi Taluk, Kalaburgi District
3	Type Of Mineral	Shahabad Stone (Cherty Lime Stone)
4	New / Expansion / Modification / Renewal	New
5	Type of Land [Forest, Government Revenue, Gomal, Private / Patta, Other]	Patta Land
6	Area in Ha	1-00 Acres

Drafted by 


 77

7	Annual Production (Metric Ton / Cum) Per Annum	380 cum/annum(60% recovery & 40% waste)
8	Project Cost (Rs. In Crores)	0.20 (Rs. 20 Lakhs)
9	Proved Quantity of mine/ Quarry- Cu.m / Ton	19,200Cum (60% recovery & 40% waste)
10	Permitted Quantity Per Annum - Cu.m / Ton	380 cum/annum (60% recovery & 40% waste)
11	CER Action Plan: <ul style="list-style-type: none"> Propose take up 100 No. of additional plantation on either side of the approach road from quarry location to Kallur Village Road 	
12	EMP Budget	Rs. 3.12 Lakhs (Capital Cost) &7.36 Lakhs (Recurring cost)

The subject was discussed in the SEAC meeting held on 13th December 2021. The Committee has recommended to SEIAA for issue of EC and the extract of the proceedings of the Committee meeting is as below:

The Proponent has obtained land conversion order and NOCs from Forest, Revenue Dept. The lease was notified on 28.07.2021.

There is an existing cart track road to a length of 900meters connecting the lease area to an all weather black topped road and the proponent informed that the quarrying operation will be commenced after strengthening the approach road to the quarry&the road connecting to the crusher as per IRC (Indian Road Congress) standard norms and growing of trees all along the approach road.

As per the Cluster Sketch there are 3 leases including this lease within 500 meter radius. The total area of all these leases is 3-36 Acres and hence the project is categorized as B2. The proponent has collected baseline data for air, water, soil and noise and all parameters are within permissible limits. The proponent informed that all mitigative measures will be taken to ensure that the parameters are maintained within permissible limits.

Considering the proved mineable reserve of 19,200 Cum (60% recovery & 40% waste) as per the approved quarry plan, the committee estimated the life of the mine co-terminus with the lease period and decided to recommend the proposal to SEIAA for issue of Environmental Clearance for an annual maximum production of 380 cum/annum (60% recovery & 40% waste).

The Authority perused the proposal and took note of the recommendation of SEAC.

The Authority after discussion decided to clear the proposal for issue of Environmental Clearance subject to following:

1. *If the distance of nearest Protected Area (National Park/ Sanctuary/Bio sphere reserve/ migratory corridor) is within 10 KM, a certificate from the Chief Wild Life*

Drafted by 



78 

Warden (CWLW) along with his recommendation, else a certificate from the proponent that the proposed site is more than 10 KM away from any Protection Authority (PA) (National Park/ Sanctuary/Bio sphere reserve/ migratory corridor).

2. Safety measures proposed shall be submitted.
3. A time bound action plan for implementation of proposed CER activities as a part of EMP shall be furnished.

Additional Conditions:

Dust suppression measures have to be strictly followed.

210.1.28. Sand Quarry Project at Katmadevarahalli Village, Chittapur Taluk, Kalaburgi District (6-19 Acres) by SRI MALLANNA - Online Proposal No. SIA/KA/MIN/235549/2021 (SEIAA 583 MIN 2021)

Sri Mallanna have applied for Environmental clearance from SEIAA for quarrying of Ordinary River Sand Block (Kagna River Bed) in 6-19 Acres of Patta landSy. Nos. 23 & 24/3, Katmadevarhalli Village, Chittapur Taluk, Kalaburagi District

Details of the project are as follows:

Sl.No	PARTICULARS	INFORMATION
1	Name & Address of the Projects Proponent	Sri Mallanna S/o. Saibanna Sanamo, #10/118, Shahabad Road, Near Krithi College, Prashanth Nagara B, Rajapura, Kalaburagi
2	Name & Location of the Project	Ordinary River Sand Block (Kagna River Bed) in 6-19 Acres of Patta landSy. Nos. 23 & 24/3, Katmadevarhalli Village, Chittapur Taluk, Kalaburagi District
3	Type Of Mineral	Ordinary River Sand
4	New / Expansion / Modification / Renewal	New
5	Type of Land [Forest, Government Revenue, Gomal, Private / Patta, Other]	Patta Land
6	Area in Ha	6-19 Acres
7	Annual Production (Metric Ton / Cum) Per Annum	27,318 Tons/ Annum (Max.)
8	Project Cost (Rs. In Crores)	0.70 (Rs. 70 Lakhs)

Drafted by 

79 

9	Proved Quantity of mine/ Quarry- Cu.m / Ton	1,00,620Tons
10	Permitted Quantity Per Annum - Cu.m / Ton	27,318Tons/ Annum (Max.)
11	CER Action Plan: <ul style="list-style-type: none"> Propose to construct WBM road from sand block location to Katargi village road. 	
12	EMP Budget	Rs. 3.25 Lakhs (Capital Cost) &20.57 Lakhs (Recurring cost)

The subject was discussed in the SEAC meeting held on 14th December 2021. The Committee has recommended to SEIAA for issue of EC and the extract of the proceedings of the Committee meeting is as below:

The Proponent has obtained land conversion order and NOCs from Forest, Revenue Dept. The lease was notified by C&I dept. on 31.01.2020.

There is an existing cart track road to a length of 350meters connecting the lease area to an all weather black topped road and the proponent informed that the quarrying operation will be commenced after strengthening the approach road to the quarry & the road connecting to the crusher as per IRC (Indian Road Congress) standard norms and growing of trees all along the approach road.


As per the Cluster Sketch there are 2 leases within 500 meter radius including the present lease. The total area of all these leases is 11-23Acres and hence the project is categorized as B2.The proponent has collected baseline data for air, water, soil and noise and all parameters are within permissible limits. The proponent informed that all mitigative measures will be taken to ensure that the parameters are maintained within permissible limits.


Considering the proved mineable reserve of 1,00,620 tonnes as per the approved quarry plan, the committee estimated the life of the mine as 5 years and decided to recommend the proposal to SEIAA for issue of Environmental Clearance for an annual maximum production 27,318 Tons/ Annum (Max.).

The Authority perused the proposal and took note of the recommendation of SEAC.

The Authority after discussion decided to clear the proposal for issue of Environmental Clearance subject to following:

- 1. If the distance of nearest Protected Area (National Park/ Sanctuary/Bio sphere reserve/ migratory corridor) is within 10 KM, a certificate from the Chief Wild Life Warden (CWLW) along with his recommendation, else a certificate from the proponent that the proposed site is more than 10 KM away from any Protection Authority (PA) (National Park/ Sanctuary/Bio sphere reserve/ migratory corridor).*
- 2. Safety measures proposed shall be submitted.*

Drafted by 

3. A time bound action plan for implementation of proposed CER activities as a part of EMP shall be furnished.
4. The proponent shall furnish a certificate that there is no sand quarry within 5 KM of project site.

Additional Conditions:


1. Dust suppression measures have to be strictly followed.
2. The PP shall utilize the permission as per the Sand policy of the GoK Notification No. CI 343 MMN 2019 (Part 7) dated 01.12.2021.

210.1.29. Shahabad Stone Quarry Project at Bhankur Village, Shahabad Taluk, Kalaburgi District (1-00 Acre) by Sri Mohammed Mansoor - Online Proposal No. SIA/KA/MIN/235530/2021 (SEIAA 585 MIN 2021)

Sri Mohammed Mansoor S/o Mohammed Hussainsab have applied for Environmental clearance from SEIAA for quarrying of "Shahabad Stone Quarry" of, In part of Sy. No. 164/*/2, Bhankur Village, Shahabad Taluk, Kalaburagi District.

Details of the project are as follows:

Sl. No	PARTICULARS	INFORMATION
1	Name & Address of the Project Proponent	Sri Mohammed Mansoor S/o Mohammed Hussainsab, 7-72, Sannur Road, Shanth Nagar, Bhankur, Shahabad Taluk, Kalaburagi District.
2	Name & Location of the Project	"Shahabad Stone Quarry" of Sri Mohammed Mansoor S/o Mohammed Hussainsab, In part of Sy. No. 164/*/2, Bhankur Village, Shahabad Taluk, Kalaburagi District.
3	Type of Mineral	Shahabad stone
4	New / Expansion / Modification / Renewal	New
5	Type of Land [Forest, Government Revenue, Gomal, Private/Patta, Other]	Pattaland
6	Area in Ha	0.404Ha
7	Annual Production Proposed (Metric Tons/ CUM) / Annum	2,612cum per annum
8	Project Cost (Rs. In Crores)	0.90crores

Drafted by 

 81

9	Proved quantity of mine/quarry- Cu.m/Tons	22,563 Cu.m
10	Permitted quantity per annum- Cu.m/Ton	2,612cum per annum
11	CER Action Plan:	
	Year	Corporate Environmental Responsibility (CER)
	1 st	Providing solar power panels to common public places
	2 nd	Conducting E-waste drive campaigns in the nearby localities
	3 rd	Rain water harvesting pits nearby GLPS in Bhankur Village
	4 th	Health camp in nearby community places
	5 th	Scientific support and awareness to local farmers to increase yield of crop and fodder
12	EMP Budget	Rs.10.10 lakhs (Capital Cost) &Rs. 5.34 lakhs (Recurring cost)

The subject was discussed in the SEAC meeting held on 14th December 2021. The Committee has recommended to SEIAA for issue of EC and the extract of the proceedings of the Committee meeting is as below:


The proponent has obtained land conversion order and NOCs from Forest Dept, Revenue Department. The lease was notified on 21.08.2021.


There is an existing cart track road to a length of 530meters connecting the lease area to an all weather black topped road and the proponent informed that the quarrying operation will be commenced after strengthening the approach road to the quarry & the road connecting to the crusher as per IRC (Indian Road Congress) standard norms and growing of trees all along the approach road.

As per the cluster sketch there are 2 leases including this lease within 500 meter radius and the total area of all these leases is 2-00 Acres and hence the project is categorized as B2. The proponent has collected baseline data for air, water, soil and noise and all parameters are within permissible limits. The proponent informed that all mitigative measures will be taken to ensure that the parameters are maintained within permissible limits.

Considering the proved mineable reserve of 22,563 Cu.m as per the approved quarry plan, the committee estimated the life of the mine as 9 years and decided to recommend the proposal to SEIAA for issue of Environmental Clearance for an annual maximum production 2,612 cum per annum.

The Authority perused the proposal and took note of the recommendation of SEAC.

Drafted by 

The Authority after discussion decided to clear the proposal for issue of Environmental Clearance subject to following:

1. *If the distance of nearest Protected Area (National Park/ Sanctuary/Bio sphere reserve/ migratory corridor) is within 10 KM, a certificate from the Chief Wild Life Warden (CWLW) along with his recommendation, else a certificate from the proponent that the proposed site is more than 10 KM away from any Protection Authority (PA) (National Park/ Sanctuary/Bio sphere reserve/ migratory corridor).*
2. *Safety measures proposed shall be submitted.*
3. *A time bound action plan for implementation of proposed CER activities as a part of EMP shall be furnished.*
4. *Since there is substantial quantity of generation of waste from the quarry activity, all due precautions with respect to environment management aspects of waste dump shall be observed.*

Additional Conditions:


Dust suppression measures have to be strictly followed.

210.1.30. Building Stone Quarry Project at Hachadamane Village, Chikkamagaluru Taluk & District (1-10 Acres) by Sri H. R. Puttaswamygowda - Online Proposal No. SIA/KA/MIN/235691/2021 (SEIAA 586 MIN 2021)

Sri H. R. Puttaswamygowda have applied for Environmental clearance from SEIAA for quarrying of Building Stone Quarry in 1-10 Acres of Patta Land bearing Sy. No. 59 of Hachadamane Village, Chikkamagaluru Taluk & District

Details of the project are as follows:

Sl.No	PARTICULARS	INFORMATION
1	Name & Address of the Projects Proponent	Sri H. R. Puttaswamygowda S/o. V. T. Rangegowda, Hachadamane Village, Halasamane Post, Chikkamagaluru Taluk & District
2	Name & Location of the Project	Building Stone Quarry in 1-10 Acres of Patta Land bearing Sy. No. 59 of Hachadamane Village, Chikkamagaluru Taluk & District
3	Type Of Mineral	Building Stone
4	New / Expansion / Modification / Renewal	New
5	Type of Land [Forest,	Patta Land

Drafted by 

83

	Government Revenue, Gomal, Private / Patta, Other]	
6	Area in Ha	1-10Acres
7	Annual Production (Metric Ton / Cum) Per Annum	30,771 Tons/ Annum (including waste)
8	Project Cost (Rs. In Crores)	0.25 (Rs. 25 Lakhs)
9	Proved Quantity of mine/ Quarry- Cu.m / Ton	2,15,397Tons (including waste)
10	Permitted Quantity Per Annum - Cu.m / Ton	30,771Tons/ Annum (including waste)
11	CER Action Plan: • Propose to provide Roof top Rain water Harvesting facility to nearby Govt. Primary School, Hachadamane.	
12	EMP Budget	Rs. 7.92 Lakhs (Capital Cost) &9.09 Lakhs (Recurring cost)

The subject was discussed in the SEAC meeting held on 14th December 2021. The Committee has recommended to SEIAA for issue of EC and the extract of the proceedings of the Committee meeting is as below:

The Proponent has obtained land conversion order and NOCs from Forest, Revenue Dept. The lease was notified on 17.11.2020.

There is an existing cart track road to a length of 650meters connecting the lease area to an all weather black topped road and the proponent informed that the quarrying operation will be commenced after strengthening the approach road to the quarry&the road connecting to the crusher as per IRC (Indian Road Congress) standard norms and growing of trees all along the approach road.

As per the cluster sketch there are no other leases within 500 meter radius and the total area of the subject lease is 1-10 Acres and project is categorized as B2. The proponent has collected baseline data for air, water, soil and noise and all parameters are within permissible limits. The proponent informed that all mitigative measures will be taken to ensure that the parameters are maintained within permissible limits.

Considering the proved mineable reserve of 2,15,397Tons (including waste) as per the approved quarry plan, the committee estimated the life of the mine as 7 years and decided to recommend the proposal to SEIAA for issue of Environmental Clearance for an annual maximum production 30,771 Tons/Annum (including waste).

The Authority perused the proposal and took note of the recommendation of SEAC.

The Authority after discussion decided to clear the proposal for issue of Environmental Clearance subject to following:

1. If the distance of nearest Protected Area (National Park/ Sanctuary/Bio sphere reserve/ migratory corridor) is within 10 KM, a certificate from the Chief Wild Life Warden (CWLW) along with his recommendation, else a certificate from the proponent that the proposed site is more than 10 KM away from any Protection Authority (PA) (National Park/ Sanctuary/Bio sphere reserve/ migratory corridor).
2. Safety measures proposed shall be submitted.
3. A time bound action plan for implementation of proposed CER activities as a part of EMP shall be furnished.

Additional Conditions:


Dust suppression measures have to be strictly followed.

210.1.31. Pink Granite Quarry Project at Jinnapura Village, Koppala Talu & District (1.90 Ha) by M/s. SHRI SAI GRANITES - Online Proposal No. SIA/KA/MIN/232521/2021 (SEIAA 545 MIN 2021)

M/s. Shri. Sai Granites have applied for Environmental clearance from SEIAA for quarrying of Pink Granite Quarry in 4-00 Acre 28 Gunta of Patta Land bearing Sy. No. 18/1, Jinnapura Village, Koppal Taluk & District.

Details of the project are as follows:

Sl.No	PARTICULARS	INFORMATION
1	Name & Address of the Projects Proponent	M/s. Shri Sai Granites, #102, Sanjaya Nagar, Bangalore-560094
2	Name & Location of the Project	Pink Granite Quarry in 4-00 Acre 28 Gunta of Patta Land bearing Sy. No. 18/1, Jinnapura Village, Koppal Taluk & District
3	Type Of Mineral	Pink Granite
4	New / Expansion / Modification / Renewal	New
5	Type of Land [Forest, Government Revenue, Gomal, Private / Patta, Other]	Patta Land
6	Area in Ha	4-00 Acre 28 Gunta
7	Annual Production (Metric Ton / Cum) Per Annum	8,056 Cum/ annum (30% Recovery & 70%) - Max.
8	Project Cost (Rs. In Crores)	1.00 (Rs. 100 Lakhs)

Drafted by 

 85

9	Proved Quantity of mine/ Quarry- Cu.m / Ton	2,77,455 Cum (30% Recovery & 70%) Waste)
10	Permitted Quantity Per Annum - Cu.m / Ton	8,056 Cum/annum (30% Recovery & 70%) - Max.
11	CER Action Plan: <ul style="list-style-type: none"> • Local road maintenance • Provide roof top rain water harvesting facility and water tank to Govt. primary school, Methagal 	
12	EMP Budget	Rs. 3.10 Lakhs (Capital Cost) & 1.48 Lakhs (Recurring cost)

The subject was discussed in the SEAC meeting held on 14th December 2021. The Committee has recommended to SEIAA for issue of EC and the extract of the proceedings of the Committee meeting is as below:

The proponent has obtained land conversion order and NOCs from Forest, Revenue Dept. The lease was notified by C & I dept. on 27.07.2021.

There is an existing cart track road to a length of 660meters connecting the lease area to an all weather black topped road and the proponent informed that the quarrying operation will be commenced after strengthening the approach road to the quarry & the road connecting to the crusher as per IRC (Indian Road Congress) standard norms and growing of trees all along the approach road.


As per the Cluster Sketch there are no other leases within 500 meter radius from the lease area. The area of the subject lease 4-28 Acres and hence the project is categorized as B2. The proponent has collected baseline data for air, water, soil and noise and all parameters are within permissible limits. The proponent informed that all mitigative measures will be taken to ensure that the parameters are maintained within permissible limits.

Considering the proved mineable reserve of 2,77,455 Cum (30% Recovery & 70%) Waste) as per the approved quarry plan, the committee estimated the life of the mine co-terminus with the lease period and decided to recommend the proposal to SEIAA for issue of Environmental Clearance for an annual maximum production of 8,056 Cum/annum (30% Recovery & 70%).

The Authority perused the proposal and took note of the recommendation of SEAC.

The Authority after discussion decided to clear the proposal for issue of Environmental Clearance subject to following:

1. *If the distance of nearest Protected Area (National Park/ Sanctuary/Bio sphere reserve/ migratory corridor) is within 10 KM, a certificate from the Chief Wild Life Warden (CWLW) along with his recommendation, else a certificate from the*



proponent that the proposed site is more than 10 KM away from any Protection Authority (PA) (National Park/ Sanctuary/Bio sphere reserve/ migratory corridor).

2. Safety measures proposed shall be submitted.
3. A time bound action plan for implementation of proposed CER activities as a part of EMP shall be furnished.
4. Since there is substantial quantity of generation of waste from the quarry activity, all due precautions with respect to environment management aspects of waste dump shall be observed.

Additional Conditions:

Dust suppression measures have to be strictly followed.


210.1.32. Building Stone Quarry Project at Hasuvinakavalu Village, Pariyapatna Taluk, Mysore District (2-29 Acres) by Smt. Ashwini - Online Proposal No. SIA/KA/MIN/235741/2021 (SEIAA 587 MIN 2021)


Smt. Ashwini have applied for Environmental clearance from SEIAA for quarrying of Building Stone Quarry in 2-29 Acres of Patta Land bearing Sy. No. 324/2 of Hasuvinakavalu village in Periyapatna Taluk, Mysore District, Karnataka

Details of the project are as follows:

Sl.No	PARTICULARS	INFORMATION
1	Name & Address of the Projects Proponent	Smt. Ashwini W/o. Purushotham rai, Harangi Post, Hudugoor Village, Kushalnagar, Somwarpet Taluk, Kodagu District
2	Name & Location of the Project	Building Stone Quarry in 2-29 Acres of Patta Land bearing Sy. No. 324/2 of Hasuvinakavalu village in Periyapatna Taluk, Mysore District, Karnataka.
3	Type Of Mineral	Building Stone
4	New / Expansion / Modification / Renewal	New
5	Type of Land [Forest, Government Revenue, Gomal, Private / Patta, Other]	Patta Land
6	Area in Ha	2-29 Acres
7	Annual Production (Metric Ton / Cum) Per Annum	81,130 Tons/ Annum (Max.)
8	Project Cost (Rs. In Crores)	0.25 (Rs. 25 Lakhs)
9	Proved Quantity of mine/	5,67,877 Tons

Drafted by 





	Quarry- Cu.m / Ton	
10	Permitted Quantity Per Annum - Cu.m / Ton	81,130Tons/ Annum (Max.)
11	CER Action Plan: • Propose to provide Roof top Rain water Harvesting facility to nearby Govt. Primary School, Hasuvinakavalu Village	
12	EMP Budget	Rs. 2.00 Lakhs (Capital Cost) &12.63 Lakhs (Recurring cost)

The subject was discussed in the SEAC meeting held on 14th December 2021. The Committee has recommended to SEIAA for issue of EC and the extract of the proceedings of the Committee meeting is as below:

The Proponent has obtained land conversion order and NOCs from Forest, Revenue Dept. The lease was notified on 22.09.2021.

There is an existing cart track road to a length of 575meters connecting the lease area to an all weather black topped road and the proponent informed that the quarrying operation will be commenced after strengthening the approach road to the quarry & the road connecting to the crusher as per IRC (Indian Road Congress) standard norms and growing of trees all along the approach road.

As per the cluster sketch there are no other leases within 500 meter radius and the total area of the subject lease is 1-10 Acres and hence the project is categorized as B2. The proponent has collected baseline data for air, water, soil and noise and all parameters are within permissible limits. The proponent informed that all mitigative measures will be taken to ensure that the parameters are maintained within permissible limits.

Considering the proved mineable reserve of 5,67,877 Tons as per the approved quarry plan, the committee estimated the life of the mine as 7 years and decided to recommend the proposal to SEIAA for issue of Environmental Clearance for an annual maximum production of 81,130 Tons/ Annum (Max.).

The Authority perused the proposal and took note of the recommendation of SEAC. The Authority verified the document and it is observed that the land conversion is done only for industrial purpose not for Building Stone Mining.

The Authority after discussion decided to clear the proposal for issue of Environmental Clearance subject to following:

1. *If the distance of nearest Protected Area (National Park/ Sanctuary/Bio sphere reserve/ migratory corridor) is within 10 KM, a certificate from the Chief Wild Life Warden (CWLW) along with his recommendation, else a certificate from the proponent that the proposed site is more than 10 KM away from any Protection Authority (PA) (National Park/ Sanctuary/Bio sphere reserve/ migratory corridor).*
2. *Safety measures proposed shall be submitted.*



3. A time bound action plan for implementation of proposed CER activities as a part of EMP shall be furnished.
4. The PP shall submit revised land conversion order for the purpose Building Stone Mining.

Additional Conditions:


Dust suppression measures have to be strictly followed.

210.1.33. Shahabad Stone Quarry Project at Kallur Road Village, Chincholli Taluk, Kalaburgi District (1-20 Acres) by Sri Jagannath - Online Proposal No. SIA/KA/MIN/236423/2021 (SEIAA 591 MIN 2021)


Sri Jagannath have applied for Environmental clearance from SEIAA for quarrying of Shahabad Stone (Cherty Limestone) Quarry in 1-20 Acres of Patta Land bearing Sy. No. 48/2 of Kallur Road Village, Chincholi Taluk & Kalaburagi District

Details of the project are as follows:

Sl.No	PARTICULARS	INFORMATION
1	Name & Address of the Projects Proponent	Sri Jagannath S/o. Sri. Shivareddy Chitteppanavar R/o. Kallur Road Village, Chincholi Taluk, Kalaburagi District
2	Name & Location of the Project	Shahabad Stone (Cherty Limestone) Quarry in 1-20 Acres of Patta Land bearing Sy. No. 48/2 of Kallur Road Village, Chincholi Taluk & Kalaburagi District
3	Type Of Mineral	Shahabad Stone (Cherty Limestone)
4	New / Expansion / Modification / Renewal	New
5	Type of Land [Forest, Government Revenue, Gomal, Private / Patta, Other]	Patta Land
6	Area in Ha	1-20 Acres
7	Annual Production (Metric Ton / Cum) Per Annum	413 cum (60% recovery & 40% waste)
8	Project Cost (Rs. In Crores)	0.20 (Rs. 20 Lakhs)
9	Proved Quantity of mine/ Quarry- Cu.m / Ton	39,000 Cum (60% recovery & 40% waste)
10	Permitted Quantity Per Annum - Cu.m / Ton	413 cum (60% recovery & 40% waste)

Drafted by 



 89

11	<u>CER Action Plan:</u>	
	<ul style="list-style-type: none"> Propose to carry out Roof Top Rain Water Harvesting system with ground water recharging facility, at the Govt. School, in the nearby Kallur road Village 	
12	EMP Budget	Rs. 1.55 Lakhs (Capital Cost) & 21.13 Lakhs (Recurring cost)

The subject was discussed in the SEAC meeting held on 14th December 2021. The Committee has recommended to SEIAA for issue of EC and the extract of the proceedings of the Committee meeting is as below:

The Proponent has obtained land conversion order and NOCs from Forest, Revenue Dept. The lease was notified on 04.03.2021.

There is an existing cart track road to a length of 250 meters connecting the lease area to an all weather black topped road and the proponent informed that the quarrying operation will be commenced after strengthening the approach road to the quarry & the road connecting to the crusher as per IRC (Indian Road Congress) standard norms and growing of trees all along the approach road.

As per the Cluster Sketch there are no other leases within 500 meter radius. The total area of the subject lease is 1-20 Acres and hence the project is categorized as B2. The Proponent has collected baseline data of air, water, soil and noise and all are within the permissible limits. The proponent informed that all mitigative measures will be taken to ensure that the parameters will be maintained within the permissible limits.

Considering the proved mineable reserve of 39,000 Cum (60% recovery & 40% waste) as per the approved quarry plan, the committee estimated the life of the mine co-terminus with the lease period and decided to recommend the proposal to SEIAA for issue of Environmental Clearance for an annual maximum production 413 cum (60% recovery & 40% waste).

The Authority perused the proposal and took note of the recommendation of SEAC.

The Authority after discussion decided to clear the proposal for issue of Environmental Clearance subject to following:

- 1. If the distance of nearest Protected Area (National Park/ Sanctuary/Bio sphere reserve/ migratory corridor) is within 10 KM, a certificate from the Chief Wild Life Warden (CWLW) along with his recommendation, else a certificate from the proponent that the proposed site is more than 10 KM away from any Protection Authority (PA) (National Park/ Sanctuary/Bio sphere reserve/ migratory corridor).*
- 2. Safety measures proposed shall be submitted.*
- 3. A time bound action plan for implementation of proposed CER activities as a part of EMP shall be furnished.*

4. *Since there is substantial quantity of generation of waste from the quarry activity, all due precautions with respect to environment management aspects of waste dump shall be observed.*

Additional Conditions:

Dust suppression measures have to be strictly followed.

210.1.34. Ordinary Sand Quarry Project at Hebballi Village, Badami Taluk & Bagalkote District (6-11 Acres) by Sri Ramesh Y Kittali - Online Proposal No. SIA/KA/MIN/235670/2021 (SEIAA 292 MIN 2020)

Sri. Ramesh have applied for Environmental clearance from SEIAA for quarrying of Ordinary Sand Quarry over an extent 6-11 Acres (2.539 Hectares) in Patta Land at Sy. No. 135/1A, 135/2, 135/3, 135/4, 135/8 & 137/3 of Hebballi Village, Badami Taluk, Bagalkote District, Karnataka.

Details of the project are as follows:

Sl. No	PARTICULARS	INFORMATION
1	Name & Address of the Project Proponent	Sri. Ramesh. Y. Kittali, Hebballi Village & Post, Badami Taluk, Bagalkot District,
2	Name & Location of the Project	Ordinary Sand Quarry over an extent 6-11 Acres (2.539 Hectares) in Patta Land at Sy. No. 135/1A, 135/2, 135/3, 135/4, 135/8 & 137/3 of Hebballi Village, Badami Taluk, Bagalkote District, Karnataka.
3	Type of Mineral	Ordinary Sand Quarry
4	New / Expansion / Modification / Renewal	New
5	Type of Land [Forest, Government Revenue, Gomal, Private/Patta, Other]	Patta Land
6	Area in Ha	2.539
7	Annual production (metric ton /Cum) per annum	32,864 TPA
8	Project Cost (Rs. In Crores)	1.35 crores
9	Proved quantity of mine/quarry-Cu.m/Tons	98,592 Tonnes
10	permitted quantity per annum-Cu.m/Ton	32,864 TPA

11	CER Action Plan:	
	Year	Corporate Environmental Responsibility (CER)
	1st	Providing solar power panels to common public places
	2nd	Conducting E-waste drive campaigns in the nearby localities and Scientific support and awareness to local farmers to increase yield of crop and fodder
	3rd	Avenue plantation either side of the approach road near Quarry site & Repair of road with drainages and Health camp in nearby community places
12	EMP Budget	Rs.13.54 lakhs (Capital Cost) & Rs. 14.60 lakhs (Recurring cost)

The subject was discussed in the SEAC meeting held on 21st December 2021. The Committee has recommended to SEIAA for issue of EC and the extract of the proceedings of the Committee meeting is as below:

The TOR was issued by SEIAA on 2nd September 2021 and EIA report was submitted on 26th October 2021. The proponent has obtained NOCs from Forest & Revenue Dept. and has applied for land conversion. The lease was notified by C&I Dept. on 07.08.2020.

There is an existing cart track road to a length of 400meters connecting the lease area to an all weather black topped road and the proponent informed that the quarrying operation will be commenced after strengthening the approach road to the quarry & the road connecting to the crusher as per IRC (Indian Road Congress) standard norms and would grow trees all along the approach road.

The public hearing was conducted on 24.08.2021 and the committee observed that there is no major negative opinion and the proponent further informed that dust pollution will be suppressed by sprinkling water during mining activity and also the approach road would be strengthened. The proponent agreed to follow the conditions stipulated in sustainable sand mining guidelines 2016 & 2020.

The proponent has collected baseline data for air, water, soil and noise and all parameters are within permissible limits. The proponent informed that all mitigative measures will be taken to ensure that the parameters are maintained within permissible limits.

Considering the proved mineable reserve of 98,592 tons as per the approved quarry plan, the committee estimated the life of the mine as 3 years and decided to recommend the proposal to SEIAA for issue of Environment Clearance for an annual production of 32,864tons per annum for 3 years plan period.

The Authority perused the proposal and took note of the recommendation of SEAC.

The Authority after discussion decided to clear the proposal for issue of Environmental Clearance subject to following:

1. *If the distance of nearest Protected Area (National Park/ Sanctuary/Bio sphere reserve/ migratory corridor) is within 10 KM, a certificate from the Chief Wild Life Warden (CWLW) along with his recommendation, else a certificate from the proponent that the proposed site is more than 10 KM away from any Protection Authority (PA) (National Park/ Sanctuary/Bio sphere reserve/ migratory corridor).*
2. *Safety measures proposed shall be submitted.*
3. *A time bound action plan for implementation of proposed CER activities as a part of EMP shall be furnished.*
4. *The proponent shall furnish a certificate that there is no sand quarry within 5 KM of project site.*
5. *The PP shall submit land conversion order.*

Additional Conditions:


1. *Dust suppression measures have to be strictly followed.*
2. *The PP shall utilize the permission as per the Sand policy of the GoK Notification No. CI 343 MMN 2019 (Part 7) dated 01.12.2021.*

210.1.35. M-Sand Quarry Project at Makarahalli Village, Malur Taluk, Kolar District (5-00 Acres) by M/s. Shri venkateshwara stone - Online Proposal No. SIA/KA/MIN/238414/2021 (SEIAA 615 MIN 2021)

M/s. Shri Venkateshwara Stone Crusher have applied for Environmental clearance from SEIAA for quarrying of "Building Stone / M-Sand Quarry" Sy No. 185, Makarahalli Village, Malur Taluk, Kolar District,

Details of the project are as follows:

Sl. No	PARTICULARS	INFORMATION
1	Name & Address of the Project Proponent	M/s Shri Venkateshwara Stone Crusher Prop: Sri K. S. Venkateshappa Kshetranahalli Village, Nellahalli Post, Malur Taluk, Kolar District - 563137.

Drafted by 




93 

2	Name & Location of the Project	"Building Stone / M-Sand Quarry" of M/s. Shri Venkateshwara Stone Crusher Sy No. 185, Makarahalli Village, Malur Taluk, Kolar District,
3	Type of Mineral	Building Stone / M-Sand Quarry
4	New / Expansion / Modification / Renewal	New
5	Type of Land [Forest, Government Revenue, Gomal, Private/Patta, Other]	Government Gomala Land
6	Area in Ha	2.023 Ha
7	Annual production (metric ton /Cum) per annum	2,50,704 TPA
8	Project Cost (Rs. In Crores)	1.72 crores
9	Proved quantity of mine/quarry- Cu.m/Tons	12,89,620 Tonnes
10	permitted quantity per annum- Cu.m/Ton	2,50,704 TPA-Avg
11	CER Action Plan:	
	Year	Corporate Environmental Responsibility (CER)
	1 st	Providing solar power panels to GLPS school at Makarahalli village
	2 nd	Cleaning out and deepening of Makarahalli pond
	3 rd	Rain water harvesting pits at GLPS school at Makarahalli village
	4 th	Health camp in GLPS school at Makarahalli village
	5 th	Scientific support and awareness to local farmers to increase yield of crop and fodder
12	EMP Budget	Rs.24.08 lakhs (Capital Cost) & Rs. 14.39 lakhs (Recurring cost)


The subject was discussed in the SEAC meeting held on 21st December 2021. The Committee has recommended to SEIAA for issue of EC and the extract of the proceedings of the Committee meeting is as below:

The Proponent has obtained NOCs from Forest, Revenue Dept. The lease was notified on 24.09.2021.

There is an existing cart track road to a length of 420meters connecting the lease area to an all weather black topped road and the proponent informed that the quarrying operation will be commenced after strengthening the approach road to the quarry & the road connecting to the crusher as per IRC (Indian Road Congress) standard norms and would grow trees all along the approach road.

Drafted by 




94

As per the Cluster sketch there are 6 other leases in 500 meter radius from this lease area and all these leases granted before 09.09.2013. The total area of the subject lease is 5-00 Acres and hence the project is categorized as B2. The proponent has collected baseline data for air, water, soil and noise and all parameters are within permissible limits. The proponent informed that all mitigative measures will be taken to ensure that the parameters are maintained within permissible limits.

Considering the proved mineable reserve of 12,89,620 tonnes as per the approved quarry plan, the committee estimated the life of the mine as 6 years and decided to recommend the proposal to SEIAA for issue of Environmental Clearance for an annual production 2,50,704 Tons/Annum (Avg).

The Authority perused the proposal and took note of the recommendation of SEAC.

The Authority after discussion decided to clear the proposal for issue of Environmental Clearance subject to following:

1. *If the distance of nearest Protected Area (National Park/ Sanctuary/Bio sphere reserve/ migratory corridor) is within 10 KM, a certificate from the Chief Wild Life Warden (CWLW) along with his recommendation, else a certificate from the proponent that the proposed site is more than 10 KM away from any Protection Authority (PA) (National Park/ Sanctuary/Bio sphere reserve/ migratory corridor).*
2. *Safety measures proposed shall be submitted.*
3. *A time bound action plan for implementation of proposed CER activities as a part of EMP shall be furnished.*

Additional Conditions:


Dust suppression measures have to be strictly followed.

210.1.36. Building Stone Quarry Project at Makenahalli Village, Nelamangala Taluk, Bangalore Rural District (6-25 Acres) by M/s. N K Enterprises - Online Proposal No. SIA/KA/MIN/238140/2021 (SEIAA 611 MIN 2021)

M/s. N. K. Enterprises have applied for Environmental clearance from SEIAA for quarrying of "Building Stone Quarry", At Sy No: 91, 92, 93 & 94, Makenahalli Village, Nelamangala Taluk, Bangalore Rural District, Karnataka

Details of the project are as follows:

Sl. No	PARTICULARS	INFORMATION
1	Name & Address of the Project Proponent	M/s. N. K. Enterprises, Prop: Sri. Channigarayappa, S/o Nanjundappa, Kallugopalahalli, Bidadi Hobli, Ramanagara, Karnataka - 562109.

Drafted by 



95 

2	Name & Location of the Project	"Building Stone Quarry" of M/s. N. K. Enterprises, At Sy No: 91, 92, 93 & 94, Makenahalli Village, Nelamangala Taluk, Bangalore Rural District, Karnataka.
3	Type of Mineral	Building Stone Quarry
4	New / Expansion / Modification / Renewal	New
5	Type of Land [Forest, Government Revenue, Gomal, Private/Patta, Other]	Patta Land
6	Area in Ha	2.680 Ha
7	Annual production (metric ton /Cum) per annum	3,06,122 TPA
8	Project Cost (Rs. In Crores)	2.23 crores
9	Proved quantity of mine/quarry- Cu.m/Tons	44,91,171 Tonnes
10	permitted quantity per annum- Cu.m/Ton	3,06,122 TPA
11	CER Action Plan:	
	Year	Corporate Environmental Responsibility (CER)
	1st	Rain water harvesting pits near by GHPS at Makenahalli Village
	2nd	Providing solar lights to GLPS at Makenahalli Village
	3rd	Cleaning out and deepening of Maldala Pond
	4th	Scientific support and awareness to local farmers to increase yield of crop and fodder
	5th	Health camp in GLPS at Makenahalli Village
12	EMP Budget	Rs.37.50 lakhs (Capital Cost) & Rs. 16.13 lakhs (Recurring cost)

The subject was discussed in the SEAC meeting held on 21st December 2021. The Committee has recommended to SEIAA for issue of EC and the extract of the proceedings of the Committee meeting is as below:

The committee received a complaint from Sri K.S Chethan, informing that this proposal is having some legal issues pertaining to overlapping of quarry area (Govt Land) with sanctioned patta land and the matter has been petitioned in the Hon'ble High Court of Karnataka. He further stated that, though the court has ordered to grant the quarry lease in favor of the petitioner, the DMG has not done so and requested to withhold the process of issuing EC to the applicant. Along with the letter he has submitted the Court Order, DMG endorsement letter etc.

The committee brought the said complaint to the notice of the proponent and sought clarification for the same. The proponent during appraisal clarified and also submitted a reply vide letter dated: 22.12.2021 listing out the chronological events in compliance to the Hon'ble High Court Order. He further clarified that in compliance to the Hon'ble High Court Order, a meeting of the District task force was held and

subsequently a letter from the DMG stating that the overlapped disputed area has been deducted from the area granted to the petitioner and further submitted that the Writ Petition is not concerned with any land dispute or regarding the patta lands of the proponent and hence requested to consider the clarification and issue the EC. The committee after deliberation and discussion decided to continue with appraisal of the project proposal.

The proponent has obtained land conversion order and NOCs from Forest, Revenue Department. The lease was notified on 27.10.2021. There is an existing cart track road to a length of 980meters connecting the lease area to an all weather black topped road and the proponent informed that the quarrying operation will be commenced after strengthening the approach road to the quarry & the road connecting to the crusher as per IRC (Indian Road Congress) standard norms and would grow trees all along the approach road.

As per the Cluster sketch prepared by the DMG there are 9 other leases within the 500 meter radius from this lease area, out of which for 8 leases ECs issued prior to 15.01.2016. The total area of the remaining 2 leases including the subject lease is 11-25Acres and hence the project is categorized as B2. The proponent has collected baseline data of air, water, soil and noise and the parameters are within the permissible limits. The proponent informed that all mitigative measures will be taken to ensure that the parameters are maintained within the permissible limits.


Considering the proved mineable reserve of 44,91,171 tons (including waste) as per the approved quarry plan, the committee estimated the life of the mine as 14 years. The committee decided to recommend the proposal to SEIAA for issue of Environmental Clearance for an annual production of 3,06,122 tonnes per annum.



The Authority perused the proposal and took note of the recommendation of SEAC. The Authority noted that pertaining to the dispute was examined by SEAC and as per the recommendation of SEAC and also proceedings of the District Task Force, the Authority therefore, decided to *clear the proposal for issue of Environmental Clearance subject to following:*

1. *If the distance of nearest Protected Area (National Park/ Sanctuary/Bio sphere reserve/ migratory corridor) is within 10 KM, a certificate from the Chief Wild Life Warden (CWLW) along with his recommendation, else a certificate from the proponent that the proposed site is more than 10 KM away from any Protection Authority (PA) (National Park/ Sanctuary/Bio sphere reserve/ migratory corridor).*
2. *Safety measures proposed shall be submitted.*
3. *A time bound action plan for implementation of proposed CER activities as a part of EMP shall be furnished.*

Additional Conditions:

1. *Dust suppression measures have to be strictly followed.*

Drafted by 



2. In case of any material supported by documents/ court orders which is contrary to the claim of the applicant and material facts produced, the SEIAA reserves the right to withdraw the EC at any point of time.

210.1.37. Building Stone Quarry Project at Valasenahalli Village, Chikkabalapura Taluk, Chikkabalapura District (6-00 Acres) by Sri S Anil Kumar - Online Proposal No.SIA/KA/MIN/225786/2021 (SEIAA 400 MIN 2021)

Sri S Anil Kumar, have applied for Environmental clearance from SEIAA for quarrying of "Building Stone Quarry" at Sy. No. 34, Valasenahalli Village, Chikkaballapura Taluk, Chikkaballapura District, Karnataka.

Details of the project are as follows:

Sl. No	PARTICULARS	INFORMATION
1	Name & Address of the Project Proponent	Sri S Anil Kumar S/o M Siddaiah House Number: 18, 3rd Cross, Ganesh Temple Road, Dinnur, R T Nagar Post, Bangalore - 560032
2	Name & Location of the Project	"Building Stone Quarry" of Sri S Anil Kumar, Sy. No. 34, Valasenahalli Village, Chikkaballapura Taluk, Chikkaballapura District, Karnataka.
3	Type of Mineral	Building Stone Quarry
4	New / Expansion / Modification / Renewal	New
5	Type of Land [Forest, Government Revenue, Gomal, Private/Patta, Other]	Kharabu Gomala Land
6	Area in Ha	2.428 Ha
7	Annual production (metric ton /Cum) per annum	2,80,621 TPA
8	Project Cost (Rs. In Crores)	1.72crores
9	Proved quantity of mine/quarry-Cu.m/Tons	26,72,080 Tonnes
10	permitted quantity per annum-Cu.m/Ton	2,80,621 TPA

11	CER Action Plan:	
	Year	Corporate Environmental Responsibility (CER)
	1st	Enhancing ground water through construction of check dams
	2nd	Rain water harvesting pits to GLPS school at Valasenahalli village
	3rd	Cleaning out and deepening of Buddathimanahalli pond
	4th	Scientific support and awareness to local farmers to increase yield of crop and fodder
5th	Health camp in GLPS near Valasenahalli village	
12	EMP Budget	Rs. 22.06 lakhs (Capital Cost) & Rs. 16.20lakhs (Recurring cost)

The subject was discussed in the SEAC meeting held on 22nd December 2021. The Committee has recommended to SEIAA for issue of EC and the extract of the proceedings of the Committee meeting is as below:

This proposal was deferred during 268th SEAC meeting for want of clear Forest NOC. The proponent has submitted replies along with the Forest NOC. The Proponent has obtained NOCs from Forest, Revenue Dept. and lease was notified on 31.03.2021.

There is an existing cart track road to a length of 1.35KM connecting the lease area to an all-weather black topped road and the proponent informed that the quarrying operation will be commenced after strengthening the approach road to the quarry & the road connecting to the crusher as per IRC (Indian Road Congress) standard norms & would grow trees all along the approach road.


As per the Cluster Sketch there are no other leases within 500 meter radius. The total area of the subject lease is 2-00 Acres and hence the project is categorized as B2. The proponent has collected baseline data for air, water, soil and noise and all parameters are within permissible limits. The proponent informed that all mitigative measures will be taken to ensure that the parameters are maintained within permissible limits.


Considering the proved mineable reserve of 26,72,080tons as per the approved quarry plan, the committee estimated the life of the mine as 10 years and decided to recommend the proposal to SEIAA for issue of Environment Clearance for an average annual production of 2,80,621tons.

The Authority perused the proposal and took note of the recommendation of SEAC.

The Authority after discussion decided to clear the proposal for issue of Environmental Clearance subject to following:

1. *If the distance of nearest Protected Area (National Park/ Sanctuary/Bio sphere reserve/ migratory corridor) is within 10 KM, a certificate from the Chief Wild Life Warden (CWLW) along with his recommendation, else a certificate from the*

Drafted by 



99 

proponent that the proposed site is more than 10 KM away from any Protection Authority (PA) (National Park/ Sanctuary/Bio sphere reserve/ migratory corridor).

2. Safety measures proposed shall be submitted.
3. A time bound action plan for implementation of proposed CER activities as a part of EMP shall be furnished.

Additional Conditions:


Dust suppression measures have to be strictly followed.

210.1.38. Building Stone Quarry Project at Sy. No. 51/17(P) of Vantamuri Village, Hukkeri Taluk, Belagavi District (2.429 Ha) by Sri Mahadevi Manjunath - Online Proposal No. SIA/KA/MIN/239860/2021 (SEIAA 646 MIN 2021)

M/s. High Quality Sand have applied for Environmental clearance from SEIAA for quarrying of Vantamuri Building stone Quarry, in 6-00 Acres (2.429 Ha), in Sy.No.51/17(P) at Vantamuri Village, Hukkeri Taluk, Belagavi District,

Details of the project are as follows:

Sl.No	PARTICULARS	INFORMATION
1	Name & Address of the Project Proponent	M/s. High Quality Sand, Partner: Smt. Mahadevi Manjunath, CTS No.4877/26, Race Course Road, Jadhav Nagar, T.V. Center, Belagavi-590 019
2	Name & Location of the Project	Vantamuri Building stone Quarry, in 6-00 Acres (2.429 Ha), in Sy.No.51/17(P) at Vantamuri Village, Hukkeri Taluk, Belagavi District,
3	Type of Mineral	Building Stone
4	New / Expansion / Modification / Renewal	New
5	Type of Land(Forest, Government Revenue, Gomal, Private/Patta, Others)	Patta Land
6	Area in Ha.	2.429 Ha
7	Annual Production Proposed (Metric Tons/CUM)/ Annum	1,20,000 tonnes/ Annum
8	Project Cost (in Crores)	0.50 Crore (50.0 Lakhs)
9	Proved Quantity of mine/Quarry-Cu.m/ton	15,50,727 tonnes/ Annum

Drafted by 



100

10	Permitted Quantity per Annum -Cum/ton	1,20,000 tonnes/ Annum												
11	Mineral Waste to be handled (Metric tonnes / CUM) / Annum	6,316 Cum/ Annum												
12	EMP Budget	Capital Cost Rs. 19,11,000/- and Recurring Cost Rs.9,47,000/-												
13	CER	<table border="1"> <thead> <tr> <th>Years</th> <th>Corporate Environmental Responsibility (CER)</th> </tr> </thead> <tbody> <tr> <td>1st</td> <td>Providing solar power panels to common public places</td> </tr> <tr> <td>2nd</td> <td>Rain water harvesting pits nearby schools</td> </tr> <tr> <td>3rd</td> <td>Providing solar power panels to common public places</td> </tr> <tr> <td>4th</td> <td>Health camp in nearby community places</td> </tr> <tr> <td>5th</td> <td>Enhancing ground water through construction of check dams.</td> </tr> </tbody> </table>	Years	Corporate Environmental Responsibility (CER)	1st	Providing solar power panels to common public places	2nd	Rain water harvesting pits nearby schools	3rd	Providing solar power panels to common public places	4th	Health camp in nearby community places	5th	Enhancing ground water through construction of check dams.
Years	Corporate Environmental Responsibility (CER)													
1st	Providing solar power panels to common public places													
2nd	Rain water harvesting pits nearby schools													
3rd	Providing solar power panels to common public places													
4th	Health camp in nearby community places													
5th	Enhancing ground water through construction of check dams.													

The subject was discussed in the SEAC meeting held on 21st December 2021. The Committee has recommended to SEIAA for issue of EC and the extract of the proceedings of the Committee meeting is as below:

The Proponent has obtained land conversion order and NOCs from Forest and Revenue Dept. The lease was notified on 29.10.2021.

There is an existing cart track road to a length of 640meters connecting the lease area to an all weather black topped road and the proponent informed that the quarrying operation will be commenced after strengthening the approach road to the quarry & the road connecting to the crusher as per IRC (Indian Road Congress) standard norms & would grow trees all along the approach road.

As per the Cluster Sketch there are no other leases within 500 meter radius. The area of the lease is 6-00 Acres and hence the project is categorized as B2. The proponent has collected baseline data for air, water, soil and noise and all parameters are within permissible limits. The proponent informed that all mitigative measures will be taken to ensure that the parameters are maintained within permissible limits.

Considering the proved mineable reserve of 15,50,727 tonnes as per the approved quarry plan, the committee estimated the life of the mine as 13 years and decided to

recommend the proposal to SEIAA for issue of Environment Clearance for an annual production of 1,20,000 TPA.

The Authority perused the proposal and took note of the recommendation of SEAC.

The Authority after discussion decided to clear the proposal for issue of Environmental Clearance subject to following:

- 1. If the distance of nearest Protected Area (National Park/ Sanctuary/Bio sphere reserve/ migratory corridor) is within 10 KM, a certificate from the Chief Wild Life Warden (CWLW) along with his recommendation, else a certificate from the proponent that the proposed site is more than 10 KM away from any Protection Authority (PA) (National Park/ Sanctuary/Bio sphere reserve/ migratory corridor).*
- 2. Safety measures proposed shall be submitted.*
- 3. A time bound action plan for implementation of proposed CER activities as a part of EMP shall be furnished.*

Additional Conditions:

Dust suppression measures have to be strictly followed.

210.2. Miscellaneous Projects


210.2.1. Building Stone Quarry Project, Sy.No.28 of Rangaiahna Agrahara Village, Malur Taluk, Kolara District Karnataka by Sri. Mohammed Jaffar - SEIAA 1276 MIN 2015 - Requesting for Transfer of EC in favor of M/s S.M.S Stone Crusher.

Environmental Clearance has been issued to this project vide letter No SEIAA 1276 MIN 2015 dated 18.01.2016 for Building Stone Quarry Project, Sy.No.28 of Rangaiahna Agrahara Village, Malur Taluk, Kolara District Karnataka to Sri. Mohammed Jaffar.

M/s S. M. S Stone Crusher vide letter dated 14.12.2021 have requested for transfer of above said EC in their favor as the quarry lease has been transferred from Sri. Mohammed Jaffar to M/s S. M. S Stone Crusher through the Dept. of Mines and Geology on 27.04.2021.

The Authority perused the request made by M/s S. M. S Stone Crusher and decided to transfer the EC dated 18.01.2016 in favour of M/s S. M. S Stone Crusher subject to the following conditions

- 1. The applicant shall furnish Notarised affidavit of M/s S. M. S Stone Crusher relinquishing his claim (duly witnessed by Authorized Signatory of Sri. Mohammed Jaffar)*

Drafted by 



2. *Notarised Copy of EC.*
3. *Notarised Copy of Form-T.*

210.2.2. Building Stone Quarry Project, Sy.No.104 of Shamashettihalli Village, Malur Taluk, Kolar District Karnataka by Sri. Mohammed Jaffar - SEIAA 1279 MIN 2015 - Requesting for Transfer of EC in favor of M/s S.M.S Stone Crusher.

Environmental Clearance has been issued to this project vide letter No. SEIAA 1279 MIN 2015 dated 27.04.2021. for Building Stone Quarry Project, Sy.No.104 of Shamashettihalli Village, Malur Taluk, Kolar District Karnataka to Sri. Mohammed Jaffar

M/s S. M. S Stone Crusher vide letter dated 14.12.2021 have requested for transfer of above said EC in their favor, as the quarry lease has been transferred from Sri. Mohammed Jaffar to M/s S. M. S Stone Crusher through the Dept. of Mines and Geology on 27.04.2021.

The Authority perused the request made by M/s S. M. S Stone Crusher and decided to transfer the EC dated 18.01.2016 in favour of M/s S. M. S Stone Crusher subject to the following conditions

1. *The applicant shall furnish Notarised affidavit of M/s S. M. S Stone Crusher relinquishing his claim (duly witnessed by Authorized Signatory of Sri. Mohammed Jaffar)*
2. *Notarised Copy of EC.*
3. *Notarised Copy of Form-T.*


210.2.3. Quarrying of Grey Granite at part of Sy. No. 14/1 in Karadigudda Village, Koppal Taluk, Koppal District, Karnataka by Sri Lingadevaraiah Shambaiah - SEIAA 213 MIN 2020 - Requesting for Transfer of EC in favour of Smt. Shobarani. M.

Environmental Clearance has issued to this project vide letter No. SEIAA 213 MIN 2020 dated 3.09.2020 for Quarrying of Grey Granite at part of Sy. No. 14/1 in Karadigudda Village, Koppal Taluk, Koppal District, Karnataka to Sri Lingadevaraiah Shambaiah.

Smt. Shobarani. M vide letter dated 23.11.2021 have informed that his Father in law Sri. Lingadevaraiah Shambaiah died on 19.04.2020 and therefore The Department of Mines and Geology have held Smt. Shobarani. M has the legal heir for continuing the quarrying business of Sri. Lingadevaraiah Shambaiah due to his demise. Smt. Shobarani. M have requested this Authority for transfer of Environment Clearance dated 03.09.2020 granted by SEIAA in favor of his Father in law Sri. Lingadevaraiah Shambaiah to her name to facilitate continuing the quarry business

The Authority perused the request made by Smt. Shobarani. M and decided to transfer the EC in favour of Smt. Shobarani. M subject to the following conditions

1. *The project proponent should submit registered / notarized consent from the legal heirs, if any.*

Drafted by 



103 

2. *Notarised Copy of EC.*
3. *Notarised Copy of Form-T.*
4. *Notarized copy of the Death certificate of late. Sri Lingadevaraiah Shambaiah*

210.2.4. Quarrying of Pink Granite Quarry Project, Sy.No.407 of Hoolageri Village, Kustagi Taluk, Koppal Dist Karnataka by Sri. B S Hiremath – SEIAA 873 MIN 2015 - Requesting for Transfer of EC in favor of Sri. Veeresh Basavarajaswamy Hiremath

Environmental Clearance has been issued to this project vide letter No. SEIAA 873 MIN 2015 dated 01.01.2016 for Quarrying of Pink Granite Quarry Project, Sy.No.407 of Hoolageri Village, Kustagi Taluk, Koppal Dist Karnataka to Sri. B S Hiremath.

Sri. Veeresh Basavarajaswamy Hiremath vide letter dated 16.11.2021 have informed that his Father Sri. B S Hiremath died on 08.08.2020 and therefore The Department of Mines and Geology have held Sri. Veeresh Basavarajaswamy Hiremath has the legal heir for continuing the quarrying business of Sri. B S Hiremath due to his demise. Sri. Veeresh Basavarajaswamy Hiremath have requested this Authority for transfer of Environment Clearance dated 01.01.2016 granted by SEIAA in favor of his Father Sri. B S Hiremath to his name to facilitate continuing the quarry business

The Authority perused the request made by Sri. Veeresh Basavarajaswamy Hiremath and decided to transfer the EC in favour of Sri. Veeresh Basavarajaswamy Hiremath subject to the following conditions

1. *The project proponent should submit registered / notarized consent from the legal heirs, if any.*
2. *Notarised Copy of EC*
3. *Notarised Copy of Form-T.*
4. *Notarized copy of the Death certificate of late. Sri. B S Hiremath.*

210.2.5. Building Stone Quarry Project, Sy.No.88 of Manchegowdanapalya Village, Ramanagara Taluk & District Karnataka by Sri. L Srinivas – SEIAA 945 MIN 2015 - Requesting for Transfer of EC in favor of M/s R K M Sand & Aggregates.

Environmental Clearance has been issued to this project vide letter No. SEIAA 945 MIN 2015 dated 16.01.2016 for Building Stone Quarry Project, Sy.No.88 of Manchegowdanapalya Village, Ramanagara Taluk & District Karnataka to Sri. L Srinivas.

Sri. L. Srinivas vide letter dated 27.12.2021 have requested this Authority for transfer of EC in favor of M/s. R. K. M Sand & Aggregates as the Quarry lease has been transferred to M/s R K M Sand & Aggregates through the Dept. of Mines and Geology.



The Authority perused the request made by Sri. L. Srinivas and decided to transfer the EC in favour of M/s R K M Sand & Aggregates subject to the following conditions

1. *The applicant shall furnish Notarised affidavit of M/s R K M Sand & Aggregates relinquishing his claim (duly witnessed by Authorized Signatory of Sri. L. Srinivas)*
2. *Notarised Copy of EC.*
3. *Notarised Copy of Form-T.*

210.2.6. Quarrying of Ordinary Sand Quarry at Sy. No. 93/1, 93/2, 94/1, 94/2, 94/3 & 95/1 of Amaragol Village, Ron Taluk, Gadag District, Karnataka by Sri. Yallappa B Gudadari - SEIAA 314 MIN 2019 - Requesting for extension of Validity of EC

Environmental Clearance has been issued to this project vide letter No SEIAA 314 MIN 2019 dated 11.06.2019 for Quarrying of Ordinary sand Quarry at Sy. No. 93/1, 93/2, 94/1, 94/2, 94/3 & 95/1 of Amaragol Village, Ron taluk, Gadag district, Karnataka to Sri. Yallappa B Gudadari.

The project proponent vide his letter sated 04.01.2021 requested this Authority to extend the validity of EC dated 11.06.2019. The Environmental Clearance was issued for a period of 2 years with a total production of 36,282.54 Tonnes per annum. But the production achieved in last 2 years was 24,856.88 Tonnes (2019-20- 11,754.5 Tonnes and 2020-21 - 13,102.3 Tonnes). Therefore, the project proponent requested this Authority to grant extension to utilize the remaining quantity of 47,708.12 Tonnes for 2 Years.

The Authority perused the request made by the proponent and it is observed that quarry lease period is valid upto 17.06.2024. therefore, the Authority after discussion decided to issue extension of EC for period of two years as requested.

210.2.7. Proposed Iyli Gurunath Iron Ore Mine Project at Ramgad Village, Sandur Taluk, Ballari District Karnataka by M/s. Ramgad Minerals & Mining Limited, - SEIAA 59 MIN (VIOL) 2018 - Requesting for Extension of Validity of ToRs

Terms of Reference has been issued to this project vide letter No. SEIAA 59 MIN (VIOL) 2018 dated 30.01.2019 and Corrigendum dated 19.11.2021 for Proposed Iyli Gurunath Iron Ore Mine Project at Ramgad Village, Sandur Taluk, Ballari District Karnataka to M/s. Ramgad Minerals & Mining Limited.

The project proponent vide letter dated 23.12.2021 have requested this Authority to extend the validity of ToR as per MoEF & CC Notification vide S.O. No. 751 (E) dated 17.02.2020.

The Authority perused the request made by the proponent and after discussion decided to issue extension of ToR as per MoEF & CC Notification vide S.O. No. 751 (E) dated 17.02.2020.

210.2.8. Request for Transfer of EC granted to M/s Venkateshwara Stones, by DEIAA Bangalore Urban District vide letter dated 23.09.2017 for quarrying of Building Stone in an extent of 1-27 Acres in Sy. No. 29, ,Huluvenahallii Village, Bangalore South Taluk, Bangalore Urban District in favour of M/s M- Sand Stone Crusher (DEIAA/BNGU/2016-17) - SEIAA 21 MISC 2021

The District level Environment Impact Assessment Authority, Bangalore Urban District have granted Environment Clearance to M/s Venkateshwara Stones vide letter no. DEIAA/BNGU/2016-17,dated: 23.09.2017 for quarrying of building stone on a lease area of 1-27 Acres of Govt. Gomala land for annual production of 36761 Tonnes.

The Director of Mines and Geology vide order dated 8.9.2020 have transferred the quarry lease no. 819 of M/s Venkateshwara Stones to M/s M- Sand Stone Crusher Owned by Sri Bharath Bhushan Gowda.

Sri Bharath Bhushan Gowda vide letter dated 4.3.2021 have requested the authority for transfer of EC dated 23.09.2017 issued by DEIAA, Bangalore Urban District to M/s Venkateshwara Stones in favour of M/s M- Sand Stone Crusher.

The Authority perused the request made by the project authorities during the meeting held on 13th May 2021. The Authority after discussion decided to authorize MS, SEIAA to procure files (Original) from respective District Administration.


Accordingly, letter has been addressed to respective District Administration. On 06.07.2021. the District File has been received by this office on 30.12.2021.

The Authority perused the request made by M/s M- Sand Stone Crusher, owner Sri. Bharath Bhushan Gowda and decided to transfer the EC in favor M/s M- Sand Stone Crusher subject to the following conditions

1. *The applicant shall furnish Notarised affidavit of M/s M- Sand Stone Crusher, owner Sri. Bharath Bhushan Gowda relinquishing his claim (duly witnessed by Authorized Signatory of to M/s Venkateshwara Stones.)*
2. *Notarised Copy of EC.*
3. *Notarised Copy of Form-T.*

210.2.9. Quarrying of Ordinary sand Quarry at Sy No. 57/2 & 56/2, Ramasagara Village, Molakalmuru Taluk, Chitradurga District, Karnataka by Sri G. Srinivasulu - SEIAA 577 MIN 2019- Requesting for issue corrigendum to EC

Environmental Clearance has been issued to this project vide letter No SEIAA 577 MIN 2019 dated 05.10.2019 for Quarrying of Ordinary sand Quarry at Sy No. 57/2 & 56/2, Ramasagara Village, Molakalmuru Taluk, Chitradurga District, Karnataka to Sri G. Srinivasulu.

Drafted by 



The Project proponent vide letter dated 08.12.2021 have requested this Authority for issued corrigendum to EC dated 05.10.2019. the Environmental Clearance has been issued for three years. The Project proponent couldn't achieve 1st Year capacity of 1,00,000 Tonnes, but due to Covid - 19 production quantity achieved only 65,000 Tonnes against 1,00,000 Tonnes. Therefore, the project proponent have requested for issue corrigendum including the remaining quantity of 35,000 Tonnes in the 3rd Year.

The Authority perused the request made by the proponent and after discussion the Authority decided to reconsider the matter after obtaining necessary clarification with respect to net mining output per annum.

210.2.10. Proposed Bulk Drugs and Intermediates manufacturing unit at Plot No.19-B, Chikkaballapura Industrial Area, Nandi Hobli, Chikkaballapura Taluk & District, Karnataka by M/s. Sapthagiri Sciences and Services, - SEIAA 14 IND 2020 - Requesting for issue amendment to EC

Environmental Clearance has been issued to this project vide letter No SEIAA 14 IND 2020 dated 04.09.2020 for Proposed Bulk Drugs and Intermediates manufacturing unit at Plot No.19-B, Chikkaballapura Industrial Area, Nandi Hobli, Chikkaballapura Taluk & District, Karnataka to M/s. Sapthagiri Sciences and Services.

The Project proponent vide letter dated 15.12.2021 have requested this Authority to issue amendment to EC condition by including the provision of CETP on M/s Bangalore Eco Park Pvt. Ltd., to dispose the trade effluent generated at the industry and domestic sewage will be let into septic tank followed by Soak pit.

The Authority perused the request made by the project authorities and after discussion decided to issue corrigendum since the project proponent submitted MOU with CETP.

210.2.11. Proposed Expansion and change in product mix of APIs, Intermediates and R&D for custom synthesis at plot no 79A, 79B, 80A, 80B, 81A, 82 and 130A, Kolhar industrial area, Bidar - 585403 by M/s Sai Life Sciences Ltd - SEIAA 36 IND 2020 - Requesting for issue amendment to EC

Environmental Clearance has been issued to this project vide letter No SEIAA 36 IND 2020 dated 28.08.2020 for Expansion and change in product mix of APIs, Intermediates and R&D for custom synthesis at plot no 79A, 79B, 80A, 80B, 81A, 82 and 130A, Kolhar industrial area, Bidar - 585403 to M/s Sai Life Sciences Ltd.

The project proponent vide letter dated 23.12.2021 have requested for issue amendment to EC. The EC was obtained for expansion of the existing unit to increase the production quantity from 113.22 TPA to 213.657 TPA and the effluent treatment facility also been enhanced from 120 KLD of MEE to 200 KLD of MEE and 150 KLD BTP to 250 KLD of BTP. The project proponent informed the Authority that M/s Sai Life Sciences Ltd, had 2 units at same industrial area with minimum distance of 50 meters. The management decided to put up the centralized treatment facility to maintain the efficiency and feasibility also viability. The other unit has identified as Unit-6 and the total effluent generated from the unit is 55 KLD. Now the M/s Sai

Life Sciences Ltd willing to transfer the effluent from Unit 6 to unit 4. Therefore, the project proponent have requested to issued amendment to EC.

The Authority perused the request made by the project authorities and after discussion decided to issue corrigendum.

210.2.12. Proposed Establishment of API's Intermediates products manufacturing unit and R&D for Custom Synthesis Project at plot number 136 A & B and 137 of Kolhar Industrial Area, Kolhar Village, Bidar Taluk, Bidar District, Karnataka of M/s. Sai Life Sciences Ltd - SEIAA 43 IND 2018 - Requesting for issue amendment to EC

Environmental Clearance has been issued to this project vide letter No. SEIAA 43 IND 2018 dated 05.08.2020 for Establishment of API's Intermediates products manufacturing unit and R&D for Custom Synthesis Project at plot number 136 A & B and 137 of Kolhar Industrial Area, Kolhar Village, Bidar Taluk, Bidar District, Karnataka to M/s. Sai Life Sciences Ltd.


The project proponent vide letter dated 23.12.2021 have requested this Authority to issued amendment to EC. The EC was obtained for API's Intermediates products manufacturing unit and R&D for Custom Synthesis Project. The water requirement of the project is 151 KLD and wastewater generation is 55 KLD and proposed ZLD system within the unit.

The project proponent informed the Authority that M/s Sai Life Sciences Ltd, had 2 units at same industrial area with minimum distance of 50 meters. The management decided to put up the centralized treatment facility to maintain the efficiency and feasibility also viability. The other unit has identified as Unit-4 and the total effluent generated from the unit is 200 KLD of MEE and ETP of 250 KLD. Now the M/s Sai Life Sciences Ltd willing to transfer the effluent from Unit 6 to unit 4. Therefore, the project proponent have requested to issued amendment to EC.

The Authority perused the request made by the project authorities and after discussion decided to issue corrigendum.

210.2.13. Residential Development, No.1, Industrial Suburb, Ward No.14, Nagapura, Opposite to Vivekananda College, Dr. Rajkumar Road, Rajajinagar, Bangalore Karnataka by M/s. Palladium Construction Pvt. Ltd. & M/s. Platinum Hospitality Services Pvt. Ltd. - SEIAA 220 CON 2012 - Requesting for Extension of Validity of EC.

Environmental Clearance has been issued to this project vide letter No. SEIAA 220 CON 2012 dated 08.08.2013 and corrigendum dated 27.09.2021 for Residential Development, No.1, Industrial Suburb, Ward No.14, Nagapura, Opposite to Vivekananda College, Dr. Rajkumar Road, Rajajinagar, Bangalore Karnataka to M/s. Palladium Construction Pvt. Ltd. & M/s. Platinum Hospitality Services Pvt. Ltd.



The project proponent vide letter dated 21.12.2021 have requested for extension of validity of EC due to outbreak of Covid-19 with subsequent lock downs, the construction progress couldn't achieved.

The Authority perused the request made by the proponent and after discussion decided to extend the validity of EC for three years as requested.

210.2.14. Residential Apartment at Sy.No.76/5A (Part), 76/5B, 76/5C, 77/1(Part), 77/3A (Part) Gunjur Village, Varthur Hobli, Bangalore East Taluk, Bangalore District Karnataka by Sri V. Sairamani, G. Ravi & Sri V. Rakesh, - SEIAA 222 CON 2014 - Requesting for Corrigendum and Extension of Validity of EC

Environmental Clearance has been issued to this project vide letter No. SEIAA 222 CON 2014 dated 07.04.2015 for construction of Residential Apartment at Sy.No.76/5A (Part), 76/5B, 76/5C, 77/1(Part), 77/3A (Part) Gunjur Village, Varthur Hobli, Bangalore East Taluk, Bangalore District Karnataka to Sri V. Sairamani, G. Ravi & Sri V. Rakesh,

The Project proponent vide letter dated 22.12.2021 have requested to this Authority for issue of corrigendum to EC and extension of validity of EC. During the planning the number of units will be increasing from 462 to 520 and Built-up area from 70,002.76 Sqm to 77,874.10 Sqm and due to outbreak of Covid 19 with subsequent lock downs, project works has been delayed and completion of the project delayed.


The Authority perused the request made by the proponent and after discussion decided extend the validity of EC for 3 years and issue corrigendum as requested.


210.2.15. Residential Apartment project at Sy. No. 1296 & 1297, Municipal No. 2/4. PID No. 26 43- 2/4, BBMP Ward No. 26 Okalipuram Local Area, No. 57 Ramchandrapura, Okalipuram Bangalore 560021 by M/s. Pacific Heights & GPA Holder for M/s. Davanam Constructions Pvt ltd - SEIAA 157 CON 2015 - Requesting for Transfer of EC and issue corrigendum.

Environmental Clearance has been issued to this project vide letter No. SEIAA 157 CON 2015 dated 20.02.2016 and corrigendum date d11.12.2019 for construction for Residential Apartment project at Sy. No. 1296 & 1297, Municipal No. 2/4. PID No. 26 43- 2/4, BBMP Ward No. 26 Okalipuram Local Area, No. 57 Ramchandrapura, Okalipuram Bangalore 560021 by M/s. Pacific Heights & GPA Holder for M/s. Davanam Constructions Pvt. Ltd.

M/s D N R Corporation Pvt. Ltd., have requested this Authority transfer the EC in their favor and issue corrigendum. M/s D N R Corporation Pvt. Ltd., has entered into the joint development agreement with M/s. Davanam Constructions Pvt. Ltd.

The Authority perused the request and decided to reconsider the proposal after seeking legal opinion from the advocate of SEIAA.

Drafted by 



109 

210.2.16. Residential Apartment at Sy.No.139/3, Gulimangala Village, Sarjapura Hobli, Anekal Taluk, Bangalore Urban District Karnataka by M/s. Sycon Homes LLP - SEIAA 41 CON 2014 - Requesting for Corrigendum and Extension of Validity of EC.

Environmental Clearance has been issued to this project vide letter No. SEIAA 41 CON 2014 dated 17.03.2015 for construction of Residential Apartment at Sy.No.139/3, Gulimangala Village, Sarjapura Hobli, Anekal Taluk, Bangalore Urban District Karnataka to M/s. Sycon Homes LLP.

The project proponent vide letter dated 15.12.2021 have requested this Authority to issue corrigendum to EC. Due to change in plan the number of unit has been changed from 160 to 181 BUA from 26,477.61 Sqm to 30,964.89 Sqm. the building configuration of 2B + GF + 14 UF to 2B + GF + 13 UF. Further, the proponent also requested that due to outbreak of Covid 19 and subsequent lock downs, project works has been delayed and completion of the project got delayed and requested to extend the validity of EC .


The Authority perused the request made by the proponent and after discussion decided to issue corrigendum and extension of validity of EC for three more years as requested.

210.2.17. Residential Apartment Project at Sy.Nos.56/1, 56/2 & 52/2B of Bhattarahalli Village, Bidarahalli Hobli, Bangalore East Taluk, Bangalore Urban District by Sri K. Peddi Reddy, Smt. K.V.Padmavathi and Sri K.N.Subbaraya Shetty - SEIAA 56 CON 2016 - Requesting for issue Amendment to EC.

Environmental Clearance has been issued this project vide letter No. SEIAA 56 CON 2016 dated 02.09.2016 for construction of Residential Apartment Project at Sy.Nos.56/1, 56/2 & 52/2B of Bhattarahalli Village, Bidarahalli Hobli, Bangalore East Taluk, Bangalore Urban District to Sri K. Peddi Reddy, Smt. K. V. Padmavathi and Sri K. N. Subbaraya Shetty.

The project proponent vide letter dated 17.12.2021 have requested for issue corrigendum as there is a change in plan. The EC was issued for a BUA of 1,19,004.13 Sqm with 632 units, now the BUA changes to 1,37,419.08 Sqm with 712 Sqm. the building configuration earlier consists of 4 wings comprising of Lower Basement + Upper Basement + Ground Floor + 32 upper floors + Terrace Floor and a Club House, now the number of upper floors decreased to 31 floors.

The Authority perused the request made by the proponent and after discussion decided to issue corrigendum.



210.2.18. Residential Apartment Project at Sy.No.61 of Gottigere Village, Uttarahalli Hobli, Bangalore South Taluk, Bangalore District by M/s. Reddy Projects and Developers Pvt. Ltd. - SEIAA 70 CON 2017 - Requesting for issue corrigendum to EC and Transfer of EC in favour of M/s Casa Grande Garden City Builders Pvt. Ltd.,


Environmental Clearance has been issued to this project vide letter No. SEIAA 70 CON 2017 dated 28.04.2017 for construction of Residential Apartment Project at Sy.No.61 of Gottigere Village, Uttarahalli Hobli, Bangalore South Taluk, Bangalore District to M/s. Reddy Projects and Developers Pvt. Ltd with 835 units and BUA of 1,04,430 Sqm.

M/s Casa Grande Garden City Builders Pvt. Ltd., vide letter dated 30.12.2021 have requested this Authority to transfer the EC in their favor as the owner M/s Hill Land Properties and Developers cancelled the Joint Development Agreement with the M/s. Reddy Projects and Developers Pvt. Ltd and executed the sale Deed with M/s Casa Grande Garden City Builders Pvt. Ltd., on 19.07.2021 to develop the project and also requested for issue corrigendum to EC due to change in plan the site area is increase from 35,865 Sqm to 36,017 Sqm. the number of units has been decreased from 835 to 622, BUA from 1,04,430 Sqm to 95,920.64 Sqm and Building configuration from 2B + GF + 4UF to B + GF + 4UF and club House G + 3 UF.


The Authority perused the request made by the proponent and after discussion decided to issue corrigendum as requested. and also transfer of EC in favour of M/s Casa Grande Garden City Builders Pvt. Ltd, subject to the following conditions

- 1. The applicant shall furnish Notarised affidavit of M/s. Reddy Projects and Developers Pvt. Ltd relinquishing his claim (duly witnessed by Authorized Signatory of M/s Casa Grande Garden City Builders Pvt. Ltd,)*
- 2. Notarised Copy of EC.*
- 3. Registered deed between M/s. Reddy Projects and Developers Pvt. Ltd to M/s Casa Grande Garden City Builders Pvt. Ltd., wherein M/s Hill Land Properties and Developers shall be the consenting witnesses.*

Meeting concluded with thanks to the Chair.


(Dr. K. R. Sree Harsha)
Chairman,
SEIAA, Karnataka


(K. N. Shivalinge Gowda)
Member,
SEIAA, Karnataka


(Vijay Mohan Raj V. IFS)
Member Secretary,
SEIAA, Karnataka

