



# State Level Environment Impact Assessment Authority-Karnataka

(Constituted by MoEF, Government of India, under section 3(3) of E(P) Act, 1986)

**Proceedings of the 227<sup>th</sup> SEIAA Meeting held on 8<sup>th</sup> December 2022 at 11:00 AM  
at Room No. 709, 7<sup>th</sup> Floor, Gate IV, M.S Building, Bangalore-560001.**

## **Members present -**

- |                                   |                         |
|-----------------------------------|-------------------------|
| 1. Dr. K. R. Sree Harsha -        | Chairman, SEIAA         |
| 2. Shri. K. N. Shivalinge Gowda - | Member, SEIAA           |
| 3. Shri. Vijay Mohan Raj V, IFS - | Member Secretary, SEIAA |

The Chairman welcomed the members and initiated the discussion. The subjects discussed and the decisions made on each of the agenda points are as follows:

## **227.1. Fresh Projects (Recommended for EC):**

### **Construction Projects:**

- 227.1.1. Residential Apartment and Club House Building Project at Gunjur Village, Bangalore East Taluk, Bangalore District by M/s. Prestige Habitat Ventures - Online Proposal No. SLA/KA/MIS/80769/2022 (SEIAA 23 CON 2022).**

M/s. PRESTIGE HABITAT VENTURES have proposed for construction of Residential Apartment and Club House Project on a plot area of 48,663.47 Sqm. The total built up area is 1,57,810.47 Sqm. The proposed project consists of 657 Nos with Building - 1 having Tower -1: 2B+G+26F, Building -2 having Tower -2 : 2B+G+26F, Tower -3: 2B+G+20F, Tower -4: 2B+G+10F and Building -3 having Club House building - 2B+G+2F. Total water consumption is 532 KLD (Fresh water + Recycled water). The total wastewater generated is 480 KLD. The project proponent has proposed to construct Sewage Treatment plant with capacity of 480 KI.D. The project cost is Rs. 253.36 Crores


Details of the project are as follows:

Sl. No	PARTICULARS	INFORMATION
1	Name & Address of the Project Proponent	Mr. Zaid Sadiq Executive Director  M/s. PRESTIGE HABITAT VENTURES Prestige group, Prestige falcon towers, No.19, Brunton road, Bengaluru -560025



2	Name & Location of the Project	Development of Residential Apartment and Club House Building by M/s. PRESTIGE HABITAT VENTURES, "Prestige Serenity Shores", Sy.No's. 187/1, 187/3, 187/4, 188/1, 189/1, 189/2, 190/3, 190/4A & 190/4B, 210/2 & 210/3(P) Gunjur Village, Varthur Hobli, Bengaluru East Taluk, Bengaluru District.
3	Type of Development	
a.	Residential Apartment / Villas / Row Houses / Vertical Development / Office / IT/ ITES/ Mall/ Hotel/ Hospital / other	Residential Apartment and Club House Category 8(b) as per FIA Notification 2006.
b.	Not Applicable	
4	New/ Expansion/ Modification/ Renewal	New
5	Water Bodies/ Nalas in the vicinity of project site	NA
6	Plot Area (Sq.m)	48,663.47 Sqm
7	Built Up area (Sq.m)	1,57,810.47 Sqm
8	FAR <ul style="list-style-type: none"> <li>▪ Permissible</li> <li>• Proposed</li> </ul>	2.25 2.249
9	Building Configuration   Number of Blocks / Towers / Wings etc., with Numbers of Basements and Upper Floors]	Building -1: Tower -1 : 2B+G+26F - 82.80 M Building -2: Tower -2 : 2B+G+26F - 82.80 M Tower -3: 2B+G+20F - 64.5M Tower -4: 2B-G+10F - 34M Building - 3: Club House building - 2B+G+2F - 14 M
10	Number of units/plots in case of Construction/ Residential Township/ Area Development Projects	657 Nos
11	Height Clearance	As per CCZM Project site elevation - 871m Building height - 91.95 m Maximum Building height 962.95 m
12	Project Cost (Rs. In Crores)	253.36 Crores
13	Disposal of Demolition waster and or Excavated earth	NA

Drafted by           



2  


14	Details of Land Use (Sq.m)	
a.	Ground Coverage Area	5872.14 Sq.m
b.	Kharab Land	505.85 Sq.m
c.	Total Green belt on Mother Earth for projects under 8(a) of the schedule of the EIA notification, 2006	15,892.01Sq.m
d.	Internal Roads	Internal Road - 7189.15 sq.m
e.	Paved area	
f.	Others Specify	Civic Amenities: 2408.68 Sq.m Park and Open space: 4816.24 Sq.m Service area and pool: 6613.65 Sq.m CDP Road: 5425.75 Sq.m
g.	Parks and Open space in case of Residential Township/ Area Development Projects	--
h.	Total	48,663.47 Sq.m
15	WATER	
I.	Construction Phase	
a.	Source of water	BWSSB
b.	Quantity of water for Construction in KLD	30 KLD
c.	Quantity of water for Domestic Purpose in KLD	13.5 KLD
d.	Waste water generation in KLD	10.8 KLD
e.	Treatment facility proposed and scheme of disposal of treated water	Wastewater generation from construction site is 10.8 KLD which will be handled in mobile STP.
II.	Operational Phase	
a.	Total Requirement of Water in KLD	Fresh 353 KLD Recycled 179KLD Total 532 KLD
b.	Source of water	BWSSB
c.	Waste water generation in KLD	Domestic: 480 KLD
d.	STP capacity	Sewage Treatment Plants -480 KLD
e.	Technology employed for Treatment	SBR
f.	Scheme of disposal of excess treated water if any	The excess treated water will be handed over to other construction purpose.
16	Infrastructure for Rain water harvesting	

a.	Capacity of sump tank to store Roof run off	Total 3 no of sump will be provided for Roof run off with tank capacity of 90Cum, 105 Cum and 125 Cum.
b.	No's of Ground water recharge pits	32 No of ground water pit will be provided
17	Storm water management plan	The storm water from the site will be collected by rainwater harvesting tanks of capacity 900cum and will be used for recharging the ground water through ground water recharge pits of 32nos
18	<b>WASTE MANAGEMENT</b>	
	<b>I. Construction Phase</b>	
a.	Quantity of Solid waste generation and mode of Disposal as per norms	Quantity - 30 kg/day Solid waste will be generated and collected manually and handed over to local body for further processing
	<b>II. Operational Phase</b>	
a.	Quantity of Biodegradable waste generation and mode of Disposal as per norms	Organic waste of 0.946 Mt/d will be treated in proposed Organic Waste Converter. Sludge generated from STP is capacity will be reused as manure for greenery development purposes
b.	Quantity of Non- Biodegradable waste generation and mode of Disposal as per norms	Inorganic waste of 1.419 Mt/d will be given to the waste collectors for recycling for further process.
c.	Quantity of Hazardous Waste generation and mode of Disposal as per norms	Used oil -96Liters/Annum - Handed over to authorized recyclers. Oil-Soaked Cotton -60 Kg/Annum - Handed over to authorized incinerators
d.	Quantity of E waste generation and mode of Disposal as per norms	E-Wastes will be collected & stored in bins and disposed Authorized recyclers
19	<b>POWER</b>	
a.	Total Power Requirement - Operational Phase	BESCOM - 3250 kVA
b.	Numbers of DG set and capacity in KVA for Standby Power Supply	Existing: 3X500KVA Proposed: 2X320 KVA
c.	Details of Fuel used for DG Set	Diesel
d.	Energy conservation plan and Percentage of savings including	Energy conservation devices such as Solar energy, Copper wound transformer are proposed in the project.

Drafted by



	plan for utilization of solar energy as per ECBC 2007	
20	<b>PARKING</b>	
a.	Parking Requirement as per norms	763 ECS.
b.	Level of Service (LOS) of the connecting Roads as per the Traffic Study Report	Level of Service (LOS) of the connecting Roads after road widening will be A
c.	Internal Road width (RoW)	Approach road width - 24 m (SE) Internal road width - 8 m
21	CEK Activities	Rejuvenation of Gunjur lake.
22	EMP <ul style="list-style-type: none"> <li>• Construction phase</li> <li>• Operation Phase</li> </ul>	Budgetary provision for EMP during construction phase is 21.24 Lakhs. Budgetary provision for EMP during operation phase is 340.8 Lakhs.

The subject was discussed in the SEAC meeting held on 17<sup>th</sup>, 18<sup>th</sup> & 19<sup>th</sup> November 2022. The Committee has recommended to SEIAA for issue of EC and the extract of the proceedings of the Committee meeting is as below:

The proposal is for construction of residential apartment building in an area earmarked for residential use as per RMP of BDA. SEIAA had issued ToR for BLA of 1,70,624.23 Sqm on 18.04.22 and corrigendum to ToR was issued on 01.09.2022 for BUA of 1,57,810.47 Sqm.

The committee during appraisal sought clarification for drains, as per village map and provisions made for harvesting rain water. The proponent informed the committee that there is a tertiary drain in south east side and a buffer of 15 mtr on either side from center is proposed and informed that no developmental activities is proposed in buffer zone. For harvesting rain water, the proponent has proposed two tanks of 900 cum total capacity for runoff from rooftop and additional tanks of capacities 90 cum and 105 cum for runoff from landscape and paved areas in addition to 32 nos recharge pits within the project area. Further the committee informed the proponent to install smart water meter and also to manage excess drainage water within the site area, for which the proponent agreed.

The proponent informed that they have made provisions to grow total of 658 trees in the proposed project area and to provide charging facility for electrical vehicles in the proposed project area. The proponent committed to take precautionary measures during and after construction to maintain the environmental parameters within permissible limits in the proposed project and agreed to comply with the ECBC and NBC guidelines for the proposed construction and adhere to the by-laws stipulated by the governing authority for buffers and setbacks.

The committee noted that the baseline parameters are found to be within permissible limits and informed the proponent to leave buffers/setbacks as per zoning regulations and to harvest maximum rainwater in the proposed project area. The committee after discussion decided to recommend the proposal to SEIAA for issue of EC.


The Authority perused the proposal and took note of the recommendation of SEAC.

*The Authority after discussion decided to clear the proposal for issue of Environmental Clearance subject to following:*

1. *The project proponent shall submit scheme for treatment of harvested rain water and reused water balance considering utilization of harvested rain water for domestic purpose.*
2. *The project proponent shall furnish Notarized undertaking that he shall maintain Buffer zone as per bylaw and compliance to provisions of CDP.*
3. *The project proponent shall leave the buffer from the lake /drain as per the RCDP 2015 as directed by Supreme Court order CIVIL APPEAL NO. 5016 OF 2016 dated 5th March 2019.*
4. *If the distance of nearest Protected Area (National Park/ Sanctuary/Bio sphere reserve/ migratory corridor) is within 10 KM, a certificate from the Chief Wild Life Warden (CWLW) along with his recommendation, else a certificate from the proponent that the proposed site is more than 10 KM away from any Protection Authority (PA) (National Park/ Sanctuary/Bio sphere reserve/ migratory corridor) shall be submitted.*
5. *The PP shall submit CER in Specific Physical Terms with time bound action plan.*
6. *The project proponent shall ensure that tree planting/afforestation measures proposed in the EMP shall be strictly complied and an undertaking to this effect shall be submitted.*
7. *The PP shall explore the possibility of installing smart meter for water conservation.*

***Additional Condition:***

1. *Assured water supply, commensurate with the ultimate occupancy envisaged in the project, shall be ensured before commencement of the project.*
2. *25% of parking space shall have charging facility to enable charging of electric vehicles.*
3. *The PP shall strictly adhere to the local Planning Authority Bye-Laws.*



**227.1.2 Residential Apartment Building Project at Sy. Nos.70/4 & 70/5 of Kattamanallur Village, Bidarahalli Hobli, Bangalore East Taluk, Bangalore Urban District by M/s. SLV Green Ventures - Online Proposal No.SIA/KA/INFRA2/400634/2022 (SEIAA 121 CON 2022).**

M/s. SLV Green Ventures, have proposed for construction of Residential Apartment Building Project on a plot area of 8,953.59 sq.m. The total built up area is 27,635.85 sq.m. The proposed project consists of 180 Units in 2 Blocks, each Block having Ground Floor + 4 Upper Floors + Terrace Floor. Total water consumption is 125.55 KLD (Fresh water + Recycled water). The total wastewater generated is 119.27 KLD. The project proponent has proposed to construct Sewage Treatment plant with capacity of 140 KLD. The project cost is Rs. 54.0 Crores.

Details of the project are as follows:


Sl. No	PARTICULARS	INFORMATION
1	Name & Address of the Project Proponent	G Venkatesh Partner M/s. SLV Green Ventures, No. 23, Flat No. 403, SLV Bhandavya Homes, Prakruthi Township, 3 <sup>rd</sup> Block, Babusapalya, Kalyan Nagar Post, Bangalore 560043
2	Name & Location of the Project	Residential Apartment Building by M/s. SLV Green Ventures at Sy. Nos. 70/4 & 70/5 of Kattamanallur Village, Bidarahalli Hobli, Bangalore East Taluk, and Bangalore Urban District.
3	Type of Development	
a.	Residential Apartment / Villas / Row Houses / Vertical Development / Office / IT/ ITES/ Mall/ Hotel/ Hospital /other	Residential Apartment Category 8(a) as per EIA Notification 2006
b.	Residential Township/ Area Development Projects	No
4	New/ Expansion/ Modification/ Renewal	New
5	Water Bodies/ Nalas in the vicinity of project site	Sannatammanahalli Pond - 0.44 kms (SE) Tertiary nala is towards South which is at a distance of 25m. 15 m buffer is left from tertiary nala as per Zoning regulations
6	Plot Area (Sqm)	8,953.59 sq.m
7	Built Up area (Sqm)	27,635.85 sq.m.
8	FAR	

Drafted by

	<ul style="list-style-type: none"> <li>• Permissible</li> <li>• Proposed</li> </ul>	3.25 2.250																				
9	Building Configuration [Number of Blocks / Towers / Wings etc., with Numbers of Basements and Upper Floors]	2 Blocks, each Block having Ground Floor + 4 Upper Floors + Terrace Floor.																				
10	Number of units/ plots in case of Construction/ Residential Township/ Area Development Projects	180 Units																				
11	Height Clearance in meters above sea level	Site Elevation in AMSL : 1035 Permissible top elevation in AMSL :1010 Difference in meters : 126/ Height proposed : 14.9m																				
12	Project Cost (Rs. In Crores)	Rs. 54.0Cr																				
13	Disposal of Demolition waster and or Excavated earth	<table border="1"> <thead> <tr> <th colspan="2">Excavated Earth</th> </tr> <tr> <th>Details</th> <th>Quantity in m<sup>3</sup></th> </tr> </thead> <tbody> <tr> <td>Quantity of excavated soil</td> <td>19,380.17</td> </tr> <tr> <th colspan="2">Excavated earth disposal details</th> </tr> <tr> <td>Back filling for footings</td> <td>9,960.08</td> </tr> <tr> <td>Site filling required</td> <td>7,355.24</td> </tr> <tr> <td>Back filling for retaining wall</td> <td>177.35</td> </tr> <tr> <td>Top soil for Landscaping</td> <td>1,779.34</td> </tr> <tr> <td>Filling for internal roads</td> <td>378.16</td> </tr> <tr> <td><b>Total</b></td> <td><b>19,380.17</b></td> </tr> </tbody> </table>	Excavated Earth		Details	Quantity in m <sup>3</sup>	Quantity of excavated soil	19,380.17	Excavated earth disposal details		Back filling for footings	9,960.08	Site filling required	7,355.24	Back filling for retaining wall	177.35	Top soil for Landscaping	1,779.34	Filling for internal roads	378.16	<b>Total</b>	<b>19,380.17</b>
Excavated Earth																						
Details	Quantity in m <sup>3</sup>																					
Quantity of excavated soil	19,380.17																					
Excavated earth disposal details																						
Back filling for footings	9,960.08																					
Site filling required	7,355.24																					
Back filling for retaining wall	177.35																					
Top soil for Landscaping	1,779.34																					
Filling for internal roads	378.16																					
<b>Total</b>	<b>19,380.17</b>																					
14	Details of Land Use (Sq.m)																					
a.	Ground Coverage Area	5,174.80 sq.m																				
b.	Kharab Land	Nil																				
c.	Total Green belt on Mother Earth for projects under 8(a) of the schedule of the EIA notification, 2006	2,921.30 sq.m																				
d.	Internal Roads	756.32 Sq.m																				
e.	Paved area	-																				
f.	Others Specify	-																				
g.	Parks and Open space in case of Residential Township/ Area Development Projects	NA																				
h.	Total	8,852.42 sq.m.																				
15	WATER																					



<b>I. Construction Phase</b>		
a.	Source of water Nearby treated water suppliers	
b.	Quantity of water for Construction in KLD 50 KLD	
c.	Quantity of water for Domestic Purpose in KLD 10 KLD	
d.	Waste water generation in KLD 8 KLD	
e.	Treatment facility proposed and scheme of disposal of treated water The sewage generated during the construction phase will be treated in the Mobile STP	
<b>II. Operational Phase</b>		
a.	Total Requirement of Water in KLD	
	Fresh	38.17 KLD
	Recycled	46.88 + 40.50 KLD
	Total	125.55 KLD
b.	Source of water Gram Panchayat	
c.	Waste water generation in KLD 119.27KLD	
d.	STP capacity 140KLD	
e.	Technology employed for Treatment SBR Technology	
f.	Scheme of disposal of excess treated water if any No Disposal. The treated water will be reused for toiletflushing, landscaping in the project site, avenueplantation and Reuse after treating with ultrafiltrationand reverse osmosis	
<b>16 Infrastructure for Rain water harvesting</b>		
a.	Capacity of sump tank to store Roof run off 279.00cu.m.	
b.	No's of Ground water recharge pits 9 Nos.	
17	Storm water management plan The storm water from the site will be collected by rainwater harvesting tanks of capacity 36 cum and will be used for recharging the ground water through groundwater recharge pits of 9 nos	
<b>18 WASTE MANAGEMENT</b>		
<b>I. Construction Phase</b>		
a.	Quantity of Solid waste generation and mode of Disposal as per norms No of labours = 100 Nos. Per capita of waste generated = 0.4 kg/day Separate collection bins will be used for organic and inorganic waste. Organic waste will be converted in organic convertor.	





		Inorganic solid waste will be handed over to authorized recyclers.
<b>II. Operational Phase</b>		
a.	Quantity of Biodegradable waste generation and mode of Disposal as per norms	216.00 kg/day. Biodegradable waste will be converted in organic convertor.
b.	Quantity of Non-Biodegradable waste generation and mode of Disposal as per norms	144.00 kg/day. Non- Biodegradable waste will be handed over to authorized recyclers.
c.	Quantity of Hazardous Waste generation and mode of Disposal as per norms	Nil
d.	Quantity of E waste generation and mode of Disposal as per norms	E-waste generation will be very less
19	<b>POWER</b>	
a.	Total Power Requirement - Operational Phase	750 kVA
b.	Numbers of DG set and capacity in KVA for Standby Power Supply	1 X 750 kVA
c.	Details of Fuel used for DG Set	HSD
d.	Energy conservation plan and Percentage of savings including plan for utilization of solar energy as per ECBC 2007	<ul style="list-style-type: none"> <li>• Energy saved by using Solar water Heater :50,000 kWh/ Year.....(a)</li> <li>• Solar Power Generation :</li> <li>• In non-monsoon season 100kWH x 30 x 8Months = 24,000kWH</li> <li>• In monsoon season 50kWH x 30 x 4 Months =6,000 kWh</li> <li>• Total SPV Power Generation in a year = 0.3 LkWH / Annum.....(b)</li> <li>• Total Solar Energy utilization (Energy saving using solar heater and solar PV) in a year = (a)+(b)=0.5+ 0.3 L KWH = 0.8 L / Annum .....(c)</li> <li>• Total energy savings = 27.39%</li> </ul>
20	<b>PARKING</b>	
a.	Parking Requirement as per norms	198Ecs

	b. Level of Service (LOS) of the connecting Roads as per the Traffic Study Report	NH75 road -LOS - B																		
	c. Internal Road width (RoW)	5.00 m																		
21	CER Activities	CER Activities Proposed																		
		<table border="1"> <thead> <tr> <th>Year</th> <th>Corporate Responsibility (CER)</th> <th>Environmental</th> </tr> </thead> <tbody> <tr> <td>1<sup>st</sup></td> <td colspan="2">Providing solar power panels to GHPS at Kattamanallur</td> </tr> <tr> <td>2<sup>nd</sup></td> <td colspan="2">Rain Water Harvesting (Deep recharge wells) in GHPS at Kattamanallur</td> </tr> <tr> <td>3<sup>rd</sup></td> <td colspan="2">Conducting E-waste drive campaigns in the GHPS at Kattamanallur</td> </tr> <tr> <td>4<sup>th</sup></td> <td colspan="2">Scientific support and awareness to local farmers to increase yield of crop and fodder</td> </tr> <tr> <td>5<sup>th</sup></td> <td colspan="2">Health camp in GHPS at Kattamanallur</td> </tr> </tbody> </table>	Year	Corporate Responsibility (CER)	Environmental	1 <sup>st</sup>	Providing solar power panels to GHPS at Kattamanallur		2 <sup>nd</sup>	Rain Water Harvesting (Deep recharge wells) in GHPS at Kattamanallur		3 <sup>rd</sup>	Conducting E-waste drive campaigns in the GHPS at Kattamanallur		4 <sup>th</sup>	Scientific support and awareness to local farmers to increase yield of crop and fodder		5 <sup>th</sup>	Health camp in GHPS at Kattamanallur	
Year		Corporate Responsibility (CER)	Environmental																	
1 <sup>st</sup>		Providing solar power panels to GHPS at Kattamanallur																		
2 <sup>nd</sup>		Rain Water Harvesting (Deep recharge wells) in GHPS at Kattamanallur																		
3 <sup>rd</sup>		Conducting E-waste drive campaigns in the GHPS at Kattamanallur																		
4 <sup>th</sup>	Scientific support and awareness to local farmers to increase yield of crop and fodder																			
5 <sup>th</sup>	Health camp in GHPS at Kattamanallur																			
22	EMP <ul style="list-style-type: none"> <li>• Construction phase</li> <li>• Operation Phase</li> </ul>	<table border="1"> <thead> <tr> <th>Operation Phase</th> <th>Construction Phase</th> </tr> </thead> <tbody> <tr> <td>Recurring Cost Per Annum = 52.2 lakhs</td> <td>Recurring Cost Per Annum = 27.36 lakhs</td> </tr> <tr> <td>Capital Cost = 230.0 lakhs</td> <td>Capital Cost = 15.75 lakhs</td> </tr> </tbody> </table>	Operation Phase	Construction Phase	Recurring Cost Per Annum = 52.2 lakhs	Recurring Cost Per Annum = 27.36 lakhs	Capital Cost = 230.0 lakhs	Capital Cost = 15.75 lakhs												
Operation Phase	Construction Phase																			
Recurring Cost Per Annum = 52.2 lakhs	Recurring Cost Per Annum = 27.36 lakhs																			
Capital Cost = 230.0 lakhs	Capital Cost = 15.75 lakhs																			

The subject was discussed in the SEAC meeting held on 17th, 18th & 19th November 2022 The Committee has recommended to SEIAA for issue of EC and the extract of the proceedings of the Committee meeting is as below:

The proposal is for construction of residential apartment building in an area earmarked for tanks and water bodies as per RMP of BDA for which the proponent informed that they had obtained land conversion for residential use.

The committee during appraisal sought clarification for natural drain and water body as per village map and provisions for harvesting rain water in the proposed area. The proponent informed the committee that for the drain in southern side they have provided buffer of 15mtr from center and the water body is out of the buffer zone to the project boundary. For harvesting rain water, the proponent has proposed 279 cum capacity of tank/sump for runoff from rooftop and an additional tank of capacity 36 cum capacity for runoff from landscape and paved areas in addition to 9 nos recharge pits within the project area. Further the committee informed the proponent to install smart metering for individual

units for conservation of water and provide necessary facility to lead off excess water to nearest natural drain, for which the proponent agreed.

The proponent informed that they have made provisions to grow a total of 111 trees in the proposed project area and would provide charging facility for electrical vehicles in the proposed project area. The proponent committed to take precautionary measures during and after construction to maintain the environmental parameters within permissible limits in the proposed project and agreed to comply with the ECBC and NBC guidelines for the proposed construction and adhere to the by-laws stipulated by the governing authority for buffers and setbacks.

The committee noted that the baseline parameters are found to be within permissible limits and informed the proponent to leave buffers/setbacks as per zoning regulations and to harvest maximum rainwater in the proposed project area. The committee after discussion decided to recommend the proposal to SEIAA for issue of EC

The Authority perused the proposal and took note of the recommendation of SEAC.

*The Authority after discussion decided to clear the proposal for issue of Environmental Clearance subject to following:*

1. *The project proponent shall submit scheme for treatment of harvested rain water and revised water balance considering utilization of harvested rain water for domestic purpose.*
2. *STP should be redesigned for Biological Nitrogen Removal/BNR unit and also incorporate oil and grease separation system and chemical free disinfection unit along with design calculation and revised budgetary allocation in the EMP for the same shall be submitted*
3. *The project proponent shall furnish Notarized undertaking that he shall maintain Buffer zone as per bylaws and compliance to provisions of CDP.*
4. *The project proponent shall leave the buffer from the lake /drain as per the RCDP 2015 as directed by Supreme Court order CIVIL APPEAL NO. 5016 OI 2016 dated 5th March 2019.*
5. *If the distance of nearest Protected Area (National Park/ Sanctuary/Bio sphere reserve/ migratory corridor) is within 10 KM, a certificate from the Chief Wild Life Warden (CWLW) along with his recommendation, else a certificate from the proponent that the proposed site is more than 10 KM away from any Protection Authority (PA) (National Park/ Sanctuary/Bio sphere reserve/ migratory corridor) shall be submitted.*
6. *The PP shall submit CER in Specific Physical Terms with time bound action plan.*

7. *The project proponent shall ensure that tree planting/afforestation measures proposed in the EMP shall be strictly complied and an undertaking to this effect shall be submitted.*
8. *The PP shall explore the possibility of installing smart meter for water conservation.*

**Additional Condition:**

1. *Assured water supply, commensurate with the ultimate occupancy envisaged in the project, shall be ensured before commencement of the project.*
2. *25% of parking space shall have charging facility to enable charging of electric vehicles.*
3. *The PP shall strictly adhere to the local Planning Authority Bye-Laws.*


**227.1.3. Residential Apartment Building with club house Building at Kodathi Village, Varthur Hobli, Bangalore East Taluk, Bangalore Urban District by M/. Trifecta Projects Pvt. Ltd. - Online Proposal No.SIA/KA/MIS/282305/2022 (SEIAA 103 CON 2022).**

M/s. Trifecta Projects Pvt. Ltd have proposed for construction of Residential Apartment Building with club Project on a plot area of 8,599.49 Sqm. The total built up area is 29065.39 Sqm. The proposed project consists of 192 Flats in Lower 1: Basement + GF + 23 LF + Terrace, Clubhouse Building: BF + GF. Total water consumption is 146.93KLD (Fresh water + Recycled water). The total wastewater generated is 132.23 KLD. The project proponent has proposed to construct Sewage Treatment plant with capacity of 150 KLD. The project cost is Rs. 62.55 Crores.


Details of the project are as follows:

Sl. No	PARTICULARS	INFORMATION
1	Name & Address of the Project Proponent	Mr. R V Subba Reddy Managing Director M/s. Trifecta Projects Pvt. Ltd. 13 <sup>th</sup> floor, Trifecta Adatto, Sy. No. 66/2 & 67/1, Whitefield Main road, Garudacharapalya, Mahadevapura Post, Opposite to Bescom Office, Bangalore.
2	Name & Location of the Project	Apartment Building with club by M/s. Trifecta Projects Pvt. Ltd. at Sy No. 79/2 of Kodathi Village, Bengaluru East Taluk and Bangalore District.
3	Type of Development	

	a.	Residential Apartment / Villas / Row Houses / Vertical Development / Office / IT/ ITES/ Mall/ Hotel/ Hospital /other	Residential Apartment, Category 8(a) as per EIA Notification 2006														
	b.	Residential Township/ Area Development Projects	No														
4		New/ Expansion/ Modification/ Renewal	New														
5		Water Bodies/ Nalas in the vicinity of project site	KodathiKere - 0.56 Km (W) Tertiary nala is towards North west corner for which 15 m buffer is left as per zoning regulation														
6		Plot Area (Sqm)	8,599.49 Sqm														
7		Built Up area (Sqm)	29065.39 Sqm														
8		FAR • Permissible • Proposed	2.25 2.247														
9		Building Configuration [Number of Blocks / Towers / Wings etc., with Numbers of Basements and Upper Floors]	Tower 1: Basement + GF + 23 UF + Terrace Clubhouse Building: BF + GF														
10		Number of units/plots in case of Construction/ Residential Township/ Area Development Projects	192 Flats														
11		Height Clearance in meters above sea level	As per CCZM, Site Elevation in AMSL : 900 Permissible top elevation in AMSL : 980 Difference in meters : 80/ Height proposed : 77.3m														
12		Project Cost (Rs. In Crores)	Rs. 62.55Cr														
13		Disposal of Demolition waster and or Excavated earth	<table border="1"> <thead> <tr> <th>Details</th> <th>Quantity In m<sup>3</sup></th> </tr> </thead> <tbody> <tr> <td>Quantity of excavated soil</td> <td>21,007.46</td> </tr> <tr> <td>Back filling for footings</td> <td>10,503.73</td> </tr> <tr> <td>Site filling required</td> <td>5,341.53</td> </tr> <tr> <td>Back filling for retaining wall</td> <td>1,038.97</td> </tr> <tr> <td>Top soil for Landscaping</td> <td>1,727.85</td> </tr> <tr> <td>Filling for internal roads</td> <td>2,395.38</td> </tr> </tbody> </table>	Details	Quantity In m <sup>3</sup>	Quantity of excavated soil	21,007.46	Back filling for footings	10,503.73	Site filling required	5,341.53	Back filling for retaining wall	1,038.97	Top soil for Landscaping	1,727.85	Filling for internal roads	2,395.38
Details	Quantity In m <sup>3</sup>																
Quantity of excavated soil	21,007.46																
Back filling for footings	10,503.73																
Site filling required	5,341.53																
Back filling for retaining wall	1,038.97																
Top soil for Landscaping	1,727.85																
Filling for internal roads	2,395.38																



		<b>Total</b>	<b>21,007.46</b>
14	<b>Details of Land Use (Sq.m)</b>		
a.	Ground Coverage Area	968.73 Sqm	
b.	Kharab Land	202.34 Sq.m	
c.	Total Green belt on Mother Earth for projects under 8(a) of the schedule of the EIA notification, 2006	2,840.00sq.m	
d.	Internal Roads	4790.73sq. m	
e.	Paved area		
f.	Others Specify	-	
g.	Parks and Open space in case of Residential Township/ Area Development Projects	NA	
h.	<b>Total</b>	<b>6,599.49sq.m.</b>	
15	<b>WATER</b>		
	<b>I. Construction Phase</b>		
a.	Source of water	Tanker Water for Domestic Use at construction site. Tertiary treated water construction Activity.	
b.	Quantity of water for Construction in KLD	08 KLD	
c.	Quantity of water for Domestic Purpose in KLD	2.25 KLD	
d.	Waste water generation in KLD	2.03 KLD	
e.	Treatment facility proposed and scheme of disposal of treated water	Mobile STP	
	<b>II. Operational Phase</b>		
a.	Total Requirement of Water in KLD	Fresh	97.70 KLD
		Recycled	49.23 KLD
		<b>Total</b>	<b>146.93 KLD</b>
b.	Source of water	Gram Panchayat	
c.	Waste water generation in KLD	132.23KLD	
d.	STP capacity	150KLD	
e.	Technology employed for Treatment	SBR Technology	
f.	Scheme of disposal of excess treated water if any	Flushing - 49.23 KLD Greenbelt - 14.20 KLD On land for Irrigation - 68.81 KLD	

16	Infrastructure for Rain water harvesting	
a.	Capacity of sump tank to store Roof run off	52 KLD
b.	No's of Ground water recharge pits	9 Nos.
17	Storm water management plan	The storm water from the site will be collected by rainwater harvesting tanks of capacity 230 cum and will be used for recharging the ground water through groundwater recharge pits of 9 nos
18	WASTE MANAGEMENT	
I.	Construction Phase	
a.	Quantity of Solid waste generation and mode of Disposal as per norms	No of labours = 50 Nos. Per capita of waste generated = 2.6 kg/day Separate collection bins will be used for organic and Inorganic waste. Organic waste will be converted in Organic convertor. Inorganic solid waste will be handed Over to authorized recyclers
II.	Operational Phase	
a.	Quantity of Biodegradable waste generation and mode of Disposal as per norms	298.35 kg/day. Biodegradable waste will be converted in organic convertor.
b.	Quantity of Non-Biodegradable waste generation and mode of Disposal as per norms	198.90 kg/day. Non- Biodegradable waste will be handed over to authorized recyclers.
c.	Quantity of Hazardous Waste generation and mode of Disposal as per norms	200 litres of waste oil from servicing of DG. Will be handed over to KSPCB approved recycler.
d.	Quantity of E waste generation and mode of Disposal as per norms	NA
19	POWER	
a.	Total Power Requirement - Operational Phase	1000 kVA will be sourced from BSCOM
b.	Numbers of DG set and capacity in KVA for Standby Power Supply	1X 1000 kVA
c.	Details of Fuel used for DG Set	HSD



	<p>d. Energy conservation plan and Percentage of savings including plan for utilization of solar energy as per ECBC 2007</p>	<ul style="list-style-type: none"> <li>• 200 m<sup>2</sup> of roof top area will be used for solar water heating systems.</li> <li>• About 150 m<sup>2</sup> of open roof area will be used for installation of PV solar modules with trackers and sensors to optimize the performance of system to generate energy of about 150 kWh/day (@1kWh/sq.m/day)</li> <li>• Energy saved by using Solar water Heater : 50,000 kWh/ Year.....(a)</li> <li>• Solar Power Generation :</li> <li>• In non-monsoon season 100kWh x 30 x 8 Months = 24,000 kWh</li> <li>• In monsoon season 50kWh x 30 x 4 Months = 6,000 kWh</li> <li>• Total SPV Power Generation in a year = 0.3 L kWh / Annum.....(b)</li> <li>• Total Solar Energy utilization (Energy saving using solar heater and solar PV) in a year = (a)+(b)= 0.5+ 0.3 L kWh = 0.8 L / Annum .....(c)</li> <li>• Total energy savings = 27.39%</li> </ul>								
20	PARKING									
	a. Parking Requirement as per norms	212 ECS								
	b. Level of Service (LOS) of the connecting Roads as per the Traffic Study Report	Existing LOS: D Modified LOS: D								
	c. Internal Road width (RoW)	8.00 m								
21	CER Activities	<table border="1" style="width: 100%; border-collapse: collapse;"> <tr> <td style="width: 5%;"></td> <td>Corporate Environmental Responsibility (CER)</td> </tr> <tr> <td>1<sup>st</sup></td> <td>Providing solar power panels to GHPS at Kodathi</td> </tr> <tr> <td>2<sup>nd</sup></td> <td>Rainwater harvesting in GHPS at Kodathi</td> </tr> <tr> <td>3<sup>rd</sup></td> <td>Conducting e-waste drive campaigns in the GHPS at Kodathi</td> </tr> </table>		Corporate Environmental Responsibility (CER)	1 <sup>st</sup>	Providing solar power panels to GHPS at Kodathi	2 <sup>nd</sup>	Rainwater harvesting in GHPS at Kodathi	3 <sup>rd</sup>	Conducting e-waste drive campaigns in the GHPS at Kodathi
	Corporate Environmental Responsibility (CER)									
1 <sup>st</sup>	Providing solar power panels to GHPS at Kodathi									
2 <sup>nd</sup>	Rainwater harvesting in GHPS at Kodathi									
3 <sup>rd</sup>	Conducting e-waste drive campaigns in the GHPS at Kodathi									

		4 <sup>th</sup>	Scientific support and awareness to local farmers to increase yield of crop and fodder
		5 <sup>th</sup>	Health camp in GHPS at Kodathi
22	EMP <ul style="list-style-type: none"> <li>• Construction phase</li> <li>• Operation Phase</li> </ul>	EMP (Construction & Operation)	
		Operation Phase	Construction Phase
		Recurring Cost Per Annum = 52.2 lakhs Capital Cost = 275.0 lakhs	Recurring Cost Per Annum = 15.75 lakhs Capital Cost = 44.93 lakhs

The subject was discussed in the SEAC meeting held on 17th, 18th & 19th November 2022. The Committee has recommended to SEIAA for issue of EC and the extract of the proceedings of the Committee meeting is as below:

The proposal is for construction of residential apartment building in an area earmarked for residential use as per RMP of BDA.

The committee during appraisal sought clarification for natural drain and cart track as per village map and provisions for harvesting rain water in the proposed area and proposed site elevation. The proponent informed the committee that the project is outside the bufferzone of the drain in north western side and the cart track kharab is left as it is and no construction is proposed. For harvesting rain water, the proponent has proposed 52 cum capacity of tank/sump for runoff from rooftop and an additional tank of capacity 230 cum capacity for runoff from landscape and paved areas in addition to 09 nos recharge pits within the project area. The proponent submitted a topo sheet showing the altitude of the project site as 900 mtr. Earlier the altitude was shown as 910 mtrs as per Google Earth image. The committee asked the proponent to submit DGPS readings. Accordingly DGPS reading were submitted informing the site elevation of 900 mtrs AMSL of the project area. Further the committee informed the proponent to install smart metering for individual units for conservation of water, for which the proponent agreed.

The proponent informed that they have made provisions to grow a total of 108 trees in the proposed project area and would provide charging facility for electrical vehicles in the proposed project area. The proponent committed to take precautionary measures during and after construction to maintain the environmental parameters within permissible limits in the proposed project and agreed to comply with the ECBC and NBC guidelines for the proposed construction and adhere to the by-laws stipulated by the governing authority for buffers and setbacks.

The committee noted that the baseline parameters are found to be within permissible limits and informed the proponent to leave buffers/setbacks as per zoning regulations and to harvest maximum rainwater in the proposed project area. The

Drafted by ke

committee after discussion decided to recommend the proposal to SEIAA for issue of EC with condition to leave free access to public in the kharab area.

The Authority perused the proposal and took note of the recommendation of SEAC.

*The Authority after discussion decided to clear the proposal for issue of Environmental Clearance subject to following:*

1. *The project proponent shall submit scheme for treatment of harvested rain water and revised water balance considering utilization of harvested rain water for domestic purpose.*
2. *STP should be redesigned for Biological Nitrogen Removal/BNR unit and also incorporate oil and grease separation system and chemical free disinfection unit along with design calculation and revised budgetary allocation in the EMP for the same shall be submitted*
3. *The project proponent shall furnish Notarized undertaking that he shall maintain Buffer zone as per bylaw and compliance to provisions of CDP.*
4. *The project proponent shall leave the buffer from the lake /drain as per the RCDP 2015 as directed by Supreme Court order CIVIL APPEAL NO. 5016 OF 2016 dated 5th March 2019.*
5. *If the distance of nearest Protected Area (National Park/ Sanctuary/Bio sphere reserve/ migratory corridor) is within 10 KM, a certificate from the Chief Wild Life Warden (CWLW) along with his recommendation, else a certificate from the proponent that the proposed site is more than 10 KM away from any Protection Authority (PA) (National Park/ Sanctuary/Bio sphere reserve/ migratory corridor) shall be submitted.*
6. *The PP shall submit CER in Specific Physical Terms with time bound action plan.*
7. *The project proponent shall ensure that tree planting/afforestation measures proposed in the EMP shall be strictly complied and an undertaking to this effect shall be submitted.*
8. *The PP shall explore the possibility of installing smart meter for water conservation.*

**Additional Condition:**

1. *Assured water supply, commensurate with the ultimate occupancy envisaged in the project, shall be ensured before commencement of the project.*
2. *25% of parking space shall have charging facility to enable charging of electric vehicles.*
3. *The PP shall strictly adhere to the local Planning Authority Bye-Laws.*
4. *The PP shall leave the kharab area for free access to public.*


**227.1.4. Composite Housing Scheme Project located at Sy. No. 1/1 & others of Ahobalapalya Village & Sy. No. 5/1 & others of Machonayakanahalli Village, Nelamangala Taluk, Bengaluru Rural District by M/s. Karnataka Housing Board - Online Proposal No.SIA/KA/MIS/76093/2020 (SEIAA 123 CON 2020).**

Executive Engineer, Bangalore Rural Division have proposed for construction of Composite Housing Scheme Project. The total area of the proposed project is 815289.811 SQM (201 Acres 18.5 Guntas) out of which Kharab - B land is 36826.39 SQM (9 Acres, 4 Guntas) & 40268.39 SQM (9 Acres, 38.02 Guntas) reserved for future development. Total water consumption is 1700 KLD (Fresh water + Recycled water). The total wastewater generated is 1330 KLD. The project proponent has proposed to construct Sewage Treatment plant with capacity of 2 X 500 KLD & 1 X 630 KLD. The project cost is Rs. 374.597 Crores.


Details of the project are as follows:

Sl. No	PARTICULARS	INFORMATION
1	Name & Address of the Project Proponent	Executive Engineer, Bangalore Rural Division, Karnataka Housing Board, Cauvery Bhavan, KG Road, Bangalore
2	Name & Location of the Project	Composite Housing Scheme Project by Karnataka Housing Board located at Sy. Nos. 1/1, 1/2, 1/3, 1/4, 2, 3/1, 3/2, 3/3, 4/1, 4/2, 4/3, 4/4, 4/5, 4/6, 4/7, 5, 6, 7/1, 7/2, 8/1, 8/2, 8/3, 8/4, 8/5, 8/6, 10, 11/1, 11/2, 11/3, 11/4, 11/5, 11/6, 11/7, 11/8, 11/9, 12/1, 12/2, 13, 14/1, 14/2, 14/3, 15/1, 15/2, 15/3, 16/1, 16/2, 16/3, 16/4, 16/5, 16/6, 16/7, 17, 18/1, 18/2 of Ahobalapalya Village & Sy. Nos. 5/1, 6/1, 6/3, 7/1, 7/2, 8/1, 8/2, 8/4, 8/5, 9/1, 9/2, 9/3, 9/4, 9/5, 9/6, 9/7, 9/8, 9/9, 9/10, 9/11, 9/12, 9/13, 9/14, 9/15, 10, 11, 12, 13, 14, 15, 16/1, 16/2A1, 16/2A2, 16/2B, 17/1, 17/2, 17/3, 18, 111, 112, 113/1, 114/1, 114/2, 115, 117/5, 117/7 of Machonayakanahalli Village, Nelamangala Taluk, Bengaluru Rural District
3	Type of Development	
a.	Residential Apartment / Villas / Row Houses / Vertical Development / Office / IT/ IIES/ Mall/ Hotel/ Hospital / other	-NA-

b.	Residential Township/ Area Development Projects	Composite Housing Scheme Project Category 8(b) as per EIA Notification 2006.																											
4	New/ Expansion/ Modification/ Renewal	New																											
5	Water Bodies/ Nalas in the vicinity of project site	<p>Primary nala passing inside the project site from East to west and 3 tertiary nalas are passing inside the project site out of one is passing in NW side, second one is passing in NE side of the project site and another one is passing East side of the project site.</p> <p>Nearest water Bodies are:</p> <ul style="list-style-type: none"> <li>• Lake Near Kachanahalli - 30 m, NW</li> <li>• Lake near Mandigere - 0.91 Km, N</li> <li>• Lake near Vaddarapalya - 0.69 Km, S</li> <li>• Lake near Bettahalli - 1.40 Km, NE</li> <li>• Kumudavathy River - 5.45 Km, (SW)</li> <li>• Arkavathy River - 10.5 Km, (E)</li> </ul>																											
6	Plot Area (Sq.m)	<p>The total area of the proposed project is 815289.811 SQM (201 Acres 18.5 Guntas) out of which Kharab - B land is 36826.39 SQM (9 Acres, 4 Guntas) &amp; 40268.39 SQM (9 Acres, 38.02 Guntas) reserved for future development. Hence total land considered for formation of layouts is 182Acres - 16.48 Guntas, which is approved by planning jurisdiction of Nelamangala Planning Authority (NPA) and as per the NPA regulations, the land use analysis details of the project are as follows:</p>																											
		<table border="1"> <thead> <tr> <th data-bbox="746 1413 783 1630">S N</th> <th data-bbox="788 1413 938 1630">Land Use</th> <th data-bbox="943 1413 1066 1630">Area (Sq.mt)</th> <th data-bbox="1070 1413 1209 1630">Area (Acres)</th> <th data-bbox="1214 1413 1410 1630">Ground Coverage Permissible as per ZR of NPA</th> </tr> </thead> <tbody> <tr> <td data-bbox="746 1637 783 1715">1</td> <td data-bbox="788 1637 938 1715">Residential</td> <td data-bbox="943 1637 1066 1715">338793</td> <td data-bbox="1070 1637 1209 1715">83.71</td> <td data-bbox="1214 1637 1410 1715">Not more than 55%</td> </tr> <tr> <td data-bbox="746 1722 783 1800">2</td> <td data-bbox="788 1722 938 1800">Commercial</td> <td data-bbox="943 1722 1066 1800">19513</td> <td data-bbox="1070 1722 1209 1800">4.82</td> <td data-bbox="1214 1722 1410 1800">(Including 3% Comm)</td> </tr> <tr> <td data-bbox="746 1807 783 1912">3</td> <td data-bbox="788 1807 938 1912">Civic Amenities</td> <td data-bbox="943 1807 1066 1912">37106</td> <td data-bbox="1070 1807 1209 1912">9.16</td> <td data-bbox="1214 1807 1410 1912">Min 5%</td> </tr> <tr> <td data-bbox="746 1919 783 1955">4</td> <td data-bbox="788 1919 938 1955">Parks</td> <td data-bbox="943 1919 1066 1955">132070</td> <td data-bbox="1070 1919 1209 1955">32.63</td> <td data-bbox="1214 1919 1410 1955">Min 10%</td> </tr> </tbody> </table>			S N	Land Use	Area (Sq.mt)	Area (Acres)	Ground Coverage Permissible as per ZR of NPA	1	Residential	338793	83.71	Not more than 55%	2	Commercial	19513	4.82	(Including 3% Comm)	3	Civic Amenities	37106	9.16	Min 5%	4	Parks	132070	32.63	Min 10%
S N	Land Use	Area (Sq.mt)	Area (Acres)	Ground Coverage Permissible as per ZR of NPA																									
1	Residential	338793	83.71	Not more than 55%																									
2	Commercial	19513	4.82	(Including 3% Comm)																									
3	Civic Amenities	37106	9.16	Min 5%																									
4	Parks	132070	32.63	Min 10%																									



		& Green area																															
		5 Roads	210714	52.06	28.54																												
		<b>Total</b>	<b>738195.04</b>	<b>182 Acres 16.48 Guntas</b>	<b>100.00</b>																												
7	Built Up area (Sq.m)	-																															
8	FAR • Permissible • Proposed	-NA-																															
9	Building Configuration [ Number of Blocks / Towers / Wings etc., with Numbers of Basements and Upper Floors]	-NA-																															
10	Number of units/plots in case of Construction/Residential Township/ Area Development Projects	Details of Schedule of plots: <table border="1"> <thead> <tr> <th>Sl. No.</th> <th>Different income groups</th> <th>Plot Size in m</th> <th>No. of Plots</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>EWS</td> <td>6.0 X 9.0</td> <td>400</td> </tr> <tr> <td>2</td> <td>LIG</td> <td>9.0 X12.0</td> <td>770</td> </tr> <tr> <td>3</td> <td>MIG</td> <td>9.0 X 15.0</td> <td>767</td> </tr> <tr> <td>4</td> <td>HIG1</td> <td>12.0 X 18.0</td> <td>324</td> </tr> <tr> <td>5</td> <td>HIG2</td> <td>15.0 X 24.0</td> <td>118</td> </tr> <tr> <td></td> <td><b>Total</b></td> <td></td> <td><b>2379</b></td> </tr> </tbody> </table>				Sl. No.	Different income groups	Plot Size in m	No. of Plots	1	EWS	6.0 X 9.0	400	2	LIG	9.0 X12.0	770	3	MIG	9.0 X 15.0	767	4	HIG1	12.0 X 18.0	324	5	HIG2	15.0 X 24.0	118		<b>Total</b>		<b>2379</b>
Sl. No.	Different income groups	Plot Size in m	No. of Plots																														
1	EWS	6.0 X 9.0	400																														
2	LIG	9.0 X12.0	770																														
3	MIG	9.0 X 15.0	767																														
4	HIG1	12.0 X 18.0	324																														
5	HIG2	15.0 X 24.0	118																														
	<b>Total</b>		<b>2379</b>																														
11	Height Clearance	NA																															
12	Project Cost (Rs. In Crores)	Rs. 374.597 Crores.																															
13	Disposal of Demolition waste and or Excavated earth	The excavated earth generated during construction phase will be utilized completely for back filling for roads and walkways, Site formation and Landscaping. <table border="1"> <thead> <tr> <th>Sl. No.</th> <th>Item</th> <th>Quantity (Cum)</th> </tr> </thead> <tbody> <tr> <td>1.</td> <td>The total estimated earth work quantity</td> <td>70848.61</td> </tr> <tr> <td>2.</td> <td>Back filling to be done between foundations</td> <td>31881.87</td> </tr> <tr> <td>3.</td> <td>For roads and walkways</td> <td>7084.861</td> </tr> </tbody> </table>				Sl. No.	Item	Quantity (Cum)	1.	The total estimated earth work quantity	70848.61	2.	Back filling to be done between foundations	31881.87	3.	For roads and walkways	7084.861																
Sl. No.	Item	Quantity (Cum)																															
1.	The total estimated earth work quantity	70848.61																															
2.	Back filling to be done between foundations	31881.87																															
3.	For roads and walkways	7084.861																															



		4.	Site formation	21254.58
		5.	Landscaping	10627.29
14	Details of Land Use (Sq.m)			
a.	Ground Coverage Area	815289.811 Sq.m (201Acres -18.5 Guntas)		
b.	Kharab Land	36826.39 Sq.m (9 Acres - 4 Guntas)		
c.	Total Green belt on Mother Earth for projects under 8(a) of the schedule of the EIA notification, 2006	A total Green belt development area is 269045.63 Sq.mts (33 % of total area of 815289.811 Sq.m) will be developed within the proposed project premises, on either side of roads, on either side of Nalas.		
d.	Internal Roads	Roads - 210714 Sq.mts		
e.	Paved area			
f.	Others Specify	Residential - 338793Sq.mts Commercial - 19513Sq.mts Civic Amenities - 37106Sq.mts Kharab B land - 36826.39 Sq.mts Future Development Land - 40268.39 Sq.mts		
g.	Parks and Open space in case of Residential Township/ Area Development Projects	Parks & Green area - 132070Sq.mts		
h.	Total	Total site area - 815289.811 Sq.m (201Acres - 18.5 Guntas)		
15	WATER			
I.	Construction Phase			
a.	Source of water	Private water tankers		
b.	Quantity of water for Construction in KLD	30 KLD		
c.	Quantity of water for Domestic Purpose in KLD	15 KLD - for the Labour Colony (200 No of labours)		
d.	Waste water generation in KLD	13.5 KLD		
e.	Treatment facility proposed and scheme of disposal of treated water	Wastewater will be treated in the mobile STP of 14 KLD (SBR Technology).		
II	Operational Phase			
a.	Total Requirement of Water in KLD	Fresh	Total water requirement for the project is 1700 KLD	
		Recycled	1453.5 KLD	
		Total	1700 KLD	

23

	b.	Source of water	KRDWS &SD (Karnataka Rural Drinking Water Supply & Sanitation Division)
	c.	Waste water generation in KLD	Total Wastewater generation of the project is 1530 KLD
	d.	STP capacity	The generated sewage will be treated in STP of capacity 2 X 500 KLD & 1 X 630 KLD
	e.	Technology employed for Treatment	SBR Technology
	f.	Scheme of disposal of excess treated water if any	There is no excess treated water, treated water will be completely utilized for greenbelt development
16		Infrastructure for Rain water harvesting	
	a.	Capacity of sump tank to store Roof run off	-
	b.	No's of Ground water recharge pits	97 Nos. of Percolation pits/ Recharge pits were proposed to recharge ground water table
17		Storm water management plan	Artificial recharge ponds of 4x1000KLD and runoff from roof top to be stored in 2x1600KLD capacity ground level reservoirs and excess to be used to recharge ground water through 60 number of recharge pits.
18		WASTE MANAGEMENT	
	I.	Construction Phase	
	a.	Quantity of Solid waste generation and mode of Disposal as per norms	Total No. of labours = 200 Nos. (considering @ 0.1 Kg /day /person) Solid waste generation= 200X 0.1=20 Kgs /day will be segregated into organic and inorganic waste and handed over to municipal body.
	II	Operational Phase	
	a.	Quantity of Biodegradable waste generation and mode of Disposal as per norms	The total organic waste generated from the layout is 3.402 MT/day which will be converted to methane in biogas plant and the methane generation details are given in below table.





b.	Numbers of DG set and capacity in KVA for Standby Power Supply	DG Sets of capacity 2 x 250 KVA will be used as a backup power for STP operations.
c.	Details of Fuel used for DG Set	HSD with low Sulphur content i.e., <0.05% will be used for DG sets
d.	Energy conservation plan and Percentage of savings including plan for utilization of solar energy as per ECBC 2007	Solar Panels & LED lights will be planned on Road sides and in Park areas for solar lighting system to save power consumption.
20	<b>PARKING</b>	
a.	Parking Requirement as per norms	Total Number of Car Parking Provided is 1966 No's.
b.	Level of Service (LOS) of the connecting Roads as per the Traffic Study Report	The project is accessible through Machonayakanahalli Road and the level of service of the road is A.
c.	Internal Road width (RoW)	18m main roads & 12m & 9m internal roads.
21	CER Activities	The proposed project is a State Government Project and Karnataka Housing Board had contributed Crores in to Nelamangala Planning Authority for Lake Rejuvenation
22	EMP <ul style="list-style-type: none"> <li>• Construction phase</li> <li>• Operation Phase</li> </ul>	EMP Cost during Construction phase:- 63.52 lakhs EMP Cost during Operation phase:- 721.48 Lakhs

The subject was discussed in the SEAC meeting held on 17<sup>th</sup>, 18<sup>th</sup> & 19<sup>th</sup> November 2022 The Committee has recommended to SEIAA for issue of EC and the extract of the proceedings of the Committee meeting is as below:

The proposal was earlier considered in 279<sup>th</sup> SEAC meeting and the committee had deferred the project for want of clarification regarding details of permitted activities in zone I as per notification and impact of proposed project on TGR Catchment area. As the proposal falls in zone I of the TGR Catchment area.

The proponent in the present meeting informed that the GoK in GO dated 18.11.2003 issued notification for conservation of TG Halli catchment area and as per the notification, Nelamangala Planning Authority (NPA) is responsible to regulate the activities in Zone I of TG Halli catchment area. The proponent (KHB) vide letter dated: 22.09.2016 sought clarification from NPA for the proposed project. The NPA in its 81<sup>st</sup> meeting held on 21.12.2016 under the chairmanship of Commissioner, BMRDA had informed that the project is permitted, subject to conditions and had obtained permission from NPA vide

letter dated 09.01.2017. The proponent informed that they adhere to the conditions of NPA for the proposed project in TG Halli zone I and informed that in the proposed project do not involve withdrawal of ground water from bore well and the total water requirement to be met from Karnataka Rural Water Supply and Sanitation Division and also had obtained NoC for the same.

The proposal is an area development project for sites and services by Karnataka Housing Board. The proponent informed the committee that the total plot area is 191A 20.48G, out of which net area of 182A 16.48G to be utilized for the proposed project and informed the committee that the net area considered for development is out of ESZ areas, areas under litigation and kharab areas. SEIAA had issued ToR on 06.03.2021 and corrigendum to ToR on 04.02.2022.

The committee during appraisal sought details of water body, drains, cart track road as per village map, provisions for harvesting rain water in the proposed area and waste handling details. The proponent informed the committee that the area is proposed to be developed based as per KHB Act 1962, as per which KHB is empowered to divert existing nala suitably and informed that there is a water body in western side and a buffer of 30mtr from edge is proposed and 9mtrs on either sides of the primary drain passing in the middle of the plot area and 3 numbers of tertiary drains, which are converted into mother drains as per the KHB Act (Section 27).

For rain water harvesting, the proponent informed that runoff from parks and open spaces be harvested in the artificial recharge ponds of 4x1000 KLD and runoff from roof top to be stored in 2x1600 KLD capacity ground level reservoirs and excess to be used to recharge ground water through 60number of recharge pits. The proponent informed that as the proposed project is about to generate a total of 5.83 MT/day (organic waste of 3.402 MT/day and inorganic waste of 2.428 MT/day) during operational phase and the generated organic waste to be converted into methane in biogas plant within the site area, further the organic manure of 340 kg/day to be used for greenbelt development.

The proponent informed that they have made provisions to grow total of 9688 trees in the proposed project area and. The proponent committed to take precautionary measures during and after construction to maintain the environmental parameters within permissible limits in the proposed project and agreed to comply with the ECBC and NBC guidelines for the proposed construction and adhere to the by-laws stipulated by the governing authority for buffers and setbacks.

The committee noted that the baseline parameters are found to be within permissible limits. The committee after discussion decided to recommend the proposal to SEIAA for issue of EC with a condition to adhere to the condition stipulated by Nelmangala Planning Authority for the activities falling in TG Halli Catchment areas.

The Authority perused the proposal and took note of the recommendation of SEAC.

Drafted by 



**The Authority after discussion decided to clear the proposal for issue of Environmental Clearance subject to following:**

1. The project proponent shall submit scheme for treatment of harvested rain water and revised water balance considering utilization of harvested rain water for domestic purpose.
2. The project proponent shall furnish Notarized undertaking that he shall maintain Buffer zone as per bylaw and compliance to provisions of CDP.
3. The project proponent shall leave the buffer from the lake /drain as per the RCDP 2015 as directed by Supreme Court order CIVIL APPEAL NO. 5016 OF 2016 dated 5th March 2019.
4. If the distance of nearest Protected Area (National Park/ Sanctuary/Bio sphere reserve/ migratory corridor) is within 10 KM, a certificate from the Chief Wild Life Warden (CWLW) along with his recommendation, else a certificate from the proponent that the proposed site is more than 10 KM away from any Protection Authority (PA) (National Park/ Sanctuary/Bio sphere reserve/ migratory corridor) shall be submitted.
5. The PP shall submit CER in Specific Physical Terms with time bound action plan.
6. The project proponent shall ensure that tree planting/afforestation measures proposed in the EMP shall be strictly complied and an undertaking to this effect shall be submitted.

**Additional Condition:**

1. The project proponent shall adhere to the condition stipulated by Nelamangala Planning Authority (NPA) for the activities falling in TG halli catchment area.
2. Assured water supply, commensurate with the ultimate occupancy envisaged in the project, shall be ensured before commencement of the project.
3. The PP shall strictly adhere to the local Planning Authority Bye-Laws.
4. The PP shall strictly adhere to the TGR Notification dated 18.11.2003 issued by the Government of Karnataka."


**227.1.5. Residential Apartment with Club House Project at Atturu Village, Yelahanka Hobli, Bengaluru North Taluk, Bengaluru Urban District by M/s. Aryan Ventures - Online Proposal No. SLA/KA/MIS/290129/2022 (SEIAA 114 CON 2022).**



M/s. Aryan Ventures have proposed for Development of Residential Apartment with Club House Project on a plot area of 13,536.665qm. The total built up area is 42,028.385qm. The proposed project consists of 276 No's units with BF+GF+4UF. Total water consumption is 215 KLD (Fresh water + Recycled water). The total wastewater

generated is 172 KLD. The project proponent has proposed to construct Sewage Treatment plant with capacity of 200 KLD. The project cost is Rs. 67.84 Crores.

Details of the project are as follows:

Sl. No	PARTICULARS	INFORMATION
1.	Name & Address of the Project Proponent	Mr. K. Venkatesh Naidu Partner M/s. Aryan Ventures No. 2454, 1st Floor, Back portion, 17th E Cross, 9th Main, BSK 2nd Stage, Bengaluru - 560 070.
2.	Name & Location of the Project	Development of Residential Apartment with Club House Project BBMP Khatha No. 675/28, Sy. No. 2B, Atturu Village, Yelahanka Hobli, Bengaluru North Taluk, Bengaluru Urban District- 560 064.
3.	Type of Development	
a.	Residential Apartment / Villas / Row Houses / Vertical Development / Office / ITES / Mall / Hotel / Hospital / other	Residential Apartment with Club House Category 8(a) as per EIA Notification 2006
b.	Residential Township/ Area Development Projects	NA
4.	New/ Expansion/ Modification/ Renewal	New
5.	Water Bodies/ Nalas in the vicinity of project site	Tertiary drain on southern side Veerasagara Lake is at a distance of 252 m from the project site boundary
6.	Plot Area (Sqm)	13,536.66Sqm
7.	Built Up area (Sqm)	42,028.38Sqm
8.	FAR • Permissible • Proposed	2.25 2.249
9.	Building Configuration [ Number of Blocks / Towers / Wings etc., with Numbers of Basements and Upper Floors]	BF+GF+4UF

Drafted by 

  29

10.	Number of units/ plots in case of Construction/Residential Township/ Area Development Projects	276nos
11.	Height Clearance	14.95 m (As per CCZM, the permissible height is 62 m AMSL and the height achieved for our proposed building is 14.95 m.)
12.	Project Cost (Rs. In Crores)	Rs. 67.84 Crores.
13.	Disposal of Demolition waster and or Excavated earth	Total Excavated earth quantity - 16,683 m <sup>3</sup> For Backfilling& site formation-10,524 m <sup>3</sup> For Landscaping - 6,159m <sup>3</sup>
14.	Details of Land Use (Sqm)	
	a. Ground Coverage Area	6,768.19Sqm
	b. Kharab Land	-
	c. Total Green belt on Mother Earth for projects under 8(a) of the schedule of the EIA notification, 2006	4,737.98 Sqm
	d. Internal Roads	
	e. Paved area	2,030.49Sqm
	f. Others Specify	-
	g. Parks and Open space in case of Residential Township/ Area Development Projects	-
	h. Total	13,536.66Sqm
15.	WATER	
	I. Construction Phase	
	a. Source of water	The domestic water requirement will be met from external water suppliers and water requirement for construction purpose will be met by STP tertiary treated water.
	b. Quantity of water for Construction in KLD	20 KLD
	c. Quantity of water for Domestic Purpose in KLD	9 KLD
	d. Waste water generation in KLD	7.2 KLD

	e.	Treatment facility proposed and scheme of disposal of treated water	Domestic sewage generated during construction phase will be collected in collection tank and will be treated in mobile STP.						
	ii.	Operational Phase							
	a.	Total Requirement of Water in KLD	<table border="1"> <tr> <td>Fresh</td> <td>143KLD</td> </tr> <tr> <td>Recycled</td> <td>72KLD</td> </tr> <tr> <td>Total</td> <td>215KLD</td> </tr> </table>	Fresh	143KLD	Recycled	72KLD	Total	215KLD
Fresh	143KLD								
Recycled	72KLD								
Total	215KLD								
	b.	Source of water	BWSSB						
	c.	Wastewater generation in KLD	172KLD						
	d.	STP capacity	200 KLD						
	e.	Technology employed for Treatment	Sequential Batch Reactor Technology						
	f.	Scheme of disposal of excess treated water if any	Excess 65KLD will be used for avenue plantation/construction works.						
16.	Infrastructure for Rain water harvesting								
	a.	Capacity of sump tank to store Roof run off	250m <sup>3</sup>						
	b.	No's of Ground water recharge pits	08Nos.						
17.	Storm water management plan		Water pond of capacity 65 cum will be provided. Internal garland drains will be provided within the site in order to carry out the storm water into the recharge pits and will be managed within the site, excess runoff will be routed to the external storm water drain.						
18.	WASTE MANAGEMENT								
	I.	Construction Phase							
	a.	Quantity of Solid waste generation and mode of Disposal as per norms	As there is no provision of labour colony, generation of domestic solid waste will be minimum and will be handed over to local vendors Construction debris -21m <sup>3</sup> This will be reused within the site for road and pavement formation.						
	II.	Operational Phase							
	a.	Quantity of Biodegradable waste generation and mode of Disposal as per norms	314kg/day This will be segregated at household levels and will be processed in proposed organic waste converter.						
	b.	Quantity of Non-Biodegradable waste	472kg/day Recyclable wastes will be handed over to authorized waste recyclers						

	generation and mode of Disposal as per norms																
c.	Quantity of Hazardous Waste generation and mode of Disposal as per norms	Waste Oil Generation:117 L/Annum (0.32L/ running hour of DG) Hazardous wastes like waste oil from DG sets, used batteries etc. will be handed over to the authorized hazardous waste recyclers.															
d.	Quantity of E waste generation and mode of Disposal as per norms	E-Wastes will be collected separately & it will be handed over to authorized E-waste recyclers for further processing.															
<b>19. POWER</b>																	
a.	Total Power Requirement - Operational Phase	1026kVA															
b.	Numbers of DG set and capacity in KVA for Standby Power Supply	300 kVA - 1 No. & 350 kVA - 1 No.															
c.	Details of Fuel used for DG Set	136.19 l/hr															
d.	Energy conservation plan and Percentage of savings including plan for utilization of solar energy as per ECBC 2007	Solar Lights, solar water heater, Cu wound transformer, LED, high efficiency Pumps and motors in Lifts etc., The overall energy savings is around 27 %															
<b>20. PARKING</b>																	
a.	Parking Requirement as per norms	318 ECS															
b.	Level of Service (LOS) of the connecting Roads as per the Traffic Study Report	<table border="1"> <thead> <tr> <th>Road</th> <th>Towards</th> <th>Existing</th> <th>Changed after road widening</th> </tr> </thead> <tbody> <tr> <td colspan="2">Approach Road</td> <td>A</td> <td>A</td> </tr> <tr> <td rowspan="2">Yelahanka Main Road</td> <td>Yelahanka</td> <td>C</td> <td>C</td> </tr> <tr> <td>Vidyaranya pura</td> <td>C</td> <td>C</td> </tr> </tbody> </table>	Road	Towards	Existing	Changed after road widening	Approach Road		A	A	Yelahanka Main Road	Yelahanka	C	C	Vidyaranya pura	C	C
Road	Towards	Existing	Changed after road widening														
Approach Road		A	A														
Yelahanka Main Road	Yelahanka	C	C														
	Vidyaranya pura	C	C														
c.	Internal Road width (RoW)	12.8 m & 14.50 m existing approach road.															
21.	CLER Activities	Installation of solar lights to Veerasagara lake - Rs. 5.0 Lakhs. And Drain strengthening works.															
22.	FMP <ul style="list-style-type: none"> <li>• Construction phase</li> <li>• Operation Phase</li> </ul>	During Construction: Capital Investment - 4.43Lakh Construction - 46.30 Lakh															



	During Operation: Capital investment - 111.00Lakh Operation Investment - 22.50 Lakh/annum
--	---

The subject was discussed in the SEAC meeting held on 17th, 18th & 19th November 2022. The Committee has recommended to SEIAA for issue of EC and the extract of the proceedings of the Committee meeting is as below:

The proposal was earlier considered in 285<sup>th</sup> SEAC meeting. As the proponent remained absent the committee had deferred the appraisal of the project.

The proposal is for construction of residential apartment building in an area earmarked for residential use as per RMP of BDA.

The committee during appraisal sought clarification for drains as per village map and provisions made for harvesting rain water. The proponent informed the committee that there is a tertiary drain in south west side and a buffer of 15mtr on either sides from center is proposed. For harvesting rain water, the proponent has proposed a tank of 200cum total capacity for runoff from rooftop and an pond of capacities 80cum for runoff from landscape and paved areas in addition to 8 nos recharge pits within the project area. Further the committee informed the proponent to install smart water meters for conservation of water and also manage excess drainage water within the site area, for which the proponent agreed.

The proponent informed that they have made provisions to grow total of 170 trees in the proposed project area and to provide charging facility for electrical vehicles in the proposed project area. The proponent committed to take precautionary measures during and after construction to maintain the environmental parameters within permissible limits in the proposed project and agreed to comply with the ECBC and NBC guidelines for the proposed construction and adhere to the by-laws stipulated by the governing authority for buffers and setbacks.

The committee noted that the baseline parameters are found to be within permissible limits and informed the proponent to leave buffers/setbacks as per zoning regulations and to harvest maximum rainwater in the proposed project area. The committee after discussion decided to recommend the proposal to SEIAA for issue of EC.

The Authority perused the proposal and took note of the recommendation of SEAC.

*The Authority after discussion decided to clear the proposal for issue of Environmental Clearance subject to following:*

1. *The project proponent shall submit scheme for treatment of harvested rain water and revised water balance considering utilization of harvested rain water for domestic purpose.*

Drafted by 



33

2. The project proponent shall furnish Notarized undertaking that he shall maintain Buffer zone as per bylaw and compliance to provisions of CDP.
3. The project proponent shall leave the buffer from the lake /drain as per the RCDP 2015 as directed by Supreme Court order CIVIL APPEAL NO. 5016 OF 2016 dated 5th March 2019.
4. If the distance of nearest Protected Area (National Park/ Sanctuary/Bio sphere reserve/ migratory corridor) is within 10 KM, a certificate from the Chief Wild Life Warden (CWLM) along with his recommendation, else a certificate from the proponent that the proposed site is more than 10 KM away from any Protection Authority (PA) (National Park/ Sanctuary/Bio sphere reserve/ migratory corridor) shall be submitted.
5. The PP shall submit CFR in Specific Physical Terms with time bound action plan.
6. The project proponent shall ensure that tree planting/afforestation measures proposed in the EMP shall be strictly complied and an undertaking to this effect shall be submitted.
7. The PP shall explore the possibility of installing smart meter for water conservation.

**Additional Condition:**



1. Assured water supply, commensurate with the ultimate occupancy envisaged in the project, shall be ensured before commencement of the project.
2. 25% of parking space shall have charging facility to enable charging of electric vehicles.
3. The PP shall strictly adhere to the local Planning Authority Bye-Laws.

**227.1.6. Residential Apartment Project at Plot No. R-4. Part-A & Part-B of Housing Area (Hardware Sector) Hitech, Defence and Aerospace Park, Devanahalli Taluk, Bangalore Rural District by M/s. WHITEOAKS - Online Proposal No.SIA/KA/MIS/284519/2022 (SEIAA 111 CON 2022).**

M/s. WHITE OAKS have proposed for construction of Residential Apartment with office space, retail & MLCP Project on a plot area of 40,170.005sqm. The total built up area is 1,41,328.25 Sqm. The proposed project consists of 956 units in Wing 1&2- Stilt+19F, Wing 3&4- B+Stilt+19F, Wing 5 to 7 - Stilt+19F 956 flats, Wing 8 - Retail -G+2F, WING 9- MLCP - B+ Stilt+5F, Retail- GF + Mezzanine floor of wing 5 to 7 and Clubhouse - G+3F Total water consumption is 666.55 KLD (Fresh water + Recycled water). The total wastewater generated is 533.24 KLD. The project proponent has proposed to construct Sewage Treatment plant with capacity of 900 KI.D. The project cost is Rs. 300 Crores.



Details of the project are as follows:

Sl. No	PARTICULARS	INFORMATION
1	Name & Address of the Project Proponent	Mr. Prashanth Marathe, General Manager operations, Authorized Signatory M/s. WHITE OAKS. 130/ 1, Ulsoor Rd, Bengaluru, Karnataka 560042.
2	Name & Location of the Project	Residential Apartment with office space, retail & MLCP Plot No R-4, Part-A & Part-B of Housing Area (Hardware Sector) Hitech, Defence and Aerospace Park, Bengaluru
3	Type of Development	-
	a. Residential Apartment / Villas / Row Houses / Vertical Development / Office / IT/ ITES/ Mall/ Hotel/ Hospital / other	Residential apartment with retail & MLCP Category 8(a) as per EIA Notification 2006
	b. Residential Township/ Area Development Projects	-
4	New/ Expansion/ Modification/ Renewal	New
5	Water Bodies/ Nalas in the vicinity of project site	Mahadeva Kodigehalli Lake - 600 mtr on SE direction Kharab Nala is passing through the site. We have provided buffer of 15mtr on either side of centre line of the nala
6	Plot Area (Sqm)	40,470.00 Sqm
7	Built Up area (Sqm)	1,41,328.25 Sqm
8	FAR • Permissible • Proposed	3.25 2.392

9	Building Configuration [ Number of Blocks / Towers / Wings etc., with Numbers of Basements and Upper Floors]	Wing 1&2- Stilt+19F Wing 3&4- B+Stilt+19F Wing 5 to 7 - Stilt+19F 956 flats Wing 8 - Retail -G+2F WING 9- MLCP - B+ Stilt+5F Retail- GF + Mezzanine floor of wing 5 to 7 Clubhouse - G+3F
10	Number of units/plots in case of Construction/Residential Township/ Area Development Projects	956 nos
11	Height Clearance	AAI NOC dated 08.03.2022
12	Project Cost (Rs. In Crores)	Rs. 300 Crores
13	Disposal of Demolition waster and or Excavated earth	Construction debris will be utilized for driveway formation. Excavated earth -28250 Cum
14	Details of Land Use (Sqm)	
	a. Ground Coverage Area	11315.27Sqm
	b. Kharab Land	KIADB has allotted residential plot without any kharab.
	c. Total Green belt on Mother Earth for projects under 8(a) of the schedule of the EIA notification, 2006	Park and open space-4047.92 Sqm Future Development- 11061.00 Sqm
	d. Internal Roads	Drive way- 6,078.71Sqm
	e. Paved area	Hardscape- 5,386.35Sqm
	f. Others Specify	Civic Aminities-2,023.63Sqm
	g. Parks and Open space in case of Residential Township/ Area Development Projects	4,047.92 Sqm
	h. Services area	557 sqm
	Total	40,470 Sqm
15	WATER	
	1. Construction Phase	
	a. Source of water	STP Treated water for Construction. Tanker Water for Domestic Use at construction
	b. Quantity of water for Construction in KLD	10 KLD
	c. Quantity of water for Domestic Purpose in KLD	9.0 KLD

d.	Waste water generation in KLD	9.0 KLD
e.	Treatment facility proposed and scheme of disposal of treated water	Mobile STP of 9 KLD
II. Operational Phase		
a.	Total Requirement of Water in KLD	Fresh 137.25 KLD
		Recycled 229.27 KLD
		Total 666.55 KLD
b.	Source of water	KIADB
c.	Waste water generation in KLD	533.24 KLD
d.	STP capacity	930 KLD
e.	Technology employed for Treatment	SBR
f.	Scheme of disposal of excess treated water if any	Flushing :229.3KLD Greenbelt :111KLD HVAC:50 KLD Upcoming project/avenue plantation - 142.94KLD
16 Infrastructure for Rain water harvesting		
a.	Capacity of sump tank to store Roof run off	395.5 Cum
b.	No's of Ground water recharge pits	34No's of recharge pits
17	Storm water management plan	The storm water from the site will be collected by rainwater harvesting tanks of capacity 180cum and will be used for recharging the ground water through groundwater recharge pits of 34nos
18 WASTE MANAGEMENT		
I. Construction Phase		
a.	Quantity of Solid waste generation and mode of Disposal as per norms	40 Kgs/Day which will be collected & disposed of suitably
II. Operational Phase		
a.	Quantity of Biodegradable waste generation and mode of Disposal as per norms	1241.44 Kg/daywill be treated in organic waste convertor
b.	Quantity of Non-Biodegradable waste	906.16 Kg/day will be handed over to authorized recyclers

	generation and mode of Disposal as per norms	
	c. Quantity of Hazardous Waste generation and mode of Disposal as per norms	Used oil from DG's will be handed over to authorized recyclers
	d. Quantity of E waste generation and mode of Disposal as per norms	Collected separately & handed over to Authorized E-waste recyclers
19	<b>POWER</b>	
	a. Total Power Requirement - Operational Phase	5000KVA
	b. Numbers of DG set and capacity in KVA for Standby Power Supply	7X 625KVA 1 X 380KVA
	c. Details of Fuel used for DG Set	HSD/CNG
	d. Energy conservation plan and Percentage of savings including plan for utilization of solar energy as per ECBC 2007	23.5 %
20	<b>PARKING</b>	
	a. Parking Requirement as per norms	1534 FCS
	b. Level of Service (LOS) of the connecting Roads as per the Traffic Study Report	Bagalur Road is considered as connecting road and LOS is B and the performance of the road is Very good.
	c. Internal Road width (RoW)	6mtr
21	CER Activities	<ol style="list-style-type: none"> <li>1) Rain water harvesting outside the project.</li> <li>2) Development of Footpath along the KIADB roads near the project.</li> <li>3) Avenue plantation on either side of roads and medians.</li> <li>4) Construction of culvert inline with nala for free flow of storm water across the road with permission from KIADB ( Detailed commitment letter submitted )</li> </ol>
22	EMP Construction phase • Operation Phase	0.75 crore 6.85 crore

The subject was discussed in the SEAC meeting held on 17<sup>th</sup>, 18<sup>th</sup> & 19<sup>th</sup> November 2022. The Committee has recommended to SEIAA for issue of EC and the extract of the proceedings of the Committee meeting is as below:

The proposal was earlier considered in 286<sup>th</sup> SEAC meeting. As there were changes in project configuration with respect to the applied proposal the proponent had requested to consider the proposal in upcoming meeting and the committee had deferred the appraisal of the project.

The proposal is for construction of residential apartment building in an area allotted by KIADB for residential housing development.

The committee during appraisal sought clarification for drains as per village map and provisions made for harvesting rain water. The proponent informed the committee that there is a tertiary drain in the center of the proposed area and a buffer of 15mtr on either side from center is proposed. For harvesting rain water, the proponent has proposed a tank of 395.5 cum total capacity for runoff from rooftop and an additional tank of 180 cum capacity for runoff from landscape and paved areas in addition to 34 nos recharge pits within the project area. Further the committee informed the proponent to install smart water meters for conservation of water and also manage excess drainage water within the site area, for which the proponent agreed.

The proponent informed that they have made provisions to grow total of 506 trees in the proposed project area and to provide charging facility for electrical vehicles in the proposed project area. The proponent committed to take precautionary measures during and after construction to maintain the environmental parameters within permissible limits in the proposed project and agreed to comply with the ECBC and NBC guidelines for the proposed construction and adhere to the by-laws stipulated by the governing authority for buffers and setbacks.





The committee noted that the baseline parameters are found to be within permissible limits and informed the proponent to leave buffers/setbacks as per zoning regulations and to harvest maximum rainwater in the proposed project area. The committee after discussion decided to recommend the proposal to SEIAA for issue of EC.

The Authority perused the proposal and took note of the recommendation of SEAC.

*The Authority after discussion decided to clear the proposal for issue of Environmental Clearance subject to following:*

1. *The project proponent shall submit scheme for treatment of harvested rain water and revised water balance considering utilization of harvested rain water for domestic purpose.*

Drafted by 

2. The project proponent shall furnish Notarized undertaking that he shall maintain Buffer zone as per bylaw and compliance to provisions of CDP.
3. The project proponent shall rework the landscape proposal submitted to include more number of shady trees and shrubs.
4. The project proponent shall leave the buffer from the lake /drain as per the RCDP 2015 as directed by Supreme Court order CIVIL APPEAL NO. 5016 OF 2016 dated 5th March 2019.
5. If the distance of nearest Protected Area (National Park/ Sanctuary/Bio sphere reserve/ migratory corridor) is within 10 KM, a certificate from the Chief Wild Life Warden (CWLW) along with his recommendation, else a certificate from the proponent that the proposed site is more than 10 KM away from any Protection Authority (PA) (National Park/ Sanctuary/Bio sphere reserve/ migratory corridor) shall be submitted.
6. The PP shall submit CLR in Specific Physical Terms with time bound action plan.
7. The project proponent shall ensure that tree planting/afforestation measures proposed in the EMP shall be strictly complied and an undertaking to this effect shall be submitted.
8. The PP shall explore the possibility of installing smart meter for water conservation.

**Additional Condition:**

1. Assured water supply, commensurate with the ultimate occupancy envisaged in the project, shall be ensured before commencement of the project.
2. 25% of parking space shall have charging facility to enable charging of electric vehicles.
3. The PP shall strictly adhere to the local Planning Authority Bye-Laws.



**227.1.7. Residential Apartment Project at Chikkagubbi Village and Bhairathi Village, Bidarahalli Hobli, Bangalore East Taluk, Bangalore Urban District by M/s. DNR Corporation Pvt. Ltd. - Online Proposal No.SIA/KA/INFRA2/401027/2022(SEIAA 132 CON 2022).**

M/s. DNR Corporation Pvt. Ltd. have proposed for construction of Development of Residential Apartment project on a plot area of 36,269.44 sqm. The total built up area is 1,49,934.03 sqm. The proposed project consists of 784 nos of Units Tower A: 2B+G+22UF, Tower B: 2B+G+22UF, Tower C: 2B+G+22UF, Tower D: 2B+G+22UF, Tower E: G+9 UF & club house. Total water consumption is 660 KLD (Fresh water + Recycled water). The total wastewater generated is 594 KLD. The project proponent has proposed to construct Sewage Treatment plant with capacity of 600 KLD. The project cost is Rs. 90 Crores.



Details of the project are as follows:

Sl. No	PARTICULARS	INFORMATION
1	Name & Address of the Project Proponent	M/s. DNR Corporation Pvt. Ltd, A- 304, Queens Corner, Queens Road, Bangalore - 560001
2	Name & Location of the Project	Development of Residential Apartment project at Sy Nos. 103/1, 103/2, 103/3 of Chikkagubbi Village and Sy Nos. 129 & 130 of Bhairathi village, Bidarahalli Hobli, Bangalore East Taluk, Bangalore.
3	Type of Development	
a.	Residential Apartment / Villas / Row Houses / Vertical Development / Office / IT/ ITES/ Mall/ Hotel/ Hospital /other	Residential Apartment project Category 8(a) as per EIA Notification 2006
b.	Residential Township/ Area Development Projects	NA
4	New/ Expansion/ Modification/ Renewal	New
5	Water Bodies/ Nalas in the vicinity of project site	NA
6	Plot Area (Sqm)	Total site area - 36,269.44 sqm CA area - 1,813.47 Sqmt Net site area - 34,455.97Sqmt
7	Built Up area (Sqm)	1,49,934.03 sqm
8	FAR	
	• Permissible	3.0
	• Proposed	2.99
9	Building Configuration [Number of Blocks / Towers / Wings etc., with Numbers of Basements and Upper Floors]	Tower A: 2B+G+22UF, Tower B: 2B+G+22LF, Tower C: 2B+G+22UF, Tower D: 2B+G+22UF, Tower E: G+9 UF & club house
10	Number of units/ plots in case of Construction/ Residential Township/ Area Development Projects	784nos
11	Height Clearance	CCZM permissible top elevation 1035m AMSL. Proposed top elevation 983.6m AMSL

Drafted by 

41

12	Project Cost (Rs. In Crores)	Rs. 90 Cr.
13	Disposal of Demolition waste and or Excavated earth	There is no demolition waste Quantity of Excavated earth - 120,000 cum For back filling =40,000 For Landscape=35,000 For Internal Road making =45,000
14	Details of Land Use (Sqm)	
a.	Ground Coverage Area	6,439.21 Sqmt
b.	Kharab Land	NA
c.	Total Green belt on Mother Earth for projects under 8(a) of the schedule of the EIA notification, 2006	7,979.27 Sqmt
d.	Internal Roads	20,037.49 Sqmt
e.	Paved area	
f.	Others Specify	CA area - 1,813.47 Sqmt
g.	Parks and Open space in case of Residential Township/ Area Development Projects	NA
h.	Total	36,269.44 Sqmt
15	WATER	
I.	Construction Phase	
a.	Source of water	BWSSB STP treated water
b.	Quantity of water for Construction in KLD	50 KLD
c.	Quantity of water for Domestic Purpose in KLD	10 KLD
d.	Waste water generation in KLD	8 KLD
e.	Treatment facility proposed and scheme of disposal of treated water	Mobile sewage Treatment Plant
II.	Operational Phase	
a.	Total Requirement of Water in KLD	Fresh 440 KLD Recycled 220KLD Total 660KLD
b.	Source of water	BWSSB
c.	Waste water generation in KLD	594KLD
d.	STP capacity	600KLD
e.	Technology employed for Treatment	SBR

	f.	Scheme of disposal of excess treated water if any	Excess 279 KLD will be used for floor washing, given to nearby construction activities
16	Infrastructure for Rain water harvesting		
	a.	Capacity of sump tank to store Roof run off	350KLD
	b.	No's of Ground water recharge pits	25KLD
17	Storm water management plan		The storm water from the site will be collected by rainwater harvesting tanks of capacity 110cum and will be used for recharging the ground water through groundwater recharge pits of 37nos
18	WASTE MANAGEMENT		
	I.	Construction Phase	
	a.	Quantity of Solid waste generation and mode of Disposal as per norms	Handed over to BBMP authorities
	II. Operational Phase		
	a.	Quantity of Biodegradable waste generation and mode of Disposal as per norms	1,159 kg/day converted in to organic manure and used for garden
	b.	Quantity of Non- Biodegradable waste generation and mode of Disposal as per norms	772 kg/day given to PCB authorized recycler
	c.	Quantity of Hazardous Waste generation and mode of Disposal as per norms	150-180 l given to PCB authorized recycler
	d.	Quantity of E waste generation and mode of Disposal as per norms	150 kg/year given to PCB authorized recycler
19	POWER		
	a.	Total Power Requirement - Operational Phase	3,136 kW
	b.	Numbers of DG set and capacity in KVA for Standby Power Supply	750 kVA X 3 Nos.
	c.	Details of Fuel used for DG Set	Low Sulphuric diesel
	d.	Energy conservation plan and Percentage of savings including plan for utilization of solar energy as per ECBC 2007	Total savings 22.8%
20	PARKING		

a.	Parking Requirement as per norms	916 ECS	
b.	Level of Service (LOS) of the connecting Roads as per the Traffic Study Report	LOS C	
c.	Internal Road width (RoW)	8.0 mtr	
21	CER Activities	Infrastructure development of nearby Govt. Schools	
22	FMP • Construction phase • Operation Phase	Capital investment	25.0 Lakhs
		During Construction	58.0 Lakhs/annum
		Capital investment	255.0 lakhs
		During operation	48.0 lakhs/annum



The subject was discussed in the SEAC meeting held on 17th, 18th & 19th November 2022. The Committee has recommended to SEIAA for issue of EC and the extract of the proceedings of the Committee meeting is as below:

The proposal is for construction of residential apartment building in an area earmarked for residential use as per RMP of BDA.

The committee during appraisal sought details regarding provision for harvesting rain water in the proposed area. The proponent informed the committee that for harvesting rain water, the proponent has proposed 350 cum capacity of tank/sump for runoff from rooftop and an additional tank of capacity 110 cum capacity for runoff from landscape and paved areas in addition to 37nos recharge pits within the project area. Further the committee informed the proponent to install smart metering for individual units for conservation of water and provide necessary facility to lead off excess water to nearest natural drain, for which the proponent agreed.

The proponent informed that they have made provisions to grow a total of 430 trees in the proposed project area and would provide charging facility for electrical vehicles in the proposed project area. The proponent committed to take precautionary measures during and after construction to maintain the environmental parameters within permissible limits in the proposed project and agreed to comply with the ECBC and NBC guidelines for the proposed construction and adhere to the by-laws stipulated by the governing authority for buffers and setbacks.

Drafted by \_\_\_\_\_

  
  
 44

The committee noted that the baseline parameters are found to be within permissible limits and informed the proponent to leave buffers/setbacks as per zoning regulations and to harvest maximum rainwater in the proposed project area. The committee after discussion decided to recommend the proposal to SEIAA for issue of EC.

The Authority perused the proposal and took note of the recommendation of SEAC.


*The Authority after discussion decided to clear the proposal for issue of Environmental Clearance subject to following:*

1. *The project proponent shall submit a detailed scheme for Sewage Treatment Plant (STP) with BNK system.*
2. *The project proponent shall submit scheme for treatment of harvested rain water and revised water balance considering utilization of harvested rain water for domestic purpose.*
3. *The project proponent shall rework the landscape proposal submitted to include more number of shady trees and shrubs.*
4. *The project proponent shall furnish Notarized undertaking that he shall maintain Buffer zone as per bylaw and compliance to provisions of CDP.*
5. *The project proponent shall leave the buffer from the lake /drain as per the RCDP 2015 as directed by Supreme Court order CIVIL APPEAL NO. 5016 OF 2016 dated 5th March 2019.*
6. *If the distance of nearest Protected Area (National Park/ Sanctuary/Bio sphere reserve/ migratory corridor) is within 10 KM, a certificate from the Chief Wild Life Warden (CWLW) along with his recommendation, else a certificate from the proponent that the proposed site is more than 10 KM away from any Protection Authority (PA) (National Park/ Sanctuary/Bio sphere reserve/ migratory corridor) shall be submitted.*
7. *The PP shall submit CER in Specific Physical Terms with time bound action plan.*
8. *The project proponent shall ensure that tree planting/afforestation measures proposed in the EMP shall be strictly complied and an undertaking to this effect shall be submitted.*
9. *The PP shall explore the possibility of installing smart meter for water conservation.*

***Additional Condition:***

1. *Assured water supply, commensurate with the ultimate occupancy envisaged in the project, shall be ensured before commencement of the project.*
2. *25% of parking space shall have charging facility to enable charging of electric vehicles.*
3. *The PP shall strictly adhere to the local Planning Authority Bye-Laws.*

Drafted by           

Handwritten signature and initials in black ink, appearing to be 'M. S. K.' or similar, located at the bottom right of the page.

**227.1.8. Residential Apartment Building Project at Belathur & Kumbena Agrahara Village, Bidarahalli Hobli Ward No - 54, Bangalore Urban District by M/s. DB Infra Developers - Online Proposal No.SIA/KA/INFRA2/403560/2022 (SEIAA 133 CON 2022).**

M/s. DB Infra Developers, have proposed for construction of Residential Apartment Building Project on a plot area of 7,790.35 sq.m. The total built up area is 21,653.46 sq.m. The proposed project consists of 164 Units in 1 Block: Stilt Floor + Ground Floor + 3 Upper Floors + Terrace Floor. Total water consumption is 114.39 KLD (Fresh water + Recycled water). The total wastewater generated is 108.677 KLD. The project proponent has proposed to construct Sewage Treatment plant with capacity of 130 KLD. The project cost is Rs. 42.00 Crores.

Details of the project are as follows:

Sl. No	PARTICULARS	INFORMATION
1	Name & Address of the Project Proponent	Mr. T Pratheesh Kumar Partner M/s. DB Infra Developers Office at Flat No. 508, 5 <sup>th</sup> Floor, Sapthagiri Homes, 4 <sup>th</sup> Cross, Manjunatha Layout, Munnekolala, Kundalahalli, Bengaluru - 560 037
2	Name & Location of the Project	Residential Apartment Building by M/s. DB Infra Developers at Sy No. 90, 91/1 of Belathur & 80 (New Nos. 80/A & 80/B) of Kumbena Agrahara Village, Katha No. 3092/90, 91/1 & 80 (New No. 80/A & 80/B), Bidarahalli Hobli, Ward No - 54, Bangalore.
3	Type of Development	
a.	Residential Apartment / Villas / Row Houses / Vertical Development / Office / IT / ITES / Mall / Hotel / Hospital / other	Proposed Residential Apartment Category 8(a) as per EIA Notification 2006
b.	Residential Township / Area Development Projects	No
4	New / Expansion / Modification / Renewal	New
5	Water Bodies / Nalas in the vicinity of project site	Tertiary nala is towards west and east

Drafted by

6	Plot Area (Sqm)	7,790.35 sq.m																				
7	Built Up area (Sqm)	21,653.46 sq.m.																				
8	FAAR • Permissible • Proposed	2.5 2.2																				
9	Building Configuration [ Number of Blocks / Towers / Wings etc., with Numbers of Basements and Upper Floors]	1 Block: Stilt Floor + Ground Floor + 3 Upper Floors + Terrace Floor																				
10	Number of units/plots in case of Construction/ Residential Township/ Area Development Projects	164 Units																				
11	Height Clearance in meters above sea level	As per CCZM, Site Elevation in AMSL -1035 Permissible top elevation in AMSL :860 Difference in meters : 175/ Height proposed : 17.9m																				
12	Project Cost (Rs. In Crores)	Rs. 42.0Cr																				
13	Disposal of Demolition waste and or Excavated earth	<table border="1"> <thead> <tr> <th colspan="2">Excavated Earth</th> </tr> <tr> <th>Details</th> <th>Quantity in m<sup>3</sup></th> </tr> </thead> <tbody> <tr> <td>Quantity of excavated soil</td> <td>9,332.02</td> </tr> <tr> <th colspan="2">Excavated earth disposal details</th> </tr> <tr> <td>Back filling for footings</td> <td>4,666.01</td> </tr> <tr> <td>Site filling</td> <td>2,121.72</td> </tr> <tr> <td>Back filling for retaining wall</td> <td>748.32</td> </tr> <tr> <td>Top soil for Landscaping</td> <td>1,565.86</td> </tr> <tr> <td>Filling for internal roads</td> <td>230.11</td> </tr> <tr> <td><b>Total</b></td> <td><b>9,332.02</b></td> </tr> </tbody> </table>	Excavated Earth		Details	Quantity in m <sup>3</sup>	Quantity of excavated soil	9,332.02	Excavated earth disposal details		Back filling for footings	4,666.01	Site filling	2,121.72	Back filling for retaining wall	748.32	Top soil for Landscaping	1,565.86	Filling for internal roads	230.11	<b>Total</b>	<b>9,332.02</b>
Excavated Earth																						
Details	Quantity in m <sup>3</sup>																					
Quantity of excavated soil	9,332.02																					
Excavated earth disposal details																						
Back filling for footings	4,666.01																					
Site filling	2,121.72																					
Back filling for retaining wall	748.32																					
Top soil for Landscaping	1,565.86																					
Filling for internal roads	230.11																					
<b>Total</b>	<b>9,332.02</b>																					
14	Details of Land Use (Sqm)																					
a.	Ground Coverage Area	4,759.32 sq.m																				
b.	Kharab Land	-																				
c.	Total Green belt on Mother Earth for projects under 8(a) of the schedule of the EIA notification, 2006	2,570.82 sq.m																				

	d.	Internal Roads	460.21 Sq.m						
	c	Paved area	--						
	f.	Others Specify	-						
	g.	Parks and Open space in case of Residential Township/ Area Development Projects	NA						
	h.	Total	7,790.35 sq.m.						
15	<b>WATER</b>								
	I	<b>Construction Phase</b>							
	a.	Source of water	From nearby treated water suppliers						
	b	Quantity of water for Construction in KLD	50 KLD						
	c.	Quantity of water for Domestic Purpose in KLD	10 KLD						
	d.	Waste water generation in KLD	8 KLD						
	e.	Treatment facility proposed and scheme of disposal of treated water	The sewage generated during the construction phase will be treated in the mobile STP						
	II.	<b>Operational Phase</b>							
	a.	Total Requirement of Water in KLD	<table border="1"> <tr> <td>Fresh</td> <td>34.65 KLD</td> </tr> <tr> <td>Recycled</td> <td>42.84+36.90KLD</td> </tr> <tr> <td>Total</td> <td>114.39KLD</td> </tr> </table>	Fresh	34.65 KLD	Recycled	42.84+36.90KLD	Total	114.39KLD
Fresh	34.65 KLD								
Recycled	42.84+36.90KLD								
Total	114.39KLD								
	b.	Source of water	Gram Panchayat						
	c.	Waste water generation in KLD	108.677KLD						
	d.	STP capacity	130KLD						
	e.	Technology employed for Treatment	SBR Technology						
	f.	Scheme of disposal of excess treated water if any	No disposal. The treated water will be reused for toilet flushing, landscaping in the project site, avenue plantation and reuse after treating with ultrafiltration and reverse osmosis.						
16	<b>Infrastructure for Rain water harvesting</b>								
	a.	Capacity of sump tank to store Roof run off	257.00 cu.m.						
	b.	No's of Ground water recharge pits	8 Nos.						
17	<b>Storm water management plan</b>		The storm water from the site will be collected by rainwater harvesting tanks of capacity 22cum and will be used for recharging the ground water through groundwater recharge pits of 8nos						



18	<b>WASTE MANAGEMENT</b>	
	<b>I. Construction Phase</b>	
a.	Quantity of Solid waste generation and mode of Disposal as per norms	No of labours = 100 Nos. Per capita of waste generated = 0.4 kg/day Separate collection bins will be used for organic and Inorganic waste. Organic waste will be converted in Organic convertor. Inorganic solid waste will be handed Over to authorized recyclers.
	<b>II. Operational Phase</b>	
a.	Quantity of Biodegradable waste generation and mode of Disposal as per norms	196.80 kg/day. Biodegradable waste will be converted in organic convertor.
b.	Quantity of Non-Biodegradable waste generation and mode of Disposal as per norms	131.20 kg/day. Non- Biodegradable waste will be handed over to authorized recyclers.
c.	Quantity of Hazardous Waste generation and mode of Disposal as per norms	Nil
d.	Quantity of E waste generation and mode of Disposal as per norms	E-waste generation will be very less
19	<b>POWER</b>	
a.	Total Power Requirement - Operational Phase	750 kVA
b.	Numbers of DG set and capacity in KVA for Standby Power Supply	1 X 750 kVA
c.	Details of Fuel used for DG Set	HSD
d.	Energy conservation plan and Percentage of savings including plan for utilization of solar energy as per ECBC 2007	<ul style="list-style-type: none"> <li>• Energy saved by using Solar water Heater :</li> <li>• 25,000 kWh/ Year.....(a)</li> <li>• Solar Power Generation :</li> <li>• In non-monsoon season 150kWH x 30 x 8Months = 36,000kWH</li> <li>• In monsoon season 100kWH x 30 x 4 Months= 12,000 kWh</li> <li>• Total SPV Power Generation in a year = 0.48 LkWH/ Annum.....(b)</li> </ul>

		<ul style="list-style-type: none"> <li>Total Solar Energy utilization (Energy saving using solar heater and solar PV) in a year = (a)+(b)=0.25+ 0.48 L KWH = 0.73 L / Annum .....(c)</li> <li>Total energy savings = 33.33%</li> </ul>												
20	<b>PARKING</b>													
a.	Parking Requirement as per norms	182 ECS												
b.	Level of Service (LOS) of the connecting Roads as per the Traffic Study Report	LOS Whitefield Hoskote Road - A												
c.	Internal Road width (RoW)	5.00 mtr												
21	CER Activities	<table border="1"> <thead> <tr> <th>Year</th> <th>Corporate Responsibility (CER)</th> </tr> </thead> <tbody> <tr> <td>1st</td> <td>Natural drain strengthening works and Rain Water Harvesting in GHPS of Belathur &amp; Kumbena Agrahara Village</td> </tr> <tr> <td>2nd</td> <td>Providing solar power panels to GHPS of Belathur &amp; Kumbena Agrahara Village</td> </tr> <tr> <td>3rd</td> <td>Scientific support and awareness to local farmers to increase yield of crop and fodder</td> </tr> <tr> <td>4th</td> <td>Conducting E-waste drive campaigns in the Belathur &amp; Kumbena Agrahara Village</td> </tr> <tr> <td>5th</td> <td>Health camp in GHPS of Belathur &amp; Kumbena Agrahara Village</td> </tr> </tbody> </table>	Year	Corporate Responsibility (CER)	1st	Natural drain strengthening works and Rain Water Harvesting in GHPS of Belathur & Kumbena Agrahara Village	2nd	Providing solar power panels to GHPS of Belathur & Kumbena Agrahara Village	3rd	Scientific support and awareness to local farmers to increase yield of crop and fodder	4th	Conducting E-waste drive campaigns in the Belathur & Kumbena Agrahara Village	5th	Health camp in GHPS of Belathur & Kumbena Agrahara Village
Year	Corporate Responsibility (CER)													
1st	Natural drain strengthening works and Rain Water Harvesting in GHPS of Belathur & Kumbena Agrahara Village													
2nd	Providing solar power panels to GHPS of Belathur & Kumbena Agrahara Village													
3rd	Scientific support and awareness to local farmers to increase yield of crop and fodder													
4th	Conducting E-waste drive campaigns in the Belathur & Kumbena Agrahara Village													
5th	Health camp in GHPS of Belathur & Kumbena Agrahara Village													
22	EMP	<p>EMP (Construction &amp; Operation)</p> <table border="1"> <thead> <tr> <th>Operation Phase</th> <th>Construction Phase</th> </tr> </thead> <tbody> <tr> <td>Recurring Cost Per Annum = 52.2 lakhs</td> <td>Recurring Cost Per Annum = 40 lakhs</td> </tr> <tr> <td>Capital Cost = 20.00 lakhs</td> <td>Capital Cost = 15.75 lakhs</td> </tr> </tbody> </table> <ul style="list-style-type: none"> <li>Construction phase</li> <li>Operation Phase</li> </ul>	Operation Phase	Construction Phase	Recurring Cost Per Annum = 52.2 lakhs	Recurring Cost Per Annum = 40 lakhs	Capital Cost = 20.00 lakhs	Capital Cost = 15.75 lakhs						
Operation Phase	Construction Phase													
Recurring Cost Per Annum = 52.2 lakhs	Recurring Cost Per Annum = 40 lakhs													
Capital Cost = 20.00 lakhs	Capital Cost = 15.75 lakhs													

The subject was discussed in the SEAC meeting held on 17th, 18th & 19th November 2022. The Committee has recommended to SEJAA for issue of EC and the extract of the proceedings of the Committee meeting is as below:

The proposal is for construction of residential apartment building in an area earmarked for residential use as per RMP of BDA.

The committee during appraisal sought clarification for drain as per village map and provisions for harvesting rain water in the proposed area. The proponent informed the committee that there are two tertiary drains in eastern and western side and 15mtrs from center is provided respectively. For harvesting rain water, the proponent has proposed 257cum capacity of tank/sump for runoff from rooftop and an additional tank of capacity 22cum capacity for runoff from landscape and paved areas in addition to 8nos recharge pits within the project area. Further the committee informed the proponent to install smart metering for individual units for conservation of water and provide necessary facility to lead off excess water to nearest natural drain, for which the proponent agreed

The proponent informed that they have made provisions to grow a total of 96 trees in the proposed project area and would provide charging facility for electrical vehicles in the proposed project area. The proponent committed to take precautionary measures during and after construction to maintain the environmental parameters within permissible limits in the proposed project and agreed to comply with the ECBC and NBC guidelines for the proposed construction and adhere to the by-laws stipulated by the governing authority for buffers and setbacks.

The committee noted that the baseline parameters are found to be within permissible limits and informed the proponent to leave buffers/setbacks as per zoning regulations and to harvest maximum rainwater in the proposed project area. The committee after discussion decided to recommend the proposal to SEIAA for issue of EC.

The Authority perused the proposal and took note of the recommendation of SEAC.

*The Authority after discussion decided to clear the proposal for issue of Environmental Clearance subject to following:*

1. *The project proponent shall submit scheme for treatment of harvested rain water and revised water balance considering utilization of harvested rain water for domestic purpose.*
2. *STP should be redesigned for Biological Nitrogen Removal/BNR unit and also incorporate oil and grease separation system and chemical free disinfection unit along with design calculation and revised budgetary allocation in the EMP for the same shall be submitted.*
3. *The project proponent shall rework the landscape proposal submitted to include more number of shady trees and shrubs.*
4. *The project proponent shall furnish Notarized undertaking that he shall maintain Buffer zone as per bylaw and compliance to provisions of CDP.*

5. The project proponent shall leave the buffer from the lake /drain as per the RCDP 2015 as directed by Supreme Court order CIVIL APPEAL NO 5016 OF 2016 dated 5th March 2019.
6. If the distance of nearest Protected Area (National Park/ Sanctuary/Bio sphere reserve/ migratory corridor) is within 10 KM, a certificate from the Chief Wild Life Warden (CWLW) along with his recommendation, else a certificate from the proponent that the proposed site is more than 10 KM away from any Protection Authority (PA) (National Park/ Sanctuary/Bio sphere reserve/ migratory corridor) shall be submitted.
7. The PP shall submit CER in Specific Physical Terms with time bound action plan.
8. The project proponent shall ensure that tree planting/afforestation measures proposed in the EMP shall be strictly complied and an undertaking to this effect shall be submitted.
9. The PP shall explore the possibility of installing smart meter for water conservation.

**Additional Condition:**

1. Assured water supply, commensurate with the ultimate occupancy envisaged in the project, shall be ensured before commencement of the project.
2. 25% of parking space shall have charging facility to enable charging of electric vehicles.
3. The PP shall strictly adhere to the local Planning Authority Bye-Laws.

**227.1.9. Residential Apartment Project at Doddakannahalli Village, Varthur Hobli, Bengaluru East Taluk, Bengaluru by M/s. Mana Projects Pvt. Ltd. - Online Proposal No.SIA/KA/INFRA2/400979/2022 (SEIAA 122 CON 2022).**

M/s. Mana Projects Private Limited have proposed for construction of "Residential Apartment" Project on a plot area of 29,845.15Sq.m. The total built up area is 1,07,833.32Sq.m. The proposed project consists of Tower 1 & 2 : 2BF+GF+19UF. Total water consumption is 313 KLD (Fresh water + Recycled water). The total wastewater generated is 282 KLD. The project proponent has proposed to construct Sewage Treatment plant with capacity of 285 KLD. The project cost is Rs. 199.50 Crores.

Details of the project are as follows:

Sl. No	PARTICULARS	INFORMATION
1	Name & Address of the Project Proponent	Mr. Kishore Kumar. H Vice President – Business Development M/s. Mana Projects Private Limited No. 20/7, "Swamy Legato", 3 <sup>rd</sup> Floor, Kadubeesanahalli, Marathahalli Outer Ring Road, Bengaluru - 560 103

Drafted by

2	Name & Location of the Project	Development of "Residential Apartment" Project. Sy. Nos. 21/2A, 21/2B, 21/3, 21/4, 161 & 162, Doddakannahalli Village, Varthur Hobli, Bengaluru East Taluk, Bengaluru - 560 035
3	Type of Development	
	a. Residential Apartment / Villas / Row Houses / Vertical Development / Office / IT/ IITs/ Mall/ Hotel/ Hospital /other	Residential Apartment Category 8(a) as per EIA Notification 2006
	b. Residential Township/ Area Development Projects	NA
4	New/ Expansion/ Modification/ Renewal	New
5	Water Bodies/ Nalas in the vicinity of project site	Tertiary nala on southern side of the project site, Water body (Kunte) on southern side of the project site
6	Plot Area (Sqm)	29,845.15Sqm
7	Built Up area (Sqm)	1,07,833.32Sqm
8	FAR • Permissible • Proposed	2.25 2.25
9	Building Configuration [ Number of Blocks / Towers / Wings etc., with Numbers of Basements and Upper Floors]	Tower 1 & 2 : 2BF+GF+19UF
10	Number of units/plots in case of Construction/ Residential Township/ Area Development Projects	NA
11	Height Clearance	As per CCZM map, the permissible height is 39 m AMSL and the height achieved for our proposed building is 59.98 m. Justification: There is an existing building named as Mana capitol near to our project site, which is at a distance of 0.44 km from the proposed project site and it has obtained HAL NOC. As per HAL NOC, the site elevation is 897.762 m AMSL and top

		elevation is 958.226 m AMSL. Therefore, the permissible height of the building is 60.464 m. The proposed building top elevation (site elevation is 896 m AMSL + proposed building height is 59.98 m) = 955.98 m AMSL.
12	Project Cost (Rs. In Crores)	Rs.199.50 Crores
13	Disposal of Demolition waster and or Excavated earth	Demolition waste debris of quantity 150 m <sup>3</sup> will be used for internal road / driveway formation. Total Excavated earth quantity – 62,872 m <sup>3</sup> For Backfilling – 20,078m <sup>3</sup> For Landscaping – 17,756 m <sup>3</sup> For Driveway & hardscape – 18,249 m <sup>3</sup> For site formation – 6,789 m <sup>3</sup>
14	Details of Land Use (Sqm)	
	a. Ground Coverage Area	3,769.055sqm
	b. Kharab Land	(607.02 Sqm of nala Kharab area is not included in the site area, but it has shown in the site plan)
	c. Total Green belt on Mother Earth for projects under 8(a) of the schedule of the EIA notification, 2006	12,682.48Sqm
	d. Internal Roads	11,405.40Sqm
	e. Paved area	
	f. Others Specify	CA area - 1,492.29 Sqm Services area – 495.93 Sqm
	g. Parks and Open space in case of Residential Township/ Area Development Projects	-
	h. Total	29,845.15 Sqm
15	WATER	
	I. Construction Phase	
	a. Source of water	The domestic water requirement will be met by external suppliers and water requirement for construction purpose will be met by STP tertiary treated water.
	b. Quantity of water for Construction in KLD	39KLD
	c. Quantity of water for Domestic Purpose in KLD	9KLD
	d. Waste water generation in KLD	8 KLD

e.	Treatment facility proposed and scheme of disposal of treated water	Domestic sewage generated during construction phase will be collected and treated in mobile STP.
II. Operational Phase		
a.	Total Requirement of Water in KLD	Fresh : 209KLD
		Flushing : 104KLD
		Total : 313KLD
b.	Source of water	BWSSB
c.	Wastewater generation in KLD	282 KLD
d.	STP capacity	STP Capacity - 285KLD
e.	Technology employed for Treatment	Sequential Batch Reactor Technology
f.	Scheme of disposal of excess treated water if any	Excess 85KLD for construction works/ Avenue plantation.
16	Infrastructure for Rain water harvesting	
a.	Capacity of sump tank to store Roof run off	140Cum
	No's of Ground water recharge pits	27Nos.
17	Storm water management plan	Water pond of 200 cum capacity will be provided and will be used for domestic purpose. Internal garland drains will be provided within the site in order to carry out the storm water into the recharge pits and will be managed within the site, excess runoff will be routed to the external storm water drain on northern side of the project site.
18	WASTE MANAGEMENT	
I. Construction Phase		
a.	Quantity of Solid waste generation and mode of Disposal as per norms	As there is no provision of labour colony, generation of domestic solid waste will be minimum and will be handed over to local vendors  Construction debris - 108 m <sup>3</sup> This will be reused within the site for road and pavement formation.
II. Operational Phase		
a.	Quantity of Biodegradable waste generation and mode of Disposal as per norms	371kg/day This will be segregated at household levels and will be processed in proposed organic waste converter.

	b.	Quantity of Non-Biodegradable waste generation and mode of Disposal as per norms	557kg/day Recyclable wastes will be handed over to authorized waste recyclers																			
	c.	Quantity of Hazardous Waste generation and mode of Disposal as per norms	Waste Oil Generation:133 L/Annum (0.36 L/running) hour of DG Hazardous wastes like waste oil from DG sets, used batteries etc. will be handed over to the authorized hazardous waste recyclers.																			
	d.	Quantity of E waste generation and mode of Disposal as per norms	E-Wastes will be collected separately & it will be handed over to authorized E-waste recyclers for further processing.																			
19	<b>POWER</b>																					
	a.	Total Power Requirement - Operational Phase	1496kVA																			
	b.	Numbers of DG set and capacity in KVA for Standby Power Supply	250kVA - 1No. & 500 kVA - 1 No.																			
	c.	Details of Fuel used for DG Set	157.14 l/hr																			
	d.	Energy conservation plan and Percentage of savings including plan for utilization of solar energy as per ECBC 2007	Cu wound transformer, Solar Lights, solar water heater, LED, high efficiency Pumps and motors in Lifts etc The overall energy savings is around 25 %																			
20	<b>PARKING</b>																					
	a.	Parking Requirement as per norms	1234 ECS																			
	b.	Level of Service (LOS) of the connecting Roads as per the Traffic Study Report	<table border="1"> <thead> <tr> <th>Road</th> <th>Towards</th> <th>Existing</th> <th>Changed</th> </tr> </thead> <tbody> <tr> <td colspan="2">Approach Road</td> <td>A</td> <td>B</td> </tr> <tr> <td colspan="2">Gear School Road</td> <td>B</td> <td>B</td> </tr> <tr> <td rowspan="2">Sarjapura main Road</td> <td>Sarjapura</td> <td>D</td> <td>B</td> </tr> <tr> <td>ORR</td> <td>D</td> <td>B</td> </tr> </tbody> </table>	Road	Towards	Existing	Changed	Approach Road		A	B	Gear School Road		B	B	Sarjapura main Road	Sarjapura	D	B	ORR	D	B
Road	Towards	Existing	Changed																			
Approach Road		A	B																			
Gear School Road		B	B																			
Sarjapura main Road	Sarjapura	D	B																			
	ORR	D	B																			
	c.	Internal Road width (RoW)	12.25 m wide existing approach road																			
21	<b>CER Activities</b>																					
		EMP	Providing solar lights and contribution to Doddakannahalli lake																			
22		EMP	During Construction: Capital Investment - 6.80Lakh Construction - 86.37Lakh During Operation: Capital investment - 166.00Lakh Operation Investment - 22.50 Lakh/annum																			

Drafted by \_\_\_\_\_





The subject was discussed in the SEAC meeting held on 17<sup>th</sup>, 18<sup>th</sup> & 19<sup>th</sup> November 2022. The Committee has recommended to SEIAA for issue of EC and the extract of the proceedings of the Committee meeting is as below:

The proposal is for construction of residential apartment building in an area earmarked for residential use as per RMP of BDA.

The committee during appraisal sought clarification for drain, water body as per village map and provisions for harvesting rain water in the proposed area. The proponent informed the committee that there is water body in southern side and a buffer of 30mtrs is provided from edge of water body and there are two tertiary drains in south and south western side and 15mtrs from center is provided respectively. For harvesting rain water, the proponent has proposed 140cum capacity of tank/sump for runoff from rooftop and a pond of capacity 200cum capacity for runoff from landscape and paved areas in addition to 27nos recharge pits within the project area. Further the committee informed the proponent to install smart metering for individual units for conservation of water and to manage excess water, for which the proponent agreed.

The proponent informed that they have made provisions to grow a total of 373 trees in the proposed project area and would provide charging facility for electrical vehicles in the proposed project area. The proponent committed to take precautionary measures during and after construction to maintain the environmental parameters within permissible limits in the proposed project and agreed to comply with the ECBC and NBC guidelines for the proposed construction and adhere to the by-laws stipulated by the governing authority for buffers and setbacks.



The committee noted that the baseline parameters are found to be within permissible limits and informed the proponent to leave buffers/setbacks as per zoning regulations and to harvest maximum rainwater in the proposed project area. The committee after discussion decided to recommend the proposal to SEIAA for issue of EC.

The Authority perused the proposal and took note of the recommendation of SEAC.

*The Authority after discussion decided to clear the proposal for issue of Environmental Clearance subject to following:*

1. *The project proponent shall submit scheme for treatment of harvested rain water and revised water balance considering utilization of harvested rain water for domestic purpose.*
2. *The project proponent shall rework the landscape proposal submitted to include more number of shady trees and shrubs.*
3. *The project proponent shall furnish Notarized undertaking that he shall maintain Buffer zone as per bylaw and compliance to provisions of CDP.*
4. *The project proponent shall leave the buffer from the lake /drain as per the RCDP 2015 as directed by Supreme Court order CIVIL APPEAL NO. 5016 OF 2016 dated 5<sup>th</sup> March 2019.*

Drafted by 



5. If the distance of nearest Protected Area (National Park/ Sanctuary/Bio sphere reserve/ migratory corridor) is within 10 KM, a certificate from the Chief Wild Life Warden (CWLW) along with his recommendation, else a certificate from the proponent that the proposed site is more than 10 KM away from any Protection Authority (PA) (National Park/ Sanctuary/Bio sphere reserve/ migratory corridor) shall be submitted.
6. The PP shall submit CER in Specific Physical Terms with time bound action plan.
7. The project proponent shall ensure that tree planting/afforestation measures proposed in the EMP shall be strictly complied and an undertaking to this effect shall be submitted.
8. The PP shall explore the possibility of installing smart meter for water conservation.

**Additional Condition:**

1. Assured water supply, commensurate with the ultimate occupancy envisaged in the project, shall be ensured before commencement of the project.
2. 25% of parking space shall have charging facility to enable charging of electric vehicles.
3. The PP shall strictly adhere to the local Planning Authority Bye-Laws.
4. The PP shall strictly adhere to the ECBC and NBC guidelines.

**227.1.10. Residential Apartment with Club House Project at Uttarahalli Village, Uttarahalli Hobli, Bengaluru South Taluk, Bengaluru Urban District by M/s. Srivari Infrastructures - Online Proposal No.SIA/KA/INFRA2/403296/2022 (SEIAA 129 CON 2022).**

M/s. Srivari Infrastructures have proposed for Development of "Residential Apartment with club house" Project on a plot area of 6,828.96Sqm. The total built up area is 21,577.90Sqm. The proposed project consists of 148 nos with BF+GF+4UF. Total water consumption is 117 KLD (Fresh water + Recycled water). The total wastewater generated is 94 Kl.D. The project proponent has proposed to construct Sewage Treatment plant with capacity of 100 KLD. The project cost is Rs. 39.83 Crores.

Details of the project are as follows:

Sl. No.	PARTICULARS	INFORMATION
1	Name & Address of the Project Proponent	Mr. Kiran Kumar Partner M/s. Srivari Infrastructures No. 11, Rose Garden Road, J P Nagar 5th Phase,

Drafted by

		Bengaluru - 560 078.
2	Name & Location of the Project	Development of "Residential Apartment with club house" Project. BBMP Khatha No. 252, Sy. No. 122, Uttarahalli Village, Uttarahalli Hobli, Bengaluru South Taluk, Bengaluru Urban District - 560 061.
3	Type of Development	
a.	Residential Apartment / Villas / Row Houses / Vertical Development / Office / IT/ ITES/ Mall/ Hotel/ Hospital / other	Residential units Category 8(a) as per EIA Notification 2006
b.	Residential Township/ Area Development Projects	NA
4	New/ <del>Expansion/</del> Modification/ Renewal	New
5	Water Bodies/ Nalas in the vicinity of project site	No
6	Plot Area (Sqm)	6,828.96Sqm
7	Built Up area (Sqm)	21,577.90Sqm
8	FAR • Permissible • Proposed	2.50 2.406
9	Building Configuration [ Number of Blocks / Towers / Wings etc., with Numbers of Basements and Upper Floors]	BP+GF+4UF.
10	Number of units/plots in case of Construction/ Residential Township/ Area Development Projects	148 nos
11	Height Clearance	14.95 m (As per CCZM map, the permissible height is 196 m AMSL and the height achieved for our proposed building is 14.95 m)
12	Project Cost (Rs. In Crores)	Rs.39.83Crores

13	Disposal of Demolition waster and or Excavated earth	Total Excavated earth quantity is 2,477 m <sup>3</sup> & it is reused for site formation.	
14	Details of Land Use (Sqm)		
a.	Ground Coverage Area	3,395.88 Sqm	
b.	Kharab Land	-	
c.	Total Green belt on Mother Earth for projects under 8(a) of the schedule of the EIA notification, 2006	2,253.55Sqm	
d.	Internal Roads	1,179.53Sqm	
e.	Paved area	-	
f.	Others Specify	-	
g.	Parks and Open space in case of Residential Township/ Area Development Projects	-	
h.	Total	6,828.96Sqm	
15	WATER		
I.	Construction Phase		
a.	Source of water	The domestic water requirement will be met by external suppliers and water requirement for construction purpose will be met by STP tertiary treated water.	
b.	Quantity of water for Construction in KLD	12KLD	
c.	Quantity of water for Domestic Purpose in KLD	4.5KLD	
d.	Waste water generation in KLD	3.6 KLD	
e.	Treatment facility proposed and scheme of disposal of treated water	Domestic sewage generated during construction phase will be collected and treated in mobile STP.	
II.	Operational Phase		
a.	Total Requirement of Water in KLD	Fresh Flushing Total	78KLD 39KLD 117KLD
b.	Source of water	BWSSB	
c.	Wastewater generation in KLD	94 KLD	
d.	STP capacity	STP Capacity -100KLD	
e.	Technology employed for Treatment	Sequential Batch Reactor Technology	

Handwritten signature and initials at the bottom of the page.

16	f.	Scheme of disposal of excess treated water if any	Excess 38KLD for construction works/ Avenue plantation.
	Infrastructure for Rain water harvesting		
	a.	Capacity of sump tank to store Roof run off	125Cum
	b.	No's of Ground water recharge pits	05Nos.
17		Storm water management plan	Water pond of 40 cum capacity will be provided. Internal garland drains will be provided within the site in order to carry out the storm water into the recharge pits and will be managed within the site, excess runoff will be routed to the external storm water drain on eastern side of the project site.
18	<b>WASTE MANAGEMENT</b>		
	I.	<b>Construction Phase</b>	
	a.	Quantity of Solid waste generation and mode of Disposal as per norms	As there is no provision of labour colony, generation of domestic solid waste will be minimum and will be handed over to local vendors  Construction debris - 11 m <sup>3</sup> This will be reused within the site for road and pavement formation.
	II.	<b>Operational Phase</b>	
	a.	Quantity of Biodegradable waste generation and mode of Disposal as per norms	171kg/day This will be segregated at household levels and will be processed in proposed organic waste converter.
	b.	Quantity of Non-Biodegradable waste generation and mode of Disposal as per norms	257kg/day Recyclable wastes will be handed over to authorized waste recyclers
	c.	Quantity of Hazardous Waste generation and mode of Disposal as per norms	Waste Oil Generation:69 L/Annun (0.19 L/ running) hour of DG Hazardous wastes like waste oil from DG sets, used batteries etc. will be handed over to the authorized hazardous waste recyclers.
	d.	Quantity of E waste generation and mode of Disposal as per norms	E-Wastes will be collected separately & it will be handed over to authorized E-waste recyclers for further processing.
19	<b>POWER</b>		




a.	Total Power Requirement - Operational Phase	642kVA		
b.	Numbers of DG set and capacity in KVA for Standby Power Supply	200kVA - 2Nos.		
c.	Details of Fuel used for DG Set	83.81 l/hr		
d.	Energy conservation plan and Percentage of savings including plan for utilization of solar energy as per ECBC 2007	Cu wound transformer, Solar Lights, solar water heater, LED, high efficiency Pumps and motors in Lifts etc., The overall energy savings is around 28 %		
20	PARKING			
a.	Parking Requirement as per norms	163 ECS		
b.	Level of Service (LOS) of the connecting Roads as per the Traffic Study Report	Road	Existing	Changed
		Approach Road	A	A
		Uttarahalli Main Road	C	B
c.	Internal Road width (RoW)	18.2 m wide BDA Layout road/ Approach road		
21	CER Activities Proposed	Development of Subramanyapura lake-Rs. 5 Lakhs		
22	EMP <ul style="list-style-type: none"> <li>▪ Construction phase</li> <li>▪ Operation Phase</li> </ul>	During Construction: Capital Investment - 3.71Lakh Construction - 34.32Lakh During Operation: Capital investment - 69.0Lakh Operation Investment - 19.0 Lakh/annum		

The subject was discussed in the SEAC meeting held on 17th, 18th & 19th November 2022. The Committee has recommended to SEIAA for issue of EC and the extract of the proceedings of the Committee meeting is as below:

The proposal is for construction of residential apartment building in an area earmarked for residential use as per RMP of BDA.

The committee during appraisal sought details of provisions made for harvesting rain water in the proposed area. The proponent informed the committee that for harvesting rain water, the proponent has proposed 125 cum capacity of tank/sump for runoff from rooftop and a pond of capacity 40cum capacity for runoff from landscape and paved areas in addition to 5nos recharge pits within the project area. Further the committee informed the proponent to install smart metering for individual units for conservation of water and to manage excess water, for which the proponent agreed.

Drafted by           


The proponent informed that they have made provisions to grow a total of 86 trees in the proposed project area and would provide charging facility for electrical vehicles in the proposed project area. The proponent committed to take precautionary measures during and after construction to maintain the environmental parameters within permissible limits in the proposed project and agreed to comply with the ECBC and NBC guidelines for the proposed construction and adhere to the by-laws stipulated by the governing authority for buffers and setbacks.

The committee noted that the baseline parameters are found to be within permissible limits and informed the proponent to leave buffers/setbacks as per zoning regulations and to harvest maximum rainwater in the proposed project area. The committee after discussion decided to recommend the proposal to SEIAA for issue of EC.

The Authority perused the proposal and took note of the recommendation of SEAC.

*The Authority after discussion decided to clear the proposal for issue of Environmental Clearance subject to following:*

1. *The project proponent shall submit scheme for treatment of harvested rain water and revised water balance considering utilization of harvested rain water for domestic purpose.*
2. *The project proponent shall furnish Notarized undertaking that he shall maintain Buffer zone as per bylaw and compliance to provisions of CDP.*
3. *The project proponent shall rework the landscape proposal submitted to include more number of shady trees and shrubs.*
4. *The project proponent shall leave the buffer from the lake /drain as per the RCDP 2015 as directed by Supreme Court order CIVIL APPEAL NO. 5016 OF 2016 dated 5th March 2019.*
5. *If the distance of nearest Protected Area (National Park/ Sanctuary/Bio sphere reserve/ migratory corridor) is within 10 KM, a certificate from the Chief Wild Life Warden (CWLW) along with his recommendation, else a certificate from the proponent that the proposed site is more than 10 KM away from any Protection Authority (PA) (National Park/ Sanctuary/Bio sphere reserve/ migratory corridor) shall be submitted.*
6. *The PP shall submit CER in Specific Physical Terms with time bound action plan.*
7. *The project proponent shall ensure that tree planting/afforestation measures proposed in the EMP shall be strictly complied and an undertaking to this effect shall be submitted.*
8. *The PP shall explore the possibility of installing smart meter for water conservation.*



**Additional Condition:**

1. Assured water supply, commensurate with the ultimate occupancy envisaged in the project, shall be ensured before commencement of the project.
2. 25% of parking space shall have charging facility to enable charging of electric vehicles.
3. The PP shall strictly adhere to the local Planning Authority Bye-Laws.
4. The PP shall strictly adhere to the ECBC and NBC guidelines.


**227.1.11. Residential Apartment Building Project at Sy.No. 95/4, Katha No-110/95/4/110 of Horamavu Agara Village, K.R. Puram Hobli, Bangalore East Taluk, Bangalore Urban District by M/s. Navajyothi Constructions - Online Proposal No.SIA/KA/MIS/285514/2022 (SEIAA 106 CON 2022) .**

M/s Navajyothi Constructions have proposed for construction of Residential Apartment project on a plot area of 10,724.17 sqm. The total built up area is 24,434.72 sqm. The proposed project consists of 180 Dwelling Units Two blocks : Stilt+GF+3UF+TF. Total water consumption is 123 KLD (Fresh water + Recycled water). The total wastewater generated is 111 KLD. The project proponent has proposed to construct Sewage Treatment plant with capacity of 115 KLD. The project cost is Rs. 77.9Crores.

Details of the project are as follows:

Sl. No	PARTICULARS	INFORMATION
1	Name & Address of the Project Proponent	Mr. K. Murali Babu Designation:Partner M/s Navajyothi Constructions Registered address: No.87, 4th cross, muneshwaranagar, TC palya main road, Ramamurthy nagar, Bangalore-560076
2	Name & Location of the Project	Residential Apartment project located at Sy.No. 95/4, katha No-110/95/4/110, Horamavuagara village, K.R. puram hobli, Bangalore East Taluk, ward no-25, Bangalore by M/s Navajyothi Constructions.
3	Type of Development	
a	Residential Apartment / Villas / Row Houses / Vertical Development / Office / IT/ ITES/ Mall/ Hotel/ Hospital / other	Residential Apartment Building Project. Category 8 (a) -as per the EIA notification 2006.

Drafted by 





	b	Residential Township/ Area Development Projects	NA
4		New/ Expansion/ Modification/ Renewal	New
5		Water Bodies/ Nalas in the vicinity of project site	<ul style="list-style-type: none"> <li>• Hornavuagara Lake at about 0.63 kms towards (E).</li> <li>• Kalkere lake at about 1.44 Kms towards NE.</li> <li>• CheleKere at about 0.94 kms towards SW.</li> <li>• HoranavuKere at about 1.93 kms towards SE.</li> </ul>
6		Plot Area (Sqm)	10,724.17 sqm
7		Built-Up Area (Sqm)	24,434.72 sqm
8		FAR <ul style="list-style-type: none"> <li>• Permissible</li> <li>• Proposed</li> </ul>	2.0 1.78
9		Building Configuration [Number of Blocks / Towers / Wings etc., with Numbers of Basements and Upper Floors]	Two blocks : Stilt+GF+3UF+TF
10		Number of units/plots in case of Construction/ Residential Township/ Area Development Projects	180 Dwelling Units.
11		Height Clearance	14.4 Meters Low rise structure
12		Project Cost (Rs. In Crores)	77.9 Crores
13		Disposal of Demolition waster and or Excavated earth	Excavation will be carried out for the foundation of buildings. The excavated soil will be used in backfilling and other area development activities.
14		Details of Land Use (Sqm)	
	a	Ground Coverage Area	4789.14 sqm
	b	Kharab Land	303.28 sqm
	c	Total Green belt on Mother Earth for projects under 8(a) of the schedule of the EIA notification, 2006	3126.26 sqm
	d	Internal Roads	2506.75 sqm

	e	Paved area							
	f	Others Specify-Civic amenities	-						
	g	Parks and Open space in case of Residential Township/ Area Development Projects							
	h	Total	10,724.17sqm						
15	WATER								
	I	Construction Phase							
	a	Source of water	Treated water from STP/Tanker supply						
	b	Quantity of water for Construction in KLD	10 KLD						
	c	Quantity of water for Domestic Purpose in KLD	2.25 KLD						
	d	Waste water generation in KLD	1.75 KLD						
	e	Treatment facility proposed and scheme of disposal of treated water	Septic tank followed by soak pits.						
	J	Operational Phase							
	a	Total Requirement of Water in KLD	<table border="1"> <tr> <td>Fresh</td> <td>82 KLD</td> </tr> <tr> <td>Recycled</td> <td>41 KLD</td> </tr> <tr> <td>Total</td> <td>123 KLD</td> </tr> </table>	Fresh	82 KLD	Recycled	41 KLD	Total	123 KLD
Fresh	82 KLD								
Recycled	41 KLD								
Total	123 KLD								
	b	Source of water	Local Panchayat water supply						
	c	Waste water generation in KLD	111 KLD						
	d	SIP capacity	115 KLD						
	e	Technology employed for Treatment	SBR Technology as well as Anoxic Tank.						
	f	Scheme of disposal of excess treated water if any	-						
16	Infrastructure for Rain water harvesting								
	a	Capacity of sump tank to store Roof run off	50cum (RWH collection tank)						

	b	No's of Ground water recharge pits	Provided RWH pits: 5Nos. Each RWH pit capacity is 10 cum.
17		Storm water management plan	The storm water from the site will be collected by rainwater harvesting tanks of capacity 25cum and will be used for recharging the ground water through groundwater recharge pits of 3nos
18	<b>WASTE MANAGEMENT</b>		
	I	Construction Phase	
	a	Quantity of Solid waste generation and mode of Disposal as per norms	30 kg/day - Disposed to KSPCB authorized vendors.
	I	Operational Phase	
	a	Quantity of Biodegradable waste generation and mode of Disposal as per norms	312 kg/day-organic waste Biodegradable waste will be treated in OWC to be used as manure for gardening /landscaping.
	b	Quantity of Non-Biodegradable waste generation and mode of Disposal as per norms	208 kg/day Inorganic waste will be disposed through KSPCB authorized vendors/recyclers.
	c	Quantity of Hazardous Waste generation and mode of Disposal as per norms	Used oil/spent oil of 0.5 KLA Shall be collected in a leak proof containers & disposed only to KSPCB registered authorized re-processors provided the oil meets the standards as per schedule-5-part A of the rules
	d	Quantity of E waste generation and mode of Disposal as per norms	The generated E-waste will be disposed of through KSPCB approved vendor.
19	<b>POWER</b>		
	a	Total Power Requirement - Operational Phase	1000 KW-BESCOM
	b	Numbers of DG set and capacity in KVA for Standby Power Supply	2 Nos x 300 KVA
	c	Details of Fuel used for DG Set	HSD
	d	Energy conservation plan and Percentage of savings including	Total Energy Savings 16.82%

		plan for utilization of solar energy as per ECBC 2007											
20	PARKING												
	a	Parking Requirements as per norms	200 ECS										
	b	Level of Service (LOS) of the connecting Roads as per the Traffic Study Report	<p>Changed V/C and LOS after adding generated traffic from the operational phase of the proposed project.</p> <table border="1"> <thead> <tr> <th>Road</th> <th>Peak Hour Volume (V)</th> <th>Capacity, (C)</th> <th>V/C Ratio</th> <th>LOS</th> </tr> </thead> <tbody> <tr> <td>NTI-44 road</td> <td>=1100+200 =1300</td> <td>5400</td> <td>0.24</td> <td>B</td> </tr> </tbody> </table>	Road	Peak Hour Volume (V)	Capacity, (C)	V/C Ratio	LOS	NTI-44 road	=1100+200 =1300	5400	0.24	B
Road	Peak Hour Volume (V)	Capacity, (C)	V/C Ratio	LOS									
NTI-44 road	=1100+200 =1300	5400	0.24	B									
	c	Internal Road width (RoW)	8 M										
21	CER Activities		<table border="1"> <thead> <tr> <th>S. No</th> <th>Activities</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>Govt. public health care center, K.R. puram (health care development facilities such as beds, wheel chairs, stretchers, sanitizers, gloves, masks, etc.,</td> </tr> <tr> <td>2</td> <td>Govt. Primary school, Janata colony. Led lights/Solar Panel installation &amp; RO drinking water facility, landscape development.</td> </tr> </tbody> </table>	S. No	Activities	1	Govt. public health care center, K.R. puram (health care development facilities such as beds, wheel chairs, stretchers, sanitizers, gloves, masks, etc.,	2	Govt. Primary school, Janata colony. Led lights/Solar Panel installation & RO drinking water facility, landscape development.				
S. No	Activities												
1	Govt. public health care center, K.R. puram (health care development facilities such as beds, wheel chairs, stretchers, sanitizers, gloves, masks, etc.,												
2	Govt. Primary school, Janata colony. Led lights/Solar Panel installation & RO drinking water facility, landscape development.												
22	EMP <ul style="list-style-type: none"> <li>• Construction phase</li> <li>• Operation Phase</li> </ul>		Construction Phase: Capital cost : 13 Lakhs Recurring cost : 6.5 lakhs  Operational phase Capital cost : 65 lakhs Recurring cost: 15 Lakhs										

The subject was discussed in the SEAC meeting held on 17<sup>th</sup>, 18<sup>th</sup> & 19<sup>th</sup> November 2022. The Committee has recommended to SEIAA for issue of EC and the extract of the proceedings of the Committee meeting is as below.

The proposal was earlier listed in 284<sup>th</sup> SEAC Meeting, where in the proponent remained absent and in 285<sup>th</sup> SEAC meeting the committee had deferred the appraisal as the proposed FAR area was more than the permissible FAR.

In the present meeting proponent had submitted revised FAR calculations and informed that the permissible FAR is 2.00 (20,841.78 Sqm) and proposed FAR is 1.78 (18,571.60 Sqm), the committee noted the details and appraised the project.


The proposal is for construction of residential apartment building in an area earmarked as vacant as per RMP of BDA, for which proponent informed that they had obtained land conversion to residential purpose from DC Bangalore.

The committee during appraisal sought clarification for foot kharab as per village map and provisions for harvesting rain water in the proposed area. The proponent informed the committee that foot kharab area of three guntas is left for free public access and no development works is proposed. For harvesting rain water, the proponent has proposed 65cum capacity of tank/sump for runoff from rooftop and an additional tank of capacity 25cum capacity for runoff from landscape and paved areas in addition to 3nos recharge pits within the project area. Further the committee informed the proponent to install smart metering for individual units for conservation of water, for which the proponent agreed.

The proponent informed that they have made provisions to grow a total of 130 trees in the proposed project area and would provide charging facility for electrical vehicles in the proposed project area. The proponent committed to take precautionary measures during and after construction to maintain the environmental parameters within permissible limits in the proposed project and agreed to comply with the ECBC and NBC guidelines for the proposed construction and adhere to the by-laws stipulated by the governing authority for buffers and setbacks.

The committee noted that the baseline parameters are found to be within permissible limits and informed the proponent to leave buffers/setbacks as per zoning regulations and to harvest maximum rainwater in the proposed project area. The committee after discussion decided to recommend the proposal to SEIAA for issue of EC with condition to leave free access to public in the kharab area.

The Authority perused the proposal and took note of the recommendation of SEAC.



**The Authority after discussion decided to clear the proposal for issue of Environmental Clearance subject to following:**

1. The project proponent shall submit scheme for treatment of harvested rain water and revised water balance considering utilization of harvested rain water for domestic purpose.
2. The project proponent shall furnish Notarized undertaking that he shall maintain Buffer zone as per bylaw and compliance to provisions of CDP.
3. The project proponent shall leave the buffer from the lake /drain as per the RCDP 2015 as directed by Supreme Court order CIVIL APPEAL NO. 5016 OF 2016 dated 5th March 2019.
4. If the distance of nearest Protected Area (National Park/ Sanctuary/Bio sphere reserve/ migratory corridor) is within 10 KM, a certificate from the Chief Wild Life Warden (CWLW) along with his recommendation, else a certificate from the proponent that the proposed site is more than 10 KM away from any Protection Authority (PA) (National Park/ Sanctuary/Bio sphere reserve/ migratory corridor) shall be submitted.
5. The PP shall submit CFR in Specific Physical Terms with time bound action plan.
6. The project proponent shall ensure that tree planting/afforestation measures proposed in the EMP shall be strictly complied and an undertaking to this effect shall be submitted.
7. The PP shall explore the possibility of installing smart meter for water conservation.

**Additional Condition:**

1. Assured water supply, commensurate with the ultimate occupancy envisaged in the project, shall be ensured before commencement of the project.
2. 25% of parking space shall have charging facility to enable charging of electric vehicles.
3. The PP shall strictly adhere to the local Planning Authority Bye-Laws.
4. The PP shall strictly adhere to the ECBC and NBC guidelines.
5. The PP shall leave the khurab area for free access to public.

**227.1.12. Residential & Commercial Building Project at Municipal No-506, Sy.No.12 of Sannathammanahalli Village, K.R. Puram Hobli, Ward No-52, Bangalore East Taluk, Bangalore Urban District by M/s. Kingston Ventures India Pvt. Ltd. - Online Proposal No.SLA/KA/MIS/285381/2022 (SEIAA 109 CON 2022).**

M/s. Kingston Ventures India Pvt. Ltd have proposed for construction of Residential Apartment & Commercial building project on a plot area of 15,451.15sqm. The

Drafted by

total built up area is 49,952.36 sqm. The proposed project consists of 320 Dwelling Units Block A1 having Stilt+GF+3UF+TF and Block B1 having Basement + Stilt +GF + 3UF+TF. Total water consumption is 236 KLD (Fresh water + Recycled water). The total wastewater generated is 212 KLD. The project proponent has proposed to construct Sewage Treatment plant with capacity of 215 KLD. The project cost is Rs. 115.86 Crores.

Details of the project are as follows:

Sl. No	PARTICULARS	INFORMATION
1	Name & Address of the Project Proponent	Jyotheeswar A Managing Director, #28, Ground floor, 7 <sup>th</sup> cross, EWS layout, 2 <sup>nd</sup> block, JP Nagar, 8 <sup>th</sup> phase, Bangalore, Bangalore Urban, Karnataka-560076
2	Name & Location of the Project	Residential Apartment & Commercial building project located at Municipal No-506, Sy.No.-12, Sannathammanahalli village, K.R. puram, hobli, ward No-52, Bangalore by M/s. Kingston Ventures India Pvt. Ltd.
3	Type of Development	
a.	Residential Apartment / Villas / Row Houses / Vertical Development / Office / IT/ITES/ Mall/ Hotel/ Hospital / other	Residential Apartment & Commercial Building project Category 8(a) as per EIA Notification 2006.
b.	Residential Township/ Area Development Projects	NA
4	New/ Expansion/ Modification/ Renewal	New
5	Water Bodies/ Nalas in the vicinity of project site	K R Puram lake is at 0.70kms SE, Seeghalli lake is at 2.06km SE
6	Plot Area (Sqm)	15,451.15sqm
7	Built-Up Area (Sqm)	49,952.36 sqm
8	FAR	
	• Permissible	3.0
	• Proposed	2.53

9	Building Configuration [Number of Blocks / Towers / Wings etc., with Numbers of Basements and Upper Floors]	Building Type	Blocks	Floor details
		Residential Block	Block-A1	Stilt+GF+3UF+1F
		Residential & Commercial Block	Block-B1	Basement + Stilt +GF + 3UF+TF
10	Number of units/plots in case of Construction/ Residential Township/ Area Development Projects	320 Dwelling Units.		
11	Height Clearance	14.4 Meters		
12	Project Cost (Rs. In Crores)	115.86 Crores		
13	Disposal of Demolition waste and or Excavated earth	Excavation will be carried out for the foundation of buildings. The excavated soil will be used in backfilling and other area development activities.		
14	Details of Land Use (Sqm)			
a.	Ground Coverage Area	9507.42		
b.	Kharab Land	-		
c.	Total Green belt on Mother Earth for projects under 8(a) of the schedule of the EIA notification, 2006	3862.78 sqm		
d.	Internal Roads	2080.95 sqm		
e.	Paved area	-		
f.	Others Specify-Civic amenities	-		
g.	Parks and Open space in case of Residential Township/ Area Development Projects	-		
h.	Total	15,451.15 sqm		
15	WATER			
i.	Construction Phase			
a.	Source of water	Treated water from STP/Tanker supply		
b.	Quantity of water for Construction in KLD	10 KLD		
c.	Quantity of water for Domestic Purpose in KLD	2.25 KLD		
d.	Waste water generation in KLD	1.75 KLD		
e.	Treatment facility proposed and scheme of disposal of treated water	Septic tank followed by soak pits.		



<b>II. Operational Phase</b>		
a.	Total Requirement of Water in KLD	Fresh 158 KLD
		Recycled 78 KLD
		Total 236 KLD
b.	Source of water	Local Panchayat water supply
c.	Waste water generation in KLD	212 KLD
d.	STP capacity	215 KLD
e.	Technology employed for Treatment	SBR Technology as well as Anoxic Tank.
f.	Scheme of disposal of excess treated water if any	-
16	<b>Infrastructure for Rain water harvesting</b>	
a.	Capacity of sump tank to store Roof run off	100 cum (RWH collection tank)
	No's of Ground water recharge pits	5Nos. Each RWH pit capacity is 27 cum.
17	Storm water management plan	Storm water separate pipeline will be provided and connected to the RWH sump.
18	<b>WASTE MANAGEMENT</b>	
<b>I. Construction Phase</b>		
a.	Quantity of Solid waste generation and mode of Disposal as per norms	30 kg/day - Disposed to KSPCB authorized vendors.
<b>II. Operational Phase</b>		
a.	Quantity of Biodegradable waste generation and mode of Disposal as per norms	552 kg/day-organic waste Biodegradable waste will be treated in OWC to be used as manure for gardening /landscaping.
b.	Quantity of Non- Biodegradable waste generation and mode of Disposal as per norms	368 kg/day Inorganic waste will be disposed through KSPCB authorized vendors/recyclers.
c.	Quantity of Hazardous Waste generation and mode of Disposal as per norms	Hazardous waste generated to be disposed of through KSPCB approved vendor.
d.	Quantity of E waste generation and mode of Disposal as per norms	The generated E-waste will be disposed of through KSPCB approved vendor.
19	<b>POWER</b>	
a.	Total Power Requirement - Operational Phase	1200 KW-BESCOM
	Numbers of DG set and capacity in KVA for Standby Power Supply	2 Nos x 500 KVA



21	CER Activities	1. Seegehalli government hospital, K.R. Puram (health care development facilities such as beds, wheel chairs, stretchers, sanitizers, gloves, masks, etc., 2. Govt. lower Primary school, Anandapura & Maragondanahalli. Led lights/Solar Panel installation & RO drinking water facility, landscape development.
22	EMP <ul style="list-style-type: none"> <li>• Construction phase</li> <li>• Operation Phase</li> </ul>	<b>Construction Phase:</b> Capital cost : 15 Lakhs Recurring cost : 8 Lakhs  <b>Operational phase</b> Capital cost : 117 Lakhs Recurring cost: 16 Lakhs


The subject was discussed in the SEAC meeting held on 17<sup>th</sup>, 18<sup>th</sup> & 19<sup>th</sup> November 2022. The Committee has recommended to SELAA for issue of EC and the extract of the proceedings of the Committee meeting is as below:

The proposal was considered in 284<sup>th</sup> SEAC Meeting and the committee had deferred the appraisal, as the committee had noted that the rain water harvesting calculation was not calculated as per standard norms by considering the average rainfall and catchment area and in the 285<sup>th</sup> SEAC meeting, committee had deferred the project to have site visit.

As per decision taken in 285<sup>th</sup> SEAC meeting, the sub-committee had inspected the project site on 22.09.2022 and proponent had submitted following compliance for site visit observation,

1. *The slope is towards the road, thus additional measures to be taken to avoid rain water runoff to flow on to the road. This can cause flooding in the low lying areas if not planned adequately. The proponent informed that they had proposed storm water drain around the project site which will be connected to the collection tank and rain water harvesting pits where high runoff flow on to the road. The proposed total rain water harvesting pits are 5 Nos. each pit capacity is 27 cum. And proposed collection tank capacity is 200 Kl., which is to be installed towards on to the road side as it will avoid the flooding in the low lying area of the proposed project. The collected rain water will be reused/recycled after filtration.*
2. *The traffic on the road can get congested in peak hours as the road is only a double carriageway. Thus entry and exit needs to be designed to avoid traffic backing up to the road. Along with adequate visitor parking, as there is not sufficient shoulder to accommodate floating visitors parking requirements.*

Drafted by 

 75

The proponent informed that they had proposed a bell mouth entry and exit arrangement for safe vehicular movement. Parking requirement of 435 Car Parks as per the Norms has been provided which includes parking for visitors. The parking would be fully internalized and no public space will be utilized, so there would be no traffic congestion near the entry & exit of the project and hence no disturbance to the existing traffic of the surrounding area.

The committee accepted the reply and appraised the project. The proposal is for construction of residential villas in an area earmarked for residential use as per RMP of BDA.

The committee during appraisal sought clarification for cart track road as per village map and provisions for harvesting rain water in the proposed area. The proponent informed the committee that there the cart track road outside the proposed project area and for harvesting rain water, the proponent has proposed 100 cum capacity of tank/sump for runoff from rooftop and an additional tank of capacity 100 cum capacity for runoff from landscape and paved areas in addition to 05 nos recharge pits within the project area.

The proponent informed that they have made provisions to grow a total of 193 trees in the proposed project area and would provide charging facility for electrical vehicles in the proposed project area. The proponent committed to take precautionary measures during and after construction to maintain the environmental parameters within permissible limits in the proposed project and agreed to comply with the ECBC and NBC guidelines for the proposed construction and adhere to the by-laws stipulated by the governing authority for buffers and setbacks.

The committee noted that the baseline parameters are found to be within permissible limits and informed the proponent to leave buffers/setbacks as per zoning regulations and to harvest maximum rainwater in the proposed project area. The committee after discussion decided to recommend the proposal to SEIAA for issue of EC.

The Authority perused the proposal and took note of the recommendation of SEAC.

*The Authority after discussion decided to clear the proposal for issue of Environmental Clearance subject to following:*

1. *The project proponent shall submit a detailed scheme for Sewage Treatment Plant (STP) with BNR system.*
2. *The project proponent shall submit scheme for treatment of harvested rain water and revised water balance considering utilization of harvested rain water for domestic purpose.*


3. *The project proponent shall furnish Notarized undertaking that he shall maintain Buffer zone as per bylaw and compliance to provisions of CDP.*
4. *The project proponent shall leave the buffer from the lake /drain as per the RCDP 2015 as directed by Supreme Court order CIVIL APPEAL NO. 5016 OF 2016 dated 5th March 2019.*
5. *If the distance of nearest Protected Area (National Park/ Sanctuary/Bio sphere reserve/ migratory corridor) is within 10 KM, a certificate from the Chief Wild Life Warden (CWLW) along with his recommendation, else a certificate from the proponent that the proposed site is more than 10 KM away from any Protection Authority (PA) (National Park/ Sanctuary/Bio sphere reserve/ migratory corridor) shall be submitted.*
6. *The PP shall submit CER in Specific Physical Terms with time bound action plan.*
7. *The project proponent shall ensure that tree planting/afforestation measures proposed in the EMP shall be strictly complied and an undertaking to this effect shall be submitted.*
8. *The PP shall explore the possibility of installing smart meter for water conservation.*

**Additional Condition:**

1. *Assured water supply, commensurate with the ultimate occupancy envisaged in the project, shall be ensured before commencement of the project.*
2. *25% of parking space shall have charging facility to enable charging of electric vehicles.*
3. *The PP shall strictly adhere to the local Planning Authority Bye-Laws.*
4. *The PP shall strictly adhere to the ECBC and NBC guidelines.*

**227.1.13. "Row Houses and Club house" Project at Thimmegowdana Hosahalli Village, Kasaba Hobli, Devanahalli Taluk, Bengaluru Rural District by M/s. Renaissance Holdings And Developers Pvt. Ltd. - Online Proposal No.SIA/KA/INFRA2/304496/2022 (SEIAA 138 CON 2022).**

M/s. Renaissance Holdings And Developers Private Limited, C/o. M/s. Sobha Limited, have proposed Development of "Row Houses And Club House" Project on a plot area of 35,906.33 Sqm. The total built up area is 28,003.47 Sqm. The proposed project consists of 88 nos with Wing 1 to 17: GF+1UF and Club House in Building 1: GF+1UF. Total water consumption is -90 KLD (Fresh water + Recycled water). The total wastewater generated is 81 KLD. The project proponent has proposed to construct Sewage Treatment plant with capacity of 100 KLD. The project cost is Rs. 118.2 Crores.



Details of the project are as follows:

Sl. No	PARTICULARS	INFORMATION
1.	Name & Address of the Project Proponent	Mr. Damothiran V GM, Environmental Engineering Department M/s. Renaissance Holdings And Developers Private Limited, C/o. M/s. Sobha Limited, No. 51/5, "Sobha" corporate office, Sarjapur-Marthahalli ORR, Devarabeesanahalli, Bellandur Post, Bengaluru -560 103.
2.	Name & Location of the Project	Development of "Row Houses And Club House" Sy. Nos. 73/3, 74/2 & 75 (Old Sy. No. 35), Thimmegowdana Hosahalli Village, Kasaba Hobli, Devanahalli Taluk, Bengaluru Rural District - 562 110.
3.	Type of Development	
a.	<del>Residential Apartment / Villas / Row Houses / Vertical Development / Office / IT / FTES / Mall / Hotel / Hospital / other</del>	Row Houses And Club House Category 8(a) as per EIA Notification 2016.
b.	Residential Township/ Area Development Projects	NA
4.	<del>New / Expansion / Modification / Renewal</del>	New
5.	Water Bodies/ Nalas in the vicinity of project site	Chikkasanne Lake is at a distance of 260 m from the project boundary.
6.	Plot Area (Sqm)	35,906.33 Sqm
7.	Built Up area (Sqm)	28,003.47 Sqm
8.	FAR	
	• Permissible	2.50
	• Proposed	0.75
9.	Building Configuration [ Number of Blocks / Towers / Wings etc., with Numbers of Basements and Upper Floors]	Wing 1 to 17: GF+1UF and Club House in Building 1: GF+1UF

10.	Number of units/plots in case of Construction/Residential Township/ Area Development Projects	88nos
11.	Height Clearance	Obtained NOC from Airport Authority of India dated 02.09.2020, the permissible height is 30 m AMSL and the maximum height achieved for proposed project is 6.95 m.
12.	Project Cost (Rs. In Crores)	Rs. 118.2 Crores
13.	Disposal of Demolition waste and or Excavated earth	Existing temporary sheds will be dismantled and used for labour camp. Total Excavated earth quantity - 36,584 m <sup>3</sup> For Backfilling - 32,927 m <sup>3</sup> For Landscaping - 2,368 m <sup>3</sup> For Roads formation - 1,289 m <sup>3</sup>
14.	Details of Land Use (Sq.m)	
a.	Ground Coverage Area	13,844.30 Sqm
b.	Kharab Land	-
c.	Total Green belt on Mother Earth for projects under 8(a) of the schedule of the EIA notification, 2006	12,586.15 Sqm
d.	Internal Roads	7,977.45 Sqm (Road & Hard Paved Area)
e.	Paved area	
f.	Others Specify	Services - 305.90 Sqm & road widening area is 1,192.53 Sqm
g.	Parks and Open space in case of Residential Township/ Area Development Projects	-
h.	Total	35,906.33 Sqm
15.	WATER	
I.	Construction Phase	
a.	Source of water	External water suppliers.
b.	Quantity of water for Construction in KLD	16 KLD
c.	Quantity of water for Domestic Purpose in KLD	4.5 KLD
d.	Waste water generation in KLD	4.0 KLD
e.	Treatment facility proposed and scheme of disposal of treated water	Domestic sewage generated during construction phase will be treated in mobile STP and treated water will be used for dust suppression/landscaping within the site.
II.	Operational Phase	

a.	Total Requirement of Water in KLD	Fresh	59 KLD
		Recycled	31 KLD
		Total	90 KLD
b.	Source of water	Kannamangala Gram Panchayath/External Tankers	
c.	Wastewater generation in KLD	81 KLD	
d.	SIP capacity	SIP Capacity - 100 KLD	
e.	Technology employed for Treatment	Sequential Batch Reactor Technology	
f.	Scheme of disposal of excess treated water if any	-	
16.	Infrastructure for Rain water harvesting		
a.	Capacity of sump tank to store Roof run off	Storm Water Recharge Tank - 400 m <sup>3</sup> X 1 No	
b.	No's of Ground water recharge pits	07 Nos.	
17.	Storm water management plan	Runoff from terrace, landscape, road and hard paved area will be collected in storm water recharge tank. Internal garland drains will be provided within the site in order to carry out the storm water into the recharge pits and excess water will be discharge to nearby storm water drain.	
18.	WASTE MANAGEMENT		
I.	Construction Phase		
a.	Quantity of Solid waste generation and mode of Disposal as per norms	The domestic solid wastes generated from the labour colony would be minimum and will be handed over to local vendors. Construction debris - 28 m <sup>3</sup> This will be reused within the site for road and pavement formation.	
II.	Operational Phase		
a.	Quantity of Biodegradable waste generation and mode of Disposal as per norms	131 kg/day This will be segregated at household levels and will be processed in proposed organic waste converter.	
b.	Quantity of Non-Biodegradable waste generation and mode of Disposal as per norms	196 kg/day Recyclable wastes will be handed over to authorized waste recyclers.	
c.	Quantity of Hazardous Waste generation and mode of Disposal as per norms	Waste Oil Generation: 40 L/Annum (0.08 L/running hour of DG's)	



		Hazardous wastes like waste oil from DG sets, used batteries etc. will be handed over to the authorized hazardous waste recyclers.			
	d. Quantity of E waste generation and mode of Disposal as per norms	E-Wastes will be collected separately & it will be handed over to authorized E-waste recyclers for further processing.			
19.	<b>POWER</b>				
	a. Total Power Requirement - Operational Phase	987 kVA			
	b. Numbers of DG set and capacity in KVA for Standby Power Supply	200 kVA - 2 Nos.			
	c. Details of Fuel used for DG Set	90 l/hr			
	d. Energy conservation plan and Percentage of savings including plan for utilization of solar energy as per ECBC 2007	Using LED Lights , 3 star rated AC units and solar water heaters. The overall energy savings is around 26.66 %			
20.	<b>PARKING</b>				
	a. Parking Requirement as per norms	196 ECS			
	b. Level of Service (LOS) of the connecting Roads as per the Traffic Study Report	<b>Road</b>	<b>Towards</b>	<b>Existing</b>	<b>Changed Scenario after CRS</b>
		Approach road		0.22 - B	0.28 - B
		IVC Road		0.39 - B	0.24 - B
		NH-44/ Bellary Road	Bengaluru	0.47 - C	0.29 - B
	Devanahalli i/Bellary		0.43 - C	0.25 - B	
	c. Internal Road width (RoW)	Approach road width - 9.0 m .			
21.	CER Activities	Contribution to near by Lake Rejuvenation and providing infrastructure facilities to near school.			
22.	EMP • Construction phase • Operation Phase	<b>During Construction:</b> Capital Investment - Rs. 7.0 Lakhs Construction - Rs. 57.40 Lakhs <b>During Operation:</b> Capital investment - Rs. 93.20 Lakhs Operation Investment - Rs. 28.50 Lakhs			

The subject was discussed in the SEAC meeting held on 17th, 18th & 19th November 2022. The Committee has recommended to SEIAA for issue of EC and the extract of the proceedings of the Committee meeting is as below:

The proposal is for construction of residential buildings in an area earmarked for agriculture use as per BIAAPA, for which the proponent informed that they had obtained land conversion to residential use from DC Bangalore Rural.

The committee during appraisal sought clarification regarding the relation between M/s. Sobha Ltd and the applicant proponent and also the provisions made for harvesting rain water. The proponent informed the committee that M/s. Renaissance Holdings & Developers Pvt. Ltd. had authorized M/s. Sobha Ltd. vide letter dated 23.08.2022 to obtain necessary clearances for proposed project. For harvesting rain water, the proponent has proposed tank of 400 cum total capacity for runoff from rooftop, landscape and paved areas in addition to 7 nos recharge pits within the project area. Further the committee informed the proponent to install smart water manage excess drainage water within the site area, for which the proponent agreed.


The proponent informed that they have made provisions to grow total of 552 trees in the proposed project area and to provide charging facility for electrical vehicles in the proposed project area. The proponent committed to take precautionary measures during and after construction to maintain the environmental parameters within permissible limits in the proposed project and agreed to comply with the ECBC and NBC guidelines for the proposed construction and adhere to the by-laws stipulated by the governing authority for buffers and setbacks.

The committee noted that the baseline parameters are found to be within permissible limits and informed the proponent to leave buffers/setbacks as per zoning regulations and to harvest maximum rainwater in the proposed project area. The committee after discussion decided to recommend the proposal to SEIAA for issue of EC.

The Authority perused the proposal and took note of the recommendation of SEAC.

*The Authority after discussion decided to clear the proposal for issue of Environmental Clearance subject to following:*

1. *The project proponent shall submit scheme for treatment of harvested rain water and revised water balance considering utilization of harvested rain water for domestic purpose.*
2. *SFP should be redesigned for Biological Nitrogen Removal/BNR unit and also incorporate oil and grease separation system and chemical free disinfection unit along with design calculation and revised budgetary allocation in the EMP for the same shall be submitted.*



3. The project proponent shall furnish Notarized undertaking that he shall maintain Buffer zone as per bylaw and compliance to provisions of CDP.
4. The project proponent shall leave the buffer from the lake /drain as per the RCDP 2015 as directed by Supreme Court order CIVIL APPEAL NO. 5016 OF 2016 dated 5th March 2019.
5. If the distance of nearest Protected Area (National Park/ Sanctuary/Bio sphere reserve/ migratory corridor) is within 10 KM, a certificate from the Chief Wild Life Warden (CWLW) along with his recommendation, else a certificate from the proponent that the proposed site is more than 10 KM away from any Protection Authority (PA) (National Park/ Sanctuary/Bio sphere reserve/ migratory corridor) shall be submitted.
6. The PP shall submit CFR in Specific Physical Terms with time bound action plan.
7. The project proponent shall ensure that tree planting/afforestation measures proposed in the EMP shall be strictly complied and an undertaking to this effect shall be submitted.
8. The PP shall explore the possibility of installing smart meter for water conservation.

**Additional Condition:**

1. Assured water supply, commensurate with the ultimate occupancy envisaged in the project, shall be ensured before commencement of the project.
2. 25% of parking space shall have charging facility to enable charging of electric vehicles.
3. The PP shall strictly adhere to the local Planning Authority Bye-Laws.
4. The PP shall strictly adhere to the ECBC and NBC guidelines.

**227.1.14. Residential Apartment Project at Sy. No.93 (Old Sy No.55/P49) of Bellahalli Village, Yelahanka Hobli, Bengaluru North Taluk, Bengaluru by M/s. DS Max Properties Pvt. Ltd. - Online Proposal No.SIA/KA/INFRA2/402690/2022 (SEIAA 127 CON 2022).**

M/s. DS Max Properties Pvt Ltd, have proposed for construction of Residential Apartment Project on a plot area of 8,093.62 Sqm. The total built up area is 25,102.10 Sqm. The proposed project consists of 281 units with 2B+G+4UF+TF. Total water consumption is 190 KLD (Fresh water + Recycled water). The total wastewater generated is 162 KLD. The project proponent has proposed to construct Sewage Treatment plant with capacity of 175 KLD. The project cost is Rs. 40 Crores.

Drafted by           



Details of the project are as follows:

Sl. No	PARTICULARS	INFORMATION
1	Name & Address of the Project Proponent	Mr. M. R. Shivashankar Chikkeri Authorized Signatory M/s. DS Max Properties Pvt Ltd #1854, 17th main, 30th 'B' Cross, HBR Layout, 1st stage, 5th Block, Bengaluru-560043.
2	Name & Location of the Project	"Construction of Residential Apartment" Sy No:93 (Old Sy No.55/P49), Bellahalli Village, Yelahanka Hobli, Bengaluru North Taluk, Bengaluru, Karnataka.
3	Type of Development	
	a. Residential Apartment / Villas / Row Houses / Vertical Development / Office / IT/ ITES/ Mall/ Hotel/ Hospital / other	Residential Apartment Category B(a) as per EIA Notification 2006.
	b. Residential Township/ Area Development Projects	Not Applicable
4	New/ Expansion/ Modification/ Renewal	New
5	Water Bodies/ Nalas in the vicinity of project site	NA
6	Plot Area (Sqm)	8,093.62 Sqm
7	Built Up area (Sqm)	25,102.10 Sqm
8	FAR • Permissible • Proposed	1.75 1.742
9	Building Configuration [ Number of Blocks / Towers / Wings etc., with Numbers of Basements and Upper Floors]	2B+G+4DF+TF
10	Number of units/plots in case of Construction/Residential Township/ Area Development Projects	281 units
11	Height Clearance	Low rise structure max height is 14.49mtrs.

12	Project Cost (Rs. In Crores)	40Crores.
13	Disposal of Demolition waste and or Excavated earth	NA
14	Details of Land Use (Sqm)	
a.	Ground Coverage Area	2,795.32 Sqm
b.	Kharab Land	-
c.	Total Green belt on Mother Earth for projects under 8(a) of the schedules of the EIA notification, 2006	2,670.89 Sqm
d.	Paved area	-
e.	Others Specify	Driveway and Open areas - 2,627.41 Sqm
f.	Parks and Open space in case of Residential Township/ Area Development Projects	--
g.	Total	8,093.62 Sqm (2A)
15	<b>WATER</b>	
I.	Construction Phase	
a.	Source of water	STP treated water for construction purpose & Tanker water for domestic
b.	Quantity of water for Construction in KLD	10 KLD
c.	Quantity of water for Domestic Purpose in KLD	5 KLD
d.	Wastewater generation in KLD	4 KLD
e.	Treatment facility proposed and scheme of disposal of treated water	Mobile STP
II.	Operational Phase	
a.	Total Requirement of Water in KLD	Fresh 127 KLD Recycled 63 KLD Total 190 KLD
b.	Source of water	BWSSB
c.	Wastewater generation in KLD	162 KLD
d.	STP capacity	175 KLD

	e.	Technology employed for Treatment	Sequence Batch Reactor (SBR) Technology
	f.	Scheme of disposal of excess treated water if any	Available treated water - 154 KLD (95% of sewage water) For flushing - 63 KLD For Landscape Gardening 13 KLD For car washing- 7 KLD For other construction/Public Park maintenance - 71 KLD
16	<b>Infrastructure for Rainwater harvesting</b>		
	a.	Capacity of sump tank to store Roof run off	350 Cum
	b.	No's of Ground water recharge pits	14no's
17	Storm water management plan		<ul style="list-style-type: none"> <li>Land is gently sloping terrain and sloping towards east direction</li> <li>Separate and independent rainwater drainage system will be provided for collecting rainwater from terrace and paved area, lawn &amp; roads.</li> </ul>
18	<b>WASTE MANAGEMENT</b>		
	<b>I. Construction Phase</b>		
	a.	Quantity of Solid waste generation and mode of Disposal as per norms	Quantity - 10kg/day Solid waste will be generated and collected manually and handed over to local body for further processing
	<b>II. Operational Phase</b>		
	a.	Quantity of Biodegradable waste generation and mode of Disposal as per norms	Quantity -253 kg/day Organic wastes will be segregated & collected separately and processed in organic waste converter Sludge generated from STP of capacity 8.6 kg/day will be reused as manure for greenery development purposes.
	b.	Quantity of Non-Biodegradable waste generation and mode of Disposal as per norms	Quantity - 380kg/day Recyclable waste will be given to the waste collectors for recycling for further processing.
	c.	Quantity of Hazardous Waste generation and mode of Disposal as per norms	Waste oil of 657 l/annum will be generated from the DG sets will be collected in leak proof barrels and handed over to the authorized waste oil recyclers.

	d.	Quantity of E waste generation and mode of Disposal as per norms	E-Wastes will be collected & stored in bins and disposed to the authorized & approved KSPCB E-waste processors.
19	<b>POWER</b>		
	a.	Total Power Requirement - Operational Phase	BESCOM - 1250 kVA
	b.	Numbers of DG set and capacity in KVA for Standby Power Supply	1X250KVA
	c.	Details of Fuel used for DG Set	Diesol
	d.	Energy conservation plan and Percentage of savings including plan for utilization of solar energy as per ECBC 2007	Energy conservation devices such as Solar energy, Copper wound transformer are proposed in the project -34%.
20	<b>PARKING</b>		
	a.	Parking Requirement as per norms	163 ECS
	b.	Level of Service (LOS) of the connecting Roads as per the Traffic Study Report	Towards Bellahalli road Towards Tarisandra road
	c.	Internal Road width (RoW)	Approach road width - 10.6m
21	CER Activities		To provide additional room with infrastructure facilities to G.U.L.P.S School, Bellahalli, Bengaluru.
22	EMP		Construction phase - 10.6 lakh Operational Phase - 181.8 lakh
		• Construction phase	
		• Operation Phase	

The subject was discussed in the SEAC meeting held on 17<sup>th</sup>, 18<sup>th</sup> & 19<sup>th</sup> November 2022 The Committee has recommended to SEIAA for issue of EC and the extract of the proceedings of the Committee meeting is as below:

The proposal is for construction of residential buildings in an area earmarked for Industrial zone as per RMP of BDA, for which the proponent informed that they had obtained land conversion for residential use from DC Bangalore and also informed that residential use is permitted as ancillary land use.

The committee during appraisal sought details regarding provisions made for harvesting rain water. The proponent informed the committee that for harvesting rain water, the proponent has proposed tank of 350cum total capacity for runoff from rooftop and a pond of 150 cum capacity for runoff from landscape and paved areas in addition to

14 nos recharge pits within the project area. Further the committee informed the proponent to install smart water meter to individual units for conservation of water and also manage excess drainage water within the site area, for which the proponent agreed.

The proponent informed that they have made provisions to grow total of 101 trees in the proposed project area and to provide charging facility for electrical vehicles in the proposed project area. The proponent committed to take precautionary measures during and after construction to maintain the environmental parameters within permissible limits in the proposed project and agreed to comply with the ECBC and NBC guidelines for the proposed construction and adhere to the by-laws stipulated by the governing authority for buffers and setbacks.

The committee noted that the baseline parameters are found to be within permissible limits and informed the proponent to leave buffers/setbacks as per zoning regulations and to harvest maximum rainwater in the proposed project area. The committee after discussion decided to recommend the proposal to SEIAA for issue of EC.

The Authority perused the proposal and took note of the recommendation of SEAC.

*The Authority after discussion decided to clear the proposal for issue of Environmental Clearance subject to following:*

1. *The project proponent shall submit scheme for treatment of harvested rain water and revised water balance considering utilization of harvested rain water for domestic purpose.*
2. *The project proponent shall furnish Notarized undertaking that he shall maintain Buffer zone as per bylaw and compliance to provisions of CDP.*
3. *The project proponent shall leave the buffer from the lake /drain as per the RCDP 2015 as directed by Supreme Court order CIVIL APPEAL NO. 5016 OF 2016 dated 5th March 2019.*
4. *If the distance of nearest Protected Area (National Park/ Sanctuary/Bio sphere reserve/ migratory corridor) is within 10 KM, a certificate from the Chief Wild Life Warden (CWLW) along with his recommendation, else a certificate from the proponent that the proposed site is more than 10 KM away from any Protection Authority (PA) (National Park/ Sanctuary/Bio sphere reserve/ migratory corridor) shall be submitted.*
5. *The PP shall submit CER in Specific Physical Terms with time bound action plan.*
6. *The project proponent shall ensure that tree planting/afforestation measures proposed in the EMP shall be strictly complied and an undertaking to this effect shall be submitted.*
7. *The PP shall explore the possibility of installing smart meter for water conservation.*



**Additional Condition:**

1. Assured water supply, commensurate with the ultimate occupancy envisaged in the project, shall be ensured before commencement of the project.
2. 25% of parking space shall have charging facility to enable charging of electric vehicles.
3. The PP shall strictly adhere to the local Planning Authority Bye-Laws.
4. The PP shall strictly adhere to the ECBC and NBC guidelines.

**227.1.15. Low Rise Apartment Project at Pattanagere Village, BBMP ward No.198, Hennigepura, Kengeri Hobli, Bangalore South Taluk, Bangalore Urban District by M/s. GV Techparks Pvt. Ltd. - Online Proposal No.SIA/KA/INFRA2/403074/2022 (SEIAA 134 CON 2022).**

M/s. GV Techparks Private Limited have proposed for construction of Low Rise Apartment Project on a plot area of 16,136.79 Sqm. The total built up area is 35,383.47 Sqmt. The proposed project consists of 481 Number of units. Total water consumption is 195 KLD (Fresh water + Recycled water). The total wastewater generated is 166 KLD. The project proponent has proposed to construct Sewage Treatment plant with capacity of 167 KLD. The project cost is Rs. 96.74 Crores.

Details of the project are as follows:

Sl. No	PARTICULARS	INFORMATION
1	Name & Address of the Project Proponent	M/s. GV Techparks Private Limited, 4th Floor, Salarpuria Windsor, No.3, Ulsoor Road, Bengaluru - 560 042.
2	Name & Location of the Project	Low Rise Apartment At Sy. No. 25/1, 41/1 & 41/7 of Pattanagere Village, KengeriHubli, Bengaluru South Taluk, BBMP Ward No. 198, Hennigepura, Bengaluru.
3	Type of Development	
a.	Residential Apartment / Villas / Row Houses / Vertical Development / Office / IT/ ITES/ Mall/ Hotel/ Hospital /other	Low -Rise Apartment Category 8(a) as per EIA Notification 2006.
b.	Residential Township/ Area Development Projects	NA
4	New/Expansion/Modification/ Renewal	NEW

Drafted by

5	Water Bodies/ Nalas in the vicinity of project site	<ul style="list-style-type: none"> <li>➤ As per village map, there is a Nala in the Northern region towards the corner of the site, this Nala is retained as it is and necessary buffer of 15m has been left as per the local bylaw of RMP - 2015.</li> <li>➤ Also on the North Western side of the project site there is a Valley for which necessary buffer of 50m from the center of the Nala has been left as per the local bylaw of RMP - 2015.</li> <li>➤ Halagevaderahalli Lake - 870m from project site in the North-East direction.</li> <li>➤ Dubasipalya Lake - 1.2km from project site in the North-West direction.</li> <li>➤ Kengeri Lake - 1.7km from project site in the South-West direction.</li> <li>➤ Sunkalpalya Lake - 2.0km from project site in the South direction.</li> </ul>
6	Plot Area (Sqm)	16,136.79
7	Built Up area (Sqm)	35,383.47 Sqmt.
8	FAR <ul style="list-style-type: none"> <li>▪ Permissible</li> <li>▪ Proposed</li> </ul>	1.75 1.34
9	Building Configuration [Number of Blocks / Towers / Wings etc., with Numbers of Basements and Upper Floors]	7 Blocks & a club house Block 1 to 3 - B+G+4UF Block 4 to 7 - 2B+G+4UF Clubhouse - G+2UF
10	Number of units/plots in case of Construction/Residential Township/Area Development Projects	481 Number of units.
11	Height Clearance	Low rise structure and maximum height is 14.75mtrs.
12	Project Cost (Rs. In Crores)	Rs 96.74 Crores
13	Disposal of Demolition waster and or Excavated earth	Total quantity of Excavated earth (in cubic meter) - 30,000 Cum For Back filling in foundation -8,000Cum For landscaping -15,000Cum For roads formation-7,000Cum
14	Details of Land Use (Sqm)	
a.	Ground Coverage Area	4,963.04 Sqmt
b.	Kharab Land	809.34 Sqmt

c.	Total Green belt on Mother Earth for projects under 8(a) of the schedule of the EIA notification, 2006	7,085.84 Sqmt
d.	Internal Roads	--
e.	Paved area	3,002.68 Sqmt
f.	Others Specify	Service area - 140.64 Sqmt Road Widening area - 135.26 Sqmt
g.	Parks and Open space in case of Residential Township/ Area Development Projects	
h.	Total	16,136.79 Sqmt.
15	<b>WATER</b>	
I.	<b>Construction Phase</b>	
a.	Source of water	Nearby project STP treated water
b.	Quantity of water for Construction in KLD	6.6 KLD
c.	Quantity of water for Domestic Purpose in KLD	3.0 KLD
d.	Waste water generation in KLD	2.7 KLD
e.	Treatment facility proposed and scheme of disposal of treated water	The total sewage generated from construction site & labour camp is 2.7 KLD which will be treated in mobile STP of 3 KLD.
II.	<b>Operational Phase</b>	
a.	Total Requirement of Water in KLD	Fresh 130 KLD Recycle 65 KLD Total 195 KLD
b.	Source of water	BWSSB
c.	Waste water generation in KLD	166 KLD
d.	STP capacity	167 KLD
e.	Technology employed for Treatment	Sequencing Batch Reactor (SBR) Technology.
f.	Scheme of disposal of excess treated water if any	For Flushing - 65 KLD For Landscaping - 50 KLD For Water cascade - 10 KLD For Soft Bio-pond - 32 KLD
16	<b>Infrastructure for Rain water harvesting</b>	

a.	Capacity of sump tank to store Roof run off	110 Cum
b.	No's of Ground water recharge pits	12 Nos.
17	Storm water management plan	The total runoff from roof top area is 106 cum, roof water collection sump of 110 cum capacity will be given, runoff from hardscape area is 60 cum which will be collected in 60 cum capacity and the runoff from landscape area is directed to recharge pits which are in 12 No's. and the overflow from these pits are routed to soft bio-pond of capacity 60 cum. The water thus harvested is reused after pre-treatment.
18	<b>WASTE MANAGEMENT</b>	
I.	<b>Construction Phase</b>	
a.	Quantity of Solid waste generation and mode of Disposal as per norms	15 kg/day of Solid waste generated from the labor camp and construction site will be collected manually and handed over to authorized recyclers.
II.	<b>Operational Phase</b>	
a.	Quantity of Biodegradable waste generation and mode of Disposal as per norms	403 kg/day Biodegradable wastes will be segregated at the source and will be processed in proposed organic waste converter
b.	Quantity of Non-Biodegradable waste generation and mode of Disposal as per norms	268 kg/day Non-biodegradable Wastes will be given to the waste recyclers.
c.	Quantity of Hazardous Waste generation and mode of Disposal as per norms	0.486 L/ hr Hazardous wastes like waste oil from DG sets, used batteries etc will be handed over to the authorized hazardous waste recyclers.
d.	Quantity of E waste generation and mode of Disposal as per norms	Minimal E-Wastes will be collected separately & it will be handed over to authorized E-waste recyclers for further processing.
19	<b>POWER</b>	
a.	Total Power Requirement - Operational Phase	1,764 kVA
b.	Numbers of DG set and capacity in KVA for Standby Power Supply	500 kVA x 2 Nos.

c.	Details of Fuel used for DG Set	209.52 l/hr					
d.	Energy conservation plan and Percentage of savings including plan for utilization of solar energy as per ECBC 2007	<ul style="list-style-type: none"> <li>• Solar lighting &amp; water heaters</li> <li>• HF ballast</li> <li>• Cu wound transformer</li> <li>• PHE pumps</li> <li>• LED</li> </ul> Energy Savings: 31.75%					
20	<b>PARKING</b>						
a.	Parking Requirement as per norms	282 ECS					
		Road	Existing	Modified	Changed Scenario-1	Change d Scenario - 2	
b.	Level of Service (LOS) of the connecting Roads as per the Traffic Study Report	Pattanager e Road	B	B	B	B	
		Mysore e Road	Bidad i	C	C	B	B
			Beng aluru	C	C	B	B
c.	Internal Road width (RoW)	--					
21	CER Activities	Contribution to Vrishabhavathi valley developmental works and Plantation in the Community of Mylasandra & Pattanager e Village & Implementation of Control System related to Sanitation.					
22	EMP <ul style="list-style-type: none"> <li>• Construction phase</li> <li>• Operation Phase</li> </ul>	During Construction: Capital investment - Rs. 7.0 lakhs During Construction - Rs. 19.5 lakhs/ annum During Operation: Capital investment - Rs. 103.0 lakhs Operation Investment - Rs. 25.0 lakhs/ annum					

The subject was discussed in the SEAC meeting held on 17<sup>th</sup>, 18<sup>th</sup> & 19<sup>th</sup> November 2022 The Committee has recommended to SEIAA for issue of EC and the extract of the proceedings of the Committee meeting is as below:

The proposal is for construction of residential buildings in an area earmarked for residential use as per RMP of BDA.

The committee during appraisal sought details for drains and cart track as per village map, sensitive zone as per RMP of BDA and provisions made for harvesting rain water. The proponent informed the committee that there is primary drain in north west and a buffer of 50mtrs from center is proposed and for the tertiary drain in north, for which a buffer of 15mtrs from center is proposed and informed that in there is existing road in the cart track area as per village map. The proponent informed that they had obtained sensitive zone clearance from BDA dated 12.07.2022. For harvesting rain water, the proponent has proposed tank of 110cum total capacity for runoff from rooftop and an additional tank of 60cum and a bio-pond of 60 cum capacity for runoff from landscape and paved areas in addition to 12 nos recharge pits within the project area. Further the committee informed the proponent to install smart water meter to individual units for conservation of water and also manage excess drainage water within the site area, for which the proponent agreed.


The proponent informed that they have made provisions to grow total of 202 trees in the proposed project area and to provide charging facility for electrical vehicles in the proposed project area. The proponent committed to take precautionary measures during and after construction to maintain the environmental parameters within permissible limits in the proposed project and agreed to comply with the ECBC and NBC guidelines for the proposed construction and adhere to the by-laws stipulated by the governing authority for buffers and setbacks.

The committee noted that the baseline parameters are found to be within permissible limits and informed the proponent to leave buffers/setbacks as per zoning regulations and to harvest maximum rainwater in the proposed project area. The committee after discussion decided to recommend the proposal to SELAA for issue of EC with condition to abide by the conditions implied in sensitive zone clearance and to leave free access to public in kharab portion.

The Authority perused the proposal and took note of the recommendation of SEAC.

*The Authority after discussion decided to clear the proposal for issue of Environmental Clearance subject to following:*

1. *The project proponent shall submit a detailed scheme for Sewage Treatment Plant (STP) with BNR system.*
2. *The project proponent shall submit scheme for treatment of harvested rain water and revised water balance considering utilization of harvested rain water for domestic purpose.*
3. *The project proponent shall furnish Notarized undertaking that he shall maintain Buffer zone as per bylaw and compliance to provisions of CDP.*



4. The project proponent shall leave the buffer from the lake /drain as per the RCDP 2015 as directed by Supreme Court order CIVIL APPEAL NO. 5016 OF 2016 dated 5th March 2019.
5. If the distance of nearest Protected Area (National Park/ Sanctuary/Bio sphere reserve/ migratory corridor) is within 10 KM, a certificate from the Chief Wild Life Warden (CWLW) along with his recommendation, else a certificate from the proponent that the proposed site is more than 10 KM away from any Protection Authority (PA) (National Park/ Sanctuary/Bio sphere reserve/ migratory corridor) shall be submitted.
6. The PP shall submit detailed activitywise CER in Specific Physical Terms with time bound action plan.
7. The project proponent shall ensure that tree planting/afforestation measures proposed in the EMP shall be strictly complied and an undertaking to this effect shall be submitted.
8. The PP shall explore the possibility of installing smart meter for water conservation.


**Additional Condition**

1. Assured water supply, commensurate with the ultimate occupancy envisaged in the project, shall be ensured before commencement of the project.
2. 25% of parking space shall have charging facility to enable charging of electric vehicles.
3. The PP shall strictly adhere to the local Planning Authority Bye-Laws.
4. The PP shall strictly adhere to the ECBC and NBC guidelines.
5. The PP shall strictly adhere to the conditions implied in sensitive zone clearance and to leave free access to public in kharab portion.

**227.1.16. Modification and expansion of co-living private Hostel building project changed to Residential Apartment Building project namely "Zonasha Sapphire" at Ramagondanahalli Village, Varthur Hobli, Bangalore East Taluk and Bangalore District by M/s.Zonasha Estate & Projects - Online Proposal No.SIA/KA/MIS/262469/2022 (SEIAA 119 CON 2022) : Expansion.**

M/s Zonasha Estate & Projects Private Limited have proposed for construction of Residential Apartment Building "ZonashaSapphire" Project on a plot area of 29,416.53 sqm. The total built up area is 89,271.19 sqm. The proposed project consists of 324 Flats, Tower A: 2BF+GF+18UF+TF, Tower B: 2BF+GF+18UF+TF and Tower C: 2BF+GF+2UF +TF. Total water consumption is 300 KLD (Fresh water + Recycled water). The total wastewater generated is 270 KLD. The project proponent has proposed to construct Sewage Treatment plant with capacity of 275 KLD. The project cost is Rs. 175 Crores.

Drafted by 




Details of the project are as follows:

Sl. No	PARTICULARS	INFORMATION
1	Name & Address of the Project Proponent	Mr. R. Nagaraj Designation: Director Zonasha Estate & Projects Private Limited No. 1075, 2nd Floor, 12th Main, 8th Cross Road, Indira Nagar, Bengaluru - 560038
2	Name & Location of the Project	"ZonashaSaphire" at Survey No: 38/1,38/2, 38/3, 38/4, 38/5, 39/1, 39/2, 39/3, 39/4, 40/1, 40/2, 40/3, 40/5, 40/6, 41/1, 41/2, 41/3, 41/4, 41/5, 41/6, 41/7, 41/8, 48/6A, 48/6B, 48/7, 48/8, 48/9, 48/10, 48/11, 48/12, 48/13, 48/14, 48/15 of Ramagondanahalli Village, VarthurHobli, Bangalore East Taluk and Bangalore District, by Zonasha Estate & Projects Private Limited.
3	Type of Development	
a.	Residential Apartment / Villas / Row Houses / Vertical Development / Office / IT/ ITES/ Mall/ Hotel/ Hospital /other	Residential Apartment Building project Category 8 (a) as per the EIA notification 2006.
b.	Residential Township/ Area Development Projects	NA
4	New/ Expansion/ Modification/ Renewal	Expansion & Modification
5	Water Bodies/ Nalas in the vicinity of project site	Varthur Lake: Left buffer of 30 meter from the Building line (South East Side)
6	Total Plot Area (Sqm)	29,446.53 sqm
7	Built-Up Area (Sqm)	89,271.19 sqm
8	FAR • Permissible • Proposed	2.25 2.19
9	Building Configuration [Number of Blocks / Towers / Wings etc., with Numbers of Basements and Upper Floors]	Tower A: 2BF+GF+18UF+TF Tower B: 2BF+GF+18UF+TF Tower C: 2BF+GF+2UF +TF
10	Number of units/plots in case of Construction/ Residential	Total proposed 324 Flats 3 BHK-234 units

Drafted by



	Township/ Area Development Projects	4 BHK-90 units
11	Height Clearance	Tower A: 59.85 M Tower B: 59.85 M Tower C: 13.00 M HAL NoC obtained on 07.08.2018
12	Project Cost (Rs. In Crores)	175 Crores
13	Disposal of Demolition waster and or Excavated earth	Excavation will be carried out for the foundation of buildings. The excavated soil will be used in backfilling and other area development activities within the site area.
14	Details of Land Use (Sqm)	
a.	Ground Coverage Area	4086.41 sqm
b.	Kharab Land	708.19 sqm
c.	Total Green belt on Mother Earth for projects under 8(a) of the schedule of the EIA notification, 2006	12712.94 sqm
d.	Internal Roads	10502.07sqm
e.	Paved area	
f.	Others Specify-Civic amenities	-
g.	Parks and Open space in case of Residential Township/ Area Development Projects	1436.92 sqm
h.	Total	29,446.53sqm
15	WATER	
I.	Construction Phase	
a.	Source of water	Treated water from STP/ Tanker supply
b.	Quantity of water for Construction in KLD	20 KLD
c.	Quantity of water for Domestic Purpose in KLD	2.25 KLD
d.	Waste water generation in KLD	1.75 KLD
e.	Treatment facility proposed and scheme of disposal of treated water	Mobile STP
II.	Operational Phase	
a.	Total Requirement of Water in KLD	Fresh 201 KLD Recycled 99 KLD Total 300 KLD
b.	Source of water	BBMPsupply
c.	Waste water generation in KLD	270 KLD

  97

d.	STP capacity	275 KLD
e.	Technology employed for Treatment	SBR Technology as well as Anoxic Tank for BNP Removal.
f.	Scheme of disposal of excess treated water if any	-
16	Infrastructure for Rain water harvesting	
a.	Capacity of sump tank to store Roof run off	200 cum (RWH collection tank)
b.	No's of Ground water recharge pits	13Nos.
17	Storm water management plan	The storm water from the site will be collected by rainwater harvesting tanks of capacity 100cum and will be used for recharging the ground water through groundwater recharge pits of 13nos
18	WASTE MANAGEMENT	
I.	Construction Phase	
a.	Quantity of Solid waste generation and mode of Disposal as per norms	100 kg/day - Disposed to KSPCB authorized vendors.
II.	Operational Phase	
a.	Quantity of Biodegradable waste generation and mode of Disposal as per norms	693 kg/day-organic waste Biodegradable waste will be treated in OWC to be used as manure for gardening /landscaping.
b.	Quantity of Non-Biodegradable waste generation and mode of Disposal as per norms	462 kg/day Inorganic waste will be disposed through KSPCB authorized vendors/recyclers.
c.	Quantity of Hazardous Waste generation and mode of Disposal as per norms	Used oil/spent oil of 1.0 KLA Shall be collected in a leak proof containers & disposed only to KSPCB registered authorized re-processors provided the oil meets the standards as per schedule-5-part A of the rules
d.	Quantity of E waste generation and mode of Disposal as per norms	The generated E-waste will be disposed of through KSPCB approved vendor.
19	POWER	
a.	Total Power Requirement - Operational Phase	2250 KW-BESCOM

b.	Numbers of DG set and capacity in KVA for Standby Power Supply	Total no. of Generator sets: 2 Nos. Capacity: 2 Nos. of 1000 KVA.
c.	Details of Fuel used for DG Set	11SD
d.	Energy conservation plan and Percentage of savings including plan for utilization of solar energy as per ECBC 2007	<p>Following energy conservation efforts shall be made in the project:</p> <ul style="list-style-type: none"> <li>• Selection of building material considering energy performance of roof, wall material, shading devices and final building envelop.</li> <li>• Design parameters - building geometry, wall to window ratio, window performance, thermal performance of the wall and roof.</li> <li>• Use of green vehicles within the campus</li> <li>• Light pollution reduction through BUG rated light fixtures.</li> <li>• Renewable energy system to cater to 5% of the annual building energy consumption.</li> <li>• Roof top Solar Electrical system in common utility buildings.</li> <li>• Use of low emitting materials like Floor score certified tiles, ANSI / BIFMA certified furniture, Green guard certified composite wood, etc.</li> </ul> <p>Total Energy Savings - 20% from total power load.</p>

**20 PARKING**

a.	Parking Requirements as per norms	713Nos of ECS (including visitors, 10% EV charging point to be provided).										
b.	Level of Service (LOS) of the connecting Roads as per the Traffic Study Report	<p>Changed V/C and LOS after adding generated traffic from the operational phase of the proposed project.</p> <table border="1"> <thead> <tr> <th>Road</th> <th>Peak Hour Volumes (V)</th> <th>Capacity, (C)</th> <th>V/C Ratio</th> <th>LOS</th> </tr> </thead> <tbody> <tr> <td>SH-35 road</td> <td>=1500+71 3 =2213</td> <td>5400</td> <td>0.40</td> <td>B</td> </tr> </tbody> </table>	Road	Peak Hour Volumes (V)	Capacity, (C)	V/C Ratio	LOS	SH-35 road	=1500+71 3 =2213	5400	0.40	B
Road	Peak Hour Volumes (V)	Capacity, (C)	V/C Ratio	LOS								
SH-35 road	=1500+71 3 =2213	5400	0.40	B								
c.	Internal Road width (RoW)	8 Mtr										
21	CERproposed											

		CER Activities
		<p>1 The development of entrance road connecting Ramagondanahalli village to Marathahalli Whitefield main road (Conversion from 20 feet to 60 feet road, 300 Meter length road).</p> <p>2 The development of Govt higher primary school building, appareddypaiya, Indira Nagar- (The activity is done such as Terrace roofing, flooring, block works, painting and toilets etc.,</p>
22	<p>EMP</p> <ul style="list-style-type: none"> <li>• Construction phase</li> <li>• Operation Phase</li> </ul>	<p>Construction Phase: Capital cost : 13 Lakhs Recurring cost : 8 lakhs</p> <p>Operational phase Capital cost : 141 lakhs Recurring cost: 20.5 Lakhs</p>

The subject was discussed in the SEAC meeting held on 17th, 18th & 19th November 2022 The Committee has recommended to SEIAA for issue of EC and the extract of the proceedings of the Committee meeting is as below:

The proposal is for modification and expansion for co-living private Hostel building and now proposed for residential apartment building, for which SEIAA had issued EC on 28.01.2020 for BUA of 36,672.11 Sqm in a plot area of 16,187 Sqm and now proposed for BUA of 89,271.19 Sqm in a plot area of 29,446.53 Sqm. The proponent informed that they had obtained CCR from MoEF&CC on 29.07.2022 rated as satisfactory for EC conditions and had informed that no construction works had started.

The committee during appraisal sought clarification for water body and foot kharab as per village map and provisions made for harvesting rain water. The proponent informed the committee that for the water body in south east for which a buffer of 30 mtrs is proposed from edge and the foot kharab in north to be left for free public access and no development works is proposed. For harvesting rain water, the proponent has proposed

four tanks of 100cum total capacity for runoff from rooftop and an additional tank of 100cum for runoff from landscape and paved areas in addition to 13nos recharge pits within the project area. Further the committee informed the proponent to manage excess drainage water within the site area and to provide smart water meter facilities for conservation of water, for which the proponent agreed.

The proponent informed that they have made provisions to grow total of 368 trees and to provide charging facility for electrical vehicles in the proposed project area. The proponent committed to take precautionary measures during and after construction to maintain the environmental parameters within permissible limits in the proposed project and agreed to comply with the ECBC and NBC guidelines for the proposed construction and adhere to the by-laws stipulated by the governing authority for buffers and setbacks.

The committee noted that the baseline parameters are found to be within permissible limits and informed the proponent to leave buffers/setbacks as per zoning regulations and to harvest maximum rainwater in the proposed project area. The committee after discussion decided to recommend the proposal to SEIAA for issue of EC with a condition to leave free public access in kharab area.

The Authority perused the proposal and took note of the recommendation of SEAC.

*The Authority after discussion decided to clear the proposal for issue of Environmental Clearance subject to following:*

1. *The project proponent shall submit scheme for treatment of harvested rain water and revised water balance considering utilization of harvested rain water for domestic purpose.*
2. *The project proponent shall furnish Notarized undertaking that he shall maintain Buffer zone as per bylaw and compliance to provisions of CDP.*
3. *The project proponent shall leave the buffer from the lake /drain as per the RCDP 2015 as directed by Supreme Court order CIVIL APPEAL NO. 5016 OF 2016 dated 5th March 2019.*
4. *If the distance of nearest Protected Area (National Park/ Sanctuary/Bio sphere reserve/ migratory corridor) is within 10 KM, a certificate from the Chief Wild Life Warden (CWLW) along with his recommendation, else a certificate from the proponent that the proposed site is more than 10 KM away from any Protection Authority (PA) (National Park/ Sanctuary/Bio sphere reserve/ migratory corridor) shall be submitted.*
5. *The PP shall submit CER in Specific Physical Terms with time bound action plan.*
6. *The project proponent shall ensure that tree planting/afforestation measures proposed in the EMP shall be strictly complied and an undertaking to this effect shall be submitted.*
7. *The PP shall explore the possibility of installing smart meter for water conservation.*

**Additional Condition:**

1. Assured water supply, commensurate with the ultimate occupancy envisaged in the project, shall be ensured before commencement of the project.
2. 25% of parking space shall have charging facility to enable charging of electric vehicles.
3. The PP shall strictly adhere to the local Planning Authority Bye-Laws.
4. The PP shall strictly adhere to the F.CBC and NBC guidelines.
5. The PP shall leave the kharab area for free access to public.

**Mining Projects:**

**227.1.17. Shahabad Stone (Cherty Limestone) Quarry Project at Honagunta Village, Shahabad Taluk Kalaburagi District (1-20 Acres) by Sri Azeem Miyan - Online Proposal No.SIA/KA/MIN/291161/2022 (SEIAA 388 MIN 2022).**

Sri Azeem Miyan have applied for Environmental clearance from SEIAA for quarrying of Shahabad Stone (Cherty Limestone) Quarry Project at Sy.No.462/\*/17 of Honagunta Village, Shahabad Taluk, Kalaburagi District.

Details of the project are as follows:

Sl.No.	PARTICULARS	INFORMATION															
1	Name & Address of the Projects Proponent	Sri Azeem Miyan															
2	Name & Location of the Project	Shahabad Stone (Cherty Limestone) Quarry Project at Sy.No.462/*/17 of Honagunta Village, Shahabad Taluk, Kalaburagi District (1-20 Acres) <table border="1"> <thead> <tr> <th>P.No.</th> <th>Latitude</th> <th>Longitude</th> </tr> </thead> <tbody> <tr> <td>A</td> <td>N17°05'25.2"</td> <td>E76°55'10.3"</td> </tr> <tr> <td>B</td> <td>N17°05'25.2"</td> <td>E76°55'17.8"</td> </tr> <tr> <td>C</td> <td>N17°05'24.3"</td> <td>E76°56'17.8"</td> </tr> <tr> <td>D</td> <td>N17°05'24.3"</td> <td>E76°55'13.5"</td> </tr> </tbody> </table>	P.No.	Latitude	Longitude	A	N17°05'25.2"	E76°55'10.3"	B	N17°05'25.2"	E76°55'17.8"	C	N17°05'24.3"	E76°56'17.8"	D	N17°05'24.3"	E76°55'13.5"
P.No.	Latitude	Longitude															
A	N17°05'25.2"	E76°55'10.3"															
B	N17°05'25.2"	E76°55'17.8"															
C	N17°05'24.3"	E76°56'17.8"															
D	N17°05'24.3"	E76°55'13.5"															
3	Type Of Mineral	Shahabad Stone (Cherty Limestone) Quarry															
4	New / Expansion / Modification / Renewal	New															

5	Type of Land [Forest, Government Revenue, Comal, Private / Patta, Other]	Patta
6	Area in Acres	1-20 Acres
7	Annual Production (Metric Ton / Cum) Per Annum	413.21 Cum/ Annum (including waste)
8	Project Cost (Rs. In Crores)	Rs. 0.25 Crores (Rs. 25 Lakhs)
9	Proved Quantity of mine/ Quarry- Cu.m / Ton	25,490 Cum (including waste)
10	Permitted Quantity Per Annum - Cu.m / Ton	247.93Cum/ Annum (excluding waste)
11	<b>CER Activities:</b> To provide infrastructure facilities to near by Govt. School and to grow 200 No. of additional plantation on either side of the approach road from quarry location to Honagunta Village Road.	
12	FMP Budget	Rs. 10.35 Lakhs (Capital Cost) & Rs. 2.55 Lakhs (Recurring cost)
13	Forest NOC	08.01.2021
14	Quarry plan	09.08.2021
15	Cluster Certificate	12.07.2022
16	Revenue	08.07.2020
17	Notification	19.08.2021

The subject was discussed in the SEAC meeting held on 17th, 18th & 19th November 2022. The Committee has recommended to SEIAA for issue of EC and the extract of the proceedings of the Committee meeting is as below:

As per the cluster sketch there are 06 leases including the present lease within 500 meter radius from this lease and the total area of the leases including the present lease is 10-20 Acres and hence the project is categorized as B2.

There is an existing cart track road to a length of 430 meters connecting lease area to the all weather black topped road and the committee informed that the quarrying operation should be commenced after strengthening the approach road to the quarry as per standard norms & should grow trees all along the approach road during the first year of operation, for which the proponent agreed.

The proponent has collected baseline data of air, water, soil and noise and all are within the permissible limits. The proponent informed that all mitigative measures will be taken to ensure that the parameters will be maintained within the permissible limits.

The committee noted that the baseline parameters are found to be within permissible limits and the committee as per the approved quarry plan, recommended the proposal for

proved minable reserve of 25,490 cum (including waste) and estimated the life of mine to be coterminous with the lease period. The committee after discussion decided to recommend the proposal to SEIAA for issue of Environmental Clearance for an annual production of 413.22cum/ Annum (Including waste).

The Authority perused the proposal and took note of the recommendation of SEAC. Further, the Authority noted the complaint received vide email (Premkumar332sd@gmail.com) dated 08<sup>th</sup> December 2022. The details are as follows;

*"The project site is worked before obtaining the Environmental Clearance as in the Historical satellite image the worked benches are varying from 2015 to 2022 which shows that the site is worked. Hence this project is in violation to the EIA Notification, 2006."*


The Authority perused the complaint and noted the contents of the same. The Authority also examined the documents of this proposal in the light of the complaint received and decided to refer the file back to SEAC. The SEAC shall look into the issues raised in the complaint diligently and obtain requisite clarifications/documents from the Project Proponent or any other Govt departments as necessary.


**227.1.18. Building Stone Quarry Project at Melakunda village, Kalaburagi Taluk & District (2-00 Acres) by Sri Hanamanth - Online Proposal No.SIA/KA/MIN/288103/2022 (SEIAA 396 MIN 2022)**

Sri Hanamanth have applied for Environmental clearance from SEIAA for quarrying of Building Stone Quarry Project at Sy. No. 126/\*/5 of Melakunda village, Kalaburagi Taluk & District (2-00 Acres).


Details of the project are as follows:

Sl.No	PARTICULARS	INFORMATION
1	Name & Address of the Projects Proponent	Sri Hanamanth
2	Name & Location of the Project	Building Stone Quarry Project at Sy. No. 126/*/5 of Melakunda village, Kalaburagi Taluk & District (2-00 Acres)

Drafted by: 



104






	P.No.	Latitude	Longitude
	A	N17° 17' 54.6"	E76° 38' 58.1"
	B	N17° 17' 55.0"	E76° 38' 57.1"
	C	N17° 17' 50.2"	E76° 38' 56.3"
	D	N17° 17' 50.3"	E76° 38' 56.8"
	E	N17° 17' 49.5"	E76° 38' 57.8"
3	Type Of Mineral	Building Stone Quarry	
4	New / Expansion / Modification / Renewal	New	
5	Type of Land (Forest, Government Revenue, Gomal, Private / Patta, Other)	Patta	
6	Area in Acres	2.00 Acres	
7	Annual Production (Metric Ton / Cum) Per Annum	76,796 Tones/ Annum (including waste)	
8	Project Cost (Rs. In Crores)	Rs. 0.30 Crores (Rs. 30 Lakhs)	
9	Proved Quantity of mine/ Quarry- Cu.m / Ton	4,94,440 Tones (including waste)	
10	Permitted Quantity Per Annum - Cu.m / Ton	75,260 Tones/ Annum (excluding waste)	
11	<b>CER Activities:</b> To construct Toilet and additional room to Melakunda village Govt. School and to grow 300 No. of additional plantation on either side of the approach road from quarry location to Melakunda (B) Village Road		
12	EMP Budget	Rs. 15.80 Lakhs (Capital Cost) & 3.80 Lakhs (Recurring cost)	
13	Forest NOC	29.08.2019	
14	Quarry plan	12.07.2022	
15	Cluster certificate	12.07.2022	
16	Revenue NOC	15.05.2019	
17	Notification	04.03.2022	

The subject was discussed in the SEAC meeting held on 17<sup>th</sup>, 18<sup>th</sup> & 19<sup>th</sup> November 2022. The Committee has recommended to SEIAA for issue of EC and the extract of the proceedings of the Committee meeting is as below:

As per the cluster sketch there is no other lease in a radius of 500 mtr from the said lease and the area of the said lease is 2.00 Acres and hence the project is categorized as B2.

There is an existing cart track road to a length of 350 meters connecting lease area to the all weather black topped road and the committee informed that the quarrying operation should be commenced after asphaltting the approach road to the quarry and road leading to

crusher as per IRC standard norms & should grow trees all along the approach road during the first year of operation, for which the proponent agreed.

The proponent has collected baseline data of air, water, soil and noise and all are within the permissible limits. The proponent informed that all mitigative measures will be taken to ensure that the parameters will be maintained within the permissible limits.

The committee noted that the baseline parameters are found to be within permissible limits and the committee as per the approved quarry plan, recommended the proposal for proved mineable reserve of 4,94,440 Tones (including waste) and estimated the life of the quarry as 7 years. The committee after discussion decided to recommend the proposal to SEIAA for issue of Environmental Clearance for an annual production of 76,796 Tones/ Annum (including waste)

The Authority perused the proposal and took note of the recommendation of SEAC. Further, the Authority noted the complaint received vide email (Premkumar332sd@gmail.com) dated 08<sup>th</sup> December 2022. The details are as follows;

*"In the site itself they have set up crusher as may be seen from the photos enclosed in the presentation copy attached online. So permission for the same must be shown and the details of those in the surface plan must be shown"*


The Authority perused the complaint and noted the contents of the same. The Authority also examined the documents of this proposal in the light of the complaint received and decided to refer the file back to SEAC. The SEAC shall look into the issues raised in the complaint diligently and obtain requisite clarifications/documents from the Project Proponent or any other Govt departments as necessary.

**227.1.19. Shahabad Stone(Cherty Limestone) Quarry Project at of Honagunta Village, Shahabad Taluk Kalaburagi District (1-00 Acre) by Sri Abdul Gani Sabir - Online Proposal No.SIA/KA/MIN/291110/2022 (SEIAA 387 MIN 2022)**

Sri Abdul Gani Sabir have applied for Environmental clearance from SEIAA for quarrying of Shahabad Stone (Cherty Limestone) Quarry Project at Sy.No.457/\*/4 of Honagunta Village, Shahabad Taluk Kalaburagi District (1-00 Acre)

Details of the project are as follows:

Sl.No.	PARTICULARS	INFORMATION
1	Name & Address of the Projects Proponent	Sri Abdul Gani Sabir
2	Name & Location of the Project	Shahabad Stone (Cherty Limestone) Quarry Project at Sy.No.457/*/4 of Honagunta Village, Shahabad Taluk Kalaburagi District (1-00 Acre)

Drafted by 

	P. No.	Latitude	Longitude
	A	N 17°05'03.9"	E 76°55'08.5"
	B	N 17°05'03.9"	E 76°55'08.0"
	C	N 17°04'57.7"	E 76°55'07.9"
	D	N 17°04'57.7"	E 76°55'08.8"
3	Type Of Mineral	Shahabad Stone (Cherty Limestone) Quarry	
4	New / Expansion / Modification / Renewal	New	
5	Type of Land [Forest, Government Revenue, Gomat, Private / Patta, Other]	Patta	
6	Area in Acres	1.00 Acre	
7	Annual Production (Metric Ton / Cum) Per Annum	125 Cum/ Annum (including waste)	
8	Project Cost (Rs. In Crores)	Rs. 0.20 Crores (Rs. 20 Lakhs)	
9	Proved Quantity of mine/ Quarry- Cu.m / Ton	10,540 Cum (including waste)	
10	Permitted Quantity Per Annum - Cu.m / Ton	75 Cum/ Annum (excluding waste)	
11	CEK Activities:	To grow 500 No. of additional plantation on either side of the approach road from quarry location to Honagunta Village Road	
12	EMP Budget	Rs. 8.15 Lakhs (Capital Cost) & Rs. 1.95 Lakhs (Recurring cost)	
13	Forest NOC	08.12.2021	
14	Quarry plan	27.07.2021	
15	Cluster Certificate	12.07.2022	
16	Revenue	08.07.2020	
17	Notification	19.06.2021	

The subject was discussed in the SEAC meeting held on 17th, 18th & 19th November 2022. The Committee has recommended to SEIAA for issue of EC and the extract of the proceedings of the Committee meeting is as below:

As per the cluster sketch there are 07 leases including the present lease within 500 meter radius from this lease and the total area of the leases including the present lease is 10.00 Acres and hence the project is categorized as B2.

There is an existing cart track road to a length of 100 meters connecting lease area to the all weather black topped road and the committee informed that the quarrying operation should be commenced after strengthening the approach road to the quarry as per

standard norms & should grow trees all along the approach road during the first year of operation, for which the proponent agreed.

The proponent has collected baseline data of air, water, soil and noise and all are within the permissible limits. The proponent informed that all mitigative measures will be taken to ensure that the parameters will be maintained within the permissible limits.

The committee noted that the baseline parameters are found to be within permissible limits and the committee as per the approved quarry plan, recommended the proposal for proved mineable reserve of 10,540 cum (including waste) and estimated the life of mine to be coterminous with the lease period. The committee after discussion decided to recommend the proposal to SEIAA for issue of Environmental Clearance for an annual production of 125cum/ Annum (Including waste).

The Authority perused the proposal and took note of the recommendation of SEAC.

*The Authority after discussion decided to clear the proposal for issue of Environmental Clearance subject to following:*


- 1. If the distance of nearest Protected Area (National Park/ Sanctuary/Bio sphere reserve/ migratory corridor) is within 10 KM, a certificate from the Chief Wild Life Warden (CWLW) along with his recommendation, else a certificate from the proponent that the proposed site is more than 10 KM away from any Protection Authority (PA) (National Park/ Sanctuary/Bio sphere reserve/ migratory corridor).*
- 2. Safety measures proposed shall be submitted.*
- 3. A time bound action plan for implementation of proposed CER activities as a part of TMP shall be furnished.*
- 4. Since there is substantial quantity of generation of waste from the quarry activity, all due precautions with respect to environment management aspects of waste dump shall be observed.*


**Additional Conditions:**

*Dust suppression measures have to be strictly followed.*

**227.1.20. Building Stone Quarry Project at Hebbal Village, Anagodu Hobli, Davanagere Taluk, Davanagere District (3-00 Acres) by M/s. Adishakti Stone Crusher - Online Proposal No.SIA/KA/MIN/400844/2022 (SEIAA 400 MIN 2022)**

M/s. Adishakti Stone Crusher have applied for Environmental clearance from SEIAA for quarrying of Building Stone Quarry Project at Sy No. 139/3, Hebbal Village, Anagodu Hobli, Davanagere Taluk, Davanagere District (3-00 Acres)

Drafted by 



108

Details of the project are as follows:

Sl.N	PARTICULARS	INFORMATION																											
1	Name & Address of the Projects Proponent	M/s. Adishakti Stone Crusher																											
2	Name & Location of the Project	Building Stone Quarry Project at Sy No. 139/3, Hebbal Village, Anagodu Hobli, Davanagere Taluk, Davanagere District (3-00 Acres)																											
		<table border="1"> <thead> <tr> <th>Corner Point No</th> <th>Latitude</th> <th>Longitude</th> </tr> </thead> <tbody> <tr> <td>A</td> <td>N 14° 21' 55.8278"</td> <td>E 76° 06' 19.5589"</td> </tr> <tr> <td>B</td> <td>N 14° 21' 55.2294"</td> <td>E 76° 06' 22.6459"</td> </tr> <tr> <td>C</td> <td>N 14° 21' 52.4351"</td> <td>E 76° 06' 23.1204"</td> </tr> <tr> <td>D</td> <td>N 14° 21' 52.5119"</td> <td>E 76° 06' 22.2938"</td> </tr> <tr> <td>E</td> <td>N 14° 21' 51.5913"</td> <td>E 76° 06' 22.7907"</td> </tr> <tr> <td>F</td> <td>N 14° 21' 51.8542"</td> <td>E 76° 06' 20.8808"</td> </tr> <tr> <td>G</td> <td>N 14° 21' 50.8576"</td> <td>E 76° 06' 20.9634"</td> </tr> <tr> <td>H</td> <td>N 14° 21' 51.6325"</td> <td>E 76° 06' 20.0223"</td> </tr> </tbody> </table>	Corner Point No	Latitude	Longitude	A	N 14° 21' 55.8278"	E 76° 06' 19.5589"	B	N 14° 21' 55.2294"	E 76° 06' 22.6459"	C	N 14° 21' 52.4351"	E 76° 06' 23.1204"	D	N 14° 21' 52.5119"	E 76° 06' 22.2938"	E	N 14° 21' 51.5913"	E 76° 06' 22.7907"	F	N 14° 21' 51.8542"	E 76° 06' 20.8808"	G	N 14° 21' 50.8576"	E 76° 06' 20.9634"	H	N 14° 21' 51.6325"	E 76° 06' 20.0223"
Corner Point No	Latitude	Longitude																											
A	N 14° 21' 55.8278"	E 76° 06' 19.5589"																											
B	N 14° 21' 55.2294"	E 76° 06' 22.6459"																											
C	N 14° 21' 52.4351"	E 76° 06' 23.1204"																											
D	N 14° 21' 52.5119"	E 76° 06' 22.2938"																											
E	N 14° 21' 51.5913"	E 76° 06' 22.7907"																											
F	N 14° 21' 51.8542"	E 76° 06' 20.8808"																											
G	N 14° 21' 50.8576"	E 76° 06' 20.9634"																											
H	N 14° 21' 51.6325"	E 76° 06' 20.0223"																											
3	Type Of Mineral	Building Stone Quarry																											
4	New / Expansion / Modification / Renewal	New																											
5	Type of Land [Forest, Government Revenue, Gomal, Private / Patta, Other]	Patta																											
6	Area in Acres	3-00 Acres																											
7	Annual Production (Metric Ton / Cum) Per Annum	1,08,696 Tones/ Annum (including waste)																											
8	Project Cost (Rs. In Crores)	Rs. 1.37 Crores (Rs. 137 Lakhs)																											
9	Proved Quantity of mine/ Quarry- Cu.m / Ton	9,35,275 Tones (including waste)																											
10	Permitted Quantity Per Annum - Cu.m / Ton	1,00,000 Tones/ Annum (excluding waste)																											
11	CER Activities: To contribute to Anagodu Zoo and to construct compound wall in CHPS Hebbal village.																												

Year	Corporate Environmental Responsibility (CER)	
1st	Providing solar power panels to the GHPS school at Hebbal Village.	
2nd	Rain water harvesting pits to Hebbal Village.	
3rd	Avenue plantation either side of the approach road near Quarry site & Repair of road With drainages	
4th	Conducting E-waste drive campaigns in GHPS at Hebbal Village.	
5th	Health camp in GHPS at Hebbal Village.	
12	FMP Budget	Rs. 91.88 Lakhs (Capital Cost) & 8.11 Lakhs (Recurring cost)
13	Forest NOC	16.08.2022
14	Quarry plan	14.09.2022
15	Cluster certificate	09.09.2022
16	Revenue NOC	19.08.2022
17	Notification	06.09.2022


The subject was discussed in the SEAC meeting held on 17th, 18th & 19th November 2022. The Committee has recommended to SEIAA for issue of EC and the extract of the proceedings of the Committee meeting is as below:


As per the cluster sketch there is one more lease in a radius of 500 mtr from the said lease and the total area of the leases including the present lease is 9.39 Acres and hence the project is categorized as B2.

There is an existing cart track road to a length of 1880 meters connecting lease area to the all weather black topped road and the committee informed that the quarrying operation should be commenced after asphaltting the approach road to the quarry and road leading to crusher as per IRC standard norms & should grow trees all along the approach road during the first year of operation and to grow three tier plantation towards crusher, for which the proponent agreed.

The proponent has collected baseline data of air, water, soil and noise and all are within the permissible limits. The proponent informed that all mitigative measures will be taken to ensure that the parameters will be maintained within the permissible limits.

The committee noted that the baseline parameters are found to be within permissible limits and the committee as per the approved quarry plan, recommended the proposal for proved mineable reserve of 9,35,275 Tones (including waste) and estimated the life of the quarry as 13 years. The committee after discussion decided to recommend the proposal to SEIAA for issue of Environmental Clearance for an annual production of 1,08,696 Tones/ Annum (including waste)

Drafted by: 




The Authority perused the proposal and took note of the recommendation of SFAC.

**The Authority after discussion decided to clear the proposal for issue of Environmental Clearance subject to following:**

1. If the distance of nearest Protected Area (National Park/ Sanctuary/Bio sphere reserve/ migratory corridor) is within 10 KM, a certificate from the Chief Wild Life Warden (CWLW) along with his recommendation, else a certificate from the proponent that the proposed site is more than 10 KM away from any Protection Authority (PA) (National Park/ Sanctuary/Bio sphere reserve/ migratory corridor).
2. Safety measures proposed shall be submitted.
3. A time bound action plan for implementation of proposed CER activities as a part of EMP shall be furnished.

**Additional Conditions:**

Dust suppression measures have to be strictly followed.

**227.1.21. Building Stone Quarry Project at Hebbal Village, Anagodu Hobli, Davanagere Taluk, Davanagere District (6-39 Acres) by M/s. Adishakti Stone Crusher - Online Proposal No.SIA/KA/MIN/400854/2022 (SEIAA 401 MIN 2022)**

M/s. Adishakti Stone Crusher have applied for Environmental clearance from SEIAA for quarrying of Building Stone Quarry Project at Sy. No. 140/5 of Hebbal Village, Anagodu Hobli, Davanagere Taluk, Davanagere District (6-39 Acres)

Details of the project are as follows:

Sl.No	PARTICULARS	INFORMATION															
1	Name & Address of the Projects Proponent	M/s. Adishakti Stone Crusher															
2	Name & Location of the Project	Building Stone Quarry Project at Sy. No. 140/5 of Hebbal Village, Anagodu Hobli, Davanagere Taluk, Davanagere District (6-39 Acres)															
		<table border="1"> <thead> <tr> <th>Corner Point No</th> <th>Latitude</th> <th>Longitude</th> </tr> </thead> <tbody> <tr> <td>A</td> <td>N 14° 21' 59.5426"</td> <td>E 76° 06' 27.2349"</td> </tr> <tr> <td>B</td> <td>N 14° 22' 00.0965"</td> <td>E 76° 06' 29.0179"</td> </tr> <tr> <td>C</td> <td>N 14° 21' 47.2877"</td> <td>E 76° 06' 34.7038"</td> </tr> <tr> <td>D</td> <td>N 14° 21' 48.9364"</td> <td>E 76° 06' 30.7805"</td> </tr> </tbody> </table>	Corner Point No	Latitude	Longitude	A	N 14° 21' 59.5426"	E 76° 06' 27.2349"	B	N 14° 22' 00.0965"	E 76° 06' 29.0179"	C	N 14° 21' 47.2877"	E 76° 06' 34.7038"	D	N 14° 21' 48.9364"	E 76° 06' 30.7805"
Corner Point No	Latitude	Longitude															
A	N 14° 21' 59.5426"	E 76° 06' 27.2349"															
B	N 14° 22' 00.0965"	E 76° 06' 29.0179"															
C	N 14° 21' 47.2877"	E 76° 06' 34.7038"															
D	N 14° 21' 48.9364"	E 76° 06' 30.7805"															

Drafted by           

*[Handwritten signatures and initials]*

3	Type Of Mineral	Building Stone Quarry
4	New / Expansion / Modification / Renewal	New
5	Type of Land [Forest, Government Revenue, Gomal, Private / Patta, Other]	Patta
6	Area in Acres	6-39 Acres
7	Annual Production (Metric Ton / Cum) Per Annum	2,71,739 Tones/Annum (including waste)
8	Project Cost (Rs. In Crores)	Rs. 1.30 Crores (Rs. 130 Lakhs)
9	Proved Quantity of mine/ Quarry- Cu.m / Ton	33,05,897 Tones (including waste)
10	Permitted Quantity Per Annum - Cu.m / Ton	2,50,000 Tones/ Annum (excluding waste)
11	<b>CFR Activities:</b> To contribute to Anagodu Zoo and to construct compound wall in GHPS Hebbal village	
	Year	Corporate Environmental Responsibility (CER)
	1st	Providing solar power panels to the GHPS school at Hebbal village
	2nd	Rain water harvesting pits to the GHPS school at Hebbal village
	3rd	Conducting E-waste drive campaigns in the Hebbal village
	4th	Scientific support and awareness to local farmers to increase yield of crop and fodder
	5th	Health camp in GHPS school at Hebbal village
12	EMP Budget	Rs. 57.80 Lakhs (Capital Cost) & Rs. 10.84 Lakhs (Recurring cost)
13	Forest NOC	18.08.2022
14	Quarry plan	14.09.2022
15	Cluster certificate	09.09.2022
16	Revenue NOC	19.08.2022
17	Notification	06.09.2022

The subject was discussed in the SEAC meeting held on 17th, 18th & 19th November 2022. The Committee has recommended to SEIAA for issue of EC and the extract of the proceedings of the Committee meeting is as below:

As per the cluster sketch there is one lease in a radius of 500mtr from the said lease and the total area of the leases is 9-39 Acres and hence the project is categorized as B2.

There is an existing cart track road to a length of 830 meters connecting lease area to the all weather black topped road and the committee informed that the quarrying



operation should be commenced after asphaltting the approach road to the quarry and road leading to crusher as per IRC standard norms & should grow trees all along the approach road during the first year of operation, and to grow three tier plantation towards crusher, for which the proponent agreed.

The proponent has collected baseline data of air, water, soil and noise and all are within the permissible limits. The proponent informed that all mitigative measures will be taken to ensure that the parameters will be maintained within the permissible limits.

The committee noted that the baseline parameters are found to be within permissible limits and the committee as per the approved quarry plan, recommended the proposal for proved mineable reserve of 33,05,897 Tones (including waste) and estimated the life of the quarry as 13 years. The committee after discussion decided to recommend the proposal to SEIAA for issue of Environmental Clearance for an annual production of 2,71,739 Tones/ Annum (including waste)

The Authority perused the proposal and took note of the recommendation of SEAC.

*The Authority after discussion decided to clear the proposal for issue of Environmental Clearance subject to following:*

1. *If the distance of nearest Protected Area (National Park/ Sanctuary/Bio sphere reserve/ migratory corridor) is within 10 KM, a certificate from the Chief Wild Life Warden (CWLW) along with his recommendation, else a certificate from the proponent that the proposed site is more than 10 KM away from any Protection Authority (PA) (National Park/ Sanctuary/Bio sphere reserve/ migratory corridor).*
2. *Safety measures proposed shall be submitted.*
3. *A time bound action plan for implementation of proposed CER activities as a part of EMP shall be furnished*

**Additional Conditions:**

*Dust suppression measures have to be strictly followed.*

**227.1.22. Building Stone Quarry Project at Honakahalli Village, Gundlupete Taluk, Chamarajanagar District (3-20 Acres) by Sri Mahesh C - Online Proposal No.SIA/KA/MIN/401053/2022 (SEIAA 405 MIN 2022)**

Sri Mahesh C have applied for Environmental clearance from SEIAA for quarrying of Building Stone Quarry Project at Sy. Nos. 190/2 & 190/3 of Honakahalli Village, Gundlupete Taluk, Chamarajanagar District (3-20 Acres)

Details of the project are as follows:

Sl.No	PARTICULARS	INFORMATION																																							
1	Name & Address of the Projects Proponent	Sri Mahesh C																																							
2	Name & Location of the Project	Building Stone Quarry Project at Sy. Nos. 190/2 & 190/3 of Honakahalli Village, Gundlupete Taluk, Chamarajanagar District (3-20 Acres)																																							
		<table border="1"> <thead> <tr> <th>Corner Point No</th> <th>Latitude</th> <th>Longitude</th> </tr> </thead> <tbody> <tr> <td>A</td> <td>N 11° 52' 38.6"</td> <td>E 76° 37' 42.3"</td> </tr> <tr> <td>B</td> <td>N 11° 52' 42.6"</td> <td>E 76° 37' 43.2"</td> </tr> <tr> <td>C</td> <td>N 11° 52' 42.7"</td> <td>E 76° 37' 42.3"</td> </tr> <tr> <td>D</td> <td>N 11° 52' 42.7"</td> <td>E 76° 37' 42.3"</td> </tr> <tr> <td>E</td> <td>N 11° 52' 43.9"</td> <td>E 76° 37' 41.2"</td> </tr> <tr> <td>F</td> <td>N 11° 52' 41.7"</td> <td>E 76° 37' 40.9"</td> </tr> <tr> <td>G</td> <td>N 11° 52' 41.2"</td> <td>E 76° 37' 40.7"</td> </tr> <tr> <td>H</td> <td>N 11° 52' 39.6"</td> <td>E 76° 37' 40.3"</td> </tr> <tr> <td>I</td> <td>N 11° 52' 39.6"</td> <td>E 76° 37' 40.5"</td> </tr> <tr> <td>J</td> <td>N 11° 52' 37.4"</td> <td>E 76° 37' 39.6"</td> </tr> <tr> <td>K</td> <td>N 11° 52' 36.5"</td> <td>E 76° 37' 39.7"</td> </tr> <tr> <td>L</td> <td>N 11° 52' 36.4"</td> <td>E 76° 37' 42.0"</td> </tr> </tbody> </table>	Corner Point No	Latitude	Longitude	A	N 11° 52' 38.6"	E 76° 37' 42.3"	B	N 11° 52' 42.6"	E 76° 37' 43.2"	C	N 11° 52' 42.7"	E 76° 37' 42.3"	D	N 11° 52' 42.7"	E 76° 37' 42.3"	E	N 11° 52' 43.9"	E 76° 37' 41.2"	F	N 11° 52' 41.7"	E 76° 37' 40.9"	G	N 11° 52' 41.2"	E 76° 37' 40.7"	H	N 11° 52' 39.6"	E 76° 37' 40.3"	I	N 11° 52' 39.6"	E 76° 37' 40.5"	J	N 11° 52' 37.4"	E 76° 37' 39.6"	K	N 11° 52' 36.5"	E 76° 37' 39.7"	L	N 11° 52' 36.4"	E 76° 37' 42.0"
Corner Point No	Latitude	Longitude																																							
A	N 11° 52' 38.6"	E 76° 37' 42.3"																																							
B	N 11° 52' 42.6"	E 76° 37' 43.2"																																							
C	N 11° 52' 42.7"	E 76° 37' 42.3"																																							
D	N 11° 52' 42.7"	E 76° 37' 42.3"																																							
E	N 11° 52' 43.9"	E 76° 37' 41.2"																																							
F	N 11° 52' 41.7"	E 76° 37' 40.9"																																							
G	N 11° 52' 41.2"	E 76° 37' 40.7"																																							
H	N 11° 52' 39.6"	E 76° 37' 40.3"																																							
I	N 11° 52' 39.6"	E 76° 37' 40.5"																																							
J	N 11° 52' 37.4"	E 76° 37' 39.6"																																							
K	N 11° 52' 36.5"	E 76° 37' 39.7"																																							
L	N 11° 52' 36.4"	E 76° 37' 42.0"																																							
3	Type Of Mineral	Building Stone Quarry																																							
4	New / Expansion / Modification / Renewal	New																																							
5	Type of Land [Forest, Government Revenue, Gomal, Private / Patta, Other]	Patta																																							
6	Area in Acres	3-20 Acres																																							
7	Annual Production (Metric Ton / Cum) Per Annum	1,05,263 Tones/ Annum(including waste)																																							
8	Project Cost (Rs. In Crores)	Rs. 1.32 Crores (Rs. 132 Lakhs)																																							
9	Proved Quantity of mine/ Quarry- Cu.m / Ton	8,56,791 Tones (including waste)																																							
10	Permitted Quantity Per Annum - Cu.m / Ton	1,00,000 Tones/ Annum (excluding waste)																																							
11	CER Activities: To provide additional room and infrastructure facility to GHPS Honakahalli village.																																								

Drafted by           

114

Year	Corporate Environmental Responsibility (CER)	
1st	The proponent proposes to distribute nursery plants at Honakahalli village & Strengthening of approach road	
2nd		
3rd	Rain water harvesting pits to the GHPs school at Honakahalli village.	
4th	Scientific support and awareness to local farmers to increase yield of crop and fodder	
5th	Health camp in the GHPs school at Honakahalli village.	
12	EMP Budget	Rs. 33.85 Lakhs (Capital Cost) & Rs. 8.13 Lakhs (Recurring cost)
13	Forest NOC	17.08.2022
14	Quarry plan	06.09.2022
15	Cluster Certificate	12.09.2022
16	Revenue NOC	01.08.2022
17	Notification	01.09.2022

The subject was discussed in the SEAC meeting held on 17th, 18th & 19th November 2022. The Committee has recommended to SEIAA for issue of EC and the extract of the proceedings of the Committee meeting is as below:



As per the cluster sketch there are three leases including the present lease in a radius of 500 mtr from the said lease and the total area of the leases is 12-09 Acres and hence the project is categorized as B2.

There is an existing cart track road to a length of 340 meters connecting lease area to the all weather black topped road and the committee informed that the quarrying operation should be commenced after asphaltting the approach road to the quarry and road leading to crusher as per IRC standard norms & should grow trees all along the approach road during the first year of operation and to grow three tier plantation around the boundary of project, for which the proponent agreed.

The proponent has collected baseline data of air, water, soil and noise and all are within the permissible limits. The proponent informed that all mitigative measures will be taken to ensure that the parameters will be maintained within the permissible limits.

The committee noted that the baseline parameters are found to be within permissible limits and the committee as per the approved quarry plan, recommended the proposal for proved mineable reserve of 8,56,791 Tones (including waste) and estimated the life of the quarry as 09 years. The committee after discussion decided to recommend the proposal to SEIAA for issue of Environmental Clearance for an annual production of 1,05,263 Tones/ Annum (including waste)

The Authority perused the proposal and took note of the recommendation of SEAC.

**The Authority after discussion decided to clear the proposal for issue of Environmental Clearance subject to following:**

1. If the distance of nearest Protected Area (National Park/ Sanctuary/Bio sphere reserve/ migratory corridor) is within 10 KM, a certificate from the Chief Wild Life Warden (CWLW) along with his recommendation, else a certificate from the proponent that the proposed site is more than 10 KM away from any Protection Authority (PA) (National Park/ Sanctuary/Bio sphere reserve/ migratory corridor).
2. Safety measures proposed shall be submitted.
3. A time bound action plan for implementation of proposed CER activities as a part of EMP shall be furnished.

**Additional Conditions:**

*Dust suppression measures have to be strictly followed.*

**227.I.23. Building Stone Quarry Project at Muddanahalli Village, Hoskote Taluk, Bangalore Rural District (0.38 Acres) by Smt. Hemavathi - Online Proposal No.SIA/KA/MIN/401043/2022 (SEIAA 406 MIN 2022)**

Smt. Hemavathi have applied for Environmental clearance from SEIAA for quarrying of Building Stone Quarry Project at Sy. No. 01 of Muddanahalli Village, Hoskote Taluk, Bangalore Rural District (0.38 Acres)

Details of the project are as follows:

SIN	PARTICULARS	INFORMATION																					
1	Name & Address of the Projects Proponent	Smt. Hemavathi																					
2	Name & Location of the Project	Building Stone Quarry Project at Sy. No. 01 of Muddanahalli Village, Hoskote Taluk, Bangalore Rural District (0.38 Acres)																					
		<table border="1"> <thead> <tr> <th>Corner Point No</th> <th>Latitude</th> <th>Longitude</th> </tr> </thead> <tbody> <tr> <td>BP-A</td> <td>N 13° 11' 26.592"</td> <td>E 77° 54' 44.712"</td> </tr> <tr> <td>BP-B</td> <td>N 13° 11' 24.612"</td> <td>E 77° 54' 44.784"</td> </tr> <tr> <td>BP-C</td> <td>N 13° 11' 23.784"</td> <td>E 77° 54' 43.204"</td> </tr> <tr> <td>BP-D</td> <td>N 13° 11' 25.116"</td> <td>E 77° 54' 42.516"</td> </tr> <tr> <td>BP-E</td> <td>N 13° 11' 25.908"</td> <td>E 77° 54' 42.804"</td> </tr> <tr> <td>BP-X</td> <td>N 13° 11' 28.896"</td> <td>E 77° 54' 51.516"</td> </tr> </tbody> </table>	Corner Point No	Latitude	Longitude	BP-A	N 13° 11' 26.592"	E 77° 54' 44.712"	BP-B	N 13° 11' 24.612"	E 77° 54' 44.784"	BP-C	N 13° 11' 23.784"	E 77° 54' 43.204"	BP-D	N 13° 11' 25.116"	E 77° 54' 42.516"	BP-E	N 13° 11' 25.908"	E 77° 54' 42.804"	BP-X	N 13° 11' 28.896"	E 77° 54' 51.516"
Corner Point No	Latitude	Longitude																					
BP-A	N 13° 11' 26.592"	E 77° 54' 44.712"																					
BP-B	N 13° 11' 24.612"	E 77° 54' 44.784"																					
BP-C	N 13° 11' 23.784"	E 77° 54' 43.204"																					
BP-D	N 13° 11' 25.116"	E 77° 54' 42.516"																					
BP-E	N 13° 11' 25.908"	E 77° 54' 42.804"																					
BP-X	N 13° 11' 28.896"	E 77° 54' 51.516"																					
3	Type Of Mineral	Building Stone Quarry																					

Drafted by


4	New / Expansion / Modification / Renewal	New
5	Type of Land [Forest, Government Revenue, Gomal, Private / Patta, Other]	Government
6	Area in Acres	0.38 Acres
7	Annual Production (Metric Ton / Cum) Per Annum	66,327 Tones for 2 years & 40,816 for 3 years (including waste)
8	Project Cost (Rs. In Crores)	Rs. 0.96 Crores (Rs. 96 Lakhs)
9	Proved Quantity of mine/ Quarry- Cu.m / Ton	1,27,564 Tones (including waste)
10	Permitted Quantity Per Annum - Cu.m / Ton	65,000 Tones for 2 years & 40,000 for 3 years (excluding waste)
11	<b>CER Activities: To construct toilets for near by Govt. School</b>	
	Year	Corporate Environmental Responsibility (CER)
	1st	Providing solar power panels to the GHPS school at Muddanahalli Village
	2nd	Conducting E-waste drive campaigns in GHPS school at Muddanahalli Village
	3rd	Rain water harvesting pits GHPS school at Muddanahalli Village
	4th	Scientific support and awareness to local farmers to increase yield of crop and fodder
	5th	Health camp in GHPS school at Muddanahalli Village
12	EMP Budget	Rs. 32.39 Lakhs (Capital Cost) & Rs. 5.74 Lakhs (Recurring cost)
13	Forest NOC	04.12.2014
14	Quarry plan	22.08.2022
15	Cluster certificate	01.09.2022
16	Revenue NOC	20.03.2014
17	Notification	08.07.2022

The subject was discussed in the SEAC meeting held on 17<sup>th</sup>, 18<sup>th</sup> & 19<sup>th</sup> November 2022. The Committee has recommended to SEIAA for issue of EC and the extract of the proceedings of the Committee meeting is as below:

As per the cluster sketch there are 07 leases including the present lease within 500 meter radius from this lease out of which 01 lease is exempted from cluster as the lease was granted prior to 09.09.2013 and 03 leases were exempted as EC was granted prior to 15.01.2016 and the total area of remaining leases including the present lease is 4-22 Acres and hence the project is categorized as B2.

There is an existing cart track road to a length of 655 meters connecting lease area to the all weather black topped road and the committee informed that the quarrying operation should be commenced after strengthening the approach road to the quarry and road leading to crusher as per standard norms & should grow trees all along the approach road during the first year of operation, for which the proponent agreed.

Drafted by: 

117

The proponent has collected baseline data of air, water, soil and noise and all are within the permissible limits. The proponent informed that all mitigative measures will be taken to ensure that the parameters will be maintained within the permissible limits.

The committee noted that the baseline parameters are found to be within permissible limits and the committee as per the approved quarry plan, recommended the proposal for proved mineable reserve of 1,27,564 Tons (including waste) and estimated the life of the quarry as 6 years. The committee after discussion decided to recommend the proposal to SEIAA for issue of Environmental Clearance for an annual production of 66,327 Tones/ Annum (including waste) for first two years and 40,816 Tones/ Annum (including waste) for three years.

The Authority perused the proposal and took note of the recommendation of SEAC.

*The Authority after discussion decided to clear the proposal for issue of Environmental Clearance subject to following:*

1. *If the distance of nearest Protected Area (National Park/ Sanctuary/Bio sphere reserve/ migratory corridor) is within 10 KM, a certificate from the Chief Wild Life Warden (CWLW) along with his recommendation, else a certificate from the proponent that the proposed site is more than 10 KM away from any Protection Authority (PA) (National Park/ Sanctuary/Bio sphere reserve/ migratory corridor).*
2. *Safety measures proposed shall be submitted.*
3. *A time bound action plan for implementation of proposed CER activities as a part of EMP shall be furnished.*

**Additional Conditions:**

*Dust suppression measures have to be strictly followed.*

**227.1.24. Building Stone Quarry Project at Mukkdahalli Village, Chamarajanagara Taluk, Chamarajanagara District (1-18 Acres) by Sri Papanna - Online Proposal No.SIA/KA/MIN/401252/2022 (SEIAA 409 MIN 2022)**



Sri Papanna have applied for Environmental clearance from SEIAA for quarrying of Building Stone Quarry Project at Sy.No.405/3 of Mukkdahalli Village, Chamarajanagara Taluk, Chamarajanagara District (1-18 Acres)

Details of the project are as follows:

Sl. No	PARTICULARS	INFORMATION
1	Name & Address of the Projects Proponent	Sri Papanna

Drafted by

2	Name & Location of the Project	Building Stone Quarry Project at Sy.No.405/3 of Mukkadahalli Village, Chamarajanagara Taluk, Chamarajanagara District (1-18 Acres)																		
		<table border="1"> <thead> <tr> <th>Corner Point No</th> <th>Latitude</th> <th>Longitude</th> </tr> </thead> <tbody> <tr> <td>A</td> <td>N 11° 58' 01.4"</td> <td>E 76° 48' 59.0"</td> </tr> <tr> <td>B</td> <td>N 11° 58' 01.5"</td> <td>E 76° 49' 01.0"</td> </tr> <tr> <td>C</td> <td>N 11° 57' 58.2"</td> <td>E 76° 48' 58.3"</td> </tr> <tr> <td>D</td> <td>N 11° 57' 58.3"</td> <td>E 76° 48' 58.5"</td> </tr> <tr> <td>E</td> <td>N 11° 57' 58.6"</td> <td>E 76° 48' 58.6"</td> </tr> </tbody> </table>	Corner Point No	Latitude	Longitude	A	N 11° 58' 01.4"	E 76° 48' 59.0"	B	N 11° 58' 01.5"	E 76° 49' 01.0"	C	N 11° 57' 58.2"	E 76° 48' 58.3"	D	N 11° 57' 58.3"	E 76° 48' 58.5"	E	N 11° 57' 58.6"	E 76° 48' 58.6"
Corner Point No	Latitude	Longitude																		
A	N 11° 58' 01.4"	E 76° 48' 59.0"																		
B	N 11° 58' 01.5"	E 76° 49' 01.0"																		
C	N 11° 57' 58.2"	E 76° 48' 58.3"																		
D	N 11° 57' 58.3"	E 76° 48' 58.5"																		
E	N 11° 57' 58.6"	E 76° 48' 58.6"																		
3	Type Of Mineral	Building Stone Quarry																		
4	New / Expansion / Modification / Renewal	New																		
5	Type of Land [Forest, Government Revenue, Comal, Private / Patta, Other]	Patta																		
6	Area in Acres	1-18 Acres																		
7	Annual Production (Metric Ton / Cum) Per Annum	36,842 Tones/ Annum (including waste)																		
8	Project Cost (Rs. In Crores)	Rs. 1.09 Crores (Rs. 109 Lakhs)																		
9	Proved Quantity of mine/ Quarry- Cu.m / Ton	2,69,396 Tones (including waste)																		
10	Permitted Quantity Per Annum - Cu.m / Ton	35,000 Tones/ Annum (excluding waste)																		
11	<b>CER Activities: To construct additional room to near Govt. School</b>																			
	Year	Corporate Environmental Responsibility (CER)																		
	1st	Providing solar power panels to the GHPS school at Mukkadahalli village																		
	2nd	The proponent proposes to distribute nursery plants at Mukkadahalli Village & Strengthening of approach road																		
	3rd	Rain water harvesting pits to the GHPS school at Mukkadahalli village																		
	4th	Scientific support and awareness to local farmers to increase yield of crop and fodder																		
	5th	Health camp in GHPS school at Mukkadahalli village																		
12	EMP Budget	Rs. 38.86 Lakhs (Capital Cost) & Rs. 6.78 Lakhs (Recurring cost)																		
13	Forest NOC	26.04.2022																		
14	Quarry plan	08.09.2022																		

15	Cluster Certificate	14.09.2022
16	Revenue NOC	06.04.2022
17	Notification	04.08.2022

The subject was discussed in the SEAC meeting held on 17th, 18th & 19th November 2022. The Committee has recommended to SEIAA for issue of EC and the extract of the proceedings of the Committee meeting is as below:

As per the cluster sketch there are 09 leases including the present lease within 500 meter radius from this lease out of which 01 lease is exempted from cluster as the lease was granted prior to 09.09.2013 and 01 lease was exempted as EC was granted prior to 15.01.2016 and the total area of remaining leases including the present lease is 12-04 Acres and hence the project is categorized as B2.

There is an existing cart track road to a length of 860 meters connecting lease area to the all weather black topped road and the committee informed that the quarrying operation should be commenced after strengthening the approach road to the quarry and road leading to crusher as per standard norms & should grow trees all along the approach road during the first year of operation, for which the proponent agreed.

The proponent has collected baseline data of air, water, soil and noise and all are within the permissible limits. The proponent informed that all mitigative measures will be taken to ensure that the parameters will be maintained within the permissible limits.

The committee noted that the baseline parameters are found to be within permissible limits and the committee as per the approved quarry plan, recommended the proposal for proved mineable reserve of 2,69,396 Tons (including waste) and estimated the life of the quarry as 8 years. The committee after discussion decided to recommend the proposal to SEIAA for issue of Environmental Clearance for an annual production of 36,842 Tones/ Annum (including waste).

The Authority perused the proposal and took note of the recommendation of SEAC.

*The Authority after discussion decided to clear the proposal for issue of Environmental Clearance subject to following:*

- 1. If the distance of nearest Protected Area (National Park/ Sanctuary/Bio sphere reserve/ migratory corridor) is within 10 KM, a certificate from the Chief Wild Life Warden (CWLW) along with his recommendation, else a certificate from the proponent that the proposed site is more than 10 KM away from any Protection Authority (PA) (National Park/ Sanctuary/Bio sphere reserve/ migratory corridor).*
- 2. Safety measures proposed shall be submitted.*



3. A time bound action plan for implementation of proposed CTR activities as a part of EMP shall be furnished.
4. Since there is substantial quantity of generation of waste from the quarry activity, all due precautions with respect to environment management aspects of waste dump shall be observed.

**Additional Conditions:**

Dust suppression measures have to be strictly followed.

**227.1.25. Building Stone Quarry Project at Hirebettu Village, Udupi Taluk, Udupi District (3-00 Acres) by M/s. Shri math Anantheshwara Industries - Online Proposal No.SIA/KA/MIN/401760/2022 (SEIAA 413 MIN 2022)**


M/s. Shri math Anantheshwara Industries have applied for Environmental clearance from SEIAA for quarrying of Building Stone Quarry Project at Sy. No. 142/3 of Hirebettu Village, Udupi Taluk, Udupi District (3-00 Acres)

Details of the project are as follows:

Sl.No	PARTICULARS	INFORMATION															
1	Name & Address of the Projects Proponent	M/s. Shri math Anantheshwara Industries															
2	Name & Location of the Project	Building Stone Quarry Project at Sy. No. 142/3 of Hirebettu Village, Udupi Taluk, Udupi District (3-00 Acres)															
		<table border="1"> <thead> <tr> <th>Corner Point No</th> <th>Latitude</th> <th>Longitude</th> </tr> </thead> <tbody> <tr> <td>A</td> <td>N 13° 19' 12.24"</td> <td>E 74° 49' 36.06"</td> </tr> <tr> <td>B</td> <td>N 13° 19' 20.40"</td> <td>E 74° 49' 36.36"</td> </tr> <tr> <td>C</td> <td>N 13° 19' 19.35"</td> <td>E 74° 49' 40.23"</td> </tr> <tr> <td>D</td> <td>N 13° 19' 15.36"</td> <td>E 74° 49' 39.20"</td> </tr> </tbody> </table>	Corner Point No	Latitude	Longitude	A	N 13° 19' 12.24"	E 74° 49' 36.06"	B	N 13° 19' 20.40"	E 74° 49' 36.36"	C	N 13° 19' 19.35"	E 74° 49' 40.23"	D	N 13° 19' 15.36"	E 74° 49' 39.20"
Corner Point No	Latitude	Longitude															
A	N 13° 19' 12.24"	E 74° 49' 36.06"															
B	N 13° 19' 20.40"	E 74° 49' 36.36"															
C	N 13° 19' 19.35"	E 74° 49' 40.23"															
D	N 13° 19' 15.36"	E 74° 49' 39.20"															
3	Type Of Mineral	Building Stone Quarry															
4	New / Expansion / Modification / Renewal	New															
5	Type of Land [Forest, Government Revenue, Gomal, Private / Patta, Other]	Patta															
6	Area in Acres	3-00 Acres															
7	Annual Production (Metric Ton / Cum) Per Annum	94,737 Tones/ Annum (including waste)															
8	Project Cost (Rs. In Crores)	Rs. 1.34 Crores (Rs. 134 Lakhs)															

Drafted by 

121



9	Proved Quantity of mine/ Quarry- Cu.m / Ton	8,57,026 Tones (including waste)
10	Permitted Quantity Per Annum - Cu.m / Ton	90,000 Tones/ Annum (excluding waste)
11	<b>CER Activities:</b> To construct one additional room and to provide infrastructure facilities to nearby Govt. School	
	Year	Corporate Environmental Responsibility (CER)
	1 <sup>st</sup>	Providing solar power panels to common public places to the GHPS school at Hirebettu Village
	2 <sup>nd</sup>	Rain water harvesting pits to the GHPS school at Hirebettu Village
	3 <sup>rd</sup>	Conducting E-waste drive campaigns in the Hirebettu Village
	4 <sup>th</sup>	Scientific support and awareness to local farmers to increase yield of crop and fodder
	5 <sup>th</sup>	Health camp in GHPS school at Hirebettu Village
12	EMP Budget	Rs. 30.74 Lakhs (Capital Cost) & Rs. 8.57 Lakhs (Recurring cost)
13	Forest NOC	26.11.2021
14	Quarry plan	09.09.2022
15	Cluster certificate	06.09.2022
16	Revenue NOC	19.06.2021
17	Notification	23.08.2022

The subject was discussed in the SEAC meeting held on 17<sup>th</sup>, 18<sup>th</sup> & 19<sup>th</sup> November 2022. The Committee has recommended to SEIAA for issue of EC and the extract of the proceedings of the Committee meeting is as below:


As per the cluster sketch there are 02 leases including the present lease within 500 meter radius from this lease and the total area of the leases including the present lease is 4-00 Acres and hence the project is categorized as B2.

There is an existing cart track road to a length of 364 meters connecting lease area to the all weather black topped road and the committee informed that the quarrying operation should be commenced after strengthening the approach road to the quarry and road leading to crusher as per standard norms & should grow trees all along the approach road during the first year of operation, for which the proponent agreed.

The proponent has collected baseline data of air, water, soil and noise and all are within the permissible limits. The proponent informed that all mitigative measures will be taken to ensure that the parameters will be maintained within the permissible limits.

The committee noted that the baseline parameters are found to be within permissible limits and the committee as per the approved quarry plan, recommended the proposal for proved mineable reserve of 8,57,026 Tons (including waste) and estimated the life of the quarry as 9 years. The committee after discussion decided to recommend the proposal to SEIAA for issue of Environmental Clearance for an annual production of 94,737 Tones/ Annum (including waste).

Drafted by: 




The Authority perused the proposal and took note of the recommendation of SEAC.

The Authority after discussion decided to clear the proposal for issue of Environmental Clearance subject to following:

1. If the distance of nearest Protected Area (National Park/ Sanctuary/Bio sphere reserve/ migratory corridor) is within 10 KM, a certificate from the Chief Wild Life Warden (CWLW) along with his recommendation, else a certificate from the proponent that the proposed site is more than 10 KM away from any Protection Authority (PA) (National Park/ Sanctuary/Bio sphere reserve/ migratory corridor).
2. Safety measures proposed shall be submitted.
3. A time bound action plan for implementation of proposed CER activities as a part of EMP shall be furnished.
4. Since there is substantial quantity of generation of waste from the quarry activity, all due precautions with respect to environment management aspects of waste dump shall be observed.

**Additional Conditions:**

Dust suppression measures have to be strictly followed.

**227.1.26. Ordinary Sand Mining Project at Kesarabhavi Village, Ilkal Taluk, Bagalkot District (5-19 Acres) by Sri Ramesh S Yadawad - Online Proposal No.SIA/KA/MIN/402311/2022 (SEIAA 415 MIN 2022)**

Sri Ramesh S Yadawad have applied for Environmental clearance from SEIAA for quarrying of Ordinary Sand Mining Project at Sy. Nos. 129/5, 129/6, 129/7 & 129/9 of Kesarabhavi Village, Ilkal Taluk, Bagalkot District (5-19 Acres)

Details of the project are as follows:

Sl.No.	PARTICULARS	INFORMATION
1	Name & Address of the Projects Proponent	Sri Ramesh S Yadawad
2	Name & Location of the Project	Ordinary Sand Mining Project at Sy. Nos. 129/5, 129/6, 129/7 & 129/9 of Kesarabhavi Village, Ilkal Taluk, Bagalkot District (5-19 Acres)

		Corner Point No	Latitude	Longitude
		A	N 16° 01' 18.3"	E 76° 08' 23.5"
		B	N 16° 01' 19.8"	E 76° 08' 25.0"
		C	N 16° 01' 21.6"	E 76° 08' 26.2"
		D	N 16° 01' 25.0"	E 76° 08' 27.4"
		E	N 16° 01' 24.2"	E 76° 08' 30.3"
		F	N 16° 01' 22.7"	E 76° 08' 29.9"
		G	N 16° 01' 18.4"	E 76° 08' 27.9"
		H	N 16° 01' 17.5"	E 76° 08' 27.4"
3	Type Of Mineral	Ordinary Sand Quarry		
4	New / Expansion / Modification / Renewal	New		
5	Type of Land [Forest, Government Revenue, Gomal, Private / Patta, Other]	Patta		
6	Area in Acres	3-19 Acres		
7	Annual Production (Metric Ton / Cum) Per Annum	41,484 Tons for 1 <sup>st</sup> year, 42,484 Tons for 2 <sup>nd</sup> year & 10,000 Tons for 3 <sup>rd</sup> year (including waste)		
8	Project Cost (Rs. In Crores)	Rs. 1.32 Crores (Rs. 132 Lakhs)		
9	Proved Quantity of mine/ Quarry- Cu.m / Ton	93,968 Tons(including waste)		
10	Permitted Quantity Per Annum - Cu.m / Ton	41,484 Tons for 1 <sup>st</sup> year, 42,484 Tons for 2 <sup>nd</sup> year & 10,000 Tons for 3 <sup>rd</sup> year		
11	<b>CER Activities: To provide infrastructure facilities to GHPS Kesarabhavi village.</b>			
	Year	Corporate Environmental Responsibility (CER)		
	1st	Providing solar power panels and Health camp in nearby community places to the GHPS of Kesarabhavi village		
	2nd	Conducting E-waste drive campaigns in the Kesarabhavi village		
	3rd	Rain water harvesting pits to the GHPS of Kesarabhavi village		
12	EMP Budget	Rs. 28.65 Lakhs (Capital Cost) & Rs. 6.39 Lakhs (Recurring cost)		
13	Forest NOC	17.12.2020		
14	Quarry plan	26.09.2022		
15	Cluster Certificate	21.09.2022		
16	Revenue NOC	18.12.2021		
17	DIT	03.03.2022		

The subject was discussed in the SEAC meeting held on 17<sup>th</sup>, 18<sup>th</sup> & 19<sup>th</sup> November 2022. The Committee has recommended to SEIAA for issue of EC and the extract of the proceedings of the Committee meeting is as below:

The proposal is for sand quarry project in patta land and as per the joint inspection report there is no river bed sand mining in a radius of 5km from the proposed site area.

As per the cluster sketch there are 02 leases including the present lease within 500 meter radius from this lease and the total area of the leases including the present lease is 11-19 Acres and hence the project is categorized as B2.

There is an existing cart track road to a length of 570 meters connecting lease area to the all weather black topped road and the committee informed that the mining operation should be commenced after asphaltting the approach road to the quarry as per IRC norms and to strictly implement mine closure plan effectively after mining operation and also to grow trees all along the approach road/ both sides of halla during the first year of operation, for which the proponent agreed.

The proponent has collected baseline data of air, water, soil and noise and all are within the permissible limits. The proponent informed that all mitigative measures will be taken to ensure that the parameters will be maintained within the permissible limits.

The committee noted that the baseline parameters are found to be within permissible limits and the committee as per the approved quarry plan, recommended the proposal for proved mineable reserve of 93,968 Tons (including waste) and estimated the life of the quarry as 3 years. The committee after discussion decided to recommend the proposal to SEIAA for issue of Environmental Clearance for an annual production of 41,484 Tons/ Annum (including waste) for first year and 42,484 tons/annum (including waste) for second year and 10,000 tons/ annum (including waste) for third year.

The Authority perused the proposal and took note of the recommendation of SEAC.

*The Authority after discussion decided to clear the proposal for issue of Environmental Clearance subject to following:*

- 1. If the distance of nearest Protected Area (National Park/ Sanctuary/Bio sphere reserve/ migratory corridor) is within 10 KM, a certificate from the Chief Wild Life Warden (CWFLW) along with his recommendation, else a certificate from the proponent that the proposed site is more than 10 KM away from any Protection Authority (PA) (National Park/ Sanctuary/Bio sphere reserve/ migratory corridor).*
- 2. Safety measures proposed shall be submitted.*
- 3. A time bound action plan for implementation of proposed CER activities as a part of EMI shall be furnished.*

Drafted by           



- 4 The proponent shall furnish a certificate that there is no sand quarry within 5 KM of project site.

**Additional Conditions:**

- 1 Dust suppression measures have to be strictly followed.
- 2 The PP shall utilize the permission as per the Sand policy of the GoK Notification No. CI 343 MMN 2019 (Part 7) dated 01.12.2021.

**227.1.27. Building Stone Quarry Project at Bennanayakanahalli Village, Tiptur Taluk, Tumkur District (5-20 Acres) by M/s. Tirumala Enterprises - Online Proposal No. SIA/KA/MIN/402452/2022 (SEIAA 417 MIN 2022)**

M/s. Tirumala Enterprises have applied for Environmental clearance from SEIAA for quarrying of Building Stone Quarry Project at Sy. No. 127 of Bennanayakanahalli Village, Tiptur Taluk, Tumkur District (5-20 Acres)

Details of the project are as follows:

Sl.No	PARTICULARS	INFORMATION															
1	Name & Address of the Projects Proponent	M/s. Tirumala Enterprises															
2	Name & Location of the Project	Building Stone Quarry Project at Sy. No. 127 of Bennanayakanahalli Village, Tiptur Taluk, Tumkur District (5-20 Acres)															
		<table border="1"> <thead> <tr> <th>P.No.</th> <th>Latitude</th> <th>Longitude</th> </tr> </thead> <tbody> <tr> <td>A</td> <td>N13° 18' 35.40"</td> <td>E 76° 51' 55.40"</td> </tr> <tr> <td>B</td> <td>N13° 18' 35.00"</td> <td>E 76° 52' 00.70"</td> </tr> <tr> <td>C</td> <td>N13° 18' 20.60"</td> <td>E 76° 52' 00.40"</td> </tr> <tr> <td>D</td> <td>N13° 18' 20.60"</td> <td>E 76° 52' 55.60"</td> </tr> </tbody> </table>	P.No.	Latitude	Longitude	A	N13° 18' 35.40"	E 76° 51' 55.40"	B	N13° 18' 35.00"	E 76° 52' 00.70"	C	N13° 18' 20.60"	E 76° 52' 00.40"	D	N13° 18' 20.60"	E 76° 52' 55.60"
P.No.	Latitude	Longitude															
A	N13° 18' 35.40"	E 76° 51' 55.40"															
B	N13° 18' 35.00"	E 76° 52' 00.70"															
C	N13° 18' 20.60"	E 76° 52' 00.40"															
D	N13° 18' 20.60"	E 76° 52' 55.60"															
3	Type Of Mineral	Building Stone Quarry															
4	New / Expansion / Modification / Renewal	New															
5	Type of Land [Forest, Government Revenue, Comal, Private / Patta, Other]	Patta															
6	Area in Acres	5-20 Acres															
7	Annual Production (Metric Ton / Cum) Per Annum	2,43,012 Tones/ Annum (including waste)															

8	Project Cost (Rs. In Crores)	Rs. 0.45 Crores (Rs. 45 Lakhs)
9	Proved Quantity of mine/ Quarry- Cu.m / Ton	14,58,072 Tones (including waste)
10	Permitted Quantity Per Annum - Cu.m / Ton	2,38,152 Tones/ Annum (excluding waste)
11	<b>CER Activities:</b> To construct additional room to near by Govt. School and to grow 600 No. of additional plantation on either side of the approach road from quarry location to Bemanayakanahalli Village Road	
12	EMP Budget	Rs. 24.35 Lakhs (Capital Cost) & 6.79 Lakhs (Recurring cost)
13	Forest NOC	26.11.2021
14	Quarry plan	23.05.2022
15	Cluster certificate	18.08.2022
16	Revenue NOC	13.12.2021
17	Notification	24.01.2022

The subject was discussed in the SEAC meeting held on 17<sup>th</sup>, 18<sup>th</sup> & 19<sup>th</sup> November 2022. The Committee has recommended to SEIAA for issue of EC and the extract of the proceedings of the Committee meeting is as below:

As per the cluster sketch there are 03 leases including the present lease within 500 meter radius from this lease and as per the cluster sketch issued by DMG, lease period of M/s KGCIPL GSC joint venture QL No. 913 was ended on 16.08.2022 and the total area of the leases including the present lease is 11-20 Acres and hence the project is categorized as B2.

There is an existing cart track road to a length of 670 meters connecting lease area to the all weather black topped road and the committee informed that the quarrying operation should be commenced after asphaltting the approach road to the quarry and road leading to crusher as per IRC standard norms & should grow trees all along the approach road during the first year of operation, for which the proponent agreed.

The proponent has collected baseline data of air, water, soil and noise and all are within the permissible limits. The proponent informed that all mitigative measures will be taken to ensure that the parameters will be maintained within the permissible limits.

The committee noted that the baseline parameters are found to be within permissible limits and the committee as per the approved quarry plan, recommended the proposal for proved mineable reserve of 14,58,072 Tons (including waste) and estimated the life of the quarry as 6 years. The committee after discussion decided to recommend the proposal to SEIAA for issue of Environmental Clearance for an annual production of 2,43,012 Tones/ Annum (including waste).

The Authority perused the proposal and took note of the recommendation of SEAC. Further, the Authority noted the complaint received vide email (Premkumar33?sd@gmail.com) dated 08<sup>th</sup> December 2022. The details are as follows;

1. The actual extent of the area is 05-20 Acres, but in the cover page of Per-feasibility report the area is mentioned as 2-00 Acres. The extent of area is mentioned as different in different documents.
2. There is a Police firing practise ground in the east of the applied area, the distance between the ground and project area is less than 200m. Thus, the buffer zone for blasting should be left inside the site in the eastern side of the applied area. We can also see there is a dam in the north of the applied area, both the dam and Police firing ground using the same approach road for transportation.
3. In the forest NOC 1st point it is written that the site is a land bank and there is no confirmation from Tahsildar and still no sketch has been prepared which means that the land might be a land bank area. Need to be confirmed

The Authority perused the complaint and noted the contents of the same. The Authority also examined the documents of this proposal in the light of the complaint received and decided to refer the file back to SEAC. The SEAC shall look into the issues raised in the complaint diligently and obtain requisite clarifications/ documents from the Project Proponent or any other Govt departments as necessary.

**227.1.28. Building Stone Quarry Project at Hosagadde Village Sakleshpur Taluk Hassan District (10-01 Acres) by Sri Shiva Stone Crusher & M-sand Unit - Online Proposal No.SIA/KA/MIN/402498/2022 (SEIAA 418 MIN 2022)**

Sri. Shiva Stone Crusher & M-sand Unit have applied for Environmental clearance from SEIAA for quarrying of Building Stone Quarry Project at Sy. No. 95/2(P) of Hosagadde Village Sakleshpur Taluk Hassan District (10-01 Acres)

Details of the project are as follows:

Sl.No	PARTICULARS	INFORMATION
1	Name & Address of the Projects Proponent	Sri Shiva Stone Crusher & M-sand Unit
2	Name & Location of the Project	Building Stone Quarry Project at Sy. No. 95/2(P) of Hosagadde Village Sakleshpur Taluk Hassan District (10-01 Acres)



Drafted by



Sl. No.	Latitude	Longitude
A	912°55'345"	175°52'465"
B	912°55'348"	175°52'467"
C	912°55'337"	175°52'461"
D	912°55'367"	175°52'459"
E	912°55'354"	175°52'463"
F	912°55'355"	175°52'468"
G	912°55'362"	175°52'466"
H	912°55'361"	175°52'464"
I	912°55'359"	175°52'463"
J	912°55'355"	175°52'465"
K	912°55'349"	175°52'465"
L	912°55'340"	175°52'460"
M	912°55'337"	175°52'456"
N	912°55'334"	175°52'454"
O	912°55'332"	175°52'452"
P	912°55'321"	175°52'445"
Q	912°55'318"	175°52'443"
R	912°55'317"	175°52'442"
S	912°55'310"	175°52'441"
T	912°55'308"	175°52'437"
U	912°55'299"	175°52'442"
V	912°55'311"	175°52'442"
W	912°55'304"	175°52'441"
X	912°55'302"	175°52'441"
Y	912°55'302"	175°52'444"

3	Type Of Mineral	Building Stone Quarry
4	New / Expansion / Modification / Renewal	New
5	Type of Land [Forest, Government Revenue, Gornal, Private / Patta, Other]	Patta
6	Area in Acres	10.01 Acres
7	Annual Production (Metric Ton / Cum) Per Annum	3,30,394 Tones/ Annum (including waste)
8	Project Cost (Rs. In Crores)	Rs. 0.90 Crores (Rs. 90 Lakhs)
9	Proved Quantity of mine/ Quarry- Cu.m / Ton	20,80,988 Tones (including waste)
10	Permitted Quantity Per Annum - Cu.m / Ton	3,30,394 Tones/ Annum (including waste)
11	CER Activities: To provide additional room and infrastructure facilities to near by Govt. School. And to grow 1250 No. of additional plantation on either side of the approach road from quarry location to Hosagadde Village Road	
12	EMP Budget	Rs. 30.25 Lakhs (Capital Cost) & 9.25 Lakhs (Recurring cost)

13	Forest NOC	27.04.2022
14	Quarry plan	29.08.2022
15	Cluster certificate	20.08.2022
16	Revenue NOC	24.03.2022
17	Notification	05.08.2022

The subject was discussed in the SFAC meeting held on 17th, 18th & 19th November 2022. The Committee has recommended to SEIAA for issue of EC and the extract of the proceedings of the Committee meeting is as below:

As per the cluster sketch there is no other lease in a radius of 500 mtr from the said lease and the area of the said lease is 10-01 Acres and hence the project is categorized as B2.

There is an existing cart track road to a length of 1200 meters connecting lease area to the all weather black topped road and the committee informed that the quarrying operation should be commenced after asphaltting the approach road to the quarry and road leading to crusher as per IRC standard norms & should grow trees all along the approach road during the first year of operation, to provide three tier plantation all along the boundary and to manage top soil, for which the proponent agreed.


The proponent has collected baseline data of air, water, soil and noise and all are within the permissible limits. The proponent informed that all mitigative measures will be taken to ensure that the parameters will be maintained within the permissible limits.


The committee noted that the baseline parameters are found to be within permissible limits and the committee as per the approved quarry plan, recommended the proposal for proved mineable reserve of 20,80,988 Tones (including waste) and estimated the life of the quarry as 7 years. The committee after discussion decided to recommend the proposal to SEIAA for issue of Environmental Clearance for an annual production of 3,30,394 Tones/ Annum (including waste).

The Authority perused the proposal and took note of the recommendation of SFAC. Further, the Authority noted the complaint received vide email (Premkumar332sd@gmail.com) dated 08<sup>th</sup> December 2022. The details are as follows:

1. The shape of the notified area is not matching with the notified sketch, points viz; N, O & P are showing mismatches. Along with this the extent of the site is also varying. Corrected GPS points should be attached and the surface plans should be changed accordingly.
2. In production cross section the pink colour bench line and the block hatch shows that the mining is proposed inside the buffer zone (ref Section A-A green lines)
3. In the production cross section, the benches are overlapping with each other which is unscientific.

Drafted by:           





4. In forest NOC para 6 they have mentioned that there is Elephant corridor nearby the site and hence wildlife clearance must be obtained.

The Authority perused the complaint and noted the contents of the same. The Authority also examined the documents of this proposal in the light of the complaint received and decided to refer the file back to SEAC. The SEAC shall look into the issues raised in the complaint diligently and obtain requisite clarifications/documents from the Project Proponent or any other Govt departments as necessary.

**227.1.29. Building Stone Quarry Project at Hosagadde Village, Sakleshpur Taluk, Hassan District (1-12 Acres) by Sri Shiva Stone Crusher & M-sand Unit - Online Proposal No.SIA/KA/MIN/402500/2022 (SEIAA 419 MIN 2022)**

Sri Shiva Stone Crusher & M-sand Unit have applied for Environmental clearance from SEIAA for quarrying of Building Stone Quarry Project at Sy. No. 144/4 (P) of Hosagadde village, Sakleshpur Taluk, Hassan District (1-12 Acres)

Details of the project are as follows:

Sl.N <sup>o</sup>	PARTICULARS	INFORMATION																					
1	Name & Address of the Projects Proponent	Sri Shiva Stone Crusher & M-sand Unit																					
2	Name & Location of the Project	Building Stone Quarry Project at Sy. No. 144/4 (P) of Hosagadde village, Sakleshpur Taluk, Hassan District (1-12 Acres) <table border="1" style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th>Per.</th> <th>Latitude</th> <th>Longitude</th> </tr> </thead> <tbody> <tr> <td>A</td> <td>8°12'55"03"</td> <td>75°52'41"</td> </tr> <tr> <td>B</td> <td>8°12'55"03"</td> <td>75°52'43"</td> </tr> <tr> <td>C</td> <td>8°12'55"07"</td> <td>75°52'40"</td> </tr> <tr> <td>D</td> <td>8°12'55"05"</td> <td>75°52'45"</td> </tr> <tr> <td>E</td> <td>8°12'55"04"</td> <td>75°52'46"</td> </tr> <tr> <td>F</td> <td>8°12'55"05"</td> <td>75°52'46"</td> </tr> </tbody> </table>	Per.	Latitude	Longitude	A	8°12'55"03"	75°52'41"	B	8°12'55"03"	75°52'43"	C	8°12'55"07"	75°52'40"	D	8°12'55"05"	75°52'45"	E	8°12'55"04"	75°52'46"	F	8°12'55"05"	75°52'46"
Per.	Latitude	Longitude																					
A	8°12'55"03"	75°52'41"																					
B	8°12'55"03"	75°52'43"																					
C	8°12'55"07"	75°52'40"																					
D	8°12'55"05"	75°52'45"																					
E	8°12'55"04"	75°52'46"																					
F	8°12'55"05"	75°52'46"																					
3	Type Of Mineral	Building Stone Quarry																					
4	New / Expansion / Modification / Renewal	New																					
5	Type of Land [Forest, Government Revenue, Gomal, Private / Patta, Other]	Patta																					
6	Area in Acres	1-12 Acres																					
7	Annual Production (Metric Ton / Cum) Per Annum	26,826 Tones/ Annum (including waste)																					
8	Project Cost (Rs. In Crores)	Rs. 0.25 Crores (Rs. 25 Lakhs)																					

Drafted by: \_\_\_\_\_

9	Proved Quantity of mine/ Quarry- Cu.m / Ton	1,60,956 Tones (including waste)
10	Permitted Quantity Per Annum - Cu.m / Ton	26,289 Tones/ Annum (excluding waste)
11	<b>CER Activities:</b> To grow 250 No. of additional plantation on either side of the approach road from quarry location to Hosagadde Village Road	
12	FMP Budget	Rs. 13.65 Lakhs (Capital Cost) & 3.21 Lakhs (Recurring cost)
13	Forest NOC	29.04.2022
14	Quarry plan	24.08.2022
15	Cluster certificate	20.08.2022
16	Revenue NOC	24.02.2022
17	C & I Notification	05.08.2022

The subject was discussed in the SEAC meeting held on 17th, 18th & 19th November 2022. The Committee has recommended to SEIAA for issue of EC and the extract of the proceedings of the Committee meeting is as below:

As per the cluster sketch there is no other lease in a radius of 500 mtr from the said lease and the area of the said lease is 1-12 Acres and hence the project is categorized as B2.

There is an existing cart track road to a length of 1000 meters connecting lease area to the all weather black topped road and the committee informed that the quarrying operation should be commenced after strengthening the approach road to the quarry and road leading to crusher as per standard norms & should grow trees all along the approach road during the first year of operation.

The proponent has collected baseline data of air, water, soil and noise and all are within the permissible limits. The proponent informed that all mitigative measures will be taken to ensure that the parameters will be maintained within the permissible limits.

The committee noted that the baseline parameters are found to be within permissible limits and the committee as per the approved quarry plan, recommended the proposal for proved mineable reserve of 1,60,956 Tones (including waste) and estimated the life of the quarry as 6 years. The committee after discussion decided to recommend the proposal to SEIAA for issue of Environmental Clearance for an annual production of 26,826 Tones/ Annum (Including waste).

The Authority perused the proposal and took note of the recommendation of SEAC. Further, the Authority noted the complaint received vide email (Premkumar332sd@gmail.com) dated 08<sup>th</sup> December 2022. The details are as follows:

1. There are ponds near the site area within 200m buffer zone in the south-west and eastern side of the project site. Thus, proper buffer inside the site should be taken for blasting and mining purpose.
2. In forest NOC para 6 they have mentioned that there is Elephant corridor nearby the site and hence wildlife clearance must be obtained

The Authority perused the complaint and noted the contents of the same. The Authority also examined the documents of this proposal in the light of the complaint received and decided to refer the file back to SEAC. The SEAC shall look into the issues raised in the complaint diligently and obtain requisite clarifications/documents from the Project Proponent or any other Govt departments as necessary.

**227.1.30. Building Stone Quarry Project at H. Thimmapura Village, Tarikere Taluk, Chikkamagalur District (QL No. 522) (1-00 Acre) by Sri Shanmugam R - Online Proposal No.SIA/KA/MIN/267123/2022 (SEIAA 176 MIN 2022): Expansion**

Sri Shanmugam R have applied for Environmental clearance from SEIAA for quarrying of Building Stone Quarry Project at Sy. No. 26 of H. Thimmapura Village, Tarikere Taluk, Chikkamagalur District (QL No. 522) (1-00 Acre)

Details of the project are as follows:

Sl. Nos.	PARTICULARS	INFORMATION															
1	Name & Address of the Projects Proponent	Sri Shanmugam R															
2	Name & Location of the Project	Building Stone Quarry Project at Sy. No. 26 of H. Thimmapura Village, Tarikere Taluk, Chikkamagalur District (QL No. 522) (1-00 Acre)															
		<table border="1"> <thead> <tr> <th>P.No</th> <th>Latitude</th> <th>Longitude</th> </tr> </thead> <tbody> <tr> <td>A</td> <td>N 13°45'24.6"</td> <td>E 75°46'25.5"</td> </tr> <tr> <td>B</td> <td>N 13°45'24.0"</td> <td>E 75°46'24.0"</td> </tr> <tr> <td>C</td> <td>N 13°45'24.4"</td> <td>E 75°46'28.8"</td> </tr> <tr> <td>D</td> <td>N 13°45'22.5"</td> <td>E 75°46'26.7"</td> </tr> </tbody> </table>	P.No	Latitude	Longitude	A	N 13°45'24.6"	E 75°46'25.5"	B	N 13°45'24.0"	E 75°46'24.0"	C	N 13°45'24.4"	E 75°46'28.8"	D	N 13°45'22.5"	E 75°46'26.7"
P.No	Latitude	Longitude															
A	N 13°45'24.6"	E 75°46'25.5"															
B	N 13°45'24.0"	E 75°46'24.0"															
C	N 13°45'24.4"	E 75°46'28.8"															
D	N 13°45'22.5"	E 75°46'26.7"															
3	Type Of Mineral	Building Stone Quarry															
4	New / Expansion / Modification / Renewal	Modification &Expansion															

5	Type of Land [Forest, Government Revenue, Gomal, Private / Patta, Other]	Government
6	Area in Acres	1-00 Acre
7	Annual Production (Metric Ton / Cum) Per Annum	47,960 Tones/ Annum (including waste)
8	Project Cost (Rs. In Crores)	Rs. 0.30 Crores (Rs. 30 Lakhs)
9	Proved Quantity of mine/ Quarry- Cu m / Ton	2,13,845 Tones (including waste)
10	Permitted Quantity Per Annum - Cu.m / Ton	47,001 Tones/ Annum (excluding waste)
11	<b>CER Activities: To grow 250 No. of additional plantation on either side of the approach road from quarry location to Thimmapura Village Road and to contribute to Kuvempu University</b>	
12	EMP Budget	Rs. 12.45 Lakhs (Capital Cost) & 2.81 Lakhs (Recurring cost)
13	Quarry plan	09.03.2022
14	Cluster certificate	29.10.2021
15	CCR from KSPCB	06.07.2022
16	Audit Report	07.10.2022

The subject was discussed in the SEAC meeting held on 17th, 18th & 19th November 2022. The Committee has recommended to SEIAA for issue of EC and the extract of the proceedings of the Committee meeting is as below:

The proposal is for expansion, for which EC was earlier issued by SEIAA on 24.11.2015. The proponent submitted audit report till 2021-22 certified by DMG and CCR from KSPCB dated 06.07.2022.

There is an existing cart track road to a length of 900 meters connecting lease area to the all weather black topped road and the committee informed that the proposed expansion in quantity should be commenced after asphaltting the approach road to the quarry and the road connecting to the crusher as per IRC standard norms and should grow trees all along the approach road and to comply with the observations of KSPCB in the CCR, for which the proponent agreed.

The proponent has collected baseline data of air, water, soil and noise and all are within the permissible limits. The proponent informed that all mitigative measures will be taken to ensure that the parameters will be maintained within the permissible limits.

The committee noted that the baseline parameters are found to be within permissible limits and the committee as per the approved quarry plan, recommended the proposal for

Drafted by \_\_\_\_\_

proved mineable reserve of 2,13,845 tones (including waste) and estimated the life of mine to be 5 years. The committee after discussion decided to recommend the proposal to SEIAA for issue of Environmental Clearance for an annual production of 47,960 tones/ Annum (including waste).

The Authority perused the proposal and took note of the recommendation of SEAC. Further, the Authority noted the complaint received vide email (Premkumar332sd@gmail.com) dated 08<sup>th</sup> December 2022. The details are as follows;

1. Applied quarry lease area falls within 10 kms from the default ESZ of Bhudra Wildlife Sanctuary (draft)
2. The lease area extent is 01-20 acres in 24 11-2015 EC report and 01-00 acre at sketch dated on 16-06-2017.
3. There is a nala as per the village map in the north-west of the project site for which a proper buffer must be provided.
4. Site is worked in the buffer zone after obtaining TC and hence it is a case of violation

The Authority perused the complaint and noted the contents of the same. The Authority also examined the documents of this proposal in the light of the complaint received and decided to refer the file back to SEAC. The SEAC shall look into the issues raised in the complaint diligently and obtain requisite clarifications/ documents from the Project Proponent or any other Govt departments as necessary.


**227.1.31. Building Stone Quarry Project at H. Thimmapura Village, Tarikere Taluk, Chikkamagalur District (QL No. 524) (1-00 Acre) by Sri H. Halesh Kumar - Online Proposal No.SIA/KA/MIN/263753/2022 (SEIAA 144 MTN 2022)**

Sri H Halesh Kumar have applied for Environmental clearance from SEIAA for quarrying of Building Stone Quarry Project at Sy.No.26 of H. Thimmapura Village, Tarikere Taluk, Chikkamagalur District (QI. No. 524) (1-00 Acre)

Details of the project are as follows:

Sl.Nos.	PARTICULARS	INFORMATION
1	Name & Address of the Projects Proponent	Sri H. Halesh Kumar
2	Name & Location of the Project	Building Stone Quarry Project at Sy.No.26 of H. Thimmapura Village, Tarikere Taluk,

Drafted by 



185

		Chikkamagalur District (QL No. 524) (1-00 Acre)
	P.No.	Latitude Longitude
	A	N 13° 30' 37.8" E 77° 53' 37.6"
	A	N 13° 45' 15.6" E 77° 46' 32.2"
	B	N 13° 45' 22.3" E 77° 46' 35.1"
	C	N 13° 45' 20.6" E 77° 46' 35.2"
	D	N 13° 45' 19.9" E 77° 46' 35.4"
	E	N 13° 45' 19.0" E 77° 46' 35.8"
3	Type Of Mineral	Building Stone Quarry
4	New / Expansion / Modification / Renewal	Expansion
5	Type of Land [Forest, Government Revenue, Gomal, Private / Patta, Other]	Government
6	Area in Acres	1-00 Acre
7	Annual Production (Metric Ton / Cum) Per Annum	48,870 Tones/ Annum (including waste)
8	Project Cost (Rs. In Crores)	Rs. 0.20 Crores (Rs. 20 Lakhs)
9	Proved Quantity of mine/ Quarry- Cu.m / Ton	2,17,370 Tones (including waste)
10	Permitted Quantity Per Annum - Cu.m / Ton	47,893 Tones/ Annum (excluding waste)
11	CER Activities: To grow 250 No. of additional plantation on either side of the approach road from quarry location to Thimnapura Village Road and to contribute to Kuvempu University	
12	EMP Budget	Rs. 14.80 Lakhs (Capital Cost) & 3.15 Lakhs (Recurring cost)
13	Quarry plan	19.01.2022
14	Cluster certificate	29.10.2021
15	CCR from KSPCB	06.07.2022
16	Audit Report	28.09.2021

The subject was discussed in the SEAC meeting held on 17th, 18th & 19th November 2022. The Committee has recommended to SEIAA for issue of EC and the extract of the proceedings of the Committee meeting is as below:



The proposal is for expansion, for which EC was earlier issued by SEIAA on 16.12.2015. The proponent submitted audit report till 2021-22 certified by DMG and CCR from KSPCB dated 06.07.2022.

There is an existing cart track road to a length of 900 meters connecting lease area to the all weather black topped road and the committee informed that the proposed expansion in quantity should be commenced after asphaltting the approach road to the quarry and the road connecting to the crusher as per IRC standard norms and should grow trees all along the approach road and to comply with the observations of KSPCB in the CCR, for which the proponent agreed.

The proponent has collected baseline data of air, water, soil and noise and all are within the permissible limits. The proponent informed that all mitigative measures will be taken to ensure that the parameters will be maintained within the permissible limits.

The committee noted that the baseline parameters are found to be within permissible limits and the committee as per the approved quarry plan, recommended the proposal for proved mineable reserve of 2,17,370 tones (including waste) and estimated the life of mine to be 5 years. The committee after discussion decided to recommend the proposal to SEIAA for issue of Environmental Clearance for an annual production of 48,870 tones/ Annum (including waste).

The Authority perused the proposal and took note of the recommendation of SEAC. Further, the Authority noted the complaint received vide email (Premkumar332sd@gmail.com) dated 08<sup>th</sup> December 2022. The details are as follows;

1. According to the sketch the applied area is in Thimmapura, but the uploaded GPS boundary is wrong. The shape of the applied area is different in the notified sketch and the quarry plan. The Extent of the site is 1 acre but according to the given GPS points the extent of the area is 0.52 acre
2. Site is worked in the buffer zone even after getting EC which is a violation of EC conditions

The Authority perused the Complaint and noted the contents. The Authority also verified the documents and it was observed there are some discrepancies in the kml and GPS readings in the Notified Sketch. The Authority decided to refer file back to SEAC. The SEAC to look into issues raised in the complaint diligently and obtain requisite clarification/ documents from Project Proponent / Govt. departments as necessary.

**227.1.32. Building Stone Quarry Project at Yarebore Kaval Village, Hassan Taluk & District (1-08 Acres) by Sri Dinesh C - Online Proposal No.SIA/KA/MIN/291078/2022 (SEIAA 386 MIN 2022)**

Sri Dinesh C have applied for Environmental clearance from SEIAA for quarrying Building Stone Quarry Project at Sy. No. 95/3 (P) of Yarebore Kaval Village, Hassan Taluk & District (1-08 Acres)

Drafted by \_\_\_\_\_



Details of the project are as follows:

Sl.No	PARTICULARS	INFORMATION																		
1	Name & Address of the Projects Proponent	Sri Dinesh C																		
2	Name & Location of the Project	Building Stone Quarry Project at Sy. No. 95/3 (P) of Yarebore Kaval Village, Hassan Taluk & District (1.08 Acres) <table border="1" style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th>P. No.</th> <th>Latitude</th> <th>Longitude</th> </tr> </thead> <tbody> <tr> <td>A</td> <td>N 12° 55' 16.2"</td> <td>E 76° 04' 56.2"</td> </tr> <tr> <td>B</td> <td>N 12° 55' 16.5"</td> <td>E 76° 04' 56.2"</td> </tr> <tr> <td>C</td> <td>N 12° 55' 16.1"</td> <td>E 76° 04' 56.5"</td> </tr> <tr> <td>D</td> <td>N 12° 55' 16.2"</td> <td>E 76° 04' 56.1"</td> </tr> <tr> <td>E</td> <td>N 12° 55' 16.5"</td> <td>E 76° 04' 56.1"</td> </tr> </tbody> </table>	P. No.	Latitude	Longitude	A	N 12° 55' 16.2"	E 76° 04' 56.2"	B	N 12° 55' 16.5"	E 76° 04' 56.2"	C	N 12° 55' 16.1"	E 76° 04' 56.5"	D	N 12° 55' 16.2"	E 76° 04' 56.1"	E	N 12° 55' 16.5"	E 76° 04' 56.1"
P. No.	Latitude	Longitude																		
A	N 12° 55' 16.2"	E 76° 04' 56.2"																		
B	N 12° 55' 16.5"	E 76° 04' 56.2"																		
C	N 12° 55' 16.1"	E 76° 04' 56.5"																		
D	N 12° 55' 16.2"	E 76° 04' 56.1"																		
E	N 12° 55' 16.5"	E 76° 04' 56.1"																		
3	Type Of Mineral	Building Stone Quarry																		
4	New / Expansion / Modification / Renewal	New																		
5	Type of Land [Forest, Government Revenue, Gomal, Private / Patta, Other]	Patta																		
6	Area in Acres	1.08 Acres																		
7	Annual Production (Metric Ton / Cum) Per Annum	26,300 Tones/ Annum (including waste)																		
8	Project Cost (Rs. In Crores)	Rs. 0.25 Crores (Rs. 25 Lakhs)																		
9	Proved Quantity of mine/ Quarry- Cu.m / Ton	2,10,400 Tones (including waste)																		
10	Permitted Quantity Per Annum - Cu.m / Ton	23,774 Tones/ Annum (excluding waste)																		
11	<b>CER Activities:</b> To grow 250 No. of additional plantation on either side of the approach road from quarry location to Yarebore Kaval Village Road																			
12	EMP Budget	Rs. 12.85 Lakhs (Capital Cost) & 3.05 Lakhs (Recurring cost)																		
13	Forest NOC	02.02.2022																		
14	Quarry plan	12.08.2022																		
15	Cluster certificate	12.08.2022																		
16	Notification	03.08.2022																		
17	Revenue	06.12.2021																		

The subject was discussed in the SEAC meeting held on 17th, 18th & 19th November 2022. The Committee has recommended to SEIAA for issue of EC and the extract of the proceedings of the Committee meeting is as below:

As per the cluster sketch there is no other lease in a radius of 500mtr from the said lease and the area of the said lease is 1-08 Acres and hence the project is categorized as B2.

There is an existing cart track road to a length of 300 meters connecting lease area to the all weather black topped road and the committee informed that the quarrying operation should be commenced after asphaltting the approach road to the quarry and road leading to crusher as per IRC standard norms & should grow trees all along the approach road during the first year of operation, to provide three tier plantation all along the boundary and to manage top soil, for which the proponent agreed.

The proponent has collected baseline data of air, water, soil and noise and all are within the permissible limits. The proponent informed that all mitigative measures will be taken to ensure that the parameters will be maintained within the permissible limits.

The committee noted that the baseline parameters are found to be within permissible limits and the committee as per the approved quarry plan, recommended the proposal for proved mineable reserve of 2,10,400 Tones (including waste) and estimated the life of the quarry as 8 years. The committee after discussion decided to recommend the proposal to SEIAA for issue of Environmental Clearance for an annual production of 26,300 Tones/Annum (including waste)

The Authority perused the proposal and took note of the recommendation of SEAC. Further, the Authority noted the complaint received vide email (Premkumar332sd@gmail.com) dated 08<sup>th</sup> December 2022. The details are as follows:

1. The DMG has not given correct extended 500m buffer cluster sketch as there are many leases in the cluster recent one among which is the proposal of Krishnagouda with 01-00-acre. Proposal Number: SIA/KA/MIN/785658/2022 and File No: SEIAA 347 MIN 2022, this site was uploaded recently and for which already EC has been granted on 19/09/2022. Proper 500m buffer zone should include in the cluster sketch and the distance between applied lease area and the Krishnagouda site, which is 387.85m in the northern side must also be shown.
2. The project site is worked before obtaining the Environmental Clearance as in the historical satellite image the workings are varying from 2015 to 2022. Hence this project is in violation to the EIA Notification, 2006
3. There is a nala and a lake as per the village map towards south for which proper buffer must be provided. We also see that there is no site photos attached in any of the documents.

The Authority perused the complaint and noted the contents of the same. The Authority also examined the documents of this proposal in the light of the complaint received and decided to refer the file back to SEAC. The SEAC shall look into the issues raised in the complaint diligently and obtain requisite clarifications/documents from the Project Proponent or any other Govt departments as necessary.

**227.1.33. Ornamental Granite (Grey Granite) Quarry Project at Kakkihalli Village, Kukanoor Taluk, Koppal District (4-06 Acres) by Sri Mahendra Kumar Naik - Online Proposal No.SIA/KA/MIN/403020/2022 (SEIAA 425 MIN 2022)**

Sri Mahendra Kumar Naik have applied for Environmental clearance from SEIAA for quarrying of Ornamental Granite (Grey Granite) Quarry Project at Sy. Nos. 49 & 50 of Kakkihalli Village, Kukanoor Taluk, Koppal District (4-06 Acres)

Details of the project are as follows:

Sl.No	PARTICULARS	INFORMATION																														
1	Name & Address of the Projects Proponent	Sri Mahendra Kumar Naik																														
2	Name & Location of the Project	Ornamental Granite (Grey Granite) Quarry Project at Sy. Nos. 49 & 50 of Kakkihalli Village, Kukanoor Taluk, Koppal District (4-06 Acres) <table border="1"> <thead> <tr> <th>C/P</th> <th>Latitude</th> <th>Longitude</th> </tr> </thead> <tbody> <tr> <td>A</td> <td>N 15°30'32.80"</td> <td>E 76° 01' 26.60"</td> </tr> <tr> <td>B</td> <td>N 15°30'30.20"</td> <td>E 76° 01' 26.70"</td> </tr> <tr> <td>C</td> <td>N 15°30'30.80"</td> <td>E 76° 01' 30.20"</td> </tr> <tr> <td>D</td> <td>N 15°30'32.50"</td> <td>E 76° 01' 25.90"</td> </tr> <tr> <td>E</td> <td>N 15°31'35.40"</td> <td>E 75° 01' 26.90"</td> </tr> <tr> <td>F</td> <td>N 15°31'31.50"</td> <td>E 76° 01' 37.00"</td> </tr> <tr> <td>G</td> <td>N 15°30'32.50"</td> <td>E 76° 01' 40.80"</td> </tr> <tr> <td>H</td> <td>N 15°30'33.20"</td> <td>E 76° 01' 40.70"</td> </tr> <tr> <td>I</td> <td>N 15°30'34.00"</td> <td>E 76° 01' 40.50"</td> </tr> </tbody> </table>	C/P	Latitude	Longitude	A	N 15°30'32.80"	E 76° 01' 26.60"	B	N 15°30'30.20"	E 76° 01' 26.70"	C	N 15°30'30.80"	E 76° 01' 30.20"	D	N 15°30'32.50"	E 76° 01' 25.90"	E	N 15°31'35.40"	E 75° 01' 26.90"	F	N 15°31'31.50"	E 76° 01' 37.00"	G	N 15°30'32.50"	E 76° 01' 40.80"	H	N 15°30'33.20"	E 76° 01' 40.70"	I	N 15°30'34.00"	E 76° 01' 40.50"
C/P	Latitude	Longitude																														
A	N 15°30'32.80"	E 76° 01' 26.60"																														
B	N 15°30'30.20"	E 76° 01' 26.70"																														
C	N 15°30'30.80"	E 76° 01' 30.20"																														
D	N 15°30'32.50"	E 76° 01' 25.90"																														
E	N 15°31'35.40"	E 75° 01' 26.90"																														
F	N 15°31'31.50"	E 76° 01' 37.00"																														
G	N 15°30'32.50"	E 76° 01' 40.80"																														
H	N 15°30'33.20"	E 76° 01' 40.70"																														
I	N 15°30'34.00"	E 76° 01' 40.50"																														
3	Type Of Mineral	Ornamental Granite (Grey Granite) Quarry																														
4	New / Expansion / Modification / Renewal	New																														
5	Type of Land [Forest, Government Revenue, Gomal, Private / Patta, Other]	Patta																														
6	Area in Acres	4-06 Acres																														
7	Annual Production (Metric Ton / Cum) Per Annum	4,000 Cum/ Annum (including waste) I Year 5,000 Cum/ Annum (including waste) II Year																														

Drafted by

		6,668 Cum/ Annum (including waste) III Year 6,668 Cum/ Annum (including waste) IV Year 6,668 Cum/ Annum (including waste) V Year
8	Project Cost (Rs. In Crores)	Rs. 0.45 Crores (Rs 45 Lakhs)
9	Proved Quantity of mine/ Quarry- Cu.m / Ton	1,20,925 Cum (including waste)
10	Permitted Quantity Per Annum - Cu.m / Ton	1,200 Cum/ Annum (excluding waste) I Year 1,500 Cum/ Annum (excluding waste) II Year 2,000 Cum/ Annum (excluding waste) III Year 2,000 Cum/ Annum (excluding waste) IV Year 2,000 Cum/ Annum (excluding waste) V Year
11	<b>CER Activities:</b> To grow 400 No. of additional plantation on either side of the approach road from quarry location to Shivapura Village Road and to provide additional room and infrastructure to Govt. School in Kakkihalli village.	
12	FMP Budget	Rs. 18.00 Lakhs (Capital Cost) & 4.88 Lakhs (Recurring cost)
13	Forest NOC	21.09.2021
14	Quarry plan	23.09.2022
15	Cluster certificate	27.09.2022
16	Revenue NOC	31.08.2021
17	C & I Notification	07.09.2022

The subject was discussed in the SEAC meeting held on 17th, 18th & 19th November 2022. The Committee has recommended to SELAA for issue of EC and the extract of the proceedings of the Committee meeting is as below:

As per the cluster sketch there is no other lease in a radius of 500mtr from the said lease and the area of the said lease is 4.06 Acres and hence the project is categorized as B2.

There is an existing cart track road to a length of 500 meters connecting lease area to the all weather black topped road and the committee informed that the quarrying operation should be commenced after asphaltting the approach road to the quarry as per IRC standard

norms & should grow trees all along the approach road during the first year of operation, for which the proponent agreed.

The proponent has collected baseline data of air, water, soil and noise and all are within the permissible limits. The proponent informed that all mitigative measures will be taken to ensure that the parameters will be maintained within the permissible limits.

The committee noted that the baseline parameters are found to be within permissible limits and the committee as per the approved quarry plan, recommended the proposal for proved mineable reserve of 1,20,925 Tones(including waste) and estimated the life of the quarry as 8 years. The committee after discussion decided to recommend the proposal to SEIAA for issue of Environmental Clearance for an annual production of 4,001Cum/ Annum (including waste) I Year, 5,000 Cum/ Annum (including waste) II Year, 6,668 Cum/ Annum (including waste) III Year, 6,668 Cum/ Annum (including waste) IV Year and 6,668 Cum/ Annum (including waste) V Year.

The Authority perused the proposal and took note of the recommendation of SEAC. Further, the Authority noted the complaint received vide email (Premkumar332sd@gmail.com) dated 08<sup>th</sup> December 2022. The details are as follows;


1. The DMG has not represented the Ornamental Stone (Grey Granite) Quarry of Sri. R Gururaj in 500m buffer in the cluster sketch, which is not exempted. This Sri. R Gururaj file was uploaded in the portal and has proposal number SIA/KA/MIN/203647/2021 and File No. SEIAA 143 MIN 2021 EC was granted on 20.11.2021 and this site is within 500m from the proposed site
2. There is some litigation in the site and as per the district task force committee decision once the court issue is resolved then the whole area can be considered for quarrying. In the form 1 point no. 24 also there is no mention of the litigations.
3. Also the site is marked towards South east portion if we check the latest google image

The Authority perused the complaint and noted the contents of the same. The Authority also examined the documents of this proposal in the light of the complaint received and decided to refer the file back to SEAC. The SEAC shall look into the issues raised in the complaint diligently and obtain requisite clarifications/ documents from the Project Proponent or any other Govt departments as necessary.

**227.1.34. Building Stone Quarry Project at Thondavadi Village, Gundlupete Taluk, Chamarajanagar District (3-23.08 Acres) by Sri C S Narayana - Online Proposal No.SIA/KA/MIN/403311/2022 (SEIAA 429 MIN 2022)**

Sri C S Narayana have applied for Environmental clearance from SEIAA for quarrying of Building Stone Quarry project at Sy. Nos.218/1, 219/1 & 219/2 of Thondavadi Village, Gundlupete Taluk, Chamarajanagar District (3-23.08 Acres)

Drafted by           

 142

Details of the project are as follows:

SLNo	PARTICULARS	INFORMATION																					
1	Name & Address of the Projects Proponent	Sri C S Narayana																					
2	Name & Location of the Project	Building Stone Quarry project at Sy. Nos.218/1, 219/1 & 219/2 of Thondavadi Village, Gundlupete Taluk, ChamaraJanagar District (3-23.08 Acres) <table border="1"> <thead> <tr> <th>Corner Point No</th> <th>Latitude</th> <th>Longitude</th> </tr> </thead> <tbody> <tr> <td>A</td> <td>N 11° 57' 55.9"</td> <td>E 76° 40' 51.9"</td> </tr> <tr> <td>B</td> <td>N 11° 57' 52.7"</td> <td>E 76° 40' 51.9"</td> </tr> <tr> <td>C</td> <td>N 11° 57' 52.7"</td> <td>E 76° 40' 51.5"</td> </tr> <tr> <td>D</td> <td>N 11° 57' 51.5"</td> <td>E 76° 40' 51.5"</td> </tr> <tr> <td>E</td> <td>N 11° 57' 51.4"</td> <td>E 76° 40' 48.5"</td> </tr> <tr> <td>F</td> <td>N 11° 57' 55.7"</td> <td>E 76° 40' 46.1"</td> </tr> </tbody> </table>	Corner Point No	Latitude	Longitude	A	N 11° 57' 55.9"	E 76° 40' 51.9"	B	N 11° 57' 52.7"	E 76° 40' 51.9"	C	N 11° 57' 52.7"	E 76° 40' 51.5"	D	N 11° 57' 51.5"	E 76° 40' 51.5"	E	N 11° 57' 51.4"	E 76° 40' 48.5"	F	N 11° 57' 55.7"	E 76° 40' 46.1"
Corner Point No	Latitude	Longitude																					
A	N 11° 57' 55.9"	E 76° 40' 51.9"																					
B	N 11° 57' 52.7"	E 76° 40' 51.9"																					
C	N 11° 57' 52.7"	E 76° 40' 51.5"																					
D	N 11° 57' 51.5"	E 76° 40' 51.5"																					
E	N 11° 57' 51.4"	E 76° 40' 48.5"																					
F	N 11° 57' 55.7"	E 76° 40' 46.1"																					
3	Type Of Mineral	Building Stone Quarry																					
4	New / Expansion / Modification / Renewal	New																					
5	Type of Land [Forest, Government Revenue, Gomal, Private / Patta, Other]	Patta																					
6	Area in Acres	3-23.08 Acres																					
7	Annual Production (Metric Ton / Cum) Per Annum	1,31,579 Tons/ Annum (including waste)																					
8	Project Cost (Rs. In Crores)	Rs. 1.38 Crores (Rs. 138 Lakhs)																					
9	Proved Quantity of mine/ Quarry- Cum / Ton	13,01,178 Tons (including waste)																					
10	Permitted Quantity Per Annum - Cum / Ton	1,25,000 Tons/ Annum (excluding waste)																					
11	<b>CER Activities: To construct additional room to GHPS in Thondavadi village.</b> <table border="1"> <thead> <tr> <th>Year</th> <th>Corporate Environmental Responsibility (CER)</th> </tr> </thead> <tbody> <tr> <td>1st</td> <td>Providing solar power panels to GHPS in Thondavadi Village.</td> </tr> <tr> <td>2nd</td> <td>Conducting E-waste drive campaigns in the Thondavadi Village</td> </tr> <tr> <td>3rd</td> <td>Rain water harvesting pits to the GHPS school at Thondavadi Village.</td> </tr> <tr> <td>4th</td> <td>Scientific support and awareness to local farmers to increase yield of crop and fodder.</td> </tr> <tr> <td>5th</td> <td>Health camp in the GHPS school at Thondavadi Village.</td> </tr> </tbody> </table>		Year	Corporate Environmental Responsibility (CER)	1st	Providing solar power panels to GHPS in Thondavadi Village.	2nd	Conducting E-waste drive campaigns in the Thondavadi Village	3rd	Rain water harvesting pits to the GHPS school at Thondavadi Village.	4th	Scientific support and awareness to local farmers to increase yield of crop and fodder.	5th	Health camp in the GHPS school at Thondavadi Village.									
Year	Corporate Environmental Responsibility (CER)																						
1st	Providing solar power panels to GHPS in Thondavadi Village.																						
2nd	Conducting E-waste drive campaigns in the Thondavadi Village																						
3rd	Rain water harvesting pits to the GHPS school at Thondavadi Village.																						
4th	Scientific support and awareness to local farmers to increase yield of crop and fodder.																						
5th	Health camp in the GHPS school at Thondavadi Village.																						

12	EMP Budget	Rs. 43.25 Lakhs (Capital Cost) & Rs. 8.61 Lakhs (Recurring cost)
13	Forest NOC	09.09.2022
14	Quarry plan	27.09.2022
15	Cluster certificate	28.09.2022
16	Revenue NOC	09.09.2022
17	Notification	23.09.2022

The subject was discussed in the SEAC meeting held on 17th, 18th & 19th November 2022. The Committee has recommended to SEIAA for issue of EC and the extract of the proceedings of the Committee meeting is as below:

As per the cluster sketch there is no other lease in a radius of 500mtr from the said lease and the area of the said lease is 3-23.08 Acres and hence the project is categorized as B2.

There is an existing cart track road to a length of 758 meters connecting lease area to the all weather black topped road and the committee informed that the quarrying operation should be commenced after asphaltting the approach road to the quarry and road leading to crusher as per IRC standard norms & should grow trees all along the approach road during the first year of operation, for which the proponent agreed.

The proponent has collected baseline data of air, water, soil and noise and all are within the permissible limits. The proponent informed that all mitigative measures will be taken to ensure that the parameters will be maintained within the permissible limits.

The committee noted that the baseline parameters are found to be within permissible limits and the committee as per the approved quarry plan, recommended the proposal for proved mineable reserve of 13,01,178 Tones (including waste) and estimated the life of the quarry as 10 years. The committee after discussion decided to recommend the proposal to SEIAA for issue of Environmental Clearance for an annual production of 1,31,579 Tones/Annum (Including waste)

The Authority perused the proposal and took note of the recommendation of SEAC.

The Authority after discussion decided to clear the proposal for issue of Environmental Clearance subject to following:

1. If the distance of nearest Protected Area (National Park/ Sanctuary/Bio sphere reserve/ migratory corridor) is within 10 KM, a certificate from the Chief Wild Life Warden (CWLW) along with his recommendation, else a certificate from the proponent that the proposed site is more than 10 KM away from any Protection Authority (PA) (National Park/ Sanctuary/Bio sphere reserve/ migratory corridor).
2. Safety measures proposed shall be submitted.



3. A time bound action plan for implementation of proposed CTR activities as a part of EMI shall be furnished.

**Additional Conditions:**



Dust suppression measures have to be strictly followed.

**227.1.35. Pink Granite Quarry Project at Kadur Village, Kushtagi Taluk, Koppal District (6-09 Acres) by M/s. Shashikiran Granites - Online Proposal No.SIA/KA/MIN/268836/2022 (SEIAA 191 MIN 2022)**

M/s. Shashikiran Granites have applied for Environmental clearance from SEIAA for quarrying of Pink Granite Quarry Project at Sy. Nos. 48/1/2, 48/1/3, 48/1/5 & 48/1/6 of Kadur Village, Kushtagi Taluk, Koppal District (6-09 Acres)

Details of the project are as follows:

S.N	PARTICULARS	INFORMATION
1	Name & Address of the Projects Proponent	M/s. Shashikiran Granites
2	Name & Location of the Project	Pink Granite Quarry Project at Sy. Nos. 48/1/2, 48/1/3, 48/1/5 & 48/1/6 of Kadur Village, Kushtagi Taluk, Koppal District (6-09 Acres)
	Corner Point No	Latitude Longitude
	A	N 15° 59' 14.61150" E 76° 00' 17.10115"
	B	N 15° 59' 14.80321" E 76° 00' 19.52221"
	C	N 15° 59' 17.35632" E 76° 00' 19.51165"
	D	N 15° 59' 17.37162" E 76° 00' 20.47789"
	E	N 15° 59' 24.71190" E 76° 00' 20.47635"
	F	N 15° 59' 22.43210" E 76° 00' 18.85336"
	G	N 15° 59' 22.56718" E 76° 00' 17.02210"
3	Type Of Mineral	Pink Granite Quarry
4	New / Expansion / Modification / Renewal	Expansion
5	Type of Land [Forest, Government Revenue,	Patta

	Gomal, Private / Patta, Other]	
6	Area in Acres	6.09 Acres
7	Annual Production (Metric Ton / Cum) Per Annum	13,333 Cum/ Annum (including waste)
8	Project Cost (Rs. In Crores)	Rs. 1.65 Crores (Rs. 165 Lakhs)
9	Proved Quantity of mine/ Quarry- Cu.m / Ton	5,43,490 Cum (including waste)
10	Permitted Quantity Per Annum - Cu.m / Ton	4,000 Cum/ Annum (excluding waste)
11	CER Activities:	
	<b>Year</b>	<b>Corporate Environmental Responsibility (CER)</b>
	1st	Providing solar power panels to the GLPS school at Kadoor village
	2nd	Rain water harvesting pits to GLPS school at Kadoor village
	3rd	Avenue plantation either side of the approach road near Quarry site & Repair of road With drainages
	4th	Conducting E-waste drive campaigns in GLPS school at Kadoor village
	5th	Health camp in GLPS school at Kadoor village
12	FMP Budget	Rs. 58.39 Lakhs (Capital Cost) & Rs. 19.04 Lakhs (Recurring cost)
13	Forest NOC	17.02.2012
14	Quarry plan	13.12.2021
15	Cluster certificate	24.03.2022
16	Revenue NOC	24.03.2012
17	C & I Notification	12.10.2021
18	CCR from KSPCB	17.09.2022
19	Audit Report	08.09.2022

The subject was discussed in the SEAC meeting held on 17th, 18th & 19th November 2022. The Committee has recommended to SEIAA for issue of EC and the extract of the proceedings of the Committee meeting is as below:

The proposal is for expansion, for which EC was earlier issued by SEIAA on 27.05.2013. The proponent submitted audit report till 2021-22 certified by DMG and CCR from KSPCB dated 17.09.2022.

There is an existing cart track road to a length of 390 meters connecting lease area to the all weather black topped road and the committee informed that the proposed expansion in quantity should be commenced after asphaltting the approach road to the quarry as per

Drafted by

[RC standard norms and should grow trees all along the approach road and to comply with the observations of KSPCB in the CCR, for which the proponent agreed.

The proponent has collected baseline data of air, water, soil and noise and all are within the permissible limits. The proponent informed that all mitigative measures will be taken to ensure that the parameters will be maintained within the permissible limits.

The committee noted that the baseline parameters are found to be within permissible limits and the committee as per the approved quarry plan, recommended the proposal for proved mineable reserve of 5,43,490 cum (including waste) and estimated the life of mine to be coterminous with lease period. The committee after discussion decided to recommend the proposal to SEIAA for issue of Environmental Clearance for an annual production of 13,333cum/ Annum (including waste).

The Authority perused the proposal and took note of the recommendation of SEAC. Further, the Authority noted the complaint received vide email (Premkumar332sd@gmail.com) dated 08<sup>th</sup> December 2022. The details are as follows;

1. If we check the google image, then it can be confirmed that the site is worked in the buffer zone even after obtaining the EC and this is a violation of EC.

The Authority perused the complaint and noted the contents of the same. The Authority also examined the documents of this proposal in the light of the complaint received and decided to refer the file back to SEAC. The SEAC shall look into the issues raised in the complaint diligently and obtain requisite clarifications/ documents from the Project Proponent or any other Govt departments as necessary.

**227.1.36. Building Stone Quarry Project at Arakere Village Byrapura Village, Arasikere Taluk, Hassan District (2-00 Acres) (QL No. HMG - 507) by Sri Jenukal Industries - Online Proposal No.S1A/KA/MIN/270351/2022 (SEIAA 210 MIN 2022): Expansion**

Sri Jenukal Industries have applied for Environmental clearance from SEIAA for quarrying of Building Stone Quarry Project at Sy. No. 180 (P) of Arakere Village & Sy. No.21 (P) Byrapura Village, Arasikere Taluk, Hassan District (2-00 Acres) (QL No. HMG - 507)

Details of the project are as follows:

SLN o	PARTICULARS	INFORMATION
1	Name & Address of the Projects Proponent	Sri Jenukal Industries

Drafted by

2	Name & Location of the Project	Building Stone Quarry Project at Sy. No. 180 (P) of Arakere Village & Sy. No 21 (P) Byrapura Village, Arasikere Taluk, Hassan District (2-00 Acres) (QL No. HMG - 507)															
		<table border="1"> <thead> <tr> <th>Corner Point No</th> <th>Latitude</th> <th>Longitude</th> </tr> </thead> <tbody> <tr> <td>A</td> <td>N 13° 21' 02.4"</td> <td>E 76° 08' 01.3"</td> </tr> <tr> <td>B</td> <td>N 13° 20' 59.8"</td> <td>E 76° 07' 59.9"</td> </tr> <tr> <td>C</td> <td>N 13° 20' 55.1"</td> <td>E 76° 08' 04.2"</td> </tr> <tr> <td>D</td> <td>N 13° 20' 57.5"</td> <td>E 76° 08' 05.4"</td> </tr> </tbody> </table>	Corner Point No	Latitude	Longitude	A	N 13° 21' 02.4"	E 76° 08' 01.3"	B	N 13° 20' 59.8"	E 76° 07' 59.9"	C	N 13° 20' 55.1"	E 76° 08' 04.2"	D	N 13° 20' 57.5"	E 76° 08' 05.4"
Corner Point No	Latitude	Longitude															
A	N 13° 21' 02.4"	E 76° 08' 01.3"															
B	N 13° 20' 59.8"	E 76° 07' 59.9"															
C	N 13° 20' 55.1"	E 76° 08' 04.2"															
D	N 13° 20' 57.5"	E 76° 08' 05.4"															
3	Type Of Mineral	Building Stone Quarry															
4	New / Expansion / Modification / Renewal	Expansion															
5	Type of Land [Forest, Government Revenue, Gomal, Private / Patta, Other]	Government															
6	Area in Acres	2-00 Acres															
7	Annual Production (Metric Ton / Cum) Per Annum	78,947 Tones/ Annum (including waste)															
8	Project Cost (Rs. In Crores)	Rs. 1.14 Crores (Rs. 114 Lakhs)															
9	Proved Quantity of mine/ Quarry- Cu.m / Ton	6,04,195 Tones (including waste)															
10	Permitted Quantity Per Annum - Cu.m / Ton	75,000 Tones/ Annum (excluding waste)															
11	<b>CER Activities:</b> <table border="1"> <thead> <tr> <th>Year</th> <th>Corporate Environmental Responsibility (CER)</th> </tr> </thead> <tbody> <tr> <td>1st</td> <td>Providing solar power panels to GHPS school at Arakere village</td> </tr> <tr> <td>2nd</td> <td>Rain water harvesting pits GHPS school at Arakere village</td> </tr> <tr> <td>3rd</td> <td>Scientific support and awareness to local farmers to increase yield of crop and fodder</td> </tr> <tr> <td>4th</td> <td>Avenue plantation either side of the approach road near Quarry site &amp; Repair of road with drainages</td> </tr> <tr> <td>5th</td> <td>Health camp in GHPS school at Arakere village</td> </tr> </tbody> </table>		Year	Corporate Environmental Responsibility (CER)	1st	Providing solar power panels to GHPS school at Arakere village	2nd	Rain water harvesting pits GHPS school at Arakere village	3rd	Scientific support and awareness to local farmers to increase yield of crop and fodder	4th	Avenue plantation either side of the approach road near Quarry site & Repair of road with drainages	5th	Health camp in GHPS school at Arakere village			
Year	Corporate Environmental Responsibility (CER)																
1st	Providing solar power panels to GHPS school at Arakere village																
2nd	Rain water harvesting pits GHPS school at Arakere village																
3rd	Scientific support and awareness to local farmers to increase yield of crop and fodder																
4th	Avenue plantation either side of the approach road near Quarry site & Repair of road with drainages																
5th	Health camp in GHPS school at Arakere village																
12	EMP Budget	Rs. 58.96 Lakhs (Capital Cost) & Rs. 8.32 Lakhs (Recurring cost)															
13	Forest NOC																
14	Quarry plan	07.04.2022															

15	Cluster certificate	28.04.2022
16	Audit Report	20.10.2022
17	CCR from KSPCB	20.09.2022
18	Revenue	18.12.2014
19	Notification	23.05.2015

The subject was discussed in the SEAC meeting held on 17th, 18th & 19th November 2022. The Committee has recommended to SEIAA for issue of EC and the extract of the proceedings of the Committee meeting is as below:

The proposal is for expansion, for which EC was earlier issued by SEIAA on 17.11.2015 and the proponent had obtained transfer of EC from SEIAA on 07.04.2022. The proponent submitted audit report till 2021-22 certified by DMG and CCR from KSPCB dated 20.09.2022.

There is an existing cart track road to a length of 1325 meters connecting lease area to the all weather black topped road and the committee informed that the proposed expansion in quantity should be commenced after asphaltting the approach road to the quarry and road leading to crusher as per IRC standard norms and should grow trees all along the approach road and to comply with the observations of KSPCB in the CCR, for which the proponent agreed.

The proponent has collected baseline data of air, water, soil and noise and all are within the permissible limits. The proponent informed that all mitigative measures will be taken to ensure that the parameters will be maintained within the permissible limits.

The committee noted that the baseline parameters are found to be within permissible limits and the committee as per the approved quarry plan, recommended the proposal for proved mineable reserve of 5,74,195 tones (including waste) and estimated the life of mine to be 8 years. The committee after discussion decided to recommend the proposal to SEIAA for issue of Environmental Clearance for an annual production of 78,947 tonnes/Annum (including waste).

The Authority perused the proposal and took note of the recommendation of SEAC.

*The Authority after discussion decided to clear the proposal for issue of Environmental Clearance subject to following:*

1. *If the distance of nearest Protected Area (National Park/ Sanctuary/Bio sphere reserve/ migratory corridor) is within 10 KM, a certificate from the Chief Wild Life Warden (C/WLW) along with his recommendation, else a certificate from the proponent that the proposed site is more than 10 KM away from any Protection Authority (PA) (National Park/ Sanctuary/Bio sphere reserve/ migratory corridor).*

Drafted by ka

2. *Safety measures proposed shall be submitted.*
3. *A time bound action plan for implementation of proposed CER activities as a part of EMP shall be furnished.*

**Additional Conditions:**

*Dust suppression measures have to be strictly followed.*

**227.1.37. Building Stone Quarry Project at Byrapura Village, Arasikere Taluk, Hassan District (2-00 Acres) (QL No. HMG - 533) by Sri Jenukul Industries - Online Proposal No.SIA/KA/MIN/270365/2022 (SEIAA 209 MIN 2022) : Expansion**

Sri Jenukul Industries have applied for Environmental clearance from SEIAA for quarrying of Building Stone Quarry Project at Sy. No. 21 of Byrapura Village, Arasikere Taluk, Hassan District (2-00 Acres) (QL No. HMG - 533)

Details of the project are as follows:

Sl.No	PARTICULARS	INFORMATION															
1	Name & Address of the Projects Proponent	Sri Jenukul Industries															
2	Name & Location of the Project	Building Stone Quarry Project at Sy. No. 21 of Byrapura Village, Arasikere Taluk, Hassan District (2-00 Acres) (QL No. HMG - 533)															
		<table border="1"> <thead> <tr> <th>Corner Point No</th> <th>Latitude</th> <th>Longitude</th> </tr> </thead> <tbody> <tr> <td>A</td> <td>N 13° 20' 59.9"</td> <td>E 76° 08' 03.6"</td> </tr> <tr> <td>B</td> <td>N 13° 20' 57.5"</td> <td>E 76° 08' 05.4"</td> </tr> <tr> <td>C</td> <td>N 13° 20' 55.1"</td> <td>E 76° 08' 04.2"</td> </tr> <tr> <td>D</td> <td>N 13° 20' 58.2"</td> <td>E 76° 08' 01.3"</td> </tr> </tbody> </table>	Corner Point No	Latitude	Longitude	A	N 13° 20' 59.9"	E 76° 08' 03.6"	B	N 13° 20' 57.5"	E 76° 08' 05.4"	C	N 13° 20' 55.1"	E 76° 08' 04.2"	D	N 13° 20' 58.2"	E 76° 08' 01.3"
Corner Point No	Latitude	Longitude															
A	N 13° 20' 59.9"	E 76° 08' 03.6"															
B	N 13° 20' 57.5"	E 76° 08' 05.4"															
C	N 13° 20' 55.1"	E 76° 08' 04.2"															
D	N 13° 20' 58.2"	E 76° 08' 01.3"															
3	Type Of Mineral	Building Stone Quarry															
4	New / Expansion / Modification / Renewal	Expansion															
5	Type of Land [Forest, Government Revenue, Gumat, Private / Patta, Other]	Government															
6	Area in Acres	2-00 Acres															

7	Annual Production (Metric Ton / Cum) Per Annum	75,000 Tones/ Annum (including waste)
8	Project Cost (Rs. In Crores)	Rs. 1.14 Crores (Rs. 114 Lakhs)
9	Proved Quantity of mine/ Quarry- Cu.m / Ton	6,00,152 Tones (including waste)
10	Permitted Quantity Per Annum - Cu.m / Ton	75,000 Tones/ Annum (including waste)
11	<b>CER Activities:</b>	
	<b>Year</b>	<b>Corporate Environmental Responsibility (CER)</b>
	1 <sup>st</sup>	Providing solar power panels to common public places in the GHPS school at Kolagunda village.
	2 <sup>nd</sup>	Rain water harvesting pits GHPS school at Kolagunda village
	3 <sup>rd</sup>	Conducting E-waste drive campaigns in the GHPS school at Kolagunda village
	4 <sup>th</sup>	Scientific support and awareness to local farmers to increase yield of crop and fodder
	5 <sup>th</sup>	Health camp in the GHPS school at Kolagunda village.
12	EMP Budget	Rs. 33.69 Lakhs (Capital Cost) & Rs. 7.56 Lakhs (Recurring cost)
13	Quarry plan	07.04.2022
14	Cluster certificate	28.04.2022
15	Audit Report	20.10.2022
16	CCR from KSPCB	20.09.2022
17	Revenue	18.12.2014
18	Notification	27.07.2015

The subject was discussed in the SEAC meeting held on 17<sup>th</sup>, 18<sup>th</sup> & 19<sup>th</sup> November 2022. The Committee has recommended to SEIAA for issue of EC and the extract of the proceedings of the Committee meeting is as below:

The proposal is for expansion, for which EC was earlier issued by SEIAA on 01.01.2016 and the proponent had obtained transfer of EC from SEIAA on 07.04.2022. The proponent submitted audit report till 2021-22 certified by DMG and CCR from KSPCB dated 20.09.2022.

As per the cluster sketch there are 11 leases including the present lease within 500 meter radius from this lease out of which 10 leases are exempted from cluster as EC were granted prior to 15.01.2016 and the area of the present lease is 2.00 Acres and hence the project is categorized as B2.

Drafted by \_\_\_\_\_

There is an existing cart track road to a length of 1525 meters connecting lease area to the all weather black topped road and the committee informed that the proposed expansion in quantity should be commenced after asphaltting the approach road to the quarry and road leading to crusher as per IRC standard norms and should grow trees all along the approach road and to comply with the observations of KSPCB in the CCR, for which the proponent agreed.

The proponent has collected baseline data of air, water, soil and noise and all are within the permissible limits. The proponent informed that all mitigative measures will be taken to ensure that the parameters will be maintained within the permissible limits.

The committee noted that the baseline parameters are found to be within permissible limits and the committee as per the approved quarry plan, recommended the proposal for proved mineable reserve of 5,74,195 tones (including waste) and estimated the life of mine to be 8 years. The committee after discussion decided to recommend the proposal to SEIAA for issue of Environmental Clearance for an annual production of 78,947 tones/ Annum (including waste).

The Authority perused the proposal and took note of the recommendation of SEAC.

*The Authority after discussion decided to clear the proposal for issue of Environmental Clearance subject to following:*

1. If the distance of nearest Protected Area (National Park/ Sanctuary/Bio sphere reserve/ migratory corridor) is within 10 KM, a certificate from the Chief Wild Life Warden (CWLW) along with his recommendation, else a certificate from the proponent that the proposed site is more than 10 KM away from any Protection Authority (PA) (National Park/ Sanctuary/Bio sphere reserve/ migratory corridor).
2. Safety measures proposed shall be submitted.
3. A time bound action plan for implementation of proposed CER activities as a part of EMP shall be furnished.

**Additional Conditions:**

*Dust suppression measures have to be strictly followed.*

**227.1.38. Building Stone Quarry Project at H. Thimmapur Village, Tarikere Taluk, Chikkamagalur District (1-00 Acre) (QL No.523) by Sri D.B. Manjunath - Online Proposal Nu.SIA/KA/MIN/259714/2022 (SEIAA 95 MIN 2022) : Expansion**

Sri D.B Manjunath have applied for Environmental clearance from SEIAA for quarrying of Building Stone Quarry Project at Sy. No. 26(P) of H. Thimmapur Village, Tarikere Taluk, Chikkamagalur District (1-00 Acre) (QL No.523)

Drafted by



Details of the project are as follows:

Sl.No	PARTICULARS	INFORMATION																		
1	Name & Address of the Projects PropONENT	Sri D.B Manjunath																		
2	Name & Location of the Project	Building Stone Quarry Project at Sy. No. 26(P) of H. Thimmapur Village, Tarikere Taluk, Chikkamagalur District (1-00 Acre) (QL No.523)																		
		<table border="1"> <thead> <tr> <th>P.No.</th> <th>Latitude</th> <th>Longitude</th> </tr> </thead> <tbody> <tr> <td>A</td> <td>N 34° 24'</td> <td>E 77° 46' 10.8"</td> </tr> <tr> <td>B</td> <td>N 34° 23.8'</td> <td>E 77° 46' 13.4"</td> </tr> <tr> <td>C</td> <td>N 34° 23.5'</td> <td>E 77° 46' 13.7"</td> </tr> <tr> <td>D</td> <td>N 34° 23.5'</td> <td>E 77° 46' 12.2"</td> </tr> <tr> <td>E</td> <td>N 34° 23.9'</td> <td>E 77° 46' 11.3"</td> </tr> </tbody> </table>	P.No.	Latitude	Longitude	A	N 34° 24'	E 77° 46' 10.8"	B	N 34° 23.8'	E 77° 46' 13.4"	C	N 34° 23.5'	E 77° 46' 13.7"	D	N 34° 23.5'	E 77° 46' 12.2"	E	N 34° 23.9'	E 77° 46' 11.3"
P.No.	Latitude	Longitude																		
A	N 34° 24'	E 77° 46' 10.8"																		
B	N 34° 23.8'	E 77° 46' 13.4"																		
C	N 34° 23.5'	E 77° 46' 13.7"																		
D	N 34° 23.5'	E 77° 46' 12.2"																		
E	N 34° 23.9'	E 77° 46' 11.3"																		
3	Type Of Mineral	Building Stone Quarry																		
4	New / Expansion / Modification / Renewal	Expansion																		
5	Type of Land [Forest, Government Revenue, Gornal, Private / Patta, Other]	Government																		
6	Area in Acres	1-00 Acre																		
7	Annual Production (Metric Ton / Cum) Per Annum	49,896 Tones/ Annum (including waste)																		
8	Project Cost (Rs. In Crores)	Rs. 0.25 Crores (Rs. 25 Lakhs)																		
9	Proved Quantity of mine/ Quarry- Cu.m / Ton	2,20,131 Tones (including waste)																		
10	Permitted Quantity Per Annum - Cu.m / Ton	48,898 Tones/ Annum (excluding waste)																		
11	CER Activities:	To grow 150 No. of additional plantation on either side of the approach road from quarry location to Thimmapur Village Road																		
12	EMP Budget	Rs 09.30 Lakhs (Capital Cost) & 2.50 Lakhs (Recurring cost)																		
13	Quarry plan	19.01.2022																		
14	Cluster certificate	29.10.2021																		
15	Audit Report	07.10.2022																		
16	CCR from KSPCB	06.07 2022																		

The subject was discussed in the SEAC meeting held on 17<sup>th</sup>, 18<sup>th</sup> & 19<sup>th</sup> November 2022. The Committee has recommended to SEIAA for issue of EC and the extract of the proceedings of the Committee meeting is as below:

The proposal is for expansion, for which EC was earlier issued by SEIAA on 16.11.2015. The proponent submitted audit report till 2021-22 certified by DMG and CCR from KSPCB dated 06.07.2022.

There is an existing cart track road to a length of 1200 meters connecting lease area to the all weather black topped road and the committee informed that the proposed expansion in quantity should be commenced after asphaltting the approach road to the quarry and road leading to crusher as per IRC standard norms and should grow trees all along the approach road and to comply with the observations of KSPCB in the CCR, for which the proponent agreed.

The proponent has collected baseline data of air, water, soil and noise and all are within the permissible limits. The proponent informed that all mitigative measures will be taken to ensure that the parameters will be maintained within the permissible limits.

The committee noted that the baseline parameters are found to be within permissible limits and the committee as per the approved quarry plan, recommended the proposal for proved mineable reserve of 2,20,131 tones (including waste) and estimated the life of mine to be 5 years. The committee after discussion decided to recommend the proposal to SEIAA for issue of Environmental Clearance for an annual production of 49,896 tons/ Annum (including waste).

The Authority perused the proposal and took note of the recommendation of SEAC.

*The Authority after discussion decided to clear the proposal for issue of Environmental Clearance subject to following:*

1. *If the distance of nearest Protected Area (National Park/ Sanctuary/Bio sphere reserve/ migratory corridor) is within 10 KM, a certificate from the Chief Wild Life Warden (CWLW) along with his recommendation, else a certificate from the proponent that the proposed site is more than 10 KM away from any Protection Authority (PA) (National Park/ Sanctuary/Bio sphere reserve/ migratory corridor).*
2. *Safety measures proposed shall be submitted.*
3. *A time bound action plan for implementation of proposed CER activities as a part of EMP shall be furnished.*

**Additional Conditions:**

*Dust suppression measures have to be strictly followed.*

Drafted by ke---



**227.1.39. Building Stone Quarry Project at Thellahalli Village, Devanahalli Taluk, Bangalore Rural District (2-05 Acres) by Sri M. Chandrappa - Online Proposal No.SIA/KA/MIN/272317/2022 (SEIAA 229 MIN 2022)**

Sri M. Chandrappa have applied for Environmental clearance from SEIAA for quarrying of Building Stone Quarry Project at Sy. No. 36 of Thellahalli Village, Devanahalli Taluk, Bangalore Rural District (2-05 Acres)

Details of the project are as follows:

S.No	PARTICULARS	INFORMATION																					
1	Name & Address of the Projects Proponent	Sri M. Chandrappa																					
2	Name & Location of the Project	Building Stone Quarry Project at Sy. No. 36 of Thellahalli Village, Devanahalli Taluk, Bangalore Rural District (2-05 Acres)																					
		<table border="1"> <thead> <tr> <th>Cone Point No</th> <th>Latitude</th> <th>Longitude</th> </tr> </thead> <tbody> <tr> <td>BPA</td> <td>N 13° 18' 29.9"</td> <td>E 77° 43' 02.5"</td> </tr> <tr> <td>BPB</td> <td>N 13° 18' 26.5"</td> <td>E 77° 43' 02.3"</td> </tr> <tr> <td>BPC</td> <td>N 13° 18' 28.8"</td> <td>E 77° 42' 59.2"</td> </tr> <tr> <td>BPD</td> <td>N 13° 18' 27.4"</td> <td>E 77° 42' 58.8"</td> </tr> <tr> <td>BPE</td> <td>N 13° 18' 28.8"</td> <td>E 77° 42' 59.2"</td> </tr> <tr> <td>BPF</td> <td>N 13° 18' 29.9"</td> <td>E 77° 43' 01.2"</td> </tr> </tbody> </table>	Cone Point No	Latitude	Longitude	BPA	N 13° 18' 29.9"	E 77° 43' 02.5"	BPB	N 13° 18' 26.5"	E 77° 43' 02.3"	BPC	N 13° 18' 28.8"	E 77° 42' 59.2"	BPD	N 13° 18' 27.4"	E 77° 42' 58.8"	BPE	N 13° 18' 28.8"	E 77° 42' 59.2"	BPF	N 13° 18' 29.9"	E 77° 43' 01.2"
Cone Point No	Latitude	Longitude																					
BPA	N 13° 18' 29.9"	E 77° 43' 02.5"																					
BPB	N 13° 18' 26.5"	E 77° 43' 02.3"																					
BPC	N 13° 18' 28.8"	E 77° 42' 59.2"																					
BPD	N 13° 18' 27.4"	E 77° 42' 58.8"																					
BPE	N 13° 18' 28.8"	E 77° 42' 59.2"																					
BPF	N 13° 18' 29.9"	E 77° 43' 01.2"																					
3	Type Of Mineral	Building Stone Quarry																					
4	New / Expansion / Modification / Renewal	New																					
5	Type of Land [Forest, Government Revenue, Gomal, Private / Patta, Other]	Government																					
6	Area in Acres	2-05 Acres																					
7	Annual Production (Metric Ton / Cum) Per Annum	1,53,061 Tones/ Annum (including waste)																					
8	Project Cost (Rs. In Crores)	Rs. 1.12 Crores (Rs. 112 Lakhs)																					
9	Proved Quantity of mine/ Quarry- Cu.m / Ton	11,66,376 Tones (including waste)																					
10	Permitted Quantity Per Annum - Cu.m / Ton	1,50,000 Tones/ Annum (excluding waste)																					
11	CER Activities:																						

	Year	Corporate Environmental Responsibility (CER)
	1st	Providing solar power panels to the GLPS school at Dasarahalli Village
	2nd	Conducting E-waste drive campaigns in GLPS school at Dasarahalli Village
	3rd	Avenue plantation either side of the approach road near Quarry site & Repair of road with drainages
	4th	Scientific support and awareness to local farmers to increase yield of crop and fodder
	5th	Health camp in GLPS school at Dasarahalli Village
12	FMP Budget	Rs. 46.01 Lakhs (Capital Cost) & Rs. 8.13 Lakhs (Recurring cost)
13	Forest NOC	08.07.2015
14	Quarry plan	05.05.2022
15	Cluster certificate	10.05.2022
16	Revenue	11.01.2019
17	Notification	11.10.2021

The subject was discussed in the SEAC meeting held on 17<sup>th</sup>, 18<sup>th</sup> & 19<sup>th</sup> November 2022. The Committee has recommended to SEIAA for issue of EC and the extract of the proceedings of the Committee meeting is as below:

As per the cluster sketch there are 04 leases including the present lease within 500 meter radius from this lease out of which 02 leases are exempted from cluster as the lease was granted prior to 09.09.2013 and the total area of remaining leases including the present lease is 4.05 Acres and hence the project is categorized as B2.

There is an existing cart track road to a length of 1,110 meters connecting lease area to the all weather black topped road and the committee informed that the quarrying operation should be commenced after strengthening the approach road to the quarry and road leading to crusher as per standard norms & should grow trees all along the approach road during the first year of operation, for which the proponent agreed.

The proponent has collected baseline data of air, water, soil and noise and all are within the permissible limits. The proponent informed that all mitigative measures will be taken to ensure that the parameters will be maintained within the permissible limits.

The committee noted that the baseline parameters are found to be within permissible limits and the committee as per the approved quarry plan, recommended the proposal for proved mineable reserve of 11,66,376 Tons (including waste) and estimated the life of the quarry as 8 years. The committee after discussion decided to recommend the proposal to SEIAA for issue of Environmental Clearance for an annual production of 1,50,000 Tones/ Annum (including waste).

Drafted by:

The Authority perused the proposal and took note of the recommendation of SEAC.

*The Authority after discussion decided to clear the proposal for issue of Environmental Clearance subject to following:*

1. *If the distance of nearest Protected Area (National Park/ Sanctuary/Bio sphere reserve/ migratory corridor) is within 10 KM, a certificate from the Chief Wild Life Warden (CWLW) along with his recommendation, else a certificate from the proponent that the proposed site is more than 10 KM away from any Protection Authority (PA) (National Park/ Sanctuary/Bio sphere reserve/ migratory corridor).*
2. *Safety measures proposed shall be submitted.*
3. *A time bound action plan for implementation of proposed CER activities as a part of EMP shall be furnished.*

**Additional Conditions:**

*Dust suppression measures have to be strictly followed.*



**227.1.40. Building Stone Quarry project at Sy. No.175/2 of Baluti Village, Kolhar Taluk, Vijayapura District (3-00 Acres) by Sri Siddanna S. Tumbaramatti - Online Proposal No.SIA/KA/MIN/400719/2022 (SEIAA 442 MIN 2022)**

Sri Siddanna S. Tumbaramatti have applied for Environmental clearance from SEIAA for quarrying of Building Stone Quarry project at Sy. No.175/2 of Baluti Village, Kolhar Taluk, Vijayapura District (3-00 Acres)

Details of the project are as follows:

SLNo	PARTICULARS	INFORMATION															
1	Name & Address of the Projects Proponent	Sri Siddanna S. Tumbaramatti															
2	Name & Location of the Project	Building Stone Quarry project at Sy. No 175/2 of Baluti Village, Kolhar Taluk, Vijayapura District (3-00 Acres)															
		<table border="1"> <thead> <tr> <th>Zone/Block</th> <th>Length</th> <th>Width</th> </tr> </thead> <tbody> <tr> <td>A</td> <td>137' 35"</td> <td>174' 35"</td> </tr> <tr> <td>B</td> <td>137' 35"</td> <td>174' 35"</td> </tr> <tr> <td>C</td> <td>137' 35"</td> <td>174' 35"</td> </tr> <tr> <td>D</td> <td>137' 35"</td> <td>174' 35"</td> </tr> </tbody> </table>	Zone/Block	Length	Width	A	137' 35"	174' 35"	B	137' 35"	174' 35"	C	137' 35"	174' 35"	D	137' 35"	174' 35"
Zone/Block	Length	Width															
A	137' 35"	174' 35"															
B	137' 35"	174' 35"															
C	137' 35"	174' 35"															
D	137' 35"	174' 35"															
3	Type Of Mineral	Building Stone Quarry															

Drafted by:                     

4	New / Expansion / Modification / Renewal	New
5	Type of Land [Forest, Government Revenue, Gumat, Private / Patta, Other]	Government
6	Area in Acres	3-00 Acres
7	Annual Production (Metric Ton / Cum) Per Annum	21,053 Tones/ Annum (including waste)
8	Project Cost (Rs. In Crores)	Rs. 1.18 Crores (Rs. 118 Lakhs)
9	Proved Quantity of mine/ Quarry- Cum / Ton	4,53,097 Tones (including waste)
10	Permitted Quantity Per Annum - Cum / Ton	20,000 Tones/ Annum (Excluding waste)
11	CER Activities:	
	<b>Year</b>	<b>Corporate Environmental Responsibility (CER)</b>
	1st	Providing solar power panels to the GHPs school at Baluti Village.
	2nd	Rain water harvesting pits to the GHPs school at Baluti Village.
	3rd	Avenue plantation either side of the approach road near Quarry site & Repair of road With drainages
	4th	Conducting E waste drive campaigns in GHPs at Baluti Village
	5th	Health camp in GHPs at Baluti Village
12	FMP Budget	Rs. 50.05 Lakhs (Capital Cost) & Rs. 6.88 Lakhs (Recurring cost)
13	Forest NOC	06.09.2022
14	Quarry plan	27.07.2022
15	Cluster Certificate	27.07.2022
16	Revenue	15.07.2022
17	Notification	17.07.2022

The subject was discussed in the SEAC meeting held on 17th, 18th & 19th November 2022. The Committee has recommended to SEIAA for issue of EC and the extract of the proceedings of the Committee meeting is as below:

As per the cluster sketch there are 04 leases including the present lease within 500 meter radius from this lease and the total area of the leases including the present lease is 9-20 Acres and hence the project is categorized as B2.

There is an existing cart track road to a length of 1,040 meters connecting lease area to the all weather black topped road and the committee informed that the quarrying operation should be commenced after strengthening the approach road to the quarry and

road leading to crusher as per standard norms & should grow trees all along the approach road during the first year of operation, for which the proponent agreed.

The proponent has collected baseline data of air, water, soil and noise and all are within the permissible limits. The proponent informed that all mitigative measures will be taken to ensure that the parameters will be maintained within the permissible limits.

The committee noted that the baseline parameters are found to be within permissible limits and the committee as per the approved quarry plan, recommended the proposal for proved mineable reserve of 4,53,097 Tons (including waste) and estimated the life of the quarry as 22 years. The committee after discussion decided to recommend the proposal to SEIAA for issue of Environmental Clearance for an annual production of 21,053 Tones/ Annum (including waste)

The Authority perused the proposal and took note of the recommendation of SEAC.

*The Authority after discussion decided to clear the proposal for issue of Environmental Clearance subject to following:*

1. *If the distance of nearest Protected Area (National Park/ Sanctuary/Bio sphere reserve/ migratory corridor) is within 10 KM, a certificate from the Chief Wild Life Warden (CWTLW) along with his recommendation, else a certificate from the proponent that the proposed site is more than 10 KM away from any Protection Authority (PA) (National Park/ Sanctuary/Bio sphere reserve/ migratory corridor).*
2. *Safety measures proposed shall be submitted.*
3. *A time bound action plan for implementation of proposed CTR activities as a part of EMP shall be furnished.*

**Additional Conditions:**

*Dust suppression measures have to be strictly followed.*



**227.1.41. Ordinary Sand Quarry Project at Karadi Village, Ilkal Taluk, Bagalkot District (5-19 Acres) by M/s. Pavada Basaveshwar Minerals - Online proposal No.SLA/KA/MIN/274637/2022 (SEIAA 246 MIN 2022)**

M/s. Pavada Basaveshwar Minerals have applied for Environmental clearance from SEIAA for quarrying of Ordinary Sand Quarry Project at Sy. Nos. 39/2, 39/3 of Karadi Village, Ilkal Taluk, Bagalkot District (5-19 Acres)

Details of the project are as follows:

Sl.No.	PARTICULARS	INFORMATION
I	Name & Address of the Projects Proponent	M/s. Pavada Basaveshwar Minerals

Drafted by Ke---

2	Name & Location of the Project	Ordinary Sand Quarry Project at Sy Nos 39/2, 39/3 of Karadi Village, Ilkal Taluk, Bagalkot District (5-19 Acres)																					
		<table border="1"> <thead> <tr> <th>Corner Post No</th> <th>Latitude</th> <th>Longitude</th> </tr> </thead> <tbody> <tr> <td>A</td> <td>N 16° 06' 17.8067"</td> <td>E 75° 12' 08.3581"</td> </tr> <tr> <td>B</td> <td>N 16° 06' 15.9935"</td> <td>E 75° 12' 16.3461"</td> </tr> <tr> <td>C</td> <td>N 16° 06' 11.9803"</td> <td>E 75° 12' 14.4612"</td> </tr> <tr> <td>D</td> <td>N 16° 06' 12.6247"</td> <td>E 75° 12' 17.7476"</td> </tr> <tr> <td>E</td> <td>N 16° 06' 14.2412"</td> <td>E 75° 12' 17.7912"</td> </tr> <tr> <td>F</td> <td>N 16° 06' 15.2166"</td> <td>E 75° 12' 08.5749"</td> </tr> </tbody> </table>	Corner Post No	Latitude	Longitude	A	N 16° 06' 17.8067"	E 75° 12' 08.3581"	B	N 16° 06' 15.9935"	E 75° 12' 16.3461"	C	N 16° 06' 11.9803"	E 75° 12' 14.4612"	D	N 16° 06' 12.6247"	E 75° 12' 17.7476"	E	N 16° 06' 14.2412"	E 75° 12' 17.7912"	F	N 16° 06' 15.2166"	E 75° 12' 08.5749"
Corner Post No	Latitude	Longitude																					
A	N 16° 06' 17.8067"	E 75° 12' 08.3581"																					
B	N 16° 06' 15.9935"	E 75° 12' 16.3461"																					
C	N 16° 06' 11.9803"	E 75° 12' 14.4612"																					
D	N 16° 06' 12.6247"	E 75° 12' 17.7476"																					
E	N 16° 06' 14.2412"	E 75° 12' 17.7912"																					
F	N 16° 06' 15.2166"	E 75° 12' 08.5749"																					
3	Type Of Mineral	Ordinary Sand Quarry																					
4	New / Expansion / Modification / Renewal	New																					
5	Type of Land (Forest, Government Revenue, Gomal, Private / Patta, Other)	Patta																					
6	Area in Acres	5-19 Acres																					
7	Annual Production (Metric Ton / Cum) Per Annum	28,992 Tones/ Annum (including waste)																					
8	Project Cost (Rs. In Crores)	Rs. 1.20 Crores (Rs. 120 Lakhs)																					
9	Proved Quantity of mine/ Quarry- Cu.m / Ton	86,977 Tons (including waste)																					
10	Permitted Quantity Per Annum - Cu.m / Ton	28,992 Tones/ Annum (including waste)																					
11	<b>CER Activities:</b>																						
	Year	Corporate Environmental Responsibility (CER)																					
	1 <sup>st</sup>	Providing solar power panels to CHHS school at Karadi Village																					
	2 <sup>nd</sup>	Conducting E-waste drive campaigns in the Karadi Village																					
	3 <sup>rd</sup>	Avenue plantation either side of the approach road near Quarry site & Repair of road With drainages																					
12	EMP Budget	Rs. 18.35 Lakhs (Capital Cost) & Rs. 7.81 Lakhs (Recurring cost)																					
13	Forest NOC	06.06.2021																					
14	Quarry plan	22.04.2022																					
15	Cluster Certificate	17.05.2022																					
16	Revenue NOC	08.05.2021																					
17	DTF	12.01.2022																					
18	JSR	13.08.2021																					



The subject was discussed in the SEAC meeting held on 17<sup>th</sup>, 18<sup>th</sup> & 19<sup>th</sup> November 2022. The Committee has recommended to SEIAA for issue of EC and the extract of the proceedings of the Committee meeting is as below:

The proposal was earlier considered in 280<sup>th</sup> SEAC meeting. As the proponent remained absent the committee had deferred the appraisal of the project.

The proposal is for sand quarry project in patta land and as per the DMG letter dated 18.03.2022 there is no river bed sand mining in a radius of 5 km from the proposed site area.

As per the cluster sketch there is no other lease in a radius of 500 mtr and the area of the proposed lease is 5-19 Acre and hence the project is categorized as B2.

There is an existing cart track road to a length of 200 meters connecting lease area to the all weather black topped road and the committee informed that the mining operation should be commenced after asphaltting the approach road to the quarry as per IRC norms and to strictly implement mine closure plan effectively after mining operation and also to grow trees all along the approach road/ both sides of halla during the first year of operation and also to undertake bank stabilization and the proponent agreed.

The proponent has collected baseline data of air, water, soil and noise and all are within the permissible limits. The proponent informed that all mitigative measures will be taken to ensure that the parameters will be maintained within the permissible limits.


The committee noted that the baseline parameters are found to be within permissible limits and the committee as per the approved quarry plan, recommended the proposal for proved mineable reserve of 86,977 Tons (including waste) and estimated the life of the quarry as 3 years. The committee after discussion decided to recommend the proposal to SEIAA for issue of Environmental Clearance for an annual production of 28,992 Tons/ Annum (including waste).

The Authority perused the proposal and took note of the recommendation of SEAC

*The Authority after discussion decided to clear the proposal for issue of Environmental Clearance subject to following:*

1. *If the distance of nearest Protected Area (National Park/ Sanctuary/Bio sphere reserve/ migratory corridor) is within 10 KM, a certificate from the Chief Wild Life Warden (CWLW) along with his recommendation, else a certificate from the proponent that the proposed site is more than 10 KM away from any Protection Authority (PA) (National Park/ Sanctuary/Bio sphere reserve/ migratory corridor)*
2. *Safety measures proposed shall be submitted.*
3. *A time bound action plan for implementation of proposed CER activities as a part of EMP shall be furnished.*
4. *The proponent shall furnish a certificate that there is no sand quarry within 5 KM of project site.*

Drafted by ke



**Additional Conditions:**

1. Dust suppression measures have to be strictly followed.
2. The PP shall utilize the permission as per the Sand policy of the CoK Notification No. CI 343 MMN 2019 (Part 7) dated 01.12.2021.

**227.142. River Sand Quarry Project at Nujibalthila Village, Kadaba Taluk & Dakshina Kannada District (5.065 Acres) by Sri Purandara K - Online Proposal No.SIA/KA/MIN/289206/2022 (SEIAA 373 MIN 2022)**

Sri Purandara K have applied for Environmental clearance from SFIAA for quarrying of River Sand Quarry Project at Sy. No. 72/1 of Nujibalthila Village, Kadaba Taluk & Dakshina Kannada District (5.065 Acres)

Details of the project are as follows:

Sl.No.	PARTICULARS	INFORMATION																					
1	Name & Address of the Projects Proponent	Sri Purandara K																					
2	Name & Location of the Project	River Sand Quarry Project at Sy. No. 72/1 of Nujibalthila Village, Kadaba Taluk & Dakshina Kannada District (5.065 Acres)																					
		<table border="1"> <thead> <tr> <th>P.No.</th> <th>Latitude</th> <th>Longitude</th> </tr> </thead> <tbody> <tr> <td>A</td> <td>N12° 46' 51.96"</td> <td>E 75° 27' 22.31"</td> </tr> <tr> <td>B</td> <td>N12° 46' 55.02"</td> <td>E 75° 27' 20.61"</td> </tr> <tr> <td>C</td> <td>N12° 46' 58.08"</td> <td>E 75° 27' 18.91"</td> </tr> <tr> <td>D</td> <td>N12° 46' 51.72"</td> <td>E 75° 27' 20.49"</td> </tr> <tr> <td>E</td> <td>N12° 46' 04.31"</td> <td>E 75° 27' 21.60"</td> </tr> <tr> <td>F</td> <td>N12° 46' 44.46"</td> <td>E 75° 27' 21.22"</td> </tr> </tbody> </table>	P.No.	Latitude	Longitude	A	N12° 46' 51.96"	E 75° 27' 22.31"	B	N12° 46' 55.02"	E 75° 27' 20.61"	C	N12° 46' 58.08"	E 75° 27' 18.91"	D	N12° 46' 51.72"	E 75° 27' 20.49"	E	N12° 46' 04.31"	E 75° 27' 21.60"	F	N12° 46' 44.46"	E 75° 27' 21.22"
P.No.	Latitude	Longitude																					
A	N12° 46' 51.96"	E 75° 27' 22.31"																					
B	N12° 46' 55.02"	E 75° 27' 20.61"																					
C	N12° 46' 58.08"	E 75° 27' 18.91"																					
D	N12° 46' 51.72"	E 75° 27' 20.49"																					
E	N12° 46' 04.31"	E 75° 27' 21.60"																					
F	N12° 46' 44.46"	E 75° 27' 21.22"																					
3	Type Of Mineral	River Sand Quarry																					
4	New / Expansion / Modification / Renewal	New																					
5	Type of Land [Forest, Government Revenue, Gomal, Private / Patta, Other]	Government																					
6	Area in Acres	5.065 Acres																					
7	Annual Production (Metric Ton / Cum) Per Annum	35,088 Tones/Annum (including waste)																					
8	Project Cost (Rs. In Crores)	Rs. 0.50 Crores (Rs. 50 Lakhs)																					
9	Proved Quantity of mine/ Quarry- Cum / Ton	35,088 Tons (including waste)																					

Drafted by \_\_\_\_\_

162

10	Permitted Quantity Per Annum - Cum / Ton	21,053 Tones/ Annum (excluding waste)
11	<b>CER Activities:</b> To grow 800 No. of additional plantation on either side of the approach road from quarry location to Nujibalthila Village Road	
12	EMP Budget	Rs. 22.40 Lakhs (Capital Cost) & Rs. 7.04 Lakhs (Recurring cost)
13	Forest NOC	29.04.2022
14	Quarry plan	15.07.2022
15	Cluster Certificate	15.07.2022
16	Notification	29.11.2018
17	DTE	29.11.2021

The subject was discussed in the SEAC meeting held on 17<sup>th</sup>, 18<sup>th</sup> & 19<sup>th</sup> November 2022. The Committee has recommended to SEIAA for issue of EC and the extract of the proceedings of the Committee meeting is as below:

The proposal was earlier considered in 285<sup>th</sup> SEAC meeting. The committee had deferred the appraisal as the KML and Geo-Coordinates submitted by proponent showed that the area proposed for river sand mining has continuous flow of water throughout the year and as per sustainable sand mining management guidelines 2016 and enforcement & monitoring guidelines for sand mining 2020, in-stream mining is prohibited and had informed the proponent to submit necessary justification and change in Geomorphology for the site / location as per the observation made by the committee.

The proponent in the present meeting submitted the google earth images of April 2018 and January 2021, of the proposed project location and justified the availability of sand for mining. The committee noted the justification and appraised the project.

As per the cluster sketch there is no other lease in a radius of 500mtr and the area of the proposed lease is 5-065 Acre and hence the project is categorized as B2.

There is an existing cart track road to a length of 2800 meters connecting the lease area to the all weather black topped road and the committee informed that the mining operation should be commenced after cement concreting the approach road as per standard norms and the committee informed the proponent to grow trees all along the approach road and in the banks of the river, to strictly implement bund protection works, dust mitigation measures and not to use any machinery for sand mining and also not to carry out in stream mining and the proponent agreed for all. Proponent informed the committee that they had obtained DMG approved replenishment report for the proposed sand quarry considering the catchment area and rain fall details.

The proponent has collected baseline data of air, water, soil and noise and all are within the permissible limits. The proponent informed that all mitigative measures will be

taken to ensure that the parameters will be maintained within the permissible limits. In the proposed project, the proponent agreed to follow the conditions stipulated in sustainable sand mining guidelines 2016 and Enforcement & Monitoring Guidelines 2020.

The committee noted that the baseline parameters are found to be within permissible limits and the committee by considering the proved mineable reserve of 35,088 Tones per annum (including waste) as per the approved quarry plan, after discussion decided to recommend the proposal to SEIAA for issue of Environmental Clearance for an annual production of 35,088 Tons/ Annum (including waste) for 5 years, after due replenishment every year with a condition to abide by the Sustainable sand mining guidelines 2016 and Enforcement & Monitoring Guidelines 2020 and not to carry out any in-stream mining.

The Authority perused the proposal and took note of the recommendation of SEAC.

*The Authority after discussion decided to clear the proposal for issue of Environmental Clearance subject to following:*

1. *If the distance of nearest Protected Area (National Park/ Sanctuary/Bio sphere reserve/ migratory corridor) is within 10 KM, a certificate from the Chief Wild Life Warden (CWLW) along with his recommendation, else a certificate from the proponent that the proposed site is more than 10 KM away from any Protection Authority (PA) (National Park/ Sanctuary/Bio sphere reserve/ migratory corridor).*
2. *Safety measures proposed shall be submitted.*
3. *A time bound action plan for implementation of proposed CER activities as a part of EMP shall be furnished.*



**Additional Conditions:**

1. *Dust suppression measures have to be strictly followed.*
2. *The PP shall utilize the permission as per the Sand policy of the GoK Notification No. CI 343 MMN 2019 (Part /) dated 01.12.2021.*
3. *In case the replenishment is lower than the approved rate of production, then the mining activity / production levels shall be decreased / stopped accordingly till the replenishment is completed.*
4. *The proponent shall stabilize the river bank with waste materials like pebbles and planting the khus grass and suitable plant species.*

**227.1.43. River Sand Quarry Project at Nujibalthila Village, Kadaba Taluk & Dakshina Kannada District (3-08 Acres) by Sri Subramanya K - Online Proposal No. SIA/KA/MIN/289198/2022 (SEIAA 371 MIN 2022)**

Sri Subramanya K have applied for Environmental clearance from SEIAA for quarrying of River Sand Quarry Project at Sy. No. 72/1 of Nujibalthila Village, Kadaba Taluk & Dakshina Kannada District (3-08 Acres)

Drafted by 



Details of the project are as follows:

Sl.No.	PARTICULARS	INFORMATION																					
1	Name & Address of the Projects Proponent	Sri Subramanya K																					
2	Name & Location of the Project	River Sand Quarry Project at Sy. No. 72/1 of Nujibalthila Village, Kadaba Taluk & Dakshina Kannada District (3-08 Acres) <table border="1"> <thead> <tr> <th>P.No.</th> <th>Latitude</th> <th>Longitude</th> </tr> </thead> <tbody> <tr> <td>A</td> <td>N 12° 48' 39.9"</td> <td>E 75° 27' 32.9"</td> </tr> <tr> <td>B</td> <td>N 12° 48' 21.9"</td> <td>E 75° 27' 49.9"</td> </tr> <tr> <td>C</td> <td>N 12° 48' 15.9"</td> <td>E 75° 27' 41.9"</td> </tr> <tr> <td>D</td> <td>N 12° 48' 15.9"</td> <td>E 75° 27' 00.9"</td> </tr> <tr> <td>E</td> <td>N 12° 48' 31.9"</td> <td>E 75° 27' 34.9"</td> </tr> <tr> <td>F</td> <td>N 12° 48' 29.9"</td> <td>E 75° 27' 35.9"</td> </tr> </tbody> </table>	P.No.	Latitude	Longitude	A	N 12° 48' 39.9"	E 75° 27' 32.9"	B	N 12° 48' 21.9"	E 75° 27' 49.9"	C	N 12° 48' 15.9"	E 75° 27' 41.9"	D	N 12° 48' 15.9"	E 75° 27' 00.9"	E	N 12° 48' 31.9"	E 75° 27' 34.9"	F	N 12° 48' 29.9"	E 75° 27' 35.9"
P.No.	Latitude	Longitude																					
A	N 12° 48' 39.9"	E 75° 27' 32.9"																					
B	N 12° 48' 21.9"	E 75° 27' 49.9"																					
C	N 12° 48' 15.9"	E 75° 27' 41.9"																					
D	N 12° 48' 15.9"	E 75° 27' 00.9"																					
E	N 12° 48' 31.9"	E 75° 27' 34.9"																					
F	N 12° 48' 29.9"	E 75° 27' 35.9"																					
3	Type Of Mineral	River Sand Quarry																					
4	New / Expansion / Modification / Renewal	New																					
5	Type of Land [Forest, Government Revenue, Gomal, Private / Patta, Other]	Government																					
6	Area in Acres	3-08 Acres																					
7	Annual Production (Metric Ton / Cum) Per Annum	21,448 Tones/ Annum (including waste)																					
8	Project Cost (Rs. In Crores)	Rs. 0.40 Crores (Rs. 40 Lakhs)																					
9	Proved Quantity of mine/ Quarry- Cu.m / Ton	21,448 Tons (including waste)																					
10	Permitted Quantity Per Annum - Cu.m / Ton	12,869 Tones/ Annum (excluding waste)																					
11	<b>CER Activities:</b> To grow 650 No. of additional plantation on either side of the approach road from quarry location to Nujibalthila Village Road																						
12	FMP Budget	Rs. 12.10 Lakhs (Capital Cost) & Rs. 3.38Lakhs (Recurring cost)																					
13	Forest NOC	29.04.2022																					
14	Quarry plan	15.07.2022																					
15	Cluster Certificate	15.07.2022																					
16	Notification	13.12.2019																					
17	DTE	29.11.2021																					

The subject was discussed in the SEAC meeting held on 17th, 18th & 19th November 2022. The Committee has recommended to SEIAA for issue of EC and the extract of the proceedings of the Committee meeting is as below:

The proposal was earlier considered in 285<sup>th</sup> SEAC meeting. The committee had deferred the appraisal as the KML and Geo-Coordinates submitted by proponent showed that the area proposed for river sand mining has continuous flow of water throughout the year and as per sustainable sand mining management guidelines 2016 and enforcement & monitoring guidelines for sand mining 2020, in-stream mining is prohibited and had informed the proponent to submit necessary justification and change in Geomorphology for the site / location as per the observation made by the committee.


The proponent in the present meeting submitted the google earth images of May 2019 and August 2021, of the proposed project location and justified the availability of sand for mining. The committee noted the justification and appraised the project.

As per the cluster sketch there is no other lease in a radius of 500 mtr and the area of the proposed lease is 3.08 Acre and hence the project is categorized as B2.

There is an existing cart track road to a length of 2800 meters connecting the lease area to the all weather black topped road and the committee informed that the mining operation should be commenced after cement concreting the approach road as per standard norms and the committee informed the proponent to grow trees all along the approach road and in the banks of the river, to strictly implement bund protection works, dust mitigation measures and not to use any machinery for sand mining and also not to carry out in-stream mining and the proponent agreed for all. Proponent informed the committee that they had obtained DMG approved replenishment report for the proposed sand quarry considering the catchment area and rain fall details.

The proponent has collected baseline data of air, water, soil and noise and all are within the permissible limits. The proponent informed that all mitigative measures will be taken to ensure that the parameters will be maintained within the permissible limits. In the proposed project, the proponent agreed to follow the conditions stipulated in sustainable sand mining guidelines 2016 and Enforcement & Monitoring Guidelines 2020.

The committee noted that the baseline parameters are found to be within permissible limits and the committee by considering the proved mineable reserve of 21,448 Tonnes per annum (including waste) as per the approved quarry plan, after discussion decided to recommend the proposal to SEIAA for issue of Environmental Clearance for an annual production of 21,448 Tons/ Annum (including waste) for 5 years, after due replenishment every year with a condition to abide by the Sustainable sand mining guidelines 2016 and Enforcement & Monitoring Guidelines 2020 and not to carry out any in-stream mining.



266

The Authority perused the proposal and took note of the recommendation of SEAC.

*The Authority after discussion decided to clear the proposal for issue of Environmental Clearance subject to following:*

1. *If the distance of nearest Protected Area (National Park/ Sanctuary/Bio sphere reserve/ migratory corridor) is within 10 KM, a certificate from the Chief Wild Life Warden (CWLWW) along with his recommendation, else a certificate from the proponent that the proposed site is more than 10 KM away from any Protection Authority (PA) (National Park/ Sanctuary/Bio sphere reserve/ migratory corridor).*
2. *Safety measures proposed shall be submitted.*
3. *A time bound action plan for implementation of proposed CFR activities as a part of EMP shall be furnished.*

**Additional Conditions:**

1. *Dust suppression measures have to be strictly followed.*
2. *The PP shall utilize the permission as per the Sand policy of the Govt Notification No. CI 343 MMN 2019 (Part 7) dated 01.12.2021.*
3. *In case the replenishment is lower than the approved rate of production, then the mining activity / production levels shall be decreased / stopped accordingly till the replenishment is completed.*
4. *The proponent shall stabilize the river bank with waste materials like pebbles and planting the khus grass and suitable plant species.*



**227.1.44. Black Granite Quarry Project at Melur Village, Chamarajanagara Taluk & District (6-00 Acres) by Sri Mohammed Koya - Online Proposal No.SIA/KA/MIN/288887/2022 (SEIAA 368 MIN 2022)**

Sri Mohammed Koya have applied for Environmental clearance from SEIAA for quarrying of Black Granite Quarry Project at Sy. Nos.215/2, 132/2 & 131/2 of Melur Village, Chamarajanagara Taluk & District (6-00 Acres)

Details of the project are as follows:

Sl.No	PARTICULARS	INFORMATION
1	Name & Address of the Projects Proponent	Sri Mohammed Koya

Drafted by 

 /  67

2	Name & Location of the Project	Black Granite Quarry Project at Sy. Nos.215/2, 132/2 & 131/2 of Melur Village, Chamarajanagara Taluk & District (6-00 Acres) <table border="1" data-bbox="798 481 1316 831"> <thead> <tr> <th>P. No.</th> <th>Latitude</th> <th>Longitude</th> </tr> </thead> <tbody> <tr> <td>A</td> <td>N11°47'28.2"</td> <td>E78°49'45.0"</td> </tr> <tr> <td>B</td> <td>N11°47'27.0"</td> <td>E78°49'46.0"</td> </tr> <tr> <td>C</td> <td>N11°47'25.5"</td> <td>E78°49'47.1"</td> </tr> <tr> <td>D</td> <td>N11°47'25.0"</td> <td>E78°49'48.6"</td> </tr> <tr> <td>L</td> <td>N11°47'23.7"</td> <td>E78°49'49.4"</td> </tr> <tr> <td>F</td> <td>N11°47'23.4"</td> <td>E78°49'46.7"</td> </tr> <tr> <td>C</td> <td>N11°47'25.7"</td> <td>E78°49'46.8"</td> </tr> <tr> <td>H</td> <td>N11°47'21.5"</td> <td>E78°49'44.2"</td> </tr> <tr> <td>I</td> <td>N11°47'23.9"</td> <td>E78°49'42.1"</td> </tr> </tbody> </table>	P. No.	Latitude	Longitude	A	N11°47'28.2"	E78°49'45.0"	B	N11°47'27.0"	E78°49'46.0"	C	N11°47'25.5"	E78°49'47.1"	D	N11°47'25.0"	E78°49'48.6"	L	N11°47'23.7"	E78°49'49.4"	F	N11°47'23.4"	E78°49'46.7"	C	N11°47'25.7"	E78°49'46.8"	H	N11°47'21.5"	E78°49'44.2"	I	N11°47'23.9"	E78°49'42.1"
P. No.	Latitude	Longitude																														
A	N11°47'28.2"	E78°49'45.0"																														
B	N11°47'27.0"	E78°49'46.0"																														
C	N11°47'25.5"	E78°49'47.1"																														
D	N11°47'25.0"	E78°49'48.6"																														
L	N11°47'23.7"	E78°49'49.4"																														
F	N11°47'23.4"	E78°49'46.7"																														
C	N11°47'25.7"	E78°49'46.8"																														
H	N11°47'21.5"	E78°49'44.2"																														
I	N11°47'23.9"	E78°49'42.1"																														
3	Type Of Mineral	Black Granite Quarry																														
4	New / Expansion / Modification / Renewal	New																														
5	Type of Land [Forest, Government Revenue, Gomal, Private / Patta, Other]	Patta																														
6	Area in Acres	6-00 Acres																														
7	Annual Production (Metric Ton / Cum) Per Annum	6,000 Cum/annum(including waste ) for first year, 6,250 Cum/annum(including waste ) for second year, 6,500 Cum/annum(including waste ) for third year, 6750 Cum/annum(including waste) for fourth year &7,000 Cum/ annum(including waste) for fifth year.																														
8	Project Cost (Rs. In Crores)	Rs. 0.50 Crores (Rs. 50 Lakhs)																														
9	Proved Quantity of mine/ Quarry- Cu.m / Ton	1,98,000Cum(including waste)																														
10	Permitted Quantity Per Annum - Cu.m / Ton	1,500+600 Cum/annumfor first year, 1,562+625 Cum/annumfor second year, 1,625+650 Cum/annumfor third year, 1,687+675 Cum/annumfor fourth year &1,750+700 Cum/annumfor fifth year. (Excluding Waste)																														
11	CER Activities: To provide infrastructure facilities to near by Govt. School and To grow 700 No. of additional trees on either side of the approach road from quarry location to Melakunda (B) Village Road																															
12	EMP Budget	Rs. 14.55 Lakhs (Capital Cost) & Rs. 3.75 Lakhs (Recurring cost)																														
13	Forest NoC	16.08.2016 & 15.10.2022																														



14	App. Mining Plan	25.07.2019
15	Revenue	14.11.2018
16	DTF	29.07.2022
17	Cluster certificate	17.02.2021

The subject was discussed in the SEAC meeting held on 17th, 18th & 19th November 2022. The Committee has recommended to SEIAA for issue of EC and the extract of the proceedings of the Committee meeting is as below:

The proposal was considered in 285<sup>th</sup> SEAC meeting and the committee had deferred the project for want of clear Forest NoC mentioning about Deemed Forest Area.

In the present meeting the proponent had submitted Forest NoC dated 15.10.2022 and informed that the proposed area is out of Deemed Forest area.

As per the cluster sketch there are 03 leases including the present lease within 500 meter radius from this lease out of which 01 lease is exempted from cluster as the EC was granted prior to 15.01.2016 and the total area of the remaining 02 leases including the present lease is 9-27 Acres and hence the project is categorized as B2.



There is an existing cart track road to a length of 600 meters connecting lease area to the all weather black topped road and the committee informed that the quarrying operation should be commenced after asphaltting the approach road to the quarry as per IRC standard norms and should grow trees all along the approach road during the first year of operation, for which the proponent agreed. The proponent informed the committee that waste was disposed to crusher after getting necessary approvals from competent authority and fine was paid to DMG for illegal mining.

The proponent has collected baseline data of air, water, soil and noise and all are within the permissible limits. The proponent informed that all mitigative measures will be taken to ensure that the parameters will be maintained within the permissible limits.

The committee noted that the baseline parameters are found to be within permissible limits and the committee as per the approved quarry plan, recommended the proposal for proved mineable reserve of 1,98,000 cum (including waste) and estimated the life of mine to be coterminous with lease period. The committee after discussion decided to recommend the proposal to SEIAA for issue of Environmental Clearance for an annual production of 6,000 Cum/annum (including waste) for first year, 6,250 Cum/annum (including waste) for second year, 6,500 Cum/annum (including waste) for third year, 6,750 Cum/annum (including waste) for fourth year & 7,000 Cum/annum (including waste) for fifth year.

The Authority perused the proposal and took note of the recommendation of SEAC. Further, the Authority noted the complaint received vide email (Premkumar332sd@gmail.com) dated 08<sup>th</sup> December 2022. The details are as follows:

Drafted by keer

 |  169

1. Karnataka-Tamil Nadu state boundary is 7.5 km from the project site boundary.
2. Distance between the project site boundary and the Eco-Sensitive zone of Bandipur Tiger Reserve and National Park is 6.30km and hence distance certificate from Bandipura range forest officers is required.
3. The project site is worked before obtaining the Environmental Clearance as in the Historical satellite image the worked benches are varying. Hence this project is in violation to the EIA Notification, 2006
4. There is a nala which can be seen from the village map towards South-East for which proper buffer must be provided

The Authority after discussion and examination of the documents uploaded in the portal, it is observed that the project proponent have paid a penalty of Rs. 5,30,000/- to the Dept. of Mines and Geology on 24.01.2022 for illegal mining.

The Authority perused the proposal and took note of the recommendation of SEAC.


The Authority after discussion decided to clear the proposal for issue of Environmental Clearance subject to following:

1. If the distance of nearest Protected Area (National Park/ Sanctuary/Bio sphere reserve/ migratory corridor) is within 10 KM, a certificate from the Chief Wild Life Warden (CWLW) along with his recommendation, else a certificate from the proponent that the proposed site is more than 10 KM away from any Protection Authority (PA) (National Park/ Sanctuary/Bio sphere reserve/ migratory corridor).
2. Safety measures proposed shall be submitted.
3. Proper buffers prescribed under the Rules should be strictly adhered to
4. A time bound action plan for implementation of proposed CER activities as a part of EMP shall be furnished.

**Additional Conditions:**

1. A copy of assessment document of the penalty shall be submitted by the PP.
2. Dust suppression measures have to be strictly followed.
3. The PP shall leave adequate buffers to nala/water body/roads.

Drafted by         






**227.1.45. River Sand Quarry Project at Kudrupadi Village, Puttur Taluk & Dakshina Kannada District (3-00 Acres) by Sri Pradeep B - Online Proposal No.SIA/KA/MIN/289200/2022 (SEIAA 372 MIN 2022)**

Sri Pradeep B have applied for Environmental clearance from SEIAA for quarrying of River Sand Quarry Project at Sy. No. 225 of Kudrupadi Village, Puttur Taluk & Dakshina Kannada District (3-00 Acres)

Details of the project are as follows:

Sl.No.	PARTICULARS	INFORMATION															
1	Name & Address of the Projects Proponent	Sri Pradeep B															
2	Name & Location of the Project	River Sand Quarry Project at Sy. No. 225 of Kudrupadi Village, Puttur Taluk & Dakshina Kannada District (3-00 Acres)															
		<table border="1"> <thead> <tr> <th>P No.</th> <th>Latitude</th> <th>Longitude</th> </tr> </thead> <tbody> <tr> <td>A</td> <td>N12°44'30.6"</td> <td>E75°21'15.89"</td> </tr> <tr> <td>B</td> <td>N12°44'30.6"</td> <td>E75°21'20.0"</td> </tr> <tr> <td>C</td> <td>N12°44'30.6"</td> <td>E75°21'25.87"</td> </tr> <tr> <td>D</td> <td>N12°44'30.7"</td> <td>E75°21'25.87"</td> </tr> </tbody> </table>	P No.	Latitude	Longitude	A	N12°44'30.6"	E75°21'15.89"	B	N12°44'30.6"	E75°21'20.0"	C	N12°44'30.6"	E75°21'25.87"	D	N12°44'30.7"	E75°21'25.87"
P No.	Latitude	Longitude															
A	N12°44'30.6"	E75°21'15.89"															
B	N12°44'30.6"	E75°21'20.0"															
C	N12°44'30.6"	E75°21'25.87"															
D	N12°44'30.7"	E75°21'25.87"															
3	Type Of Mineral	River Sand Quarry															
4	New / Expansion / Modification / Renewal	New															
5	Type of Land [Forest, Government Revenue, Gomal, Private / Patta, Other]	Government															
6	Area in Acres	3-00 Acres															
7	Annual Production (Metric Ton / Cum) Per Annum	20,846 Tones/ Annum (including waste)															
8	Project Cost (Rs. In Crores)	Rs. 0.40 Crores (Rs. 40 Lakhs)															

Drafted by 

9	Proved Quantity of mine/ Quarry- Cu.m / Ton	20,846 Tons (including waste)
10	Permitted Quantity Per Annum - Cu.m / Ton	19,604 Tones/ Annum (excluding waste)
11	<b>CER Activities:</b> To provide infrastructure facilities to nearby Govt. School and To grow 450 No. of additional trees on either side of the approach road from quarry location to Kudrupadi Village Road	
12	EMP Budget	Rs. 12.50 Lakhs (Capital Cost) & Rs. 3.46 Lakhs (Recurring cost)
13	Forest NOC	09.05.2022
14	Quarry plan	15.07.2022
15	Cluster Certificate	15.07.2022
16	Notification	18.07.2019
17	DTP	29.11.2021

The subject was discussed in the SEAC meeting held on 17<sup>th</sup>, 18<sup>th</sup> & 19<sup>th</sup> November 2022. The Committee has recommended to SELAA for issue of EC and the extract of the proceedings of the Committee meeting is as below:

The proposal was earlier considered in 285<sup>th</sup> SEAC meeting. The committee had deferred the appraisal as the KML and Geo-Coordinates submitted by proponent showed that the area proposed for river sand mining has continuous flow of water throughout the year and as per sustainable sand mining management guidelines 2016 and enforcement & monitoring guidelines for sand mining 2020, in-stream mining is prohibited and had informed the proponent to submit necessary justification and change in Geomorphology for the site / location as per the observation made by the committee.

The proponent in the present meeting submitted the google earth images of June 2016 and November 2022, of the proposed project location and justified the availability of sand for mining. The committee noted the justification and appraised the project.

As per the cluster sketch there is no other lease in a radius of 500mtr and the area of the proposed lease is 3-00 Acre and hence the project is categorized as B2.

There is an existing cart track road to a length of 600 meters connecting the lease area to the all weather black topped road and the committee informed that the mining operation should be commenced after cement concreting the approach road as per

standard norms and the committee informed the proponent to grow trees all along the approach road and in the banks of the river, to strictly implement bund protection works, dust mitigation measures and not to use any machinery for sand mining and also not to carry out instream mining and the proponent agreed for all. Proponent informed the committee that they had obtained DMG approved replenishment report for the proposed sand quarry considering the catchment area and rain fall details.

The proponent has collected baseline data of air, water, soil and noise and all are within the permissible limits. The proponent informed that all mitigative measures will be taken to ensure that the parameters will be maintained within the permissible limits. In the proposed project, the proponent agreed to follow the conditions stipulated in sustainable sand mining guidelines 2016 and Enforcement & Monitoring Guidelines 2020.

The committee noted that the baseline parameters are found to be within permissible limits and the committee by considering the proved mineable reserve of 20,846 Tonnes per annum (including waste) as per the approved quarry plan, after discussion decided to recommend the proposal to SEIAA for issue of Environmental Clearance for an annual production of 20,846 Tons/ Annum (including waste) for 5 years, after due replenishment every year with a condition to abide by the Sustainable sand mining guidelines 2016 and Enforcement & Monitoring Guidelines 2020 and not to carry out any in-stream mining.


The Authority perused the proposal and took note of the recommendation of SEAC.



*The Authority after discussion decided to clear the proposal for issue of Environmental Clearance subject to following:*

1. *If the distance of nearest Protected Area (National Park/ Sanctuary/Bio sphere reserve/ migratory corridor) is within 10 KM, a certificate from the Chief Wild Life Warden (CWLW) along with his recommendation, else a certificate from the proponent that the proposed site is more than 10 KM away from any Protection Authority (PA) (National Park/ Sanctuary/Bio sphere reserve/ migratory corridor).*
2. *Safety measures proposed shall be submitted.*
3. *A time bound action plan for implementation of proposed CER activities as a part of EMP shall be furnished.*

**Additional Conditions:**

1. *Dust suppression measures have to be strictly followed.*
2. *The PP shall utilize the permission as per the Sand policy of the GoK Notification No. CI 343 MMN 2019 (Part 7) dated 01.12.2021*
3. *In case the replenishment is lower than the approved rate of production, then the mining activity / production levels shall be decreased / stopped accordingly till the replenishment is completed.*

Initiated by 

4. The proponent shall stabilize the river bank with waste materials like pebbles and planting the khus grass and suitable plant species.

**227.1.46. Building Stone Quarry Project at Thondavadi Village, Gundlupete Taluk, Chamarajanagar District (3-14 Acres) by Sri C S Narayana - Online Proposal No.SIA/KA/MIN/403310/2022 (SEIAA 430 MIN 2022)**

Sri C S Narayana have applied for Environmental clearance from SEIAA for quarrying of Building Stone Quarry Project at Sy. No.266/1 of Thondavadi Village, Gundlupete Taluk, Chamarajanagar District (3-14 Acres)

Details of the project are as follows:

Sl.No	PARTICULARS	INFORMATION																											
1	Name & Address of the Projects Proponent	Sri C S Narayana																											
2	Name & Location of the Project	Building Stone Quarry Project at Sy. No.266/1 of Thondavadi Village, Gundlupete Taluk, Chamarajanagar District (3-14 Acres)																											
		<table border="1"> <thead> <tr> <th>Corner Point No</th> <th>Latitude</th> <th>Longitude</th> </tr> </thead> <tbody> <tr> <td>A</td> <td>N 11° 58' 01.2"</td> <td>E 76° 40' 20.0"</td> </tr> <tr> <td>B</td> <td>N 11° 57' 51.1"</td> <td>E 76° 40' 28.7"</td> </tr> <tr> <td>C</td> <td>N 11° 57' 57.3"</td> <td>E 76° 40' 26.8"</td> </tr> <tr> <td>D</td> <td>N 11° 57' 59.8"</td> <td>E 76° 40' 27.3"</td> </tr> <tr> <td>E</td> <td>N 11° 57' 59.3"</td> <td>E 76° 40' 27.3"</td> </tr> <tr> <td>F</td> <td>N 11° 58' 00.1"</td> <td>E 76° 40' 27.4"</td> </tr> <tr> <td>G</td> <td>N 11° 58' 00.5"</td> <td>E 76° 40' 27.6"</td> </tr> <tr> <td>H</td> <td>N 11° 58' 01.7"</td> <td>E 76° 40' 27.6"</td> </tr> </tbody> </table>	Corner Point No	Latitude	Longitude	A	N 11° 58' 01.2"	E 76° 40' 20.0"	B	N 11° 57' 51.1"	E 76° 40' 28.7"	C	N 11° 57' 57.3"	E 76° 40' 26.8"	D	N 11° 57' 59.8"	E 76° 40' 27.3"	E	N 11° 57' 59.3"	E 76° 40' 27.3"	F	N 11° 58' 00.1"	E 76° 40' 27.4"	G	N 11° 58' 00.5"	E 76° 40' 27.6"	H	N 11° 58' 01.7"	E 76° 40' 27.6"
Corner Point No	Latitude	Longitude																											
A	N 11° 58' 01.2"	E 76° 40' 20.0"																											
B	N 11° 57' 51.1"	E 76° 40' 28.7"																											
C	N 11° 57' 57.3"	E 76° 40' 26.8"																											
D	N 11° 57' 59.8"	E 76° 40' 27.3"																											
E	N 11° 57' 59.3"	E 76° 40' 27.3"																											
F	N 11° 58' 00.1"	E 76° 40' 27.4"																											
G	N 11° 58' 00.5"	E 76° 40' 27.6"																											
H	N 11° 58' 01.7"	E 76° 40' 27.6"																											
3	Type Of Mineral	Building Stone Quarry																											
4	New / Expansion / Modification / Renewal	New																											
5	Type of Land [Forest, Government Revenue, Gomal, Private / Patta, Other]	Patta																											
6	Area in Acres	3-14 Acres																											
7	Annual Production (Metric Ton / Cum) Per Annum	1,31,579 Tones/ Annum (including waste)																											
8	Project Cost (Rs. In Crores)	Rs. 1.36 Crores (Rs. 136 Lakhs)																											

9	Proved Quantity of mine/ Quarry- Cu.m / Ton	13,26,207 Tones (including waste)												
10	Permitted Quantity Per Annum - Cu.m / Ton	1,25,000 Tones/ Annum (excluding waste)												
11	<b>CER Activities: Contribution to Bandipur, GHPS allround development and to construct check dams and take up nala strengthening works.</b>													
	<table border="1"> <thead> <tr> <th>Year</th> <th>Corporate Environmental Responsibility (CER)</th> </tr> </thead> <tbody> <tr> <td>1st</td> <td>The proponent proposes to distribute nursery plants at Thondavadi Village &amp;</td> </tr> <tr> <td>2nd</td> <td>Strengthening of approach road.</td> </tr> <tr> <td>3rd</td> <td>Rain water harvesting pits to the GHPS school at Thondavadi Village.</td> </tr> <tr> <td>4th</td> <td>Scientific support and awareness to local farmers to increase yield of crop and fodder.</td> </tr> <tr> <td>5th</td> <td>Health camp in the GHPS school at Thondavadi Village</td> </tr> </tbody> </table>		Year	Corporate Environmental Responsibility (CER)	1st	The proponent proposes to distribute nursery plants at Thondavadi Village &	2nd	Strengthening of approach road.	3rd	Rain water harvesting pits to the GHPS school at Thondavadi Village.	4th	Scientific support and awareness to local farmers to increase yield of crop and fodder.	5th	Health camp in the GHPS school at Thondavadi Village
Year	Corporate Environmental Responsibility (CER)													
1st	The proponent proposes to distribute nursery plants at Thondavadi Village &													
2nd	Strengthening of approach road.													
3rd	Rain water harvesting pits to the GHPS school at Thondavadi Village.													
4th	Scientific support and awareness to local farmers to increase yield of crop and fodder.													
5th	Health camp in the GHPS school at Thondavadi Village													
12	EMP Budget	Rs. 36.98 Lakhs (Capital Cost) & Rs. 8.65 Lakhs (Recurring cost)												
13	Forest NOC	06.09.2022												
14	Quarry plan	27.09.2022												
15	Cluster certificate	28.09.2022												
16	Revenue NOC	09.09.2022												
17	Notification	23.09.2022												

The subject was discussed in the SEAC meeting held on 17th, 18th & 19th November 2022. The Committee has recommended to SFIAA for issue of EC and the extract of the proceedings of the Committee meeting is as below:

As per the cluster sketch there is no other lease in a radius of 500 mtr from the said lease and the area of the said lease is 3-14 Acres and hence the project is categorized as B2.

There is an existing cart track road to a length of 370 meters connecting lease area to the all weather black topped road and the committee informed that the quarrying operation should be commenced after asphaltting the approach road to the quarry and road leading to crusher as per IRC standard norms & should grow trees all along the approach road during the first year of operation, for which the proponent agreed.

The proponent has collected baseline data of air, water, soil and noise and all are within the permissible limits. The proponent informed that all mitigative measures will be taken to ensure that the parameters will be maintained within the permissible limits.

The committee noted that the baseline parameters are found to be within permissible limits and the committee as per the approved quarry plan, recommended the proposal for proved mineable reserve of 13,26,207 Tones (including waste) and estimated the life of the

quarry as 10 years. The committee after discussion decided to recommend the proposal to SEIAA for issue of Environmental Clearance for an annual production of 1,31,579 Tones/Annum (Including waste)

The Authority perused the proposal and took note of the recommendation of SEAC.

The Authority after discussion decided to clear the proposal for issue of Environmental Clearance subject to following:

1. If the distance of nearest Protected Area (National Park/ Sanctuary/Bio sphere reserve/ migratory corridor) is within 10 KM, a certificate from the Chief Wild Life Warden (CWLW) along with his recommendation, else a certificate from the proponent that the proposed site is more than 10 KM away from any Protection Authority (PA) (National Park/ Sanctuary/Bio sphere reserve/ migratory corridor).
2. Safety measures proposed shall be submitted.
3. A time bound action plan for implementation of proposed CER activities as a part of EMP shall be furnished.

**Additional Conditions:**

Dust suppression measures have to be strictly followed.

**227.1.47. Building Stone Quarry Project at Hosuru village, Brahmavara Taluk, Udupi District (1-00 Acre) by Sri Sijo Jacob- Online Proposal No.SIA/KA/MIN/403378/2022 (SEIAA 432 MIN 2022)**

Sri Sijo Jacob have applied for Environmental clearance from SEIAA for quarrying of Building Stone Quarry Project at Sy. No.224/3 of Hosuru village, Brahmavara Taluk, Udupi District (1-00 Acre)

Details of the project are as follows:

Sl.No	PARTICULARS	INFORMATION
1	Name & Address of the Projects Proponent	Sri Sijo Jacob
2	Name & Location of the Project	Building Stone Quarry Project at Sy. No.224/3 of Hosuru village, Brahmavara Taluk, Udupi District (1-00 Acre)


Drafted by






		P.No.	Latitude	Longitude
		A	N19°52'10"	E74°52'10"
		B	N19°51'00"	E74°52'00"
		C	N19°51'00"	E74°52'20"
		D	N19°52'10"	E74°52'30"
3	Type Of Mineral	Building Stone Quarry		
4	New / Expansion / Modification / Renewal	New		
5	Type of Land [Forest, Government Revenue, Gonal, Private / Patta, Other]	Patta		
6	Area in Acres	1-00 Acre		
7	Annual Production (Metric Ton / Cum) Per Annum	3 Tones/ Annum (including waste)		
8	Project Cost (Rs. In Crores)	Rs. 0.20 Crores (Rs. 20 Lakhs)		
9	Proved Quantity of mine/ Quarry- Cu.m / Ton	1,05,200 Tones (including waste)		
10	Permitted Quantity Per Annum - Cu.m / Ton	3,000 Tones/ Annum (excluding waste)		
11	<b>CER Activities:</b> To grow 150 No. of additional plantation on either side of the approach road from quarry location to Hosuru Village Road			
12	EMP Budget	Rs. 11.15 Lakhs (Capital Cost) & 2.55 Lakhs (Recurring cost)		
13	Forest NOC	08.06.2017		
14	Quarry plan	24.06.2022		
15	Cluster certificate	02.09.2022		
16	Revenue NOC	17.08.2021		
17	Notification	10.03.2022		

The subject was discussed in the SEAC meeting held on 17th, 18th & 19th November 2022. The Committee has recommended to SEIAA for issue of EC and the extract of the proceedings of the Committee meeting is as below:

As per the cluster sketch there is no other lease in a radius of 500 mtr from the said lease and the area of the said lease is 1-00 Acre and hence the project is categorized as B2 with non blasting method of quarrying.

Drafted by 

There is an existing cart track road to a length of 300 meters connecting lease area to the all weather black topped road and the committee informed that the quarrying operation should be commenced after asphaltting the approach road to the quarry and road leading to crusher as per IRC standard norms & should grow trees all along the approach road during the first year of operation, for which the proponent agreed.

The proponent has collected baseline data of air, water, soil and noise and all are within the permissible limits. The proponent informed that all mitigative measures will be taken to ensure that the parameters will be maintained within the permissible limits.

The committee noted that the baseline parameters are found to be within permissible limits and the committee as per the approved quarry plan, recommended the proposal for proved mineable reserve of 1,05,200 Tones (including waste) and estimated the life of the quarry as coterminous with lease period. The committee after discussion decided to recommend the proposal to SEIAA for issue of Environmental Clearance for an annual production of 3,061 Tones/ Annum (Including waste).



The Authority perused the proposal and took note of the recommendation of SEAC. Further, the Authority noted the complaint received vide email (Premkumar.332sd@gmail.com) dated 08<sup>th</sup> December 2022. The details are as follows;

1. The project site is worked before obtaining the Environmental Clearance as in the Historical satellite image the workings are varying from 2016 to 2022. Hence this project is in violation to the EIA Notification, 2006
2. The distance between the Somestavara Wildlife Sanctuary and the project site is 8.08km
3. In the surface plan it is shown as workings in northwest portion which means that the site is already worked without E.C. and hence it is a case of violation

The Authority perused the complaint and noted the contents of the same. The Authority also examined the documents of this proposal in the light of the complaint received and decided to refer the file back to SEAC. The SEAC shall look into the issues raised in the complaint diligently and obtain requisite clarifications/ documents from the Project Proponent or any other Govt departments as necessary.

**227.1.48. Building Stone Quarry Project at Sankanahalli Village, Nagamangala Taluk & Mandya District (2-12 Acres) by Sri Venkataramu - Online Proposal No.SIA/KA/MIN/403667/2022 (SEIAA 437 MIN 2022)**

Sri Venkataramu have applied for Environmental clearance from SEIAA for quarrying of Building Stone Quarry Project at Sy. No. 54 of Sankanahalli village, Nelamangala Taluk & Mandya District (2-12 Acres)

Details of the project are as follows:

Sl.No	PARTICULARS	INFORMATION																					
1	Name & Address of the Projects Proponent	Sri Venkataramu																					
2	Name & Location of the Project	Building Stone Quarry Project at Sy. No. 54 of Sankanahalli village, Nelamangala Taluk & Mandya District (2-12 Acres)																					
		<table border="1"> <thead> <tr> <th>P.No</th> <th>Latitude</th> <th>Longitude</th> </tr> </thead> <tbody> <tr> <td>a</td> <td>N12°47'56"</td> <td>E76°42'29"</td> </tr> <tr> <td>b</td> <td>N12°47'47"</td> <td>E76°42'26"</td> </tr> <tr> <td>c</td> <td>N12°47'48"</td> <td>E76°42'29"</td> </tr> <tr> <td>d</td> <td>N12°47'50"</td> <td>E76°42'21"</td> </tr> <tr> <td>e</td> <td>N12°47'56"</td> <td>E76°42'29"</td> </tr> <tr> <td>f</td> <td>N12°47'56"</td> <td>E76°42'29"</td> </tr> </tbody> </table>	P.No	Latitude	Longitude	a	N12°47'56"	E76°42'29"	b	N12°47'47"	E76°42'26"	c	N12°47'48"	E76°42'29"	d	N12°47'50"	E76°42'21"	e	N12°47'56"	E76°42'29"	f	N12°47'56"	E76°42'29"
P.No	Latitude	Longitude																					
a	N12°47'56"	E76°42'29"																					
b	N12°47'47"	E76°42'26"																					
c	N12°47'48"	E76°42'29"																					
d	N12°47'50"	E76°42'21"																					
e	N12°47'56"	E76°42'29"																					
f	N12°47'56"	E76°42'29"																					
3	Type Of Mineral	Building Stone Quarry																					
4	New / Expansion / Modification / Renewal	New																					
5	Type of Land [Forest, Government Revenue, Goma, Private / Patta, Other]	Government																					
6	Area in Acres	2-12 Acres																					
7	Annual Production (Metric Ton / Cum) Per Annum	20,235.19 Tones/ Annum (including waste)																					
8	Project Cost (Rs. In Crores)	Rs. 0.30 Crores (Rs. 30 Lakhs)																					
9	Proved Quantity of mine/ Quarry- Cu.m / Ton	3,83,067 Tones (including waste)																					
10	Permitted Quantity Per Annum - Cu.m / Ton	20,000 Tones/ Annum (excluding waste)																					
11	<b>CER Activities:</b> To grow 250 No. of additional plantation on either side of the approach road from quarry location to Sankanahalli Village Road																						
12	LMP Budget	Rs. 15.95 Lakhs (Capital Cost) & 3.99 Lakhs (Recurring cost)																					
13	Forest NOC	23.11.2020																					
14	Quarry plan	30.09.2022																					
15	Cluster certificate	01.10.2022																					
16	Revenue NOC	29.04.2021																					
17	Notification	16.10.2021																					
18	JIR	02.02.2021																					

The subject was discussed in the SEAC meeting held on 17th, 18th & 19th November 2022. The Committee has recommended to SEIAA for issue of EC and the extract of the proceedings of the Committee meeting is as below:

As per the cluster sketch there are 15 leases including the present lease within 500 meter radius from this lease out of which 03 leases are exempted from cluster as the leases were granted prior to 09.09.2013 and the total area of remaining leases including the present lease is 11-00 Acres and hence the project is categorized as B2.

There is an existing cart track road to a length of 580 meters connecting lease area to the all weather black topped road and the committee informed that the quarrying operation should be commenced after strengthening the approach road to the quarry and road leading to crusher as per standard norms & should grow trees all along the approach road during the first year of operation, for which the proponent agreed.

The proponent has collected baseline data of air, water, soil and noise and all are within the permissible limits. The proponent informed that all mitigative measures will be taken to ensure that the parameters will be maintained within the permissible limits.

The committee noted that the baseline parameters are found to be within permissible limits and the committee as per the approved quarry plan, recommended the proposal for proved mineable reserve of 3,83,067 Tons (including waste) and estimated the life of the quarry as 19 years. The committee after discussion decided to recommend the proposal to SEIAA for issue of Environmental Clearance for an annual production of 20,235 Tones/ Annum (including waste).

*The Authority perused the proposal and took note of the recommendation of SEAC. Further, the Authority noted the complaint received vide email (Premikumar332sd@gmail.com) dated 08<sup>th</sup> December 2022. The details are as follows;*

1. *Eco-sensitive zone of Melikote Wildlife Sanctuary is within 10km from the project site. The distance between the proposed site and Sanctuary is 5.69km*
2. *The project site is worked before obtaining the Environmental Clearance as in the Historical satellite image the workings are varying from 2016 to 2019 and from the site photos also we can see the worked area filled with water. Hence this project is in violation to the EIA Notification, 2006*

The Authority perused the complaint and noted the contents of the same. The Authority also examined the documents of this proposal in the light of the complaint received and decided to refer the file back to SEAC. The SEAC shall look into the issues raised in the complaint diligently and obtain requisite clarifications/ documents from the Project Proponent or any other Govt departments as necessary.



**227.1.49. Building Stone Quarry Project at Nageshanahalli Village, Koppal Taluk, Koppal District (2-34 Acres) by Sri Prakash - Online Proposal No.SIA/KA/MIN/403942/2022 (SEIAA 446 MIN 2022)**

Sri Prakash have applied for Environmental clearance from SEIAA for quarrying of Building Stone Quarry Project at Sy. No. 19 of Nageshanahalli Village, Koppal Taluk, Koppal District (2-34 Acres)

Details of the project are as follows:

Sl.No	PARTICULARS	INFORMATION
1	Name & Address of the Projects Proponent	Sri Prakash
2	Name & Location of the Project	Building Stone Quarry Project at Sy. No. 19 of Nageshanahalli Village, Koppal Taluk, Koppal District (2-34 Acres) Latitude: N15°23'21.792" to N15°23'25.698" Longitude: E 76°20'46.286" to E 76°20'51.173"
3	Type Of Mineral	Building Stone Quarry
4	New / Expansion / Modification / Renewal	New
5	Type of Land [Forest, Government Revenue, Gomal, Private / Patta, Other]	Government
6	Area in Acres	2-34 Acres
7	Annual Production (Metric Ton / Cum) Per Annum	6,000 Tones for 2 years & 7,000 Tones for 3 years (including waste)
8	Project Cost (Rs. In Crores)	Rs. 0.021 Crores (Rs. 2.10 Lakhs)
9	Proved Quantity of mine/ Quarry- Cu.m / Ton	2,87,486 Tones (including waste)
10	Permitted Quantity Per Annum - Cu.m / Ton	6,000 Tones for 2 years & 7,000 Tones for 3 years (including waste)
11	CEP Activities: Desilting & rejuvenation at Kerehalli (4.00 km SSW)	
12	EMP Budget	Rs. 29.05 Lakhs (Capital Cost) & 9.85 Lakhs (Recurring cost)
13	Forest NOC	26.02.2021
14	Quarry plan	13.09.2022
15	Cluster Certificate	13.09.2022
16	Revenue NOC	25.02.2021
17	Notification	20.11.2021
18	DTF	14.06.2022

Drafted by 

The subject was discussed in the SEAC meeting held on 17<sup>th</sup>, 18<sup>th</sup> & 19<sup>th</sup> November 2022. The Committee has recommended to SEIAA for issue of EC and the extract of the proceedings of the Committee meeting is as below:

As per the cluster sketch there is no other lease in a radius of 500 mtr from the said lease and the area of the said lease is 2-34 Acres and hence the project is categorized as B2 with non blasting method of quarrying.

There is an existing cart track road to a length of 100 meters connecting lease area to the all weather black topped road and the committee informed that the quarrying operation should be commenced after asphaltting the approach road to the quarry and road leading to crusher as per IRC standard norms & should grow trees all along the approach road during the first year of operation, for which the proponent agreed.

The proponent has collected baseline data of air, water, soil and noise and all are within the permissible limits. The proponent informed that all mitigative measures will be taken to ensure that the parameters will be maintained within the permissible limits.

The committee noted that the baseline parameters are found to be within permissible limits and the committee as per the approved quarry plan, recommended the proposal for proved mineable reserve of 2,87,486 Tones (including waste) and estimated the life of the quarry as coterminous with lease period. The committee after discussion decided to recommend the proposal to SEIAA for issue of Environmental Clearance for an annual production of 6,000 Tones/Annum (Including waste) for two years and of 7,000 Tones/Annum (Including waste) for three years.

The Authority perused the proposal and took note of the recommendation of SEAC. Further, the Authority noted the complaint received vide email (Premkumar332sd@gmail.com) dated 08<sup>th</sup> December 2022. The details are as follows;

1. The project site is worked before obtaining the Environmental Clearance as in the Historical satellite image the workings are visible and we can see the streets of rocks are excavated. Hence this project is in violation to the EIA Notification, 2006
2. There is a nala towards east if we consider the village map of the project site for which proper buffer must be provided

The Authority perused the complaint and noted the contents of the same. The Authority also examined the documents of this proposal in the light of the complaint received and decided to refer the file back to SEAC. The SEAC shall look into the issues raised in the complaint diligently and obtain requisite clarifications/documents from the Project Proponent or any other Govt departments as necessary.

**227.1.50. Building Stone Quarry Project at Sultanpur (J) Village, Bidar Taluk, Bidar District (4-30 Acres) by Sri Prashanth Rejintal - Online Proposal No.SIA/KA/MIN/404071/2022 (SEIAA 447 MIN 2022)**

Sri Prashanth Rejintal have applied for Environmental clearance from SEIAA for quarrying of Building Stone Quarry Project at Sy. No.25/7 of Sultanpur (J) Village, Bidar Taluk, Bidar District (4-30 Acres)

Details of the project are as follows:

Sl.No	PARTICULARS	INFORMATION																					
1	Name & Address of the Projects Proponent	Sri Prashanth Rejintal																					
2	Name & Location of the Project	Building Stone Quarry Project at Sy. No.25/7 of Sultanpur (J) Village, Bidar Taluk, Bidar District (4-30 Acres)																					
		<table border="1"> <thead> <tr> <th>Corner Point No</th> <th>Latitude</th> <th>Longitude</th> </tr> </thead> <tbody> <tr> <td>A</td> <td>N 17° 53' 36.5"</td> <td>E 77° 34' 59.5"</td> </tr> <tr> <td>B</td> <td>N 17° 53' 35.8"</td> <td>E 77° 34' 04.0"</td> </tr> <tr> <td>C</td> <td>N 17° 53' 33.6"</td> <td>E 77° 34' 03.6"</td> </tr> <tr> <td>D</td> <td>N 17° 53' 33.3"</td> <td>E 77° 34' 54.7"</td> </tr> <tr> <td>E</td> <td>N 17° 53' 35.1"</td> <td>E 77° 34' 54.7"</td> </tr> <tr> <td>F</td> <td>N 17° 53' 35.1"</td> <td>E 77° 34' 53.1"</td> </tr> </tbody> </table>	Corner Point No	Latitude	Longitude	A	N 17° 53' 36.5"	E 77° 34' 59.5"	B	N 17° 53' 35.8"	E 77° 34' 04.0"	C	N 17° 53' 33.6"	E 77° 34' 03.6"	D	N 17° 53' 33.3"	E 77° 34' 54.7"	E	N 17° 53' 35.1"	E 77° 34' 54.7"	F	N 17° 53' 35.1"	E 77° 34' 53.1"
Corner Point No	Latitude	Longitude																					
A	N 17° 53' 36.5"	E 77° 34' 59.5"																					
B	N 17° 53' 35.8"	E 77° 34' 04.0"																					
C	N 17° 53' 33.6"	E 77° 34' 03.6"																					
D	N 17° 53' 33.3"	E 77° 34' 54.7"																					
E	N 17° 53' 35.1"	E 77° 34' 54.7"																					
F	N 17° 53' 35.1"	E 77° 34' 53.1"																					
3	Type Of Mineral	Building Stone Quarry																					
4	New / Expansion / Modification / Renewal	New																					
5	Type of Land [Forest, Government Revenue, Gomal, Private / Patta, Other]	Patta																					
6	Area in Acres	4.30 Acres																					
7	Annual Production (Metric Ton / Cum) Per Annum	52,632 Tones/annum (including waste)																					
8	Project Cost (Rs. In Crores)	Rs. 1.35 Crores (Rs. 135 Lakhs)																					
9	Proved Quantity of mine/ Quarry- Cu.m / Ton	16,81,032 Tones (including waste)																					
10	Permitted Quantity Per Annum - Cu.m / Ton	50,000 Tones/annum (excluding waste)																					
11	CER Activities:																						

Year	Corporate Environmental Responsibility (CER)	
1 <sup>st</sup>	Providing solar power panels to the GHPS school at Sulthanpur (I) Village.	
2 <sup>nd</sup>	Rain water harvesting pits to Sulthanpur (I) Village	
3 <sup>rd</sup>	Avenue plantation either side of the approach road near Quarry site & Repair of road with drainages	
4 <sup>th</sup>	Conducting E-waste drive campaigns in GHPS at Sulthanpur (I) Village	
5 <sup>th</sup>	Health camp in GHPS at Sulthanpur (I) Village.	
12	EMP Budget	Rs. 51.84 Lakhs (Capital Cost) & Rs. 8.43 Lakhs (Recurring cost)
13	Forest NOC	25.11.2020
14	Quarry plan	30.09.2022
15	Cluster certificate	17.10.2022
16	Revenue NOC	07.11.2020
17	Notification	05.09.2022

The subject was discussed in the SEAC meeting held on 17<sup>th</sup>, 18<sup>th</sup> & 19<sup>th</sup> November 2022. The Committee has recommended to SFIAA for issue of EC and the extract of the proceedings of the Committee meeting is as below:

As per the cluster sketch there is no other lease in a radius of 500mtr from the said lease and the area of the said lease is 4-30 Acres and hence the project is categorized as B2.

There is an existing cart track road to a length of 1140 meters connecting lease area to the all weather black topped road and the committee informed that the quarrying operation should be commenced after asphaltting the approach road to the quarry and road leading to crusher as per IRC standard norms & should grow trees all along the approach road during the first year of operation, for which the proponent agreed.

The proponent has collected baseline data of air, water, soil and noise and all are within the permissible limits. The proponent informed that all mitigative measures will be taken to ensure that the parameters will be maintained within the permissible limits.

The committee noted that the baseline parameters are found to be within permissible limits and the committee as per the approved quarry plan, recommended the proposal for proved mineable reserve of 16,81,032 Tones (including waste) and estimated the life of the quarry as coterminous with lease period. The committee after discussion decided to recommend the proposal to SFIAA for issue of Environmental Clearance for an annual production of 52,632 Tones/ Annum (Including waste).

The Authority perused the proposal and took note of the recommendation of SEAC.



**The Authority after discussion decided to clear the proposal for issue of Environmental Clearance subject to following:**

1. If the distance of nearest Protected Area (National Park/ Sanctuary/Bio sphere reserve/ migratory corridor) is within 10 KM, a certificate from the Chief Wild Life Warden (CWLIW) along with his recommendation, else a certificate from the proponent that the proposed site is more than 10 KM away from any Protection Authority (PA) (National Park/ Sanctuary/Bio sphere reserve/ migratory corridor).
2. Safety measures proposed shall be submitted.
3. A time bound action plan for implementation of proposed CFR activities as a part of EMP shall be furnished.

**Additional Conditions:**



Dust suppression measures have to be strictly followed.

**227.151. Ordinary Sand Quarry Project at Halgapura Village, Hagaribommanahalli Taluk, Vijayanagara District (5-00 Acres) by Sri Siraj Ahmad P Bijapur - Online Proposal No.SIA/KA/MIN/403859/2022 (SEIAA 449 MIN 2022)**

Sri Siraj Ahmad P Bijapur have applied for Environmental clearance from SEIAA for quarrying of Ordinary Sand Quarry Project at Sy.No.390 of Halgapura Village, Hagaribommanahalli Taluk, Vijayanagara District (5-00 Acres)

Details of the project are as follows:

Sl.No.	PARTICULARS	INFORMATION
1	Name & Address of the Projects Proponent	Sri Siraj Ahmad P Bijapur
2	Name & Location of the Project	Ordinary Sand Quarry Project at Sy.No.390 of Halgapura Village, Hagaribommanahalli Taluk, Vijayanagara District (5-00 Acres)

 /  105

		Coordinates	
		Latitude	Longitude
		A	N 15° 35' 42.1575" E 76° 18' 52.056"
		B	N 15° 35' 43.7894" E 76° 18' 49.958"
		C	N 15° 35' 43.8599" E 76° 18' 47.134"
		D	N 15° 35' 40.752" E 76° 18' 48.7939"
		E	N 15° 35' 40.9733" E 76° 18' 48.1348"
		F	N 15° 35' 39.8713" E 76° 18' 47.6652"
		G	N 15° 35' 39.0111" E 76° 18' 47.6848"
		H	N 15° 35' 41.1403" E 76° 18' 47.1993"
		I	N 15° 35' 42.1316" E 76° 18' 47.5704"
		J	N 15° 35' 42.9619" E 76° 18' 47.6816"
		K	N 15° 35' 44.1822" E 76° 18' 47.6667"
3	Type Of Mineral	Ordinary Sand Quarry	
4	New / Expansion / Modification / Renewal	New	
5	Type of Land [Forest, Government Revenue, Gomal, Private / Patta, Other]	Patta	
6	Area in Acres	5-00 Acres	
7	Annual Production (Metric Ton / Cum) Per Annum	20,000 Tones for first 4 years & 11,200 Tones for 5 <sup>th</sup> year (including waste)	
8	Project Cost (Rs. In Crores)	Rs. 1.44 Crores (Rs. 144 Lakhs)	
9	Proved Quantity of mine/ Quarry- Cu.m / Ton	91,200 Tons (including waste)	
10	Permitted Quantity Per Annum - Cu.m / Ton	20,000 Tones for first 4 years & 11,200 Tones for 5 <sup>th</sup> year (including waste)	
11	<b>CER Activities:</b> To provide Infrastructure for GHPS at Halagapura Village. Year : Corporate Environmental Responsibility (CER)		
	1st	Providing solar power panels in the GHPS school at Halagapura Village.	
	2nd	Rain water harvesting pits to GHPS school at Halagapura Village.	
	3rd	Avenue plantation either side of the approach road near Quarry site & Repair of road With drainages.	
	4th		
	5th	Health camp in GHPS at Halagapura Village.	
12	EMP Budget	Rs. 28.33 Lakhs (Capital Cost) & Rs. 6.54 Lakhs (Recurring cost)	
13	Forest NOC	14.03.2022	

14	Quarry plan	01.09.2022
15	Cluster Certificate	10.10.2022
16	Revenue NOC	16.10.2021
17	LTF	30.05.2022
18	JIR	05.07.2022

The subject was discussed in the SEAC meeting held on 17th, 18th & 19th November 2022. The Committee has recommended to SEIAA for issue of EC and the extract of the proceedings of the Committee meeting is as below:

The proposal is for sand quarry project in patta land and as per the DMG letter dated 03.08.2022 there is no river bed sand mining in a radius of 5km from the proposed site area.

As per the cluster sketch there is no other lease in a radius of 500 mtr and the area of the proposed lease is 5-00 Acre and hence the project is categorized as B2.

There is an existing cart track road to a length of 110 meters connecting lease area to the all weather black topped road and the committee informed that the mining operation should be commenced after asphaltting the approach road to the quarry as per IRC norms and to strictly implement mine closure plan effectively after mining operation and also to grow trees all along the approach road/both sides of halla during the first year of operation and also to undertake bank stabilization and the proponent agreed.

The proponent has collected baseline data of air, water, soil and noise and all are within the permissible limits. The proponent informed that all mitigative measures will be taken to ensure that the parameters will be maintained within the permissible limits.

The committee noted that the baseline parameters are found to be within permissible limits and the committee as per the approved quarry plan, recommended the proposal for proved mineable reserve of 91,200 Tons (including waste) and estimated the life of the quarry as 5 years. The committee after discussion decided to recommend the proposal to SEIAA for issue of Environmental Clearance for an annual production of 20,000 Tons/ Annum (including waste) for four years and 11,200 Tons/ Annum (including waste) for fifth year.

The Authority perused the proposal and took note of the recommendation of SEAC.

*The Authority after discussion decided to clear the proposal for issue of Environmental Clearance subject to following:*

1. *If the distance of nearest Protected Area (National Park/ Sanctuary/Bio sphere reserve/ migratory corridor) is within 10 KM, a certificate from the Chief Wild Life Warden (CWLW) along with his recommendation, else a certificate from the proponent that the proposed site is*

more than 10 KM away from any Protection Authority (PA) (National Park/ Sanctuary/Bio sphere reserve/ migratory corridor).

2. Safety measures proposed shall be submitted.
3. A time bound action plan for implementation of proposed CER activities as a part of EMP shall be furnished.
4. The proponent shall furnish a certificate that there is no sand quarry within 5 KM of project site.

**Additional Conditions:**

1. Dust suppression measures have to be strictly followed.
2. The PP shall utilize the permission as per the Sand policy of the GoK Notification No. CI 343 MMN 2019 (Part 7) dated 01.12.2021.



**227.152. Building Stone Quarry Project at Arepura Village, Gundlupete Taluk, Chamarajanagar District (3-21 Acres) by Sri C S Narayana - Online Proposal No.SIA/KA/MIN/404173/2022 (SEIAA 450 MIN 2022)**

Sri C S Narayana have applied for Environmental clearance from SEIAA for quarrying of Building Stone Quarry Porject at Sy. No.147 of Arepura Village, Gundlupete Taluk, Chamarajanagar District (3-21 Acres)

Details of the project are as follows:

Sl.No	PARTICULARS	INFORMATION																					
1	Name & Address of the Projects Proponent	Sri C S Narayana																					
2	Name & Location of the Project	Building Stone Quarry Porject at Sy. No.147 of Arepura Village, Gundlupete Taluk, Chamarajanagar District (3-21 Acres) <table border="1" style="margin-left: 20px;"> <thead> <tr> <th>Corner/Para. No</th> <th>Latitude</th> <th>Longitude</th> </tr> </thead> <tbody> <tr> <td>A</td> <td>N. 11° 58' 22"</td> <td>E 76° 19' 14"</td> </tr> <tr> <td>B</td> <td>N. 11° 58' 21"</td> <td>E 76° 19' 16"</td> </tr> <tr> <td>C</td> <td>N. 11° 58' 24"</td> <td>E 76° 19' 16"</td> </tr> <tr> <td>D</td> <td>N. 11° 58' 25"</td> <td>E 76° 19' 16"</td> </tr> <tr> <td>E</td> <td>N. 11° 58' 25"</td> <td>E 76° 19' 18"</td> </tr> <tr> <td>F</td> <td>N. 11° 58' 28"</td> <td>E 76° 19' 18"</td> </tr> </tbody> </table>	Corner/Para. No	Latitude	Longitude	A	N. 11° 58' 22"	E 76° 19' 14"	B	N. 11° 58' 21"	E 76° 19' 16"	C	N. 11° 58' 24"	E 76° 19' 16"	D	N. 11° 58' 25"	E 76° 19' 16"	E	N. 11° 58' 25"	E 76° 19' 18"	F	N. 11° 58' 28"	E 76° 19' 18"
Corner/Para. No	Latitude	Longitude																					
A	N. 11° 58' 22"	E 76° 19' 14"																					
B	N. 11° 58' 21"	E 76° 19' 16"																					
C	N. 11° 58' 24"	E 76° 19' 16"																					
D	N. 11° 58' 25"	E 76° 19' 16"																					
E	N. 11° 58' 25"	E 76° 19' 18"																					
F	N. 11° 58' 28"	E 76° 19' 18"																					
3	Type Of Mineral	Building Stone Quarry																					
4	New / Expansion / Modification / Renewal	New																					

Drafted by           



  
 188

5	Type of Land [Forest, Government Revenue, Gomal, Private / Patta, Other]	Patta
6	Area in Acres	3-21 Acres
7	Annual Production (Metric Ton / Cum) Per Annum	1,05,263 Tones/annum (including waste)
8	Project Cost (Rs. In Crores)	Rs. 1.29 Crores (Rs. 129 Lakhs)
9	Proved Quantity of mine/Quarry- Cu.m / Ton	14,09,161 Tones (including waste)
10	Permitted Quantity Per Annum - Cu.m / Ton	1,00,000 Tones/annum (excluding waste)
11	<b>CER Activities: Contribution to Bandipur, GHPS allround development and to construct check dams and take up nala strengthening works.</b>	
	<b>Year</b>	<b>Corporate Environmental Responsibility (CER)</b>
	1st	Providing solar power panels to GHPS in Arepura Village.
	2nd	Conducting E-waste drive campaigns in the Arepura Village
	3rd	Rain water harvesting pits to the GHPS school at Arepura Village.
	4th	Scientific support and awareness to local farmers to increase yield of crop and fodder.
	5th	Health camp in the GHPS school at Arepura Village.
12	FMP Budget	Rs. 28.27 Lakhs (Capital Cost) & Rs. 8.17 Lakhs (Recurring cost)
13	Forest NOC	03.10.2022
14	Quarry plan	21.10.2022
15	Cluster certificate	19.10.2022
16	Revenue NOC	30.09.2022
17	Notification	19.10.2022

The subject was discussed in the SEAC meeting held on 17th, 18th & 19th November 2022. The Committee has recommended to SEIAA for issue of EC and the extract of the proceedings of the Committee meeting is as below:

As per the cluster sketch there is one other lease in a radius of 500 mtr from the said lease and the total area of the leases is 4-11 Acres and hence the project is categorized as B2.

There is an existing cart track road to a length of 370 meters connecting lease area to the all weather black topped road and the committee informed that the quarrying operation should be commenced after asphaltting the approach road to the quarry and road leading to crusher as per IRC standard norms & should grow trees all along the approach road during the first year of operation, for which the proponent agreed.

The proponent has collected baseline data of air, water, soil and noise and all are within the permissible limits. The proponent informed that all mitigative measures will be taken to ensure that the parameters will be maintained within the permissible limits.

The committee noted that the baseline parameters are found to be within permissible limits and the committee as per the approved quarry plan, recommended the proposal for proved mineable reserve of 14,09,161 Tones(including waste) and estimated the life of the quarry as 14 years. The committee after discussion decided to recommend the proposal to SEIAA for issue of Environmental Clearance for an annual production of 1,05,263 Tones/Annum (including waste)

The Authority perused the proposal and took note of the recommendation of SEAC

*The Authority after discussion decided to clear the proposal for issue of Environmental Clearance subject to following:*

1. *If the distance of nearest Protected Area (National Park/ Sanctuary/Bio sphere reserve/ migratory corridor) is within 10 KM, a certificate from the Chief Wild Life Warden (CWLW) along with his recommendation, else a certificate from the proponent that the proposed site is more than 10 KM away from any Protection Authority (PA) (National Park/ Sanctuary/Bio sphere reserve/ migratory corridor).*
2. *Safety measures proposed shall be submitted.*
3. *A time bound action plan for implementation of proposed CER activities as a part of EMP shall be furnished.*

**Additional Conditions:**

*Dust suppression measures have to be strictly followed.*

**227.1.53. Building Stone Quarry Project at Ugginakere Village, Kalaghatagi Taluk, Dharawada District (1-12 Acres) by Sri Basavanneppa T Gokul - Online Proposal No.51A/KA/MIN/290404/2022 (SEIAA 378 MIN 2022)**

Sri Basavanneppa T Gokul have applied for Environmental clearance from SEIAA for quarrying of Building Stone Quarry Project at Sy. No.10A/2A of Ugginakere Village, Kalaghatagi Taluk, Dharawada District (1-12 Acres)

Details of the project are as follows:



Sl.No	PARTICULARS	INFORMATION
1	Name & Address of the Projects Proponent	Sri Basavanneppa T Gokul
2	Name & Location of the Project	Building Stone Quarry Project at Sy. No.10A/2A of Ugginakere Village.

Drafted by ka

		Kalaghatagi Taluk, Dharawada District (1-12 Acres)	
		P.No.	Longitude
		A	75°1'00"
		B	75°1'30"
		C	75°1'30"
		D	75°1'30"
		E	75°1'35"
		F	75°1'35"
		G	75°1'30"
		H	75°1'30"
		I	75°1'30"
		J	75°1'30"
3	Type Of Mineral	Building Stone Quarry	
4	New / Expansion / Modification / Renewal	New	
5	Type of Land [Forest, Government Revenue, Gomal, Private / Patta, Other]	Patta	
6	Area in Acres	1-12 Acres	
7	Annual Production (Metric Ton / Cum) Per Annum	20,011 Tones/annum (including waste)	
8	Project Cost (Rs. In Crores)	Rs. 0.25 Crores (Rs. 25 Lakhs)	
9	Proved Quantity of mine/ Quarry- Cu.m / Tm	1,53,844 Tones (including waste)	
10	Permitted Quantity Per Annum - Cu.m / Ton	19,611 Tones/annum (excluding waste)	
11	<b>CER Activities:</b> To grow 200 No. of additional plantation on either side of the approach road from quarry location to Ugginakeri Village Road		
12	EMP Budget	Rs. 14.35 Lakhs (Capital Cost) & 3.35 Lakhs (Recurring cost)	
13	Forest NOC	28.02.2022	
14	Quarry plan	12.08.2022	
15	Cluster certificate	16.09.2022	
16	Revenue NOC	06.01.2022	
17	Notification	24.06.2022	

The subject was discussed in the SEAC meeting held on 17th, 18th & 19th November 2022 The Committee has recommended to SEIAA for issue of EC and the extract of the proceedings of the Committee meeting is as below:

Drafted by 

  191

As per the cluster sketch there is one other lease in a radius of 500mtr from the said lease and the total area of the leases is 3-12 Acres and hence the project is categorized as B2.

There is an existing cart track road to a length of 370 meters connecting lease area to the all weather black topped road and the committee informed that the quarrying operation should be commenced after asphaltting the approach road to the quarry and road leading to crusher as per IRC standard norms & should grow trees all along the approach road during the first year of operation, for which the proponent agreed.

The proponent has collected baseline data of air, water, soil and noise and all are within the permissible limits. The proponent informed that all mitigative measures will be taken to ensure that the parameters will be maintained within the permissible limits.



The committee noted that the baseline parameters are found to be within permissible limits and the committee as per the approved quarry plan, recommended the proposal for proved mineable reserve of 1,53,844 Tones(including waste) and estimated the life of the quarry as 8 years. The committee after discussion decided to recommend the proposal to SEIAA for issue of Environmental Clearance for an annual production of 20,011 Tones/ Annum (Including waste).

*The Authority perused the proposal and took note of the recommendation of SEAC. Further, the Authority noted the complaint received vide email (Premkumar332sd@gmail.com) dated 08<sup>th</sup> December 2022. The details are as follows;*

1. *The project site is worked before obtaining the Environmental Clearance as In the Historical satellite image the workings are varying from 2015 to 2022. Hence this project is in violation to the EIA Notification, 2006.*
2. *Shape of the applied lease area is different in the different documents; GPS points are varying thus the extent of the site is also varying*

The Authority perused the complaint and noted the contents of the same. Further, the Authority also examined the documents of this proposal and it was observed the there are some discrepancies in the kml file and shape of the lease boundary (GPS points). Therefore, the Authority decided to refer file back to SEAC. The SEAC shall examine the issues raised in the complaint diligently and obtain requisite clarification/documents from Project Proponent /Govt. departments as necessary.

Drafted by:           






**227.1.54. Building Stone Quarry Project at Sy. Nos. 67/1 & 67/4 of Siddapura Village, Chitradurga Taluk & District (5-24 Acres) by Sri Sujay S Malige - Online Proposal No.SIA/KA/MIN/290787/2022 (SEIAA 380 MIN 2022)**

Sri Sujay S Malige have applied for Environmental clearance from SEIAA for Building Stone Quarry Project at Sy. Nos. 67/1 & 67/4 of Siddapura Village, Chitradurga Taluk & District (5-24 Acres)

Details of the project are as follows:

Sl.No	PARTICULARS	INFORMATION																		
1	Name & Address of the Projects Proponent	Sri Sujay S Malige																		
2	Name & Location of the Project	Building Stone Quarry Project at Sy. Nos. 67/1 & 67/4 of Siddapura Village, Chitradurga Taluk & District (5-24 Acres)																		
		<table border="1"> <thead> <tr> <th>P. No.</th> <th>Latitude</th> <th>Longitude</th> </tr> </thead> <tbody> <tr> <td>A</td> <td>N 14° 17' 51.586"</td> <td>E 76° 20' 35.021"</td> </tr> <tr> <td>B</td> <td>N 14° 17' 49.686"</td> <td>E 76° 20' 42.280"</td> </tr> <tr> <td>C</td> <td>N 14° 17' 45.435"</td> <td>E 76° 20' 41.146"</td> </tr> <tr> <td>D</td> <td>N 14° 17' 48.284"</td> <td>E 76° 20' 41.150"</td> </tr> <tr> <td>E</td> <td>N 14° 17' 49.374"</td> <td>E 76° 20' 44.852"</td> </tr> </tbody> </table>	P. No.	Latitude	Longitude	A	N 14° 17' 51.586"	E 76° 20' 35.021"	B	N 14° 17' 49.686"	E 76° 20' 42.280"	C	N 14° 17' 45.435"	E 76° 20' 41.146"	D	N 14° 17' 48.284"	E 76° 20' 41.150"	E	N 14° 17' 49.374"	E 76° 20' 44.852"
P. No.	Latitude	Longitude																		
A	N 14° 17' 51.586"	E 76° 20' 35.021"																		
B	N 14° 17' 49.686"	E 76° 20' 42.280"																		
C	N 14° 17' 45.435"	E 76° 20' 41.146"																		
D	N 14° 17' 48.284"	E 76° 20' 41.150"																		
E	N 14° 17' 49.374"	E 76° 20' 44.852"																		
3	Type Of Mineral	Building Stone Quarry																		
4	New / Expansion / Modification / Renewal	New																		
5	Type of Land [Forest, Government Revenue, Gomal, Private / Patta, Other]	Patta																		
6	Area in Acres	5-24 Acres																		
7	Annual Production (Metric Ton / Cum) Per Annum	1,25,530 Tones/ Annum (including waste) - I year 1,18,718 Tones/ Annum (including waste) - II year 1,11,906 Tones/ Annum (including waste) - III year 1,05,094 Tones/ Annum (including waste) - IV year 98,282 Tones/ Annum (including waste) - V year																		
8	Project Cost (Rs. In Crores)	Rs. 0.45 Crores (Rs. 45 Lakhs)																		
9	Proved Quantity of mine/ Quarry- Cu.m / Ton	10,99,359 Tones (including waste)																		

Drafted by           



10	Permitted Quantity Per Annum - Cu.M / Ton	1,19,254 Tones/ Annum (excluding waste) - I year 1,12,782 Tones/ Annum (excluding waste) - II year 1,06,310 Tones/ Annum (excluding waste) - III year 99,840 Tones/ Annum (excluding waste) - IV year 93,368 Tones/ Annum (excluding waste) - V year
11	<b>CER Activities:</b> Propose to takeup additional plantation of 1000 No. locally suitable trees, on both sides of the approach road from quarry location to Siddapura and near public places.	
12	EMP Budget	Rs. 20.05 Lakhs (Capital Cost) & 5.93 Lakhs (Recurring cost)
13	Forest NOC	05.07.2022 & 27.05.2022
14	Quarry plan	12.08.2022
15	Cluster certificate	13.09.2022
16	Revenue NOC	04.05.2022
17	Notification	12.07.2022

The subject was discussed in the SEAC meeting held on 13<sup>th</sup> October 2022. The Committee has recommended to SEIAA for issue of EC and the extract of the proceedings of the Committee meeting is as below:

The committee initially noted the complaint received through email (parisaraarakshanaavedike@gmail.com) on 13<sup>th</sup> October 2022 for the present proposal and the committee at the time of appraisal sought point wise clarification for the following observations from the project Proponent and Consultant,

• In the land conversion order schedule, it is written that towards south of Sy. No. 67/4 there is school area and also if we go through google image there is households within 85mtr from the site towards east.

The proponent informed that, as per land conversion order schedule, land in the southern side is mentioned as school area, but presently there is no existing school building. However, in the eastern side there are few unused and abandoned industrial sheds at a distance of 102 mtrs from the project site and for the past few years no human activities is observed.

The committee accepted the clarification given by proponent and appraised the project. As per the cluster sketch there are 03 leases including the present lease within 500 meter radius from this lease out of which 01 lease is exempted from cluster as the EC was granted prior to 15.01.2016 and the total area of the remaining leases including the present lease is 5-24 Acres and hence the project is categorized as B2.

There is an existing cart track road to a length of 300 meters connecting lease area to the all weather black topped road and the committee informed that the quarrying operation should be commenced after asphaltting the approach road to the quarry and road leading to crusher as per IRC standard norms & should grow trees all along the approach road during the first year of operation, for which the proponent agreed.

The proponent has collected baseline data of air, water, soil and noise and all are within the permissible limits. The proponent informed that all mitigative measures will be taken to ensure that the parameters will be maintained within the permissible limits.

The committee noted that the baseline parameters are found to be within permissible limits and the committee as per the approved quarry plan, recommended the proposal for proved mineable reserve of 10,99,359 Tones (including waste) and estimated the life of the quarry as 10 years. The committee after discussion decided to recommend the proposal to SEIAA for issue of Environmental Clearance for an annual production of 1,25,530 Tones/ Annum (including waste) - I year, 1,18,718 Tones/ Annum (including waste) - II year, 1,11,906 Tones/ Annum (including waste) - III year, 1,05,094 Tones/ Annum (including waste) - IV year and 98,282 Tones/ Annum (including waste) - V year.




The Authority perused the proposal and took note of the recommendation of SEAC. Further, the Authority noted the complaint received through email (parisaraarakshanaavedike@gmail.com) on 26<sup>th</sup> October 2022. The details are as follows:

- In the land conversion order schedule it is written that towards south of Sy no 67/4 there is school area and also if we go through google image there is households within 85 m from the site towards east.
- If at all said industrial sheds which is 85m towards is unused it does not mean the owner of the shed will not use it again and hence as it is an industrial shed there will be damage to the shed due to the blasting activities done by the proponent in his mining site. Buffer of 200m must be left from the site.

The Authority perused the documents and decided to refer the file back to SEAC to re-examine the proposal in the light of the complaints received and take appropriate decision after seeking necessary clarification on their recommendation with substantiating documents on the above points.

The subject was discussed in the SEAC meeting held on 17<sup>th</sup>, 18<sup>th</sup> & 19<sup>th</sup> November 2022. The Committee has recommended to SEIAA for issue of EC and the extract of the proceedings of the Committee meeting is as below:

The proposal was earlier considered in 286<sup>th</sup> SEAC meeting and the committee had recommended the proposal to SEIAA for issue of EC.



The SEIAA in its 226<sup>th</sup> meeting referred back the proposal for SEAC for reappraisal informing,

*"The Authority perused the proposal and took note of the recommendation of SEAC. Further, the Authority noted the complaint received through email (parisarnarakshanaavedike@gmail.com) on 26<sup>th</sup> October 2022. The details are as follows:*

- In the land conversion order schedule it is written that towards south of Sy no 67/4 there is school area and also if we go through google image there is households within 85 m from the site towards east.*
- If at all said industrial sheds which is 85m towards is unused it does not mean the owner of the shed will not use it again and hence as it is an industrial shed there will be damage to the shed due to the blasting activities done by the proponent in his mining site. Buffer of 200m must be left from the site.*

*The Authority perused the documents and decided to refer the file back to SEAC to reexamine the proposal in the light of the complaints received and take appropriate decision after seeking necessary clarification on their recommendation with substantiating documents on the above points."*

In the present meeting the proponent submitted Notarized letter of Mutual understanding dated 08.11.2022 and along with the photographs informing that, the said shed is of Shri. G Swamy in 3-00 Acres of land in Sy. No. 83 of Siddapura Village, Chitradurga Taluk & District Shri G Swamy has informed that he had constructed the temporary shed at a distance of about 90mtrs from the lease area for poultry farm two year ago and due to his personal issues he has not taken up any work in the said shed and in upcoming days Shri G Swamy is planning to start quarrying operations after necessary clearances as the area is not suitable for agriculture purpose and Shri G Swamy has no objection for the quarry proposed with blasting by Sujay S Malige in Sy. Nos. 67/1 & 67/4 of Siddapura Village, Chitradurga Taluk & District and if any kind of losses because of quarrying activity to the said sheds, Shri Sujay S Malige has agreed to bare the loss.

The committee accepted the above clarification and the committee after discussion and deliberation reiterated its decision taken in 286<sup>th</sup> SEAC meeting and recommended the proposal to SEIAA.

The Authority perused the proposal and took note of the recommendation of SEAC.

*The Authority after discussion decided to clear the proposal for issue of Environmental Clearance subject to following:*

- 1. If the distance of nearest Protected Area (National Park/ Sanctuary/Bio sphere reserve/ migratory corridor) is within 10 KM, a certificate from the Chief Wild Life Warden (CWLW) along with his recommendation, else a certificate from the*

proponent that the proposed site is more than 10 KM away from any Protection Authority (PA) (National Park/ Sanctuary/Bio sphere reserve/ migratory corridor).

2. Safety measures proposed shall be submitted.
3. A time bound action plan for implementation of proposed CER activities as a part of EMP shall be furnished.

**Additional Conditions:**

Dust suppression measures have to be strictly followed.

**227.1.55. Building Stone Quarry Project at Nitte Village, Karkala Taluk, Udupi District (3.73 Acres) by M/s. Dilip Buildcon Ltd. - Online Proposal No.SIA/KA/MIN/404365/2022 (SEIAA 452 MIN 2022)**

M/s. Dilip Buildcon Ltd. have applied for Environmental clearance from SEIAA for quarrying of Building Stone Quarry Project at Sy. Nos. 269/1, 269/11, 269/10A, 269/10B, 269/9, 269/4, 269/17, 269/14, 269/15, 269/13, 270/5, & 270/11 of Nitte Village, Karkala Taluk, Udupi District (3-73 Acres)

Details of the project are as follows:

Sl. No	PARTICULARS	INFORMATION																																							
1	Name & Address of the Projects Proponent	M/s. Dilip Buildcon Ltd.																																							
2	Name & Location of the Project	Building Stone Quarry Project at Sy. Nos. 269/1, 269/11, 269/10A, 269/10B, 269/9, 269/4, 269/17, 269/14, 269/15, 269/13, 270/5, & 270/11 of Nitte Village, Karkala Taluk, Udupi District (3-73 Acres)																																							
		<table border="1"> <thead> <tr> <th>Corner Point No</th> <th>Latitude</th> <th>Longitude</th> </tr> </thead> <tbody> <tr> <td>A</td> <td>N 13° 09' 57.9"</td> <td>E 74° 57' 28.2"</td> </tr> <tr> <td>B</td> <td>N 13° 09' 57.5"</td> <td>E 74° 57' 29.0"</td> </tr> <tr> <td>C</td> <td>N 13° 09' 59.0"</td> <td>E 74° 57' 29.9"</td> </tr> <tr> <td>D</td> <td>N 13° 09' 59.2"</td> <td>E 74° 57' 29.3"</td> </tr> <tr> <td>E</td> <td>N 13° 10' 00.2"</td> <td>E 74° 57' 29.7"</td> </tr> <tr> <td>F</td> <td>N 13° 10' 00.1"</td> <td>E 74° 57' 28.3"</td> </tr> <tr> <td>G</td> <td>N 13° 10' 00.0"</td> <td>E 74° 57' 27.7"</td> </tr> <tr> <td>H</td> <td>N 13° 10' 01.8"</td> <td>E 74° 57' 27.7"</td> </tr> <tr> <td>I</td> <td>N 13° 10' 02.7"</td> <td>E 74° 57' 27.4"</td> </tr> <tr> <td>J</td> <td>N 13° 10' 03.0"</td> <td>E 74° 57' 27.0"</td> </tr> <tr> <td>K</td> <td>N 13° 10' 03.6"</td> <td>E 74° 57' 26.9"</td> </tr> <tr> <td>L</td> <td>N 13° 10' 03.2"</td> <td>E 74° 57' 26.5"</td> </tr> </tbody> </table>	Corner Point No	Latitude	Longitude	A	N 13° 09' 57.9"	E 74° 57' 28.2"	B	N 13° 09' 57.5"	E 74° 57' 29.0"	C	N 13° 09' 59.0"	E 74° 57' 29.9"	D	N 13° 09' 59.2"	E 74° 57' 29.3"	E	N 13° 10' 00.2"	E 74° 57' 29.7"	F	N 13° 10' 00.1"	E 74° 57' 28.3"	G	N 13° 10' 00.0"	E 74° 57' 27.7"	H	N 13° 10' 01.8"	E 74° 57' 27.7"	I	N 13° 10' 02.7"	E 74° 57' 27.4"	J	N 13° 10' 03.0"	E 74° 57' 27.0"	K	N 13° 10' 03.6"	E 74° 57' 26.9"	L	N 13° 10' 03.2"	E 74° 57' 26.5"
Corner Point No	Latitude	Longitude																																							
A	N 13° 09' 57.9"	E 74° 57' 28.2"																																							
B	N 13° 09' 57.5"	E 74° 57' 29.0"																																							
C	N 13° 09' 59.0"	E 74° 57' 29.9"																																							
D	N 13° 09' 59.2"	E 74° 57' 29.3"																																							
E	N 13° 10' 00.2"	E 74° 57' 29.7"																																							
F	N 13° 10' 00.1"	E 74° 57' 28.3"																																							
G	N 13° 10' 00.0"	E 74° 57' 27.7"																																							
H	N 13° 10' 01.8"	E 74° 57' 27.7"																																							
I	N 13° 10' 02.7"	E 74° 57' 27.4"																																							
J	N 13° 10' 03.0"	E 74° 57' 27.0"																																							
K	N 13° 10' 03.6"	E 74° 57' 26.9"																																							
L	N 13° 10' 03.2"	E 74° 57' 26.5"																																							
3	Type Of Mineral	Building Stone Quarry																																							
4	New / Expansion / Modification / Renewal	New																																							



Drafted by

5	Type of Land [Forest, Government Revenue, Gomal, Private / Patta, Other]	Patta
6	Area in Acres	3.73 Acres
7	Annual Production (Metric Ton / Cum) Per Annum	2,10,527 Tones for 1 <sup>st</sup> year, 6,31,579 Tones for 2 <sup>nd</sup> year, 2,10,527 Tones for 3 <sup>rd</sup> year & 1,05,263 Tones for 4 <sup>th</sup> & 5 <sup>th</sup> year (including waste).
8	Project Cost (Rs. In Crores)	Rs. 1.61 Crores (Rs. 161 Lakhs)
9	Proved Quantity of mine/ Quarry- Cu.m / Ton	13,47,728 Tones (including waste)
10	Permitted Quantity Per Annum - Cu.m / Ton	2,00,000 Tones for 1 <sup>st</sup> year, 6,00,000 Tones for 2 <sup>nd</sup> year, 2,00,000 Tones for 3 <sup>rd</sup> year & 1,00,000 Tones for 4 <sup>th</sup> & 5 <sup>th</sup> year (excluding waste).
11	<b>CER Activities: To construct additional room to GHPS in Nitte village.</b>	
	<b>Year</b>	<b>Corporate Environmental Responsibility (CER)</b>
	1st	Providing solar power panels to the GHPS school at Nitte village.
	2nd	Rain water harvesting pits to the GHPS school at Nitte village
	3rd	Avenue plantation either side of the approach road near Quarry site & Repair of road With drainages
	4th	Health camp in GHPS school at Nitte village
	5th	
12	EMP Budget	Rs. 51.60 Lakhs (Capital Cost) & Rs. 10.50 Lakhs (Recurring cost)
13	Forest NOC	25.07.2022
14	Quarry plan	18.10.2022
15	Cluster certificate	21.10.2022
16	Notification	21.09.2022
17	Revenue	17.06.2022

The subject was discussed in the SEAC meeting held on 17<sup>th</sup>, 18<sup>th</sup> & 19<sup>th</sup> November 2022 The Committee has recommended to SEIAA for issue of EC and the extract of the proceedings of the Committee meeting is as below:

As per the cluster sketch there is one other lease in a radius of 500 mtr from the said lease and the total area of the leases including the present lease is 5.23 Acres and hence the project is categorized as B2.

There is an existing cart track road to a length of 531 meters connecting lease/area to the all weather black topped road and the committee informed that the quarrying operation should be commenced after asphaltting the approach road to the quarry and road

leading to crusher as per IRC standard norms & should grow trees all along the approach road during the first year of operation, for which the proponent agreed.

The proponent has collected baseline data of air, water, soil and noise and all are within the permissible limits. The proponent informed that all mitigative measures will be taken to ensure that the parameters will be maintained within the permissible limits.

The committee noted that the baseline parameters are found to be within permissible limits and the committee as per the approved quarry plan, recommended the proposal for proved mineable reserve of 13,47,728 Tones (including waste) and estimated the life of the quarry as 5 years. The committee after discussion decided to recommend the proposal to SEIAA for issue of Environmental Clearance for an annual production of 2,10,527 Tones (including waste) for 1<sup>st</sup> year, 6,31,579 Tones (including waste) for 2<sup>nd</sup> year, 2,10,527 Tones (including waste) for 3<sup>rd</sup> year & 1,05,263 Tones for 4<sup>th</sup> & 5<sup>th</sup> year (including waste).

The Authority perused the proposal and took note of the recommendation of SEAC.

*The Authority after discussion decided to clear the proposal for issue of Environmental Clearance subject to following:*


- 1. If the distance of nearest Protected Area (National Park/ Sanctuary/Bio sphere reserve/ migratory corridor) is within 10 KM, a certificate from the Chief Wild Life Warden (C/W/W) along with his recommendation, else a certificate from the proponent that the proposed site is more than 10 KM away from any Protection Authority (PA) (National Park/ Sanctuary/Bio sphere reserve/ migratory corridor).*
- 2. Safety measures proposed shall be submitted.*
- 3. A time bound action plan for implementation of proposed CER activities as a part of EMP shall be furnished.*

**Additional Conditions:**

*Dust suppression measures have to be strictly followed.*

**227.1.56. Building Stone Quarry Project at Hirehonalli Village, Kalaghatgi Taluk, Dharwad District (1-00 Acre) by Smt. Anitha R Irkal - Online Proposal No.SIA/KA/MIN/405161/2022 (SEIAA 454 MIN 2022)**

Smt. Anitha R Irkal have applied for Environmental clearance from SEIAA for quarrying of Building Stone Quarry Project at Sy. No.458/1 of Hirehonalli Village, Kalaghatgi Taluk, Dharwad District (1-00 Acre)



199

Details of the project are as follows:

Sl.No	PARTICULARS	INFORMATION															
1	Name & Address of the Projects Proponent	Smt. Anitha R Irkal															
2	Name & Location of the Project	Building Stone Quarry Project at Sy. No.458/1 of Hirehonalli Village, Kalaghatgi Taluk, Dharwad District (1-00 Acre) <table border="1" style="margin-left: 20px;"> <thead> <tr> <th>Corner No</th> <th>Latitude</th> <th>Longitude</th> </tr> </thead> <tbody> <tr> <td>A</td> <td>N 15° 16' 01.00"</td> <td>E 74° 59' 41.40"</td> </tr> <tr> <td>B</td> <td>N 15° 16' 02.17"</td> <td>E 74° 59' 49.71"</td> </tr> <tr> <td>C</td> <td>N 45° 16' 01.19"</td> <td>E 74° 59' 30.98"</td> </tr> <tr> <td>D</td> <td>N 15° 16' 00.51"</td> <td>E 74° 59' 41.94"</td> </tr> </tbody> </table>	Corner No	Latitude	Longitude	A	N 15° 16' 01.00"	E 74° 59' 41.40"	B	N 15° 16' 02.17"	E 74° 59' 49.71"	C	N 45° 16' 01.19"	E 74° 59' 30.98"	D	N 15° 16' 00.51"	E 74° 59' 41.94"
Corner No	Latitude	Longitude															
A	N 15° 16' 01.00"	E 74° 59' 41.40"															
B	N 15° 16' 02.17"	E 74° 59' 49.71"															
C	N 45° 16' 01.19"	E 74° 59' 30.98"															
D	N 15° 16' 00.51"	E 74° 59' 41.94"															
3	Type Of Mineral	Building Stone Quarry															
4	New / Expansion / Modification / Renewal	New															
5	Type of Land [Forest, Government Revenue, Gonal, Private / Patta, Other]	Patta															
6	Area in Acres	1-00 Acre															
7	Annual Production (Metric Ton / Cum) Per Annum	21,053 Tones/ annum (including waste).															
8	Project Cost (Rs. In Crores)	Rs. 1.02 Crores (Rs. 102 Lakhs)															
9	Proved Quantity of mine/ Quarry- Cu.m / Ton	1,11,163 Tones (including waste)															
10	Permitted Quantity Per Annum - Cu.m / Ton	21,000 Tones/ annum (excluding waste).															
11	CER Activities:	<table border="1" style="margin-left: 20px;"> <thead> <tr> <th>Year</th> <th>Corporate Environmental Responsibility (CER)</th> </tr> </thead> <tbody> <tr> <td>1st</td> <td>Providing solar power panels to common public places to the GHPS school at Mustagi village.</td> </tr> <tr> <td>2nd</td> <td>Rain water harvesting pits to GHPS school at Mustagi village.</td> </tr> <tr> <td>3rd</td> <td>Construction of ponds for animals at Mustagi village.</td> </tr> <tr> <td>4th</td> <td>Avenue plantation either side of the approach road near Quarry site &amp; Repair of road with drainages.</td> </tr> <tr> <td>5th</td> <td>The proponent proposes to distribute nursery plants at Mustagi village &amp; Strengthening of approach road.</td> </tr> </tbody> </table>	Year	Corporate Environmental Responsibility (CER)	1st	Providing solar power panels to common public places to the GHPS school at Mustagi village.	2nd	Rain water harvesting pits to GHPS school at Mustagi village.	3rd	Construction of ponds for animals at Mustagi village.	4th	Avenue plantation either side of the approach road near Quarry site & Repair of road with drainages.	5th	The proponent proposes to distribute nursery plants at Mustagi village & Strengthening of approach road.			
Year	Corporate Environmental Responsibility (CER)																
1st	Providing solar power panels to common public places to the GHPS school at Mustagi village.																
2nd	Rain water harvesting pits to GHPS school at Mustagi village.																
3rd	Construction of ponds for animals at Mustagi village.																
4th	Avenue plantation either side of the approach road near Quarry site & Repair of road with drainages.																
5th	The proponent proposes to distribute nursery plants at Mustagi village & Strengthening of approach road.																
12	TMP Budget	Rs. 15.77 Lakhs (Capital Cost) & Rs 7.71 Lakhs (Recurring cost)															
13	Forest NOC	14.11.2021															
14	Quarry plan	16.03.2022															
15	Cluster certificate	23.05.2022															
16	Notification	13.09.2022															

Drafted by \_\_\_\_\_

200



17	Revenue	28.09.2021
18	LTF	07.01.2022

The subject was discussed in the SEAC meeting held on 17th, 18th & 19th November 2022. The Committee has recommended to SEIAA for issue of EC and the extract of the proceedings of the Committee meeting is as below:

As per the cluster sketch there is no other lease in a radius of 500mtr from the said lease and the area of the said lease is 1-00 Acres and hence the project is categorized as B2.

There is an existing cart track road to a length of 89 meters connecting lease area to the all weather black topped road and the committee informed that the quarrying operation should be commenced after strengthening the approach road to the quarry and road leading to crusher as per standard norms & should grow trees all along the approach road during the first year of operation, for which the proponent agreed.

The proponent has collected baseline data of air, water, soil and noise and all are within the permissible limits. The proponent informed that all mitigative measures will be taken to ensure that the parameters will be maintained within the permissible limits.

The committee noted that the baseline parameters are found to be within permissible limits and the committee as per the approved quarry plan, recommended the proposal for proved mineable reserve of 1,11,163 Tones (including waste) and estimated the life of the quarry as 6 years. The committee after discussion decided to recommend the proposal to SFIAA for issue of Environmental Clearance for an annual production of 21,053 Tones/ Annum (Including waste)

The Authority perused the proposal and took note of the recommendation of SEAC.


*The Authority after discussion decided to clear the proposal for issue of Environmental Clearance subject to following:*

1. *If the distance of nearest Protected Area (National Park/ Sanctuary/Bio sphere reserve/ migratory corridor) is within 10 KM, a certificate from the Chief Wild Life Warden (CWLW) along with his recommendation, else a certificate from the proponent that the proposed site is more than 10 KM away from any Protection Authority (PA) (National Park/ Sanctuary/Bio sphere reserve/ migratory corridor).*
2. *Safety measures proposed shall be submitted.*
3. *A time bound action plan for implementation of proposed CER activities as a part of EMP shall be furnished.*

**Additional Conditions:**

*Dust suppression measures have to be strictly followed.*

Drafted by  -



201 

**227.1.57. Building Stone Quarry Project at Ittangihal Village, Tikota Taluk, Vijaypur District (1-00 Acre) by Sri Maruti R Vaddar - Online Proposal No.SIA/KA/MIN/405135/2022 (SEIAA 455 MIN 2022)**

Sri Maruti R Vaddar have applied for Environmental clearance from SEIAA for quarrying of Building Stone Quarry Project at Sy. No. 48/\*/2 of Ittangihal Village, Tikota Taluk, Vijaypur District (1-00 Acre)

Details of the project are as follows:

Sl.No	PARTICULARS	INFORMATION															
1	Name & Address of the Projects Proponent	Sri Maruti R Vaddar															
2	Name & Location of the Project	Building Stone Quarry Project at Sy. No. 48/*/2 of Ittangihal Village, Tikota Taluk, Vijaypur District (1-00 Acre)															
		<table border="1"> <thead> <tr> <th>Corner Point No</th> <th>Latitude</th> <th>Longitude</th> </tr> </thead> <tbody> <tr> <td>A</td> <td>N 26° 53' 4.36"</td> <td>E 75° 40' 43.53"</td> </tr> <tr> <td>B</td> <td>N 26° 53' 2.75"</td> <td>E 75° 41' 46.42"</td> </tr> <tr> <td>C</td> <td>N 26° 53' 3.11"</td> <td>E 75° 40' 46.74"</td> </tr> <tr> <td>D</td> <td>N 26° 53' 2.67"</td> <td>E 75° 40' 44.10"</td> </tr> </tbody> </table>	Corner Point No	Latitude	Longitude	A	N 26° 53' 4.36"	E 75° 40' 43.53"	B	N 26° 53' 2.75"	E 75° 41' 46.42"	C	N 26° 53' 3.11"	E 75° 40' 46.74"	D	N 26° 53' 2.67"	E 75° 40' 44.10"
Corner Point No	Latitude	Longitude															
A	N 26° 53' 4.36"	E 75° 40' 43.53"															
B	N 26° 53' 2.75"	E 75° 41' 46.42"															
C	N 26° 53' 3.11"	E 75° 40' 46.74"															
D	N 26° 53' 2.67"	E 75° 40' 44.10"															
3	Type Of Mineral	Building Stone Quarry															
4	New / Expansion / Modification / Renewal	New															
5	Type of Land [Forest, Government Revenue, Gomal, Private / Patta, Other]	Patta															
6	Area in Acres	1-00 Acre															
7	Annual Production (Metric Ton / Cum) Per Annum	7,368Tones/ annum (including waste).															
8	Project Cost (Rs. In Crores)	Rs. 0.92 Crores (Rs. 92 Lakhs)															
9	Proved Quantity of mine/ Quarry- Cu.m / Ton	1,98,622 Tones (including waste)															
10	Permitted Quantity Per Annum - Cu.m / Ton	7,000Tones/ annum (excluding waste).															
11	CER Activities:																

Year	Corporate Environmental Responsibility (CER)	
1st	Providing solar power panels to the GHPS school at Itangihal Village	
2nd	Rain water harvesting pits to Itangihal Village.	
3rd	Avenue plantation either side of the approach road near Quarry site & Repair of road With drainages	
4th	Conducting E-waste drive campaigns in GHPS at Itangihal Village.	
5th	Health camp in GHPS at Itangihal Village.	
12	EMP Budget	Rs. 31.36 Lakhs (Capital Cost) & Rs. 6.04 Lakhs (Recurring cost)
13	Forest NOC	08.11.2021
14	Quarry plan	28.07.2022
15	Cluster certificate	28.07.2022
16	Notification	25.06.2022
17	Revenue	06.04.2021

The subject was discussed in the SEAC meeting held on 17th, 18th & 19th November 2022 The Committee has recommended to SEIAA for issue of FC and the extract of the proceedings of the Committee meeting is as below:

As per the cluster sketch there is no other lease in a radius of 500 mtr from the said lease and the area of the said lease is 1-00 Acres and hence the project is categorized as B2.


There is an existing cart track road to a length of 800 meters connecting lease area to the all weather black topped road and the committee informed that the quarrying operation should be commenced after strengthening the approach road to the quarry and road leading to crusher as per standard norms & should grow trees all along the approach road during the first year of operation and to undertake plantation around the project boundary, for which the proponent agreed.

The proponent has collected baseline data of air, water, soil and noise and all are within the permissible limits. The proponent informed that all mitigative measures will be taken to ensure that the parameters will be maintained within the permissible limits.

The committee noted that the baseline parameters are found to be within permissible limits and the committee as per the approved quarry plan, recommended the proposal for proved mineable reserve of 1,98,622 Tones (including waste) and estimated the life of the quarry as 27 years. The committee after discussion decided to recommend the proposal to SEIAA for issue of Environmental Clearance for an annual production of 7,368 Tones/Annum (Including waste)

The Authority perused the proposal and took note of the recommendation of SEAC.

Drafted by           



*The Authority after discussion decided to clear the proposal for issue of Environmental Clearance subject to following:*

1. *If the distance of nearest Protected Area (National Park/ Sanctuary/Bio sphere reserve/ migratory corridor) is within 10 KM, a certificate from the Chief Wild Life Warden (CWLW) along with his recommendation, else a certificate from the proponent that the proposed site is more than 10 KM away from any Protection Authority (PA) (National Park/ Sanctuary/Bio sphere reserve/ migratory corridor).*
2. *Safety measures proposed shall be submitted.*
3. *A time bound action plan for implementation of proposed CER activities as a part of EMI shall be furnished.*

**Additional Conditions:**

*Dust suppression measures have to be strictly followed.*

**227.1.58. Shahabad Stone Quarry Project at Sy. No.155/\*/2 of Miriyan Village, Chincholi Taluk, Kalaburagi District (1-00 Acre) by Sri Siddayya S/o Shankarayya - Online Proposal No.SIA/KK/MIN/405144/2022 (SEIAA 457 MIN 2022)**

Sri Siddayya S/o Shankarayya have applied for Environmental clearance from SEIAA for quarrying of Shahabad Stone Quarry Project at Sy. No.155/\*/2 of Miriyan Village, Chincholi Taluk, Kalaburagi District (1-00 Acre)

Details of the project are as follows:

Sl.No	PARTICULARS	INFORMATION															
1	Name & Address of the Projects Proponent	Sri Siddayya S/o Shankarayya															
2	Name & Location of the Project	Shahabad Stone Quarry Project at Sy. No.155/*/2 of Miriyan Village, Chincholi Taluk, Kalaburagi District (1-00 Acre) <table border="1" style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th>Corner/Part No</th> <th>Latitude</th> <th>Longitude</th> </tr> </thead> <tbody> <tr> <td>BP-A</td> <td>41° 22' 43"</td> <td>87° 30' 45"</td> </tr> <tr> <td>BP-B</td> <td>41° 22' 45"</td> <td>87° 30' 46"</td> </tr> <tr> <td>BP-C</td> <td>41° 22' 46"</td> <td>87° 30' 45"</td> </tr> <tr> <td>BP-D</td> <td>41° 22' 44"</td> <td>87° 30' 43"</td> </tr> </tbody> </table>	Corner/Part No	Latitude	Longitude	BP-A	41° 22' 43"	87° 30' 45"	BP-B	41° 22' 45"	87° 30' 46"	BP-C	41° 22' 46"	87° 30' 45"	BP-D	41° 22' 44"	87° 30' 43"
Corner/Part No	Latitude	Longitude															
BP-A	41° 22' 43"	87° 30' 45"															
BP-B	41° 22' 45"	87° 30' 46"															
BP-C	41° 22' 46"	87° 30' 45"															
BP-D	41° 22' 44"	87° 30' 43"															
3	Type Of Mineral	Shahabad Stone Quarry															
4	New / Expansion / Modification / Renewal	New															



5	Type of Land [Forest, Government Revenue, Gomal, Private / Patta, Other]	Patta												
6	Area in Acres	1.00 Acre												
7	Annual Production (Metric Ton / Cum) Per Annum	2,607 Cum/annum (including waste).												
8	Project Cost (Rs. In Crores)	Rs. 0.94 Crores (Rs. 94 Lakhs)												
9	Proved Quantity of mine/ Quarry- Cu.m / Ton	28,440Cum (including waste)												
10	Permitted Quantity Per Annum - Cu.m / Ton	1,564.2 Cum/annum (excluding waste).												
11	<b>CER Activities:</b> <table border="1"> <thead> <tr> <th>Year</th> <th>Corporate Environmental Responsibility (CER)</th> </tr> </thead> <tbody> <tr> <td>1st</td> <td>Providing solar power panels to common public places to the GHPS school at Miryan village</td> </tr> <tr> <td>2nd</td> <td>Scientific support and awareness to local farmers to increase yield of crop and fodder</td> </tr> <tr> <td>3rd</td> <td>Rain water harvesting pits to the GHPS school at Miryan village.</td> </tr> <tr> <td>4th</td> <td>Conducting E-waste drive campaigns at Miryan village</td> </tr> <tr> <td>5th</td> <td>Health camp in GHPS school at Miryan Village</td> </tr> </tbody> </table>		Year	Corporate Environmental Responsibility (CER)	1st	Providing solar power panels to common public places to the GHPS school at Miryan village	2nd	Scientific support and awareness to local farmers to increase yield of crop and fodder	3rd	Rain water harvesting pits to the GHPS school at Miryan village.	4th	Conducting E-waste drive campaigns at Miryan village	5th	Health camp in GHPS school at Miryan Village
Year	Corporate Environmental Responsibility (CER)													
1st	Providing solar power panels to common public places to the GHPS school at Miryan village													
2nd	Scientific support and awareness to local farmers to increase yield of crop and fodder													
3rd	Rain water harvesting pits to the GHPS school at Miryan village.													
4th	Conducting E-waste drive campaigns at Miryan village													
5th	Health camp in GHPS school at Miryan Village													
12	EMP Budget	Rs. 15.51 Lakhs (Capital Cost) & Rs. 5.23 Lakhs (Recurring cost)												
13	Forest NOC	03.06.2022												
14	Quarry plan	11.08.2022												
15	Cluster certificate	05.09.2022												
16	Notification	01.07.2022												
17	Revenue	05.05.2022												

The subject was discussed in the SEAC meeting held on 17th, 18th & 19th November 2022. The Committee has recommended to SEIAA for issue of EC and the extract of the proceedings of the Committee meeting is as below:

As per the cluster sketch there are 06 leases including the present lease within 500 meter radius from this lease, out of which two leases with total extent of 2.00 Acres is only notified and the total area of the leases including the present lease is 6.20 Acres and hence the project is categorized as B2.

There is an existing cart track road to a length of 830 meters connecting lease area to the all weather black topped road and the committee informed that the quarrying operation should be commenced after strengthening the approach road to the quarry as

Drafted by           

per standard norms & should grow trees all along the approach road during the first year of operation, for which the proponent agreed.

The proponent has collected baseline data of air, water, soil and noise and all are within the permissible limits. The proponent informed that all mitigative measures will be taken to ensure that the parameters will be maintained within the permissible limits.

The committee noted that the baseline parameters are found to be within permissible limits and the committee as per the approved quarry plan, recommended the proposal for proved mineable reserve of 28,440cum (including waste) and estimated the life of mine to be 11 years. The committee after discussion decided to recommend the proposal to SEIAA for issue of Environmental Clearance for an annual production of 2,607cum/Annum(Including waste).

The Authority perused the proposal and took note of the recommendation of SEAC. Further, the Authority noted the complaint received vide email (Premkumar332sd@gmail.com) dated 08<sup>th</sup> December 2022. The details are as follows:

1. Chincholi wildlife Sanctuary is 2.5 km from the site for which the distance certificate from the Chincholi forest range officer is required

The Authority verified the documents and observed that the distance from Chincholi wildlife sanctuary is 2.5 kms which is also certified from the DCF in the forest NOC

The Authority after discussion decided to clear the proposal for issue of Environmental Clearance subject to following:

1. If the distance of nearest Protected Area (National Park/ Sanctuary/Bio sphere reserve/ migratory corridor) is within 10 KM, a certificate from the Chief Wild Life Warden (CWLW) along with his recommendation, else a certificate from the proponent that the proposed site is more than 10 KM away from any Protection Authority (PA) (National Park/ Sanctuary/Bio sphere reserve/ migratory corridor).
2. Safety measures proposed shall be submitted.
3. A time bound action plan for implementation of proposed CER activities as a part of EMP shall be furnished.
4. Since there is substantial quantity of generation of waste from the quarry activity, all due precautions with respect to environment management aspects of waste dump shall be observed.

**Additional Conditions:**

Dust suppression measures have to be strictly followed.



**227.I.59. Shahabad Stone Quarry Project at Sy. No.141/\*/8 of Miriyan Village, Chincholi Taluk, Kalaburagi District (1-10 Acres) by Sri Syed Javeed Badar - Online Proposal No.SIA/KA/MIN/405156/2022 (SEIAA 458 MIN 2022)**

Sri Syed Javeed Badar have applied for Environmental clearance from SEIAA for quarrying of Shahabad Stone Quarry Project at Sy. No 141/\*/8 of Miriyan Village, Chincholi Taluk, Kalaburagi District (1-10 Acres)

Details of the project are as follows:

Sl.No	PARTICULARS	INFORMATION															
1	Name & Address of the Projects Proponent	Sri Syed Javeed Badar															
2	Name & Location of the Project	Shahabad Stone Quarry Project at Sy. No.141/*/8 of Miriyan Village, Chincholi Taluk, Kalaburagi District (1-10 Acres)															
		<table border="1"> <thead> <tr> <th>Corner Post No</th> <th>Latitude</th> <th>Longitude</th> </tr> </thead> <tbody> <tr> <td>BPA</td> <td>N 17° 23' 00.0"</td> <td>E 77° 30' 4.7"</td> </tr> <tr> <td>BPB</td> <td>N 17° 23' 03.9"</td> <td>E 77° 30' 40.7"</td> </tr> <tr> <td>BPC</td> <td>N 17° 23' 07.6"</td> <td>E 77° 30' 39.1"</td> </tr> <tr> <td>BPD</td> <td>N 17° 23' 00.2"</td> <td>E 77° 30' 40.2"</td> </tr> </tbody> </table>	Corner Post No	Latitude	Longitude	BPA	N 17° 23' 00.0"	E 77° 30' 4.7"	BPB	N 17° 23' 03.9"	E 77° 30' 40.7"	BPC	N 17° 23' 07.6"	E 77° 30' 39.1"	BPD	N 17° 23' 00.2"	E 77° 30' 40.2"
Corner Post No	Latitude	Longitude															
BPA	N 17° 23' 00.0"	E 77° 30' 4.7"															
BPB	N 17° 23' 03.9"	E 77° 30' 40.7"															
BPC	N 17° 23' 07.6"	E 77° 30' 39.1"															
BPD	N 17° 23' 00.2"	E 77° 30' 40.2"															
3	Type Of Mineral	Shahabad Stone Quarry															
4	New / Expansion / Modification / Renewal	New															
5	Type of Land [Forest, Government Revenue, Canal, Private / Patta, Other]	Patta															
6	Area in Acres	1-10 Acres															
7	Annual Production (Metric Ton / Cum) Per Annum	3,272.5 Cum/annum (including waste).															
8	Project Cost (Rs. In Crores)	Rs. 0.93 Crores (Rs. 93 Lakhs)															
9	Proved Quantity of mine/ Quarry- Cu.m / Ton	28,263 Cum (including waste)															
10	Permitted Quantity Per Annum - Cu.m / Ton	1,963.32 Cum/annum (excluding waste).															

Drafted by 

  207

11	<b>CER Activities:</b>	
	<b>Year</b>	<b>Corporate Environmental Responsibility (CER)</b>
	1st	Providing solar power panels to common public places to the GHPS school at Miriyani Village
	2nd	Scientific support and awareness to local farmers to increase yield of crop and fodder
	3rd	Rain water harvesting pits to the GHPS school at Miriyani Village
	4th	Conducting E-waste drive campaigns at Miriyani village.
	5th	Health camp in GHPS school at Miriyani Village
12	EMP Budget	Rs. 23.34 Lakhs (Capital Cost) & Rs. 4.74 Lakhs (Recurring cost)
13	Forest NOC	03.06.2022
14	Quarry plan	11.08.2022
15	Cluster certificate	05.09.2022
16	Notification	01.07.2022
17	Revenue	05.05.2022

The subject was discussed in the SEAC meeting held on 17th, 18th & 19th November 2022. The Committee has recommended to SEIAA for issue of FC and the extract of the proceedings of the Committee meeting is as below:

As per the cluster sketch there are 05 leases including the present lease within 500 meter radius from this lease, out of which two leases with total extent of 2.00 Acres is only notified and the total area of the leases including the present lease is 3-10 Acres and hence the project is categorized as B2.

There is an existing cart track road to a length of 340 meters connecting lease area to the all weather black topped road and the committee informed that the quarrying operation should be commenced after strengthening the approach road to the quarry as per standard norms & should grow trees all along the approach road during the first year of operation, for which the proponent agreed.

The proponent has collected baseline data of air, water, soil and noise and all are within the permissible limits. The proponent informed that all mitigative measures will be taken to ensure that the parameters will be maintained within the permissible limits.

The committee noted that the baseline parameters are found to be within permissible limits and the committee as per the approved quarry plan, recommended the proposal for proved mineable reserve of 28,263cum (including waste) and estimated the

Drafted by \_\_\_\_\_

208



life of mine to be 9 years. The committee after discussion decided to recommend the proposal to SEIAA for issue of Environmental Clearance for an annual production of 3,272.5/Annum (including waste).

The Authority perused the proposal and took note of the recommendation of SEAC. Further, the Authority noted the complaint received vide email (Prmkumar332sd@gmail.com) dated 08<sup>th</sup> December 2022. The details are as follows;

1. Chincholi wildlife Sanctuary is 2 km from the site for which the distance certificate from the Chincholi forest range officer is required

The Authority verified the documents and observed that the distance from Chincholi wildlife sanctuary is 2.0 kms which is also certified from the DCF in the forest NOC

The Authority after discussion decided to clear the proposal for issue of Environmental Clearance subject to following:

1. If the distance of nearest Protected Area (National Park/ Sanctuary/Bio sphere reserve/ migratory corridor) is within 10 KM, a certificate from the Chief Wild Life Warden (CWLW) along with his recommendation, else a certificate from the proponent that the proposed site is more than 10 KM away from any Protection Authority (PA) (National Park/ Sanctuary/Bio sphere reserve/ migratory corridor).
2. Safety measures proposed shall be submitted.
3. A time bound action plan for implementation of proposed CER activities as a part of FMP shall be furnished.
4. Since there is substantial quantity of generation of waste from the quarry activity, all due precautions with respect to environment management aspects of waste dump shall be observed.

**Additional Conditions:**

*Dust suppression measures have to be strictly followed.*

**227.1.60. Building Stone Quarry Project at Sy. No. 149 (P) of Hosagadde Village, Sakleshpur Taluk, Hassan District (2-38 Acres) by Sri Lakshmi Enterprises - Online Proposal No.SIA/KR/MIN/405025/2022 (SEIAA 463 MIN 2022)**

Sri Lakshmi Enterprises have applied for Environmental clearance from SEIAA for quarrying of Building Stone Quarry Project at Sy No 149 (P) of Hosagadde Village, Sakleshpur Taluk, Hassan District (2-38 Acres)

Details of the project are as follows:

Sl.No	PARTICULARS	INFORMATION															
1	Name & Address of the Projects PropONENT	Sri Lakshmi Enterprises															
2	Name & Location of the Project	Building Stone Quarry Project at Sy. No. 149 (P) of Hosagadde Village, Sakleshpur Taluk, Hassan District (2.38 Acres) <table border="1" style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th>Patta</th> <th>Link</th> <th>Length</th> </tr> </thead> <tbody> <tr> <td>A</td> <td>1/2546</td> <td>1722.02</td> </tr> <tr> <td>B</td> <td>1/2547</td> <td>1732.97</td> </tr> <tr> <td>C</td> <td>1/2548</td> <td>1732.97</td> </tr> <tr> <td>D</td> <td>1/2549</td> <td>1732.97</td> </tr> </tbody> </table>	Patta	Link	Length	A	1/2546	1722.02	B	1/2547	1732.97	C	1/2548	1732.97	D	1/2549	1732.97
Patta	Link	Length															
A	1/2546	1722.02															
B	1/2547	1732.97															
C	1/2548	1732.97															
D	1/2549	1732.97															
3	Type Of Mineral	Building Stone Quarry															
4	New / Expansion / Modification / Renewal	New															
5	Type of Land [Forest, Government Revenue, Gomal, Private / Patta, Other]	Patta															
6	Area in Acres	2.38 Acres															
7	Annual Production (Metric Ton / Cum) Per Annum	77,454 Tones/annum (including waste).															
8	Project Cost (Rs. In Crores)	Rs. 0.30 Crores (Rs. 30 Lakhs)															
9	Proved Quantity of mine/ Quarry- Cu.m / Ton	5,62,163 Tones (including waste)															
10	Permitted Quantity Per Annum - Cu.m / Ton	75,905 Tones/annum (excluding waste).															
11	<b>CER Activities:</b> Propose take up 300 No. of additional plantation on either side of the approach road from quarry location to Hosagadde Village Road																
12	EMP Budget	Rs. 17.05 Lakhs (Capital Cost) & 4.37 Lakhs (Recurring cost)															
13	Forest NOC	03.05.2022															
14	Quarry plan	26.09.2022															
15	Cluster certificate	27.09.2022															
16	Notification	29.08.2022															
17	Revenue	11.01.2022															

The subject was discussed in the SEAC meeting held on 17th, 18th & 19th November 2022. The Committee has recommended to SEIAA for issue of EC and the extract of the proceedings of the Committee meeting is as below:

As per the cluster sketch there is no other lease in a radius of 500mtr from the said lease and the area of the said lease is 2-38 Acres and hence the project is categorized as B2.

There is an existing cart track road to a length of 470 meters connecting lease area to the all weather black topped road and the committee informed that the quarrying operation should be commenced after asphaltting the approach road to the quarry and road leading to crusher as per IRC standard norms & should grow trees all along the approach road during the first year of operation and to undertake plantation around the project boundary, for which the proponent agreed.

The proponent has collected baseline data of air, water, soil and noise and all are within the permissible limits. The proponent informed that all mitigative measures will be taken to ensure that the parameters will be maintained within the permissible limits.

The committee noted that the baseline parameters are found to be within permissible limits and the committee as per the approved quarry plan, recommended the proposal for proved mineable reserve of 5,62,163 Tones (including waste) and estimated the life of the quarry as 08 years. The committee after discussion decided to recommend the proposal to SEIAA for issue of Environmental Clearance for an annual production of 77,454 Tones/ Annum (Including waste)

The Authority perused the proposal and took note of the recommendation of SEAC. Further, the Authority noted the complaint received vide email (Premkumar332sd@gmail.com) dated 08<sup>th</sup> December 2022. The details are as follows;

1. There are nearby settlements within 200m buffer from the project site, thus proper buffer should be left inside the site for blasting.
2. The north-west part of project site is worked before obtaining the Environmental Clearance as in the Historical satellite image the workings are varying from 2021 to 2022. Hence this project is in violation to the EIA Notification, 2006

The Authority perused the complaint and noted the contents of the same. The Authority also examined the documents of this proposal in the light of the complaint received and decided to refer the file back to SEAC. Therefore, the SEAC shall look into the issues raised in the complaint diligently and obtain requisite clarifications/ documents from the Project Proponent or any other Govt departments as necessary.

**227.1.61. Building Stone Quarry Project at Arepura Village, Gundlupet Taluk, Chamarajanagar District (1-00 Acre) by Sri R M Mahadevappa - Online Proposal No.SIA/KA/MIN/405010/2022 (SEIAA 471 MIN 2022)**

Sri R M Mahadevappa have applied for Environmental clearance from SEIAA for quarrying of Building Stone Quarry Project at Sy. No.125/2 of Arepura Village, Gundlupet Taluk, Chamarajanagar District (1-00 Acre)

Details of the project are as follows:

Sl.No	PARTICULARS	INFORMATION																
1	Name & Address of the Projects Proponent	Sri R MMahadevappa																
2	Name & Location of the Project	Building Stone Quarry Project at Sy. No.125/2 of Arepura Village, Gundlupet Taluk, Chamarajanagar District (1-00 Acre)																
		<table border="1"> <thead> <tr> <th>Latitude</th> <th>Longitude</th> </tr> </thead> <tbody> <tr> <td>11° 57' 58.3"</td> <td>76° 39'15.3"</td> </tr> <tr> <td>11° 57' 56.0"</td> <td>76° 39'15.6"</td> </tr> <tr> <td>11° 57' 55.3"</td> <td>76° 39'15.6"</td> </tr> <tr> <td>11° 57' 55.3"</td> <td>76° 39'14.6"</td> </tr> <tr> <td>11° 57' 56.7"</td> <td>76° 39'14.8"</td> </tr> <tr> <td>11° 57' 56.9"</td> <td>76° 39'13.4"</td> </tr> <tr> <td>11° 57' 58.3"</td> <td>76° 39'13.4"</td> </tr> </tbody> </table>	Latitude	Longitude	11° 57' 58.3"	76° 39'15.3"	11° 57' 56.0"	76° 39'15.6"	11° 57' 55.3"	76° 39'15.6"	11° 57' 55.3"	76° 39'14.6"	11° 57' 56.7"	76° 39'14.8"	11° 57' 56.9"	76° 39'13.4"	11° 57' 58.3"	76° 39'13.4"
Latitude	Longitude																	
11° 57' 58.3"	76° 39'15.3"																	
11° 57' 56.0"	76° 39'15.6"																	
11° 57' 55.3"	76° 39'15.6"																	
11° 57' 55.3"	76° 39'14.6"																	
11° 57' 56.7"	76° 39'14.8"																	
11° 57' 56.9"	76° 39'13.4"																	
11° 57' 58.3"	76° 39'13.4"																	
3	Type Of Mineral	Building Stone Quarry																
4	New / Expansion / Modification / Renewal	Renewal																
5	Type of Land [Forest, Government Revenue, Gomal, Private / Patta, Other]	Patta																
6	Area in Acres	1-00 Acre																
7	Annual Production (Metric Ton / Cum) Per Annum	8,283.6Tones/ annum (including waste).																
8	Project Cost (Rs. In Crores)	Rs. 0.10 Crores (Rs 10 Lakhs)																
9	Proved Quantity of mine/ Quarry- Cu.m / Ton	1,64,889 Tones (including waste)																
10	Permitted Quantity Per Annum - Cu.m / Ton	8,118Tones/annum (excluding waste)																
11	<b>CER Activities:</b> Providing drinking water, bench and table and facility to Begur Government School																	

12	EMP Budget	Rs.2.77 Lakhs (Capital Cost) & 1.12 Lakhs (Recurring cost)
13	Forest NOC	23.03.2020
14	Quarry plan	17.10.2022
15	Cluster certificate	19.10.2022
16	Notification	25.02.2022
17	Revenue	21.03.2020

The subject was discussed in the SEAC meeting held on 17<sup>th</sup>, 18<sup>th</sup> & 19<sup>th</sup> November 2022. The Committee has recommended to SEIAA for issue of EC and the extract of the proceedings of the Committee meeting is as below:

As per the cluster sketch there is one more lease in a radius of 500 mtr from the said lease and the total area of the leases including the present lease is 3-00 Acres and hence the project is categorized as B2.

There is an existing cart track road to a length of 900 meters connecting lease area to the all weather black topped road and the committee informed that the quarrying operation should be commenced after asphaltting the approach road to the quarry and road leading to crusher as per IRC standard norms & should grow trees all along the approach road during the first year of operation and to grow additional plantation towards, for which the proponent agreed.




The proponent has collected baseline data of air, water, soil and noise and all are within the permissible limits. The proponent informed that all mitigative measures will be taken to ensure that the parameters will be maintained within the permissible limits.

The committee noted that the baseline parameters are found to be within permissible limits and the committee as per the approved quarry plan, recommended the proposal for proved mineable reserve of 1,64,889 Tones (including waste) and estimated the life of the quarry as 20 years. The committee after discussion decided to recommend the proposal to SEIAA for issue of Environmental Clearance for an annual production of 8,283.6 Tones/ Annum (including waste).

The Authority perused the proposal and took note of the recommendation of SEAC. Further, the Authority noted the complaint received vide email (Premkumar.332sd@gmail.com) dated 08<sup>th</sup> December 2022. The details are as follows;

1. The eastern part of project site is worked before obtaining the Environmental Clearance as in the Historical satellite image the workings are visible. Hence this project is in violation to the EIA Notification, 2006.
2. In forest NOC there is no mention of the type of land of the proposed site and regarding the proposed forests in the survey no 125.
3. Bandipura wildlife sanctuary is 4.668 kms.

Drafted by 

 /  

The Authority perused the complaint and noted the contents of the same. The Authority also examined the documents of this proposal in the light of the complaint received and decided to refer the file back to SEAC. Therefore, the SEAC shall look into the issues raised in the complaint diligently and obtain requisite clarifications/ documents from the Project Proponent or any other Govt departments as necessary.

**227.1.62. Building Stone Quarry Project at Koothanuru Village, Gundlupete Taluk, Chamarajanagar District (0-20 Acres) by Sri Madashetty S/o Siddashetty - Online Proposal No.SIA/KA/MIN/402538/2022 (SEIAA 476 MIN 2022)**

Sri Madashetty S/o Siddashetty have applied for Environmental clearance from SEIAA for quarrying of Building Stone Quarry Project at Sy.No.368 of Koothanuru Village, Gundlupete Taluk, Chamarajanagar District (0-20 Acres)

Details of the project are as follows:

Sl.No	PARTICULARS	INFORMATION															
1	Name & Address of the Projects Proponent	Sri Madashetty S/o Siddashetty															
2	Name & Location of the Project	Building Stone Quarry Project at Sy.No.368 of Koothanuru Village, Gundlupete Taluk, Chamarajanagar District (0-20 Acres)															
		<table border="1"> <thead> <tr> <th>Corner Point No</th> <th>Latitude</th> <th>Longitude</th> </tr> </thead> <tbody> <tr> <td>A</td> <td>N 11° 48' 20.60"</td> <td>E 76° 38' 53.40"</td> </tr> <tr> <td>B</td> <td>N 11° 48' 19.00"</td> <td>E 76° 38' 53.20"</td> </tr> <tr> <td>C</td> <td>N 11° 48' 19.10"</td> <td>E 76° 38' 51.70"</td> </tr> <tr> <td>D</td> <td>N 11° 48' 20.70"</td> <td>E 76° 38' 51.90"</td> </tr> </tbody> </table>	Corner Point No	Latitude	Longitude	A	N 11° 48' 20.60"	E 76° 38' 53.40"	B	N 11° 48' 19.00"	E 76° 38' 53.20"	C	N 11° 48' 19.10"	E 76° 38' 51.70"	D	N 11° 48' 20.70"	E 76° 38' 51.90"
Corner Point No	Latitude	Longitude															
A	N 11° 48' 20.60"	E 76° 38' 53.40"															
B	N 11° 48' 19.00"	E 76° 38' 53.20"															
C	N 11° 48' 19.10"	E 76° 38' 51.70"															
D	N 11° 48' 20.70"	E 76° 38' 51.90"															
3	Type Of Mineral	Building Stone Quarry															
4	New / Expansion / Modification / Renewal	Renewal															
5	Type of Land [Forest, Government Revenue, Gomal, Private / Patta, Other]	Government															
6	Area in Acres	0-20 Acres															
7	Annual Production (Metric Ton / Cum) Per Annum	11,829 Tones/ annum (including waste).															
8	Project Cost (Rs. In Crores)	Rs. 0.95 Crores (Rs. 95 Lakhs)															
9	Proved Quantity of mine/ Quarry- Cu.m / Ton	1,43,256 Tones (including waste)															
10	Permitted Quantity Per Annum - Cu.m / Ton	11,592 Tones/ annum (excluding waste)															

Drafted by

11	<b>CER Activities:</b>	
	Year	Corporate Environmental Responsibility (CER)
	1st	Providing solar power panels to GHPS in Koothanuru Village.
	2nd	Conducting E-waste drive campaigns in the Koothanuru Village
	3rd	Rain water harvesting pits to the GHPS school at Koothanuru Village.
	4th	Scientific support and awareness to local farmers to increase yield of crop and fodder.
	5th	Health camp in the GHPS school at Koothanuru Village.
12	EMP Budget	Rs. 47.37 Lakhs (Capital Cost) & Rs. 6.26 Lakhs (Recurring cost)
13	Forest NOC	17.08.2022
14	Quarry plan	29.04.2022
15	Cluster certificate	16.05.2022
16	Cluster Notification	28.02.2022
17	Notification	28.02.2022
18	Revenue	12.03.2021

The subject was discussed in the SEAC meeting held on 17th, 18th & 19th November 2022. The Committee has recommended to SEIAA for issue of EC and the extract of the proceedings of the Committee meeting is as below:



The proposal is for renewal and the lease was granted on 27.01.2011. Proponent had submitted audit report till 2021-22 certified from DMG dated 08.07.2022.

There is an existing cart track road to a length of 1340 meters connecting lease area to the all weather black topped road and the committee informed that the quarrying operation should be commenced after strengthening the approach road to the quarry and road leading to crusher as per standard norms & should grow trees all along the approach road during the first year of operation and to grow additional plantation towards, for which the proponent agreed.

The proponent has collected baseline data of air, water, soil and noise and all are within the permissible limits. The proponent informed that all mitigative measures will be taken to ensure that the parameters will be maintained within the permissible limits.

The committee noted that the baseline parameters are found to be within permissible limits and the committee as per the approved quarry plan, recommended the proposal for proved mineable reserve of 60,293 Tones (including waste) and estimated the life of the quarry as 5 years. The committee after discussion decided to recommend the proposal to SEIAA for issue of Environmental Clearance for an annual production of 11,829 Tones/Annum (including waste)

Drafted by           

The Authority perused the proposal and took note of the recommendation of SEAC.

*The Authority after discussion decided to clear the proposal for issue of Environmental Clearance subject to following:*

1. *If the distance of nearest Protected Area (National Park/ Sanctuary/Bio sphere reserve/ migratory corridor) is within 10 KM, a certificate from the Chief Wild Life Warden (C/W/W) along with his recommendation, else a certificate from the proponent that the proposed site is more than 10 KM away from any Protection Authority (PA) (National Park/ Sanctuary/Bio sphere reserve/ migratory corridor).*
2. *Safety measures proposed shall be submitted.*
3. *A time bound action plan for implementation of proposed CER activities as a part of EMP shall be furnished.*

**Additional Conditions:**

*Dust suppression measures have to be strictly followed.*

**227.1.63. Building Stone Quarry Project at Koothanuru Village, Gundlupete Taluk, Chamarajanagar District (0-30 Acres) by Sri Siddashetty S/o Chikkagandashetty- Online Proposal No.SIA/KA/MIN/402522/2022 (SEIAA 477 MIN 2022)**

Sri Siddashetty S/o Chikkagandashetty have applied for Environmental clearance from SEIAA for quarrying of Building Stone Quarry Project at Sy.No.368 of Koothanuru Village, Gundlupete Taluk, Chamarajanagar District (0-30 Acres)

Details of the project are as follows:

Sl.No	PARTICULARS	INFORMATION															
1	Name & Address of the Projects Proponent	Sri Siddashetty S/o Chikkagandashetty															
2	Name & Location of the Project	Building Stone Quarry Project at Sy.No.368 of Koothanuru Village, Gundlupete Taluk, Chamarajanagar District (0-30 Acres) <table border="1" style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th>Corner Part No</th> <th>Latitude</th> <th>Longitude</th> </tr> </thead> <tbody> <tr> <td>A</td> <td>N 11° 48' 20.60"</td> <td>E 76° 38' 52.60"</td> </tr> <tr> <td>B</td> <td>N 11° 48' 20.57"</td> <td>E 76° 38' 52.10"</td> </tr> <tr> <td>C</td> <td>N 11° 48' 18.50"</td> <td>E 76° 38' 52.90"</td> </tr> <tr> <td>D</td> <td>N 11° 48' 18.60"</td> <td>E 76° 38' 52.90"</td> </tr> </tbody> </table>	Corner Part No	Latitude	Longitude	A	N 11° 48' 20.60"	E 76° 38' 52.60"	B	N 11° 48' 20.57"	E 76° 38' 52.10"	C	N 11° 48' 18.50"	E 76° 38' 52.90"	D	N 11° 48' 18.60"	E 76° 38' 52.90"
Corner Part No	Latitude	Longitude															
A	N 11° 48' 20.60"	E 76° 38' 52.60"															
B	N 11° 48' 20.57"	E 76° 38' 52.10"															
C	N 11° 48' 18.50"	E 76° 38' 52.90"															
D	N 11° 48' 18.60"	E 76° 38' 52.90"															
3	Type Of Mineral	Building Stone Quarry															

Drafted by ke



4	New / Expansion / Modification / Renewal	New										
5	Type of Land [Forest, Government Revenue, Ginnal, Private / Patta, Other]	Government										
6	Area in Acres	0-20 Acres										
7	Annual Production (Metric Ton / Cum) Per Annum	16,233 Tones/ annum (including waste).										
8	Project Cost (Rs. In Crores)	Rs. 1.02 Crores (Rs. 102 Lakhs)										
9	Proved Quantity of mine/ Quarry- Cu.m / Ton	82,963 Tones (including waste)										
10	Permitted Quantity Per Annum - Cu.m / Ton	15,908 Tones/ annum (excluding waste).										
11	<b>CER Activities:</b> <table border="1"> <thead> <tr> <th>Year</th> <th>Corporate Environmental Responsibility (CER)</th> </tr> </thead> <tbody> <tr> <td>1st</td> <td rowspan="2">Providing solar power panels to GHPs school at Koothanuru village</td> </tr> <tr> <td>2nd</td> </tr> <tr> <td>3rd</td> <td rowspan="2">Rain water harvesting pits to the GHPs school at Koothanuru village.</td> </tr> <tr> <td>4th</td> </tr> <tr> <td>5th</td> <td>Health camp in the GHPs school at Koothanuru village.</td> </tr> </tbody> </table>		Year	Corporate Environmental Responsibility (CER)	1st	Providing solar power panels to GHPs school at Koothanuru village	2nd	3rd	Rain water harvesting pits to the GHPs school at Koothanuru village.	4th	5th	Health camp in the GHPs school at Koothanuru village.
Year	Corporate Environmental Responsibility (CER)											
1st	Providing solar power panels to GHPs school at Koothanuru village											
2nd												
3rd	Rain water harvesting pits to the GHPs school at Koothanuru village.											
4th												
5th	Health camp in the GHPs school at Koothanuru village.											
12	EMP Budget	Rs. 16.74 Lakhs (Capital Cost) & Rs. 6.33 Lakhs (Recurring cost)										
13	Forest NOC	17.08.2022										
14	Quarry plan	29.04.2022										
15	Cluster certificate	16.05.2022										
16	Cluster Notification	28.02.2022										
17	Notification	28.02.2022										
18	Revenue	12.03.2021										

The subject was discussed in the SEAC meeting held on 17th, 18th & 19th November 2022. The Committee has recommended to SEIAA for issue of FC and the extract of the proceedings of the Committee meeting is as below:

As per the cluster sketch there are 16 leases including the present lease within 500 meter radius from this lease out of which 03 lease is exempted from cluster as the lease was granted prior to 09.09.2013 and 01 lease with extent of 13-00 Acres is terminated and 02 leases are only notified and the total area of remaining leases including the present lease is 10-22 Acres and hence the project is categorized as B2.

There is an existing cart track road to a length of 270 meters connecting lease area to the all weather black topped road and the committee informed that the quarrying operation should be commenced after strengthening the approach road to the quarry and road leading to crusher as per standard norms & should grow trees all along the approach road during the first year of operation and to grow additional plantation towards, for which the proponent agreed.

The proponent has collected baseline data of air, water, soil and noise and all are within the permissible limits. The proponent informed that all mitigative measures will be taken to ensure that the parameters will be maintained within the permissible limits.

The committee noted that the baseline parameters are found to be within permissible limits and the committee as per the approved quarry plan, recommended the proposal for proved mineable reserve of 82,963 Tones (including waste) and estimated the life of the quarry as 6 years. The committee after discussion decided to recommend the proposal to SEIAA for issue of Environmental Clearance for an annual production of 16,233 Tones/Annum (including waste)

The Authority perused the proposal and took note of the recommendation of SEAC.

*The Authority after discussion decided to clear the proposal for issue of Environmental Clearance subject to following:*

- 1. If the distance of nearest Protected Area (National Park/ Sanctuary/Bio sphere reserve/ migratory corridor) is within 10 KM, a certificate from the Chief Wild Life Warden (CWLW) along with his recommendation, else a certificate from the proponent that the proposed site is more than 10 KM away from any Protection Authority (PA) (National Park/ Sanctuary/Bio sphere reserve/ migratory corridor).*
- 2. Safety measures proposed shall be submitted.*
- 3. A time bound action plan for implementation of proposed CER activities as a part of EMP shall be furnished.*

**Additional Conditions:**



*Dust suppression measures have to be strictly followed.*

**227.1.64. Building Stone Quarry Project at Ganikoppa Village, Bailhongal Taluk, Belagavi District (3-19 Acres) by Sri Seyon Stone Crushing L.L.P- Online Proposal No.SIA/KA/MIN/402419/2022 (SEIAA 416 MIN 2022)**

Sri Seyon Stone Crushing L.L.P have applied for Environmental clearance from SEIAA for quarrying of Building Stone Quarry Project at Sy. No.180/1 (Part) of Ganikoppa Village, Bailhongal Taluk, Belagavi District (3-19 Acres)

Details of the project are as follows:

Drafted by     



Sl.No	PARTICULARS	INFORMATION																		
1	Name & Address of the Projects Proponent	Sri Seyon Stone Crushing L.L.P																		
2	Name & Location of the Project	Building Stone Quarry Project at Sy. No.180/1 (Part) of Ganikoppa Village, Bailhongal Taluk, Belagavi District (3-19 Acres) <table border="1"> <thead> <tr> <th>P.No.</th> <th>Latitude</th> <th>Longitude</th> </tr> </thead> <tbody> <tr> <td>A</td> <td>N 15°48'34.55"</td> <td>E 74°39'21.29"</td> </tr> <tr> <td>B</td> <td>N 15°48'33.77"</td> <td>E 74°39'21.57"</td> </tr> <tr> <td>C</td> <td>N 15°48'31.20"</td> <td>E 74°39'24.17"</td> </tr> <tr> <td>D</td> <td>N 15°48'31.08"</td> <td>E 74°39'22.47"</td> </tr> <tr> <td>E</td> <td>N 15°48'34.04"</td> <td>E 74°39'22.11"</td> </tr> </tbody> </table>	P.No.	Latitude	Longitude	A	N 15°48'34.55"	E 74°39'21.29"	B	N 15°48'33.77"	E 74°39'21.57"	C	N 15°48'31.20"	E 74°39'24.17"	D	N 15°48'31.08"	E 74°39'22.47"	E	N 15°48'34.04"	E 74°39'22.11"
P.No.	Latitude	Longitude																		
A	N 15°48'34.55"	E 74°39'21.29"																		
B	N 15°48'33.77"	E 74°39'21.57"																		
C	N 15°48'31.20"	E 74°39'24.17"																		
D	N 15°48'31.08"	E 74°39'22.47"																		
E	N 15°48'34.04"	E 74°39'22.11"																		
3	Type Of Mineral	Building Stone Quarry																		
4	New / Expansion / Modification / Renewal	New																		
5	Type of Land [Forest, Government Revenue, Gomal, Private / Patta, Other]	Patta																		
6	Area in Acres	3-19 Acres																		
7	Annual Production (Metric Ton / Cum) Per Annum	82,845Tones/annum (including waste).																		
8	Project Cost (Rs. In Crores)	Rs. 0.34 Crores (Rs. 34.5 Lakhs)																		
9	Proved Quantity of mine/ Quarry- Cu.m / Ton	4,14,225 Tones (including waste)																		
10	Permitted Quantity Per Annum - Cu.m / Ton	81,188Tones/annum (excluding waste).																		
11	<b>CER Activities:</b> To grow 500 No. of additional plantation on either side of the approach road from quarry location to Ganikoppa Village																			
12	EMP Budget	Rs. 12.90 Lakhs (Capital Cost) & 3.70 Lakhs (Recurring cost)																		
13	Forest NOC	18.06.2019																		
14	Quarry plan	22.03.2021																		
15	Cluster certificate	06.08.2022																		
16	Notification	19.09.2020																		
17	Revenue	26.06.2019																		

The subject was discussed in the SEAC meeting held on 17th, 18th & 19th November 2022. The Committee has recommended to SEIAA for issue of EC and the extract of the proceedings of the Committee meeting is as below:

As per the cluster sketch there are 04 leases including the present lease within 500 meter radius and the total area of remaining leases including the present lease is 12.07 Acres and hence the project is categorized as B2.

There is an existing cart track road to a length of 330 meters connecting lease area to the all weather black topped road and the committee informed that the quarrying operation should be commenced after strengthening the approach road to the quarry and road leading to crusher as per standard norms & should grow trees all along the approach road during the first year of operation and to grow additional plantation towards, for which the proponent agreed.

The proponent has collected baseline data of air, water, soil and noise and all are within the permissible limits. The proponent informed that all mitigative measures will be taken to ensure that the parameters will be maintained within the permissible limits.

The committee noted that the baseline parameters are found to be within permissible limits and the committee as per the approved quarry plan, recommended the proposal for proved mineable reserve of 4,14,225 Tones (including waste) and estimated the life of the quarry as 5 years. The committee after discussion decided to recommend the proposal to SEIAA for issue of Environmental Clearance for an annual production of 82,845 Tones/ Annum (including waste)

The Authority perused the proposal and took note of the recommendation of SEAC.


*The Authority after discussion decided to clear the proposal for issue of Environmental Clearance subject to following:*

1. *If the distance of nearest Protected Area (National Park/ Sanctuary/Bio sphere reserve/ migratory corridor) is within 10 KM, a certificate from the Chief Wild Life Warden (CWLW) along with his recommendation, else a certificate from the proponent that the proposed site is more than 10 KM away from any Protection Authority (PA) (National Park/ Sanctuary/Bio sphere reserve/ migratory corridor).*
2. *Safety measures proposed shall be submitted.*
3. *A time bound action plan for implementation of proposed CER activities as a part of EMP shall be furnished.*

**Additional Conditions:**

*Dust suppression measures have to be strictly followed.*

Drafted by ke





**227.1.65. Ordinary Sand Quarry Project at Palathi Village, Ilkal Taluk, Bagalkot District (6-08 Acres) by M/s. Balaji International - Online Proposal No.SIA/KA/MIN/402951/2022 (SEIAA 424 MIN 2022)**

M/s. Balaji International have applied for Environmental clearance from SEIAA for quarrying of Ordinary Sand Quarry Project at Sy. Nos. 17/2 & 17/3 of Palathi Village, Ilkal Taluk, Bagalkot District (6-08 Acres)

Details of the project are as follows:

Sl.No.	PARTICULARS	INFORMATION																		
1	Name & Address of the Projects Proponent	M/s. Balaji International																		
2	Name & Location of the Project	Ordinary Sand Quarry Project at Sy. Nos. 17/2 & 17/3 of Palathi Village, Ilkal Taluk, Bagalkot District (6-08 Acres)																		
		<table border="1"> <thead> <tr> <th>Corner Post No.</th> <th>Latitude</th> <th>Longitude</th> </tr> </thead> <tbody> <tr> <td>A</td> <td>N 16° 02' 35.7"</td> <td>E 76° 11' 46.2"</td> </tr> <tr> <td>B</td> <td>N 16° 02' 53.7"</td> <td>E 76° 11' 45.1"</td> </tr> <tr> <td>C</td> <td>N 16° 02' 54.5"</td> <td>E 76° 11' 35.7"</td> </tr> <tr> <td>D</td> <td>N 16° 02' 58.4"</td> <td>E 76° 11' 41.8"</td> </tr> <tr> <td>E</td> <td>N 16° 06' 00.3"</td> <td>E 76° 11' 41.7"</td> </tr> </tbody> </table>	Corner Post No.	Latitude	Longitude	A	N 16° 02' 35.7"	E 76° 11' 46.2"	B	N 16° 02' 53.7"	E 76° 11' 45.1"	C	N 16° 02' 54.5"	E 76° 11' 35.7"	D	N 16° 02' 58.4"	E 76° 11' 41.8"	E	N 16° 06' 00.3"	E 76° 11' 41.7"
Corner Post No.	Latitude	Longitude																		
A	N 16° 02' 35.7"	E 76° 11' 46.2"																		
B	N 16° 02' 53.7"	E 76° 11' 45.1"																		
C	N 16° 02' 54.5"	E 76° 11' 35.7"																		
D	N 16° 02' 58.4"	E 76° 11' 41.8"																		
E	N 16° 06' 00.3"	E 76° 11' 41.7"																		
3	Type Of Mineral	Ordinary Sand Quarry																		
4	New / Expansion / Modification / Renewal	New																		
5	Type of Land [Forest, Government Revenue, Gomal, Private / Patta, Other]	Patta																		
6	Area in Acres	6-08 Acres																		
7	Annual Production (Metric Ton / Cum) Per Annum	55,375 Tones for 1 <sup>st</sup> year, 27,687 Tones for 2 <sup>nd</sup> & 3 <sup>rd</sup> Years (including waste)																		
8	Project Cost (Rs. In Crores)	Rs. 1.26 Crores (Rs. 126 Lakhs)																		
9	Proved Quantity of mine/ Quarry- Cu.m / Ton	1,10,749.08 Tons(including waste)																		
10	Permitted Quantity Per Annum - Cu.m / Ton	55,375 Tones for 1 <sup>st</sup> year, 27,687 Tones for 2 <sup>nd</sup> & 3 <sup>rd</sup> Years (including waste)																		
11	<b>CER Activities: To construct additional room to GHPS in Palathi village</b>																			
	<table border="1"> <thead> <tr> <th>Year</th> <th>Corporate Environmental Responsibility (CER)</th> </tr> </thead> <tbody> <tr> <td>1<sup>st</sup></td> <td>Providing solar power panels to the GHPS of Palathi Village</td> </tr> <tr> <td>2<sup>nd</sup></td> <td></td> </tr> <tr> <td>3<sup>rd</sup></td> <td>Rain water harvesting pits to the GHPS of Palathi Village</td> </tr> </tbody> </table>		Year	Corporate Environmental Responsibility (CER)	1 <sup>st</sup>	Providing solar power panels to the GHPS of Palathi Village	2 <sup>nd</sup>		3 <sup>rd</sup>	Rain water harvesting pits to the GHPS of Palathi Village										
Year	Corporate Environmental Responsibility (CER)																			
1 <sup>st</sup>	Providing solar power panels to the GHPS of Palathi Village																			
2 <sup>nd</sup>																				
3 <sup>rd</sup>	Rain water harvesting pits to the GHPS of Palathi Village																			

12	EMP Budget	Rs. 52.53 Lakhs (Capital Cost) & Rs. 7.15 Lakhs (Recurring cost)
13	Forest NOC	03.07.2020
14	Quarry plan	09.03.2021
15	Cluster Certificate	06.09.2021
16	Revenue NOC	25.05.2020
17	DTF	14.10.2020

The subject was discussed in the SEAC meeting held on 17th, 18th & 19th November 2022. The Committee has recommended to SEIAA for issue of EC and the extract of the proceedings of the Committee meeting is as below:

The proposal is for sand quarry project in patta land and as per the DMG letter dated 04.11.2022 there is no river bed sand mining in a radius of 5km from the proposed site area.

As per the cluster there is one more lease within 500mtr radius of the present lease, with total extent of 17.33 Acres. In the cluster sketch issued by DMG, it is informed that lease of Sri. Shivaputrappa B Sajjanar extent of 11.25 Acres is given for surrender and which is under process, for which proponent submitted DMG letter dated 18.01.2022 addressed to Sri. Shivaputrappa B Sajjanar for return of Fixed Deposit for closure of said lease on 16.07.2022. Hence in this regard proponent requested to consider the proposal in B2 category as the. The committee took note of the clarification and as the area of the proposed lease is 6.08 Acres, after discussion decided to categorized the project as B2 category.

There is an existing cart track road to a length of 940meters connecting lease area to the all weather black topped road and the committee informed that the mining operation should be commenced after asphaltting the approach road to the quarry as per IRC norms and to strictly implement mine closure plan effectively after mining operation and also to grow trees all along the approach road/both sides of halla during the first year of operation and also to undertake bank stabilization and the proponent agreed.

The proponent has collected baseline data of air, water, soil and noise and all are within the permissible limits. The proponent informed that all mitigative measures will be taken to ensure that the parameters will be maintained within the permissible limits.

The committee noted that the baseline parameters are found to be within permissible limits and the committee as per the approved quarry plan, recommended the proposal for proved mineable reserve of 1,10,749.08 Tons (including waste) and estimated the life of the quarry as 3 years. The committee after discussion decided to recommend the proposal to SEIAA for issue of Environmental Clearance for an annual production of 55,375 Tones (including waste) for 1<sup>st</sup> year, 27,687 Tones for 2<sup>nd</sup> & 3<sup>rd</sup> Years (including waste).

The Authority perused the proposal and took note of the recommendation of SEAC.

*The Authority after discussion decided to clear the proposal for issue of Environmental Clearance subject to following:*

1. *If the distance of nearest Protected Area (National Park/ Sanctuary/Bio sphere reserve/ migratory corridor) is within 10 KM, a certificate from the Chief Wild Life Warden (CWLVV) along with his recommendation, else a certificate from the proponent that the proposed site is more than 10 KM away from any Protection Authority (PA) (National Park/ Sanctuary/Bio sphere reserve/ migratory corridor).*
2. *Safety measures proposed shall be submitted.*
3. *A time bound action plan for implementation of proposed CTR activities as a part of EMP shall be furnished.*
4. *The proponent shall furnish a certificate that there is no sand quarry within 5 KM of project site.*

**Additional Conditions:**

1. *Dust suppression measures have to be strictly followed.*
2. *The PP shall utilize the permission as per the Sand policy of the CoK Notification No. CI 343 MMN 2019 (Part 7) dated 01.12.2021.*

**227.1.66. Building Stone Quarry Project at Ucchangidurga Village, Harapanahalli Taluk, Vijayanagara District (3-00 Acres) by Sri S. Hanumanthappa - Online Proposal No.SIA/KA/MIN/403078/2022 (SEIAA 426 MIN 2022)**

Sri S. Hanumanthappa have applied for Environmental clearance from SEIAA for quarrying of Building Stone Quarry Project at Sy.Nos. 432/1, 432/3 of Ucchangidurga Village, Harapanahalli Taluk, Vijayanagara District (3-00 Acres)

Details of the project are as follows:

Sl.No	PARTICULARS	INFORMATION
1	Name & Address of the Projects Proponent	Sri S. Hanumanthappa
2	Name & Location of the Project	Building Stone Quarry Project at Sy.Nos. 432/1, 432/3 of Ucchangidurga Village, Harapanahalli Taluk, Vijayanagara District (3-00 Acres)

		P. No.	Latitude	Longitude
		A	N14°33'55.9"	E 76°01'37.4"
		B	N14°33'51.7"	E 76°01'37.2"
		C	N14°33'51.8"	E 76°01'34.2"
		D	N14°33'56.0"	E 76°01'34.2"
3	Type Of Mineral	Building Stone Quarry		
4	New / Expansion / Modification / Renewal	New		
5	Type of Land [Forest, Government Revenue, Gomal, Private / Patta, Other]	Patta		
6	Area in Acres	340 Acres		
7	Annual Production (Metric Ton / Cum) Per Annum	1,10,976 Tones/annum (including waste) for I year 94,742 Tones/annum (including waste) for II year 82,711 Tones/annum (including waste) for III year 74,309 Tones/annum (including waste) for IV year 76,299 Tones/annum (including waste) for V year		
8	Project Cost (Rs. in Crores)	Rs. 0.30 Crores (Rs. 3 Lakhs)		
9	Proved Quantity of mine/ Quarry- Cu.m / Ton	4,39,361 Tones (including waste)		
10	Permitted Quantity Per Annum - Cu.m / Ton	1,10,976 Tones/annum (including waste) for I year 94,742 Tones/annum (including waste) for II year 82,711 Tones/annum (including waste) for III year 74,309 Tones/annum (including waste) for IV year 76,299 Tones/annum (including waste) for V year		
11	<b>CER Activities:</b> Contribution to Gudekote WLS and to grow 500 No. of additional plantation on either side of the approach road from quarry location to Uchangidurga Village Road			
12	EMP Budget	Rs. 19.45 Lakhs (Capital Cost) & 4.85 Lakhs (Recurring cost)		
13	Forest NOC	11.01.2019		



14	Quarry plan	12.03.2019
15	Cluster certificate	04.08.2022
16	Notification	04.02.2019
17	Revenue	17.01.2019

The subject was discussed in the SEAC meeting held on 17<sup>th</sup>, 18<sup>th</sup> & 19<sup>th</sup> November 2022. The Committee has recommended to SEIAA for issue of EC and the extract of the proceedings of the Committee meeting is as below:

As per the cluster sketch there are 07 leases including the present lease within 500 meter radius from this lease out of which 03 leases are exempted from cluster as EC were granted prior to 15.01.2016 and the total area of remaining leases including the present lease is 7.00 Acres and hence the project is categorized as B2.

There is an existing cart track road to a length of 350 meters connecting lease area to the all weather black topped road and the committee informed that the quarrying operation should be commenced after strengthening the approach road to the quarry and road leading to crusher as per standard norms & should grow trees all along the approach road during the first year of operation, for which the proponent agreed.




The proponent has collected baseline data of air, water, soil and noise and all are within the permissible limits. The proponent informed that all mitigative measures will be taken to ensure that the parameters will be maintained within the permissible limits.

The committee noted that the baseline parameters are found to be within permissible limits and the committee as per the approved quarry plan, recommended the proposal for proved mineable reserve of 4,39,361 Tons (including waste) and estimated the life of the quarry as 5 years. The committee after discussion decided to recommend the proposal to SEIAA for issue of Environmental Clearance for an annual production 1,10,976 Tones/annum (including waste) for I year, 94,742 Tones/annum (including waste) for II year, 82,711 Tones/annum (including waste) for III year, 74,309 Tones/annum (including waste) for IV year, 76,299 Tones/annum (including waste) for V year.

The Authority perused the proposal and took note of the recommendation of SEAC. Further, the Authority noted the complaint received via email (Premkumar.332sd@gmail.com) dated 08<sup>th</sup> December 2022. The details are as follows:

1. The project site is worked before obtaining the Environmental Clearance as in the Historical satellite image the workings are visible. Hence this project is in violation to the EIA Notification, 2006 and must be submitted under violation category.
2. If we search the proponents name in the portal, One more file under same name and same location and same sy nos was submitted and was delisted by the SEIAA stating in ADS as "The committee 262<sup>nd</sup> Meeting informed the proponent that the proposal needs to be considered as B1 category and TORs need to be issued. However the proponent did not agree for conducting EIA. Hence the committee decided to reject the proposal" the Proposal No is

Drafted by           

   225

*SIA/KA/MIN/198671/2021 and File No ts SEIAA 80 MIN 2021. And this proposal cluster sketch is different than that the old uploaded one*

The Authority perused the complaint and noted the contents of the same. The Authority also examined the documents of this proposal in the light of the compliant received and decided to refer the file back to SEAC. The SEAC shall look into the issues raised in the complaint deligently and obtain requisite clarifications/ documents from the Project Proponent or any other Govt departments as necessary.

**227.1.67. Building Stone Quarry project at Nitte Village, Karkala Taluk, Udupi District (4-00 Acres) by Sri Dinesh Shetty - Online Proposal No.SIA/KA/MIN/404042/2022 (SEIAA 448 MIN 2022)**

Sri Dinesh Shetty have applied for Environmental clearance from SEIAA for quarrying of Building Stone Quarry project at Sy No: 518, Nitte Village, Karkala Taluk, Udupi District (4-00 Acres)

Details of the project are as follows:

Sl. No	PARTICULARS	INFORMATION															
1	Name & Address of the Projects Proponent	Sri Dinesh Shetty															
2	Name & Location of the Project	Building Stone Quarry project at Sy No: 518, Nitte Village, Karkala Taluk, Udupi District (4-00 Acres) <table border="1" style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th>Corner Point No</th> <th>Latitude</th> <th>Longitude</th> </tr> </thead> <tbody> <tr> <td>A</td> <td>N 13° 13' 51.6"</td> <td>E 74° 57' 07.26"</td> </tr> <tr> <td>B</td> <td>N 13° 13' 49.4"</td> <td>E 74° 57' 24.4"</td> </tr> <tr> <td>C</td> <td>N 13° 13' 54.2"</td> <td>E 74° 57' 24.8"</td> </tr> <tr> <td>D</td> <td>N 13° 13' 54.4"</td> <td>E 74° 57' 28.9"</td> </tr> </tbody> </table>	Corner Point No	Latitude	Longitude	A	N 13° 13' 51.6"	E 74° 57' 07.26"	B	N 13° 13' 49.4"	E 74° 57' 24.4"	C	N 13° 13' 54.2"	E 74° 57' 24.8"	D	N 13° 13' 54.4"	E 74° 57' 28.9"
Corner Point No	Latitude	Longitude															
A	N 13° 13' 51.6"	E 74° 57' 07.26"															
B	N 13° 13' 49.4"	E 74° 57' 24.4"															
C	N 13° 13' 54.2"	E 74° 57' 24.8"															
D	N 13° 13' 54.4"	E 74° 57' 28.9"															
3	Type Of Mineral	Building Stone Quarry															
4	New / Expansion / Modification / Renewal	New															
5	Type of Land [Forest, Government Revenue, Gomal, Private / Patta, Other]	Patta															
6	Area in Acres	4-00 Acres															

7	Annual Production (Metric Ton / Cum) Per Annum	73,684 Tones/annum (including waste).											
8	Project Cost (Rs. In Crores)	Rs. 1.14 Crores (Rs. 114 Lakhs)											
9	Proved Quantity of mine/ Quarry- Cu.m / Ton	13,06,825 Tones (including waste)											
10	Permitted Quantity Per Annum - Cu.m / Ton	70,000 Tones/annum (excluding waste).											
11	<b>CER Activities:</b> To construct additional room to GIPS in Nitte village												
	<table border="1"> <thead> <tr> <th>Year</th> <th>Corporate Environmental Responsibility (CER)</th> </tr> </thead> <tbody> <tr> <td>1st</td> <td>Providing solar power panels to the GIPS school at Nitte village.</td> </tr> <tr> <td>2nd</td> <td>Rain water harvesting pits to the GIPS school at Nitte village</td> </tr> <tr> <td>3rd</td> <td>Avenue plantation either side of the approach road near Quarry site &amp; Repair of road with drainages</td> </tr> <tr> <td>4th</td> <td rowspan="2">Health camp in GIPS school at Nitte village</td> </tr> <tr> <td>5th</td> </tr> </tbody> </table>		Year	Corporate Environmental Responsibility (CER)	1st	Providing solar power panels to the GIPS school at Nitte village.	2nd	Rain water harvesting pits to the GIPS school at Nitte village	3rd	Avenue plantation either side of the approach road near Quarry site & Repair of road with drainages	4th	Health camp in GIPS school at Nitte village	5th
Year	Corporate Environmental Responsibility (CER)												
1st	Providing solar power panels to the GIPS school at Nitte village.												
2nd	Rain water harvesting pits to the GIPS school at Nitte village												
3rd	Avenue plantation either side of the approach road near Quarry site & Repair of road with drainages												
4th	Health camp in GIPS school at Nitte village												
5th													
12	EMP Budget	Rs. 37.46 Lakhs (Capital Cost) & Rs. 7.42 Lakhs (Recurring cost)											
13	Forest NOC	03.09.2022											
14	Quarry plan	01.10.2022											
15	Cluster certificate	13.10.2022											
16	Notification	19.09.2022											
17	Revenue	27.01.2022											

The subject was discussed in the SEAC meeting held on 17th, 18th & 19th November 2022. The Committee has recommended to SEIAA for issue of EC and the extract of the proceedings of the Committee meeting is as below:

As per the cluster sketch there are 07 leases including the present lease within 500 meter radius from this lease out of which 02 lease is exempted from cluster as the lease was granted prior to 09.09.2013 and 02 leases were exempted as EC was granted prior to 15.01.2016 and the total area of remaining leases including the present lease is 7.00 Acres and hence the project is categorized as B2.

There is an existing cart track road to a length of 516 meters connecting lease area to the all weather black topped road and the committee informed that the quarrying operation should be commenced after strengthening the approach road to the quarry and road leading to crusher as per standard norms & should grow trees all along the approach road during the first year of operation, for which the proponent agreed.

The proponent has collected baseline data of air, water, soil and noise and all are within the permissible limits. The proponent informed that all mitigative measures will be taken to ensure that the parameters will be maintained within the permissible limits.

Drafted by \_\_\_\_\_

\_\_\_\_\_ 227

The committee noted that the baseline parameters are found to be within permissible limits and the committee as per the approved quarry plan, recommended the proposal for proved mineable reserve of 15,06,825 Tons (including waste) and estimated the life of the quarry as 21 years. The committee after discussion decided to recommend the proposal to SEIAA for issue of Environmental Clearance for an annual production of 73,684 Tones/ Annum (including waste).

The Authority perused the proposal and took note of the recommendation of SEAC.

*The Authority after discussion decided to clear the proposal for issue of Environmental Clearance subject to following:*

1. *If the distance of nearest Protected Area (National Park/ Sanctuary/Bio sphere reserve/ migratory corridor) is within 10 KM, a certificate from the Chief Wild Life Warden (CWLW) along with his recommendation, else a certificate from the proponent that the proposed site is more than 10 KM away from any Protection Authority (PA) (National Park/ Sanctuary/Bio sphere reserve/ migratory corridor).*
2. *Safety measures proposed shall be submitted.*
3. *A time bound action plan for implementation of proposed CER activities as a part of EMP shall be furnished.*

**Additional Conditions:**

*Dust suppression measures have to be strictly followed.*

**227.1.68. Ordinary Sand Quarry Project at Nidasanur Village, Illkal Taluk, Bagalkot District (8-16 Acres) by M/s. Sun Minerals- Online Proposal No.SIA/KA/MIN/404368/2022 (SEIAA 479 MIN 2022)**

M/s. Sun Minerals have applied for Environmental clearance from SEIAA for quarrying of Ordinary Sand Quarry Project at Sy. Nos.6/1A, 6/1B, 6/2, 7/2, 7/3, 7/4 of Nidasanur Village, Illkal Taluk, Bagalkot District (8-16 Acres)

Details of the project are as follows:

Sl.No.	PARTICULARS	INFORMATION
1	Name & Address of the Projects Proponent	M/s. Sun Minerals
2	Name & Location of the Project	Ordinary Sand Quarry Project at Sy. Nos.6/1A, 6/1B, 6/2, 7/2, 7/3, 7/4 of Nidasanur Village, Illkal Taluk, Bagalkot District (8-16 Acres)

Drafted by 

  
228

		<table border="1"> <thead> <tr> <th>Cont. Part No</th> <th>Locate</th> <th>Length</th> </tr> </thead> <tbody> <tr> <td>A</td> <td>N 16° 02' 11.7"</td> <td>E 76° 09' 59.2"</td> </tr> <tr> <td>B</td> <td>N 16° 07' 35.3"</td> <td>E 76° 09' 36.1"</td> </tr> <tr> <td>C</td> <td>N 16° 07' 24.0"</td> <td>E 76° 09' 35.6"</td> </tr> <tr> <td>D</td> <td>N 16° 07' 30.4"</td> <td>E 76° 09' 34.4"</td> </tr> <tr> <td>E</td> <td>N 16° 07' 18.0"</td> <td>E 76° 09' 32.9"</td> </tr> <tr> <td>F</td> <td>N 16° 07' 18.4"</td> <td>E 76° 09' 34.0"</td> </tr> <tr> <td>G</td> <td>N 16° 07' 11.7"</td> <td>E 76° 09' 34.0"</td> </tr> </tbody> </table>	Cont. Part No	Locate	Length	A	N 16° 02' 11.7"	E 76° 09' 59.2"	B	N 16° 07' 35.3"	E 76° 09' 36.1"	C	N 16° 07' 24.0"	E 76° 09' 35.6"	D	N 16° 07' 30.4"	E 76° 09' 34.4"	E	N 16° 07' 18.0"	E 76° 09' 32.9"	F	N 16° 07' 18.4"	E 76° 09' 34.0"	G	N 16° 07' 11.7"	E 76° 09' 34.0"
Cont. Part No	Locate	Length																								
A	N 16° 02' 11.7"	E 76° 09' 59.2"																								
B	N 16° 07' 35.3"	E 76° 09' 36.1"																								
C	N 16° 07' 24.0"	E 76° 09' 35.6"																								
D	N 16° 07' 30.4"	E 76° 09' 34.4"																								
E	N 16° 07' 18.0"	E 76° 09' 32.9"																								
F	N 16° 07' 18.4"	E 76° 09' 34.0"																								
G	N 16° 07' 11.7"	E 76° 09' 34.0"																								
3	Type Of Mineral	Ordinary Sand Quarry																								
4	New / Expansion / Modification / Renewal	Modification																								
5	Type of Land [Forest, Government Revenue, Gomal, Private / Patta, Other]	Patta																								
6	Area in Acres	8-16 Acres																								
7	Annual Production (Metric Ton / Cum) Per Annum	1,25,000 Tones for 1 <sup>st</sup> year, 12,500 Tones for 2 <sup>nd</sup> year & 12,500 Tones for 3 <sup>rd</sup> Years (including waste)																								
8	Project Cost (Rs. In Crores)	Rs. 1.29 Crores (Rs. 129 Lakhs)																								
9	Proved Quantity of mine/ Quarry- Cu.m / Ton	1,58,928 Tons(including waste)																								
10	Permitted Quantity Per Annum - Cu.m / Ton	1,25,000 Tones for 1 <sup>st</sup> year, 12,500 Tones for 2 <sup>nd</sup> year & 12,500 Tones for 3 <sup>rd</sup> Years (including waste)																								
11	<b>CER Activities:</b> <table border="1"> <thead> <tr> <th>Year</th> <th>Corporate Environmental Responsibility (CER)</th> </tr> </thead> <tbody> <tr> <td>1<sup>st</sup></td> <td>Providing solar power panels to the GIPS school at Nidasanur village</td> </tr> <tr> <td>2<sup>nd</sup></td> <td></td> </tr> <tr> <td>3<sup>rd</sup></td> <td>Rain water harvesting pits to the GIPS school at Nidasanur village</td> </tr> </tbody> </table>		Year	Corporate Environmental Responsibility (CER)	1 <sup>st</sup>	Providing solar power panels to the GIPS school at Nidasanur village	2 <sup>nd</sup>		3 <sup>rd</sup>	Rain water harvesting pits to the GIPS school at Nidasanur village																
Year	Corporate Environmental Responsibility (CER)																									
1 <sup>st</sup>	Providing solar power panels to the GIPS school at Nidasanur village																									
2 <sup>nd</sup>																										
3 <sup>rd</sup>	Rain water harvesting pits to the GIPS school at Nidasanur village																									
12	EMP Budget	Rs. 20.54 Lakhs (Capital Cost) & Rs. 9.35 Lakhs (Recurring cost)																								
13	Forest NOC	27.06.2021																								
14	Quarry plan	20.10.2022																								
15	Cluster Certificate	08.10.2021																								
16	Revenue NOC	21.06.2021																								
17	DTF	25.08.2021																								

The subject was discussed in the SEAC meeting held on 17<sup>th</sup>, 18<sup>th</sup> & 19<sup>th</sup> November 2022. The Committee has recommended to SEIAA for issue of EC and the extract of the proceedings of the Committee meeting is as below:

The proposal is for modification in production of earlier EC, where in earlier EC was issued by SEIAA on 01.04.2022 and the lease was granted on 29.04.2022. The

Drafted by \_\_\_\_\_

\_\_\_\_\_

\_\_\_\_\_ 229

proponent submitted DMC letter dated 15.11.2022, unconfirming that no production of sand is carried out till date.

As per the cluster is no other lease within 500mtr radius of the present lease and total extent of present lease is 8-16 Acres and hence the project is categorized as B2.

There is an existing cart track road to a length of 270meters connecting lease area to the all weather black topped road and the committee informed that the mining operation should be commenced after asphaltting the approach road to the quarry as per IRC norms and to strictly implement mine closure plan effectively after mining operation and also to grow trees all along the approach road /both sides of halla during the first year of operation and also to undertake bank stabilization and the proponent agreed.

The proponent has collected baseline data of air, water, soil and noise and all are within the permissible limits. The proponent informed that all mitigative measures will be taken to ensure that the parameters will be maintained within the permissible limits.

The committee noted that the baseline parameters are found to be within permissible limits and the committee as per the approved quarry plan, recommended the proposal for proved mineable reserve of 1,58,928 Tons (including waste) and estimated the life of the quarry as 3 years. The committee after discussion decided to recommend the proposal to SEIAA for issue of Environmental Clearance for an annual production of 1,25,000 Tones (including waste) for 1st year, 12,500 Tones for 2<sup>nd</sup> and 3<sup>rd</sup> Year (including waste) with a condition to issue the EC after withdrawing the earlier EC.

The Authority perused the proposal and took note of the recommendation of SEAC.

*The Authority after discussion decided to clear the proposal for issue of Environmental Clearance subject to following:*

1. *If the distance of nearest Protected Area (National Park/ Sanctuary/Bio sphere reserve/ migratory corridor) is within 10 KM, a certificate from the Chief Wild Life Warden (CWLW) along with his recommendation, else a certificate from the proponent that the proposed site is more than 10 KM away from any Protection Authority (PA) (National Park/ Sanctuary/Bio sphere reserve/ migratory corridor).*
2. *Safety measures proposed shall be submitted.*
3. *A time bound action plan for implementation of proposed CER activities as a part of EMP shall be furnished.*
4. *The proponent shall furnish a certificate that there is no sand quarry within 5 KM of project site.*

**Additional Conditions:**

1. *Dust suppression measures have to be strictly followed.*

Drafted by

2. The PP shall utilize the permission as per the Sand policy of the CoK Notification No. CI 343 MMN 2019 (Part 7) dated 01.12.2021.

**227.1.69. Ordinary Sand Quarry Project at Hirehal Village, Ron Taluk, Gadag District (6-37 Acres) by Sri Sachin S Chayagol - Online Proposal No.SIA/KA/MIN/234428/2021 (SEIAA 569 MIN 2021)**

Sri Sachin S Chayagol have applied for Environmental clearance from SEIAA for quarrying of Ordinary Sand Quarry Project at Sy. Nos.98/1, 98/2, 98/3 & 99/1 of Hirehal Village, Ron Taluk, Gadag District (6-37 Acres)

Details of the project are as follows:

Sl.No.	PARTICULARS	INFORMATION																											
1	Name & Address of the Projects Proponent	Sri Sachin S Chayagol																											
2	Name & Location of the Project	Ordinary Sand Quarry Project at Sy. Nos.98/1, 98/2, 98/3 & 99/1 of Hirehal Village, Ron Taluk, Gadag District (6-37 Acres)																											
		<table border="1"> <thead> <tr> <th>Corner No</th> <th>Latitude</th> <th>Longitude</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>13° 48' 23.71"</td> <td>75° 47' 26.7"</td> </tr> <tr> <td>2</td> <td>13° 48' 23.74"</td> <td>75° 47' 26.7"</td> </tr> <tr> <td>3</td> <td>13° 48' 23.77"</td> <td>75° 47' 26.7"</td> </tr> <tr> <td>4</td> <td>13° 48' 23.77"</td> <td>75° 47' 26.7"</td> </tr> <tr> <td>5</td> <td>13° 48' 23.77"</td> <td>75° 47' 26.7"</td> </tr> <tr> <td>6</td> <td>13° 48' 23.77"</td> <td>75° 47' 26.7"</td> </tr> <tr> <td>7</td> <td>13° 48' 23.77"</td> <td>75° 47' 26.7"</td> </tr> <tr> <td>8</td> <td>13° 48' 23.77"</td> <td>75° 47' 26.7"</td> </tr> </tbody> </table>	Corner No	Latitude	Longitude	1	13° 48' 23.71"	75° 47' 26.7"	2	13° 48' 23.74"	75° 47' 26.7"	3	13° 48' 23.77"	75° 47' 26.7"	4	13° 48' 23.77"	75° 47' 26.7"	5	13° 48' 23.77"	75° 47' 26.7"	6	13° 48' 23.77"	75° 47' 26.7"	7	13° 48' 23.77"	75° 47' 26.7"	8	13° 48' 23.77"	75° 47' 26.7"
Corner No	Latitude	Longitude																											
1	13° 48' 23.71"	75° 47' 26.7"																											
2	13° 48' 23.74"	75° 47' 26.7"																											
3	13° 48' 23.77"	75° 47' 26.7"																											
4	13° 48' 23.77"	75° 47' 26.7"																											
5	13° 48' 23.77"	75° 47' 26.7"																											
6	13° 48' 23.77"	75° 47' 26.7"																											
7	13° 48' 23.77"	75° 47' 26.7"																											
8	13° 48' 23.77"	75° 47' 26.7"																											
3	Type Of Mineral	Ordinary Sand Quarry																											
4	New / Expansion / Modification / Renewal	New																											
5	Type of Land [Forest, Government Revenue, Gomal, Private / Patta, Other]	Patta																											
6	Area in Acres	6-37 Acres																											
7	Annual Production (Metric Ton / Cum) Per Annum	48,201.5 Tones/ annum (including waste)																											
8	Project Cost (Rs. In Crores)	Rs. 1.45 Crores (Rs. 145 Lakhs)																											
9	Proved Quantity of mine/ Quarry- Cu.m / Ton	96,403 Tons(including waste)																											
10	Permitted Quantity Per Annum - Cu.m / Ton	48,201.5 Tones/ annum (including waste)																											
11	CER Activities: To construct additional room to Govt. School in Hirehal village.																												

	Year	Corporate Environmental Responsibility (CER)
	1st	The proponent proposes to distribute nursery plants at Hirahat Village & Strengthening of approach road and Construction of ponds for animals
	2nd	Scientific support and awareness to local farmers to increase yield of crop and fodder and Health camp in nearby community places
12	EMP Budget	Rs. 15.62 Lakhs (Capital Cost) & Rs. 16.44 Lakhs (Recurring cost)
13	Forest NOC	27.06.2019
14	Quarry plan	17.08.2021
15	Cluster Certificate	23.09.2021
16	Revenue NOC	26.07.2019
17	DTF	23.09.2019

The subject was discussed in the SEAC meeting held on 17<sup>th</sup>, 18<sup>th</sup> & 19<sup>th</sup> November 2022. The Committee has recommended to SEIAA for issue of EC and the extract of the proceedings of the Committee meeting is as below:

The proposal was earlier considered in 274<sup>th</sup> SEAC meeting, as the proponent remained absent the committee had deferred the appraisal of the project.

In the present meeting the proponent informed that as per DMG there is no river bed sand mining in a radius of 5km from the proposed site area and as per the cluster sketch there is no other lease in a radius of 500mtr and the area of the proposed lease is 6.37 Acre and hence the project is categorized as B2.



There is an existing cart track road to a length of 270 meters connecting lease area to the all weather black topped road and the committee informed that the mining operation should be commenced after asphaltting the approach road to the quarry as per IRC norms and to strictly implement mine closure plan effectively after mining operation and also to grow trees all along the approach road/ both sides of halla during the first year of operation and also to undertake bank stabilization and the proponent agreed.

The proponent has collected baseline data of air, water, soil and noise and all are within the permissible limits. The proponent informed that all mitigative measures will be taken to ensure that the parameters will be maintained within the permissible limits.

The committee noted that the baseline parameters are found to be within permissible limits and the committee as per the approved quarry plan, recommended the proposal for proved mineable reserve of 96,403 Tons (including waste) and estimated the life of the quarry as 2 years. The committee after discussion decided to recommend the proposal to SEIAA for issue of Environmental Clearance for an annual production of 48,201.5 Tons/ Annum (including waste).

The Authority perused the proposal and took note of the recommendation of SEAC.

Drafted by: 



**The Authority after discussion decided to clear the proposal for issue of Environmental Clearance subject to following:**

1. If the distance of nearest Protected Area (National Park/ Sanctuary/Bio sphere reserve/ migratory corridor) is within 10 KM, a certificate from the Chief Wild Life Warden (CWLW) along with his recommendation, else a certificate from the proponent that the proposed site is more than 10 KM away from any Protection Authority (PA) (National Park/ Sanctuary/Bio sphere reserve/ migratory corridor).
2. Safety measures proposed shall be submitted.
3. A time bound action plan for implementation of proposed CER activities as a part of EMP shall be furnished.
4. The proponent shall furnish a certificate that there is no sand quarry within 5 KM of project site.

**Additional Conditions:**


1. Dust suppression measures have to be strictly followed.
2. The PP shall utilize the permission as per the Sand policy of the CoK Notification No. CI 343 MMN 2019 (Part 7) dated 01.12.2021.

**227.1.70. Building Stone Quarry Project at Sulikunte Village, Bangarpet Taluk, Kolar District (8-20 Acres) by M/s. Dilip Buildcon Ltd. - Online Proposal No.SIA/KA/MIN/406624/2022 (SEIAA 493 MIN 2022)**

M/s. Dilip Buildcon Ltd. have applied for Environmental clearance from SEIAA for quarrying of Building Stone Quarry Project at Sy. No. 56 of Sulikunte Village, Bangarpet Taluk, Kolar District (8-20 Acres).

Details of the project are as follows:

SIN o	PARTICULARS	INFORMATION
1	Name & Address of the Projects Proponent	M/s. Dilip Buildcon Ltd
2	Name & Location of the Project	Building Stone Quarry Project at Sy. No. 56 of Sulikunte Village, Bangarpet Taluk, Kolar District (8-20 Acres)

		Corner Point No	Latitude	Longitude
		A	13° 01' 51.17"N	78° 06' 48.78"E
		B	13° 01' 48.25"N	78° 06' 49.67"E
		C	13° 01' 47.66"N	78° 06' 53.38"E
		D	13° 01' 42.33"N	78° 06' 51.76"E
		E	13° 01' 42.33"N	78° 06' 48.01"E
		F	13° 01' 47.58"N	78° 06' 46.10"E
		G	13° 01' 35.64"N	78° 06' 31.73"E
3	Type Of Mineral	Building Stone Quarry		
4	New / Expansion / Modification / Renewal	New		
5	Type of Land [Forest, Government Revenue, Gomal, Private / Patta, Other]	Government		
6	Area in Acres	1-35 Acres		
7	Annual Production (Metric Ton / Cum) Per Annum	4,08,163 Tones(including waste) for 1 <sup>st</sup> year and 10,20,408 Tones (including waste) for 2 <sup>nd</sup> year.		
8	Project Cost (Rs. in Crores)	Rs. 2.18 Crores Crores (Rs. 218 Lakhs)		
9	Proved Quantity of mine/ Quarry- Cu m / Ton	17,49,576 Tones (including waste)		
10	Permitted Quantity Per Annum - Cu.m / Ton	4,08,163 Tones(including waste) for 1st year and 10,20,408 Tones (including waste) for 2nd year.		
11	CER Activities:			
	Year	Corporate Environmental Responsibility (CER)		
	1 <sup>st</sup>	Providing solar power panels and Rain water harvesting pits to GHPS at Sulikunte Village		
	2 <sup>nd</sup>	Health camp in GHPS at Sulikunte Village		
12	EMP Budget	Rs. 54.98 Lakhs (Capital Cost) & Rs. 19.16 Lakhs (Recurring cost)		
13	Forest NOC	18.11.2022		
14	Quarry plan	14.11.2022		
15	Cluster certificate	14.11.2022		
16	C & I Notification	07.11.2022		

The subject was discussed in the SEAC meeting held on 17th, 18th & 19th November 2022 The Committee has recommended to SEIAA for issue of EC and the extract of the proceedings of the Committee meeting is as below:

Drafted by

As per the cluster sketch there is no other lease in a radius of 500mtr from the said lease and the total area of the present lease is 8-20 Acres and hence the project is categorized as B2.

The committee initially sought clarification for deemed forest area, for which the proponent informed that as per the DFO letter dated 18.11.2022, it is informed that, earlier out of 10-00 Acres lease sketch area, after leaving a buffer of 50 mtrs from deemed forest area and as per revised sketch, it is opined that an area of 8-20 Acres is not under the jurisdiction of Forest area. The committee noted the clarification and appraised the project.

There is an existing cart track road to a length of 810 meters connecting lease area to the all weather black topped road and the committee informed that the quarrying operation should be commenced after asphaltting the approach road to the quarry and road leading to crusher as per IRC standard norms & should grow trees all along the approach road during the first year of operation, for which the proponent agreed.

The proponent has collected baseline data of air, water, soil and noise and all are within the permissible limits. The proponent informed that all mitigative measures will be taken to ensure that the parameters will be maintained within the permissible limits.

The committee noted that the baseline parameters are found to be within permissible limits and the committee as per the approved quarry plan, recommended the proposal for proved mineable reserve of 17,49,576 Tons (including waste) and estimated the life of the quarry as 2 years. The committee after discussion decided to recommend the proposal to SEIAA for issue of Environmental Clearance for an annual production of 4,08,163 Tons (including waste) for 1<sup>st</sup> year and 10,20,108 Tons (including waste) for 2<sup>nd</sup> year.

The Authority perused the proposal and took note of the recommendation of SEAC.



*The Authority after discussion decided to clear the proposal for issue of Environmental Clearance subject to following:*

- 1. If the distance of nearest Protected Area (National Park/ Sanctuary/Bio sphere reserve/ migratory corridor) is within 10 KM, a certificate from the Chief Wild Life Warden (CWLW) along with his recommendation, else a certificate from the proponent that the proposed site is more than 10 KM away from any Protection Authority (PA) (National Park/ Sanctuary/Bio sphere reserve/ migratory corridor).*
- 2. Safety measures proposed shall be submitted.*
- 3. A time bound action plan for implementation of proposed CER activities as a part of EMP shall be furnished.*

**Additional Conditions:**

*Dust suppression measures have to be strictly followed.*

Drafted by ke


  235

**227.1.71. Building Stone Quarry Project at H.Thimmapura village Tarikere Taluk & Chikkamagaluru District (1-15 Acres) by M/s. Ashoka Buildcon Limited - Online Proposal No.SIA/KA/MIN/404556/2022 (SEIAA 453 MIN 2022)**

M/s. Ashoka Buildcon Limited have applied for Environmental clearance from SEIAA for quarrying of Building Stone Quarry Project at Sy. No. 26(Part) of H. Thimmapura village Tarikere Taluk & Chikkamagaluru District (1-15 Acres)

Details of the project are as follows:

S.N	PARTICULARS	INFORMATION																					
1	Name & Address of the Projects Proponent	M/s. Ashoka Buildcon Limited																					
2	Name & Location of the Project	Building Stone Quarry Project at Sy. No. 26(Part) of H.Thimmapura village Tarikere Taluk & Chikkamagaluru District (1-15 Acres)																					
		<table border="1"> <thead> <tr> <th>P.No</th> <th>Latitude</th> <th>Longitude</th> </tr> </thead> <tbody> <tr> <td>A</td> <td>13°49'01"</td> <td>75°48'27"</td> </tr> <tr> <td>B</td> <td>13°49'03"</td> <td>75°48'30"</td> </tr> <tr> <td>C</td> <td>13°49'06"</td> <td>75°48'34"</td> </tr> <tr> <td>D</td> <td>13°49'13"</td> <td>75°48'39"</td> </tr> <tr> <td>E</td> <td>13°49'16"</td> <td>75°48'42"</td> </tr> <tr> <td>F</td> <td>13°49'18"</td> <td>75°48'44"</td> </tr> </tbody> </table>	P.No	Latitude	Longitude	A	13°49'01"	75°48'27"	B	13°49'03"	75°48'30"	C	13°49'06"	75°48'34"	D	13°49'13"	75°48'39"	E	13°49'16"	75°48'42"	F	13°49'18"	75°48'44"
P.No	Latitude	Longitude																					
A	13°49'01"	75°48'27"																					
B	13°49'03"	75°48'30"																					
C	13°49'06"	75°48'34"																					
D	13°49'13"	75°48'39"																					
E	13°49'16"	75°48'42"																					
F	13°49'18"	75°48'44"																					
3	Type Of Mineral	Building Stone Quarry																					
4	New / Expansion / Modification / Renewal	New																					
5	Type of Land [Forest, Government Revenue, Gomal, Private / Patta, Other]	Government																					
6	Area in Acres	1-15 Acres																					
7	Annual Production (Metric Ton / Cum) Per Annum	2,24,339 Tones(including waste) for 1 <sup>st</sup> year, 2,26,838 Tones (including waste) for 2 <sup>nd</sup> & 3 <sup>rd</sup> year.																					
8	Project Cost (Rs. In Crores)	Rs. 0.25 Crores (Rs. 25 Lakhs)																					
9	Proved Quantity of mine/ Quarry- Cu.m / Ton	6,78,016 Tones (including waste)																					
10	Permitted Quantity Per Annum - Cu.m / Ton	2,19,852 Tones(excluding waste) for 1 <sup>st</sup> year, 2,22,301 Tones (excluding waste) for 2 <sup>nd</sup> & 3 <sup>rd</sup> year.																					



11	<b>CER Activities:</b> To grow 250 No. of additional plantation on either side of the approach road from quarry location to H. Thimmapura Village Road.	
12	EMP Budget	Rs. 11.60 Lakhs (Capital Cost) & Rs. 3.30 Lakhs (Recurring cost)
13	Forest NOC	28.02.2022
14	Quarry plan	21.10.2022
15	Cluster certificate	21.10.2022
16	C & I Notification	30.09.2022
17	Revenue	22.02.2022

The subject was discussed in the SEAC meeting held on 17<sup>th</sup>, 18<sup>th</sup> & 19<sup>th</sup> November 2022. The Committee has recommended to SEIAA for issue of EC and the extract of the proceedings of the Committee meeting is as below:

As per the cluster sketch there are 43 leases including the present lease within 500 meter radius from this lease out of which 09 lease is exempted from cluster as the lease was granted prior to 09.09.2013 and 18 leases were exempted as EC was granted prior to 15.01.2016 and the total area of remaining leases including the present lease is 5-00 Acres and hence the project is categorized as B2.


There is an existing cart track road to a length of 800 meters connecting lease area to the all weather black topped road and the committee informed that the quarrying operation should be commenced after asphaltting the approach road to the quarry and road leading to crusher as per IRC standard norms & should grow trees all along the approach road during the first year of operation, for which the proponent agreed.




The proponent has collected baseline data of air, water, soil and noise and all are within the permissible limits. The proponent informed that all mitigative measures will be taken to ensure that the parameters will be maintained within the permissible limits.

The committee noted that the baseline parameters are found to be within permissible limits and the committee as per the approved quarry plan, recommended the proposal for proved mineable reserve of 6,78,014 Tons (including waste) and estimated the life of the quarry as 3 years. The committee after discussion decided to recommend the proposal to SEIAA for issue of Environmental Clearance for an annual production of 2,24,339 Tones (including waste) for 1<sup>st</sup> year, 2,26,838 Tones (including waste) for 2<sup>nd</sup> & 3<sup>rd</sup> year.

The Authority perused the proposal and took note of the recommendation of SEAC. Further, the Authority noted the complaint received vide email (Premkumar332sd@gmail.com) dated 08<sup>th</sup> December 2022. The details are as follows:

1. Distance between the project site and the Bhadra Wildlife Sanctuary is 7.90km, proper buffer of 10km should be kept from the Wildlife Sanctuary as this wildlife sanctuary is in draft stage proper distance from the Bhadra range officers must be obtained.

Drafted by: 

   227

2. In forest NOC there is no mention of the type of land of the proposed site and also there is no mention regarding the deemed, reserved, state forests in the survey no 26.
3. There are many leases already proposed in the Thimmapura village in this agenda itself and the cluster sketch of all the proposals in the Thimmapura village are not matching.

The Authority perused the Complaint and noted the contents. Further, the Authority also verified the documents and it was observed there are some discrepancies in the cluster certificates (SEIAA 176 MIN 2022, SEIAA 95 MIN 2022, SEIAA 144 MIN 2022 and SEIAA 453 MIN 2022). Therefore, the Authority decided to refer the file back to SEAC. The SEAC shall examine the issues raised in the complaint diligently and obtain requisite clarification/documents from Project Proponent /Govt. departments as necessary.

**227.1.72. Building Stone Quarry Project at Mallappanahalli village Hassan Taluk & District (1-35 Acres) by Sri Vikram B. - Online Proposal No.SIA/KA/MIN/404716/2022 (SEIAA 464 MIN 2022)**

Sri Vikram B have applied for Environmental clearance from SEIAA for quarrying of Building Stone Quarry Project at Sy. No. 77/10 (P) of Mallappanahalli village Hassan Taluk & District (1-35 Acres)

Details of the project are as follows:

Sl. No	PARTICULARS	INFORMATION															
1	Name & Address of the Projects Proponent	Sri Vikram B.															
2	Name & Location of the Project	Building Stone Quarry Project at Sy. No. 77/10 (P) of Mallappanahalli village Hassan Taluk & District (1-35 Acres)															
		<table border="1"> <thead> <tr> <th>T. No.</th> <th>Latitude</th> <th>Longitude</th> </tr> </thead> <tbody> <tr> <td>A</td> <td>42°55'47"</td> <td>176°44.5'</td> </tr> <tr> <td>B</td> <td>42°55'59"</td> <td>176°44.5'</td> </tr> <tr> <td>C</td> <td>42°55'39.2"</td> <td>176°44.2'</td> </tr> <tr> <td>D</td> <td>42°55'37.8"</td> <td>176°44.8'</td> </tr> </tbody> </table>	T. No.	Latitude	Longitude	A	42°55'47"	176°44.5'	B	42°55'59"	176°44.5'	C	42°55'39.2"	176°44.2'	D	42°55'37.8"	176°44.8'
T. No.	Latitude	Longitude															
A	42°55'47"	176°44.5'															
B	42°55'59"	176°44.5'															
C	42°55'39.2"	176°44.2'															
D	42°55'37.8"	176°44.8'															
3	Type Of Mineral	Building Stone Quarry															
4	New / Expansion / Modification / Renewal	New															

5	Type of Land [Forest, Government Revenue, Gomal, Private / Patta, Other]	Patta
6	Area in Acres	1-35 Acres
7	Annual Production (Metric Ton / Cum) Per Annum	71,694 Tones/annum(including waste).
8	Project Cost (Rs. In Crores)	Rs. 0.25 Crores (Rs. 25 Lakhs)
9	Proved Quantity of mine/ Quarry- Cu.m / Ton	4,57,620 Tones (including waste)
10	Permitted Quantity Per Annum - Cu.m / Ton	70,260 Tones/annum(including waste).
11	<b>CER Activities:</b> To grow 200 No. of additional plantation on either side of them approach road from quarry location to Mallappanahalli Village Road	
12	EMP Budget	Rs. 14.60 Lakhs (Capital Cost) & Rs. 3.56 Lakhs (Recurring cost)
13	Forest NOC	11.08.2022
14	Quarry plan	21.10.2022
15	Cluster certificate	25.10.2022
16	Notification	19.10.2022
17	Revenue	20.09.2022 & 01.10.2022

The subject was discussed in the SEAC meeting held on 17th, 18th & 19th November 2022 The Committee has recommended to SEIAA for issue of EC and the extract of the proceedings of the Committee meeting is as below:

As per the cluster sketch there is one more lease in a radius of 500mtr from the said lease and the total area of the leases including the present lease is 9-35Acres and hence the project is categorized as B2.

There is an existing cart track road to a length of 650 meters connecting lease area to the all weather black topped road and the committee informed that the quarrying operation should be commenced after asphaltting the approach road to the quarry and road leading to crusher as per IRC standard norms & should grow trees all along the approach road during the first year of operation and to grow three tier plantation towards crusher, for which the proponent agreed.

The proponent has collected baseline data of air, water, soil and noise and all are within the permissible limits. The proponent informed that all mitigative measures will be taken to ensure that the parameters will be maintained within the permissible limits.

The committee noted that the baseline parameters are found to be within permissible limits and the committee as per the approved quarry plan, recommended the proposal for proved mineable reserve of 4,57,620 Tones (including waste) and estimated the life of the quarry as 07 years. The committee after discussion decided to recommend the proposal to

SEIAA for issue of Environmental Clearance for an annual production of 71,694 Tones/ Annum (including waste)

The Authority perused the proposal and took note of the recommendation of SEAC. Further, the Authority noted the complaint received (Sri. Mahalingayya) vide letter dated 08<sup>th</sup> December 2022. The detail's are as follows;

"There are 2 proposals uploaded in the PARIVESH 2.0 portal of Sri Vikram Bhadrappa one having Proposal No, and file number shown above in reference and one more file is uploaded which is pending for reply from PP. The cluster sketch uploaded in the Parivesh of the pending file which has proposal no. SIA/KA/MIN/404719/2022 and file no SEIAA 491 MIN 2022 is completely different from the cluster sketch uploaded in the proposal no. SIA/KA/MIN/404716/2022 and File No. SELAA 464 MIN 2022 even though both the projects are within 500m from the site. In the cluster sketch of proposal no. 404719 there are 7 fresh proposals and the total extent of all these leases including the Rajkamat Builders will exceed 5 Ha and hence this proposal no. 404716 which is considered in this SEIAA meeting must also be considered under the cluster situation as one file of Tumkur named Sri Padaksha SEIAA 07 MIN 2021 and Sri Jayamma SEIAA 08 MIN 2021 was also consider under cluster situation even though there was no existing leases in the cluster sketch and all proposed leases were considered under cluster.

"This proposal of Sri Vikram Bhadrappa must also be considered under cluster as all the 7 proposals which are mentioned in cluster sketch of proposal no. SIA/KA/MIN/404719/2022 and file no. SELAA 491 MIN 2022 are already submitted for EC and Hence ToR must be issued for all these projects."

The Authority perused the complaint and noted the contents of the same. The Authority also examined the documents of this proposal in the light of the compliant received and decided to refer the file back to SEAC. The SEAC shall look into the issues raised in the complaint diligently and obtain requisite clarifications/ documents from the Project Proponent or any other Govt departments as necessary.



**227.1.73. Building Stone Quarry Project at Mallappanahalli Village, Hassan Taluk & District (1-35 Acres) by Sri R. Yogish - Online Proposal No.SIA/KA/MIN/404722/2022 (SEIAA 465 MIN 2022)**

Sri R. Yogish have applied for Environmental clearance from SEIAA for quarrying of Building Stone Quarry Project at Sy. No. 77/6(P) of Mallappanahalli village Hassan Taluk & District (1-35 Acres).

Details of the project are as follows:

Sl.No	PARTICULARS	INFORMATION
1	Name & Address of the Projects Proponent	Sri R. Yogish

Drafted by           



  
 210





2	Name & Location of the Project	Building Stone Quarry Project at Sy. No. 77/6(P) of Mallappanahalli village Hassan Taluk & District (1.35 Acres)																					
		<table border="1"> <thead> <tr> <th>E.No.</th> <th>Latitude</th> <th>Longitude</th> </tr> </thead> <tbody> <tr> <td>A</td> <td>11°55'46.90"</td> <td>77°54'48.90"</td> </tr> <tr> <td>B</td> <td>11°55'44.80"</td> <td>77°54'52.90"</td> </tr> <tr> <td>C</td> <td>11°55'41.60"</td> <td>77°54'53.90"</td> </tr> <tr> <td>D</td> <td>11°55'41.40"</td> <td>77°54'49.90"</td> </tr> <tr> <td>E</td> <td>11°55'41.40"</td> <td>77°54'44.90"</td> </tr> <tr> <td>F</td> <td>11°55'49.90"</td> <td>77°54'48.90"</td> </tr> </tbody> </table>	E.No.	Latitude	Longitude	A	11°55'46.90"	77°54'48.90"	B	11°55'44.80"	77°54'52.90"	C	11°55'41.60"	77°54'53.90"	D	11°55'41.40"	77°54'49.90"	E	11°55'41.40"	77°54'44.90"	F	11°55'49.90"	77°54'48.90"
E.No.	Latitude	Longitude																					
A	11°55'46.90"	77°54'48.90"																					
B	11°55'44.80"	77°54'52.90"																					
C	11°55'41.60"	77°54'53.90"																					
D	11°55'41.40"	77°54'49.90"																					
E	11°55'41.40"	77°54'44.90"																					
F	11°55'49.90"	77°54'48.90"																					
3	Type Of Mineral	Building Stone Quarry																					
4	New / Expansion / Modification / Renewal	New																					
5	Type of Land [Forest, Government Revenue, Gomal, Private / Patta, Other]	Patta																					
6	Area in Acres	1.35 Acres																					
7	Annual Production (Metric Ton / Cum) Per Annum	72,325 Tones/annum(including waste).																					
8	Project Cost (Rs. In Crores)	Rs. 0.25 Crores (Rs. 25 Lakhs)																					
9	Proved Quantity of mine/ Quarry- Cu.m / Ton	4,62,880 Tones (including waste)																					
10	Permitted Quantity Per Annum - Cu.m / Ton	70,879 Tones/annum(excluding waste).																					
11	CER Activities: To grow 200 No. of additional plantation on either side of the approach road from quarry location to Mallappanahalli Village Road																						
12	EMP Budget	Rs. 14.60 Lakhs (Capital Cost) & Rs. 3.56 Lakhs (Recurring cost)																					
13	Forest NOC	11.08.2022																					
14	Quarry plan	21.10.2022																					
15	Cluster certificate	25.10.2022																					
16	Notification	19.10.2022																					
17	Revenue	20.09.2022																					

The subject was discussed in the SEAC meeting held on 17th, 18th & 19th November 2022 The Committee has recommended to SEIAA for issue of EC and the extract of the proceedings of the Committee meeting is as below:

As per the cluster sketch there is one more lease in a radius of 500mtr from the said lease and including the area of proposal for EC with proposal no. SEIAA/464/MIN/2022 the total area of the leases including the present lease is 11-30Acres and hence the project is categorized as B2.

Drafted by 

There is an existing cart track road to a length of 650 meters connecting lease area to the all weather black topped road and the committee informed that the quarrying operation should be commenced after asphaltting the approach road to the quarry and road leading to crusher as per IRC standard norms & should grow trees all along the approach road during the first year of operation and to grow three tier plantation towards crusher, for which the proponent agreed.

The proponent has collected baseline data of air, water, soil and noise and all are within the permissible limits. The proponent informed that all mitigative measures will be taken to ensure that the parameters will be maintained within the permissible limits.

The committee noted that the baseline parameters are found to be within permissible limits and the committee as per the approved quarry plan, recommended the proposal for proved minable reserve of 4,62,880 Tonnes (including waste) and estimated the life of the quarry as 07 years. The committee after discussion decided to recommend the proposal to SEIAA for issue of Environmental Clearance for an annual production of 72,325 Tonnes/ Annum (including waste)

*The Authority perused the proposal and took note of the recommendation of SEAC. Further, the Authority noted the complaint received (Sri. Mahalingappa) vide letter dated 08<sup>th</sup> December 2022. The details are as follows:*

*"There are 7 proposals uploaded in the PARIVESTI 2.0 portal of the same village from which one file is having Proposal No. and file number shown above in reference has come to the SEIAA meeting for B2 category and one more file is uploaded which is pending for reply from PP. The cluster sketch uploaded in the Parvesh of the pending file which has proposal no: SIA/KA/MIN/404719/2022 and file no. SEIAA 491 MIN 2022 is completely different from the cluster sketch uploaded in the proposal no. SIA/KA/MIN/404722/2022 and File No.: SEIAA 465 MIN 2022 even though both the projects are within 500m from the site. In the cluster sketch of proposal no. 404719 there are 7 fresh proposals and the total extent of all these leases including the Rajkamal Builders will exceed 5 Ha and hence this proposal no. 404722 which is considered in this SEIAA meeting must also be considered under the cluster situation as one file of Tumkur named Sri Palaksha SEIAA 07 MIN 2021 and Sri Jayamma SEIAA 08 MIN 2021 was also consider under cluster situation even though there was no existing leases in the cluster sketch and all proposed leases were considered under cluster.*

*This proposal of Sri Raju Yagishu must also be considered under cluster as all the 7 proposals which are mentioned in cluster sketch of proposal no. SIA/KA/MIN/404682/2022 and file no. SEIAA 465 MIN 2022 are already submitted for EC and Hence ToR must be issued for all these projects."*

The Authority perused the complaint and noted the contents of the same. The Authority also examined the documents of this proposal in the light of the complaint received and decided to refer the file back to SEAC. The SEAC shall look into the issues raised in the complaint diligently and obtain requisite clarifications/ documents from the Project Proponent or any other Govt departments as necessary.

Drafted by



**227.1.74. Building Stone Quarry Project at Ambewadi Village, Belgaum Taluk, Belgaum District (7-10 Acres) (2.947 Ha) by Sri Maganlal Bhimaji Patel - Online Proposal No.SIA/KA/MIN/400839/2022 (SEIAA 297 MIN 2021)**

Sri Maganlal Bhimaji Patel have applied for Environmental clearance from SEIAA for quarrying of Building Stone Project at Ambewadi Village, Belgaum Taluk, Belgaum District (7-10 Acres) (2.947 Ha) by Sri Maganlal Bhimaji Patel.

Details of the project are as follows:

SLNo	PARTICULARS	INFORMATION																																	
1	Name & Address of the Projects Proponent	Sri Maganlal Bhimaji Patel																																	
2	Name & Location of the Project	Building Stone Quarry Project at Sy.Nos.59/3, 13, 14 & 20 of Ambewadi Village, Belgaum Taluk, Belgaum District (7-10 Acres) (2.947 Ha)																																	
		<table border="1"> <thead> <tr> <th>Corner Point</th> <th>Latitude</th> <th>Longitude</th> </tr> </thead> <tbody> <tr> <td>A</td> <td>N 15° 54' 51.3"</td> <td>E 74° 27' 59.1"</td> </tr> <tr> <td>B</td> <td>N 15° 54' 49.6"</td> <td>E 74° 27' 58.8"</td> </tr> <tr> <td>C</td> <td>N 15° 54' 49.4"</td> <td>E 74° 27' 57.0"</td> </tr> <tr> <td>D</td> <td>N 15° 54' 47.5"</td> <td>E 74° 27' 56.2"</td> </tr> <tr> <td>E</td> <td>N 15° 54' 46.8"</td> <td>E 74° 27' 51.2"</td> </tr> <tr> <td>F</td> <td>N 15° 54' 51.4"</td> <td>E 74° 27' 51.6"</td> </tr> <tr> <td>G</td> <td>N 15° 54' 51.4"</td> <td>E 74° 27' 53.7"</td> </tr> <tr> <td>H</td> <td>N 15° 54' 54.2"</td> <td>E 74° 27' 53.9"</td> </tr> <tr> <td>I</td> <td>N 15° 54' 51.9"</td> <td>E 74° 27' 54.9"</td> </tr> <tr> <td>J</td> <td>N 15° 54' 51.3"</td> <td>E 74° 27' 55.2"</td> </tr> </tbody> </table>	Corner Point	Latitude	Longitude	A	N 15° 54' 51.3"	E 74° 27' 59.1"	B	N 15° 54' 49.6"	E 74° 27' 58.8"	C	N 15° 54' 49.4"	E 74° 27' 57.0"	D	N 15° 54' 47.5"	E 74° 27' 56.2"	E	N 15° 54' 46.8"	E 74° 27' 51.2"	F	N 15° 54' 51.4"	E 74° 27' 51.6"	G	N 15° 54' 51.4"	E 74° 27' 53.7"	H	N 15° 54' 54.2"	E 74° 27' 53.9"	I	N 15° 54' 51.9"	E 74° 27' 54.9"	J	N 15° 54' 51.3"	E 74° 27' 55.2"
Corner Point	Latitude	Longitude																																	
A	N 15° 54' 51.3"	E 74° 27' 59.1"																																	
B	N 15° 54' 49.6"	E 74° 27' 58.8"																																	
C	N 15° 54' 49.4"	E 74° 27' 57.0"																																	
D	N 15° 54' 47.5"	E 74° 27' 56.2"																																	
E	N 15° 54' 46.8"	E 74° 27' 51.2"																																	
F	N 15° 54' 51.4"	E 74° 27' 51.6"																																	
G	N 15° 54' 51.4"	E 74° 27' 53.7"																																	
H	N 15° 54' 54.2"	E 74° 27' 53.9"																																	
I	N 15° 54' 51.9"	E 74° 27' 54.9"																																	
J	N 15° 54' 51.3"	E 74° 27' 55.2"																																	
3	Type Of Mineral	Building Stone Quarry																																	
4	New / Expansion / Modification / Renewal	New																																	
5	Type of Land [Forest, Government Revenue, Comal, Private / Patta, Other]	Patta																																	
6	Area in Acres	7-10-08 Acres(2.947 Ha)																																	
7	Water Requirement (operation)	10 KLD																																	
8	Annual Production (Metric Ton / Cum) Per Annum	1,58,323.2 Tones/annum (including waste)																																	
9	Project Cost (Rs. In Crores)	Rs. 3.00 Crores (Rs. 300 Lakhs)																																	
10	Proved Quantity of mine/ Quarry- Cum / Ton	14,41,906 Tones (including waste)																																	

Drafted by: 

  248

11	Permitted Quantity Per Annum - Cu.m / Ton	1,51,620 Tones/ annum (excluding waste)
12	<b>CER Activities:</b> To grow 1,065 No. of additional plantation on either side of the approach road from quarry location to Ambewadi Village Road and infrastructure development of nearby Govt. School.	
13	EMP Budget	Rs. 23.80 Lakhs (Capital Cost) & 15.00 Lakhs (Recurring cost)
14	Forest NOC	23.01.2021
15	Quarry plan	06.05.2021
16	Cluster certificate	06.05.2021
17	Notification	18.03.2021
18	Revenue	23.11.2020

The subject was discussed in the SEAC meeting held on 17th, 18th & 19th November 2022. The Committee has recommended to SEIAA for issue of EC and the extract of the proceedings of the Committee meeting is as below:

The proposal is for new Building Stone quarry with manual method of mining. As per the cluster the project was categorized as B1 and ToR was issued by SEIAA on 13.10.2021 and Public Hearing was conducted on 08.06.2022.

There is an existing cart track road to a length of 500 meters connecting lease area to the all weather black topped road and the committee informed that the quarrying operation should be commenced after concreting the approach road to the quarry & the road connecting to the crusher as per standard norms & should grow trees all along the approach road during the first year of operation and also informed the proponent to comply with the observations/requests in Public Hearing, for which the proponent agreed.

The proponent has collected baseline data of air, water, soil and noise and all are within the permissible limits. The proponent informed that all mitigative measures will be taken to ensure that the parameters will be maintained within the permissible limits.

The committee noted that the baseline parameters are found to be within permissible limits and the committee as per the approved quarry plan, recommended the proposal for proved mineable reserve of 14,41,906 tones (including waste) and estimated the life of mine to be 10 years. The committee after discussion decided to recommend the proposal to SEIAA to issue Environmental Clearance for an annual production of 1,58,323.2 tones/Annum (including waste) with a condition to abide by the compliances given to public for the requests made during public hearing.

The Authority perused the proposal and took note of the recommendation of SEAC. Further, the Authority noted the complaint received vide email (Premkumar.332sd@gmail.com) dated 08<sup>th</sup> December 2022. The details are as follows;

1. Distance between the project site and the near by road is 33m, this road connect the nearby village and is used by the public. Proper buffer must be left.
2. Within the applied lease area there is a crusher area if we check the latest google image and crushed material is also stocked inside the project site.
3. Karnataka Maharashtra State boundary is within 5km from the project boundary which is not mentioned in the form 1.
4. Attiveri Bird Sanctuary is within the 10 km buffer from the project site. The distance between the project site and the Sanctuary is 5.8/km

The Authority after discussion and examination of the kml file uploaded in the portal is of the opinion that there might be a crusher inside the site and hence decided to get the present status of the crusher, exact location of the crusher with coordinates and details of permissions from competent authority for setting up the crusher if the crusher is inside the proposed site for further consideration. Further, Attiveri bird sanctuary is 110 kms from the site and there is no wildlife sanctuary within 10 kms



The Authority perused the complaint and noted the contents of the same. The Authority also examined the documents of this proposal in the light of the complaint received and decided to refer the file back to SEAC. The SEAC shall look into the issues raised in the complaint diligently and obtain requisite clarifications/ documents from the Project Proponent or any other Govt departments as necessary.

**Industry Projects:**

**227.1.75. Municipal Solid Waste Management Facility (MSWMF) Project at Sy.No.213/C of Varalahalli Village, Hagaribommanahalli Taluk, Ballari District by Town Municipal Council, Hagaribommanahalli - Online Proposal No.SIA/KA/MIS/59488/2020 (SEIAA 01 IND 2021)**

The Chief Officer, Town Municipal Council, Hagaribommanahalli, Vijayanagar District have applied for Environmental clearance from SEIAA for Setting up of Municipal Solid Waste Management Facility (MSWMF) at Varalahalli Village, Hagaribommanahalli Taluk, Vijayanagar District, Karnataka by Town Municipal Council, Hagaribommanahalli.

Drafted by           

  245

Details of the project are as follows:


Sl. No	PARTICULARS	INFORMATION
1	Name & Address of the Project Proponent	The Chief Officer Town Municipal Council Hagaribommanahalli, Vijayanagar District.
2	Name & Location of the Project	Setting up of Municipal Solid Waste Management Facility (MSWMF) at Varalahalli Village, Hagaribommanahalli Taluk, Vijayanagar District, Karnataka by Town Municipal Council, Hagaribommanahalli
3	Environmental Sensitivity	
a.	Distance from nearest Lake/River/Nala	Upparagatta lake 3.9 km (E), Hagaribommanahalli reservoir, 5.2 km NW
b.	Distance from Protected area notified under wildlife protection act	No notified parks/ WLS in study area.
c.	Distance from the interstate boundary	None within the study area
d.	whether located in critically /severally polluted area as per the CPCB norms	NO
4	Type of Development as per schedule of EIA Notification, 2006 with relevant serial number	7(i) - Common Municipal Solid Waste Management Facility (CMSWMF) (Category : B1)
5	New/Expansion/Modification/Product mix change	New
6	Plot Area (acres)	5.11 Acres (2.0711a)
7	Component of developments	Setting up of Municipal Solid Waste Management Facility (MSWMF) of capacity 20TPD establishments along with required infrastructure facilities like road, electricity, water and green belt etc.
8	Project cost (Rs. In crores)	7.0Cr
9	Details of Land Use (Sq.m)	
a.	Built up Area	1.22 Acres

Drafted by           

246


	b. KharabLand	NA
	c. Internal Roads	0.87 Acres
	d. Pavedarea	NA
	e. Parking	0.30 acres
	f. Green belt & open area	1.7 acres (33%)
	g. Others Specify weigh bridge, office land fill etc	1.02 acres
	h. Total	5.11 Acres
10	Mode of transportation of solid waste	Road
11	<b>WATER</b>	
	<b>I. Construction Phase</b>	
	a. Source of water	Municipal supply
	b. Quantity of water for Construction in KLD	about 0.25 KLD
	c. Quantity of water for Domestic Purpose in KLD	0.1KLD
	d. Waste water generation in KLD	NA
	e. Treatment facility proposed and scheme of disposal oftreated water	Wastewater generated from temporary sanitation facilities provided for works during construction will be sent to septic tank followed by soak pit. The treated waste water will be used for greenbelt development.
	<b>II. Operational Phase</b>	
	a. Source of water	Water requirement met from Municipal Supply/ Tanker
	b. Total Requirement of Water in KLD	Fresh (Portable water) 0.7 KLD
		Recycled NA
		Total 0.7 KLD
	c. Requirement of water for industrial purpose / production in KLD	Fresh 11.4 KLD
		Recycled
		Total 11.4 KLD
	d. Waste water generation in KLD	Industrial effluent 2.1 KLD
		Total 2.1 (Industrial WW) & 0.6 (Domestic WW)
12	Storm water management plan	Storm water drainage system along the road side proposed within the facility shall handle rainwater runoff in the area to avoid it draining into the waste, water

		Logging or stagnating on covers of landfill.
13	<b>Air Pollution</b>	
	a. Sources of Air pollution	Waste transport vehicles
	b. Composition of Emissions	Major pollutants are PM, NOX & SO2
	c. Air pollution control measures proposed and technology employed	<p>Internal roads to be black topped / CC for smooth movement of vehicles &amp; proper maintenance of roads shall be carried out to minimize dust generation</p> <ul style="list-style-type: none"> <li>&gt; Vehicles bringing MSW shall be covered to prevent spillage of dirt during transit</li> <li>&gt; Vehicles entering site shall be asked to have valid pollution under control certificate</li> <li>&gt; Proper maintenance of vehicles housekeeping to reduces fugitive dust emissions</li> <li>&gt; Unloading &amp; storage areas should be paved and covered with sheets of suitable height to act as barriers for dust control.</li> </ul> <p>A three tier plantation all along the boundary will be developed along with Avenue plantation of 2 m on both sides of the road. 33% of total area within IA will be earmarked for developed GB</p>
14	<b>Noise Pollution</b>	
	a. Sources of Noise pollution	Industrial equipment's
	b. Expected levels of Noise pollution in dB	<p>About 75 dB (at a distance of 1 m from source).</p> <p>A maximum noise level (post project) near proposed IA boundary is about 54.2 dB (A) which is within the Noise Pollution (Regulation and Control) Rules, 2000, for industrial area Hence there will be no impact due to IA operation.</p>
	c. Noise pollution control measures proposed	<p>Improvement in design of machine, proper maintenance &amp; tuning done regularly.</p> <ul style="list-style-type: none"> <li>&gt; Develop GB all along boundary of facility and noise generating areas like DWCC and SLF to minimize noise levels within stipulated standards</li> </ul>





		<ul style="list-style-type: none"> <li>&gt; Periodic noise level monitoring shall be done to identify discrepancies and take corrective action, wherever required.</li> <li>&gt; Distribution of working hours among personnel working with major noise generating equipment and rotating to non-noisy/ less noisy area</li> </ul>
15	<b>Waste management</b>	
	<b>Operational Phase</b>	
	a. Quantity of Solid waste generated per day and their disposal	<p>It is proposed to setup MSWMF of capacity 20 TPD for safe handling &amp; disposal of MSW generated by H B Halli town. Facility is designed for 5 years to handle MSW generated during the years 2022 to 2026. The facility mainly consists of Windrow composting plant of 15 TPD for wet waste management, Sanitary Landfill (SLF) of 5 TPD for disposal of rejects and Dry Waste Collection Centre (DWCC) to perform secondary &amp; tertiary sorting of MSW to recover recyclables &amp; combustible material, domestic hazardous waste and rejects. The recyclables will be sold to authorized recyclers and RDF will be sent to cement plants for consumption. The rejects will be sent to SLF. Hazardous materials segregated if any will be stored separately and sent to authorized hazardous waste handling facility.</p>
	b. Quantity of Hazardous Waste generation with source and mode of Disposal as per norms	Hazardous materials segregated if any will be stored separately and sent to authorized hazardous waste handling facility.
	c. Quantity of E waste generation with source and mode of Disposal as per norms	NA
16	<b>Power</b>	
	a. Total Power Requirement in the Operational Phase with source	75 kVA Source: HIESCOM.
	b. Numbers of DG set and capacity in KVA for	NA



	<b>Standby Power Supply</b>	
	c. Details of Fuel used with purpose such as boilers, DG, Furnace, IH, Incinerator Set etc.,	NA
	d. Energy conservation plan and Percentage of savings including plan for utilization of solar energy as per ECBC 2007	Latest solar street lighting will be provided within project site. LED or florescent lamps will be used during construction and operation phases of project.
17	<b>Parking</b>	
	a. Parking Requirement as per norms	About 5% of total area is earmarked for parking requirements of IA.
	b. Internal Road width (RoW)	5mtrs-7mtrs
18	<b>CER activities</b>	To comply with the requests/comments raised during public hearing.
19	<b>EMP Cost:</b>	Capital cost: 70 Lakhs Operation cost: 2% of project cost annually

The subject was discussed in the SEAC meeting held on 17<sup>th</sup>, 18<sup>th</sup> & 19<sup>th</sup> November 2022. The Committee has recommended to SEIAA for issue of EC and the extract of the proceedings of the Committee meeting is as below:

The proposal was earlier considered in 286<sup>th</sup> SEAC meeting. As the proponent had not circulated documents to the committee members, the committee had deferred the appraisal of the project.

The proposal is for establishment of MSWMF of capacity 20 TPD in an area of 5.11 Acres. SEIAA had issued ToR on 12.09.2022 and Public Hearing was conducted on 15.12.2021.

The committee during appraisal sought details about segregation of waste, leachate handling and handling odour menace. The proponent informed the committee that waste will be collected from door to door in segregated manner and initially segregated into dry and wet waste. It was informed that wet waste would be sent to aerobic windrow composting and dry waste would be further segregated into RDF, Recyclable waste and Domestic hazardous waste and rejects. For handling leachate proponent informed that leachate collection tank is proposed which acts as settling tank and which will help in sedimentation and biological stabilization. The settled sludge would be sent to landfill and overflow would be sent to leachate storage tanks to facilitate evaporation. Regarding sanitary landfill the proponent informed that it shall be set up as per norms to handle rejects of about 5TPD and is provided with liners system to prevent infiltration of leachate into ground water. To prevent odour menace, proponent informed

that green barrier all around the project will be taken up by planting aromatic trees in three tier plantation. Further the committee informed the proponent to comply with the observations/requests in Public Hearing and to adhere to the conditions stipulated in Solid Waste Management Rules, 2016, for which the proponent agreed.

The proponent informed the committee that they will take precautionary measures during operation process to maintain the environmental parameters within permissible limits in the proposed project and agreed to comply with CPCB norms for handling waste. The committee noted that the baseline parameters are found to be within permissible limits. The committee after discussion decided to recommend the proposal to SEIAA for issue of EC with a condition to grow additional plantation towards the habitation area and to carry out regular health checkup for the people in nearby areas and to adhere to the compliances given to public during public hearing.

The Authority perused the proposal and took note of the recommendation of SEAC.

*The Authority after discussion decided to clear the proposal for issue of Environmental Clearance subject to following:*

- 1. If the distance of nearest Protected Area (National Park/ Sanctuary/Bio sphere reserve/ migratory corridor) is within 10 KM, a certificate from the Chief Wild Life Warden (CWLW) along with his recommendation, else a certificate from the proponent that the proposed site is more than 10 KM away from any Protection Authority (PA) (National Park/ Sanctuary/Bio sphere reserve/ migratory corridor).*
- 2. Safety measures proposed shall be submitted.*

#### **227.2. Recommended by SEAC for issue of ToRs**

**227.2.1. Pink Granite Quarry Project at Sy. Nos. 257/1 & 257/2 of Balakundi Village, Ilkal Hobli & Taluk, Bagalkot District (10-00 Acre) (QL No. 6288) by M/s Shri Maruti Exports - Online Proposal No.SIA/KA/MIN/401656/2022 (SEIAA 443 MIN 2022)**

M/s Shri Maruti Exports have applied for Environmental clearance from SEIAA for quarrying of Pink Granite Quarry Project at Sy. Nos. 257/1 & 257/2 of Balakundi Village, Ilkal Hobli & Taluk, Bagalkot District.

The subject was discussed in the SEAC meeting held on 17<sup>th</sup>, 18<sup>th</sup> & 19<sup>th</sup> November 2022 The Committee has recommended to SEIAA for issue of standard ToR along with additional ToR and the extract of the proceedings of the Committee meeting is as below:

The lease area is 10-00 Acres and total area considered for cluster is more than the threshold limit of 5 Ha. Hence the project is categorized as B1. The quarry plan approved on 23.09.2022 and District Task Force had recommended the proposal on 27.06.2022 and obtained letter of intent on 11.08.2022.

The committee decided to recommend the proposal to SEIAA for issue of standard ToR with the following additional TOR to conduct EIA studies along with Public Hearing. Baseline data to be collection had started from October 2022 to December 2022.

1. Cumulative pollution load taking into account of cluster with wind rose diagram should be detailed submitted.
2. Traffic studies
3. Detailed study on impact of mining on ground water and methods of rejuvenation of the same.
4. Waste handling and disposal details should be submitted.
5. Improvements approach road as per IRC (Indian Road Congress) standard norms.
6. Existing lease details and audit report of the same.
7. Site specific CER and afforestation details.

The Authority perused the proposal and took note of the recommendation of SEAC.



*The Authority perused the proposal and took note of the recommendation made by SEAC. The Authority after discussion decided to issue standard ToR along with additional ToR as recommended by SEAC for conducting the Environment Impact Assessment study in accordance with EIA Notification, 2006.*

**227.22. Gavaral Grey Granite Quarry Project at Sy.Nos. 8/2 & 14/4 of Gavarala Village, Kukanur Taluk, Koppal District (8-14 Acres) by Sri Mallikarjun Metigoudar - Online Proposal No.SIA/KA/MIN/400134/2022 (SEIAA 478 MIN 2022)**

Sri Mallikarjun Metigoudar have applied for Environmental clearance from SEIAA for quarrying of Gavaral Grey Granite Quarry Project at Sy.Nos. 8/2 & 14/4 of Gavarala Village, Kukanur Taluk, Koppal District

The subject was discussed in the SEAC meeting held on 17th, 18th & 19th November 2022 The Committee has recommended to SEIAA for issue of standard ToR along with additional ToR and the extract of the proceedings of the Committee meeting is as below:

Drafted by           



252

The lease area is 8-14 Acres and total area considered for cluster is more than the threshold limit of 5 Ha. Hence the project is categorized as B1. The quarry plan approved on 29.10.2022 and District Task Force had recommended the proposal on 26.04.2022.

The committee decided to recommend the proposal to SEIAA for issue of standard ToR with the following additional TOR to conduct EIA studies along with Public Hearing. Baseline data to be collection had started from October 2022 to December 2022.

1. Cumulative pollution load taking into account of cluster with wind rose diagram should be detailed submitted.
2. Traffic studies
3. Detailed study on impact of mining on ground water and methods of rejuvenation of the same.
4. Waste handling and disposal details should be submitted.
5. Improvements approach road as per IRC (Indian Road Congress) standard norms.
6. Existing lease details and audit report of the same.
7. Site specific CER and afforestation details

The Authority perused the proposal and took note of the recommendation of SEAC.

*The Authority perused the proposal and took note of the recommendation made by SEAC. The Authority after discussion decided to issue standard ToR along with additional ToR as recommended by SEAC for conducting the Environment Impact Assessment study in accordance with EIA Notification, 2006.*

### **227.3. Miscellaneous Project:**

**227.3.1. Quarrying of Shahabad Stone Quarry Project at Sy.No.49/4, Madakal Village, Sedam Taluk, Kalburgi District by Sri.Sharanabasavareddy S/o Narasareddy - SEIAA 1194 MIN 2015 - Requesting for transfer of EC in favour of Sri. Parashurama Reddy S/o Late. Sharanabasavareddy.**

Environmental Clearance has been issued to this project vide letter No. SEIAA 1194 MIN 2015 dated 30.11 2015 for Quarrying of Shahabad Stone Quarry Project at Sy.No.49/4, Madakal Village, Sedam Taluk, Kalburgi District to Sri.Sharanabasavareddy S/o Narasareddy.

Sri. Parashurama Reddy S/o Late. Sharanabasavareddy vide letter dated 17.10.2022 have informed that his father Sri. Sharanabasavareddy died on 30.04.2021 and therefore The Department of Mines and Geology have held Sri. Parashurama Reddy as the legal heir for continuing the quarrying business of Late. Sharanabasavareddy due to his demise. Sri. Parashurama Reddy S/o Late. Sharanabasavareddy have requested this Authority for transfer of Environment Clearance dated 30.11.2015 granted by SEIAA in favour of his father Late. Sharanabasavareddy to his name to facilitate continuing the quarry business.

*The Authority after discussion decided to transfer the EC dated 30.11.2015 in favour of Sri. Parashurama Reddy S/o Late. Sharanabasavareddy subject to the following conditions*

1. *Notorized Copy of EC*
2. *Notorized copy of the Death certificate of Late. Sharanabasavareddy.*

**227.3.2. Quarrying of Building Stone at Sy.No.492/BP1 of Harpanahalli Village & Taluk, Davanagere District by Sri M Nagabhushan - SEIAA 980 MIN 2015 - Requesting for transfer of EC in favour of Sri. Siddalingesh Mallappanavar S/o Basappa.**

Environmental Clearance has been issued to this project vide letter No. SEIAA 980 MIN 2015 dated 12.01.2016 for Quarrying of Building Stone at Sy.No.492/BP1 of Harpanahalli Village & Taluk, Davanagere District by Sri M Nagabhushan.



Sri. Siddalingesh Mallappanavar S/o Basappa vide letter dated 06.09.2022 requested for transfer of EC granted to Sri M Nagabhushan in favor of Sri. Siddalingesh Mallappanavar S/o Basappa as the quarry lease has been transferred to Sri. Siddalingesh Mallappanavar S/o Basappa through the Dept. of Mines and Geology.

*The Authority perused the request made by Sri. Siddalingesh Mallappanavar S/o Basappa and decided to transfer the EC in favour Sri. Siddalingesh Mallappanavar S/o Basappa subject to the following conditions*

- i. *The applicant shall furnish Notarised affidavit of Sri. Siddalingesh Mallappanavar S/o Basappa relinquishing his claim (duly witnessed by Authorized Signatory of Sri M Nagabhushan)*
- ii. *Notarised Copy of EC.*
- iii. *Notarised Copy of Form-T.*

**227.3.3. Quarrying of Grey Granite at Sy.Nos.187/1 & 187/4 of Kukanoor Village, Yelburga Taluk, Koppal District by Sri Eshappa Lakkappa Gulagannvar - SEIAA 1552 MIN 2015 - Requesting for transfer of EC in favour of Smt. Gangamma Eshappa Lakkappanavar.**

Environmental Clearance has been issued to this project vide letter No. SEIAA 1552 MIN 2015 dated 16.02.2016 for Quarrying of Grey Granite at Sy.Nos.187/1 & 187/4 of Kukanoor Village, Yelburga Taluk, Koppal District to Sri Eshappa Lakkappa Gulagannvar.



Smt. Gangamma Eshappa Lakkappanavar w/o Late. Eshappa Lakkappa Gulagannvar vide letter dated 21.11.2022 have informed that her husband Sri. Eshappa Lakkappa Gulagannvar died on 16.04.2022 and therefore The Department of Mines and Geology have held Smt. Gangamma Eshappa Lakkappanavar as the legal heir for continuing the quarrying business of Late. Eshappa Lakkappa Gulagannvar due to his demise. Smt. Gangamma Eshappa Lakkappanavar w/o Late. Eshappa Lakkappa Gulagannvar have requested this Authority for transfer of Environment Clearance dated 16.02.2016 granted by SEIAA in favour of her husband Late. Eshappa Lakkappa Gulagannvar to her name to facilitate continuing the quarry business.

*The Authority after discussion decided to transfer the EC dated 16.02.2016 in favour of Smt. Gangamma Eshappa Lakkappanavar w/o Late. Eshappa Lakkappa Gulagannvar subject to the following conditions*

1. Notorized Copy of EC
2. Notorized copy of the Death certificate of Late. Eshappa Lakkappa Gulagannvar


**227.3.4. Quarrying of Building Stone (M-Sand) at Sy. No. 68/12 of Aluru Village, Davanagere Taluk & District Karnataka by Sri. Chandra Naik - SEIAA 144 MIN 2020 - Requesting for transfer of EC in favour of M/s Shiva Stone Crusher.**

Environmental Clearance has been issued to this project vide letter No. SEIAA 144 MIN 2020 dated 24.08.2020 for Quarrying of Building Stone (M-Sand) at Sy. No. 68/12 of Aluru Village, Davanagere Taluk & District Karnataka to Sri. Chandra Naik.

M/s Shiva Stone Crusher vide letter dated 21.11.2022 have requested this Authority for transfer of EC granted to Sri. Chandra Naik in favour M/s Shiva Stone Crusher as the quarry lease has been transferred to M/s Shiva Stone Crusher through the Dept of Mines and Geology.

*The Authority perused the request made by M/s Shiva Stone Crusher and decided to transfer the EC in favour M/s Shiva Stone Crusher subject to the following conditions*

- i. *The applicant shall furnish Notarised affidavit of M/s Shiva Stone Crusher relinquishing his claim (duly witnessed by Authorized Signatory of Sri. Chandra Naik)*
- ii. *Notarised Copy of EC.*
- iii. *Notarised Copy of Form-T.*



**227.3.5. Quarrying of Building Stone at Sy. No. 514, of Honnali Village, Khalghatgi Taluk, Dharwad District by DEIAA over an extent of 4-00 Acres by Sri. Nagesh N Naik. SEIAA 47 MISC 2022 - Request for Transfer of Environmental Clearance in favour of M/s VINP Infra Project Private Limited.**

Environmental Clearance has been issued to this project by DEIAA, Dharwad District vide letter No. DEIAA/DWD/03/17-18 dated 09.10.2017 for Quarrying of Building Stone at Sy. No. 514, of Honnali Village, Khalghatgi Taluk, Dharwad District by DEIAA over an extent of 4-00 Acres to Sri. Nagesh N Naik.

M/s VINP Infra Project Private Limited vide letter dated 19.08.2022 have requested this Authority for transfer of EC dated 09.10.2022 issued to Sri. Nagesh N Naik in favour of M/s VINP Infra Project Private Limited as the quarry lease has been transferred to M/s VINP Infra Project Private Limited through the dept of Mines and Geology.

The Letter has been addressed to concerned DEIAA to procure original file vide letter No. SEIAA 47 MISC 2022 dated 26.09.2022. Accordingly, Original file has been received by this office on 10.10.2022.

*The Authority perused the request made by M/s VINP Infra Project Private Limited and decided to transfer the EC in favour M/s VINP Infra Project Private Limited subject to the following conditions*

- i. *The applicant shall furnish Notarised affidavit of M/s VINP Infra Project Private Limited relinquishing his claim (duly witnessed by Authorized Signatory of Sri. Nagesh N Naik.)*
- ii. *Notarised Copy of EC.*
- iii. *Notarised Copy of Form-I.*

**227.3.6. Quarrying of Building Stone at Sy. No. 514, of T. Honnali Village, Khalghatgi Taluk, Dharwad District by DEIAA Dharwad over an extent of 2-10 Acres by Sri. Nagesh N Naik - SEIAA 48 MISC 2022 Request for Transfer of Environmental Clearance in favour of M/s VINP Infra Project Private Limited.**

Environmental Clearance has been issued to this project by DEIAA, Dharwad District vide letter No. DEIAA/DWD/09/17-18 dated 09.10.2017 for Quarrying of Building Stone at Sy. No. 514, of Honnali Village, Khalghatgi Taluk, Dharwad District by DEIAA over an extent of 2-10 Acres to Sri. Nagesh N Naik.

M/s VINP Infra Project Private Limited vide letter dated 19.08.2022 have requested this Authority for transfer of EC dated 09.10.2022 issued to Sri. Nagesh N Naik in favour of M/s VINP Infra Project Private Limited as the quarry lease has been transferred to M/s VINP Infra Project Private Limited through the dept of Mines and Geology.



The Letter has been addressed to concerned DEIAA to procure original file vide letter No. SEIAA 48 MISC 2022 dated 26.09.2022. Accordingly, Original file has been received by this office on 10.10.2022.

*The Authority perused the request made by M/s VINP Infra Project Private Limited and decided to transfer the EC in favour M/s VINP Infra Project Private Limited subject to the following conditions*

- i. *The applicant shall furnish Notarised affidavit of M/s VINP Infra Project Private Limited relinquishing his claim (duly witnessed by Authorized Signatory of Sri. Nagesh N Naik.)*
- ii. *Notarised Copy of F.C.*
- iii. *Notarised Copy of Form-T.*

**227.3.7. Quarrying of Building Stone at Sy. No. 47/6, 47/13 & 51/8 in Sanikere Village, Challakere Taluk, Chitradurga District, Karnataka by M/s. PNC INFRA TECH LTD - SEIAA 266 MIN 2020 - Request for issue corrigendum to EC.**

Environmental Clearance has been issued to this project vide letter No. SEIAA 266 MIN 2020 dated 04.09.2020 for Quarrying of Building Stone at Sy. No. 47/6, 47/13 & 51/8 in Sanikere Village, Challakere Taluk, Chitradurga District, Karnataka to M/s. PNC INFRA TECH LTD.

The Project proponent vide letter dated 08.11.2022 requested this Authority to issue Corrigendum to EC. The Environmental Clearance has been issued for a period of 3 years with total production of 10,99,089 Tonnes. Due to Covid-19 pandemic Karnataka has been locked down. Therefore, could not achieve the first & Second year production. The total production achieved for the two years is 5,46,239.419 Tonnes. Therefore, the project proponent has requested this Authority to issue corrigendum to EC to extract the remaining Quantity in the third year.

*The Authority perused the request made by the proponent and verified the documents and decided to issue corrigendum to EC.*

**227.3.8. Quarrying of Building Stone over an area of 4-00 Acres at Sy No. 77 of Athimage Village, Hosadurga Taluk, Chitradurga District by Sri. Go Tippesh S/o Late Govindappa - SEIAA 62 MISC 2021 - Request for transfer of EC granted by DEIAA Chitradurga District in favour of Sri. Shadhab Ahmad Khan.**

The Environmental Clearance has been issued to this project by DEIAA, Chitradurga District vide letter letter No. DEIAA 57 MIN 2017 dated 24.09.2018 for Quarrying of Building Stone over an area of 4-00 Acres at Sy No. 77 of Athimage Village, Hosadurga Taluk, Chitradurga District to Sri. Go Tippesh S/o Late Govindappa.



Sri. Shadhab Ahamad Khan vide letter dated 27.09.2022 requested this Authority for transfer of EC issued to Sri. Go Tippesh S/o Late Gowindappa in favour of Sri. Shadhab Ahamad Khan as the quarry lease has been transferred to Sri. Shadhab Ahamad Khan through the Dept of Mines and Geology.

The Letter has been addressed to concerned DEIAA to procure original file. Accordingly, Original file has been received by this office.

*The Authority perused the request made by Sri. Shadhab Ahamad Khan and decided to transfer the T.C in favour Sri Shadhab Ahamad Khan subject to the following conditions*

- i. *The applicant shall furnish Notarised affidavit of Sri. Shadhab Ahamad Khan relinquishing his claim (duly witnessed by Authorized Signatory of Sri. Go Tippesh S/o Late Gowindappa)*
- ii. *Notarised Copy of EC.*
- iii. *Notarised Copy of Form-T.*


**227.3.9. Quarrying of Building Stone at Sy.No.77/3 of Shedabal Village, Kagawad Taluk, Belagavi District, Karnataka by Sri Appasahib Balu Waddar - SEIAA 127 MIN 2021 - request for transfer of EC in favor of Sri. Anil Appasab Waddar,**

The Environmental Clearance has been issued to this project vide letter No. SEIAA 127/ MIN 2021 dated 29.07.2022 for Quarrying of Building Stone at Sy No.77/3 of Shedabal Village, Kagawad Taluk, Belagavi District, Karnataka to Sri Appasahib Balu Waddar.

Sri. Anil Appasab Waddar S/o Late. Appasahib Balu Waddar vide letter dated 22.11.2022 have informed that his father Sri. Appasahib Balu Waddar died on 08.08.2022 and therefore The Department of Mines and Geology have held Sri. Anil Appasab Waddar as the legal heir for continuing the quarrying business of Sri. Appasahib Balu Waddar due to his demise. Sri. Anil Appasab Waddar S/o Late. Appasahib Balu Waddar have requested this Authority for transfer of Environment Clearance dated 29.07.2022 granted by SEIAA in favour of his father Late. Appasahib Balu Waddar to his name to facilitate continuing the quarry business.

*The Authority after discussion decided to transfer the EC dated 29.07.2022 in favour of Sri. Anil Appasab Waddar S/o Late. Appasahib Balu subject to the following conditions*

1. *Notorized Copy of EC*
2. *Notorized copy of the Death certificate of Late. Appasahib Balu.*



**227.3.10. Quarrying of Mittimalkapur Building Stone Project at Sy No.177 (P) Mittimalkapur Village, Raichur Taluk & District by Sri. Satish Kumar V Andani - SEIAA 82 MIN 2013 - request for transfer of EC in favour of M/s Om Shakthi & Company, Partner: Sri. M Madanagopal Reddy.**

The Environmental Clearance has been issued to this project vide letter No. SEIAA 82 MIN 2013 dated 23.07.2013 for Quarrying of Mittimalkapur Building Stone Project at Sy No.177 (P) Mittimalkapur Village, Raichur Taluk & District to Sri. Satish Kumar V Andani.

Sri. Satish Kumar V Andani vide letter dated 11.10.2022 requested this Authority for transfer of EC granted to Sri. Satish Kumar V Andani in favour of M/s Om Shakthi & Company, Partner: Sri. M Madanagopal Reddy as the quarry lease has been transferred to M/s Om Shakthi & Company, Partner: Sri. M Madanagopal Reddy through the Dept. of Mines and Geology.

*The Authority perused the request made by Sri. Satish Kumar V and decided to transfer the EC in favour M/s Om Shakthi & Company, Partner: Sri. M Madanagopal Reddy subject to the following conditions*


- i. *The applicant shall furnish Notarised affidavit of M/s Om Shakthi & Company, Partner: Sri. M Madanagopal Reddy relinquishing his claim (duly witnessed by Authorized Signatory of Sri. Satish Kumar V)*
- ii. *Notarised Copy of EC.*
- iii. *Notarised Copy of Form-F.*

**227.3.11. Quarrying of Green Granite at Sy. No. 47/2 in Motebennur Village, Byadgi Taluk, Haveri District, Karnataka by Sri. S R Bellary - SEIAA 49 MIN 2021 - Request for issue Amendment to EC dated 12.08.2021.**

The Environmental Clearance has been issued to this project vide letter No. SEIAA 49 MIN 2021 dated 12.08.2021 for Quarrying of Green Granite at Sy. No. 47/2 in Motebennur Village, Byadgi Taluk, Haveri District, Karnataka to Sri. S R Bellary.

The Project proponent vide letter dated 24.11.2022 requested this to issue Amendment to EC dated 12.08.2021. the EC has been issued for Green Granite Quarry but now the Department of Mines and Geology has issued a letter dated 09.11.2022 that the colour of the Ornamental Granite is Black. Accordingly, approved Modified quarrying plan obtained from Dept. of Mines and Geology vide letter No. DMG/SGH/QPA/2022-23/1948 dated 19.11.2022. The Project proponent requested this Authority to issue corrigendum to EC.

*The Authority perused the request made by the proponent and verified the documents, after discussion decided to issue corrigendum to EC as requested by the project proponent.*



**227.3.12. Quarrying of Ornamental Granite (Pink Granite) at Sy. No 41, Gundawarapalli Village, Bagepalli Taluk, Chikkaballapura District, Karnataka by Sri. Venkatarayappa M - SEIAA 14 MIN 2022 - Request for issue Amendment to EC.**

The Environmental Clearance has been issued to this project vide letter No. SEIAA 14 MIN 2021 for Quarrying of Ornamental Granite (Pink Granite) at Sy. No 41, Gundawarapalli Village, Bagepalli Taluk, Chikkaballapura District, Karnataka to Sri. Venkatarayappa M.

The Project proponent vide letter dated 07.11.2022 requested this to issue Amendment to EC dated 31.05.2022, the EC has been issued for Pink Granite Quarry but now the Department of Mines and Geology has issued a letter dated 21.10.2022 that the colour of the Ornamental Granite is Grey. Accordingly, approved Modified quarrying plan obtained from Dept. of Mines and Geology vide letter No. MC004S220001175/2288 dated 18.10.2022. The Project proponent requested this Authority to issue corrigendum to EC

*The Authority perused the request made by the proponent and verified the documents, after discussion decided to issue corrigendum to EC as requested by the project proponent.*

**227.3.13. Expansion of Ornamental Granite (Grey Granite) and Building Stone Quarry Sy No: 04, Gummalapura Village, Chikkaballapura Taluk, Chikkaballapura District by Sri S K Subbanna - SEIAA 133 MIN 2022 - Request for issue amendment to EC.**

The Environmental Clearance has been issued to this project vide letter No. SEIAA 133 MIN 2022 dated 19.09.2022 for Expansion of Ornamental Granite (Grey Granite) and Building Stone Quarry Sy No: 04, Gummalapura Village, Chikkaballapura Taluk, Chikkaballapura District to Sri S K Subbanna.

The Environmental Clearance was issued on 19.09.2022 wherein the name of mineral mentioned in the production table as Green Granite instead of Grey Granite.

In this regard the project proponent vide letter dated 14.11.2022 has requested this Authority to issue corrigendum to Environmental Clearance.

*The Authority perused the request made by the proponent and verified the documents, after discussion decided to issue corrigendum to EC as requested by the project proponent.*

**227.3.14. Construction of Residential Development project at Survey Number 218, 219 and 220 of Karuluru Village, Kasaba Hobli, and Sy. No's. 91, 94 and 95 of Thirumalashettyhalli Village, Anugondanahalli Village, Hoskote Taluk, Bengaluru by M/s ESP Residency - SEIAA 111 CON 2016 - Request for transfer of EC in favour of M/s Birla Estates Private Limited.**

The Environmental Clearance has been issued to this project vide letter No. SEIAA 111 CON 2016 dated 28.12.2016 for Construction of Residential Development project at Survey Number 218, 219 and 220 of Karuluru Village, Kasaba Hobli, and Sy. No's. 91, 94 and 95 of Thirumalashettyhalli Village, Anugondanahalli Village, Hoskote Taluk, Bengaluru to M/s ESP Residency.

M/s Birla Estates Private Limited vide letter dated 14.11.2022 requested for transfer of EC granted to M/s ESP Residency in their favour as M/s Birla Estates Private Limited have taken over the project from M/s ESP Residency vide absolute Sale Deed bearing No. 9453/18-19 dated 03.01.2019.

*The Authority perused the request made by M/s Birla Estates Private Limited and decided to transfer the EC in favour M/s Birla Estates Private Limited subject to the following conditions*

- i. The applicant shall furnish Notarised affidavit of M/s Birla Estates Private Limited relinquishing his claim (duly witnessed by Authorized signatory of M/s ESP Residency)*
- ii. Notarised Copy of F.C.*

**227.3.15. Proposed Modification & Expansion of Bulk Drug & Intermediates unit at plot No.4/A-D, KIADB Industrial area, Bidar Taluk & District, Karnataka by M/s Vani Organics Pvt. Ltd - SEIAA 20 IND (VIOL) 2018 - Request for transfer EC of in favour of M/s Ravoo's Laboratories Limited.**

The Environmental Clearance has been issued to this project vide letter No. SEIAA 20 IND (VIOL) 2018 dated 18.08.2020 for Proposed Modification & Expansion of Bulk Drug & Intermediates unit at plot No.4/A-D, KIADB Industrial area, Bidar Taluk & District, Karnataka to M/s Vani Organics Pvt. Ltd.

M/s Ravoo's Laboratories Limited vide letter dated 11.11.2022 requested this Authority for transfer of EC granted to M/s Vani Organics Pvt. Ltd in favour of M/s Ravoo's Laboratories Limited as the industry has been purchased by M/s Ravoo's Laboratories Limited.

*The Authority perused the request made by M/s Ravoo's Laboratories Limited and decided to transfer the EC in favour M/s Ravoo's Laboratories Limited subject to the following conditions*

- i. *The applicant shall furnish Notarised affidavit of M/s Ravoo's Laboratories Limited relinquishing his claim (duly witnessed by Authorized Signatory of M/s Vani Organics Pvt. Ltd)*
- ii. *Notarised Copy of EC.*
- iii. *Notarised Copy of Form-T.*

**227.4. Additional Agenda (With the Permission of Chair) - Miscellaneous Project:**

**227.4.1. Construction of proposed Residential Building in Survey No. 113/5, 113/8, 113/11(P) & 113/7 (P), Padavu Village, Mangaluru Taluk, Dakshina Kannada District by M/s. Someshwar Promoters and Developers - SEIAA 37 CON 2022 - Request for issue Amendment to EC.**

Environmental Clearance has been issued to this project vide letter No. SEIAA 37 CON 2022 for Construction of proposed Residential Building in Survey No. 113/5, 113/8, 113/11(P) & 113/7 (P), Padavu Village, Mangaluru Taluk, Dakshina Kannada District to M/s. Someshwar Promoters and Developers.

The Project proponent vide letter dated 05.08.2022 requested this Authority to issue Corrigendum to EC. The Environmental Clearance has been issued for construction of Residential Apartment with building configuration of 5 Buildings i.e. Block-A, Block-B, Block-C, Block-D & Block-E each having 2 basements, ground floor & 5 Upper floors with total 244 units. But the actual unit is 264 units. The car parking space also increased from 268 to 290 Numbers.


*The Authority perused the request made by the proponent and verified the documents, after discussion decided to issue corrigendum to EC as requested by the project proponent.*

**227.4.2. Request for transfer of Environmental Clearance granted to Smt. Fathima Begum W/o late. Murthuza Baig for quarrying of Building Stone in an area of 2-00 Acres at Sy No, 54 (P) Burhanapura Village, Manvi Taluk, Raichur District, Karnataka in favor of Sri. Mohammad Haneef - SEIAA 45 MISC 2022.**

Environment Clearance has been issued to this project by DEIAA, Raichur District vide letter No SG/DMG/RCR/QPA/2016-17/755 dated 02.07.2016 for quarrying of Building Stone in an area of 2-00 Acres at Sy No, 54 (P) Burhanapura Village, Manvi Taluk, Raichur District, Karnataka to Smt. Fathima Begum W/o late. Murthuza Baig.

Drafted by           





Sri. Mohammad Haneef vide letter dated 05.09.2022 requested this Authority for transfer of EC granted to Smt. Fathima Begum W/o late. Murthuza Baig in favour of Sri. Mohammad Haneef as the quarry lease has been transferred to them through the Dept. of Mines and Geology.

Accordingly, letter has been addressed to concerned district office to procure original file vide letter No. SEIAA 45 MISC 2022 dated 08.09.2022. Original File has been received by this office on 28.11.2022.

*The Authority perused the request made by Sri. Mohammad Haneef and decided to transfer the EC in favour Sri. Mohammad Haneef subject to the following conditions*

- i. *The applicant shall furnish Notarised affidavit of Sri. Mohammad Haneef relinquishing his claim (duly witnessed by Authorized Signatory of Smt. Fathima Begum W/o late. Murthuza Baig)*
- ii. *Notarised Copy of EC.*
- iii. *Notarised Copy of Form-T.*

**227.4.3. Quarrying of Black Granite at Sy. No. 81/2 of Killanjaru Village, Managaluru Taluk, Dakshina Kannada District by Sri. Vasanth Kumar - SEIAA 1263 MIN 2015 dated 10.12.2012 - Request for transfer of EC in favour of M/s Ashman Granites and Minerals Pvt Ltd.,**

The Environmental Clearance has been issued to this project vide letter No. SEIAA 1263 MIN 2015 dated 10.12.2012 for Quarrying of Black Granite at Sy. No. 81/2 of Killanjaru Village, Managaluru Taluk, Dakshina Kannada District by Sri. Vasanth Kumar.

M/s Ashman Granites and Minerals Pvt. Ltd., vide letter dated 30.11.2022 requested this Authority for transfer of EC granted to Sri. Vasanth Kumar in favour of M/s Ashman Granites and Minerals Pvt Ltd., as the quarry lease has been transferred to M/s Ashman Granites and Minerals Pvt. Ltd., through the Dept. of Mines and Geology.

*The Authority perused the request made by M/s Ashman Granites and Minerals Pvt. Ltd, and decided to transfer the EC in favour M/s Ashman Granites and Minerals Pvt. Ltd, subject to the following conditions*

- i. *The applicant shall furnish Notarised affidavit of M/s Ashman Granites and Minerals Pvt. Ltd. relinquishing his claim (duly witnessed by Authorized Signatory of Sri. Vasanth Kumar.)*

Drafted by           


263

Handwritten signature and date '1-12'.


- ii. *Notarised Copy of EC.*
- iii. *Notarised Copy of Form-T.*

**227.4.4. To organize One day Workshop with the Builders/Apartment Federations - regarding the understanding and dissemination of new developments and advancement in the Waste Treatment and Disposal. A suitable date in February 2023 shall be preferred. The workshop will be held jointly with KSPCB**


Meeting concluded with thanks to the Chair.



(Dr. K. R. Sree Harsha)  
Chairman,  
SEIAA, Karnataka



(K. N. Shivalinge Gowda)  
Member,  
SEIAA, Karnataka



(Vijay Mohan Raj V, IFS)  
Member Secretary,  
SEIAA, Karnataka