Minutes of 675th SEAC-2 Meeting Dated 21/07/2022

The 675^{th} meeting of SEAC-2 was held in the Directorate of Environment, U.P. through dual-mode (physically/virtually) at 10:00 AM on 21/07/2022. Following members participated in the meeting:

1.	Dr. Harikesh Bahadur Singh,	Chairman, SEAC-2
2.	Dr. Amrit Lal Haldar,	Member, SEAC-2 (through VC)
3.	Dr. Dineshwar Prasad Singh,	Member, SEAC-2 (through VC)
4.	Shri Tanzar Ullah Khan,	Member, SEAC-2
5.	Prof. Jaswant Singh,	Member, SEAC-2 (through VC)
6.	Dr. Shiv Om Singh,	Member, SEAC-2
7.	Shri Ashish Tiwari,	Member Secretary, SEAC-2

The Chairman welcomed the members to the 675th SEAC-2 meeting which was conducted via dual-mode (virtually/physically). Nodal Officer, SEAC-2 informed the committee that the agenda has been approved by the Member Secretary, SEAC-2/Director Environment. Nodal Officer, SEAC-2 placed the agenda items along with the available file and documents before the SEAC-2.

1. <u>River bed Sand/ Morrum Bajri Mining near Village-Mahuta, Gata No.-876kha,</u> 886ka, 1481, 1482, 1505, 2031, 2039, 2047, 2247, 2270, 2521, 2522, 2538, 2541kha, 2577, 2599 & 2676, Tehsil- Atarra & District- Banda, Shri Anand Bhushan Shukla., <u>M/s Sachin Enterprises</u>, <u>Area- 21.00 ha. File No. 7083/Proposal No. SIA/UP/MIN/</u> 76898/2022

The committee noted that the matter was earlier listed in 658^{th} SEAC meeting dated 24/05/2022 and the project proponent did not appear in the meeting and the committee directed that project file should be closed and be opened only after request from the project proponent. The project proponent through online portal on 23/06/2022 has requested to list the matter in next SEAC meeting and the matter was listed in 675^{th} SEAC meeting dated 21/07/2022.

The consultant informed the committee that they are strictly following the rules, regulations and other instructions of QCI/NABET. A presentation was made by the project proponent along with their consultant M/s Paramarsh (Servicing Environment and Development). Based on the documents submitted and presentation made by the project proponent along with the consultant, the following facts have emerged: -

 The terms of reference are sought for Sand Morrum Bajri Mining at Araji/Gata no.-876kha,886ka,1481,1482,1505,2031,2039,2047,2247,2270,2521,2522,2538,2541kha,2577,2599 & 2676, Village-Mahuta, Tehsil-Atarra, District-Banda, U.P., (Leased Area-21.00 ha.), M/s Sachin Enterprises.

1.	On-line proposal No.	SIA/UP/MIN/76898/2022	
2.	File No. allotted by SEIAA, UP	7083	
3.	Name of Proponent	Shri Anand Bhushan Shukla S/o Shri Shiv Gopal Shukla	
4.	Full correspondence address of	Shri Anand Bhushan Shukla S/o Shri Shiv Gopal Shukla	
	proponent and mobile no.	R/o Village-Peedi, Thana Kaundhiyara, Tehsil- Karchhana,	
		Prayagraj, Uttar Pradesh	
		Mobile no	

2. Salient features of the project as submitted by the project proponent:

		E-mail Id- sachiner	nterprises5418@gma	uil.com	
5.	Name of Project	Sand Morrum Bajri Mining			
		Village – Mahuta, Tehsil- Atarra, District–Banda, Uttar Pradesh			
6.	Project Location (Plot.Khasra/Gata No.)	Gata No. –			
			1.1482.1505.2031.20	39,2047,2247,2270,	
			41kha,2577,2599 &		
		Mahuta, Tehsil- Atarra, District-Banda, Uttar Pradesh			
7.	Name of River	NA		, ,	
8.	Name of Village	Mahuta			
9.	Tehsil	Atarra			
10.	District	Banda			
11.	Name of Minor Mineral	Sand Morrum Bajr	i Mining		
12.	Sanctioned Lease Area (in Ha.)	21.00 ha.	0		
13.	Max. & Min mRL within lease area		& Lowest is 115mF	RL	
14.	Pillar Coordinates (Verified by DMO)	`BLOCK 01	LATITUDE	LONGITUDE	
		PILLERS			
		A	25°13'16.61"N	80°37'42.51"E	
		B	25°13'13.53"N	80°37'45.41"E	
		C	25°13'14.36"N	80°37'40.27"E	
		BLOCK 02	LATITUDE	LONGITUDE	
		D	25°13'12.29"N	80°37'43.48"E	
		E	25°13'11.71"N	80°37'42.96"E	
		F	25°13'14.85"N	80°37'29.74"E	
		G	25°13'9.75"N	80°37'26.94"E	
		Н	25°13'10.29"N	80°37'25.63"E	
		Ι	25°13'16.35"N	80°37'29.09"E	
		BLOCK 03	LATITUDE	LONGITUDE	
		J	25°13'12.40"N	80°37'25.08"E	
		K	25°13'8.53"N	80°37'25.34"E	
		L	25°13'10.13"N	80°37'24.24"E	
		BLOCK-04	LATITUDE	LONGITUDE	
		M	25°13'3.12"N	80°37'8.89"E	
		N	25°13'2.20"N	80°37'8.67"E	
		0	25°12'59.15"N	80°37'0.74"E	
		Р	25°12'35.60"N	80°37'10.35"E	
		Q	25°12'32.00"N	80°37'8.27"E	
		R	25°12'32.40"N	80°37'7.69"E	
		S	25°12'46.26"N	80°37'4.12"E	
		Т	25°12'56.82"N	80°36'56.41"E	
		BLOCK-05	LATITUDE	LONGITUDE	
		U	25°12'41.35"N	80°37'5.17"E	
		V	25°12'41.66"N	80°37'5.95"E	
		W	25°12'32.99"N	80°37'7.12"E	
		Х	25°12'33.39"N	80°36'59.34"E	
		BLOCK-06	LATITUDE	LONGITUDE	
		Y	25°12'35.39"N	80°36'46.26"E	
		Z	25°12'38.57"N	80°36'33.57"E	
		AA	25°12'33.36"N	80°36'21.22"E	
		AB	25°12'41.35"N	80°36'30.07"E	
		BLOCK-07	LATITUDE	LONGITUDE	
		AC	25°12'33.27"N	80°36'18.53"E	
		AC	25°12'29.85"N	80°36'18.95"E	
		AD	25°12'28.01"N	80°36'11.95"E	
		BLOCK-08	LATITUDE	LONGITUDE	
		AF	25°12'26.19"N		
				80°36'13.01"E	
		AG	25°12'21.64"N	80°35'58.34"E	

		AH	25°12'23.70"N	80°36'0.36"E
		BLOCK-09	LATITUDE	LONGITUDE
		AI		
		AI	25°12'32.51"N 25°12'29.34"N	80°36'2.77"E 80°36'4.32"E
		AJ	25°12'29.34 N 25°12'26.82"N	80°36'4.33"E
		AL	25°12'24.53"N	80°35'59.51"E
		AM	25°12'25.03"N	80°35'57.76"E
		AN	25°12'28.15"N	80°35'59.56"E
		AO	25°12'30.41"N	80°36'0.09"E
		AP	25°12'30.08"N	80°36'1.10"E
		AQ	25°12'31.71"N	80°36'2.19"E
1.5	Tetal Contacted Decomposition	AR	25°12'32.06"N	80°36'1.66"E
15.	Total Geological Reserves	420,000 m ³		
16.	Total Mineable Reserve (as per Approved	105,000 m ³		
17	Mine Plan)	$105,000,m^{3}$ (In (Manutha)	
17.	Total Proposed Production (In 6 Months)	$105,000 \text{ m}^3$ (In 6)	· · · · · · · · · · · · · · · · · · ·	
18.	Proposed Production/year	$105,000 \text{ m}^3$ (In 6	Months)	
19.	Sanctioned Period of Mine lease	06 months	N 1 1 1	
20.	Method of Mining	Opencast, Semi-	Mechanized	
21.	No. of working days	180		
22.	Working hours/day	8		
23.	No. of worker	58		
24.	No. of vehicles movement/day	52		
25.	Type of Land	Revenue land		
26.	Ultimate of Depth of Mining	1.0m		
27.	Nearest metalled road from site	500m		
28.	Water Requirement	PURPOSE	REQUIREMENT (KLD)
		Drinking	0.58 KLD	
		Suppres	2.0 KLD	
		sion of		
		dust	0.1 V/ D	
		Plantation	2.1 KLD	
		Others (if any)	-	
20		Total	4.68 KLD	
29.	Name of QCI Accredited Consultant with	PARAMARSH	(1D 1	
	QCI No and period of validity.		onment and Developm ABET/EIA/2124/RA 0	
				0224
30.	Any litization nonding against the	Valid Till May 0	1,2024	
50.	Any litigation pending against the	No		
31.	Details of 500 m Cluster Certificate	vida lattar no. 20	60/ khanij-30, Banda d	atad 20 12 2021
	verified by Mining Officer		oo/ khamj-50, Banda d	acca 20.12.2021
32.	Details of Lease Area in approved DSR	21.00 ha.		
33.	Proposed CER cost	Rs. 7.0 Lakhs		
34.	Proposed EMP cost	Total project cost- Rs. 3.5 Crore		
35.	Length and breadth of Haul Road	500m & 6m 500		
36.	No. of Trees to be Planted			

3. The mining would be restricted to unsaturated zone only above the phreatic water table and will not intersect the ground water table at any point of time.

- 4. This project does not attract any of the general conditions applicable on mining projects specified in EIA Notification 14/09/2006.
- 5. The mining operation will not be carried out in safety zone of any bridge or embankment or in an eco-fragile zone such as the habitat of any wild fauna.
- 6. There is no litigation pending in any court regarding this project.
- 7. The project proposal falls under category–1(a) of EIA Notification, 2006 (as amended).

The consultant (EIA Coordinator) also submitted an affidavit dated 14/07/2022 mentioning is as follows:

- 1. I, Surendra Vikram Ghavri S/o Shri Pratap Kumar is EIA Coordinator of M/s PARAMARSH (Servicing Environment and Development, Lucknow).
- 2. I have prepared TOR application report for the (Proposal No. SIA/UP/MIN/76898/2022, River bed Sand/Morram Bajri Mine by M/s Sachin Enterprises, Shri anand Bhushan Shukla with my team.
- 3. I have personally visited the site of proposal.
- 4. I have satisfied with that all the necessary data/information required for TOR application preparation are true and correct.
- 5. I certify that no mining activity has been undertaken on the project site for the present proposal.
- 6. I certify that this project has been uploaded for this first time on Parivesh portal.
- 7. I certify that there is no mismatch between information/data provided on online application and hard copy/presentation submitted.

RESOLUTION AGAINST AGENDA NO. 01

The committee discussed the matter and recommended to issue the standard terms of reference for the preparation of EIA as annexed at Annexure-1 to the minutes. The committee also stipulated following additional TOR Points:

Additional TOR:

- 1. NOC from Irrigation Department/ Concerning Authority regarding river bed mining to be submitted at the time of EIA presentation.
- 2. To ensure proper monitoring, the project proponent/consultant should provide evidence in form of (A) Raw Data (B) Logbook of their site visit along with activities carried out during monitoring (C) Real time photographs showing monitoring machine, public, lab person etc.
- 3. EIA coordinator & FAE should give a photo affidavit during EIA presentation that they have personally visited the site & they have also taken all the mitigating measures for any critical issues involved in the project.
- 4. Combined KML of all mines in a cluster should be submitted at the time of EIA.
- 5. The details of equipment used for baseline monitoring alongwith its photograph mentioning date, time and geo coordinates for preparation of EIA report should be clearly displayed to the people present during public hearing and the complete details related to monitoring period must be mentioned in the minutes of public hearing.
- 6. The project proponent/Consultant should identify the core & buffer zone (2.5 km) of the mining site.
- 7. Agreement/ Consent between project proponent and competent authority/ landowner for haulage road from lease site to link road to be submitted at the time of EIA presentation.
- 8. Proponent/ Consultant should submit the plan/information along with technology (photographs of water sprinklers/ tankers) to be implemented for mitigating dust at source points in lease area and haulage road during operation activity/vehicular movement. Technology should be displayed at the time of EIA presentation.
- 9. Proposed plantation plan with area specific plant species, number of plants to be planted and place of plantation along with a proper map to be submitted at the time of EIA presentation.
- 10. Water requirement details along with source of water and the permission/ agreement with the concerning authority/ person to be submitted at the time of EIA presentation.
- 11. Proponent/consultant shall present TOR specific/additional conditions compliance, observation/suggestions raised during the public hearing and commitment made by the project proponent in a tabular form with a time bound plan at the time of EIA presentation.

Proposed 7.5 MLD Common Effluent Treatment Plant At Industrial Area In GIDA, at Gata No.-345, 346, 347, 348, 349, 350, 351, 352, 353, 354, 355, 356, 357, 361, 362, 363, 364, 365, 366, 367, 368, 369, 370, 371, 372, 373 & 374, Village- Adilapar, Tehsil Sahjanwa, Dist.- Gorakhpur., Shri Pawan Agarwal. File No. 6873/6696/Proposal No. SIA/UP/MIS/ 70992/2021

The committee noted that the matter was earlier discussed in 627th SEAC meeting dated 28/02/2022 and directed the project proponent to submit following information:

- 1. Layout plan of industrial area showing the existing units, vacant plot and location of CETP along with green belt plan and also place for safe disposal of CETP sludge.
- 2. Revised details of member units, its production capacity, waste generation, characteristics and details of primary treatment provided by the member units.
- 3. Details of the present treatment and disposal system of existing units in industrial areas and also provide the compliance of water act.
- 4. Characteristics of inlet of proposed CETP as per grab sampling to be considered.
- 5. Proponent shall submit the MoU made between the Special Purpose Vehicle and its member units and the funding pattern for CETP construction/operation to be submitted.
- 6. Revised plan for the usage of treated effluent for recycling in industrial usage, green belt development and horticulture etc. and plan for dual plumbing system for reuse of treated water to be submitted.
- 7. Plan for development of solid waste disposal of CETP in the industrial area itself to be considered and revised plan of CETP along with TSDF to be submitted.
- 8. Gorakhpur Industrial Development Authority (GIDA) to constitute SPV for establishment/operation of proposed CETP.
- 9. The final EIA/EMP report should be revised on the basis of standard Terms of Reference (TOR) as per point no. 7(h) for CETP.

The project proponent submitted their replies through online Parivesh portal on 24/06/2022 and the matter was listed in 675^{th} SEAC meeting dated 21/07/2022. A presentation was made by the project proponent along with their consultant M/s Mitcon Consultancy & Engineering Services Limited. Based on the documents submitted and presentation made by the project proponent along with the consultant, the following facts have emerged: -

- The environmental clearance is sought for Proposed 7.5 MLD Common Effluent Treatment Plant at Industrial Area In GIDA, at Gata No.-345, 346, 347, 348, 349, 350, 351, 352, 353, 354, 355, 356, 357, 361, 362, 363, 364, 365, 366, 367, 368, 369, 370, 371, 372, 373 & 374, Village-Adilapar, Tehsil Sahjanwa, Dist.- Gorakhpur, U.P., M/s M/s Gorakhpur Industrial Development Authority.
- 2. The standard terms of reference in the matter were issued through online Parivesh Portal on 27/11/2021. Final EIA report submitted by the project proponent on 13/01/2022.

Particulate	Description
Project	Construction of 7.5 MLD CETP
Location	Gat No. 345, 346, 347, 348, 349, 350, 351, 352, 353, 354, 355, 356, 357, 361, 362,
	363, 364, 365, 366, 367, 368, 369, 370, 371, 372, 373, 374, Adilapar Village, Tehsil
	Sahjanwa, Dist. Gorakhpur, Uttar Pradesh
S.No.in the schedule	Schedule 7 h
	Common Effluent Treatment Plant
DG	4 no. of 50 KVA and 2 no. of 2000 KVA
Water requirement	Total fresh requirement for proposed project is 1.35 CMD

3. Salient features of the project as submitted by the project proponent:

Source of water	Groundwater/ Tanker			
Power Requirement	Power requirement will be met from 11 kVA feeder line from U.P. Power			
	Corporation Sub-Station.			
Man-power	Construction Phase: 50			
	Operational Phase: 35			
New/Expansion/	New			
Modernization				
Existing Capacity/Area	Greenfield Project			
Category of Project i.e.'	Category of Project- 'B1'			
A' or 'B'				
Total project cost	92.3 Crore			
EMP capital cost	Capital Cost: 64 Lakhs			
	O&M Cost: 192.49 Lakhs			

4. Area details:

Sr.	Land Description	Area in (m ²)					
No.							
1	Process Area with centrifuge system, pump house and Sludge drying beds,	2007					
	Storage Area						
2	Lab and Administrative Building	100					
3	Chemical House	150					
4	MEP Building	60					
5	Transformer Yard	24					
6	DG set area	24					
7	Staff Quarter	115					
8	Guard Room	20					
9	Road & Parking Area	4620					
10	Green belt /plantation	15300					
11	Open Space	23740					
	TOTAL	46160					
5. L	5. Land use details:						

Land Use/Land Cover	Area in sq.m (m ²)	Area (%)
Agriculture	265.06	82.78
Built up	38.87	12.14
Scrub land	0.93	0.29
Brick Kiln	3.71	1.16
Waterbody	11.63	3.63
Total	320.20	100

6. Water requirement details:

Phase	No. of persons	Source of water	Water Requirement		
Construction Phase	50	Groundwater/Tanker	2.52 KLD		
Operation Phase	35	Groundwater/Tanker	1.50 KLD		

7. Waste water details:

Phase		No.of persons	Waste Generation	Sewage /Effluent generation	Mode of Disposal
Construction Domestic	Phase-	50	22.5 kg/day	2.26 KLD	Handed over to local authority
Operation Domestic	Phase-	35	13.95 Kg/day	1.35 KLD	Handed over to local authority
CETP			Sludge - 103 m ³ /day	7.5 MLD	Sludge will be sent to CHWTSDF (Ramky, Lucknow)

8. Solid waste generation details:

Description	Category	Quantity	Disposal Method
CETP Sludge	34.3	103 cu.m/day	CHWTSDF
Used Oil	5.1	30-50 Ltr/annum approx	Authorized recycler

9. The project proposal falls under category-7(h) of EIA Notification, 2006 (as amended).

The consultant (EIA Coordinator) also submitted an affidavit dated 01/07/2022 mentioning is as follows:

- 1. I Dr. Sandeep Jadhav, S/o Mr. Sukhdeo Bhaurao Jadhav is EIA Coordinator of M/s Mitcon Consultancy and Engineering Services Limited.
- I have prepared EIA/EMP report for the proposed 7.5 MLD Common Effluent Treatment Plant At Industrial Area In GIDA, at Gata No.-345, 346, 347, 348, 349, 350, 351, 352, 353, 354, 355, 356, 357, 361, 362, 363, 364, 365, 366, 367, 368, 369, 370, 371, 372, 373 & 374, Village-Adilapar, Tehsil-Sahjanwa, Dist.- Gorakhpur, U.P., M/s Gorakhpur Industrial Development Authority, Proposal No. SIA/UP/MIS/70992/2021 with my team.
- 3. I have personally visited the site of proposal.
- 4. I have satisfied with that all the necessary data/information required for EIA/EMP preparation are true and correct.
- 5. I certify that no mining activity has been undertaken on the project site for the present proposal.
- 6. I certify that this project has been uploaded for this first time on Parivesh portal.
- 7. I certify that there is no mismatch between information/data provided on online application and hard copy/presentation submitted.
- 8. I state that all the TOR points have been complied and all the issues raised during public hearing have been properly addressed in EIA report.

RESOLUTION AGAINST AGENDA NO. 02

The committee discussed the matter and recommended grant of environmental clearance for the project proposal along with standard environmental clearance conditions attached as annexure-3 with following additional conditions:

Additional Conditions:

1. The project proponent (M/s Gorakhpur Industrial Development Authority) should ensure that there is no industry will be the member of proposed CETP which has obtained environmental clearance from SEIAA and CTE from UPPCB under "Zero Liquid Discharge" concept. Please note that CPCB has issued the charter guidelines for distillery and other polluting industries which are mandatory to comply with the directions of CPCB for individual industries.

3. <u>Stone (Gitti, Boulder, Khanda) Sand Stone Mining at Araji No./Plot No./Gata No.-</u> <u>2061, 2098, Khand No.03, Village – Bhatauti, Tehsil- Meja, District- Prayagraj, Shri</u> <u>Suresh Kumar Pathak, Uttar Pradesh of M/s A.K. Enterprises, Area 8.097 ha. File</u> <u>No. 6690/Proposal No. SIA/UP/MIN/69280/2021</u>

The consultant informed the committee that they are strictly following the rules, regulations and other instructions of QCI/NABET. A presentation was made by the project proponent along with their consultant M/s Paramarsh (Servicing Environment and Development). Based on the documents submitted and presentation made by the project proponent along with the consultant, the following facts have emerged: -

1. The environmental clearance is sought for Stone (Gitti, Boulder, Khanda) Sand Stone Mining at Araji No./Plot No./Gata No.- 2061, 2098, Khand No.03, Village – Bhatauti, Tehsil- Meja, District- Prayagraj, U.P., (Leased Area 8.097 ha.), M/s A.K. Enterprises.

- 2. The terms of reference in the matter were issued by SEIAA, U.P. vide letter no. 424/Parya/SEIAA/6690/2021, dated 07/01/2022.
- 3. The public hearing was organized on 27/05/2022 at Tehsil-Meja, Prayagraj, U.P. Final EIA report submitted by the project proponent on 24/06/2022.

1.	On-line proposal No.	SIA/UP/MIN/62454/2021			
2.	File No. allotted by SEIAA, UP	6690			
3.	Name of Proponent	M/s A.K. Enterprises			
		Shri Suresh Kumar Pathak (Prop)			
4.	Full correspondence address of	R/o: Bhadiwa Amba, Dandi, District - Varanasi. U.P			
	proponent and mobile no.	Mobile no. – 9956103137			
			tone9451@gmail.com		
5.	Name of Project	-		da) Sand Stone mine at	
	5	-		98, Khand No.–03, Area	
				Bhatauti, Tehsil- Meja,	
			aj, Uttar Pradesh of M/s		
6.	Project Location (Plot.	Araji No./Plot N	lo 2061,2098, Khand	No03	
	Khasra/Gata No.)				
7.	Name of River	It is a sandstone	mining project		
			Tones/Tamas River - 2	2.80 Km (NW)	
8.	Name of Village	Bhatauti			
9.	Tehsil	Meja			
10.	District	Prayagraj			
11.	Name of Minor Mineral		Gitti, Boulder, Khanda)	
12.	Sanctioned Lease Area (in Ha.)	8.097 ha. (20.0 A		,	
13.	Max. & Min mRL within lease	Highest mRL –	,		
	area	Lowest mRL – 9	99.20 mRL		
14.	Pillar Coordinates (Verified by	Point	Latitude	Longitude	
	DMO)	A	25° 09'08.21"N	82° 02'28.18"E	
		B	25° 09'08.30''N	82° 02'37.40"E	
		C	25° 09'01.52"N	82° 02'39.11"E	
		D	25° 09'02.26"N	82° 02'32.92"E	
		E	25° 08'55.08''N	82° 02'32.34"E	
		F	25° 08'55.11"N	82° 02'32.31° E	
15.	Total Geological Reserves	31,38,500 m ³	25 00 55.11 10	02 02 20.35 E	
15.	Total Mineable Reserve	13,56,168 m ³			
10.	Total Proposed Production	4,04,850 m ³ (5 y	(anrs)		
17.	Proposed Production /year (as per		m or 2,26,716 TPA		
10.	LoI)		in 01 2,20,710 11 A		
19.	Sanctioned Period of Mine lease	Lease Period – 2	20 years		
19.	Sanctioned i crioù or mine lease	Plan period - 5 y	•		
20.	Production of mine/day	$\frac{11 \text{ an period - 5 y}}{270 \text{ m}^3/\text{day}}$	cu 15		
20.	Method of Mining		nechanized method		
21.	No. of working days	Opencast/Semi-mechanized method 300			
22.	Working hours/day				
23. 24.	No. of worker	8			
24. 25.	No. of vehicles movement/day	44			
	5	27 Govt. Non Forest Land			
26. 27.	Type of Land		si Lana		
11	Depth of Mining	6.0 m			

4. Salient features of the project as submitted by the project proponent:

28.	Nearest metalled road from site	0.58 km		
29.	Water Requirement	PURPOSE		
		Drinking - 0.44 KLD		
		Suppression of dust - 7.0 KLD		
		Plantation - 9.0 KLD		
		Others (if any) - 0.00 KLD		
		Total - 16.44 KLD		
30.	Name of QCI Accredited	Paramarsh Servicing Environment and development		
	Consultant with QCI No and	NABET/EIA/2124/RA 0224 Valid till –May 01, 2024		
	period of validity.			
31.	Any litigation pending against	No		
	the project or land in any court			
32.	Details of 500 m Cluster	Letter No - 3095/Khanij/2021-22 dated - 14/09/2021		
	Certificate verified by Mining			
	Officer			
33.	Details of Lease Area in approved	Page no. 39, Serial no. 405, 418		
	DSR	DSR Clarification letter - 3616/Khanij/2021-22 dt. 20/10/2021		
34.	Project Cost	1.45 Crore		
35.	Proposed CER cost	2.90 lacs		
36.	Length and breadth of Haul Road	Length – 0.58 km, Breadth – 6.00 m		
37.	No. of Trees to be Planted	9,000		

5. The mining would be restricted to unsaturated zone only above the phreatic water table and will not intersect the ground water table at any point of time.

6. This project does not attract any of the general conditions applicable on mining projects specified in EIA Notification 14/09/2006.

- 7. The mining operation will not be carried out in safety zone of any bridge or embankment or in eco-fragile zone such as habitat of any wild fauna.
- 8. There is no litigation pending in any court regarding this project.
- 9. The project proposal falls under category–1(a) of EIA Notification, 2006 (as amended).

The consultant (EIA Coordinator) also submitted an affidavit dated 18/7/2022 mentioning is as follows:

- 1. I Surendra Vikram Ghavri S/o Shri Pratap Kumar is EIA Coordinator of M/s PARAMARSH (Servicing Environment and Development, Lucknow).
- I have prepared EIA/EMP report for the proposed Stone (Gitti, Boulder, Khanda) Sand Stone Mining at Araji No./Plot No./Gata No.- 2061, 2098, Khand No.03, Village – Bhatauti, Tehsil-Meja, District- Prayagraj, U.P., (Leased Area 8.097 ha.), M/s A.K. Enterprises, Shri Suresh Kumar Pathak (Proponent), Proposal No. SIA/UP/MIN/62454/2022 with my team. .
- 3. I have personally visited the site of proposal.
- 4. I have satisfied with that all the necessary data/information required for EIA/EMP preparation are true and correct.
- 5. I certify that no mining activity has been undertaken on the project site for the present proposal.
- 6. I certify that this project has been uploaded for this first time on Parivesh portal.
- 7. I certify that there is no mismatch between information/data provided on online application and hard copy/presentation submitted.
- 8. I state that all the TOR points have been complied and all the issues raised during public hearing have been properly addressed in EIA report.

RESOLUTION AGAINST AGENDA NO. 03

The committee discussed the matter and recommended grant of environmental clearance for the project proposal along with general and specific conditions as annexed at Annexure-2 to these minutes. The committee also stipulated the following specific conditions:

- 1. The project proponent shall install solar light in their site office.
- 2. During the submission of 6 monthly compliance reports, the project proponent should make sure that the periodically taken site photographs should also be annexed along with the compliance report.
- 3. Preference should be given to indigenous local species as per the consultation of the local district Forest Officer.
- 4. The maximum height of the bench should be 06 meters and the width of the bench should be at least twice the height of the bench as per the mine plan approval letter by DGM, U.P
- 5. In case the blasting is proposed during a mining operation, the project proponent needs to assess its impact on the displacement of human beings/wild animals/birds/other species, and the suitable measures proposed and taken for their rehabilitation and resettlement need to be clearly described in first 6 monthly compliance report.
- 6. The project proponent shall submit a final mine closure plan/Exit protocol for rehabilitation of mined-out land to match its surrounding land use 3years before the closure of the mine to SEIAA, UP and Department of Mines and Geology, UP for approval. The project proponent shall ensure the implementation of the approved plan under the supervision of the Dept. of Mines and Geology.
- 7. The project proponent shall plan and implement collection drain and siltation basins of adequate size to arrest the silt and sediment flow from the quarry area. The surface runoff rainwater harvesting and other water conservation measures on a long-term basis are to be taken in consultation with the Central/State Groundwater Board. The water so collected should be utilized for watering the haulage area, roads, and green belt development, etc.
- 8. The project proponent shall take all suitable measures to prevent pollution of groundwater and nearby water bodies in consultation with the State Pollution Control Board and consent to operate (if applicable) should be obtained from the State Pollution Control Board before the start of production from the mine.
- 9. Link Road from the quarry site to the main road shall be constructed as an all-weather road with blacktopping and maintained by the project proponent.
- 10. Vehicular emissions should be kept under control and regularly monitored. Suitable measures shall be taken for proper maintenance of vehicles used in a quarry operation and transportation.
- 11. The project proponent should explore the possibilities of rainwater harvesting.
- 4. <u>Group Housing at Plot No. GH-08, Sector-01, Greater Noida., Shri D. S. Panwar,</u> <u>M/s Supertech Pvt. Ltd. File No. 605</u>
- 5. <u>Group Housing at Plot No. GH-01, Sector-16 B, Greater Noida., Shri D. S. Panwar,</u> <u>M/s Supertech Pvt. Ltd. File No. 633</u>
- 6. <u>Group Housing at Plot No. GH-01 A, Sector-74, Greater Noida., Shri D. S. Panwar,</u> <u>M/s Supertech Pvt. Ltd. File No. 831</u>
- 7. <u>Group Housing at Plot No. GH-06, Sector-16 B, Greater Noida Shri D. S. Panwar,</u> <u>M/s Supertech Pvt. Ltd. File No. 832</u>

- 8. <u>Group Housing "Supernova" at Plot No.-03, Sector-94, Greater Noida., Shri D. S.</u> <u>Panwar, M/s Supertech Realtors Pvt. Ltd. File No. 1167</u>
- 9. <u>Group Housing "E Square" at Plot No.-C-02, Sector-96, Noida., Shri D. S. Panwar,</u> <u>M/s Hotshot Developers Realtors Pvt. Ltd. File No. 1419</u>
- 10. <u>Group Housing "UP Country" at Plot No.-TS-05, Sector-22D, Yamuna Expressway,</u> U.P., Shri D. S. Panwar, M/s Supertech Township Pvt. Ltd. File No. 1552
- 11. <u>Group Housing at Plot No.-G.H.-01, Sector-118, Noida, U.P., Shri D. S. Panwar, M/s</u> <u>IVR Prime Developers (AVADI) Pvt. Ltd. File No. 1724</u>

The project proponent/representative along with their consultant was present and they requested the extension of environmental clearance validity. The committee asked the PP/consultant to present their case but they failed to do so and also they were not able to submit the related documents/clarification for validity extension. The committee discussed the matter and directed the project proponent to submit following information:

- 1. Certified compliance report of environmental clearance along with photographs. Also submit the compliance report in tabular form with progress with respect to the target time.
- 2. Chronological events of validity of environmental clearance in respect of various MoEFCC OMs/Notifications along with justification.
- 3. The above Environmental Clearance validity extension proposal should apply through the online Parivesh portal along with all required documents and justification.
- 4. Project proponent/ consultant shall submit the notarized affidavit with regard to legal matters that are under consideration in Hon'ble court/authorities.

The matter shall be discussed after submission of online information on prescribed portal.

12. <u>Stone (Khanda, Gitti, Boulder) Mining at Arazi No.- 725 Mi, Khand No.-01,</u> <u>Village- Janwan, Tehsil -Bara, District-Prayagraj, U.P., Smt. Sunita Mishra, Area -</u> <u>2.921 ha. File No. 6265/Proposal No. SIA/UP/MIN/ 205936/2021</u>

The committee noted that the matter was earlier discussed in 482^{nd} SEIAA meeting dated 12/08/2021 and directed is as follows:

"SEIAA noted that SEAC has recommended to grant environmental clearance. SEIAA gone through file and documents and found that the geo-coordinates mentioned in LOI are different from the geo-coordinates mentioned in the SEAC minutes dated 09.07.2021. SEIAA also noted that in DSR Khand no. is not mentioned. Hence SEIAA opined that the project proponent shall clarify the same and submit relevant documents from competent authority."

The project proponent submitted their replies through letter dated 11/07/2022 and the matter was listed in 675th SEAC meeting dated 21/07/2022. The project proponent in its letter dated 11/07/2022 mentioned that the Geo coordinate mentioned in LoI, Khasra map and mining plan are same but due to typographical error in salient feature affidavit the wrong coordinates mentioned and the same was mentioned in SEAC minutes. The project proponent also submit amended DSR letter issued by District Mining Officer, Prayagraj, dated 22/04/2022. The project proponent requested to amend the geo coordinates mentioned in minutes of SEAC meeting dated 09/07/2021.

The committee went through the file and documents and found the reply is satisfactory. The committee recommended to grant the environmental clearance for the project proposal along with general and specific conditions as earlier prescribed in 548th SEAC meeting dated 09/07/2021 with following geo coordinates:

Point	Latitude	Longitude
А	25° 11'648"N	81° 31'650"E
В	25° 11'624"N	81° 31'745"E
С	25° 11'532"N	81° 31'721"E
D	25° 11'558"N	81° 31'617"E

(Prof. Jaswant Singh) Member, SEAC-2 (Dr. Amrit Lal Haldar) Member, SEAC-2 (Dr. Dineshwar Prasad Singh) Member, SEAC-2

(Tanzar Ullah Khan) Member, SEAC-2 (Dr. Shiv Om Singh) Member, SEAC-2 (Dr. Harikesh Bahadur Singh) Chairman, SEAC-2

(Ashish Tiwari) Member-Secretary, SEAC-2

Nodal, SEAC-2

MoM prepared by Secretariat in consultation with Chairman & Members on the basis of decisions taken by SEAC-2 during the meeting.

Annexure-1

Standard Terms of Reference for the Mining Project prescribed by MoEF&CC, GoI

- Year-wise production details since 1994 should be given, clearly stating the highest production achieved in any one year prior to 1994. It may also be categorically informed whether there had been any increase in production after the EIA Notification 1994 came into force, w.r.t. the highest production achieved prior to 1994.
- A copy of the document in support of the fact that the proponent is the rightful lessee of the mine should be given.
- 3) All documents including approved mine plan, EIA and Public Hearing should be compatible with one another in terms of the mine lease area, production levels, waste generation and its management, mining technology etc. and should be in the name of the lessee.
- 4) All corner coordinates of the mine lease area, superimposed on a High Resolution Imagery/ toposheet, topographic sheet, geomorphology and geology of the area should be provided. Such an Imagery of the proposed area should clearly show the land use and other ecological features of the study area (core and buffer zone).
- 5) Information should be provided in Survey of India Toposheet in 1:50,000 scale indicating geological map of the area, geomorphology of land forms of the area, existing minerals and mining history of the area, important water bodies, streams and rivers and soil characteristics.
- 6) Details about the land proposed for mining activities should be given with information as to whether mining conforms to the land use policy of the State; land diversion for mining should have approval from State land use board or the concerned authority.
- 7) It should be clearly stated whether the proponent Company has a well laid down Environment Policy approved by its Board of Directors? If so, it may be spelt out in the EIA Report with description of the prescribed operating process/procedures to bring into focus any infringement/deviation/ violation of the environmental or forest norms/ conditions? The hierarchical system or administrative order of the Company to deal with the environmental issues and for ensuring compliance with the EC conditions may also be given. The system of reporting of non-compliances / violations of environmental norms to the Board of Directors of the Company and/or shareholders or stakeholders at large, may also be detailed in the EIA Report.
- 8) Issues relating to Mine Safety, including subsidence study in case of underground mining and slope study in case of open cast mining, blasting study etc. should be detailed. The proposed safeguard measures in each case should also be provided.
- 9) The study area will comprise of 10 km zone around the mine lease from lease periphery and the data contained in the EIA such as waste generation etc. should be for the life of the mine / lease period.
- 10) Land use of the study area delineating forest area, agricultural land, grazing land, wildlife sanctuary, national park, migratory routes of fauna, water bodies, human settlements and other ecological features should be indicated. Land use plan of the mine lease area should be prepared to encompass preoperational, operational and post operational phases and submitted. Impact, if any, of change of land use should be given.
- 11) Details of the land for any Over Burden Dumps outside the mine lease, such as extent of land area, distance from mine lease, its land use, R&R issues, if any, should be given.
- 12) A Certificate from the Competent Authority in the State Forest Department should be provided, confirming the involvement of forest land, if any, in the project area. In the event of any contrary claim by the Project Proponent regarding the status of forests, the site may be inspected by the State Forest Department along with the Regional Office of the Ministry to ascertain the status of forests, based on which, the Certificate in this regard as mentioned above be issued. In all such cases, it would be desirable for representative of the State Forest Department to assist the Expert Appraisal Committees.
- 13) Status of forestry clearance for the broken up area and virgin forestland involved in the Project including deposition of net present value (NPV) and compensatory afforestation (CA) should be indicated. A copy of the forestry clearance should also be furnished.

- Implementation status of recognition of forest rights under the Scheduled Tribes and other Traditional Forest Dwellers (Recognition of Forest Rights) Act, 2006 should be indicated.
- 15) The vegetation in the RF / PF areas in the study area, with necessary details, should be given.
- 16) A study shall be got done to ascertain the impact of the Mining Project on wildlife of the study area and details furnished. Impact of the project on the wildlife in the surrounding and any other protected area and accordingly, detailed mitigative measures required, should be worked out with cost implications and submitted.
- 17) Location of National Parks, Sanctuaries, Biosphere Reserves, Wildlife Corridors, Ramsar site Tiger/ Elephant Reserves/(existing as well as proposed), if any, within 10 km of the mine lease should be clearly indicated, supported by a location map duly authenticated by Chief Wildlife Warden. Necessary clearance, as may be applicable to such projects due to proximity of the ecologically sensitive areas as mentioned above, should be obtained from the Standing Committee of National Board of Wildlife and copy furnished.
- 18) A detailed biological study of the study area [core zone and buffer zone (10 km radius of the periphery of the mine lease)] shall be carried out. Details of flora and fauna, endangered, endemic and RET Species duly authenticated, separately for core and buffer zone should be furnished based on such primary field survey, clearly indicating the Schedule of the fauna present. In case of any scheduled- I fauna found in the study area, the necessary plan alongwith budgetary provisions for their conservation should be prepared in consultation with State Forest and Wildlife Department and details furnished. Necessary allocation of funds for implementing the same should be made as part of the project cost.
- 19) Proximity to Areas declared as 'Critically Polluted' or the Project areas likely to come under the 'Aravali Range', (attracting court restrictions for mining operations), should also be indicated and where so required, clearance certifications from the prescribed Authorities, such as the SPCB or State Mining Department should be secured and furnished to the effect that the proposed mining activities could be considered.
- 20) R&R Plan/compensation details for the Project Affected People (PAP) should be furnished. While preparing the R&R Plan, the relevant State/National Rehabilitation & Resettlement Policy should be kept in view. In respect of SCs /STs and other weaker sections of the society in the study area, a need based sample survey, family-wise, should be undertaken to assess their requirements, and action programmes prepared and submitted accordingly, integrating the sectoral programmes of line departments of the State Government. It may be clearly brought out whether the village(s) located in the mine lease area will be shifted or not. The issues relating to shifting of village(s) including their R&R and socio-economic aspects should be discussed in the Report.
- 21) One season (non-monsoon) [i.e. March-May (Summer Season); October-December (post monsoon season); December-February (winter season)]primary baseline data on ambient air quality as per CPCB Notification of 2009, water quality, noise level, soil and flora and fauna shall be collected and the AAQ and other data so compiled presented date-wise in the EIA and EMP Report. Site-specific meteorological data should also be collected. The location of the monitoring stations should be such as to represent whole of the study area and justified keeping in view the pre-dominant downwind direction and location of sensitive receptors. There should be at least one monitoring station within 500 m of the mine lease in the pre-dominant downwind direction. The mineralogical composition of PM10, particularly for free silica, should be given.
- 22) Air quality modeling should be carried out for prediction of impact of the project on the air quality of the area. It should also take into account the impact of movement of vehicles for transportation of mineral. The details of the model used and input parameters used for modeling should be provided. The air quality contours may be shown on a location map clearly indicating the location of the site, location of sensitive receptors, if any, and the habitation. The wind roses showing pre-dominant wind direction may also be indicated on the map.
- 23) The water requirement for the Project, its availability and source should be furnished. A detailed water balance should also be provided. Fresh water requirement for the Project should be indicated.
- 24) Necessary clearance from the Competent Authority for drawl of requisite quantity of water for the Project should be provided.
- 25) Description of water conservation measures proposed to be adopted in the Project should be given.
- 26) Details of rainwater harvesting proposed in the Project, if any, should be provided.
- 27) Impact of the Project on the water quality, both surface and groundwater, should be assessed and necessary

safeguard measures, if any required, should be provided.

- 28) Based on actual monitored data, it may clearly be shown whether working will intersect groundwater.
- 29) Necessary data and documentation in this regard may be provided. In case the working will intersect groundwater table, a detailed Hydro Geological Study should be undertaken and Report furnished. The Report inter-alia, shall include details of the aquifers present and impact of mining activities on these aquifers. Necessary permission from Central Ground Water Authority for working below ground water and for pumping of ground water should also be obtained and copy furnished.
- 30) Details of any stream, seasonal or otherwise, passing through the lease area and modification / diversion proposed, if any, and the impact of the same on the hydrology should be brought out.
- 31) Information on site elevation, working depth, groundwater table etc. Should be provided both in AMSL and bgl. A schematic diagram may also be provided for the same.
- 32) A time bound Progressive Greenbelt Development Plan shall be prepared in a tabular form (indicating the linear and quantitative coverage, plant species and time frame) and submitted, keeping in mind, the same will have to be executed up front on commencement of the Project. Phase-wise plan of plantation and compensatory afforestation should be charted clearly indicating the area to be covered under plantation and the species to be planted. The details of plantation already done should be given. The plant species selected for green belt should have greater ecological value and should be of good utility value to the local population with emphasis on local and native species and the species which are tolerant to pollution.
- 33) Impact on local transport infrastructure due to the Project should be indicated. Projected increase in truck traffic as a result of the Project in the present road network (including those outside the Project area) should be worked out, indicating whether it is capable of handling the incremental load. Arrangement for improving the infrastructure, if contemplated (including action to be taken by other agencies such as State Government) should be covered. Project Proponent shall conduct Impact of Transportation study as per Indian Road Congress Guidelines.
- 34) Details of the onsite shelter and facilities to be provided to the mine workers should be included in the EIA Report.
- 35) Conceptual post mining land use and Reclamation and Restoration of mined out areas (with plans and with adequate number of sections) should be given in the EIA report.
- 36) Occupational Health impacts of the Project should be anticipated and the proposed preventive measures spelt out in detail. Details of pre-placement medical examination and periodical medical examination schedules should be incorporated in the EMP. The project specific occupational health mitigation measures with required facilities proposed in the mining area may be detailed.
- 37) Public health implications of the Project and related activities for the population in the impact zone should be systematically evaluated and the proposed remedial measures should be detailed along with budgetary allocations.
- 38) Measures of socio economic significance and influence to the local community proposed to be provided by the Project Proponent should be indicated. As far as possible, quantitative dimensions may be given with time frames for implementation.
- 39) Detailed environmental management plan (EMP) to mitigate the environmental impacts which, should inter-alia include the impacts of change of land use, loss of agricultural and grazing land, if any, occupational health impacts besides other impacts specific to the proposed Project.
- 40) Public Hearing points raised and commitment of the Project Proponent on the same along with time bound Action Plan with budgetary provisions to implement the same should be provided and also incorporated in the final EIA/EMP Report of the Project.
- 41) Details of litigation pending against the project, if any, with direction /order passed by any Court of Law against the Project should be given.
- 42) The cost of the Project (capital cost and recurring cost) as well as the cost towards implementation of EMP should be clearly spelt out.
- 43) A Disaster management Plan shall be prepared and included in the EIA/EMP Report.
- 44) Benefits of the Project if the Project is implemented should be spelt out. The benefits of the Project shall clearly indicate environmental, social, economic, employment potential, etc.
- 45) Besides the above, the below mentioned general points are also to be followed:-

- a) Executive Summary of the EIA/EMP Report
- b) All documents to be properly referenced with index and continuous page numbering.
- c) Where data are presented in the Report especially in Tables, the period in which the data were collected and the sources should be indicated.
- d) Project Proponent shall enclose all the analysis/testing reports of water, air, soil, noise etc. using the MoEF&CC/NABL accredited laboratories. All the original analysis/testing reports should be available during appraisal of the Project.
- e) Where the documents provided are in a language other than English, an English translation should be provided.
- f) The Questionnaire for environmental appraisal of mining projects as devised earlier by the Ministry shall also be filled and submitted.
- g) While preparing the EIA report, the instructions for the Proponents and instructions for the Consultants issued by MoEF&CC vide O.M. No. J-11013/41/2006-IA.II(I) dated 4th August, 2009, which are available on the website of this Ministry, should be followed.
- h) Changes, if any made in the basic scope and project parameters (as submitted in Form-I and the PFR for securing the TOR) should be brought to the attention of MoEF&CC with reasons for such changes and permission should be sought, as the TOR may also have to be altered. Post Public Hearing changes in structure and content of the draft EIA/EMP (other than modifications arising out of the P.H. process) will entail conducting the PH again with the revised documentation.
- As per the circular no. J-11011/618/2010-IA.II(I) dated 30.5.2012, certified report of the status of compliance of the conditions stipulated in the environment clearance for the existing operations of the project, should be obtained from the Regional Office of Ministry of Environment, Forest and Climate Change, as may be applicable.
- j) The EIA report should also include: (i) surface plan of the area indicating contours of main topographic features, drainage and mining area, (ii) geological maps and sections and (iii) sections of the mine pit and external dumps, if any, clearly showing the land features of the adjoining area.

Annexure-2

General and Specific Conditions for Gitti, Patthar & Boulder Mining Projects: -

A. <u>General Conditions:</u>

- 1. This environmental clearance is subject to allotment of mining lease in favour of project proponent by District Administration/Mining Department.
- 2. Forest clearance shall be taken by the proponent as necessary under the law.
- 3. Any addition of the mining area, change of Khasra numbers, enhancement of capacity, change in mining technology, modernization, and scope of working shall again require prior environmental clearance as per EIA notification, 2006.
- 4. No change in the calendar plan including excavation, the quantum of mineral and waste shall be made.
- 5. Mining will be carried out as per the approved mining plan. In case of any violation of the mining plan, the Environmental Clearance given by SEIAA will stand cancelled.
- 6. Four ambient air quality monitoring stations shall be established in the core zone as well as in the buffer zone for RSPM, SPM, SO₂, NO_x monitoring. The location of the stations should be decided based on the meteorological data, topographical features, and environmentally and ecologically sensitive targets and frequency of monitoring should be undertaken in consultation with the State Pollution Control Board. The monitored data for criteria pollutants shall be regularly uploaded on the company's website and also displayed on the website.
- 7. Data on ambient air quality (RPM, SPM, SO₂, NO_x) should be regularly submitted to the Integrated Regional Office, MoEF&CC, GoI, Lucknow and the State Pollution Control Board / Central Pollution Control Board once in six months.
- 8. Ambient air quality at the boundary of the mine premises shall conform to the norms prescribed in MoEF notification no. GSR/826(E) dated 16.11.09.
- 9. Fugitive dust emissions from all the sources shall be controlled regularly. Water spraying arrangement on haul roads, loading and unloading, and at transfer points shall be provided and properly maintained.
- 10. Measures shall be taken for control of noise levels below 85 dBA in the work environment. Workers engaged in operations of HEMM, etc. shall be provided with earplugs/muffs and health records of the workers shall be maintained.
- 11. Industrial wastewater (workshop and wastewater from the mine) should be properly collected, treated to conform to the standards prescribed under GSR 422 (E) dated 19th May 1993 and 31st December 1993 or as amended from time to time. Oil and grease traps shall be installed before the discharge of workshop effluents.
- 12. Personnel working in areas shall be provided with protective respiratory devices like masks and they shall also be imparted adequate training and information on safety and health aspects.
- 13. Special measures shall be adopted to prevent the nearby settlements from the impacts of mining activities.
- 14. The transportation of the materials shall be limited to the day hours' time only.
- 15. Provision shall be made for housing the laborers within the site with all necessary infrastructure and facilities such as fuel for cooking, mobile toilets, safe drinking water, medical health care, crèche, etc. The housing may be in the form of temporary structures to be removed after the completion of the project.
- 16. A separate Environmental Management Cell with suitably qualified personnel shall be setup under the control of a Senior Executive, who will report directly to the Head of the Organization.
- 17. The Project Proponent shall inform the Integrated Regional Office, MoEF&CC, GoI, Lucknow and State Pollution Control Board regarding the date of financial closures and final approval of the project by the concerned authorities and the date of start of land development work.
- 18. The funds earmarked for environmental protection measures shall be kept in a separate account and shall not be diverted for other purposes. The year-wise expenditure shall be reported to the Integrated Regional Office, MoEF&CC, GoI, Lucknow and State Pollution Control Board

- 19. The Integrated Regional Office, MoEF&CC, GoI, Lucknow and State Pollution Control Board shall monitor compliance with the stipulated conditions. A complete set of documents including Environment Impact Assessment Report, Environmental Management Plan, Public hearing, and other documents information should be given to the Integrated Regional Office, MoEF&CC, GoI, Lucknow and State Pollution Control Board
- 20. A copy of the environmental clearance shall be submitted by the Project Proponent to the Heads of the Local Bodies, Panchayat, and Municipal Bodies as applicable in the matter.
- 21. The Project Proponent shall advertise at least in two local newspapers widely circulated, one of which shall be in the vernacular language of the locality concerned, within 7 days of the issue of the clearance letter informing that the project has been accorded environmental clearance and a copy of the clearance letter is available with the State Level Environment Impact Assessment Authority (SEIAA).
- 22. The Project Proponent has to submit a regular half-yearly compliance report of the stipulated prior environmental clearance terms and conditions in hard and soft copy to the SEIAA, U.P. on 1st June and 1st December of each calendar year.
- 23. The SEIAA may alter/modify the above conditions or stipulate any further condition in the interest of environmental protection.
- 24. Concealing factual data or submission of false/fabricated data and failure to comply with any of the conditions mentioned above may result in withdrawal of this clearance and attract action under the provisions of the Environment (Protection) Act, 1986.

B. <u>Specific Conditions:</u>

- 1. At the time of operation, the project proponent will comply with all the guidelines issued by the Government of India/State Govt./District Administration related to Covid-19.
- 2. This environmental clearance does not create or verify any claim of the applicant on the proposed site/activity.
- 3. In case it has been found that the E.C. obtained by providing incorrect information, submitting that the distance between the two adjoining mines is greater than 500mt. and the area is less than 05ha, but factually the distance is less than 500 mt, and the mine is located in the cluster of area equal to or more than 05ha, the E.C issued will stand revoked.
- 4. This environmental clearance shall be subject to a valid lease in favor of the project proponent for the proposed mining proposals. In case, the project proponent does not have a valid lease, this environmental clearance shall automatically become null and void.
- 5. The Environmental clearance will be co-terminus with the mining lease period/Mining Plan whichever is less. The Mining plan approved by the Dept. of Mines and Geology shall be strictly implemented and shall not be operated beyond the validity period.
- 6. Explosive cannot be stored on the site. The Project proponent shall take approval from Chief Controller of Explosive, if applicable for use or storage of explosive or any such materials.
- 7. A comprehensive EIA including mining areas within 15 K.M. to assess the impact of the mining activity on the surrounding area shall be undertaken and a report submitted to this Authority within one year.
- 8. No two pits shall be simultaneously worked i.e. before the first is exhausted and reclamation work completed, no mineral bearing area shall be worked.
- 9. After exhausting the first mine pit and before starting mining operations in the next pit, reclamation and plantation work in the exhausted pit shall be completed to ensure that reclamation, forest cover, and vegetation are visible during the first year of mining operations in the next pit. This process will follow till the last pit is exhausted. Adequate rehabilitation of mined pit shall be completed before any new ore-bearing area is worked for expansion.
- 10. An adequate buffer zone shall be maintained between two consecutive mineral-bearing deposits.
- 11. The sprinkling of water on haul roads to control dust will be ensured by the project proponent.
- 12. Green belt development shall be carried out considering CPCB guidelines including the selection of plant species and in consultation with the local DFO / Agriculture Department. Herbs and shrubs shall also form a part of the afforestation programme besides tree plantation.

The company shall involve local people in the plantation programme. Details of year-wise afforestation programme including rehabilitation of mined-out area shall be submitted to the Integrated Regional Office, MoEF&CC, GoI, Lucknow every year.

- 13. Blast vibrations study shall be conducted and an observation report submitted to the Integrated Regional Office, MoEF&CC, GoI, Lucknow and UPPCB within six months. The report shall also include measures for the prevention of blasting associated impact on nearby houses and agricultural fields.
- 14. Controlled blasting techniques with sequential blasting shall be adopted. The blasting shall be carried out in the daytime only. The project proponent shall ensure prevention of displacement of human beings/wild animals/birds etc. and in case any such displacement is caused due to blasting/mining operation by any chance the project proponent shall take suitable measures for their rehabilitation and resettlement.
- 15. Appropriate arrangement for shelter and drinking water for the mining workers has to be ensured at the mining site.
- 16. Maintenance of village roads used for transportation of minerals is to be done by the company regularly at its own expenses. The link roads from mining area to main road shall be constructed as all-weather road with black topping and maintained by the project proponent.
- 17. The surface runoff rain water harvesting/rain water recharge and water conservation measures will be taken by project proponent in consultation with central /State ground water Board .The project proponent shall plan and implement collection drain and siltation basins of adequate size to arrest the silt and sediment flows from the mining area. The supernatant of the siltation basin and rain water harvested water shall be utilized for watering the haulage area, roads and green belt development etc.
- 18. Status of implementation shall be submitted to the Integrated Regional Office, MoEF&CC, GoI, Lucknow and UP Pollution Control Board within six months and thereafter every year from the next consequent year.
- 19. The self-environmental audit shall be conducted annually. Every three years third-party environmental audit shall be carried out.
- 20. Measures for prevention and control of soil erosion and management of silt shall be undertaken. Protection of dumps against erosion shall be carried out with geotextile matting or other suitable material, and thick plantations of native trees and shrubs shall be carried out at the dump slopes. Dumps shall be protected by retaining walls.
- 21. Trenches/garland drains shall be constructed at foot of dumps and coco filters installed at regular intervals to arrest silt from being carried to water bodies. An adequate number of Check Dams and Gully Plugs shall be constructed across seasonal/perennial nallahs if any flowing through the ML area and silts arrested. De silting at regular intervals shall be carried out.
- 22. Garland drain of appropriate size, gradient, and length shall be constructed for both mine pit and waste dump and sump capacity shall be designed keeping 50% safety margin over and above peak sudden rainfall (based on 50 years data) and maximum discharge in the area adjoining the mine site. Sump capacity shall also provide an adequate retention period to allow proper settling of silt material. Sedimentation pits shall be constructed at the corners of the garland drains and de silted at regular intervals.
- 23. Ground and surface water, if any in and near the core zone (within 5.0 km of the lease) shall be regularly monitored for contamination and depletion due to mining activity and records maintained. The monitoring data shall be submitted to the Integrated Regional Office, MoEF&CC, GoI, Lucknow and U.P. Pollution Control Board regularly. Further, monitoring points shall be located between the mine, and drainage in the direction of flow of groundwater shall be set up and records maintained.
- 24. Fugitive dust generation shall be controlled. Fugitive dust emission shall be regularly monitored at locations of nearest human habitation (including schools and other public amenities located nearest to sources of dust generation as applicable) and records submitted to the Integrated Regional Office, MoEF&CC, GoI, Lucknow and U.P. Pollution Control Board regularly.
- 25. Baseline data for ambient air quality shall be generated and maintained and RSPM level in ambient air in the nearby human habitation (villages) shall also be monitored along with other parameters.

- 26. Corporate Environmental Responsibility (CER) shall be by the project proponent and the details of the various heads of expenditure are to be submitted as per the guidelines provided in the recent CER notification No. 22-65/2017-IA.III dated 01/05/2018. Work to be executed with the installation of five hand pumps for drinking water, solar light in villages of streets, construction of two numbers of toilets at the primary school with name displayed and address and details of the beneficiary and gram Pradhan along with phone number, photographs should be submitted to Directorate as well as to the District Magistrate / Chief Development officers.
- 27. Transportation of minerals shall be done by covering the trucks with tarpaulin or other suitable mechanisms so that no spillage of mineral/dust takes place.
- 28. Occupational health and safety measures for the workers including identification of workrelated health hazards, training on malaria eradication, HIV, and health effects on exposure to mineral dust, etc. shall be carried out. Periodic monitoring for exposure to respirable mineral dust on the workers shall be conducted and records maintained including the health records of the workers. Awareness programmes for workers on the impact of mining on their health and precautionary measures like the use of personal protective equipment etc. shall be carried out periodically. A review of the impact of various health measures shall be conducted followed by follow-up action wherever required.
- 29. The project proponent will ensure for employing local people as per requirement, necessary protection measures around the mine pit and waste dump, and garland drain around the mine pit and waste dump.
- 30. Topsoil / solid waste shall be stacked properly with proper slope and adequate safeguards and shall be utilized for backfilling (wherever applicable) for reclamation and rehabilitation of the mined-out area. Topsoil shall be separately stacked for utilization later for reclamation and shall not be stacked along with overburden.
- 31. Overburden (OB) shall be stacked at the earmarked dump site(s) only and shall not be kept active for long period. The maximum height of the dump shall not exceed 20 m, each stage shall preferably be of a maximum of 10 m and the overall slope of the dump shall not exceed 35°. The OB dump shall be backfilled. The OB dumps shall be scientifically vegetated with suitable native species to prevent erosion and surface runoff.
- 32. Monitoring and management of rehabilitated areas shall continue until the vegetation becomes self-sustaining. Compliance status shall be submitted to the Regional Office, Ministry of Environment & Forests, GoI, Lucknow, and U.P. Pollution Control Board on a six-monthly basis.
- 33. The slope of the mining bench and ultimate pit limit shall be as per the mining scheme approved by the Indian Bureau of Mines.
- 34. Permission for the abstraction of groundwater shall be taken from Central Ground Water Board. Regular monitoring of ground and surface water sources for level and quality shall be carried out by establishing a network of existing wells and constructing new piezometers during the mining operation. The monitoring shall be carried out four times in a year i.e., premonsoon (AprilMay), monsoon (August), post-monsoon (November), and winter (January), and the data thus collected shall be regularly sent to MoEF&CC, Central Ground Water Authority, and Regional Director, Central Ground Water Board.
- 35. The wastewater from the mine shall be treated to conform to the prescribed standards before discharging into the natural stream. The discharged water from the Tailing Dam, if any shall be regularly monitored and report submitted to the Integrated Regional Office, MoEF&CC, GoI, Lucknow, Central Pollution Control Board, and the State Pollution Control Board.
- 36. Hydrogeological study of the area shall be reviewed by the project proponent annually. In case the adverse effect on groundwater quality and quantity is observed mining shall be stopped and resumed only after mitigating steps to contain any adverse impact on groundwater is implemented.
- 37. Vehicular emissions shall be kept under control and regularly monitored. Vehicles used for transportation of minerals and others shall have valid permissions as prescribed under Central Motor Vehicle Rules, 1989 and its amendments. The vehicles transporting minerals shall be covered with a tarpaulin or other suitable enclosures so that no dust particles / fine matters escape during the period of transportation. No overloading of minerals for transportation shall

be committed. The trucks transporting minerals shall not pass through the wildlife sanctuary if any in the study area.

- 38. Prior permission from the Competent Authority shall be obtained for the extraction of groundwater if any.
- 39. A final mine closure plan, along with details of Corpus Fund, shall be submitted to the Integrated Regional Office, MoEF&CC, GoI, Lucknow and U.P. Pollution Control Board 5 years in advance of final mine closure for approval.
- 40. Project Proponent shall explore the possibility of using solar energy where ever possible.
- 41. Commitment towards CER has to be followed strictly.
- 42. Regular health checkup record of the mineworkers has to be maintained at the site in a proper register. It should be made available for inspection whenever asked.
- 43. Project Proponent has to strictly follow the direction/guidelines issued by MoEF&CC, CPCB, and other Govt. Agencies from time to time.
- 44. The blasting will be done only after getting permission from the Mining Department.