

Minutes of 740th SEAC-2 Meeting Dated 29/03/2023

The 740th meeting of SEAC-2 was held in the Directorate of Environment, U.P. through dual-mode (physically/virtually) at 10:00 AM on 29/03/2023. Following members participated in the meeting:

- | | | |
|----|-----------------------------|-----------------------------|
| 1. | Dr. Harikesh Bahadur Singh, | Chairman, SEAC-2 |
| 2. | Dr. Amrit Lal Halder, | Member, SEAC-2 |
| 3. | Dr. Dineshwar Prasad Singh, | Member, SEAC-2 (through VC) |
| 4. | Shri Tansar Ullah Khan, | Member, SEAC-2 |
| 5. | Prof. Jaswant Singh, | Member, SEAC-2 |
| 6. | Dr. Shiv Om Singh, | Member, SEAC-2 (through VC) |
| 7. | Shri Ashish Tiwari, | Member Secretary, SEAC-2 |

The Chairman welcomed the members to the 740th SEAC-2 meeting which was conducted via dual-mode (virtually/physically). Nodal Officer, SEAC-2 informed the committee that the agenda has been approved by the Member Secretary, SEAC-2/Director, Environment. Nodal Officer, SEAC-2 placed the agenda items along with the available file and documents before the SEAC-2.

1. **Revision & Modification of IT/ITES Office building Project “Signature Park” at Plot No.: INS02, Chi-V, Yamuna Expressway, Greater Noida, District- Gautam Buddha Nagar, Shri Dinesh Kumar, M/s R.S. Resource Management Consulting Pvt. Ltd., File No. 7691/ Proposal No. SIA/UP/INFRA2/421112/2023**

RESOLUTION AGAINST AGENDA NO. 01

The project proponent/consultant did not appear. The committee discussed and deliberated that the project file should be closed and be opened only after request from the project proponent. The file shall not be treated as pending at SEAC. The matter will be discussed only after submission of online requests on prescribed online portal.

2. **Mining Project for “Building Stone or Khanda, Gitti, Boulder, Patiya and Red Morrum Mining Project” located At Gata No.- 205 Mi, Village- Thatkhera Talbehat, District- Lalitpur, Shri Sajal Pachauri, Area : 1.618 ha., File No. 7692/ Proposal No. SIA/UP/MIN/420800/2023**

The consultant informed the committee that they are strictly following the rules, regulations and other instructions of QCI/NABET. A presentation was made by the project proponent along with their consultant M/s ECO Consultant Services. Based on the documents submitted and presentation made by the project proponent along with the consultant, the following facts have emerged: -

1. The environmental clearance is sought for Building Stone (Khanda, Boulder, Gitty, Patiya and Red Morrum) at Gata No. 205 Mi, Village-Thatkhera, Tehsil- Talbehat, District- Lalitpur, Uttar Pradesh, (Leased Area- 1.618 ha).
2. Salient features of the project as submitted by the project proponent:

1.	On-line proposal No.	Proposal No. SIA/UP/MIN/420800/2023
2.	File No. allotted by SEIAA, UP	7692
3.	Name of Proponent & address	Sajal Pachauri, S/o- Shri Gyaseelal Pachauri, R/o- 854, Village: Aazadpura, District: Lalitpur, State: Uttar Pradesh

4.	Email ID	sajalpachauri812@gmail.com		
5.	Name of Project	Environmental Clearance of proposed Mining Project for Building Stone or Khanda, Boulder, Gitty, Patiya and Red Morrum at Gata No. 205 Mi, Village- Thatkhera, District- Lalitpur, Uttar Pradesh. Area- 1.618 ha		
6.	Project Location (Plot. Khasra/Gata No.)	Gata No. 205 Mi		
7.	Name of River	Shahjad River- 4.87 km, in West Direction		
8.	Name of Village	Thatkhera		
9.	Tehsil	Talbehat		
10.	District	Lalitpur		
11.	Name of Minor Mineral	Building Stone or Khanda, Boulder, Gitty, Patiya and Red Morrum		
12.	Sanctioned Lease Area (in ha.)	Area- 1.618 ha		
13.	Max. & Min Elevation of the lease area	Maximum Elevation: 351 m Minimum Elevation: 343 m		
14.	Pillar Coordinates (Verified by DMO)	Pillar	Latitude	Longitude
		A	24 ⁰ 51'23.00"	78 ⁰ 32'32.45"
		B	24 ⁰ 51'23.47"	78 ⁰ 32'36.06"
		C	24 ⁰ 51'18.18"	78 ⁰ 32'36.88"
		D	24 ⁰ 51'17.79"	78 ⁰ 32'33.30"
15.	Total Geological Reserves	15,76,260 m ³		
16.	Total Mineable Reserve	8,01,126.45 m ³		
17.	Total Proposed Production (in 5 Years)	2,42,700 m ³		
18.	Proposed Production /year (as per LoI)	48,540m ³		
19.	Sanctioned Period of Mine lease	20 Years		
20.	Production of mine/day	194.16 m ³		
21.	Method of Mining	Opencast, Semi-mechanized		
22.	No. of working days	250		
23.	Working hours/day	08		
24.	No. of workers	30		
25.	No. of vehicles movement/day	09		
26.	Type of Land	Government Land		
27.	Ultimate of Depth of Mining	12.0 m		
28.	Nearest metalled road from site	200 m		
29.	Water Requirement	PURPOSE		QUANTITY (in KLD)
		Domestic Use (Drinking etc.)		1.35
		Dust Suppression		0.30
		Plantation		0.10
		Total		1.75
30.	Name of QCI Accredited Consultant with QCI No and period of validity	ECO Consultant Services Certificate No. NABET/EIA/2225/IA 0102, Validity: 29/08/2025		
31.	Any litigation pending against the project or land in any court	No		
32.	Details of 500 m Cluster Certificate verified by Mining Officer	Cluster Certificate-846/30-Mines/2022-23, Dated: 13/12/2022		
33.	Details of Lease Area in approved DSR	Page No.: 32, S.No.: 25,		
34.	Project Cost	Rs. 1,48,73,020/- per annum		
35.	Proposed CER cost	Rs 2,97,460.4/- per annum		
36.	Proposed EMP cost	Rs. 4,56,000/- per annum		
37.	Length and width of Haul Road	Length 200 m & Width 7 m		
38.	No. of Trees to be Planted	250 saplings (50 saplings /year)		

3. The mining would be restricted to unsaturated zone only above the phreatic water table and will not intersect the ground water table at any point of time.
4. This project does not attract any of the general conditions applicable on mining projects specified in EIA Notification 14/09/2006.
5. The mining operation will not be carried out in safety zone of any bridge or embankment or in eco-fragile zone such as habitat of any wild fauna.
6. There is no litigation pending in any court regarding this project.
7. The project proposal falls under category-1(a) of EIA Notification, 2006 (as amended).

The consultant (EIA Coordinator) also submitted an affidavit dated 25/03/2023 mentioning is as follows:

1. I, Dr. Shashank Shekhar Mishra, S/o Krishna Nath Mishra is EIA Coordinator of M/s Eco Consultant Services.
2. I have prepared the EIA/EMP report for the Proposal in name of Mr. Sajal Pachauri with my team.
3. I have personally visited the site of proposal and certify that no Mining activity has been undertaken on the project site for the present proposal.
4. I am satisfied that all the necessary data/ information submitted along with Application / EMP are true and correct.
5. I certify that this project proposal has been uploaded for the first time on Parivesh Portal. In case the project is being uploaded for the 2nd time that is only after the withdrawal of previous project has been accepted by SEIAA, UP on Parivesh Portal.
6. I certify that there will be no mismatch between information/data provided on the online application submitted on Parivesh Portal and the hard copy/presentation which will be submitted after acceptance of application.
7. I state that all the TOR Points have been complied and all the issues raised during Public Hearing have been properly addressed in EIA report. (If and as required).
8. The EIA/EMP report for the Proposal is prepared by my team as per guidelines laid down by QCI/NABET.

RESOLUTION AGAINST AGENDA NO. 02

The committee discussed the matter and recommended grant of environmental clearance for the project proposal along with general and specific conditions as annexed at Annexure-1 to these minutes. The committee also stipulated the following specific conditions:

1. Project proponent has committed to plant 1000 number of trees/hectare. The project proponent/consultant if desires may approach to concerned District Forest Authority to plant 1000 trees/ha on a land available to the Forest Department. The project proponent will deposit the required amount for this entire plantation work (including its maintenance and security) to the Forest Department.
2. The project proponent shall install solar light in their site office.
3. During the submission of 6 monthly compliance reports, the project proponent should make sure that the periodically taken site photographs should also be annexed along with the compliance report.
4. Preference should be given to indigenous local species as per the consultation of the local district Forest Officer.
5. The maximum height of the bench should be 06 meters and the width of the bench should be at least twice the height of the bench as per the mine plan approval letter by DGM, U.P
6. In case the blasting is proposed during a mining operation, the project proponent needs to assess its impact on the displacement of human beings/wild animals/birds/other species, and the suitable measures proposed and taken for their rehabilitation and resettlement need to be clearly described in first 6 monthly compliance report.

7. The project proponent shall submit a final mine closure plan/Exit protocol for rehabilitation of mined-out land to match its surrounding land use 3years before the closure of the mine to SEIAA, UP and Department of Mines and Geology, UP for approval. The project proponent shall ensure the implementation of the approved plan under the supervision of the Dept. of Mines and Geology.
8. The project proponent shall plan and implement collection drain and siltation basins of adequate size to arrest the silt and sediment flow from the quarry area. The surface runoff rainwater harvesting and other water conservation measures on a long-term basis are to be taken in consultation with the Central/State Groundwater Board. The water so collected should be utilized for watering the haulage area, roads, and green belt development, etc.
9. The project proponent shall take all suitable measures to prevent pollution of groundwater and nearby water bodies in consultation with the State Pollution Control Board and consent to operate (if applicable) should be obtained from the State Pollution Control Board before the start of production from the mine.
10. Link Road from the quarry site to the main road shall be constructed as an all-weather road with blacktopping and maintained by the project proponent.
11. Vehicular emissions should be kept under control and regularly monitored. Suitable measures shall be taken for proper maintenance of vehicles used in a quarry operation and transportation.
12. The project proponent should explore the possibilities of rainwater harvesting.
13. Agreement/ Consent between project proponent and competent authority/ landowner for haulage road from lease site to link road.
14. Latest technology (water sprinklers/ tankers) to be adopted for mitigating dust at source points in lease area and haulage road during operational activity/vehicular movement.
15. As per the proposed plan, plantation with area specific plant species, number of plants to be Planted and report of green belt development to be submitted to the concerning department

3. District Jail Complex (990 Capacity) at Amethi, Uttar Pradesh Shri Prem Kishore Singh., File No. 7705/ Proposal No. SIA/UP/INFRA2/422276/2023

The consultant informed the committee that they are strictly following the rules, regulations and other instructions of QCI/NABET. A presentation was made by the project proponent along with their consultant M/s Rian Enviro Private Limited. Based on the documents submitted and presentation made by the project proponent along with the consultant, the following facts have emerged: -

1. The environmental clearance is sought for District Jail Complex (990 Capacity) at Amethi, Uttar Pradesh.
2. Total plot area of the project is 256880.0 sq.m (25.69 Ha) and proposed built up area is 32060.49 sqm respectively.
3. Proposed facility in the project:
 - Proposed District Jail complex (990 capacities) at Amethi, Uttar Pradesh.
 - Male & Female Barrack,
 - High Security Barrack,
 - Single seated room,
 - Hospital ward,
 - Creche & Kitchen,
 - Corner Watch Tower,
 - School for male & female prisoner
 - Godown
 - Police chouki
 - Community center
 - Dormitory
 - Residence (Type 2, 3 & 4)
4. Salient features of the project:

S. N.	Particulars	Details
	Plot area	2,56,880.00 Sqm. (25.69 Ha.)

2.	Built-up area	32060.49 Sqm.																								
3.	Parking	313 ECS																								
4.	Roads & Open Area	45,613.85 Sqm.																								
5.	Green area	60,354.91 Sqm. (23.49%)																								
6.	Ground Coverage	16,697.20 Sqm. (6.56%)																								
7.	Total water requirement	~264 KLD Fresh water: 133 KLD Recycled Water: 131 KLD																								
8.	Wastewater Generation	~164 KLD																								
9.	STP / ETP capacity	STP ~200 KLD ETP ~20 KLD																								
10.	Rain Water Harvesting Potential	57743.53 Cumec/ Year RWH Pits: 9 (Capacity:71.57 Cumec)																								
11.	Municipal Solid Waste Generation	860 Kg/day Biodegradable Waste: ~344 Kg/day Non-Biodegradable Waste: ~516 Kg/day																								
12.	Quantity of Bio-Medical waste	24 Kg/day																								
13.	Power requirement	1000 KVA																								
14.	Power back up	Total No. of DG set Proposed: 2 x 140 KVA																								
15.	Connectivity	Gauriganj Railway Station: 2.90 Km towards NNE. Gauriganj-Atheha Road:, Adjacent to Site NH-128:, Approx. 3.17 km towards NNE																								
16.	Environmental Sensitivity	Bali Tal- 5.91km towards West. Aida Tal – 6.08 km towards SSE.																								
17.	Geo Coordinates	<table border="1"> <thead> <tr> <th>Sl. No.</th><th>Latitude</th><th>Longitude</th></tr> </thead> <tbody> <tr><td>1</td><td>26°11'04.54"N</td><td>81°40'46.86"E</td></tr> <tr><td>2</td><td>26°11'03.59"N</td><td>81°40'48.41"E</td></tr> <tr><td>3</td><td>26°10'52.18"N</td><td>81°40'42.77"E</td></tr> <tr><td>4</td><td>26°10'38.02"N</td><td>81°40'52.52"E</td></tr> <tr><td>5</td><td>26°10'32.97"N</td><td>81°40'48.19"E</td></tr> <tr><td>6</td><td>26°10'26.95"N</td><td>81°40'40.58"E</td></tr> <tr><td>7</td><td>26°10'38.78"N</td><td>81°40'26.84"E</td></tr> </tbody> </table>	Sl. No.	Latitude	Longitude	1	26°11'04.54"N	81°40'46.86"E	2	26°11'03.59"N	81°40'48.41"E	3	26°10'52.18"N	81°40'42.77"E	4	26°10'38.02"N	81°40'52.52"E	5	26°10'32.97"N	81°40'48.19"E	6	26°10'26.95"N	81°40'40.58"E	7	26°10'38.78"N	81°40'26.84"E
Sl. No.	Latitude	Longitude																								
1	26°11'04.54"N	81°40'46.86"E																								
2	26°11'03.59"N	81°40'48.41"E																								
3	26°10'52.18"N	81°40'42.77"E																								
4	26°10'38.02"N	81°40'52.52"E																								
5	26°10'32.97"N	81°40'48.19"E																								
6	26°10'26.95"N	81°40'40.58"E																								
7	26°10'38.78"N	81°40'26.84"E																								
18.	Total cost of the project	~ 172.154 Crores																								

5. Detailed area statement:

S. No.	Name of building	Total no. of floors	Build. ht. (in mt.)	No. of blocks	FAR area of total blocks (sqm.)
1	MALE BARRACK (120 CAPTIVE CAPACITY)	G+1	12.50	6	7492.86
2	MALE BARRACK (60 CAPTIVE CAPACITY)	G	4.20	1	601.86
3	QUARANTINE BARRACK (60 CAPTIVE CAPACITY)	G	4.20	1	601.86
4	FEMALE BARRACK (60 CAPTIVE CAPACITY)	G	4.20	1	601.86
5	YOUNG ADULT BARRACK (60 CAPTIVE CAPACITY)	G	4.20	1	601.86
6	HIGH SECURITY BARRACK	G	5.50	1	197.56
7	SINGLE SEATED ROOM 30 CAPTIVE CAPACITY	G	3.90	3	306.44
8	HOSPITAL WARD	G	4.17	2	631.93
9	KITCHEN	G	3.75	2	884.62
10	ADMINISTRATION BLOCK	G	3.90	3	1316.95
11	ARMORY BLOCK	G	3.60	1	34.44
12	GENERATOR ROOM, FEMALE HOSPITAL, KITCHEN	G	3.25	1	205.55
13	WATCH TOWER, CANTEEN AND C.O OFFICE	G+3	11.83	10	622.95
14	GODOWN, BARRIER CHECK POST	G	3.45	3	348.26
15	SCHOOL FOR PRISONER	G	3.90	3	618.21
16	MULTIPURPOSE HALL,STORE OTHERS	G	4.05		1556.14
17	TYPE 4 RESIDENCE	G	3.60	4	807.72

18	TYPE 3 RESIDENCE (5 UNITS)	G+2	9.90	1	511.50
19	TYPE 2a RESIDENCE (160 UNITS)	G+3	13.05	10	11775.80
20	TYPE 2b RESIDENCE (10 UNITS)	G+2	9.90	1	763.09
21	COMMUNITY CENTER,GUEST HOUSE, SPORTS COMPLEX	G	3.90	1	1365.27
22	DORMITORY (16 CAPACITY)	G+1	9.15	1	213.76
	TOTAL FAR AREA OF PROPOSED BUILDINGS				32060.49

6. Parking details:

1.	Provided Parking	
2.	Surface Parking	309 ECS
3.	Stilt Parking	4 ECS
	Total provided parking	314 ECS

7. Water requirement details:

Details	Population / Area	Unit consumption Domestic	Domestic water requirement	Flushing water requirement	Total water requirement	Total Wastewater
Male & Female Barrack	990	100	69300	29700	99000	85140
Visitors @ 5%	50	15	250	500	750	700
Residential Building						
Type-4 residence (4)	20	100	1400	600	2000	1720
Type-3 residence (5)	25	100	1750	750	2500	2150
Type-2 residence (160)	800	100	56000	24000	80000	68800
Type-2 residence (10)	50	100	3500	1500	5000	4300
Dormitory (16 capacity)	16	45	400	320	720	640
Community center @1 person/10 Sqm.	48	15	240	480	720	672
			132600	57850	190690	164122
ETP & STP Requirement						
Effluent generation @10% of total wastewater	16 KLD		Capacity of ETP (20% higher than total effluent generation)			20 KLD
Sewage generation @100% of total wastewater	164 KLD		Capacity of STP (20% higher than total sewage generation)			200 KLD
Total treated water generation			131 KLD (@ 80% of total waste water)			
Horticulture @1 Litre / Sqm.			73000		73000 L	
Total water requirement (One Time)					263690 L	

8. Solid waste details:

Prisoners	Population	Unit consumption Domestic	Formula	Waste Generated (Kg/day)	Bio-degradable (Kg/day)	Non-biodegradable (Kg/day)
Male & Female Barrack	990	0.3 to 0.6 kg/capita/day	Total Population*0.45	445.5	178.2	267.3
Visitors @ 5%	50	0.05 to 0.2 kg/capita/day	Total Population*0.1	4.95	1.98	2.97
Residential Building						
Type-4 residence (4)	20	0.3 to 0.6 kg/capita/day	Total Population*0.45	9	3.6	5.4
Type-3 residence (5)	25	0.3 to 0.6 kg/capita/day	Total Population*0.45	11.25	4.5	6.75
Type-2 residence (160)	800	0.3 to 0.6 kg/capita/day	Total Population*0.45	360	144	216
Type-2 residence (10)	50	0.3 to 0.6 kg/capita/day	Total Population*0.45	22.5	9	13.5
Dormitory (16 capacity)	16	0.05 to 0.2 kg/capita/day	Total Population*0.1	1.6	0.64	0.96

Community center @1 person/10 Sqm.	48	0.05 to 0.2 kg/capita/day	Total Population*0.1	4.8	1.92	2.88
Total				860	344	516
Bio-Medical for 24 Beds		1 kg/bed		24 Kg/day		
Sludge				~50 Kg/day		
E-waste				1 Kg/day		
Hazardous waste				1 Kg/day		

9. The project proposal falls under category-8(a) of EIA Notification, 2006 (as amended).

The consultant (EIA Coordinator) also submitted an affidavit dated 29/03/2023 mentioning is as follows:

1. I, Muzaffar Ahmad, S/o Sayed Iqbal Ahmad is the EIA Coordinator of M/s Rian Enviro Private Limited.
2. I have prepared EIA/EMP (B-2 Project) report for the Proposal in the name of District Jail Complex (990 capacity) at Amethi, U.P. with my team.
3. I have personally visited the site of proposal and certify that no construction activity has been undertaken on the project site for the present proposal.
4. I am satisfied with that all the necessary data/information submitted along with Application/EIA (B-2 Project) are true and correct.
5. I certify that this project has been uploaded for this first time on Parivesh portal.
6. I certify that there will be no mismatch between information/data provided on the online application submitted on Parivesh Portal and hard copy/presentation submitted which will be submitted after acceptance of application.
7. The EIA (B-2 Project) report for the Proposal is prepared by my team as per guidelines laid down by QCI/ NABET.

RESOLUTION AGAINST AGENDA NO. 03

The committee discussed the matter and recommended grant of environmental clearance on the proposal as above alongwith standard environmental clearance conditions prescribed by MoEF&CC, GoI and following additional conditions:

Additional Conditions:

1. Project proponent is advised to explore the possibility and getting the cement in a closed container rather through the plastic bag to prevent dust emissions at the time of loading/unloading.
2. Project proponent should ensure that there will be no use of "Single use of Plastic" (SUP).
3. In compliance to Hon'ble Supreme Court order dated 13/01/2020 in IA no. 158128/2019 and 158129/2019 in Writ petition no. 13029/1985 (MC Mehta Vs. GoI and others) anti-smog guns shall be installed to reduce dust during excavation and also comply with the other directions in the above writ petition.
4. The proponent should provide the sufficient electric vehicle charging points as per the requirements at ground level and allocate the safe and suitable place outside the jail boundary.
5. No parking should be allowed on the roadside and outside the Jail premises. Visitors parking should not disturb the traffic of surrounding area.
6. Separate areas for raw food storage with refrigeration facilities at kitchen shall be provided.
7. Hair waste from barber saloon will be collected and disposed safely by authorized agency.
8. Odour free technology should be explored for the STP and ETP and also aromatic plantation to be done around the STP & ETP area to prevent the odour problem. The treated water of STP shall be used for irrigation purposes and also according to the requirement.

9. Primary treatment of effluent from hospital/dispensary should be done separately and treat as per the proposal submitted by the proponent.
10. For security purposes, the proponent shall provide the municipal solid waste segregation and treatment/disposal facility (OWC) outside the jail boundary.
11. In view of the security purpose, the proponent shall provide the temporary storage facility of Bio-medical waste outside the jail premises and it should be treated and disposed by the authorised agency of UPPCB.
12. Continuous air quality monitoring system (CAQMS) to be installed in the jail premises and to be connected to the regulatory authority server.

Standard Environmental Clearance Conditions prescribed by MoEF&CC:

1. Statutory compliance:
 1. The project proponent shall obtain all necessary clearance/ permission from all relevant agencies including town planning authority before commencement of work. All the construction shall be done in accordance with the local building byelaws.
 2. The approval of the Competent Authority shall be obtained for structural safety of buildings due to earthquakes, adequacy of firefighting equipment etc as per National Building Code including protection measures from lightning etc.
 3. The project proponent shall obtain forest clearance under the provisions of Forest (Conservation) Act, 1986, in case of the diversion of forest land for non-forest purpose involved in the project.
 4. The project proponent shall obtain clearance from the National Board for Wildlife, if applicable.
 5. The project proponent shall obtain Consent to Establish / Operate under the provisions of Air (Prevention & Control of Pollution) Act, 1981 and the Water (Prevention & Control of Pollution) Act, 1974 from the concerned State Pollution Control Board/ Committee.
 6. The project proponent shall obtain the necessary permission for drawl of ground water / surface water required for the project from the competent authority.
 7. A certificate of adequacy of available power from the agency supplying power to the project along with the load allowed for the project should be obtained.
 8. All other statutory clearances such as the approvals for storage of diesel from Chief Controller of Explosives, Fire Department, Civil Aviation Department shall be obtained, as applicable, by project proponents from the respective competent authorities.
 9. The provisions of the Solid Waste (Management) Rules, 2016, e-Waste (Management) Rules, 2016, and the Plastics Waste (Management) Rules, 2016 shall be followed.
 10. The project proponent shall follow the ECBC/ECBC-R prescribed by Bureau of Energy Efficiency, Ministry of Power strictly.
2. Air quality monitoring and preservation:
 1. Notification GSR 94(E) dated 25.01.2018 of MoEF&CC regarding Mandatory Implementation of Dust Mitigation Measures for Construction and Demolition Activities for projects requiring Environmental Clearance shall be complied with.
 2. A management plan shall be drawn up and implemented to contain the current exceedance in ambient air quality at the site.
 3. The project proponent shall install system to carryout Ambient Air Quality monitoring for common/criterion parameters relevant to the main pollutants released (e.g. PM10 and PM25) covering upwind and downwind directions during the construction period.
 4. Construction site shall be adequately barricaded before the construction begins. Dust, smoke & other air pollution prevention measures shall be provided for the building as well as the site. These measures shall include screens for the building under construction, continuous dust/ wind breaking walls all around the site (at least 3 meter height). Plastic/tarpaulin sheet covers shall be provided for vehicles bringing in sand, cement, murram and other construction materials prone to causing dust pollution at the site as well as taking out debris from the site.
 5. Sand, murram, loose soil, cement, stored on site shall be covered adequately so as to prevent dust pollution.

6. Wet jet shall be provided for grinding and stone cutting.
7. Unpaved surfaces and loose soil shall be adequately sprinkled with water to suppress dust.
8. All construction and demolition debris shall be stored at the site (and not dumped on the roads or open spaces outside) before they are properly disposed. All demolition and construction waste shall be managed as per the provisions of the Construction and Demolition Waste Rules 2016.
9. The diesel generator sets to be used during construction phase shall be low sulphur diesel type and shall conform to Environmental (Protection) prescribed for air and noise mission standards.
10. The gaseous emissions from DG set shall be dispersed through adequate stack height as per CPCB standards. Acoustic enclosure shall be provided to the DG sets to mitigate the noise pollution. The location of the DG set and exhaust pipe height shall be as per the provisions of the Central Pollution Control Board (CPCB) norms.
11. For indoor air quality the ventilation provisions as per National Building Code of India.
3. Water quality monitoring and preservation:
 1. The natural drain system should be maintained for ensuring unrestricted flow of water. No construction shall be allowed to obstruct the natural drainage through the site, on wetland and water bodies. Check dams, bio-swales, landscape, and other sustainable urban drainage systems (SUDS) are allowed for maintaining the drainage pattern and to harvest rain water.
 2. Buildings shall be designed to follow the natural topography as much as possible. Minimum cutting and filling should be done.
 3. Total fresh water use shall not exceed the proposed requirement as provided in the project details.
 4. The quantity of fresh water usage, water recycling and rainwater harvesting shall be measured and recorded to monitor the water balance as projected by the project proponent. The record shall be submitted to the Regional Office, MoEF&CC along with six monthly Monitoring reports.
 5. A certificate shall be obtained from the local body supplying water, specifying the total annual water availability with the local authority, the quantity of water already committed, the quantity of water allotted to the project under consideration and the balance water available. This should be specified separately for ground water and surface water sources, ensuring that there is no impact on other users.
 6. At least 20% of the open spaces as required by the local building bye-laws shall be pervious. Use of Grass pavers, paver blocks with at least 50% opening, landscape etc. would be considered as pervious surface.
 7. Installation of dual pipe plumbing for supplying fresh water for drinking, cooking and bathing etc and other for supply of recycled water for flushing, landscape irrigation car washing, thermal cooling, conditioning etc. shall be done.
 8. Use of water saving devices/ fixtures (viz. low flow flushing systems; use of low flow faucets tap aerators etc) for water conservation shall be incorporated in the building plan.
 9. Use of water saving devices/ fixtures (viz. low flow flushing systems; use of low flow faucets tap aerators etc) for water conservation shall be incorporated in the building plan.
 10. Water demand during construction should be reduced by use of pre-mixed concrete, curing agents and other best practices referred.
 11. The local bye-law provisions on rain water harvesting should be followed. If local byelaw provision is not available, adequate provision for storage and recharge should be followed as per the Ministry of Urban Development Model Building Byelaws, 2016. Rain water harvesting recharge pits/storage tanks shall be provided for ground water recharging as per the CGWB norms.
 12. A rain water harvesting plan needs to be designed where the recharge bores of minimum one recharge bore per 5,000 square meters of built up area and storage capacity of minimum one day of total fresh water requirement shall be provided. In areas where ground water recharge is not feasible, the rain water should be harvested and stored for reuse. The ground water shall not be withdrawn without approval from the Competent Authority.
 13. All recharge should be limited to shallow aquifer.
 14. No ground water shall be used during construction phase of the project.

15. Any ground water dewatering should be properly managed and shall conform to the approvals and the guidelines of the CGWA in the matter. Formal approval shall be taken from the CGWA for any ground water abstraction or dewatering.
16. The quantity of fresh water usage, water recycling and rainwater harvesting shall be measured and recorded to monitor the water balance as projected by the project proponent. The record shall be submitted to the Regional Office, MoEF&CC along with six monthly Monitoring reports.
17. Sewage shall be treated in the STP with tertiary treatment. The treated effluent from STP shall be recycled/re-used for flushing, AC make up water and gardening. As proposed, not related water shall be disposed in to municipal drain.
18. No sewage or untreated effluent water would be discharged through storm water drains.
19. Onsite sewage treatment of capacity of treating 100% waste water to be installed. The installation of the Sewage Treatment Plant (STP) shall be certified by an independent expert and a report in this regard shall be submitted to the Ministry before the project is commissioned for operation. Treated waste water shall be reused on site for landscape, flushing, cooling tower, and other end-uses. Excess treated water shall be discharged as per statutory norms notified by Ministry of Environment, Forest and Climate Change. Natural treatment systems shall be promoted.
20. Periodical monitoring of water quality of treated sewage shall be conducted. Necessary measures should be made to mitigate the odor problem from STP.
21. Sludge from the onsite sewage treatment, including septic tanks, shall be collected, conveyed and disposed as per the Ministry of Urban Development, Centre Public Health and Environmental Engineering Organization (CPHEEO) Manual on Sewerage and Sewage Treatment Systems, 2013.
4. Noise monitoring and prevention:
 1. Ambient noise levels shall conform to residential area/commercial area/industrial area/silence zone both during day and night as per Noise Pollution (Control and Regulation) Rules, 2000. Incremental pollution loads on the ambient air and noise quality shall be closely monitored during construction phase. Adequate measures shall be made to reduce ambient air and noise level during construction phase, so as to conform to the stipulated standards by CPCB / SPCB.
 2. Noise level survey shall be carried as per the prescribed guidelines and report in this regard shall be submitted to Regional Officer of the Ministry as a part of six-monthly compliance report.
 3. Acoustic enclosures for DG sets, noise barriers for ground-run bays, ear plugs for operating personnel shall be implemented as mitigation measures for noise impact due to ground sources.
5. Energy Conservation measures:
 1. Compliance with the Energy Conservation Building Code (ECBC) of Bureau of Energy Efficiency shall be ensured. Buildings in the States which have notified their own ECBC, shall comply with the State ECBC.
 2. Outdoor and common area lighting shall be LED.
 3. Concept of passive solar design that minimize energy consumption in buildings by using design elements, such as building orientation, landscaping, efficient building envelope, appropriate fenestration, increased day lighting design and thermal mass etc. shall be incorporated in the building design. Wall, window, and roof u-values shall be as per ECBC specifications.
 4. Energy conservation measures like installation of CFLs/ LED for the lighting the area outside the building should be integral part of the project design and should be in place before project commissioning.
 5. Solar, wind or other Renewable Energy shall be installed to meet electricity generation equivalent to 1% of the demand load or as per the state level/ local building bye-laws requirement, whichever is higher.
 6. Solar power shall be used for lighting in the apartment to reduce the power load on grid. Separate electric meter shall be installed for solar power. Solar water heating shall be provided to meet 20% of the hot water demand of the commercial and institutional building or

as per the requirement of the local building bye-laws, whichever is higher. Residential buildings are also recommended to meet its hot water demand from solar water heaters, as far as possible.

6. Waste Management :

1. A certificate from the competent authority handling municipal solid wastes, indicating the existing civic capacities of handling and their adequacy to cater to the M.S.W. generated from project shall be obtained.
2. Disposal of muck during construction phase shall not create any adverse effect on the neighboring communities and be disposed taking the necessary precautions for general safety and health aspects of people, only in approved sites with the approval of competent authority.
3. Separate wet and dry bins must be provided in each unit and at the ground level for facilitating segregation of waste. Solid waste shall be segregated into wet garbage and inert materials.
4. Organic waste compost/ Vermiculture pit/ Organic Waste Converter within the premises with a minimum capacity of 0.3 kg /person/day must be installed.
5. All non-biodegradable waste shall be handed over to authorized recyclers for which a written tie up must be done with the authorized recyclers.
6. Any hazardous waste generated during construction phase, shall be disposed off as per applicable rules and norms with necessary approvals of the State Pollution Control Board.
7. Use of environment friendly materials in bricks, blocks and other construction materials, shall be required for at least 20% of the construction material quantity. These include Fly Ash bricks, hollow bricks, AACs, Fly Ash Lime Gypsum blocks, Compressed earth blocks, and other environment friendly materials.
8. Fly ash should be used as building material in the construction as per the provision of Fly Ash Notification of September, 1999 and amended as on 27th August, 2003 and 25th January, 2016. Ready mixed concrete must be used in building construction.
9. Any wastes from construction and demolition activities related thereto shall be managed so as to strictly conform to the Construction and Demolition Rules, 2016.
10. Used CFLs and TFLs should be properly collected and disposed off/sent for recycling as per the prevailing guidelines/ rules of the regulatory authority to avoid mercury contamination.

7. Green Cover:

1. No tree can be felled/transplant unless exigencies demand. Where absolutely necessary, tree felling shall be with prior permission from the concerned regulatory authority. Old trees should be retained based on girth and age regulations as may be prescribed by the Forest Department. Plantations to be ensured species (cut) to species (planted).
2. A minimum of 1 tree for every 80 sqm of land should be planted and maintained. The existing trees will be counted for this purpose. The landscape planning should include plantation of native species. The species with heavy foliage, broad leaves and wide canopy cover are desirable. Water intensive and/or invasive species should not be used for landscaping.
3. Where the trees need to be cut with prior permission from the concerned local Authority, compensatory plantation in the ratio of 1:10 (i.e. planting of 10 trees for every 1 tree that is cut) shall be done and maintained. Plantations to be ensured species (cut) to species (planted). Area for green belt development shall be provided as per the details provided in the project document.
4. Topsoil should be stripped to a depth of 20 cm from the areas proposed for buildings, roads, paved areas, and external services. It should be stockpiled appropriately in designated areas and reapplied during plantation of the proposed vegetation on site.

8. Transport:

1. A comprehensive mobility plan, as per MoUD best practices guidelines (URDPFI), shall be prepared to include motorized, non-motorized, public, and private networks. Road should be designed with due consideration for environment, and safety of users. The road system can be designed with these basic criteria.
 - a. Hierarchy of roads with proper segregation of vehicular and pedestrian traffic.
 - b. Traffic calming measures.
 - c. Proper design of entry and exit points.
 - d. Parking norms as per local regulation.

2. Vehicles hired for bringing construction material to the site should be in good condition and should have a pollution check certificate and should conform to applicable air and noise emission standards be operated only during non-peak hours.
 3. A detailed traffic management and traffic decongestion plan shall be drawn up to ensure that the current level of service of the roads within a 05 kms radius of the project is maintained and improved upon after the implementation of the project. This plan should be based on cumulative impact of all development and increased habitation being carried out or proposed to be carried out by the project or other agencies in this 05 Kms radius of the site in different scenarios of space and time and the traffic management plan shall be duly validated and certified by the State Urban Development department and the P.W.D./ competent authority for road augmentation and shall also have their consent to the implementation of components of the plan which involve the participation of these departments.
9. Human health issues :
1. All workers working at the construction site and involved in loading, unloading, carriage of construction material and construction debris or working in any area with dust pollution shall be provided with dust mask.
 2. For indoor air quality the ventilation provisions as per National Building Code of India.
 3. Emergency preparedness plan based on the Hazard identification and Risk Assessment (HIRA) and Disaster Management Plan shall be implemented.
 4. Provision shall be made for the housing of construction labour within the site with all necessary infrastructure and facilities such as fuel for cooking, mobile toilets, mobile STP, safe drinking water, medical health care, crèche etc. The housing may be in the form of temporary structures to be removed after the completion of the project.
 5. Occupational health surveillance of the workers shall be done on a regular basis.
 6. A First Aid Room shall be provided in the project both during construction and operations of the project.
10. Corporate Environment Responsibility:
1. The project proponent shall comply with the provisions contained in this Ministry's OM vide F.No. 22-65/2017-IA.III dated 1st May 2018, as applicable, regarding Corporate Environment Responsibility.
 2. The company shall have a well laid down environmental policy duly approved by the Board of Directors. The environmental policy should prescribe for standard operating procedures to have proper checks and balances and to bring into focus any infringements/deviation/violation of the environmental / forest / wildlife norms / conditions. The company shall have defined system of reporting infringements / deviation / violation of the environmental / forest / wildlife norms / conditions and / or shareholders / stake holders. The copy of the board resolution in this regard shall be submitted to the MoEF&CC as a part of six-monthly report.
 3. A separate Environmental Cell both at the project and company head quarter level, with qualified personnel shall be set up under the control of senior Executive, who will directly to the head of the organization.
 4. Action plan for implementing EMP and environmental conditions along with responsibility matrix of the company shall be prepared and shall be duly approved by competent authority. The year wise funds earmarked for environmental protection measures shall be kept in separate account and not to be diverted for any other purpose. Year wise progress of implementation of action plan shall be reported to the Ministry/Regional Office along with the Six Monthly Compliance Report.
11. Miscellaneous:
1. The project proponent shall prominently advertise it at least in two local newspapers of the District or State, of which one shall be in the vernacular language within seven days indicating that the project has been accorded environment clearance and the details of MoEFCC/SEIAA website where it is displayed.
 2. The copies of the environmental clearance shall be submitted by the project proponents to the Heads of local bodies, Panchayats and Municipal Bodies in addition to the relevant offices of the Government who in turn has to display the same for 30 days from the date of receipt.

3. The project proponent shall upload the status of compliance of the stipulated environment clearance conditions, including results of monitored data on their website and update the same on half-yearly basis.
4. The project proponent shall submit six-monthly reports on the status of the compliance of the stipulated environmental conditions on the website of the ministry of Environment, Forest and Climate Change at environment clearance portal.
5. The project proponent shall submit the environmental statement for each financial year in Form-V to the concerned State Pollution Control Board as prescribed under the Environment (Protection) Rules, 1986, as amended subsequently and put on the website of the company.
6. The project proponent shall inform the Regional Office as well as the Ministry, the date of financial closure and final approval of the project by the concerned authorities, commencing the land development work and start of production operation by the project.
7. The project authorities must strictly adhere to the stipulations made by the State Pollution Control Board and the State Government.
8. The project proponent shall abide by all the commitments and recommendations made in the EIA/EMP report, commitment made during Public Hearing and also that during their presentation to the Expert Appraisal Committee.
9. No further expansion or modifications in the plant shall be carried out without prior approval of the Ministry of Environment, Forests and Climate Change (MoEF&CC).
10. Concealing factual data or submission of false/fabricated data may result in revocation of this environmental clearance and attract action under the provisions of Environment (Protection) Act, 1986.
11. The Ministry may revoke or suspend the clearance, if implementation of any of the above conditions is not satisfactory.
12. The Ministry reserves the right to stipulate additional conditions if found necessary. The Company in a time bound manner shall implement these conditions.
13. The Regional Office of this Ministry shall monitor compliance of the stipulated conditions. The project authorities should extend full cooperation to the officer (s) of the Regional Office by furnishing the requisite data / information/monitoring reports.
14. The above conditions shall be enforced, inter-alia under the provisions of the Water (Prevention & Control of Pollution) Act, 1974, the Air (Prevention & Control of Pollution) Act, 1981, the Environment (Protection) Act, 1986, Hazardous and Other Wastes (Management and Transboundary Movement) Rules, 2016 and the Public Liability Insurance Act, 1991 along with their amendments and Rules and any other orders passed by the Hon'ble Supreme Court of India / High Courts and any other Court of Law relating to the subject matter.
15. Any appeal against this EC shall lie with the National Green Tribunal, if preferred, within a period of 30 days as prescribed under Section 16 of the National Green Tribunal Act, 2010.

4. Building Stone (Sandstone) Mining project at Araj/Gata no.- 428, Village- Dhuriya, Tehsil-Chunar, Mirzapur, Shri Sanjay Singh, Area: 0.809., File No. 7708/7104/ Proposal No. SIA/UP/MIN/422330/2023

The consultant informed the committee that they are strictly following the rules, regulations and other instructions of QCI/NABET. A presentation was made by the project proponent along with their consultant M/s Ind Tech House Consult. Based on the documents submitted and presentation made by the project proponent along with the consultant, the following facts have emerged: -

1. The environmental clearance is sought for Building stone (Sandstone) Mining project at Araj no. 428 Village-Dhuriya, Tehsil-Chunar, District-Mirzapur, U.P., (Leased Area -0.809 Ha).
2. The Terms of Reference in the matter were issued by SEIAA, U.P vide Letter No. 150/Parya/SEIAA/7104/2022 dated 04/08/2022.
3. The Public Hearing was organized on 11/11/2022. Final EIA Report was submitted by the Project Proponent on 16/03/2023.

4. Salient features of the project as submitted by the project proponent:

On-line proposal No.	SIA/UP/MIN/422330/2023		
File No. allotted by SEIAA, UP	7708/7104		
Name of Proponent	Shri. Sanjay Singh		
Full correspondence address of proponent and mobile no.	Shri. Sanjay Singh R/O-Hinauti Mafi, Rastogi Talab, Tehsil- Chunar, Mirzapur 231302 U.P.		
Name of Project	Building Stone (Sandstone)		
Project location (Plot/Khasra/Gata No. / Araj No’/ Khand No.)	Araji/Gata No’ -428		
Name of Village	Dhuriya		
Tehsil	Chunar		
District	Mirzapur (U.P.)		
Name of Minor Mineral	Building Stone (Sandstone) Mining Project		
Sanctioned Lease Area (in Ha.)	0.809 Ha.		
Max. & Min mrl within lease area	Maximum & Minimum mRL is 112.0 mRL & 99.1 mRL respectively.		
Pillar Coordinates (Verified by DMO)	PILLER NO.	LATITUDE	LONGITUDE
	A	25° 02'43.1"N	83° 03'0.70"E
	B	25° 02'43.3"N	83° 03'6.66"E
	C	25° 02'42.0"N	83° 03'6.40"E
	D	25° 2'41.18"N	83° 03'0.70"E
Total Geological Reserves	3,36,883 m ³		
Total Mineable Reserve in LOI	24,270 m ³ per year		
Proposed Production/year	24,270 m ³ per year		
Sanctioned Period of Mine lease	Years		
Method of Mining	Open cast Manual/ Semi Mechanized Mining		
No. of working days	300		
Working hours/day	hours/day		
No. Of workers	Approximately 25 workers		
No. Of vehicles movement/day	Vehicles movement/day		
Type of Land	Government Land		
Ultimate Depth of Mining	0m		
Nearest metalled road from site	1.0 km towards North East direction from the project site.		
Water Requirement	PURPOSE	REQUIREMENT (KLD)	
	Drinking	0.25 KLD	
	Suppression of dust	5.1 KLD	
	Plantation	0.16 KLD	
	Others (if any)	-	
	Total	5.51 KLD	
Name of QCI Accredited Consultant with QCI No and period of validity.	Ind Tech House Consult Certificate No- NABET/EIA/2023/SA 0174/Rev. 01 Period of Validity- 29-4-2023		
Any litigation pending against the project or land in any court	No		
Details of 500 m Cluster Map & certificate issued by Mining Officer	Letter No. 207/Khanij/2022, Dated 24/05/2022		
Details of Lease Area in approved DSR	Page No -48 Sr. No’ -69 Shuddhi Patra vide Letter No’ - 125/Khanij/2022 dated 23.5.2022		
Proposed EMP cost	Rs. 12,38,000/-		
Proposed Total Project cost	Rs. 97,42,000/-		
Length and breadth of Haul Road	850 m length and 6.0 m width		
No. of Trees to be Planted	80		
Monitoring Period	March 2022 to May 2022 (Summer Season)		

5. The mining would be restricted to unsaturated zone only above the phreatic water table and will not intersect the ground water table at any point of time.

6. This project does not attract any of the general conditions applicable on mining projects specified in EIA Notification 14/09/2006.
7. The mining operation will not be carried out in safety zone of any bridge or embankment or in eco-fragile zone such as habitat of any wild fauna.
8. There is no litigation pending in any court regarding this project.
9. The project proposal falls under category-1(a) of EIA Notification, 2006 (as amended).

The consultant (EIA Coordinator) also submitted an affidavit dated 29/03/2023 mentioning is as follows:

1. I, Umesh Pratap Singh Chauhan, S/o Late Surya Pal Singh Chauhan am EIA Coordinator of Ind Tech House Consult.
2. I have prepared EIA report for the Proposal (SIA/UP/MIN/422330/2022), Project Name- Shri. Sanjay Singh Building Stone (Sandstone) Mining Project at Gata No.-428 Village-Dhuriya, Tehsil-Chunar, District-Mirzapur, Uttar Pradesh. Area 0.809 Ha with my team.
3. I have personally visited the site of proposal and certify that no mining activity has been undertaken on the project site for the present proposal.
4. I am satisfied with that all the necessary data/information required submitted along with Application/EIA are true and correct.
5. I certify that this project has been uploaded for this first time on Parivesh portal.
6. I certify that there will be no mismatch between information/data provided on the online application submitted on Parivesh Portal and hard copy/presentation submitted which will be submitted after acceptance of application.
7. The EIA report for the Proposal is prepared by my team as per guidelines laid down by QCI/ NABET.
8. I state that all the TOR Points have been complied and all the issues raised during Public Hearing have been properly addressed in EIA report

RESOLUTION AGAINST AGENDA NO. 04

The committee discussed the matter and recommended grant of environmental clearance for the project proposal along with general and specific conditions as annexed at Annexure-1 to these minutes. The committee also stipulated the following specific conditions:

1. Project proponent has committed to plant 1000 number of trees/hectare. The project proponent/consultant if desires may approach to concerned District Forest Authority to plant 1000 trees/ha on a land available to the Forest Department. The project proponent will deposit the required amount for this entire plantation work (including its maintenance and security) to the Forest Department.
2. The project proponent shall install solar light in their site office.
3. During the submission of 6 monthly compliance reports, the project proponent should make sure that the periodically taken site photographs should also be annexed along with the compliance report.
4. Preference should be given to indigenous local species as per the consultation of the local district Forest Officer.
5. The maximum height of the bench should be 06 meters and the width of the bench should be at least twice the height of the bench as per the mine plan approval letter by DGM, U.P
6. In case the blasting is proposed during a mining operation, the project proponent needs to assess its impact on the displacement of human beings/wild animals/birds/other species, and the suitable measures proposed and taken for their rehabilitation and resettlement need to be clearly described in first 6 monthly compliance report.
7. The project proponent shall submit a final mine closure plan/Exit protocol for rehabilitation of mined-out land to match its surrounding land use 3years before the closure of the mine to SEIAA, UP and Department of Mines and Geology, UP for approval. The project proponent shall ensure the implementation of the approved plan under the supervision of the Dept. of Mines and Geology.

8. The project proponent shall plan and implement collection drain and siltation basins of adequate size to arrest the silt and sediment flow from the quarry area. The surface runoff rainwater harvesting and other water conservation measures on a long-term basis are to be taken in consultation with the Central/State Groundwater Board. The water so collected should be utilized for watering the haulage area, roads, and green belt development, etc.
9. The project proponent shall take all suitable measures to prevent pollution of groundwater and nearby water bodies in consultation with the State Pollution Control Board and consent to operate (if applicable) should be obtained from the State Pollution Control Board before the start of production from the mine.
10. Link Road from the quarry site to the main road shall be constructed as an all-weather road with blacktopping and maintained by the project proponent.
11. Vehicular emissions should be kept under control and regularly monitored. Suitable measures shall be taken for proper maintenance of vehicles used in a quarry operation and transportation.
12. The project proponent should explore the possibilities of rainwater harvesting.
13. Agreement/ Consent between project proponent and competent authority/ landowner for haulage road from lease site to link road.
14. Latest technology (water sprinklers/ tankers) to be adopted for mitigating dust at source points in lease area and haulage road during operational activity/vehicular movement.
15. As per the proposed plan, plantation with area specific plant species, number of plants to be Planted and report of green belt development to be submitted to the concerning department

5. “Building Stone (Sand stone)” Mine at Gata/Arazi No-317 Mi, 319 Mi, Village- Latifpur, Tehsil- Chunar & District- Mirzapur, Smt. Neetu Devi, Area – 1.8 ha., File No. 7711/ Proposal No. SIA/UP/MIN/422268/2023

The consultant informed the committee that they are strictly following the rules, regulations and other instructions of QCI/NABET. A presentation was made by the project proponent along with their consultant M/s AWS Envirotech (OPC) Pvt. Ltd. Based on the documents submitted and presentation made by the project proponent along with the consultant, the following facts have emerged: -

1. The environmental clearance is sought for Building Stone (Sandstone) Mining at Araji/Gata No.- 317 Mi, 319 Mi, Village- Latifpur, Tehsil- Chunar, District- Mirzapur, U.P., (Leased Area- 1.8 ha).
2. Salient features of the project as submitted by the project proponent:

1.	On-line proposal No.	SIA/UP/MIN/422268/2023									
2.	File No. allotted by SEIAA, UP	7711									
3.	Name of Proponent	Smt. Neetu Devi									
4.	Full correspondence address of proponent and E-mail Id	R/o Village- Khanjadipur, District- Mirzapur, Uttar Pradesh-231303 Email: neetudevi5418@gmail.com									
5.	Name of Project	“Building stone (sandstone)” Mine at Gata No.- 317 Mi., 319 Mi., 317 Mi, 319 Mi, Village- Latifpur, Tehsil- Chunar, District- Mirzapur, Uttar Pradesh.									
6.	Project Location (Plot.Khasra/Gata No.)	Gata No.- 317 Mi., 319 Mi., 317 Mi, 319 Mi, Village- Latifpur, Tehsil- Chunar, District-Mirzapur, Uttar Pradesh									
7.	Category of Project	B ₂									
8.	Name of Village	Latifpur									
9.	Tehsil	Chunar									
10.	District	Mirzapur									
11.	Name of Minor Mineral	Building Stone (Sandstone) Mine									
12.	Sanctioned Lease Area (in Ha.)	1.8 ha.									
13.	Max. & Min mRL within lease area	Highest mRL is 133.60 & Lowest is 120.80 mRL									
14.	Pillar Coordinates (Verified by DMO)	<table border="1"> <thead> <tr> <th>Pillar</th><th>N</th><th>E</th></tr> </thead> <tbody> <tr> <td>A</td><td>24°58'16.20"N</td><td>83° 01'13.40"E</td></tr> <tr> <td>B</td><td>24°58'17.60"N</td><td>83° 01'15.90"E</td></tr> </tbody> </table>	Pillar	N	E	A	24°58'16.20"N	83° 01'13.40"E	B	24°58'17.60"N	83° 01'15.90"E
Pillar	N	E									
A	24°58'16.20"N	83° 01'13.40"E									
B	24°58'17.60"N	83° 01'15.90"E									

		C	24°58'16.70"N	83° 01'16.50"E	
		D	24°58'18.00"N	83° 01'20.00"E	
		E	24°58'20.10"N	83° 01'19.30"E	
		F	24°58'21.30"N	83° 01'21.50"E	
		G	24°58'17.40"N	83° 01'24.50"E	
		H	24°58'15.50"N	83° 01'20.70"E	
		I	24°58'15.70"N	83° 01'17.80"E	
		J	24°58'14.70"N	83° 01'16.10"E	
		K	24°58'13.60"N	83° 01'16.00"E	
15.	Total Geological Reserves	1,131,600 m ³			
16.	Total Mineable Reserve (as per Approved Mine Plan)	2,70,000 m ³			
17.	Total Proposed Production (In 5 Years)	2,70,000 m ³			
18.	Proposed Production	54,000 m ³ /year			
19.	Sanctioned Period of Mine lease	10 years			
20.	Method of Mining	Opencast, Semi-Mechanized			
21.	Working hours/day	8			
22.	No. of worker	52			
23.	Type of Land	Private land			
24.	Ultimate of Depth of Mining	Upto 103 mRL			
25.	Nearest metalled road from site	200 m			
26.	Water Requirement	PURPOSE		REQUIREMENT (KLD)	
		Drinking		0.52 KLD	
		Suppression of dust		1.80 KLD	
		Plantation		0.60 KLD	
		Others (if any)		-	
		Total		2.92 KLD	
27.	Name of QCI Accredited Consultant with QCI No and period of validity.	AWS Envirotech (OPC) Pvt. Ltd. Certificate no. NABET/EIA/2225/IA 0097(Rev.01) Valid Till July 14, 2025			
29.	Any litigation pending against the project or land in any court	No			
30.	Details of 500 m Cluster Certificate verified by Mining Officer	vide letter no. 2557/khanij/2022 Dated on 05.12.2022			
31.	Details of Lease Area in approved DSR	1.8 ha., DSR corrigendum is attached			
32.	Proposed CER cost	Rs. 4.76 Lakhs per year			
33.	Proposed EMP cost	Total project cost- Rs. 78 Lakhs, EMP cost is Rs. 8.0 lakhs as capital cost and Rs. 5.0 lakhs as recurring cost			
34.	Distance of Haul Road	200 m			
35.	No. of Trees to be Planted	300			

- The mining would be restricted to unsaturated zone only above the phreatic water table and will not intersect the ground water table at any point of time.
- This project does not attract any of the general conditions applicable on mining projects specified in EIA Notification 14/09/2006.
- The mining operation will not be carried out in safety zone of any bridge or embankment or in eco-fragile zone such as habitat of any wild fauna.
- There is no litigation pending in any court regarding this project.
- The project proposal falls under category-1(a) of EIA Notification, 2006 (as amended).

The consultant (EIA Coordinator) also submitted an affidavit dated 15/03/2023 mentioning is as follows:

- I, Sandeep Kumar, S/o Shri R.K. Verma is EIA Coordinator of M/s AWS Envirotech (OPC) Pvt. Ltd.
- I have prepared the EMP report for the Proposal Building Stone (Sandstone) Mining at Araj/Gata No.- 317 Mi., 319 Mi, Village- Latifpur, Tehsil- Chunar, District- Mirzapur, U.P., (Leased Area- 1.8 ha) with my team.

3. I have personally visited the site of proposal and certify that no Mining activity has been undertaken on the project site for the present proposal.
4. I am satisfied that all the necessary data/ information submitted along with EC application are true and correct.
5. I certify that this project proposal has been uploaded for the first time on Parivesh Portal.
6. I certify that there will be no mismatch between information/data provided on the online application submitted on Parivesh Portal and the hard copy/presentation which will be submitted after acceptance of application.
7. Thu EMP report for the Proposal is prepared by my team as per guidelines laid down by QCI/NABET.

RESOLUTION AGAINST AGENDA NO. 05

The committee discussed the matter and recommended grant of environmental clearance for the project proposal along with general and specific conditions as annexed at Annexure-1 to these minutes. The committee also stipulated the following specific conditions:

1. Project proponent has committed to plant 1000 number of trees/hectare. The project proponent/consultant if desires may approach to concerned District Forest Authority to plant 1000 trees/ha on a land available to the Forest Department. The project proponent will deposit the required amount for this entire plantation work (including its maintenance and security) to the Forest Department.
2. The project proponent shall install solar light in their site office.
3. During the submission of 6 monthly compliance reports, the project proponent should make sure that the periodically taken site photographs should also be annexed along with the compliance report.
4. Preference should be given to indigenous local species as per the consultation of the local district Forest Officer.
5. The maximum height of the bench should be 06 meters and the width of the bench should be at least twice the height of the bench as per the mine plan approval letter by DGM, U.P
6. In case the blasting is proposed during a mining operation, the project proponent needs to assess its impact on the displacement of human beings/wild animals/birds/other species, and the suitable measures proposed and taken for their rehabilitation and resettlement need to be clearly described in first 6 monthly compliance report.
7. The project proponent shall submit a final mine closure plan/Exit protocol for rehabilitation of mined-out land to match its surrounding land use 3years before the closure of the mine to SEIAA, UP and Department of Mines and Geology, UP for approval. The project proponent shall ensure the implementation of the approved plan under the supervision of the Dept. of Mines and Geology.
8. The project proponent shall plan and implement collection drain and siltation basins of adequate size to arrest the silt and sediment flow from the quarry area. The surface runoff rainwater harvesting and other water conservation measures on a long-term basis are to be taken in consultation with the Central/State Groundwater Board. The water so collected should be utilized for watering the haulage area, roads, and green belt development, etc.
9. The project proponent shall take all suitable measures to prevent pollution of groundwater and nearby water bodies in consultation with the State Pollution Control Board and consent to operate (if applicable) should be obtained from the State Pollution Control Board before the start of production from the mine.
10. Link Road from the quarry site to the main road shall be constructed as an all-weather road with blacktopping and maintained by the project proponent.
11. Vehicular emissions should be kept under control and regularly monitored. Suitable measures shall be taken for proper maintenance of vehicles used in a quarry operation and transportation.
12. The project proponent should explore the possibilities of rainwater harvesting.
13. Agreement/ Consent between project proponent and competent authority/ landowner for haulage road from lease site to link road.

14. Latest technology (water sprinklers/ tankers) to be adopted for mitigating dust at source points in lease area and haulage road during operational activity/vehicular movement.
15. As per the proposed plan, plantation with area specific plant species, number of plants to be Planted and report of green belt development to be submitted to the concerning department

6. River bed ordinary sand mining river Yamuna in Khand No. 16 at Village – Madauka, Meerakpur, Mahewa Patti (West), Tehsil- Karchhana, Allahabad, Shri Ravi Shankar Shukla., Area 8.00 ha., File No. 7712/6038/ Proposal No. SIA/UP/MIN/422460/2023

The consultant informed the committee that they are strictly following the rules, regulations and other instructions of QCI/NABET. A presentation was made by the project proponent along with their consultant M/s Paramarsh (Servicing Environment and Development), Lucknow, U.P.

During the presentation the SEAC observed that the quantity in mining plan and letter of intent (LoI) has been mentioned as 1,60,000 m³/annum. However, in replenishment study report provided by DGM vide letter no. 1686/M-NGTvaad/2021, dated 10/02/2023 the quantity has been given is as follows:

Ghat Name	Area (Ha.)	Replenished Quantity (Cum) in Mine lease	Resource Quantity in mine lease (pre monsoon) (Cum)	Total Quantity (Cum)
Makoda, Meerakpur, Maheva Patti	8.0	37004	55969	92973

The SEAC discussed the matter and advised the project proponent/consultant to revise the LoI and mining plan in the light of quantity mentioned in replenishment study report provided by DGM.

7. Sand/Morrum Mining Project Betwa River at Khand No./ Gata No.-23/16, Village-Bhedi Kharka Tehsil-Sarila , District- Hamirpur, Shri Kavach Kumar Nirmal, Area 36.437 ha., File No. 7713/7399/ Proposal No. SIA/UP/MIN/422666/2023

The consultant informed the committee that they are strictly following the rules, regulations and other instructions of QCI/NABET. A presentation was made by the project proponent along with their consultant M/s Ind Tech House Consult. Based on the documents submitted and presentation made by the project proponent along with the consultant, the following facts have emerged: -

1. The environmental clearance is sought for Sand/Morrum Mining Project named from Betwa Riverbed at Khand No'/ Gata No. 23/16, Village- Bhedi Kharka, Tehsil- Sarila ,District- Hamirpur U.P., (Leased Area – 36.437 Ha), M/s Prime Vision Industries Pvt. Ltd.
2. The Terms of Reference in the matter were issued by SEIAA, U.P vide Letter No. .- 370/Parya/SEIAA/7399/2022 dated 13/03/2023.
3. The Public Hearing was organized on 29/07/2020. Final EIA Report was submitted by the Project Proponent on 18/03/2023.
4. Salient features of the project as submitted by the project proponent:

1.	On Line Proposal No.	SIA/UP/MIN/422666/2023
2.	File No. allotted by SEIAA, UP	7713/7399
3	Name of Proponent	Shri Kavach Kumar Nirmal
4	Full correspondence address of proponent and mobile no.	312, 3rd Floor Vishal Chamber, P1 Sector-18 District- Noida U.P.
5	Name of Project	Sand/ Morrum
6	Project Location(Plot.Khsra/Gata No.)	Khand No'/ Gata No' 23/16
7	Name of River	Betwa River
8	Name of Village	Bhedi Kharka

9	Tehsil	Sarila		
10	District	Hamirpur		
11	Name of Minor Mineral	Sand/Morrum		
12	Sanctioned Lease Area (in Ha.)	36.437 Ha.		
13	Max. & Min mRL within lease area	111.0 mRL & 103.0 mRL		
14	Pillar Coordinates (Verified by DMO)	Point	Latitude	Longitude
		A	25°53'56.58"N	79°49'1.27"E
		B	25°53'56.70"N	79°49'15.31"E
		C	25°54'19.50"N	79°49'19.60"E
		D	25°54'17.20"N	79°48'59.0"E
15	Total Geological Reserves	10,93,110 m ³		
16	Total Mineable Reserve in L.O.I	582912.00 m ³ /Annum		
17	Proposed Production/ Year	582912.00 m ³ /Annum		
18	Sanctioned Period of Mine lease	5 Years		
19	Method of Mining	Open cast Manual / Semi Mechanized Mining Method /Bar Scalping or Skimming Method (as per IBM Rules & SSMMG, 2016 MoEF & CC ,GOI)		
20	No. of working days	225 Days		
21	Working hours/day	8 Hours		
22	No. of workers	240 Worker		
23	No. of vehicles movement/day	288 Trucks / Day		
24	Type of Land	River Bed (Govt. Land)		
25	Ultimate of Depth of Mining	3.00 m		
26	Nearest metalled road from site	1.0 Km		
27	Water Requirement	PURPOSE	REQUIREMENT (KLD)	
		Drinking	2.4	
		Suppression of dust	4.92	
		Plantation	3.6	
		Others (if any)	-	
		Total	10.92 KLD	
28	Name of QCI Accredited Consultant with QCI No and period of validity.	Ind Tech House Consult Certificate No- NABET/EIA/2023/SA 0174/Rev.01 Period of Validity- 29-04-2023		
29	Any litigation pending against the project or land in any court	No		
30	Details of 500 m Cluster Map & Certificate verified by Mining Officer	Letter No 678/ Khanij-M.M.C- 30-Vividh/(2022-23) Date-05.07.2022		
31	Details of Lease Area in approved DSR	Yes (Page No: 63 & Sr, No: 115)		
32	Proposed EMP cost	56.40 Lakhs		
33	Proposed Total Project Cost	20.00 Crore		
34	Length and breadth of Haul Road	820 mtr Length & 6m width haulage road		
35	No. of Trees to be Planted	3600 Trees		
36	Monitoring Period	October 2022 – December 2022		

5. The mining would be restricted to unsaturated zone only above the phreatic water table and will not intersect the ground water table at any point of time.
6. This project does not attract any of the general conditions applicable on mining projects specified in EIA Notification 14/09/2006.
7. The mining operation will not be carried out in safety zone of any bridge or embankment or in eco-fragile zone such as habitat of any wild fauna.
8. There is no litigation pending in any court regarding this project.
9. The project proposal falls under category-1(a) of EIA Notification, 2006 (as amended).

The consultant (EIA Coordinator) also submitted an affidavit dated 28/03/2023 mentioning is as follows:

1. I, Anand Kumar Dubey S/o Shri Amar Nath Dubey am EIA Coordinator of Ind Tech House Consult.
2. I have prepared EIA report for the Proposal No'-SIA/UP/MIN/422666/2023 Project Name- Prime Vision Industries Pvt. Ltd. Sand/Morrum Mining Project on Betwa River at Khand No./ Gata No.23/16, Village-Bhedi Kharka, Tehsil-Sarila , District- Hamirpur (U.P) Area- 36.437 Ha with my team.
3. I have personally visited the site of proposal and certify that no mining activity has been undertaken on the project site for the present proposal.
4. I am satisfied with that all the necessary data/information required submitted along with Application/EIA are true and correct.
5. I certify that this project has been uploaded for second time as the earlier uploaded proposal of the same project was withdrawn from the Parivesh portal due to change in Geo Coordinates of the project by the District Authority .
6. I certify that there will be no mismatch between information/data provided on the online application submitted on Parivesh Portal and hard copy/presentation submitted which will be submitted after acceptance of application.
7. The EIA report for the Proposal is prepared by my team as per guidelines laid down by QCI/ NABET.
8. I state that all the TOR Points have been complied and all the issues raised during Public Hearing have been properly addressed in EIA report.

The committee noted that Directorate of Geology and Mining Department, U.P. vide letter no. 1686/M-NGTvaad/2021, dated 10/02/2023 provided the replenishment study report of the various district of Uttar Pradesh. Replenishment study of the District, Hamipur has been conduct and prepared by Central Mine Planning & Design Institute Limited (CMPDI) and annul mineable quantity of the leased area is mentioned as 5,89,791 m³/annum and the mineable quantity is within the total reserve.

RESOLUTION AGAINST AGENDA NO. 07

The committee discussed the matter and recommended grant of environmental clearance for the project proposal along with general and specific conditions as annexed at Annexure-2 to these minutes. The committee also stipulated the following specific conditions:

1. Directorate of Geology and Mining will ensure conduct of replenishment study from reputed institution for subsequent years in compliance of Hon'ble NGT orders. Based on replenishment study letter of intent (LoI) must be revised (if required) by Directorate of Geology and Mining.
2. NOC from Irrigation Department/ Concerning Authority regarding river bed mining to be obtained before start of mining activity.
3. Project proponent has committed to plant 1000 number of trees/hectare. The project proponent/consultant if desires may approach to concerned District Forest Authority to plant 1000 trees/ha on a land available to the Forest Department. The project proponent will deposit the required amount for this entire plantation work (including its maintenance and security) to the Forest Department.
4. The project proponent shall install solar light in their site office.
5. During the submission of 6 monthly compliance reports, the project proponent should make sure that the periodically taken site photographs should also be annexed along with the compliance report.
6. Preference should be given to indigenous local species as per the consultation of the local district Forest Officer.
7. Link Road from the quarry site to the main road shall be constructed as an all-weather road with blacktopping and maintained by the project proponent.
8. Vehicular emissions should be kept under control and regularly monitored. Suitable measures shall be taken for proper maintenance of vehicles used in a quarry operation and transportation.
9. The project proponent should explore the possibilities of rainwater harvesting.

10. Agreement/ Consent between project proponent and competent authority/ landowner for haulage road from lease site to link road.
11. Latest technology (water sprinklers/ tankers) to be adopted for mitigating dust at source points in lease area and haulage road during operational activity/vehicular movement.
12. As per the proposed plan, plantation with area specific plant species, number of plants to be planted and report of green belt development to be submitted to the concerning department
13. Water requirement details along with source of water and the permission/ agreement with the concerning authority/ water supplying agencies to be submitted.
14. Submit the Hydrological study report of lease area that the quantity given in LoI will be mined without affecting the geo-hydrology of the River.

8. Mahoba District Jail complex (990 capacity) at Plot No.- 975/8/2, 980/1, 981/1, 981/2, 981/3, 983/1,983/2, 983/3, 983/4, 983/5, 983/6, 983/7,983/8/2, 984/1, 984/4, Bilbai, District-Mahoba, U.P., Shri Sunil Kumar Chauhan., File No. 7715/ Proposal No. SIA/UP/INFRA2/422592/2023

The consultant informed the committee that they are strictly following the rules, regulations and other instructions of QCI/NABET. A presentation was made by the project proponent along with their consultant M/s Rian Enviro Private Limited. Based on the documents submitted and presentation made by the project proponent along with the consultant, the following facts have emerged: -

1. The environmental clearance is sought for Mahoba District Jail complex (990 capacity) at Plot No.- 975/8/2, 980/1, 981/1, 981/2, 981/3, 983/1,983/2, 983/3, 983/4, 983/5, 983/6, 983/7,983/8/2, 984/1, 984/4, Bilbai, District-Mahoba, U.P.
2. Total plot area of the project is **258580** sq.m and proposed built up area is **37,336.06** sqm respectively.
3. Proposed facility in the project:
 - Male & Female Barrack,
 - High Security Barrack,
 - Single seated room,
 - Hospital ward,
 - Creche & Kitchen,
 - Corner Watch Tower,
 - School for male & female prisoner
 - Godown
 - Police chouki
 - Community center
 - Dormitory
 - Residence (Type 2, 3 & 4)

4. Salient features of the project:

S.No.	Particulars	Details
1.	Plot area	258580 Sqm.
2.	FAR	32500.79 Sqm.
3.	Total Built-up area	37,336.06 Sqm.
4.	Parking	314 ECS
5.	Open, Paved Area & miscellaneous	133619.8 Sqm.
6.	Green area	48,172.46 Sqm. (18.63%)
7.	Ground Coverage	18,782.38 Sqm.
8.	Total water requirement	~267 KLD Fresh water: 134 KLD Recycle Water: 133 KLD
9.	Wastewater Generation	166 KLD

10.	STP/ ETP capacity	STP ~200 KLD ETP ~20 KLD																																	
11.	Rain Water Harvesting Potential	Runoff: 586.18 Cubic meter/hour No. of Pits: 14 (Capacity: 50.27 cumec.)																																	
12.	Municipal Solid Waste Generation	865 Kg/day Biodegradable Waste: ~346 Kg/day Non-Biodegradable Waste: ~519 Kg/day																																	
13.	Quantity of Bio-Medical Waste	Hospital waste: 24 Kg/Day																																	
S. No.	Particulars	Details																																	
14.	Power requirement	1000 KVA																																	
15.	Power back up	Total No. of DG set Proposed: 2 x 140 KVA																																	
16.	Connectivity	Mahoba junction: 4.0 Km towards SW Bilbai Road: Adjacent to Site. NH-34: 3.57 km towards ESE.																																	
17.	Environmental Sensitivity	Kirat sagar Lake– 4.0 km towards SW Vijay Sagar Lake– 4.70 km towards SE																																	
18.	Geo Coordinates	<table border="1"> <thead> <tr> <th>Sl. No.</th><th>Latitude</th><th>Longitude</th></tr> </thead> <tbody> <tr><td>1</td><td>25°20'13.98"N</td><td>79°52'58.23"E</td></tr> <tr><td>2</td><td>25°20'01.71"N</td><td>79°53'07.05"E</td></tr> <tr><td>3</td><td>25°19'54.43"N</td><td>79°53'04.82"E</td></tr> <tr><td>4</td><td>25°19'44.13"N</td><td>79°52'59.27"E</td></tr> <tr><td>5</td><td>25°19'36.13"N</td><td>79°52'55.57"E</td></tr> <tr><td>6</td><td>25°19'34.89"N</td><td>79°52'47.45"E</td></tr> <tr><td>7</td><td>25°19'51.03"N</td><td>79°52'51.10"E</td></tr> <tr><td>8</td><td>25°19'59.65"N</td><td>79°52'52.74"E</td></tr> <tr><td>9</td><td>25°20'04.17"N</td><td>79°52'53.12"E</td></tr> <tr><td>10</td><td>25°20'13.98"N</td><td>79°52'58.23"E</td></tr> </tbody> </table>	Sl. No.	Latitude	Longitude	1	25°20'13.98"N	79°52'58.23"E	2	25°20'01.71"N	79°53'07.05"E	3	25°19'54.43"N	79°53'04.82"E	4	25°19'44.13"N	79°52'59.27"E	5	25°19'36.13"N	79°52'55.57"E	6	25°19'34.89"N	79°52'47.45"E	7	25°19'51.03"N	79°52'51.10"E	8	25°19'59.65"N	79°52'52.74"E	9	25°20'04.17"N	79°52'53.12"E	10	25°20'13.98"N	79°52'58.23"E
Sl. No.	Latitude	Longitude																																	
1	25°20'13.98"N	79°52'58.23"E																																	
2	25°20'01.71"N	79°53'07.05"E																																	
3	25°19'54.43"N	79°53'04.82"E																																	
4	25°19'44.13"N	79°52'59.27"E																																	
5	25°19'36.13"N	79°52'55.57"E																																	
6	25°19'34.89"N	79°52'47.45"E																																	
7	25°19'51.03"N	79°52'51.10"E																																	
8	25°19'59.65"N	79°52'52.74"E																																	
9	25°20'04.17"N	79°52'53.12"E																																	
10	25°20'13.98"N	79°52'58.23"E																																	
19.	Total cost of the project	~ 23021.91 Lakhs																																	

5. Detailed area statement:

S. No.	Name of building	Total no. of floors	FAR area of total blocks (sqm.)
A.	NON RESIDENTIAL BUILDINGS		
1.	MALE BARRACK (990 CAPTIVE CAPACITY)	G+1, G	10404.3
2.	HOSPITAL WARD	G	651.72
3.	KITCHEN	G	909.95
4.	ADMINISTRATION BLOCK & ARMORY BLOCK	G	1360.79
5.	GENERATOR ROOM SUBSTATION, PUMP HOUSE	G	558.73
6.	CORNER WATCH TOWER, CENTRAL WATCH TOWER	G+3	622.95
7.	BARRIER CHECK POST, POLICE CHOUKI	G	114.13
8.	SCHOOL	G	618.21
9.	MULTIPURPOSE HALL, VISITOR ROOM, STORE ROOM	G	1463.71
B.	RESIDENTIAL		
10.	TYPE 2a RESIDENCE (160 UNITS)	G+3	11775.8
11.	TYPE 2b RESIDENCE (10 UNITS)	G+2	763.09
12.	TYPE 3 RESIDENCE (5 UNITS)	G+2	511.50
13.	TYPE 4 RESIDENCE (4 NUMBERS)	G	807.72
14.	COMMUNITY CENTER	G	506.78
15.	DORMITORY(16 CAPACITY)	G+1	213.76
16.	GUEST HOUSE	G	486.79
17.	SPORTS COMPLEX	G	383.25
18.	SEWAGE TREATMENT PLANT , R.O PLANT	G	347.61
	TOTAL FAR AREA OF PROPOSED BUILDINGS		32500.79
	NON FAR		4835.27
	TOTAL BUILT-UP AREA		37,336.06

6. Parking details:

1.	Surface Parking	310 ECS
2.	Stilt Parking	4 ECS

3.	Total provided parking	314 ECS
----	------------------------	---------

4. Water requirement details:

Details	Population / Area	Unit consumption Domestic	Domestic water requirement	Flushing water requirement	Total water requirement	Total Wastewater
Male & Female Barrack	990	100	69300	29700	99000	85140
Visitors @ 5%	50	15	250	500	750	700
Staff @5%	50	45	1250	1000	2250	2000
Residential Building						
Type-4 residence (4)	20	100	1400	600	2000	1720
Type-3 residence (5)	25	100	1750	750	2500	2150
Type-2 residence (160)	800	100	56000	24000	80000	68800
Type-2 residence (10)	50	100	3500	1500	5000	4300
Dormitory (16 capacity)	16	45	400	320	720	640
Community center @ 1 person/10 Sqm.	48	15	240	480	720	672
			134090	58850	192940	166122
			Say 134 KLD	Say 59 KLD	Say 193 KLD	Say 166 KLD
ETP & STP Requirement						
Effluent generation @ 10% of total wastewater	17 KLD		Capacity of ETP (20% higher than total Effluent generation)			20 KLD
Sewage generation @ 100% of total wastewater	166 KLD		Capacity of STP (20% higher than total Sewage generation)			200 KLD
Total treated water generation			133 KLD (@ 80% of total waste water)			
Horticulture @ 1 Litre / Sqm.			74000		74000	
Total water requirement (One Time)					266940	
				Say	267 KLD	

5. Solid waste details:

Prisoners	Population	Unit consumption Domestic	Formula	Waste Generated (Kg/day)	Bio-degradable (Kg/day)	Non-biodegradable (Kg/day)
Male & Female Barrack	990	0.3 to 0.6 kg/capita/day	Total Population*0.45	445.5	178.2	267.3
Visitors @ 5%	50	0.05 to 0.2 kg/capita/day	Total Population*0.1	5	2	3
Staff @5%	50	0.05 to 0.2	Total	5	2	3

		kg/capita/day	Population*0.1			
Residential Building						
Type-4 residence (4)	20	0.3 to 0.6 kg/capita/day	Total Population*0.45	9	3.6	5.4
Type-3 residence (5)	25	0.3 to 0.6 kg/capita/day	Total Population*0.45	11.25	4.5	6.75
Type-2 residence (160)	800	0.3 to 0.6 kg/capita/day	Total Population*0.45	360	144	216
Type-2 residence (10)	50	0.3 to 0.6 kg/capita/day	Total Population*0.45	22.5	9	13.5
Dormitory (16 capacity)	16	0.05 to 0.2kg/capita/day	Total Population*0.1	1.6	0.64	0.96
Community center @1 person/10 Sqm.	48	0.05 to 0.2 kg/capita/day	Total Population*0.1	4.8	1.92	2.88
Total				865	346	519
Bio-Medical for 24 Beds		1 kg / bed		24		

6. The project proposal falls under category-8(a) of EIA Notification, 2006 (as amended).

The consultant (EIA Coordinator) also submitted an affidavit dated 29/03/2023 mentioning is as follows:

1. I, Muzaffar Ahmad, S/o Sayed Iqbal Ahmad is the EIA Coordinator of M/s Rian Enviro Private Limited.
2. I have prepared EIA/EMP (B-2 Project) report for the Proposal in the name of District Jail Complex (990 capacity) at Mahoba, U.P. with my team.
3. I have personally visited the site of proposal and certify that no construction activity has been undertaken on the project site for the present proposal.
4. I am satisfied with that all the necessary data/information submitted along with Application/EIA (B-2 Project) are true and correct.
5. I certify that this project has been uploaded for this first time on Parivesh portal.
6. I certify that there will be no mismatch between information/data provided on the online application submitted on Parivesh Portal and hard copy/presentation submitted which will be submitted after acceptance of application.
7. The EIA (B-2 Project) report for the Proposal is prepared by my team as per guidelines laid down by QCI/ NABET.

RESOLUTION AGAINST AGENDA NO. 08

The committee discussed the matter and recommended grant of environmental clearance on the proposal as above alongwith standard environmental clearance conditions prescribed by MoEF&CC, GoI and following additional conditions:

Additional Conditions:

1. Project proponent is advised to explore the possibility and getting the cement in a closed container rather through the plastic bag to prevent dust emissions at the time of loading/unloading.
2. Project proponent should ensure that there will be no use of "Single use of Plastic" (SUP).
3. In compliance to Hon'ble Supreme Court order dated 13/01/2020 in IA no. 158128/2019 and 158129/2019 in Writ petition no. 13029/1985 (MC Mehta Vs. GoI and others) anti-smog guns shall be installed to reduce dust during excavation and also comply with the other directions in the above writ petition.
4. The proponent should provide the sufficient electric vehicle charging points as per the requirements at ground level and allocate the safe and suitable place outside the jail boundary.

5. No parking should be allowed on the roadside and outside the Jail premises. Visitors parking should not disturb the traffic of surrounding area.
6. Separate areas for raw food storage with refrigeration facilities at kitchen shall be provided.
7. Hair waste from barber saloon will be collected and disposed safely by authorized agency.
8. Odour free technology should be explored for the STP and ETP and also aromatic plantation to be done around the STP & ETP area to prevent the odour problem. The treated water of STP shall be used for irrigation purposes and also according to the requirement.
9. Primary treatment of effluent from hospital/dispensary should be done separately and treat as per the proposal submitted by the proponent.
10. For security purposes, the proponent shall provide the municipal solid waste segregation and treatment/disposal facility (OWC) outside the jail boundary.
11. In view of the security purpose, the proponent shall provide the temporary storage facility of Bio-medical waste outside the jail premises and it should be treated and disposed by the authorised agency of UPPCB.
12. Continuous air quality monitoring system (CAQMS) to be installed in the jail premises and to be connected to the regulatory authority server.

Standard Environmental Clearance Conditions prescribed by MoEF&CC:

1. Statutory compliance:
 1. The project proponent shall obtain all necessary clearance/ permission from all relevant agencies including town planning authority before commencement of work. All the construction shall be done in accordance with the local building byelaws.
 2. The approval of the Competent Authority shall be obtained for structural safety of buildings due to earthquakes, adequacy of firefighting equipment etc as per National Building Code including protection measures from lightning etc.
 3. The project proponent shall obtain forest clearance under the provisions of Forest (Conservation) Act, 1986, in case of the diversion of forest land for non-forest purpose involved in the project.
 4. The project proponent shall obtain clearance from the National Board for Wildlife, if applicable.
 5. The project proponent shall obtain Consent to Establish / Operate under the provisions of Air (Prevention & Control of Pollution) Act, 1981 and the Water (Prevention & Control of Pollution) Act, 1974 from the concerned State Pollution Control Board/ Committee.
 6. The project proponent shall obtain the necessary permission for drawl of ground water / surface water required for the project from the competent authority.
 7. A certificate of adequacy of available power from the agency supplying power to the project along with the load allowed for the project should be obtained.
 8. All other statutory clearances such as the approvals for storage of diesel from Chief Controller of Explosives, Fire Department, Civil Aviation Department shall be obtained, as applicable, by project proponents from the respective competent authorities.
 9. The provisions of the Solid Waste (Management) Rules, 2016, e-Waste (Management) Rules, 2016, and the Plastics Waste (Management) Rules, 2016 shall be followed.
 10. The project proponent shall follow the ECBC/ECBC-R prescribed by Bureau of Energy Efficiency, Ministry of Power strictly.
2. Air quality monitoring and preservation:
 1. Notification GSR 94(E) dated 25.01.2018 of MoEF&CC regarding Mandatory Implementation of Dust Mitigation Measures for Construction and Demolition Activities for projects requiring Environmental Clearance shall be complied with.
 2. A management plan shall be drawn up and implemented to contain the current exceedance in ambient air quality at the site.
 3. The project proponent shall install system to carryout Ambient Air Quality monitoring for common/criterion parameters relevant to the main pollutants released (e.g. PM10 and PM25) covering upwind and downwind directions during the construction period.

4. Construction site shall be adequately barricaded before the construction begins. Dust, smoke & other air pollution prevention measures shall be provided for the building as well as the site. These measures shall include screens for the building under construction, continuous dust/ wind breaking walls all around the site (at least 3 meter height). Plastic/tarpaulin sheet covers shall be provided for vehicles bringing in sand, cement, murram and other construction materials prone to causing dust pollution at the site as well as taking out debris from the site.
5. Sand, murram, loose soil, cement, stored on site shall be covered adequately so as to prevent dust pollution.
6. Wet jet shall be provided for grinding and stone cutting.
7. Unpaved surfaces and loose soil shall be adequately sprinkled with water to suppress dust.
8. All construction and demolition debris shall be stored at the site (and not dumped on the roads or open spaces outside) before they are properly disposed. All demolition and construction waste shall be managed as per the provisions of the Construction and Demolition Waste Rules 2016.
9. The diesel generator sets to be used during construction phase shall be low sulphur diesel type and shall conform to Environmental (Protection) prescribed for air and noise mission standards.
10. The gaseous emissions from DG set shall be dispersed through adequate stack height as per CPCB standards. Acoustic enclosure shall be provided to the DG sets to mitigate the noise pollution. The location of the DG set and exhaust pipe height shall be as per the provisions of the Central Pollution Control Board (CPCB) norms.
11. For indoor air quality the ventilation provisions as per National Building Code of India.
3. Water quality monitoring and preservation:
 1. The natural drain system should be maintained for ensuring unrestricted flow of water. No construction shall be allowed to obstruct the natural drainage through the site, on wetland and water bodies. Check dams, bio-swales, landscape, and other sustainable urban drainage systems (SUDS) are allowed for maintaining the drainage pattern and to harvest rain water.
 2. Buildings shall be designed to follow the natural topography as much as possible. Minimum cutting and filling should be done.
 3. Total fresh water use shall not exceed the proposed requirement as provided in the project details.
 4. The quantity of fresh water usage, water recycling and rainwater harvesting shall be measured and recorded to monitor the water balance as projected by the project proponent. The record shall be submitted to the Regional Office, MoEF&CC along with six monthly Monitoring reports.
 5. A certificate shall be obtained from the local body supplying water, specifying the total annual water availability with the local authority, the quantity of water already committed, the quantity of water allotted to the project under consideration and the balance water available. This should be specified separately for ground water and surface water sources, ensuring that there is no impact on other users.
 6. At least 20% of the open spaces as required by the local building bye-laws shall be pervious. Use of Grass pavers, paver blocks with at least 50% opening, landscape etc. would be considered as pervious surface.
 7. Installation of dual pipe plumbing for supplying fresh water for drinking, cooking and bathing etc and other for supply of recycled water for flushing, landscape irrigation car washing, thermal cooling, conditioning etc. shall be done.
 8. Use of water saving devices/ fixtures (viz. low flow flushing systems; use of low flow faucets tap aerators etc) for water conservation shall be incorporated in the building plan.
 9. Use of water saving devices/ fixtures (viz. low flow flushing systems; use of low flow faucets tap aerators etc) for water conservation shall be incorporated in the building plan.
 10. Water demand during construction should be reduced by use of pre-mixed concrete, curing agents and other best practices referred.
 11. The local bye-law provisions on rain water harvesting should be followed. If local byelaw provision is not available, adequate provision for storage and recharge should be followed as per the Ministry of Urban Development Model Building Byelaws, 2016. Rain water

- harvesting recharge pits/storage tanks shall be provided for ground water recharging as per the CGWB norms.
12. A rain water harvesting plan needs to be designed where the recharge bores of minimum one recharge bore per 5,000 square meters of built up area and storage capacity of minimum one day of total fresh water requirement shall be provided. In areas where ground water recharge is not feasible, the rain water should be harvested and stored for reuse. The ground water shall not be withdrawn without approval from the Competent Authority.
 13. All recharge should be limited to shallow aquifer.
 14. No ground water shall be used during construction phase of the project.
 15. Any ground water dewatering should be properly managed and shall conform to the approvals and the guidelines of the CGWA in the matter. Formal approval shall be taken from the CGWA for any ground water abstraction or dewatering.
 16. The quantity of fresh water usage, water recycling and rainwater harvesting shall be measured and recorded to monitor the water balance as projected by the project proponent. The record shall be submitted to the Regional Office, MoEF&CC along with six monthly Monitoring reports.
 17. Sewage shall be treated in the STP with tertiary treatment. The treated effluent from STP shall be recycled/re-used for flushing, AC make up water and gardening. As proposed, not related water shall be disposed in to municipal drain.
 18. No sewage or untreated effluent water would be discharged through storm water drains.
 19. Onsite sewage treatment of capacity of treating 100% waste water to be installed. The installation of the Sewage Treatment Plant (STP) shall be certified by an independent expert and a report in this regard shall be submitted to the Ministry before the project is commissioned for operation. Treated waste water shall be reused on site for landscape, flushing, cooling tower, and other end-uses. Excess treated water shall be discharged as per statutory norms notified by Ministry of Environment, Forest and Climate Change. Natural treatment systems shall be promoted.
 20. Periodical monitoring of water quality of treated sewage shall be conducted. Necessary measures should be made to mitigate the odor problem from STP.
 21. Sludge from the onsite sewage treatment, including septic tanks, shall be collected, conveyed and disposed as per the Ministry of Urban Development, Centre Public Health and Environmental Engineering Organization (CPHEEO) Manual on Sewerage and Sewage Treatment Systems, 2013.
4. Noise monitoring and prevention:
1. Ambient noise levels shall conform to residential area/commercial area/industrial area/silence zone both during day and night as per Noise Pollution (Control and Regulation) Rules, 2000. Incremental pollution loads on the ambient air and noise quality shall be closely monitored during construction phase. Adequate measures shall be made to reduce ambient air and noise level during construction phase, so as to conform to the stipulated standards by CPCB / SPCB.
 2. Noise level survey shall be carried as per the prescribed guidelines and report in this regard shall be submitted to Regional Officer of the Ministry as a part of six-monthly compliance report.
 3. Acoustic enclosures for DG sets, noise barriers for ground-run bays, ear plugs for operating personnel shall be implemented as mitigation measures for noise impact due to ground sources.
5. Energy Conservation measures:
1. Compliance with the Energy Conservation Building Code (ECBC) of Bureau of Energy Efficiency shall be ensured. Buildings in the States which have notified their own ECBC, shall comply with the State ECBC.
 2. Outdoor and common area lighting shall be LED.
 3. Concept of passive solar design that minimize energy consumption in buildings by using design elements, such as building orientation, landscaping, efficient building envelope, appropriate fenestration, increased day lighting design and thermal mass etc. shall be incorporated in the building design. Wall, window, and roof u-values shall be as per ECBC specifications.

4. Energy conservation measures like installation of CFLs/ LED for the lighting the area outside the building should be integral part of the project design and should be in place before project commissioning.
5. Solar, wind or other Renewable Energy shall be installed to meet electricity generation equivalent to 1% of the demand load or as per the state level/ local building bye-laws requirement, whichever is higher.
6. Solar power shall be used for lighting in the apartment to reduce the power load on grid. Separate electric meter shall be installed for solar power. Solar water heating shall be provided to meet 20% of the hot water demand of the commercial and institutional building or as per the requirement of the local building bye-laws, whichever is higher. Residential buildings are also recommended to meet its hot water demand from solar water heaters, as far as possible.
6. Waste Management :
 1. A certificate from the competent authority handling municipal solid wastes, indicating the existing civic capacities of handling and their adequacy to cater to the M.S.W. generated from project shall be obtained.
 2. Disposal of muck during construction phase shall not create any adverse effect on the neighboring communities and be disposed taking the necessary precautions for general safety and health aspects of people, only in approved sites with the approval of competent authority.
 3. Separate wet and dry bins must be provided in each unit and at the ground level for facilitating segregation of waste. Solid waste shall be segregated into wet garbage and inert materials.
 4. Organic waste compost/ Vermiculture pit/ Organic Waste Converter within the premises with a minimum capacity of 0.3 kg /person/day must be installed.
 5. All non-biodegradable waste shall be handed over to authorized recyclers for which a written tie up must be done with the authorized recyclers.
 6. Any hazardous waste generated during construction phase, shall be disposed off as per applicable rules and norms with necessary approvals of the State Pollution Control Board.
 7. Use of environment friendly materials in bricks, blocks and other construction materials, shall be required for at least 20% of the construction material quantity. These include Fly Ash bricks, hollow bricks, AACs, Fly Ash Lime Gypsum blocks, Compressed earth blocks, and other environment friendly materials.
 8. Fly ash should be used as building material in the construction as per the provision of Fly Ash Notification of September, 1999 and amended as on 27th August, 2003 and 25th January, 2016. Ready mixed concrete must be used in building construction.
 9. Any wastes from construction and demolition activities related thereto shall be managed so as to strictly conform to the Construction and Demolition Rules, 2016.
 10. Used CFLs and TFLs should be properly collected and disposed off/sent for recycling as per the prevailing guidelines/ rules of the regulatory authority to avoid mercury contamination.
7. Green Cover:
 1. No tree can be felled/transplant unless exigencies demand. Where absolutely necessary, tree felling shall be with prior permission from the concerned regulatory authority. Old trees should be retained based on girth and age regulations as may be prescribed by the Forest Department. Plantations to be ensured species (cut) to species (planted).
 2. A minimum of 1 tree for every 80 sqm of land should be planted and maintained. The existing trees will be counted for this purpose. The landscape planning should include plantation of native species. The species with heavy foliage, broad leaves and wide canopy cover are desirable. Water intensive and/or invasive species should not be used for landscaping.
 3. Where the trees need to be cut with prior permission from the concerned local Authority, compensatory plantation in the ratio of 1:10 (i.e. planting of 10 trees for every 1 tree that is cut) shall be done and maintained. Plantations to be ensured species (cut) to species (planted). Area for green belt development shall be provided as per the details provided in the project document.
 4. Topsoil should be stripped to a depth of 20 cm from the areas proposed for buildings, roads, paved areas, and external services. It should be stockpiled appropriately in designated areas and reapplied during plantation of the proposed vegetation on site.

8. Transport:
 1. A comprehensive mobility plan, as per MoUD best practices guidelines (URDPFI), shall be prepared to include motorized, non-motorized, public, and private networks. Road should be designed with due consideration for environment, and safety of users. The road system can be designed with these basic criteria.
 - a. Hierarchy of roads with proper segregation of vehicular and pedestrian traffic.
 - b. Traffic calming measures.
 - c. Proper design of entry and exit points.
 - d. Parking norms as per local regulation.
 2. Vehicles hired for bringing construction material to the site should be in good condition and should have a pollution check certificate and should conform to applicable air and noise emission standards be operated only during non-peak hours.
 3. A detailed traffic management and traffic decongestion plan shall be drawn up to ensure that the current level of service of the roads within a 05 kms radius of the project is maintained and improved upon after the implementation of the project. This plan should be based on cumulative impact of all development and increased habitation being carried out or proposed to be carried out by the project or other agencies in this 05 Kms radius of the site in different scenarios of space and time and the traffic management plan shall be duly validated and certified by the State Urban Development department and the P.W.D./ competent authority for road augmentation and shall also have their consent to the implementation of components of the plan which involve the participation of these departments.
9. Human health issues :
 1. All workers working at the construction site and involved in loading, unloading, carriage of construction material and construction debris or working in any area with dust pollution shall be provided with dust mask.
 2. For indoor air quality the ventilation provisions as per National Building Code of India.
 3. Emergency preparedness plan based on the Hazard identification and Risk Assessment (HIRA) and Disaster Management Plan shall be implemented.
 4. Provision shall be made for the housing of construction labour within the site with all necessary infrastructure and facilities such as fuel for cooking, mobile toilets, mobile STP, safe drinking water, medical health care, crèche etc. The housing may be in the form of temporary structures to be removed after the completion of the project.
 5. Occupational health surveillance of the workers shall be done on a regular basis.
 6. A First Aid Room shall be provided in the project both during construction and operations of the project.
10. Corporate Environment Responsibility:
 1. The project proponent shall comply with the provisions contained in this Ministry's OM vide F.No. 22-65/2017-IA.III dated 1st May 2018, as applicable, regarding Corporate Environment Responsibility.
 2. The company shall have a well laid down environmental policy duly approved by the Board of Directors. The environmental policy should prescribe for standard operating procedures to have proper checks and balances and to bring into focus any infringements/deviation/violation of the environmental / forest / wildlife norms / conditions. The company shall have defined system of reporting infringements / deviation / violation of the environmental / forest / wildlife norms / conditions and / or shareholders / stake holders. The copy of the board resolution in this regard shall be submitted to the MoEF&CC as a part of six-monthly report.
 3. A separate Environmental Cell both at the project and company head quarter level, with qualified personnel shall be set up under the control of senior Executive, who will directly to the head of the organization.
 4. Action plan for implementing EMP and environmental conditions along with responsibility matrix of the company shall be prepared and shall be duly approved by competent authority. The year wise funds earmarked for environmental protection measures shall be kept in separate account and not to be diverted for any other purpose. Year wise progress of implementation of action plan shall be reported to the Ministry/Regional Office along with the Six Monthly Compliance Report.
11. Miscellaneous:

1. The project proponent shall prominently advertise it at least in two local newspapers of the District or State, of which one shall be in the vernacular language within seven days indicating that the project has been accorded environment clearance and the details of MoEFCC/SEIAA website where it is displayed.
2. The copies of the environmental clearance shall be submitted by the project proponents to the Heads of local bodies, Panchayats and Municipal Bodies in addition to the relevant offices of the Government who in turn has to display the same for 30 days from the date of receipt.
3. The project proponent shall upload the status of compliance of the stipulated environment clearance conditions, including results of monitored data on their website and update the same on half-yearly basis.
4. The project proponent shall submit six-monthly reports on the status of the compliance of the stipulated environmental conditions on the website of the ministry of Environment, Forest and Climate Change at environment clearance portal.
5. The project proponent shall submit the environmental statement for each financial year in Form-V to the concerned State Pollution Control Board as prescribed under the Environment (Protection) Rules, 1986, as amended subsequently and put on the website of the company.
6. The project proponent shall inform the Regional Office as well as the Ministry, the date of financial closure and final approval of the project by the concerned authorities, commencing the land development work and start of production operation by the project.
7. The project authorities must strictly adhere to the stipulations made by the State Pollution Control Board and the State Government.
8. The project proponent shall abide by all the commitments and recommendations made in the EIA/EMP report, commitment made during Public Hearing and also that during their presentation to the Expert Appraisal Committee.
9. No further expansion or modifications in the plant shall be carried out without prior approval of the Ministry of Environment, Forests and Climate Change (MoEF&CC).
10. Concealing factual data or submission of false/fabricated data may result in revocation of this environmental clearance and attract action under the provisions of Environment (Protection) Act, 1986.
11. The Ministry may revoke or suspend the clearance, if implementation of any of the above conditions is not satisfactory.
12. The Ministry reserves the right to stipulate additional conditions if found necessary. The Company in a time bound manner shall implement these conditions.
13. The Regional Office of this Ministry shall monitor compliance of the stipulated conditions. The project authorities should extend full cooperation to the officer (s) of the Regional Office by furnishing the requisite data / information/monitoring reports.
14. The above conditions shall be enforced, inter-alia under the provisions of the Water (Prevention & Control of Pollution) Act, 1974, the Air (Prevention & Control of Pollution) Act, 1981, the Environment (Protection) Act, 1986, Hazardous and Other Wastes (Management and Transboundary Movement) Rules, 2016 and the Public Liability Insurance Act, 1991 along with their amendments and Rules and any other orders passed by the Hon'ble Supreme Court of India / High Courts and any other Court of Law relating to the subject matter.
15. Any appeal against this EC shall lie with the National Green Tribunal, if preferred, within a period of 30 days as prescribed under Section 16 of the National Green Tribunal Act, 2010.

9. "Granite Dimensional Stone Deposit" at Arazi No. 28/4, Village: Kalapahar, Tehsil-Lalitpur, District- Lalitpur, Shri Vijay Kumar Mishra, Area-2.185 Ha., File No. 7716/ Proposal No. SIA/UP/MIN/422638/2023

The consultant informed the committee that they are strictly following the rules, regulations and other instructions of QCI/NABET. A presentation was made by the project proponent along with their consultant M/s Earthvision India Associate Consultant. Based on the documents submitted and presentation made by the project proponent along with the consultant, the following facts have emerged: -

1. The environmental clearance is sought for “Granite Dimensional Stone Deposit” at Arazi No.- 28/4, Village: Kalapahar, Tehsil- Lalitpur, District- Lalitpur, U.P., (Leased Area- 2.185 ha).
2. Salient features of the project as submitted by the project proponent:

1.	On-line proposal No.	SIA/UP/MIN/422638/2023		
2.	File No. allotted by SEIAA, UP	7716		
3.	Name of Proponent	M/s V&S Enterprises/94610 Prop. Shri Vijay Kumar		
4.	Registered Address	R/o-Flat-B, Saraswati Appartments, Sector-4, Gomti Nagar, Lucknow (U.P)		
5.	Full correspondence address of proponent and mobile no.	R/o-Flat-B, Saraswati Appartments, Sector-4, Gomti Nagar, Lucknow (U.P)		
		Mobile No.- 8874850555		
		E-mail ID-		
6.	Name of Project	Granite Dimensional Stone Deposit		
7.	Project Location (Plot.Khasra/Gata No.)	Araji No.– 28/4		
8.	Name of Village	Kalapahar		
9.	Tehsil	Lalitpur		
10.	District	Lalitpur		
11.	State	Uttar Pradesh		
12.	Name of Minor Mineral	Granite (Dimensional Stone)		
13.	Sanctioned Lease Area (in Ha.)	2.185 Hectares		
14.	Max. & Min mRL within lease area	Highest is 367.30mRL towards north west & Lowest is 359.40mRL towards south direction.		
15.	Pillar Coordinates (Verified by DMO)	Pillar No.	N	E
		A	24°45'45.90"N	78°16'50.00"E
		B	24°45'45.00"N	78°16'52.30"E
		C	24°45'46.30"N	78°16'52.20"E
		D	24°45'46.20"N	78°16'54.80"E
		E	24°45'40.70"N	78°16'55.10"E
		F	24°45'41.00"N	78°16'51.30"E
		G	24°45'41.90"N	78°16'49.00"E
	H	24°45'45.00"N	78°16'49.00"E	
16.	Mine Plan approval details	Letter No.- 2023/3/1/193680 Dated- 17/03/2023		
17.	Validity of Mine Plan	5 Years		
18.	Total geological reserves	91266 M ³		
19.	Total mineable reserves	41094 M ³		
20.	Total Proposed Production (In 5 Years)	2185 M ³		
21.	Total Proposed Production/Year	437 M ³ /Year (according to as per LOI).		
22.	Sanctioned Period of Mine lease	30 years		
23.	Method of Mining	Opencast, Semi mechanized Method		
24.	No. of working days	270 days		
25.	Working hours/day	8 hours/day		
26.	No. of workers	26 Workers		
27.	Type of Land	Govt. waste land		
28.	Ultimate Depth of Mining	6.0 m		

29.	Water Requirement		Purpose	Detail	Avg. Demand/Day
		Portable Tanker	Drinking@15 lpcd/worker	26 workers x 15 lpcd = 390 lpcd	0.390 KLD
			Mine operation/others	-	2.0 KLD
			Land reclamation / plantation @1 Lit/Tree	2100Trees x 1 lpcd = 2100 lpcd	2.10 KLD
			Dust suppression @2Lit/Sq.m (Twice in a day)	Haul Road Area = (150 m Length x 6m Width = 900 m2) x2lpcd/Sq.m = 1800 lpcd	1.80 KLD
		Total			6.290 KLD
30.	Name of QCI Accredited Consultant with QCI No and period of validity	M/s Earthvision India Associate Consultant, NABET/EIA/2124/IA 0077 Valid till 24-02-2024			
31.	Any litigation pending against the project or land in any court	No			
32.	Details of 500 m Cluster certificate & Map Verified by Mining Officer	Letter No. 1056/30-Mines/2022-23, Dated 22-02-2023			
33.	Proposed CER cost	Rs. 3.34975 Lakhs			
34.	Proposed EMP cost	Rs. 9.90 Lakhs			
35.	No. of Trees to be Planted.	2100			
36.	Detail of CTE/CTO issued by UPPCB	NA			

3. The mining would be restricted to unsaturated zone only above the phreatic water table and will not intersect the ground water table at any point of time.
4. This project does not attract any of the general conditions applicable on mining projects specified in EIA Notification 14/09/2006.
5. The mining operation will not be carried out in safety zone of any bridge or embankment or in eco-fragile zone such as habitat of any wild fauna.
6. There is no litigation pending in any court regarding this project.
7. The project proposal falls under category-1(a) of EIA Notification, 2006 (as amended).

The consultant (EIA Coordinator) also submitted an affidavit dated 28/03/2023 mentioning is as follows:

1. I, Brij Mohan Singh Negi S/o K.S. Negi is EIA Coordinator of M/s Earthvision India Associate Consultant.
2. I have prepared the EMP report for the Proposal EC in name of M/s V&S Enterprises/94610, Prop. Shri Vijay Kumar with my team.
3. I have personally visited the site of proposal and certify that no Mining activity has been undertaken on the project site for the present proposal.
4. I am satisfied that all the necessary data/ information submitted along with Application / EMP are true and correct.
5. I certify that this project proposal has been uploaded for the first time on Parivesh Portal.
6. I certify that there will be no mismatch between information/data provided on the online application submitted on Parivesh Portal and the hard copy/presentation which will be submitted after acceptance of application.
7. The EMP report for the Proposal is prepared by my team as per guidelines laid down by QCI/NABET.

RESOLUTION AGAINST AGENDA NO. 09

The committee discussed the matter and recommended grant of environmental clearance for the project proposal along with general and specific conditions as annexed at Annexure-1 to these minutes. The committee also stipulated the following specific conditions:

1. Project proponent has committed to plant 1000 number of trees/hectare. The project proponent/consultant if desires may approach to concerned District Forest Authority to plant 1000 trees/ha on a land available to the Forest Department. The project proponent will deposit the required amount for this entire plantation work (including its maintenance and security) to the Forest Department.
2. The project proponent shall install solar light in their site office.
3. During the submission of 6 monthly compliance reports, the project proponent should make sure that the periodically taken site photographs should also be annexed along with the compliance report.
4. Preference should be given to indigenous local species as per the consultation of the local district Forest Officer.
5. The maximum height of the bench should be 06 meters and the width of the bench should be at least twice the height of the bench as per the mine plan approval letter by DGM, U.P
6. In case the blasting is proposed during a mining operation, the project proponent needs to assess its impact on the displacement of human beings/wild animals/birds/other species, and the suitable measures proposed and taken for their rehabilitation and resettlement need to be clearly described in first 6 monthly compliance report.
7. The project proponent shall submit a final mine closure plan/Exit protocol for rehabilitation of mined-out land to match its surrounding land use 3years before the closure of the mine to SEIAA, UP and Department of Mines and Geology, UP for approval. The project proponent shall ensure the implementation of the approved plan under the supervision of the Dept. of Mines and Geology.
8. The project proponent shall plan and implement collection drain and siltation basins of adequate size to arrest the silt and sediment flow from the quarry area. The surface runoff rainwater harvesting and other water conservation measures on a long-term basis are to be taken in consultation with the Central/State Groundwater Board. The water so collected should be utilized for watering the haulage area, roads, and green belt development, etc.
9. The project proponent shall take all suitable measures to prevent pollution of groundwater and nearby water bodies in consultation with the State Pollution Control Board and consent to operate (if applicable) should be obtained from the State Pollution Control Board before the start of production from the mine.
10. Link Road from the quarry site to the main road shall be constructed as an all-weather road with blacktopping and maintained by the project proponent.
11. Vehicular emissions should be kept under control and regularly monitored. Suitable measures shall be taken for proper maintenance of vehicles used in a quarry operation and transportation.
12. The project proponent should explore the possibilities of rainwater harvesting.
13. Agreement/ Consent between project proponent and competent authority/ landowner for haulage road from lease site to link road.
14. Latest technology (water sprinklers/ tankers) to be adopted for mitigating dust at source points in lease area and haulage road during operational activity/vehicular movement.
15. As per the proposed plan, plantation with area specific plant species, number of plants to be Planted and report of green belt development to be submitted to the concerning department

10. IT/ITES Park "Infosys- Noida Campus" at plot no. A-01 to A-06, Sector-85, Noida, Dist-Gautam Budha Nagar, Shri Guruprakash Sastry, M/s Infosys Ltd., File No. 4620/4419/Proposal No. SIA/UP/MIS/298034/2023

The Secretariat informed the committee that the environmental clearance for the above project was issued by SEIAA, U.P. vide letter no. 721/Parya/SEAC/4620-4419/2019, dated 07/03/2019 for the plot area 1,11,610 sqm and built up area 5,35,473.7 sqm respectively.

The project proponent through letter dated 24/02/2023 informed that due to change in planning of the project the built up area will decrease from 5,35,437.7 sqm to 3,15,692.96 sqm. Hence, the project proponent applied for amendment in environmental clearance through online Parivesh portal on 28/02/2023.

A presentation was made by the project proponent along with their consultant M/s Perfect Enviro Solutions Pvt. Ltd. The proponent, through the documents submitted and the presentation made, informed the committee that:-

1. The amendment in environmental clearance is sought for IT/ITES Park "Infosys Noida Campus" at plot no. A-01 to A-06, Sector-85, Noida, Dist-Gautam Budha Nagar, U.P., M/s Infosys Ltd.

2. Details of existing proposal and proposed amendment in E.C letter dated 07/03/2019:

Particulars	Unit	Details As per EC dated 07.03.2019	Details of Amendment	Remarks
Cost of the project	Rs. in Crores	2500	1800	Decrease by 700
Plot Area	sqm.	111610.0	111610.0	No change
G.C (Permissible)	sqm.	33483.0	33483.00	No change
G.C (Ach)	sqm.	27920.05	25670.3	Decrease by 2249.75
FAR Permissible	sqm.	397890	397890	No change
Proposed FAR(A)	sqm.	345991.0	182305.696	Decrease by 163685.304
Permissible service FAR	sqm.	51898.65	51898.65	No Change
Proposed Service FAR (B)	sqm.	49278.76	641.26	Decrease by 48637.5
NON FAR AREA				
Non FAR Service (C)	sqm.	6746.01	2426	Decrease by 4320.01
MLCP Area (D)	sqm.	88287.06	75468	Decrease by 12819.06
Basement area(E)	sqm.	45170.84	54852	Increase by 9681.16
Built-up Area (A+B+C+D+E)	sqm.	535473.67	315692.96	Decrease by 219780.74
Total Green Area	sqm.	41,420.00	41420.00	No change
Total Open & Road Area	sqm.	42,269.95	44519.7	Increase by 2249.7
Activities in complex		IT/ITES Park	IT/ITES Park	No change
No of Towers	No.	6	9	Increase by 3
No. of Floors	No.	B+G+42	B+G+17	Decrease by 25
Max. height of building(upto terrace level)	m	300.00	84.0	Decrease by 216
No of training facility rooms	No.	550.00	None	Decrease by 550
Basement	No.	1	1	No Change

3. Population details:

Particulars	Unit	Details As per EC dated 07.03.2019	Details of Amendment	Remarks
Office Staff	No	35,627	20,000	Decrease by 15627
Residential training facility	No	1,000	0	Decrease by 1000
Support staff	No	882	600	Decrease by 282
Visitors	No	76	100	Increase by 24

Total Population	No	37,585	20,700	Decrease by 16885
------------------	----	--------	--------	-------------------

4. Parking details:

Particulars	Unit	Details As per EC dated 07.03.2019	Details of Amendment	Remarks
Parking Required	ECS	6920	3646	Decrease by 3274
Parking provision	ECS	6955	3657	Decrease by 3298

5. Salient features of proposed amended project:

Particulars	Unit	Details As per EC dated 07.03.2019	Details of Amendment	Remarks
Power load	MW	19.84	11	Decrease by 8.84
Source		State Electricity Board		No change
No. of DG sets	kVA	6x 3000, 2x 2000 and stand by 2 x 3000 & 2 x 2000	5 x 2000 + 1x 1010 and Stand by 1 x 2000 & 1 x 1000 + 1 x 750	Decrease-10990 and Standby arrangement Reduced by- 6250
Rainwater Collection Details	No.	2200 cum collection tank	2200 cum collection tank & 3 retention pond	No Change
Water requirement	KLD	2,075	862	Decrease by 1,213
Fresh water requirement	KLD	875	375	Decrease by 477
Grey Water Treatment Plant	KLD	1750	215	Decrease
Black Water Treatment Plant	KLD		330	Decrease
Total Solid Waste	Kg/day	5,938	3,105.00	Decrease by 2883
Biodegradable waste	Kg/day	4,156	1301	Decrease by 2895
Non- Biodegradable	Kg/day	1,782	1804	Increase by 62

The project proponent requested to amend the environmental clearance dated 07/03/2019 as per above project details.

RESOLUTION AGAINST AGENDA NO-10

The committee discussed the matter and recommended to amend the environmental clearance letter no. 721/Parya/SEAC/4620-4419/2019, dated 07/03/2019 as per above project details. All the other contents mentioned in Environmental Clearance letter dated 07/03/2019 shall remain the same.

11. Sasnai Sand/Morrum Deposit On Son River located at Araj No. 531 Anga, Khand- 03, Village- Sasnai, Tehsilobra, District- Sonbhadra, Shri Mudit Verma, Area: 12.146 Ha., File No. 6689/ Proposal No. SIA/UP/MIN/69260/2021

RESOLUTION AGAINST AGENDA NO. 11

The project proponent/consultant did not appear. The committee discussed and deliberated that the project file should be closed and be opened only after request from the project proponent. The file shall not be treated as pending at SEAC. The matter will be discussed only after submission of online requests on prescribed online portal.

12. Building stone, Khanda, Boulder ,Gitti Mining Project” at Gata No: 1498, Pahra, Tehsil: Sadar, District: Mahoba, U.P., Shri Shiv Vijay Singh Area: 2.0243 Ha. File No. 6460/ Proposal No.SIA/UP/MIN/65908/2021.

RESOLUTION AGAINST AGENDA NO. 12

The Secretariat informed the committee that the environmental clearance for the above project has already been issued by SEIAA, U.P. through EC Identification No. EC23B001UP115989 dated 02/03/2023. Hence, no action is required in the matter.

13. Discussion on O.A No- 549/2019 Order dated 07-02-2023 .

The Secretariat informed the committee that the above Hon'ble NGT, court order dated 07/02/2023 discussed in 697th SEAC meeting dated 22/02/2023 wherein:

"SEIAA gone through the order of O.A no- 549/2019 Order dated 07-02-2023 and opined to refer the order to SEAC-2 for review / revisit the EC in light of judgment of EC."

As per the decision of SEIAA, the matter was listed in 740th SEAC meeting dated 29/03/2023. The committee has gone through the Hon'ble NGT, Court Order dated 07/02/2023 and is of the opinion that the SEIAA may taken necessary action in the matter as per E.P. Act, 1983/EIA Notification, 2006 (as amended) and MoEFCC Notification dated 28/02/2014 in compliance of Hon'ble NGT order.

14. Korrakanak Sand Mining Project at Khand no. 2, Village-Korra Kanak, Tehsil & District-Fatehpur, Shri Kanwar Singh, File No. 7379/4691/ Proposal No. SIA/UP/MIN/ 296040/2022.

The Secretariat informed the committee that the matter was earlier discussed in 718th SEAC meeting dated 10/01/2023 and the SEAC recommended to grant the extension of terms of reference letter dated 22/02/2019 for additional one year. Subsequently, SEIAA take up the matter in its 699th meeting dated 27/02/2023 wherein:

"SEIAA noted that terms of reference for the above proposal was issued by SEIAA, U.P. vide letter no. 694/Parya/SEAC/4379/2018, dated 22/02/2019 for the leased area 40.48 ha with production capacity 6,07,200 m3. After that District Magistrate, Fatehpur issued revised Lol vide its office order no. 1280/30- Mining (2022-23), dated 30/11/2022 along with demarcation report, Revised Mining Plan was approved by DGM. SEIAA opined to refer back the project to SEAC to review the extension of validity of ToR since Lol, demarcation report and Mining Plan has been revised."

As per the decision of SEIAA, the matter was listed in 740th SEAC meeting dated 29/03/2023. The committee discussed the matter and directed the project proponent to submit the reply of queries raised by SEIAA in its meeting dated 27/02/2023 and present the reply before SEAC.

(Prof. Jaswant Singh)
Member

(Dr. Amrit Lal Haldar)
Member

(Dr. Dineshwar Prasad Singh)
Member

(Tanzar Ullah Khan)
Member

(Dr. Shiv Om Singh)
Member

(Dr. Harikesh Bahadur Singh)
Chairman

(Ashish Tiwari)
Member-Secretary

Nodal, SEAC-2

MoM prepared by Secretariat in consultation with
Chairman & Members on the basis of decisions
taken by SEAC-2 during the meeting.

Annexure-1

General and Specific Conditions for Gitti, Patthar & Boulder Mining Projects: -

A. General Conditions:

1. This environmental clearance is subject to allotment of mining lease in favour of project proponent by District Administration/Mining Department.
2. Forest clearance shall be taken by the proponent as necessary under the law.
3. Any addition of the mining area, change of Khasra numbers, enhancement of capacity, change in mining technology, modernization, and scope of working shall again require prior environmental clearance as per EIA notification, 2006.
4. No change in the calendar plan including excavation, the quantum of mineral and waste shall be made.
5. Mining will be carried out as per the approved mining plan. In case of any violation of the mining plan, the Environmental Clearance given by SEIAA will stand cancelled.
6. Four ambient air quality monitoring stations shall be established in the core zone as well as in the buffer zone for RSPM, SPM, SO₂, NO_x monitoring. The location of the stations should be decided based on the meteorological data, topographical features, and environmentally and ecologically sensitive targets and frequency of monitoring should be undertaken in consultation with the State Pollution Control Board. The monitored data for criteria pollutants shall be regularly uploaded on the company's website and also displayed on the website.
7. Data on ambient air quality (RPM, SPM, SO₂, NO_x) should be regularly submitted to the Integrated Regional Office, MoEF&CC, GoI, Lucknow and the State Pollution Control Board / Central Pollution Control Board once in six months.
8. Ambient air quality at the boundary of the mine premises shall conform to the norms prescribed in MoEF notification no. GSR/826(E) dated 16.11.09.
9. Fugitive dust emissions from all the sources shall be controlled regularly. Water spraying arrangement on haul roads, loading and unloading, and at transfer points shall be provided and properly maintained.
10. Measures shall be taken for control of noise levels below 85 dBA in the work environment. Workers engaged in operations of HEMM, etc. shall be provided with earplugs/muffs and health records of the workers shall be maintained.
11. Industrial wastewater (workshop and wastewater from the mine) should be properly collected, treated to conform to the standards prescribed under GSR 422 (E) dated 19th May 1993 and 31st December 1993 or as amended from time to time. Oil and grease traps shall be installed before the discharge of workshop effluents.
12. Personnel working in areas shall be provided with protective respiratory devices like masks and they shall also be imparted adequate training and information on safety and health aspects.
13. Special measures shall be adopted to prevent the nearby settlements from the impacts of mining activities.
14. The transportation of the materials shall be limited to the day hours' time only.
15. Provision shall be made for housing the laborers within the site with all necessary infrastructure and facilities such as fuel for cooking, mobile toilets, safe drinking water, medical health care, crèche, etc. The housing may be in the form of temporary structures to be removed after the completion of the project.
16. A separate Environmental Management Cell with suitably qualified personnel shall be setup under the control of a Senior Executive, who will report directly to the Head of the Organization.
17. The Project Proponent shall inform the Integrated Regional Office, MoEF&CC, GoI, Lucknow and State Pollution Control Board regarding the date of financial closures and final approval of the project by the concerned authorities and the date of start of land development work.

18. The funds earmarked for environmental protection measures shall be kept in a separate account and shall not be diverted for other purposes. The year-wise expenditure shall be reported to the Integrated Regional Office, MoEF&CC, GoI, Lucknow and State Pollution Control Board
19. The Integrated Regional Office, MoEF&CC, GoI, Lucknow and State Pollution Control Board shall monitor compliance with the stipulated conditions. A complete set of documents including Environment Impact Assessment Report, Environmental Management Plan, Public hearing, and other documents information should be given to the Integrated Regional Office, MoEF&CC, GoI, Lucknow and State Pollution Control Board
20. A copy of the environmental clearance shall be submitted by the Project Proponent to the Heads of the Local Bodies, Panchayat, and Municipal Bodies as applicable in the matter.
21. The Project Proponent shall advertise at least in two local newspapers widely circulated, one of which shall be in the vernacular language of the locality concerned, within 7 days of the issue of the clearance letter informing that the project has been accorded environmental clearance and a copy of the clearance letter is available with the State Level Environment Impact Assessment Authority (SEIAA).
22. The Project Proponent has to submit a regular half-yearly compliance report of the stipulated prior environmental clearance terms and conditions in hard and soft copy to the SEIAA, U.P. on 1st June and 1st December of each calendar year.
23. The SEIAA may alter/modify the above conditions or stipulate any further condition in the interest of environmental protection.
24. Concealing factual data or submission of false/fabricated data and failure to comply with any of the conditions mentioned above may result in withdrawal of this clearance and attract action under the provisions of the Environment (Protection) Act, 1986.

B. Specific Conditions:

1. At the time of operation, the project proponent will comply with all the guidelines issued by the Government of India/State Govt./District Administration related to Covid-19.
2. This environmental clearance does not create or verify any claim of the applicant on the proposed site/activity.
3. In case it has been found that the E.C. obtained by providing incorrect information, submitting that the distance between the two adjoining mines is greater than 500mt. and the area is less than 05ha, but factually the distance is less than 500 mt, and the mine is located in the cluster of area equal to or more than 05ha, the E.C issued will stand revoked.
4. This environmental clearance shall be subject to a valid lease in favor of the project proponent for the proposed mining proposals. In case, the project proponent does not have a valid lease, this environmental clearance shall automatically become null and void.
5. The Environmental clearance will be co-terminus with the mining lease period/Mining Plan whichever is less. The Mining plan approved by the Dept. of Mines and Geology shall be strictly implemented and shall not be operated beyond the validity period.
6. Explosive cannot be stored on the site. The Project proponent shall take approval from Chief Controller of Explosive, if applicable for use or storage of explosive or any such materials.
7. A comprehensive EIA including mining areas within 15 K.M. to assess the impact of the mining activity on the surrounding area shall be undertaken and a report submitted to this Authority within one year.
8. No two pits shall be simultaneously worked i.e. before the first is exhausted and reclamation work completed, no mineral bearing area shall be worked.
9. After exhausting the first mine pit and before starting mining operations in the next pit, reclamation and plantation work in the exhausted pit shall be completed to ensure that reclamation, forest cover, and vegetation are visible during the first year of mining operations in the next pit. This process will follow till the last pit is exhausted. Adequate rehabilitation of mined pit shall be completed before any new ore-bearing area is worked for expansion.
10. An adequate buffer zone shall be maintained between two consecutive mineral-bearing deposits.
11. The sprinkling of water on haul roads to control dust will be ensured by the project proponent.

12. Green belt development shall be carried out considering CPCB guidelines including the selection of plant species and in consultation with the local DFO / Agriculture Department. Herbs and shrubs shall also form a part of the afforestation programme besides tree plantation. The company shall involve local people in the plantation programme. Details of year-wise afforestation programme including rehabilitation of mined-out area shall be submitted to the Integrated Regional Office, MoEF&CC, GoI, Lucknow every year.
13. Blast vibrations study shall be conducted and an observation report submitted to the Integrated Regional Office, MoEF&CC, GoI, Lucknow and UPPCB within six months. The report shall also include measures for the prevention of blasting associated impact on nearby houses and agricultural fields.
14. Controlled blasting techniques with sequential blasting shall be adopted. The blasting shall be carried out in the daytime only. The project proponent shall ensure prevention of displacement of human beings/wild animals/birds etc. and in case any such displacement is caused due to blasting/mining operation by any chance the project proponent shall take suitable measures for their rehabilitation and resettlement.
15. Appropriate arrangement for shelter and drinking water for the mining workers has to be ensured at the mining site.
16. Maintenance of village roads used for transportation of minerals is to be done by the company regularly at its own expenses. The link roads from mining area to main road shall be constructed as all-weather road with black topping and maintained by the project proponent.
17. The surface runoff rain water harvesting/rain water recharge and water conservation measures will be taken by project proponent in consultation with central /State ground water Board .The project proponent shall plan and implement collection drain and siltation basins of adequate size to arrest the silt and sediment flows from the mining area. The supernatant of the siltation basin and rain water harvested water shall be utilized for watering the haulage area, roads and green belt development etc.
18. Status of implementation shall be submitted to the Integrated Regional Office, MoEF&CC, GoI, Lucknow and UP Pollution Control Board within six months and thereafter every year from the next consequent year.
19. The self-environmental audit shall be conducted annually. Every three years third-party environmental audit shall be carried out.
20. Measures for prevention and control of soil erosion and management of silt shall be undertaken. Protection of dumps against erosion shall be carried out with geotextile matting or other suitable material, and thick plantations of native trees and shrubs shall be carried out at the dump slopes. Dumps shall be protected by retaining walls.
21. Trenches/garland drains shall be constructed at foot of dumps and coco filters installed at regular intervals to arrest silt from being carried to water bodies. An adequate number of Check Dams and Gully Plugs shall be constructed across seasonal/perennial nallahs if any flowing through the ML area and silts arrested. De silting at regular intervals shall be carried out.
22. Garland drain of appropriate size, gradient, and length shall be constructed for both mine pit and waste dump and sump capacity shall be designed keeping 50% safety margin over and above peak sudden rainfall (based on 50 years data) and maximum discharge in the area adjoining the mine site. Sump capacity shall also provide an adequate retention period to allow proper settling of silt material. Sedimentation pits shall be constructed at the corners of the garland drains and de silted at regular intervals.
23. Ground and surface water, if any in and near the core zone (within 5.0 km of the lease) shall be regularly monitored for contamination and depletion due to mining activity and records maintained. The monitoring data shall be submitted to the Integrated Regional Office, MoEF&CC, GoI, Lucknow and U.P. Pollution Control Board regularly. Further, monitoring points shall be located between the mine, and drainage in the direction of flow of groundwater shall be set up and records maintained.
24. Fugitive dust generation shall be controlled. Fugitive dust emission shall be regularly monitored at locations of nearest human habitation (including schools and other public amenities located nearest to sources of dust generation as applicable) and records submitted to the Integrated Regional Office, MoEF&CC, GoI, Lucknow and U.P. Pollution Control Board regularly.

25. Baseline data for ambient air quality shall be generated and maintained and RSPM level in ambient air in the nearby human habitation (villages) shall also be monitored along with other parameters.
26. Corporate Environmental Responsibility (CER) shall be by the project proponent and the details of the various heads of expenditure are to be submitted as per the guidelines provided in the recent CER notification No. 22-65/2017-IA.III dated 01/05/2018. Work to be executed with the installation of five hand pumps for drinking water, solar light in villages of streets, construction of two numbers of toilets at the primary school with name displayed and address and details of the beneficiary and gram Pradhan along with phone number, photographs should be submitted to Directorate as well as to the District Magistrate / Chief Development officers.
27. Transportation of minerals shall be done by covering the trucks with tarpaulin or other suitable mechanisms so that no spillage of mineral/dust takes place.
28. Occupational health and safety measures for the workers including identification of work-related health hazards, training on malaria eradication, HIV, and health effects on exposure to mineral dust, etc. shall be carried out. Periodic monitoring for exposure to respirable mineral dust on the workers shall be conducted and records maintained including the health records of the workers. Awareness programmes for workers on the impact of mining on their health and precautionary measures like the use of personal protective equipment etc. shall be carried out periodically. A review of the impact of various health measures shall be conducted followed by follow-up action wherever required.
29. The project proponent will ensure for employing local people as per requirement, necessary protection measures around the mine pit and waste dump, and garland drain around the mine pit and waste dump.
30. Topsoil / solid waste shall be stacked properly with proper slope and adequate safeguards and shall be utilized for backfilling (wherever applicable) for reclamation and rehabilitation of the mined-out area. Topsoil shall be separately stacked for utilization later for reclamation and shall not be stacked along with overburden.
31. Overburden (OB) shall be stacked at the earmarked dump site(s) only and shall not be kept active for long period. The maximum height of the dump shall not exceed 20 m, each stage shall preferably be of a maximum of 10 m and the overall slope of the dump shall not exceed 35°. The OB dump shall be backfilled. The OB dumps shall be scientifically vegetated with suitable native species to prevent erosion and surface runoff.
32. Monitoring and management of rehabilitated areas shall continue until the vegetation becomes self-sustaining. Compliance status shall be submitted to the Regional Office, Ministry of Environment & Forests, GoI, Lucknow, and U.P. Pollution Control Board on a six-monthly basis.
33. The slope of the mining bench and ultimate pit limit shall be as per the mining scheme approved by the Indian Bureau of Mines.
34. Permission for the abstraction of groundwater shall be taken from Central Ground Water Board. Regular monitoring of ground and surface water sources for level and quality shall be carried out by establishing a network of existing wells and constructing new piezometers during the mining operation. The monitoring shall be carried out four times in a year i.e., premonsoon (April/May), monsoon (August), post-monsoon (November), and winter (January), and the data thus collected shall be regularly sent to MoEF&CC, Central Ground Water Authority, and Regional Director, Central Ground Water Board.
35. The wastewater from the mine shall be treated to conform to the prescribed standards before discharging into the natural stream. The discharged water from the Tailing Dam, if any shall be regularly monitored and report submitted to the Integrated Regional Office, MoEF&CC, GoI, Lucknow, Central Pollution Control Board, and the State Pollution Control Board.
36. Hydrogeological study of the area shall be reviewed by the project proponent annually. In case the adverse effect on groundwater quality and quantity is observed mining shall be stopped and resumed only after mitigating steps to contain any adverse impact on groundwater is implemented.
37. Vehicular emissions shall be kept under control and regularly monitored. Vehicles used for transportation of minerals and others shall have valid permissions as prescribed under Central Motor Vehicle Rules, 1989 and its amendments. The vehicles transporting minerals shall be

- covered with a tarpaulin or other suitable enclosures so that no dust particles / fine matters escape during the period of transportation. No overloading of minerals for transportation shall be committed. The trucks transporting minerals shall not pass through the wildlife sanctuary if any in the study area.
38. Prior permission from the Competent Authority shall be obtained for the extraction of groundwater if any.
 39. A final mine closure plan, along with details of Corpus Fund, shall be submitted to the Integrated Regional Office, MoEF&CC, GoI, Lucknow and U.P. Pollution Control Board 5 years in advance of final mine closure for approval.
 40. Project Proponent shall explore the possibility of using solar energy where ever possible.
 41. Commitment towards CER has to be followed strictly.
 42. Regular health checkup record of the mineworkers has to be maintained at the site in a proper register. It should be made available for inspection whenever asked.
 43. Project Proponent has to strictly follow the direction/guidelines issued by MoEF&CC, CPCB, and other Govt. Agencies from time to time.
 44. The blasting will be done only after getting permission from the Mining Department.

General and Specific Conditions for Sand/Morum Mining Proposals

General Conditions:

1. This environmental clearance is subject to allotment of mining lease in favour of project proponent by District Administration/Mining Department.
2. Forest clearance shall be taken by the proponent as necessary under law.
3. Any change in mining area, khasra numbers, entailing capacity addition with change in process and or mining technology, modernization and scope of working shall again require prior Environmental Clearance as per the provisions of EIA Notification, 2006 (as amended).
4. Precise mining area will be jointly demarcated at site by project proponent and officials of Mining/Revenue department prior to starting of mining operations. Such site plan, duly verified by competent authority along-with copy of the Environmental Clearance letter will be displayed on a hoarding/board at the site. A copy of site plan will also be submitted to SEIAA within a period of 02 months.
5. Mining and loading shall be done only within day hours' time.
6. No mining shall be carried out in the safety zone of any bridge and/or embankment.
7. It shall be ensured that standards related to ambient air quality/effluent as prescribed by the Ministry of Environment & Forests are strictly complied with. Water sprinklers and other dust control majors should be applied to take-care of dust generated during mining operation. Sprinkling of water on haul roads to control dust will be ensured by the project proponent.
8. All necessary statutory clearances shall be obtained before start of mining operations. If this condition is violated, the clearance shall be automatically deemed to have been cancelled.
9. Parking of vehicles should not be made on public places.
10. No tree-felling will be done in the leased area, except only with the permission of Forest Department.
11. No wildlife habitat will be infringed.
12. It shall be ensured that excavation of minor mineral does not disturb or change the underlying soil characteristics of the river bed /basin, where mining is carried out.
13. It shall be ensured that mining operation of Sand/Moram will not in any way disturb the, velocity and flow pattern of the river water significantly.
14. It shall be ensured that there is no fauna dependant on the river bed or areas close to mining for its nesting. A report on the same, vetted by the competent authority shall be submitted to the RO, PCB and SEIAA within 02 months.
15. Primary survey of flora and fauna shall be carried out and data shall be submitted to the RO, PCB and SEIAA within six months.
16. Hydro-geological study shall be carried out by a reputed organization/institute within six months and establish that mining in the said area will not adversely affect the ground water regime. The report shall be submitted to the RO, PCB and SEIAA within six months. In case adverse impact is observed /anticipated, mining shall not be carried out.
17. Adequate protection against dust and other environmental pollution due to mining shall be made so that the habitations (if any) close by the lease area are not adversely affected. The status of implementation of measures taken shall be reported to the RO, UPPCB and SEIAA and this activity should be completed before the start of sand mining.
18. Need-based assessment for the nearby villages shall be conducted to study economic measures which can help in improving the quality of life of economically weaker section of society. Income generating projects/tools such as development of fodder farm, fruit bearing orchards, vocational training etc. can form a part of such program me. The project proponent shall provide separate budget for community development activities and income generating programmes.
19. Green cover development shall be carried out following CPCB guidelines including selection of plant species and in consultation with the local DFO/Horticulture Officer.
20. Separate stock piles shall be maintained for excavated top soil, if any, and the top soil should be utilized for green cover/tree plantation.
21. Dispensary facilities for first-aid shall be provided at site.
22. An Environmental Audit should be annually carried out during the operational phase and submitted to the SEIAA.

23. The District Mining Officer should quarterly monitor compliance of the stipulated conditions. The project proponent will extend full cooperation to the District Mining Officer by furnishing the requisite data/information/monitoring reports. In case of any violations of stipulated conditions the District Mining Officer will report to SEIAA.
24. The project proponent shall submit six monthly reports on the status of compliance of the stipulated environmental clearance conditions including results of monitored data (both in hard & soft copies) to the SEIAA, the District Officer and the respective Regional Office of the State Pollution Control Board by 1st June and 1st December every year.
25. A copy of the clearance letter shall be sent by the proponent to concerned Panchayat, Zila Parisad/ Municipal Corporation and Urban Local Body.
26. Transportation of materials shall be done by covering the trucks / tractors with tarpaulin or other suitable mechanism to avoid fugitive emissions and spillage of mineral/dust.
27. Waste water, from temporary habitation campus be properly collected & treated before discharging into water bodies the treated effluent should conform to the standards prescribed by MoEF/CPCB.
28. Measures shall be taken for control of noise level to the limits prescribed by C.P.C.B.
29. Special Measures shall be adopted to protect the nearby settlements from the impacts of mining activities. Maintenance of Village roads through which transportation of minor minerals is to be undertaken, shall be carried-out by the project proponent regularly at his own expenses.
30. Measure for prevention & control of soil erosion and management of silt shall be undertaken. Protection of dumps against erosion, if any, shall be carried-out with geo textile matting or other suitable material.
31. Under corporate social responsibility a sum of 5% of the total project cost or total income whichever is higher is to be earmarked for total lease period. Its budget is to be separately maintained. CER component shall be prepared based on need of local habitant. Income generating measures which can help in upliftment of poor section of society, consistent with the traditional skills of the people shall be identified. The programme can include activities such as development of fodder farm, fruit bearing orchards, free distribution of smokeless Chula etc.
32. Possibility for adopting nearest three villages shall be explored and details of civic amenities such as roads, drinking water etc proposed to be provided at the project proponent's expenses shall be submitted within 02 months from the date of issuance of Environment Clearance.
33. The funds earmarked for environmental protection measures should be kept in separate account and should not be diverted for other purpose. Year wise expenditure should be reported to the Integrated Regional Office, MoEF&CC, GoI, Lucknow, SEIAA, U.P and UPPCB.
34. Action plan with respect to suggestion/improvement and recommendations made and agreed during Public Hearing shall be submitted to the District mines Officer, concern Regional Officer of UPPCB and SEIAA within 02 months.
35. Environmental clearance is subject to obtaining clearance under the Wildlife (Protection) Act, 1972 from the competent authority, if applicable to this project.
36. The proponent shall observe every 15 day for nesting of any turtle in the area. Based on the observations so made, if turtle nesting is observed, necessary safeguard measures shall be taken in consultation with the State Wildlife Department. For the purpose, awareness shall be created amongst the workers about the nesting sites so that such sites, if any, are identified by the workers during operations of the mine for taking required safeguard measures. In this regards the safety notified zone should be left so that the habitat/nesting area is undisturbed.
37. The project proponent shall undertake adequate safeguard measures during extraction of river bed material and ensure that due to this activity the hydro geological regime of the surrounding area shall not be affected.
38. The project proponent shall obtain necessary prior permission of the competent Authorities for withdrawal of requisite quantity of water (surface water and groundwater), required for the project.
39. Appropriate mitigative measures shall be taken to prevent pollution of the river in consultation with the State Pollution Control Board. It shall be ensured that there is no leakage of oil and grease in the river from the vehicles used for transportation.
40. Vehicular emissions shall be kept under control and regularly monitored. The vehicles carrying the mineral shall not be overloaded.
41. Provision shall be made for the housing of construction labour within the site with all necessary infrastructure and facilities such as fuel for cooking, mobile toilets, mobile STP, safe drinking water, medical health care, crèche etc. (MoEF circular Dated : 22-09-2008 regarding stipulation of condition to improve the living conditions of construction labour at site).

42. Personnel working in dusty areas should wear protective respiratory devices and they should also be provided with adequate training and information on safety and health aspects. Occupational health surveillance program of the workers should be undertaken periodically to observe any contractions due to exposure to dust and take corrective measures, if needed.
43. A copy of the clearance letter shall be sent by the proponent to concerned Panchayat, Zila Parishad/ Municipal Corporation, Urban Local Body and the Local NGO, if any, from whom suggestions/ representations, if any, were received while processing the proposal. The clearance letter shall also be put on the website of the Company by the proponent.
44. The environmental statement for each financial year ending 31st March in Form-V as is mandated to be submitted by the project proponent to the concerned State Pollution Control Board as prescribed under the Environment (Protection) Rules, 1986, as amended subsequently, shall also be put on the website of the company along with the status of compliance of environmental clearance conditions and shall also be sent to the Integrated Regional Office, MoEF&CC, GoI, Lucknow by e-mail.
45. The green cover development/tree plantation is to be done in an area equivalent to 20% of the total leased area either on river bank or along road side (Avenue Plantation).
46. Debris from the river bed will be collected and stored at secured place and may be utilized for strengthen the embankment.
47. Safety measures to be taken for the safety of the people working at the mine lease area should be given, which would also include measure for treatment of bite of poisonous reptile/insect like snake.
48. Periodical and Annual medical checkup of workers as per Mines Act and they should be covered under ESI as per rule.

Specific Conditions:

1. The Environmental clearance will be co-terminus with the mining lease period/mining plan whichever is less.
2. At the time of operation, project proponent will comply with all the guidelines issued by Government of India/State Govt./District Administration related to Covid-19.
3. Environment management in according to environmental status and impact of the project.
4. During the school opening and closing time transportation of minerals will be restricted.
5. Selection of plants for green belt should be on the basis of pollution removal index. Project proponent should ensure survival of tree saplings. Mortality should be replaced from time to time.
6. No mining activity should be carried out in-stream channel as per SSMMG, 2016.
7. Pakkamotorable haul road to be maintained by the project proponent.
8. A separate Environmental Management Cell with suitable qualified personnel shall be set-up under the control of a Senior Executive, who will report directly to the Head of the Organization.
9. Permission from the competent authority regarding evacuation route should be taken.
10. One month monitoring report of the area for air quality, water quality, Noise level. Besides flora & fauna should be examined twice a week and be submitted within 45 days for a record.
11. Provision for cylinder to workers should be made for cooking.
12. The capacity of trucks/tractor for loading purpose will be in tonnes as per Transport Department applicable norms and standard fixed by the Government.
13. Approach road kaccha is to be made motarable and tree saplings to be planted on both sides of the road. Width of the haul road shall be more than 6 meter.
14. Indigenous plants should be planted according to CPCB guidelines and in consultation with local Divisional Forest Officer.
15. The project proponent shall in 2 years conduct detailed replenishment study duly authenticated by a QCI-NABET accredited consultant, and the District Mines Officer.
16. Provision for two toilets and hand pumps should be made at mining site.
17. Drinking water for workers would be provided by tankers.
18. Mining should be done by Bar scalping methods extraction (typically 0.3 -0.6 m or 1 - 2 ft) as per sustainable sand mining management guidelines 2016.
19. A buffer/safe zone shall be maintained from the habitation as per mining guidelines.
20. Corporate Environmental Responsibility (CER) plan shall be prepared by the project proponent and the details of the various heads of expenditure to be submitted as per the guidelines provided in the recent CER notification No. 22-65/2017-IA.III dated 01/05/2018.

21. Health/Insurance card, Medical claim, regular health check-up camps, facilities shall be provided to the regular/temporary/Contractual or any base workers. Copy of receipt shall be produced to the Directorate of Environment along with the compliance report.
22. Measure for conservation of water through rainwater harvesting and cleaning and maintenance of natural surface water bodies of the nearby areas may be considered as one of the activity in CER.
23. The excavated mining material should be carried and transported in such a way that no obstruction to the free flow of water takes place. Suitable measure should be taken and details to be provided to concern Department.
24. Submit annual replenishment report certified by an authorized agency. In case the replenishment is lower than the approved rate of production, then the mining activity / production levels shall be decreased / stopped accordingly till the replenishment is completed.
25. The project proponent shall ensure that if the project area falls within the eco-sensitive zone of National park/ Sanctuary prior permission of statutory committee of National board for wild life under the provision of Wildlife (Protection) Act, 1972 shall be obtained before commencement of work.
26. If in future this lease area becomes part of cluster of equal to or more than 05 ha. then additional conditions based on the EIA shall be imposed. The lease holder shall mandatorily follow cluster conditions otherwise it will amount to violation of E.C. conditions. If the certificate related to cluster provided by the competent authority is found false or incorrect then punitive actions as per law shall be initiated against the authority issuing the cluster certificate.
27. Project falling within 10 KM area of Wild Life Sanctuary is to obtain a clearance from National Board Wild Life (NBWL) even if the eco-sensitive zone is not earmarked.
28. To avoid ponding effect and adverse environmental conditions for sand mining in area, progressive mining should be done as per sustainable sand mining management guidelines 2016.
29. In case it has been found that the E.C. obtained by providing incorrect information, submitting that the distance between the two adjoining mines is greater than 500mt. and area is less than 05 ha, but factually the distance is less than 500 mt and the mine is located in cluster of area equal or more than 05 ha, the E.C issued will stand revoked.
30. The project proponent shall in 2 years conduct detailed replenishment study duly authenticated by a QCI-NABET accredited consultant, and the District Mines Officer which shall form the basis for midterm review of conditions of Environmental Clearance.
31. The mining work will be open-cast and manual/semi mechanized (subject to orders). Heavy machine such as excavator, scooper etc. should not be employed for mining purpose. No drilling/blasting should be involved at any stage.
32. It shall be ensured that there shall be no mining of any type within 03 m or 10% of the width which-ever is less, shall be left on both the banks of precise area to control and avoid erosion of river bank. The mining is confined to extraction of sand/moram from the river bank only.
33. The project proponent shall undertake adequate safeguard measures during extraction of river bank material and ensure that due to this activity the hydro-geological regime of the surrounding area shall not be affected.
34. The project proponent shall adhere to mining in conformity to plan submitted for the mine lease conditions and the Rules prescribed in this regard clearly showing the no work zone in the mine lease i.e. the distance from the bank of river to be left un-worked (Non mining area), distance from the bridges etc. It shall be ensured that no mining shall be carried out during the monsoon season.
35. The project proponent shall ensure that wherever deployment of labour attracts the Mines Act, the provision thereof shall be strictly followed.
36. The project proponent will provide personal protective equipment (PPE) as required, also provide adequate training and information on safety and health aspects. Periodical medical examination of the workers engaged in the project shall be carried out and records maintained. For the purpose, schedule of health examination of the workers should be drawn and followed accordingly.
37. The critical parameters such as PM10, PM2.5, SO2 and NOx in the ambient air within the impact zone shall be monitored periodically. Further, quality of discharged water if any shall also be monitored [(TDS, DO, pH, Fecal Coliform and Total Suspended Solids (TSS))].
38. Effective safeguard measures, such as regular water sprinkling shall be carried out in critical areas prone to air pollution and having high levels of particulate matter such as loading and unloading point and all transfer points. Extensive water sprinkling shall be carried out on haul roads.
39. It should be ensured that the Ambient Air Quality parameters conform to the norms prescribed by the Central Pollution Control Board in this regard.

40. The extended mining scheme will be submitted by the proponent before expiry of present mining plan.
41. Four ambient air quality-monitoring stations should be established in the core zone as well as in the buffer zone for monitoring PM10, PM2.5, SO2 and NOx. Location of the stations should be decided based on the meteorological data, topographical features and environmentally and ecologically sensitive targets and frequency of monitoring should be undertaken in consultation with the State Pollution Control Board.
42. Common road for transportation of mineral is to be maintained collectively. Total cost will be shared/worked out on the basis of lease area among users.
43. Proponent will provide adequate sanitary facility in the form of mobile toilets to the labours engaged for the project work.
44. Solid waste material viz., gutkha pouchs, plastic bags, glasses etc. to be generated during project activity will be separately storage in bins and managed as per Solid Waste Management rules.
45. Natural/customary paths used by villagers should not be obstructed at any time by the activities proposed under the project.
46. Digital processing of the entire lease area in the district using remote sensing technique should be done regularly once in three years for monitoring the change of river course by Directorate of Geology and Mining, Govt. of Uttar Pradesh. The record of such study to be maintained and report be submitted to Integrated Regional Office, MoEF&CC, GoI, Lucknow, SEIAA, U.P. and UPPCB.
47. The project authorities shall advertise at least in two local newspapers widely circulated, one of which shall be in the vernacular language of the locality concerned, within 7 days of the issue of the clearance letter informing that the project has been accorded environmental clearance and a copy of the clearance letter is available with the State Pollution Control Board and also at web site of the SEIAA at <http://www.seiaaup.in> and a copy of the same shall be forwarded to the Integrated Regional Office, MoEF&CC, GoI, Lucknow, CPCB, State PCB.
48. The MoEF&CC/SEIAA or any other competent authority may alter/modify the above conditions or stipulate any further condition in the interest of environment protection.
49. Concealing factual data or submission of false/fabricated data and failure to comply with any of the conditions mentioned above may result in withdrawal of this clearance and attract action under the provisions of Environment (Protection) Act, 1986.
50. Any appeal against this environmental clearance shall lie with the National Green Tribunal, if preferred, within a period of 30 days as prescribed under Section 11 of the National Environment Appellate Authority Act, 1997.
51. Waste water from potable use be collected and reused for sprinkling.
52. A width of not less than 50 meter or 10% width of river can be restricted for mining activities from river bank. A condition can be imposed that mining will be done from river activities from river bank.