## STATE EXPERT APPRAISAL COMMITTEE (SEAC) ::MEGHALAYA::

Silviculture Building Adjacent to 'SYLVAN' House, Lower Lachumiere, East Khasi Hills, Shillong – 793001.

MINUTES OF 66<sup>th</sup> MEETING OF THE STATE EXPERT APPRAISAL COMMITTEE, MEGHALAYA SHILLONG HELD ON 24<sup>th</sup> May 2023, FOR ENVIRONMENTAL APPRAISAL OF NON-COAL MINING PROJECTS

Members of the Committee present:

Sl.No	Name	Designation	Signature
1	Shri, Nababrata Bhattacharjee	Chairman SEAC	-Sd-
2	Shri, Millanburg R, Sangma	Member	
3	Dr. Highland Kayang	Member	-Sd-
4	Shri, Gideon Lamborlang Kharkongor	Member	-Sd-
5	Shri. Pynbiang Singh Nongbri	Member	-Sd-
6	Dr. Shiya Shankar Chaturvedi	Member	-Sd-
7	Dr. (Mrs) Van Jennifer Joan Wallang	Member	
8	Smti. Evansara Shullai, MFS Deputy Conservator of Forest (SF &Env.)	Member Secretary SEAC	-Sd-

The 66th meeting of State Expert Appraisal Committee (SEAC), Meghalaya, Shillong, held on 24th May 2023 from 12:00 P.M. on ward in the Conference Hall, office of the Principal Chief Conservator of Forests &HoFF, Meghalaya, Lower Lachumiere, Shillong – 793001, through offline method. At the outset the Chairman Shri. Nababrata Bhattacharjee, welcomed all the members of the Committee present and called the meeting to order. He requested the Member Secretary to initiate the discussion as per the agenda circulated vide letter No.ML/SEAC/Meeting/Vol-V/1/2023/7 dated the 22nd May 2023, accordingly. All proposed mining areas are cross checked through google earth.

### 1. Confirmation of the minutes of the 65th Meeting held on 22nd March 2023.

The minutes were confirmed.

### 2. Action taken report as per the decision taken in the 65th Meeting.

As per the decision taken in the 65<sup>th</sup> Meeting of the State Expert Appraisal Committee held on 22<sup>nd</sup> March 2023, (4) Four proposals for Environmental Clearance, (3) Three ADS and (1) One Rejected were recommended to the State Environment Impact Assessment Authority, Meghalaya.

Jule

### ENVIRONMENTAL CLEARANCE

# 1. Proposal No.SIA/ML/MIN/416645/2023 submitted by Shri. George S. Marak (M/S Jongmegre Boulder Stone Mine)

The Project Proponent, Shri. George S. Marak submitted online application vide proposal No. SIA/ML/MIN/416645/2023 for Environmental Clearance for Jongmegre Boulder Stone Mine for an area of 4.90 hectares. The proposal is for mining of boulder stone use for construction purposes; hence the project fall under Schedule 1(a) of category B2 of EIA Notification 2006. The area is located at Jongmegre, Samanda, East Garo Hills District, Meghalaya and toposheet Survey of India No. G46M10 with the following GPS Coordinates:

Pillar	GPS Coordinates	
No	Latitude	Longitude
1	25° 31' 35.85"N	90° 30′ 4.39″E
2 .	25° 31' 30.30"N	90° 30′ 9.31″E
3	25° 31' 26.35"N	90°30',6.85"E
4	25° 31' 25.01"N	90° 30' 2.62"E
5	25° 31' 30.45"N	90° 30' 0.07"E

The proposed land is on lease vide Deed of Agreement which was executed on the 2<sup>nd</sup>March 2020and the terms of agreement shall be for the period till the existing of the stone boulders, which was certified by the public Notary, East Khasi Hills, Meghalaya.

The applied area is a Non Forest Land which was confirmed by the Chief Conservator of Forests (T), Meghalaya, Shillong vide letter No.MFG.30/42/NFLC/MINING/MMMCR/2016/GH/12048, dated Shillong, the 17<sup>th</sup> December, 2021 and Letter of Intent issued by the Divisional Forest Officer, East & North Garo Hills Territorial Division, Williamnagar vide letter No.B/50/111/1544 dated Williamnagar, the 10<sup>th</sup> March 2022.

The project proponent obtained a cluster certificate from the Divisional Mining Officer, East Garo Hills, Williamnagar vide letter No.DMO-W/MP/15/2019/84 dated Williamnagar, the 11<sup>th</sup> October, 2022 which states that there are no approved mining plan lying within 500 metres from the applied mining lease area. Hence, the Environment Management Plan is not required.

The project proponent submitted the approved Mining Plan with Progressive Mine Closure Plan approved by the Divisional Mining Officer, East Garo Hills, Williamnagar vide letter No.DMO-W/MP/82/2022/77 dated Williamnagar the 16<sup>th</sup> of September 2022. The Mining Plan has been prepared to extract boulder stone at the rate of 350064MTPA with a project cost of Rs.24.50 lakhs and the operations will be open cast, semi-mechanized method of mining.

The mineable reserves of stone are of the order of 31,20,200 MT. The production in the period of the mining plan will be around 17,50,320 MT in 5 years. Therefore, the balance reserves will be (3120200 - 1750320) or 1369880MT. If the production target is 350064MT, the balance reserve will be sufficient for (1369880/350064) or 3.91 years. Thus, the total life of the mine is 5+3.91=8.91 or say 9 years.

#### Recommendation

After due screening and examination of all the documents submitted by the Project Proponent and site cross checking and deliberation by using kml file through google. The committee unanimously recommended for grant of Environment Clearance with the following conditions.

- LOI ought to be renewed as the validity has expired.
- 2. A settling Tank is to be constructed, at a suitable site within the mining area for collection of debris, sediment, silt, fragmented stones etc carried by surface water channelized through the Curtain drain. The deposited debris, spoils etc are to be removed/cleared, both from the tank and drain as and when required. Overflowing water that flows downhill shall be dispersed but precautions to be taken that spoils etc. generated from mining are not carried along.
- Garland drains is to be constructed along the periphery of the mining lease boundary to
  capture the storm water run-off from the mining area, all drains will link to a settling tank
  with compartments to check and arrest siltation in the mine water prior to discharge.
- Curtain Drain is to be constructed properly to intercept the surface water from flowing into the mining area and water flowing out of the mine channelized to the Settling tank.
- If any debris etc. overflows to adjoining land/agricultural field etc. during the mining operation, Monitoring Agency is to take necessary action as per relevant section(s) of Water (Prevention & Control of Pollution) Act, 1974.
- In annual EMP budget under GREEN BELT, creation of plantations including nursery
  cost, fencing etc the notified norms of Forest and Environment Department, Govt of
  Meghalaya is to be followed strictly, including financial cost. Budget under said head
  stands revised accordingly.

Jul .

- 7. To increase the allocation for plantation and maintenance to a minimum of Rs. 1 lakh per annum and double the number of plants to be planted. Plantation should be done in the 1<sup>st</sup> and 2<sup>nd</sup> year of the planed period.
- CER should be included in the capital cost and it should be increased to a minimum of Rs
  1 lakh annually.
- Boundary pillars with the height not less than 2.5 feet above the ground level and 1.5 feet below ground and minimum 8 inches on all face of pillar should be erected.
- GPS coordinates of each pillar should be carved/painted clearly on the pillars with Red colour.
- 11. A board highlighting the name of project and project proponent, location name, total area of the mine, date of issue of EC by SEIAA and CTO & CTE by MSPCB should be installed at the entrance to the mining site and clearly visible.
- 12. Fencing of the boundary of site with minimum two strands of barbed wire or ordinary split bamboo fencing is to be erected all around the periphery of the approved mining area.
- 13. Storing and collection of water through rainwater harvesting for dust sprinkling and recharging of the aquifers.

# II. Proposal No. SIA/ML/MIN/416574/2023 submitted by Shri. Kaldok Ch. Sangma (M/S Dura Bija Bisik Stone Mine).

The Project Proponent, Shri Kaldok Ch. Sangma submitted online application for Environmental Clearance vide proposal No:SIA/ML/MIN/416574/2023 for Dura Bija Bisik Stone Mine for an area of 2.00 hectares. The proposal is for mining of boulder stone to be used for construction of buildings & making/dressing of roads. The project falls under Schedule 1(a) of category B2 of EIA Notification 2006. The mining lease area is located at Dura Bija Bisik, P.O. Dhanua, P.S. Garobadha, Selsella, West Garo Hills District, Meghalaya and toposheet Survey of India No.78G/14 within the following GPS Coordinates:

	GPS Coordinates	
Pillar No	Latitude	Longitude
	25° 39'18.40''N	89° 57'32.80''E
2	25° 39'18.50''N	89° 57'35.40''E

July

3	25° 39'22.80''N	89° 57'36.40''E
4	25° 39'25.00''N	89° 57'33.50''E
5	25° 39'22.60''N	89° 57'30.90''E

The proposed mining area is on lease for a period of 20 years vide Deed of Lease made on the 8<sup>th</sup> August 2019 at Tura certified by District Registrar, Tura, Meghalaya.

The applied area is a Non Forest Land which was confirmed by the Divisional Forest Officer, West & South-West Territorial Division, Tura vide letter No.B/16/VII/NOC/MMMCR/3872-74 dated Tura, the 28<sup>th</sup> September, 2020 and Letter of Intent vide letter No.B/16/VII/4860, dated Tura, the 7<sup>th</sup> December, 2020 respectively.

The project proponent obtained a cluster certificate from the Division Mining Officer, East Garo Hills, Williamnagar vide letter No.DMO-W/MP/15/2019/28 dated Williamnagar, the 2<sup>nd</sup> July 2021 which states that there are six (6) approved mining plan lying within 500 metres from the applied mining lease area. Hence the applied mining area falls under cluster category since the total area of seven mines is summed up to 17.28 hectares.

The project proponent submitted the Mining Plan with Progressive Mine Closure Plan approved by the Divisional Mining Officer, East Garo Hills District, Williamnagar vide letter No.DMO-W/MP/61/2020/335 dated Williamnagar, the 25<sup>th</sup> March 2021. The Mining Plan has been prepared to extract lime stone at the rate of 132124 TPA with a project cost of Rs.83.44 lakhs and the operations will be open cast, mechanized method of mining.

As stated in the mining plan, the anticipated life of the mine is 5.14 years.

The project was already awarded Term of Reference by the State Environment Impact Assessment Authority, Meghalaya vide letter No.ML/SEIAA/MIN/WGH/P-214/2021/1267 dated Shillong the 26<sup>th</sup>November 2021 and submitted the final EIA/EMP for the proposed Mining of Lime stone where the project proponent complied all the points in compliance to the Term of Reference prepared by Sathi Planners Pvt. Ltd., Lake Avenue, Kanke Road, Ranchi – 834 008.

The public hearing was held on 11th October 2022 which was conducted by the Meghalaya State Pollution Control Board and presided over by Shri. T. R. Marak, MCS, ADC, West Garo Hills District, Tura.

Jul

#### Recommendation

After due screening and examination of all the documents submitted by the Project Proponent and deliberation by using kml file through google earth and the presentation of the EIA/EMP, the committee unanimously recommended for ADS (As per verification, the project proponent has to furnish the following):

- The Classification of land use and land cover map.
- Site photographs of Boundary pillars with coordinates of each pillar carved/painted clearly with Red colour, together with photographs and other related details of site visits by resource persons of NABET accredited consultant of project proponent, with their names and profession/designation, together with date(s) of visit, date(s) of data collection including names of instrument/machine actually used in the field, during preparation of EIA report, is to be clearly highlighted in the EIA/EMP report.
- The Proceedings and Notice of the Public Hearing issued by the Meghalaya State Pollution Control Board (MSPCB), Meghalaya.

#### III. Proposal No.SIA/ML/MIN/410270/2022 submitted by Shri Jonjeng Marak.

The Project Proponent Shri. Jonjeng Marak, submitted online application vide proposal No. SIA/ML/MIN/410270/2022 for Environmental Clearance for mining of Boulder stone for an area of 1.00 hectare. The proposal is for mining of Boulder stone to be used for construction purposes. The project falls under Schedule 1(a) of category B2 of EIA Notification 2006. The mining lease area is located at Dudra Viza, P.O. Dhanua, P.S. Tura, West Garo Hills District, Meghalaya and toposheet Survey of India No.78K/6 within the following GPS Coordinates:

Pillar	GPS Coordinates	
No	Latitude	Longitude
1	25° 39' 20.1"N	89° 57' 41.1"E
2	25° 39' 17.0"N	89° 57' 40.5"E
2	25° 39' 16.4"N	89° 57' 44.1"E
3	25° 39' 19.8"N	89° 57' 44.5"E

The proposed land is on lease for a period of 5 years vide Deed of Lease made on 31st August 2017 registered at D.C. Office by District Registrar, Tura.

The applied area is a Non Forest Land which was confirmed by the Divisional Forest Officer,
West & South- West Garo Hills Territorial Division, Tura vide letter

No.B/16/VII/NOC/MMMCR/2631-33 dated Tura, the 19<sup>th</sup> July 2019 and letter of Intent vide letter Memo.No. B/16/VII/2634 dated Tura, the 19<sup>th</sup> July 2019.

The project proponent has obtained a cluster certificate from the Divisional Mining Officer, East Garo Hills, Williamnagar, Government of Meghalaya, O/o of the Divisional Mining Officer, East Garo Hills, Williamnagar vide letter No.DMO-W/MP/15/2019/87 dated Williamnagar, the 26<sup>th</sup> August, 2019 which states that there are another two boulder stone mines of different owner lying within 500 metres from the applied mining lease area. Hence the applied mining area falls under cluster category since the total area of five mines is summed up to 11.80 hectares.

The project proponent submitted the Mining Plan with Progressive Mine Closure Plan approved by the office of the Divisional Mining Officer, Mineral Resources Department, Government of Meghalaya, Williamnagar vide letter No.DMO-W/MP/26/2019/80, dated Williamnagar, the 14<sup>th</sup> August, 2019. The Mining Plan has been prepared to extract Boulder stone at an average annual production of 40550 TPA with a project cost of Rs.12 lakhs and the operations will be open cast, semi-mechanized method of mining.

The mineable reserves of limestone is of the order of 330100 tonnes. The production in the period of the mining plan will be around 149760 tonnes in 5 years. Therefore, the balance reserves will be (330100-149760) = 180340 tonnes. If the production target is 40550 tonnes, the balance reserve will be sufficient for (180340/40550) = 4.44 years. Thus, the total life of the mine is 5+4.44 = 9.44 or say 10 years.

The project was already awarded Term of Reference by the State Environment Impact Assessment Authority, Meghalaya vide letter No.ML/SEIAA/MIN/WGH/P-63/2020/4/2129 dated Shillong the 24<sup>th</sup> November 2020 and submitted the final EIA/EMP for the proposed Mining of Lime stone where the project proponent complied all the points in compliance to the Term of Reference prepared by CHAITANYA PROJECTS CONSULTANCY PVT. LTD.

The public hearing was held on 4<sup>th</sup> March 2022 which was conducted by the Meghalaya State Pollution Control Board and presided over by Shri. J. R. T. Sangma, MCS, Executive Magistrate & BDO, Selsella Block, West Garo Hills District.

Jul Jul

#### Recommendation

After due screening and examination of all the documents submitted by the Project Proponent and site cross checking and deliberation by using kml file through google earth and the presentation of the EIA/EMP. The committee unanimously recommended for grant of Environment Clearance with the following conditions.

- 1. LOI ought to be renewed as the validity has expired.
- 2. A settling Tank is to be constructed, at a suitable site within the mining area for collection of debris, sediment, silt, fragmented stones etc carried by surface water channelized through the Curtain drain. The deposited debris, spoils etc are to be removed/cleared, both from the tank and drain as and when required. Overflowing water that flows downhill shall be dispersed but precautions to be taken that spoils etc. generated from mining are not carried along.
- 3. Garland drains is to be constructed along the periphery of the mining lease boundary to capture the storm water run-off from the mining area, all drains will link to a settling tank with compartments to check and arrest siltation in the mine water prior to discharge.
- Curtain Drain is to be constructed properly to intercept the surface water from flowing into the mining area and water flowing out of the mine channelized to the Settling tank.
- If any debris etc. overflows to adjoining land/agricultural field etc. during the mining operation, Monitoring Agency is to take necessary action as per relevant section(s) of Water (Prevention & Control of Pollution) Act, 1974.
- 6. In annual EMP budget under GREEN BELT, creation of plantations including nursery cost, fencing etc the notified norms of Forest and Environment Department, Govt of Meghalaya is to be followed strictly, including financial cost. Budget under said head stands revised accordingly.
- 7. To increase the allocation for plantation and maintenance to a minimum of Rs. 1 lakh per annum and double the number of plants to be planted. Plantation should be done in the 1<sup>st</sup> and 2<sup>nd</sup> year of the planed period.
- CER should be included in the capital cost and it should be increased to a minimum of Rs
  1 lakh annually.
- Boundary pillars with the height not less than 2.5 feet above the ground level and 1.5 feet below ground and minimum 8 inches on all face of pillar should be erected.
- 10. GPS coordinates of each pillar should be carved/painted clearly on the pillars with Red colour.

- 11. A board highlighting the name of project and project proponent, location name, total area of the mine, date of issue of EC by SEIAA and CTO & CTE by MSPCB should be installed at the entrance to the mining site and clearly visible.
- 12. Fencing of the boundary of site with minimum two strands of barbed wire or ordinary split bamboo fencing is to be erected all around the periphery of the approved mining area.
- 13. Storing and collection of water through rainwater harvesting for dust sprinkling and recharging of the aquifers.

## IV. Proposal No. SIA/ML/MIN/77252/2021 submitted by Shri. Stephan Majaw (M/S Ka Pammuriang Limestone Mine)

The Project Proponent, Shri Stephan Majaw submitted online application for Term of Reference vide proposal No.SIA/ML/MIN/77252/2021 for Environmental Clearance for Ka Pammuriang Limestone Mine for mining of Lime stone for an area of 1.18 hectares. The proposal is for mining of lime stone to be used for construction purposes. The project falls under Schedule 1(a) of category B2 of EIA Notification 2006. The mining lease area is located at Ka Pammuriang Elaka Wahlong Sirdarship, East Khasi Hills District, Meghalaya and toposheet Survey of India No.78 O/12 within the following GPS Coordinates:

Pillar	GPS Coordinates	
No	Latitude	Longitude
1	25° 11' 04.60''N	91° 42' 28.83''E
2	25° 11' 05.33"N	91° 42' 29.42''E
3	25° 11' 05.54"N	91° 42' 29.88''E
4	25° 11' 05.71''N	91° 42' 30.98''E
5	25° 11' 05.64''N	91° 42′ 31.70′′E
6	25° 11' 05.25''N	91° 42' 31.96''E
7	25° 11' 04.19"N	91° 42' 32.05"E
8	25° 11' 02.53''N	91° 42′ 32.48′′E
9	25° 11' 00.67''N	91° 42' 33.50"E
10	25° 11' 00.31''N	91° 42' 31.82"E
11	25° 11' 00.55''N	91° 42' 31.27"E
12	25° 11' 01.87''N	91° 42' 30.31"E



The proposed mining area is on lease vide affidavit made on 27<sup>th</sup> August 2020 at Shillong certified by Notary Public, Shillong, East Khasi Hills.

The applied area is a Non Forest Land which was confirmed by the Divisional Forest Officer, East Khasi Hills & Ri Bhoi Territorial Division, Shillong vide letter No.KH/8/NOC/Limestone/41/Pt.IV/2338, dated Shillong, the 26<sup>th</sup> August, 2020 and letter of Intent vide letter No.KH/8/ML/Limestone/68/2535 dated Shillong, the 3<sup>rd</sup> September 2020 respectively.

The project proponent obtained a cluster certificate from the Mining Engineer, Directorate of Mineral Resources, Meghalaya, Shillong vide letter No.DMR/MM/93/2020/08 dated Shillong, the 28<sup>th</sup> January 2021 which states that there are five (5) approved mining plans lying within 500 metres from the applied mining lease area. Hence the applied mining area falls under cluster category since the total area six mines is summed up to 15.7211 hectares.

The project proponent submitted the Mining Plan with Progressive Mine Closure Plan approved by the Mining Engineer, Directorate of Mineral Resources, Meghalaya, Shillong vide letter No.DMR/MM/93/2020/04 dated Shillong, the 10<sup>th</sup> December 2020. The Mining Plan has been prepared to extract lime stone at the rate of 50075 TPA with a project cost of Rs. 21.00 lakhs and the operations will be open cast, semi-mechanized method of mining.

The mineable reserves of limestone are of the order of 5, 70,000 tonnes. The production in the period of the mining plan will be around 2, 50,375 tonnes in 5 years. Therefore, the balance reserves will be (5, 70,000 -2,50,375) = 3,19,625 tonnes. If the production target is 50,075 tonnes, the balance reserve will be sufficient for (3, 19,625 /50,075) = 6.38 years. Thus, the total life of the mine is 5+6.38=11.38 or say 12 years.

The project was already awarded Term of Reference by the State Environment Impact Assessment Authority, Meghalaya vide letter No.ML/SEIAA/MIN/EKH/P-130/2021/443 dated Shillong the 3<sup>rd</sup> September 2021 and submitted the final EIA/EMP for the proposed Mining of Lime stone where the project proponent complied all the points in compliance to the Term of Reference prepared by GEOGREEN ENVIRO HOUSE PVT. LTD.

The public hearing was held on 5<sup>th</sup> January 2022 which was conducted by the Meghalaya State Pollution Control Board and presided over by Smt. D. Phawa, ADC, East Khasi Hills District and Chairperson, EPH.

and

#### Recommendation

After due screening and examination of all the documents submitted by the Project Proponent and site cross checking and deliberation by using kml file through google earth and the presentation of the EIA/EMP. The committee unanimously recommended for grant of Environment Clearance with the following conditions.

- 1. LOI ought to be renewed as the validity has expired.
- 2. A settling Tank is to be constructed, at a suitable site within the mining area for collection of debris, sediment, silt, fragmented stones etc carried by surface water channelized through the Curtain drain. The deposited debris, spoils etc are to be removed/cleared, both from the tank and drain as and when required. Overflowing water that flows downhill shall be dispersed but precautions to be taken that spoils etc. generated from mining are not carried along.
- Garland drains is to be constructed along the periphery of the mining lease boundary to
  capture the storm water run-off from the mining area, all drains will link to a settling tank
  with compartments to check and arrest siltation in the mine water prior to discharge.
- Curtain Drain is to be constructed properly to intercept the surface water from flowing into the mining area and water flowing out of the mine channelized to the Settling tank.
- If any debris etc. overflows to adjoining land/agricultural field etc. during the mining operation, Monitoring Agency is to take necessary action as per relevant section(s) of Water (Prevention & Control of Pollution) Act, 1974.
- 6. In annual EMP budget under GREEN BELT, creation of plantations including nursery cost, fencing etc the notified norms of Forest and Environment Department, Govt of Meghalaya is to be followed strictly, including financial cost. Budget under said head stands revised accordingly.
- 7. To increase the allocation for plantation and maintenance to a minimum of Rs. 1 lakh per annum and double the number of plants to be planted. Plantation should be done in the 1<sup>st</sup> and 2<sup>nd</sup> year of the planed period.
- CER should be included in the capital cost and it should be increased to a minimum of Rs
  1 lakh annually.
- Boundary pillars with the height not less than 2.5 feet above the ground level and 1.5 feet below ground and minimum 8 inches on all face of pillar should be erected.
- 10. GPS coordinates of each pillar should be carved/painted clearly on the pillars with Red colour.

- 11. A board highlighting the name of project and project proponent, location name, total area of the mine, date of issue of EC by SEIAA and CTO & CTE by MSPCB should be installed at the entrance to the mining site and clearly visible.
- 12. Fencing of the boundary of site with minimum two strands of barbed wire or ordinary split bamboo fencing is to be erected all around the periphery of the approved mining area.
- 13. Storing and collection of water through rainwater harvesting for dust sprinkling and recharging of the aquifers.

#### TERM OF REFERENCE

## I. Proposal No. SIA/ML/MIN/76255/2022 submitted by Shri. King kong Ch. Marak (M/S Manggapara Stone Mine).

The Project Proponent, Shri. Kingkong Ch. Marak submitted online application for Term of Reference vide proposal No:SIA/ML/MIN/76255/2022 for Manggapara Stone Mine for an area of 1.00 hectares. The proposal is for mining of boulder stone to be used for construction of buildings & making/dressing of roads. The project falls under Schedule 1(a) of category B2 of EIA Notification 2006. The mining lease area is located at Manggapara, P.O. Zekabari, West Garo Hills District, Meghalaya and toposheet Survey of India No.78 K/2 within the following GPS Coordinates:

Pillar	GPS Coordinates	
No	Latitude	Longitude
1	25° 37'34.92''N	90° 00'38.70''E
2	25° 37'35.08''N	90° 00'41.54''E
3	25° 37'35.11''N	90° 00'43.59''E
4	25° 37'32.20"N	90° 00'46.03''E
5	25° 37'32.60"N	90° 00'42.55"E
6	25° 37'32.84''N	90° 00'41.23"E

The proposed mining area is on lease for periods of 25 years vide Deed of Lease Agreement made on the 12<sup>th</sup> May 2017 certified by District Registrar, Tura, Meghalaya.

The applied area is a Non Forest Land which was confirmed by the Divisional Forest Officer, West & South-West Garo Hills (T) Division, Tura vide letter

No.B/16/VII/NOC/MMMCR/556-58 dated Tura, the 4th February, 2021 and Letter of Intent vide letter No.B/16/VII/551, dated Tura, the 4th February, 2021 respectively.

The project proponent obtained a cluster certificate from the Division Mining Officer, East Garo Hills, Williamnagar vide letter No.DMO-W/MP/15/2019/172 dated Williamnagar, the 15<sup>th</sup> December 2021which states that there are five (5) approved mining plan lying within 500 metres from the applied mining lease area. Hence the applied mining area falls under cluster category since the total area six mines is summed up to 6.657 hectares.

The project proponent submitted the Mining Plan with Progressive Mine Closure Plan approved by the Divisional Mining Officer, East Garo Hills District, Williamnagar vide letter No.DMO-W/MP/66/2021/156 dated Williamnagar, the 3<sup>rd</sup> November 2021. The Mining Plan has been prepared to extract stone at the rate of 38750 TPA with a project cost of Rs.51.70 lakhs and the operations will be open cast, mechanized method of mining.

As stated in the mining plan, the anticipated life of the mine is 5.4 years.

#### Recommendation

After due screening and examination of all the documents submitted by the Project Proponent and deliberation by using kml file through google earth, the committee unanimously recommended for ADS (As per verification, from google earth from google earth it was observed the proposed mining site appears to be worked out/operated within part of the proposed area. Hence, Project Proponent is to obtain a written justification from concerned department like Mining & Geology/DMR in approving the mining lease.

# II. Proposal No. SIA/ML/MIN/81416/2022 submitted by Shri. Rana B. Sangma (M/S Manggapara (Dapgre) Stone Mine).

The Project Proponent, Shri. Rana B. Sangma submitted online application for Term of Reference vide proposal No:SIA/ML/MIN/81416/2022 for Manggapara (Dapgre) Stone Mine for an area of 1.1 hectares. The proposal is for mining of boulder stone to be used for construction of buildings & making/dressing of roads. The project falls under Schedule 1(a) of category B2 of EIA Notification 2006. The mining lease area is located at Manggapara Dapgre), P.O. Zekabari, West Garo Hills District, Meghalaya and toposheet Survey of India No.78 K/2 within the following GPS Coordinates:



Pillar	GPS Coordinates	
No	Latitude	Longitude
1	25° 37'19.1''N	90° 00'39.7"E
2	25° 37'17.8"N	90° 00'41.5"E
3	25° 37'22.2"N	90° 00'48.0"E
4	25° 37'22.7''N	90° 00'46.5"E

The proposed mining area is on lease for periods of 10 years vide Deed of Lease Agreement made on the 18<sup>th</sup> June 2019 certified by Notary, West Garo Hills, Meghalaya.

The applied area is a Non Forest Land which was confirmed by the Divisional Forest Officer, West & South-West Garo Hills (T) Division, Tura vide letter No.B/16/VII/NOC/MMMCR/3645-47 dated Tura, the 19<sup>th</sup> November, 2019 and Letter of Intent vide letter No.B/16/VII/417, dated Tura, the 4<sup>th</sup> February, 2020 respectively.

The project proponent obtained a cluster certificate from the Division Mining Officer, East Garo Hills, Williamnagar vide letter No.DMO-W/MP/15/2019/51 dated Williamnagar, the 5<sup>th</sup> August 2021 which states that there are five (5) approved mining plan lying within 500 metres from the applied mining lease area. Hence the applied mining area falls under cluster category since the total area six mines is summed up to 5.82 hectares.

The project proponent submitted the Mining Plan with Progressive Mine Closure Plan approved by the Divisional Mining Officer, East Garo Hills District, Williamnagar vide letter No.DMO-W/MP/48/2019/364 dated Williamnagar, the 19<sup>th</sup> March 2020. The Mining Plan has been prepared to extract stone at the rate of 89906 TPA with a project cost of Rs.94.10 lakhs and the operations will be open cast, mechanized method of mining.

As stated in the mining plan, the anticipated life of the mine is 5.6 years.

#### Recommendation:

After due screening and examination of all the documents submitted by the Project Proponent and site cross checking and deliberation by using kml file through google earth, the committee unanimously recommended for standard Terms of Reference (ToR) with the following additional conditions:

- LOI ought to be renewed as the validity has expired.
- Site photographs together with photographs and other related details of site visits by resource persons of NABET accredited consultant of project proponent, with their names and profession/designation, together with date(s) of visit, date(s) of data collection



- including names of instrument/machine actually used in the field, during preparation of EIA report, is to be clearly highlighted in the EIA/EMP report.
- Boundary pillars with the height not less than 2.5 feet above the ground level and 1.5 feet below ground and minimum 8 inches on all face of pillar should be erected.
- 4. GPS coordinates of each pillar should be carved/painted clearly on the pillars with Red colour.
- Plagiarism check certificate for EIA/EMP report has to be furnished.
- 6. Source of data taken from external sources is to be mentioned clearly.

The meeting ended with a vote of thanks to the chair.

Chairman

State Expert Appraisal Committee Meghalaya Shillong