### Minutes of 600<sup>th</sup> SEAC-1 Meeting Dated- 01-12-2021

The 600<sup>th</sup> meeting of SEAC-1 was held in the Directorate of Environment, U.P. through dual-mode (physically/virtually) at 11:00 AM on 01-12-2021. Following members participated in the meeting:

1.	Shri Rajive Kumar,	Chairman, SEAC-1(Virtually)
2.	Dr. Ajai Mishra,	Member, SEAC-1 (Virtually)
3.	Shri Om Prakash Srivastava,	Member, SEAC-1(Virtually)
4.	Dr. Brij Bihari Awasthi,	Member, SEAC-1(Virtually)
5.	Shri Umesh Chandra Sharma,	Member, SEAC-1 (Virtually)
6.	Dr. Ratan Kar,	Member, SEAC-1(Virtually)

The Chairman welcomed the members to the 600<sup>th</sup> SEAC-1 meeting which was conducted via dual-mode (virtually/physically). Nodal officer, SEAC-1 informed the committee that the agenda has been approved by the Member Secretary, SEAC-1/Director Environment. Nodal officer, SEAC-1 placed the agenda items along with the available file and documents before the SEAC-1.

#### **General Discussion:-**

- 1- Dr. Ajai Mishra, Member, SEAC-1 mentioned that he has always recused himself during the appraisal of the project proposals presented by M/s Globus Environment Engineering Services. Chairman and all the committee (SEAC-1) members and Sri. Subran Kumar endorsed the same. Dr. Ajay Mishra also informed that he will also rescue himself during future appraisals of project proposals presented by M/s Globus Environment Engineering Service.
- 2- Sri Subran Kumar placed office order no.-702/ Parya/ Karya Avantan/ 2020 Dated 30 November 2020 issued by Director, Directorate of Environment, U.P. Lucknow. SEAC-1 noted that in this letter Sri. Devendra Singh, Deputy Director has been made Nodal officer SEAC (1 & 2) and Sri. Subran Kumar, Assistant Director has been designated as Assistant Nodal officer of SEAC (1 & 2). The committee places on record the outstanding work done by Shri. Subran Kumar as Nodal officer SEAC-1 and hope that the Joint team of Shri Devendra Singh, Deputy Director & Shri Subran Kumar, Assistant Director will also perform in the same outstanding manner.

The committee directed that in the future Sri Devendra Singh, Nodal officer and Sri Subran Kumar, Assistant Nodal officer they both will sign on each page of the minutes of the meeting. In case any one officer is not present in the meeting he need not sign on the minutes of the concerned meeting minutes.

### 1. Stone Mining at Araji No. 1537₹, Village-Bahuti, Tehsil- Marihan, Mirzapur, Shri Suraj., area-2.615 ha., File No. 6586/ Proposal No.SIA/UP/MIN/230633/2021.

The consultant informed the committee that they are strictly following the rules, regulations and other instructions of QCI/NABET. A presentation was made by the project proponent along with their consultant M/s Environmental Research and Analysis, Lucknow (U.P.). Based on the documents submitted and presentation made by the project proponent along with the consultant, the following facts have emerged: -

1. The environmental clearance is sought for Stone Mining at Araji No. 1537₹, Village-Bahuti, Tehsil- Marihan, Mirzapur, Shri Suraj., area-2.615 ha.,

1	On-line proposal No.	SIA/UP/MIN/230633/2021
2	File No. allotted by SEIAA, U.P	6586
3	Name of Proponent	Shri Suraj Gupta S/o- Shri Sheetal Prasad
4	Full correspondence address of	R/o- Pakki Sarai, Distt: Mirzapur (U.P.).
	proponent and mobile no.	

### Minutes of 600<sup>th</sup> SEAC-1 Meeting Dated- 01-12-2021

5. Name of Project	Building Stone(S	Sand Stone Depo	osit)	
6. Project location	Arazi No- 1537र			
(Plot/Khasra/Gata No.)				
7. Name of River	NA	NA		
8. Name of Village	Bahuti			
9. Tehsil	Marihan			
10. District	Mirzapur (U.P.)			
11. Name of Minor Mineral	Building Stone(S	Sand Stone Deno	ocit)	
12. Sanctioned Lease Area (in Ha.)	2.615 Ha.	sand Stone Dept	7511)	
13. Mineable Area (in Ha.)	2.013 Ha. (Safety )	Margin 0 505 II	(a )	
14. Zero level mRL	164 mRL	Margin 0.303 11	ia. )	
	Maximum & Mir	nimova anDI is	171 % 160DI	
15. Max. & Min mrl within lease area	respectively	nimum mkL is	1/1 & 109 mKL	
16. Pillar Coordinates (Verified by		titude(N)	Longitude(E)	
DMO)				
DMO)		24°59'26.2" N	82°32'40.4"E	
		24°59'25.0"N	82°32'44.6"E	
		24°59'20.3" N	82°32'43.2"E	
		24°59'21.0" N	82°32'39.1"E	
17. Total Geological Reserves	5,33,738 m <sup>3</sup>			
18. Sanction Quantity as per LOI	26,150 m³ per yea			
19. Total Proposed Production (in	1,30,750 m <sup>3</sup> for	five year		
five year)				
20. Proposed Production/year	26,150 m <sup>3</sup> per ye	ear		
21. Sanctioned Period of Mine lease	10 Years as per L	LOI		
22. Production of mine/day	$104.6 \text{ m}^3/\text{day}$	104.6 m <sup>3</sup> /day		
23. Method of Mining	Open cast, semi-Mechanized			
24. No. of working days	250	1		
25. Working hours/day	8 hours/day			
26. No. Of workers	25			
27. No. Of vehicles movement/day	8-10 Vehicles mo	ovement/day		
28. Type of Land	Building Stone(sa	<b>*</b>	ng Project	
29. Ultimate Depth of Mining	3.0 m	,	<u> </u>	
30. Nearest metalled road from site	SH-5 is about 7.0	) km towards No	orth-East direction.	
31. Water Requirement	PURPOSE		JIREMENT (KLD)	
or was requirement	Drinking water		LD	
	Dust suppression			
	Plantation	2.615		
	Others (if any)	-		
	Total	5.725	KLD approx.	
32. Name of QCI Accredited	Environmental R			
Consultant with QCI No And			IA/ 1922/RA 0200	
period of validity.	Valid up to 30 Dec, 2022			
33. Any litigation pending against	No			
the project or land in any court				
34. Details of 500 m Cluster Map &				
certificate issued by Mining				
Officer				
35. Details of Lease Area in	In DSR Sl. No. 1	In DSR Sl. No. 152 Page No-16		
approved DSR				
36. Proposed EMP cost	Rs 46,50,250/-	Rs 46 50 250/-		
37. Proposed Total Project cost	Rs. 95,00,000/-			
37. Troposcu Total Project Cost	103. 75,00,000/-	10. 73,00,000/-		

38. Length and breadth of Haul Road	230 m length and 6.0 m width
39. No. of Trees to be Planted	2615

- 3. The mining would be restricted to the unsaturated zone only above the phreatic water table and will not intersect the groundwater table at any point in time.
- 4. The mining operation will not be carried out in the safety zone of any bridge or embankment or eco-fragile zone such as the habitat of any wild fauna.
- 5. There is no litigation pending in any court regarding this project.
- 6. The project proposal falls under category–1(a) of EIA Notification, 2006 (as amended).

The committee discussed the matter and recommended the grant of environmental clearance for the project proposal along with general and specific conditions as annexed at Annexure-1 to the minutes. The committee also stipulated the following specific conditions:

- 1. The project proponent shall install solar light in their site office.
- 2. During the submission of 6 monthly compliance reports, the project proponent should make sure that the periodically taken site photographs should also be annexed along with the compliance report.
- 3. Preference should be given to indigenous local species as per the consultation of the local district Forest Officer.
- 4. The maximum height of the bench should be 06 meters and the width of the bench should be at least twice the height of the bench as per the mine plan approval letter by DGM, U.P
- 5. In case the blasting is proposed during a mining operation, the project proponent needs to assess its impact on the displacement of human beings/wild animals/birds/other species, and the suitable measures proposed and taken for their rehabilitation and resettlement need to be clearly described in first 6 monthly compliance report.
- 6. The mining plan approved by the Dept. of Mines and Geology, Uttar Pradesh shall be strictly implemented and shall not be operated beyond the validity period.
- 7. The project proponent shall submit a final mine closure plan/Exit protocol for rehabilitation of mined-out land to match its surrounding land use 3 years before the closure of the mine to SEIAA, UP and Department of Mines and Geology, UP for approval. The project proponent shall ensure the implementation of the approved plan under the supervision of the Dept. of Mines and Geology.
- 8. The project proponent shall plan and implement collection drain and siltation basins of adequate size to arrest the silt and sediment flow from the quarry area. The surface runoff rainwater harvesting and other water conservation measures on a long-term basis are to be taken in consultation with the Central/State Groundwater Board. The water so collected should be utilized for watering the haulage area, roads, and green belt development, etc.
- 9. The project proponent shall take all suitable measures to prevent pollution of groundwater and nearby water bodies in consultation with the State Pollution Control Board and consent to operate (if applicable) should be obtained from the State Pollution Control Board before the start of production from the mine.
- 10. Link Road from the quarry site to the main road shall be constructed as an all-weather road with blacktopping and maintained by the project proponent.
- 11. Vehicular emissions should be kept under control and regularly monitored. Suitable measures shall be taken for proper maintenance of vehicles used in a quarry operation and transportation.
- 12. The project proponent should explore the possibilities of rainwater harvesting.
- 2. Sand Mining from private land from Garra River Bed at Khasra No.- 552, Village-Shahbaznagar Khadar, Tehsil- Sadar, Shahjahanpur, Smt. Mubshara Bi,area-1.01 ha., File No. 6587/ Proposal No. SIA/UP/MIN/230749/2021.

The consultant informed the committee that they are strictly following the rules, regulations and other instructions of QCI/NABET. A presentation was made by the project proponent along with their consultant M/s Rian Enviro Private Limited. Based on the documents submitted and presentation made by the project proponent along with the consultant, the following facts have emerged: -

1. The environmental clearance is sought for Sand Mining from private land from Garra River Bed at Khasra No.- 552, Village- Shahbaznagar Khadar, Tehsil- Sadar, Shahjahanpur, Smt. Mubshara Bi,area-1.01 ha..

2. Salient features of the project as submitt				
1. On-line proposal No.	SIA/UP/MIN/230479/2021			
2. File No .allotted by SEIAA,UP	6587			
3. Name of Proponent	Smt. Mubshara Bi			
4. Registered Address	Village -Shahbaznagar, Tehsil- Sadar,			
	District- Shahjahanpur, Uttar Pradesh			
5. Full correspondence address of	Village-Shahbaznagar, Tehsil- Sadar,			
proponent and mobile no.	District- Shahjahanpur, Uttar Pradesh			
	mubsharasoil@gmail.com			
6. Name of Project	Shahbaznagar Khadar Sand Mining Project			
7. Project location (Plot/ Khasra /Gata	Khasra No- 552			
No.)				
8. Name of Village	Shahbaznagar Khadar,			
9. Tehsil	Sadar			
10.District	Shahjahanpur			
11. Name of Minor Mineral	Sand (Niji bhumi- River bed)			
12. Total Area (in Ha.)	1.01 ha			
13. Mineable Area (in Ha.)	0.6464 ha			
14.Pillar Coordinates(Verified by OMO)	Pillars Latitude Longitude			
	A 27°55'18.58"N 79°51'53.40"E			
	B 27°55'18.60"N 79°51'56.0"E			
	C 27°55'14.83"N 79°51'55.78"E			
	D 27°55'14.86"N 79°51'55.56"E			
	E 27°55'14.43"N 79°51'55.20"E			
	F 27°55'14.25"N 79°51'52.97"E			
	G 27°55'14.44"N 79°51'52.49"E			
15. Period of agreement between Project	6 months			
proponent & Land Owner				
16. Mine Plan approval details	Letter No. 2021/9/3/84887 dated 21/09/2021			
17. Validity of Mine Plan	6 months			
18.Total Proposed Production (six months)	15840 cum			
19. Proposed Production/year	Project is only for 6 months			
20.Method of Mining	Semi-Mechanized Opencast			
21.No.Of workers	26			
22.Type of Land	Pvt. Land (River bed)			
23.Ultimate Depth of Mining	3.0 Meter			
24. Water Requirement	Particulars KLD			
	Domestic & drinking 0.65			
	Dust Suppression 2.4			
	Plantation 1.1			
	Total 4.15			
25. Name of QCI Accredited Consultant	Rian enviro Private Limited			
with QCI No and period of validity.	202, 204, Mangal market, Raza Bazar			
	Sheikhpura Patna, Bihar			
		_		

	Valid till: 10/03/2024		
26. Any litigation pending against the project or land in any court	No		
27. Areas which are important or sensitive for ecological reasons — Wetlands, watercourses or other water bodies, coastal zone, biospheres, mountains, forests, protected, important or sensitive species of flora or fauna for breeding, nesting, foraging, resting, migration	No		
28. Areas occupied by sensitive manmade land uses (hospitals, schools, places of worship, community facilities)	Hargovind School, Govt. Inter College, Satwan Nagar, Primary school, shahbaznagar Hanuman Temple Madhwamai temple N A memorial Hospital	About 0.8 km in S direction About 4.2 km in E direction About 1.6 km in E direction About 2 km in E direction About 5 km in NE direction About 4 km in E direction	
29. Details of 500 m Cluster Map &	Letter No. 382 dated 23-09-2	l .	
certificate issued by Mining Officer			
30. Proposed CER cost	0.36 Lakh		
31. Proposed EMP cost	0.90 Lakh		
32. No. of Trees to be Planted	470		
33. Detail of CTE issued by UPPCB (for	NA		
brick kiln project)			

- 3. The mining would be restricted to unsaturated zone only above the phreatic water table and will not intersect the ground water table at any point of time.
- 4. The mining operation will not be carried out in safety zone of any bridge or embankment or in eco-fragile zone such as habitat of any wild fauna.
- 5. There is no litigation pending in any court regarding this project.
- 6. The project proposal falls under category–1(a) of EIA Notification, 2006 (as amended).

The committee discussed the matter and recommended grant of environmental clearance for the project proposal along with general and specific conditions as annexed at Annexure-2 to these minutes.

3. "RBM (Mixed Form) Mining" at Gata No. -70 Mi, Village- Abulfazalpur Pahara, Tehsil-Nagina, Bijnor, Shri Dilip Kumar Ojha, M/S Jayanti Entrepreneur Pvt. Ltd. Area: 1.264 Ha File No. 6605 /Proposal No. SIA/UP/MIN/ 232139/2021.

The consultant informed the committee that they are strictly following the rules, regulations and other instructions of QCI/NABET. A presentation was made by the project proponent along with their consultant M/s Environmental Research and Analysis, Lucknow (U.P.). Based on the documents submitted and presentation made by the project proponent along with the consultant, the following facts have emerged: -

1. The environmental clearance is sought for "RBM (Mixed Form) Mining" at Gata No. -70 Mi, Village- Abulfazalpur Pahara, Tehsil- Nagina, Bijnor, Shri Dilip Kumar Ojha, M/S Jayanti Entrepreneur Pvt. Ltd. Area: 1.264 Ha.

1. On-line proposal No.	SIA/UP/MIN/232139/2021
2. File No. allotted by SEIAA, UP	6605

3. Name of Proponent	M/S Jayanti Entrepreneur Private Limited Director				
		Shri Dilip Kumar Ojha S/O Shri Hanuman Prasad			
4 F 11 1 11 C	Ojha  D/O 184 N Dlock Vidyysi Nagar Vannyu Nagar				
4. Full correspondence address of proponent	R/O-184, N Block, Kidwai Nagar, Kanpur Nagar			ır, Kanpur Nagar	
and mobile no.	(U.P)	1 f ()	T::: D1:	\	
5. Name of Project	RBM (mixe		Niji Bnumi	) mine	
6. Project location (Plot/Khasra/Gata No.)	Gata No 70				
7. Name of River	Khoh River				
8. Name of Village	Abulfazalpu	ır Pahara			
9. Tehsil	Nagina				
10.District	Bijnor (U.P				
11.Name of Minor Mineral	RBM (mixe	d form) m	ine		
12.Sanctioned Lease Area (in Ha.)	1.264 Ha.				
13.Mineable Area (in Ha.)	1.1316 Ha.	•	ne 0.1324 l	Ha.)	
14.Zero level mRL	256.5 mRL				
15.Max. & Min mrl within lease area	Maximum r mRL	nRL 255 1	nRL and l	Minimum mRL 253	
16.Pillar Coordinates (Verified by DMO)	Points	Lati	tude	Longitude	
	A	29°34'	40.2"N	78°28'32.6"E	
	В	29°34'	37.6"N	78°28'29.8"E	
	C	29°34'	35.2"N	78°28'33.7"E	
	D	29°34'	37.6"N	78°28'36.3"E	
17. Total Geological Reserves	50560 m <sup>3</sup>				
18.Total Mineable Reserves	26544 m <sup>3</sup>				
19. Total Proposed Production (in 6 months)	26,544 m³ (as per LOI)				
20.Proposed Production/year	26,544 m <sup>3</sup> ii	n 6 month	S		
21.Sanctioned Period of Mine lease	6 months				
22.Production of mine/day	147.47 m <sup>3</sup> /d	lay			
23.Method of Mining	Open cast, I	Manual, s	emi-mecha	nized	
24.No. of working days	180				
25. Working hours/day	8 hours/day				
26.No. Of workers	27				
27.No. Of vehicles movement/day	12 Vehicles	movemer	nt/dav		
28.Type of Land	Niji Bhumi				
29. Ultimate Depth of Mining	2.5 m				
30. Nearest metalled road from site		ndamaidas	Road is 1	.0 km towards North-	
0 012 (0112 0112 0112 0112 0112 0112 011	West direction and NH-119 is 10.80 km towards				
	North-West direction.				
31.Water Requirement	PURPOSE		REQU	IREMENT (KLD)	
•	Drinking wa	ater		0.37 KLD	
	Suppression			4.80 KLD	
	Plantation 0.01 KLD		0.01 KLD		
	Others (if any)		-		
	Total		5.18	8 KLD Approx.	
32.Name of QCI Accredited Consultant with QCI No			alysis, Lucknow		
And period of validity.	Certificate No. QCI/NABET/EIA/1922/RA/0200 and valid up to 30/12/2022			A/1922/RA/0200	
33. Any litigation pending against the project or land in any court					
4.Details of 500 m Cluster Map & Letter No. 750/ खनिज-अनुभाग -21 dated 19/08/20. certificate issued by Mining Officer			1 dated 19/08/2021		

35.Details of Lease Area in approved DSR	2172/ <b>एमo 228/2017(खनन निति)-डी॰एस॰आर॰</b> date		
	12/02/2021 Sl. No- 5		
36.Proposed EMP cost Rs 2,70,980/-			
37.Proposed Total Project cost	Rs. 74,00,000/-		
38. Length and breadth of Haul Road	200 m length and 6.0 m width		
39.No. of Trees to be Planted	10		

- 3. The mining would be restricted to unsaturated zone only above the phreatic water table and will not intersect the ground water table at any point of time.
- 4. The mining operation will not be carried out in safety zone of any bridge or embankment or in eco-fragile zone such as habitat of any wild fauna.
- 5. There is no litigation pending in any court regarding this project.
- 6. The project proposal falls under category-1(a) of EIA Notification, 2006 (as amended).

The committee discussed the matter and recommended grant of environmental clearance for the project proposal along with general and specific conditions as annexed at Annexure-2 to these minutes.

4. Sand/Morrum Mining from Yamuna River bed at Gata No.- 78 to 120, 124 to 133, 153 to 162, Village- Oti Composite, Tehsil & District- Fatehpur, Shri Madan Gupta, Area: 50.0 ha File No. 5954 /Proposal No. SIA/UP/MIN/ 57603/2020.

The consultant informed the committee that they are strictly following the rules, regulations and other instructions of QCI/NABET. A presentation was made by the project proponent along with their consultant M/s Geogreen Enviro House Pvt Ltd. Based on the documents submitted and presentation made by the project proponent along with the consultant, the following facts have emerged: -

- 1. The Environmental Clearance is sought for Sand/Morrum Mining from Yamuna River bed at Gata No.- 78 to 120, 124 to 133, 153 to 162, Village- Oti Composite, Tehsil & District- Fatehpur, Shri Madan Gupta, Area: 50.0 ha.
- 2. The Terms of reference in the matter were issued by SEIAA U.P vide letter no: 748/Parya/SEAC/5954/2019 dated 15 January 2021. The Public Hearing was organized on 28.7.2021

٥. ١	. Same it reacures of the project as submitted by the project proponent.				
1.	On Line Proposal No.	SIA/UP/MIN/57603/2020			
2.	File No. Allotted By SEIAA, UP	5954			
3.	Name Of Proponent	Shri Madan Gupta			
		S/O Shri Vidya Prasad Gupta			
4.	Full Correspondence Address Of	Nearby ISRO Ayodhya Nagar, Huzur Bhopal- 462041			
	Proponent And Mobile Number				
5.	Name Of Project	"SAND/MORRUM MINING FROM YAMUNA			
		RIVERBED"			
6.	Project Location (Plot/Khasra/Gata	Yamuna River Bed, Gata No. 78 to 120, 124 to 133,			
	No.)	153 to 162, Village- Oti Composite, Tehsil- Fatehpur,			
		District: Fatehpur (U.P.)			
7.	Name of river	Yamuna			
8.	Name of Village	Oti Composite			
9.	Tehsil	Fatehpur			
10.	District	Fatehpur (U.P.)			
11.	Name Of Minor Mineral	Sand/ Moram Mining Project			

12.	Sanctioned Lease Area	50.0 Ha		
13.	Mineable Area	45.0 Ha		
14.	Max. & Min mRL Within Lease Area	Max-92.00 mRL; Min- 89 mRL		
15.	Pillar Coordinates (Verified By	Coordinates:		
	DMO)	Latitude (North) Longitude (East)		
		25° 43.303'	80° 35.000'	
		25° 42.964'	80° 35.798'	
		25° 42.865'	80° 35.722'	
		25° 43.032'	80° 34.835'	
16.	Total Geological Reserve	15,00,000 Cu.m		
17.	Mineable Reserve	13,50,000 Cu.m		
18.	Total Proposed Production as per LOI	5,00,000 Cu.m per year		
19.	Total Proposed Production in 05 years	25,00,000 Cu.m		
20.	Proposed Production	5,00,000 Cu.m per year		
21.	Sanctioned Period of Mine Lease	5 Year		
22.	Production of Mine/Day	1851.85 Cu. m per day		
23.	Method of Mining	Opencast & Semi mechani	zed (Bar Scrapping Method)	
24.	No. of Working Days	270		
25.	Working Hours/Day	08 hrs max (Day Time)		
26.	No. of Workers	90		
27.	No. of Vehicles Movement/Day	93 trucks once a day( To &	z Fro)	
28.	Type of Land	Govt. Land /Non forest		
29.	Ultimate Depth of Mining	3 m or above ground water	r table whichever comes first.	
30.	Nearest Metalled Road From Site	NH-232 towards 8.25 km	n towards W Direction from	
		mine site		
31.	Water Requirement	Purpose	Requirement (Kld)	
		Drinking Water	3.0	
		Dust suppression	9.0	
		Plantation	3.0	
		Others, if any	-	
		Total	15.0	
32.	Name of The QCI Accredited	GEOGREEN ENVIRO HO		
	Consultant With QCI No. And			
	Period Of Validity	Valid till 24 <sup>th</sup> February, 2024		
33.	Any Litigation Pending Against The Project Or Land In Any Court.	No		
34.	Details Of 500m Cluster Map & Certificate Verified By Mining Officer	Letter No 1157/30-Khanijdated 01/10/2021		
35.	Details Of Lease Area In Approved DSR	Area: 50 ha.		
36.	Length And Breadth Of Haul Road	250.0 m x 6.0 m		
37.	No. of trees to be planted	200 Saplings per year		

- 4. The mining would be restricted to unsaturated zone only above the phreatic water table and will not intersect the ground water table at any point of time.
- 5. The mining operation will not be carried out in safety zone of any bridge or embankment or in eco-fragile zone such as habitat of any wild fauna.
- 6. There is no litigation pending in any court regarding this project.

7. The project proposal falls under category-1(a) of EIA Notification, 2006 (as amended).

### **RESOLUTION AGAINST AGENDA NO-4**

The committee discussed the matter and recommended grant of environmental clearance for the project proposal along with general and specific conditions as annexed at Annexure-2 to these minutes.

## 5. Sand Mining from Rohin River Bed at Gata No.-247Ga, Village- Baikunthpur, Tehsil-Nautanwa, Maharajgaj., Shri Sandhya Pandey, Area -5.475 ha, File No. 6013 /Proposal No. SIA/UP/MIN/ 58559/2020.

The consultant informed the committee that they are strictly following the rules, regulations and other instructions of QCI/NABET. A presentation was made by the project proponent along with their consultant M/s Geogreen Enviro House Pvt Ltd. Based on the documents submitted and presentation made by the project proponent along with the consultant, the following facts have emerged: -

- 1. The Environmental Clearance is sought for Sand Mining from Rohin River Bed at Gata No.-247Ga, Village- Baikunthpur, Tehsil- Nautanwa, Maharajgaj., Shri Sandhya Pandey, Area -5.475 ha.
- 2. The Terms of reference in the matter were issued by SEIAA U.P vide letter no: 830Parya/SEAC/6013/2019 dated 22 March 2021. The Public Hearing was organized on 16.8.2021

1.	On Line Proposal No.	SIA/UP/MIN/58559/2020			
2.	File No. Allotted By SEIAA, UP	6013			
3.	Name Of Proponent	M/s Saurabh Co	M/s Saurabh Construction		
		Proprietor: Sand	dhya Pandey W/o Sl	n. Dinesh Pandey	
4.	Full Correspondence Address Of			n, Padri Bazar, Post-	
	Proponent And Mobile Number		na- Gulhariya, Distri		
5.	Name Of Project		Mining at Rohin Riv	/er	
6.	Project Location (Plot/Khasra/Gata No.)	Gata No. 247ग			
7.	Name of River	Rohin River			
8.	Name of Village	Baikunthpur			
9.	Tehsil	Nautanwa			
10.	District	Maharajganj			
11.	Name Of Minor Mineral	Ordinary Sand			
12.	Sanctioned Lease Area	5.475 Ha			
13.	Mineable Area	4.927 Ha			
14.	Max. & Min mRL Within Lease Area	Max- 103.30 m	RL; Min- 100.50 ml	RL	
15.	Pillar Coordinates (Verified By	Boundary	Latitude (N)	Longitude (E)	
	DMO)	Point			
		A.	27°25'25.06"	83°30'19.31"	
		B.	27°25'25.53"	83°30'20.29"	
		C.	27°25'21.76"	83°30'21.86"	
		D.	27°25'12.13"	83°30'14.41"	
		E.	27°25'2.77"	83°30'17.44"	
		F.	27°24'58.24"	83°30'16.48"	
		G.	27°24'40.72"	83°30'4.37"	
		H.	27°24'38.45"	83°30'0.91"	
		I.	27°24'39.19"	83°30'0.53"	
		J.	27°24'41.22"	83°30'3.66"	

1		K.	27°24'58.	.58"	83°30'15.04"
		L.	27°25'2.'		83°30'16.09"
		M.	27°25'12.	.18"	83°30'13.05"
		N.	27°25'22.	.16"	83°30'20.51"
16.	Total Geological Reserve	1,64,250 Cu.m			<u> </u>
17.	Mineable Reserve	1.47,825 Cu.m			
18.	Total Proposed Production as per LOI	54,750 Cu.m pe	r year		
19.	Total Proposed Production in 05 years	2,73,750 Cu.m			
20.	Proposed Production	54,750 Cu.m pe	r year		
21.	Sanctioned Period of Mine Lease	5 Year			
22.	Production of Mine/Day	202.77 Cu.m			
23.	Method of Mining	Blasting	mi mechaniz	zed with	n No Drilling and
24.	No. of Working Days	270			
25.	Working Hours/Day	08 hrs max (Day	y Time)		
26.	No. of Workers	50			
27.	No. of Vehicles Movement/Day	20 trucks once a	ı day		
28.	Type of Land	Govt. Land /No	n forest		
29.	Ultimate Depth of Mining		ne ground wa	ater tabl	e whichever comes
		first			
30.	Nearest Metalled Road From Site				d towards 0.66 km
	W. D	towards NNE D			,
			Δ .	Reani	
31.	Water Requirement	Purpos		requi	rement (Kld)
31.	Water Requirement	Drinking Wate	er	requi	0.80
31.	Water Requirement	Drinking Wate Dust suppressi	er	requi	0.80 4.50
31.	Water Requirement	Drinking Wate Dust suppressi Plantation	er	requi	0.80 4.50 0.90
31.	Water Requirement	Drinking Water Dust suppressing Plantation Others, if any	er	Troquis	0.80 4.50 0.90
	•	Drinking Water Dust suppressing Plantation Others, if any	on		0.80 4.50 0.90 - <b>6.20</b>
31.	Name of The QCI Accredited	Drinking Water Dust suppressive Plantation Others, if any Total GEOGREEN E.	on NVIRO HOU		0.80 4.50 0.90 - <b>6.20</b>
	Name of The QCI Accredited Consultant With QCI No. And Period	Drinking Water Dust suppressi Plantation Others, if any Total GEOGREEN E NABET/EIA/21	on NVIRO HOU 24/RA0215		0.80 4.50 0.90 - <b>6.20</b>
32.	Name of The QCI Accredited Consultant With QCI No. And Period Of Validity	Drinking Water Dust suppressi Plantation Others, if any Total GEOGREEN E NABET/EIA/21 Valid till 24 Fe	on NVIRO HOU 24/RA0215		0.80 4.50 0.90 - <b>6.20</b>
	Name of The QCI Accredited Consultant With QCI No. And Period Of Validity  Any Litigation Pending Against The	Drinking Water Dust suppressi Plantation Others, if any Total GEOGREEN E NABET/EIA/21	on NVIRO HOU 24/RA0215		0.80 4.50 0.90 - <b>6.20</b>
32.	Name of The QCI Accredited Consultant With QCI No. And Period Of Validity  Any Litigation Pending Against The Project Or Land In Any Court.	Drinking Wate Dust suppressi Plantation Others, if any Total GEOGREEN E NABET/EIA/21 Valid till 24 Fe No	NVIRO HOU 24/RA0215 bb 2024	USE PV	0.80 4.50 0.90 - <b>6.20</b> T. LTD.
32.	Name of The QCI Accredited Consultant With QCI No. And Period Of Validity  Any Litigation Pending Against The	Drinking Wate Dust suppressi Plantation Others, if any Total GEOGREEN E NABET/EIA/21 Valid till 24 Fe No	NVIRO HOU 24/RA0215 bb 2024	USE PV	0.80 4.50 0.90 - <b>6.20</b>
32.	Name of The QCI Accredited Consultant With QCI No. And Period Of Validity  Any Litigation Pending Against The Project Or Land In Any Court.  Details Of 500m Cluster Map & Certificate Verified By Mining Officer	Drinking Wate Dust suppressi Plantation Others, if any Total GEOGREEN E NABET/EIA/21 Valid till 24 Fe No	NVIRO HOU 24/RA0215 bb 2024	USE PV	0.80 4.50 0.90 - <b>6.20</b> T. LTD.
32.	Name of The QCI Accredited Consultant With QCI No. And Period Of Validity  Any Litigation Pending Against The Project Or Land In Any Court.  Details Of 500m Cluster Map & Certificate Verified By Mining	Drinking Wate Dust suppressi Plantation Others, if any Total GEOGREEN E NABET/EIA/21 Valid till 24 Fe No	NVIRO HOU 24/RA0215 bb 2024	USE PV	0.80 4.50 0.90 - <b>6.20</b> T. LTD.
32. 33. 34.	Name of The QCI Accredited Consultant With QCI No. And Period Of Validity  Any Litigation Pending Against The Project Or Land In Any Court.  Details Of 500m Cluster Map & Certificate Verified By Mining Officer  Details Of Lease Area In Approved	Drinking Water Dust suppressive Plantation Others, if any Total GEOGREEN ENABET/EIA/21 Valid till 24 Fenance No Letter No 45/Kl	NVIRO HOU 24/RA0215 bb 2024	USE PV	0.80 4.50 0.90 - <b>6.20</b> T. LTD.

- 4. The mining would be restricted to unsaturated zone only above the phreatic water table and will not intersect the ground water table at any point of time.
- 5. The mining operation will not be carried out in safety zone of any bridge or embankment or in eco-fragile zone such as habitat of any wild fauna.
- 6. There is no litigation pending in any court regarding this project.
- 7. The project proposal falls under category–1(a) of EIA Notification, 2006 (as amended).

The committee discussed the matter and recommended grant of environmental clearance for the project proposal along with general and specific conditions as annexed at Annexure-2 to these minutes.

### 6. Stone Mining at Khand -12,Gata No.-27, Village- Dunara, Tehsil- Sadar, Jhansi, Shri Mukul Yadav., area- 1.416 ha. File No. 6623/6063/ Proposal No. SIA/UP/MIN/ 232349/2021

The consultant informed the committee that they are strictly following the rules, regulations and other instructions of QCI/NABET. A presentation was made by the project proponent along with their consultant M/s Globus Environment Engineering Services. Based on the documents submitted and presentation made by the project proponent along with the consultant, the following facts have emerged: -

1. The Environmental Clearance is sought for Stone Mining at Khand -12,Gata No.-27, Village-Dunara, Tehsil- Sadar, Jhansi, Shri Mukul Yadav., area- 1.416 ha.

1. On-line proposal No.   SIA/UP/MIN/232349/2021, Dated: 09-10-2021	2. Salient features of the project as submit				
3. Name of Proponent   Shri Mukul Yadav S/o Shri Deendayal Yadav	1. On-line proposal No.	·			
4.Full correspondence address of proponent and mobile no.  5. Name of Project  6. Project location (Plot/Khasra/Gata No.)  7. Name of River  8. Name of Village  9. Tehsil  10. District  11. Name of Minor Mineral  12. Sanctioned Lease Area (in ha.)  13. Mineable/Workable Area (in ha.)  14. Zero level mRL  15. Max. & Min mRL within lease area  16. Pillar Coordinates (Verified by DMO)  17. Verified Khasra Map)  18. S2°27'29.53"N  17. Total Geological Reserves  (Source: Approved Mining Plan)  18. Total Mineable Reserves  (Source: Approved Mining Plan)  19. Total Proposed Production (in five years)  20. Proposed Production/year  21. Sanctioned Period of Mine lease  22. Production of mine/day  23. Method of Moning  24. No. of Working days  25. Working hours/day  26. No. of Workiers  27. No. of vehicles movement/day  28. Type of Land  18. Total Cooling and Reserves (Source: Approved Land  28. Type of Land  51. Casia No.: 27  8					
Tehsil & District: Jhansi, State: Uttar Pradesh					
5. Name of Project         Building Stone (Khandas,gitti,boulder) Mining Project           6. Project location (Plot/Khasra/Gata No.)         Khand No. 12, Gata No.: 27           7. Name of River         Betwa River, 3.95 Km, E           8. Name of Village         Dunara           9. Tehsil         Sadar           10. District         Jhansi           11. Name of Minor Mineral         Building Stone           12. Sanctioned Lease Area (in ha.)         1.416 Ha           13. Mineable/Workable Area (in ha.)         1.416 Ha           14. Zero level mRL         -           15. Max. & Min mRL within lease area         The Highest Point at 223.95 mRL           16. Pillar Coordinates (Verified by DMO)         Pillar Latitudes (N) Longitudes (E)           A 25°27'25.58"N 78°41'23.13"E         B 25°27'29.53"N 78°41'22.70"E           C 25°27'29.65"N 78°41'22.70"E         C 25°27'29.65"N 78°41'22.70"E           C 25°27'29.65"N 78°41'22.70"E         E 25°27'25.87"N 78°41'28.38"E           Toposheet No:: 54 K/11         3,58,437 m³           17. Total Geological Reserves         2,16,200 m³           (Source: Approved Mining Plan)         2,12,400 m³           18. Total Mineable Reserves         2,12,400 m³           (Source: Approved Mining Plan)         20 years           19. Total Proposed Production (in five y					
6. Project location (Plot/Khasra/Gata No.)         Khand No.12, Gata No.: 27           7. Name of River         Betwa River, 3.95 Km, E           8. Name of Village         Dunara           9. Tehsil         Sadar           10. District         Jhansi           11. Name of Minor Mineral         Building Stone           12. Sanctioned Lease Area (in ha.)         1.416 Ha           14. Zero level mRL         -           15. Max. & Min mRL within lease area         The Highest Point at 223.95 mRL The Lowest Point at 211.10 mRL           16. Pillar Coordinates (Verified by DMO)         Pillar Latitudes (N)         Longitudes (E)           A 25°27'25.58"N         78°41'23.13"E           B 25°27'29.65"N         78°41'26.11"E           D 25°27'29.65"N         78°41'26.11"E           D 25°27'25.87"N         78°41'26.96"E           E 25°27'25.87"N         78°41'28.38"E           Toposheet No.: 54 K/11         3,58,437 m³           17. Total Geological Reserves (Source: Approved Mining Plan)         2,16,200 m³           18. Total Mineable Reserves (Source: Approved Mining Plan)         2,16,200 m³           19. Total Proposed Production (in five years)         2,12,400 m²           20. Proposed Production/year         42,480 m³/Annum           21. Sanctioned Period of Mine lease         20 yea		,			
7. Name of River         Betwa River, 3.95 Km, E           8. Name of Village         Dunara           9. Tehsil         Sadar           10. District         Jhansi           11. Name of Minor Mineral         Building Stone           12. Sanctioned Lease Area (in ha.)         Total Lease Area: 1.416 Ha           13. Mineable/Workable Area (in ha.)         1.416 Ha           14. Zero level mRL         -           15. Max. & Min mRL within lease area         The Highest Point at 223.95 mRL The Lowest Point at 211.10 mRL           16. Pillar Coordinates (Verified by DMO)         Pillar Latitudes (N) Longitudes (E) A 25°27'25.58"N 78°41'23.13"E           B 25°2729.53"N 78°41'26.11"E         D 25°27'29.65"N 78°41'26.11"E           D 25°27'29.65"N 78°41'26.11"E         D 25°27'25.87"N 78°41'28.38"E           Toposheet No.: 54 K/11         Total Geological Reserves (Source: Approved Mining Plan)         3,58,437 m³           18. Total Mineable Reserves (Source: Approved Mining Plan)         2,16,200 m³           19. Total Proposed Production (in five years)         2,16,200 m³           20. Proposed Production/year         42,480 m³/Annum           21. Sanctioned Period of Mine lease         20 years           22. Production of mine/day         163.38 m³/day (163.38 m³/day x 2.8 = 457.46 T/day)           Opencast, semi-mechanized (Other than fully mechanized)					
S. Name of Village   Dunara		Khand No.12, Gata No.: 27			
9. Tehsil   10. District   11. Name of Minor Mineral   12. Sanctioned Lease Area (in ha.)   1. Alfo Ha   1.		, ,			
10. District   Jhansi   Building Stone   12. Sanctioned Lease Area (in ha.)   Total Lease Area: 1.416 Ha   1	8. Name of Village	Dunara			
11. Name of Minor Mineral   12. Sanctioned Lease Area (in ha.)   1.416 Ha   1.416 Ha   1.42 ero level mRL   15. Max. & Min mRL within lease area   1.416 Ha   1.416	9. Tehsil	Sadar			
12. Sanctioned Lease Area (in ha.)	10. District	Jhansi			
13. Mineable/Workable Area (in ha.)   1.416 Ha   14. Zero level mRL   -   15. Max. & Min mRL within lease area   The Highest Point at 223.95 mRL   The Lowest Point at 211.10 mRL   16. Pillar Coordinates (Verified by DMO)   A 25°27'25.58"N   78°41'23.13"E   17. Total Geological Reserves   17. Total Geological Reserves   18. Total Mineable Reserves   18. Total Mineable Reserves   19. Total Proposed Production (in five years)   2.12,400 m   3	11. Name of Minor Mineral	Building Stone			
14. Zero level mRL	12. Sanctioned Lease Area (in ha.)	Total Lease Area: 1.416 Ha			
The Highest Point at 223.95 mRL	13. Mineable/Workable Area (in ha.)	1.416 Ha			
The Lowest Point at 211.10 mRL	14. Zero level mRL	-			
16. Pillar Coordinates (Verified by DMO)	15. Max. & Min mRL within lease area	The Highest Point at 223.95 mRL			
A   25°27'25.58"N   78°41'23.13"E		The Lowest Point at 211.10 mRL			
Source: Verified Khasra Map    B   25°27'29.53"N   78°41'22.70"E     C   25°27'29.65"N   78°41'26.11"E     D   25°27'25.87"N   78°41'26.96"E     E   25°27'25.87"N   78°41'28.38"E     Toposheet No.: 54 K/11     17. Total Geological Reserves (Source: Approved Mining Plan)     18. Total Mineable Reserves (Source: Approved Mining Plan)     19. Total Proposed Production (in five years)     20. Proposed Production/year   42,480 m³/Annum     21. Sanctioned Period of Mine lease   20 years     22. Production of mine/day   163.38 m³/day (163.38 m³/day x 2.8 = 457.46 T/day)     23. Method of Mining   Opencast, semi-mechanized (Other than fully mechanized)     24. No. of Working days   260 Days     25. Working hours/day   8 hours/day     26. No. of Workers   33     27. No. of vehicles movement/day   8 Units (Assumed Loading Capacity: 20m³/Unit)     28. Type of Land   State Government Land	16. Pillar Coordinates (Verified by DMO)	Pillar Latitudes (N) Longitudes (E)			
C   25°27'29.65"N   78°41'26.11"E     D   25°27'27.53"N   78°41'26.96"E     E   25°27'25.87"N   78°41'28.38"E     Toposheet No.: 54 K/11     17. Total Geological Reserves (Source: Approved Mining Plan)     18. Total Mineable Reserves (Source: Approved Mining Plan)     19. Total Proposed Production (in five years)     2,16,200 m³     2,12,400 m³     20. Proposed Production/year   42,480 m³/Annum     21. Sanctioned Period of Mine lease   20 years     22. Production of mine/day   163.38 m³/day (163.38 m³/day x 2.8 = 457.46 T/day)     23. Method of Mining   Opencast, semi-mechanized (Other than fully mechanized)     24. No. of Working days   260 Days     25. Working hours/day   8 hours/day     26. No. of Workers   33     27. No. of vehicles movement/day   8 Units (Assumed Loading Capacity: 20m³/Unit)     28. Type of Land   State Government Land		A 25°27'25.58"N 78°41'23.13"E			
D   25°27'27.53"N   78°41'26.96"E     E   25°27'25.87"N   78°41'28.38"E     Toposheet No.: 54 K/11     17. Total Geological Reserves (Source: Approved Mining Plan)     18. Total Mineable Reserves (Source: Approved Mining Plan)     19. Total Proposed Production (in five years)     2,16,200 m³     2,12,400 m³     20. Proposed Production/year   42,480 m³/Annum     21. Sanctioned Period of Mine lease   20 years     22. Production of mine/day   163.38 m³/day (163.38 m³/day x 2.8 = 457.46 T/day)     23. Method of Mining   Opencast, semi-mechanized (Other than fully mechanized)     24. No. of Working days   260 Days     25. Working hours/day   8 hours/day     26. No. of Workers   33     27. No. of vehicles movement/day   8 Units (Assumed Loading Capacity: 20m³/Unit)     28. Type of Land   State Government Land	(Source: Verified Khasra Map)	B 25°27'29.53"N 78°41'22.70"E			
E 25°27'25.87"N 78°41'28.38"E  Toposheet No.: 54 K/11  17. Total Geological Reserves (Source: Approved Mining Plan)  18. Total Mineable Reserves (Source: Approved Mining Plan)  19. Total Proposed Production (in five years)  20. Proposed Production/year  21. Sanctioned Period of Mine lease  22. Production of mine/day  23. Method of Mining  Opencast, semi-mechanized (Other than fully mechanized)  24. No. of Working days  25. Working hours/day  8 hours/day  26. No. of Workers  37. No. of vehicles movement/day  8 Units (Assumed Loading Capacity: 20m³/Unit)  State Government Land		C 25°27'29.65"N 78°41'26.11"E			
Toposheet No.: 54 K/11  17. Total Geological Reserves (Source: Approved Mining Plan)  18. Total Mineable Reserves (Source: Approved Mining Plan)  19. Total Proposed Production (in five years)  20. Proposed Production/year  21. Sanctioned Period of Mine lease  22. Production of mine/day  23. Method of Mining  Opencast, semi-mechanized (Other than fully mechanized)  24. No. of Working days  25. Working hours/day  26. No. of Workers  37. No. of vehicles movement/day  8 Units (Assumed Loading Capacity: 20m³/Unit)  State Government Land		D 25°27'27.53"N 78°41'26.96"E			
17. Total Geological Reserves (Source: Approved Mining Plan)  18. Total Mineable Reserves (Source: Approved Mining Plan)  19. Total Proposed Production (in five years)  20. Proposed Production/year  21. Sanctioned Period of Mine lease  22. Production of mine/day  23. Method of Mining  Opencast, semi-mechanized (Other than fully mechanized)  24. No. of Working days  25. Working hours/day  26. No. of Workers  37. No. of vehicles movement/day  28. Type of Land  3,58,437 m³  3,58,437 m³  2,16,200 m³  2,12,400 m³  42,480 m³/Annum  21. Sanctioned Period of Mine lease  20 years  20 years  20 pencast, semi-mechanized (Other than fully mechanized)  24. No. of Working days  260 Days  27. No. of vehicles movement/day  28. Type of Land  State Government Land		E 25°27'25.87"N 78°41'28.38"E			
17. Total Geological Reserves (Source: Approved Mining Plan)  18. Total Mineable Reserves (Source: Approved Mining Plan)  19. Total Proposed Production (in five years)  20. Proposed Production/year  21. Sanctioned Period of Mine lease  22. Production of mine/day  23. Method of Mining  Opencast, semi-mechanized (Other than fully mechanized)  24. No. of Working days  25. Working hours/day  26. No. of Workers  37. No. of vehicles movement/day  28. Type of Land  3,58,437 m³  3,58,437 m³  2,16,200 m³  2,12,400 m³  42,480 m³/Annum  21. Sanctioned Period of Mine lease  20 years  20 years  20 pencast, semi-mechanized (Other than fully mechanized)  24. No. of Working days  260 Days  27. No. of vehicles movement/day  28. Type of Land  State Government Land		Toposheet No.: 54 K/11			
18. Total Mineable Reserves (Source: Approved Mining Plan)  19. Total Proposed Production (in five years)  20. Proposed Production/year  21. Sanctioned Period of Mine lease  22. Production of mine/day  23. Method of Mining  Copencast, semi-mechanized (Other than fully mechanized)  24. No. of Working days  25. Working hours/day  26. No. of Workers  27. No. of vehicles movement/day  28. Type of Land  29. Type of Land  20. Proposed Production (in five years)  21. Sanctioned Period of Mine lease  22. Production of mine/day  163.38 m³/day (163.38 m³/day x 2.8 = 457.46 T/day)  Opencast, semi-mechanized (Other than fully mechanized)  260 Days  27. No. of Workers  28. Units (Assumed Loading Capacity: 20m³/Unit)  28. Type of Land	17. Total Geological Reserves				
(Source: Approved Mining Plan)  19. Total Proposed Production (in five years)  20. Proposed Production/year  42,480 m³/Annum  21. Sanctioned Period of Mine lease  22. Production of mine/day  23. Method of Mining  Opencast, semi-mechanized (Other than fully mechanized)  24. No. of Working days  25. Working hours/day  8 hours/day  26. No. of Workers  27. No. of vehicles movement/day  28. Type of Land  State Government Land	(Source: Approved Mining Plan)				
19. Total Proposed Production (in five years)  20. Proposed Production/year  21. Sanctioned Period of Mine lease  22. Production of mine/day  23. Method of Mining  24. No. of Working days  25. Working hours/day  26. No. of Workers  27. No. of vehicles movement/day  28. Type of Land  29. Production (in five years)  24. 42,480 m³/Annum  29. years  20. years  20. years  20. pears  20. years  20. years  20. pears, semi-mechanized (Other than fully mechanized)  24. No. of Working days  26. Days  27. No. of vehicles movement/day  28. Units (Assumed Loading Capacity: 20m³/Unit)  28. Type of Land  29. Years  20. years  21. Sanctioned Period of Minum  20. years  21. Sanctioned Period of Minum  22. Years  23. Sanctioned Period of Minum  24. Years  25. Working hours/day  26. No. of Workers  27. No. of vehicles movement/day  28. Units (Assumed Loading Capacity: 20m³/Unit)	18. Total Mineable Reserves	2,16,200 m <sup>3</sup>			
20. Proposed Production (in five years) 20. Proposed Production/year 21. Sanctioned Period of Mine lease 22. Production of mine/day 23. Method of Mining 24. No. of Working days 25. Working hours/day 26. No. of Workers 27. No. of vehicles movement/day 28. Type of Land 29. Proposed Production (in five years) 29. 21,2,400 m 20. 21,2,400	(Source: Approved Mining Plan)				
21. Sanctioned Period of Mine lease20 years22. Production of mine/day163.38 m³/day (163.38 m³/day x 2.8 = 457.46 T/day)23. Method of MiningOpencast, semi-mechanized (Other than fully mechanized)24. No. of Working days260 Days25. Working hours/day8 hours/day26. No. of Workers3327. No. of vehicles movement/day8 Units (Assumed Loading Capacity: 20m³/Unit)28. Type of LandState Government Land	19. Total Proposed Production (in five years)				
22. Production of mine/day163.38 m³/day (163.38 m³/day x 2.8 = 457.46 T/day)23. Method of MiningOpencast, semi-mechanized (Other than fully mechanized)24. No. of Working days260 Days25. Working hours/day8 hours/day26. No. of Workers3327. No. of vehicles movement/day8 Units (Assumed Loading Capacity: 20m³/Unit)28. Type of LandState Government Land	20. Proposed Production/year	42,480 m <sup>3</sup> /Annum			
23. Method of Mining Opencast, semi-mechanized (Other than fully mechanized) 24. No. of Working days 25. Working hours/day 8 hours/day 26. No. of Workers 33 27. No. of vehicles movement/day 8 Units (Assumed Loading Capacity: 20m³/Unit) 28. Type of Land State Government Land	21. Sanctioned Period of Mine lease	20 years			
mechanized)  24. No. of Working days  25. Working hours/day  26. No. of Workers  27. No. of vehicles movement/day  28. Type of Land  260 Days  8 hours/day  8 hours/day  28 Units (Assumed Loading Capacity: 20m³/Unit)  State Government Land	22. Production of mine/day	$163.38 \text{ m}^3/\text{day}$ (163.38 m <sup>3</sup> /day x 2.8 = 457.46 T/day)			
mechanized)  24. No. of Working days  25. Working hours/day  26. No. of Workers  27. No. of vehicles movement/day  28. Type of Land  260 Days  8 hours/day  8 hours/day  28 Units (Assumed Loading Capacity: 20m³/Unit)  State Government Land	23. Method of Mining	Opencast, semi-mechanized (Other than fully			
25. Working hours/day8 hours/day26. No. of Workers3327. No. of vehicles movement/day8 Units (Assumed Loading Capacity: 20m³/Unit)28. Type of LandState Government Land	_				
25. Working hours/day8 hours/day26. No. of Workers3327. No. of vehicles movement/day8 Units (Assumed Loading Capacity: 20m³/Unit)28. Type of LandState Government Land	24. No. of Working days	260 Days			
27. No. of vehicles movement/day8 Units (Assumed Loading Capacity: 20m³/Unit)28. Type of LandState Government Land		8 hours/day			
28. Type of Land State Government Land	26. No. of Workers				
28. Type of Land State Government Land	27. No. of vehicles movement/day	8 Units (Assumed Loading Capacity: 20m³/Unit)			
	·				
		42 m (218mRL – 176 mRL)			

	(Source: Approved Mining Plan)		
30. Nearest metalled road from site	Length 810 m & V	Vidth 7 m	
31. Water Requirement	Purpose	Requirment (KLD)	
	Drinking	0.165	
	Suppression Of	11.34	
	Dust		
	Plantation	2.84	
	Total	14.345	
32. Name of QCI Accredited Consultant		ent Engineering Services	
with QCI No. and period of validity.		ABET/EIA/1821/IA0034, Extension	
	Validity Till Decei	mber 29/2021	
33. Any litigation pending against the	No		
project or hand in any court			
34. Details of 500 m Cluster Map &		issued by DMO (Mining Section),	
certificate issued by Mining Officer	Jhansi. Letter No.	1315/ 30 MMC/2020-21 दिनांक -	
	29/10/2020		
35. Details of Lease Area in approved DSR	Amended DSR Jha	nsi: Letter no.713/30	
	MMC/DSR/2020-2	21,Sr. No-06, dated 31-07-2020	
36. Proposed CER Cost	Rs. 4.36Lakhs (3%	of the total Project Cost)	
37. Proposed EMP Cost	Rs. 28.77 Lakhs		
38. Length and breadth of Haul Road	Length 810 m & V	Vidth 7 m	
39. No. of Trees to be Planted	1420 Trees/Year (	1000 trees/ha.)	

- 3. The mining would be restricted to the unsaturated zone only above the phreatic water table and will not intersect the groundwater table at any point in time.
- 4. The mining operation will not be carried out in the safety zone of any bridge or embankment or eco-fragile zone such as the habitat of any wild fauna.
- 5. There is no litigation pending in any court regarding this project.
- 6. The project proposal falls under category–1(a) of EIA Notification, 2006 (as amended).

Dr. Ajai Mishra, Member, SEAC-1 recused during the appraisal of this proposal. The remaining committee discussed the matter and recommended the grant of environmental clearance for the project proposal along with general and specific conditions as annexed at Annexure-1 to the minutes. The committee also stipulated the following specific conditions:

- 1. The project proponent shall install solar light in their site office.
- 2. During the submission of 6 monthly compliance reports, the project proponent should make sure that the periodically taken site photographs should also be annexed along with the compliance report.
- 3. Preference should be given to indigenous local species as per the consultation of the local district Forest Officer.
- 4. The maximum height of the bench should be 06 meters and the width of the bench should be at least twice the height of the bench as per the mine plan approval letter by DGM, U.P
- 5. In case the blasting is proposed during a mining operation, the project proponent needs to assess its impact on the displacement of human beings/wild animals/birds/other species, and the suitable measures proposed and taken for their rehabilitation and resettlement need to be clearly described in first 6 monthly compliance report.
- 6. The mining plan approved by the Dept. of Mines and Geology, Uttar Pradesh shall be strictly implemented and shall not be operated beyond the validity period.
- 7. The project proponent shall submit a final mine closure plan/Exit protocol for rehabilitation of mined-out land to match its surrounding land use 3 years before the closure of the mine to SEIAA, UP and Department of Mines and Geology, UP for approval. The project proponent shall ensure

- the implementation of the approved plan under the supervision of the Dept. of Mines and Geology.
- 8. The project proponent shall plan and implement collection drain and siltation basins of adequate size to arrest the silt and sediment flow from the quarry area. The surface runoff rainwater harvesting and other water conservation measures on a long-term basis are to be taken in consultation with the Central/State Groundwater Board. The water so collected should be utilized for watering the haulage area, roads, and green belt development, etc.
- 9. The project proponent shall take all suitable measures to prevent pollution of groundwater and nearby water bodies in consultation with the State Pollution Control Board and consent to operate (if applicable) should be obtained from the State Pollution Control Board before the start of production from the mine.
- 10. Link Road from the quarry site to the main road shall be constructed as an all-weather road with blacktopping and maintained by the project proponent.
- 11. Vehicular emissions should be kept under control and regularly monitored. Suitable measures shall be taken for proper maintenance of vehicles used in a quarry operation and transportation.
- 12. The project proponent should explore the possibilities of rainwater harvesting.

# 7. Sand Mining at Gata No.-46, 47, 50, 54, 61, 62, 69, 55, 60, 63, 68, 70, 75, 74, 71, 67, 64, 59 & 56, Village- Devranar, Tehsil- Fatehpur, Fatehpur, M/s Pragyasan Contractor Pvt. Ltd. Area: 15.0 ha File No. 6632/5823 /Proposal No. SIA/UP/MIN/ 68403/2020

The consultant informed the committee that they are strictly following the rules, regulations and other instructions of QCI/NABET. A presentation was made by the project proponent along with their consultant M/s Paramarsh (Servicing Environment and Development). Based on the documents submitted and presentation made by the project proponent along with the consultant, the following facts have emerged: -

- 1. The environmental clearance is sought for Ordinary Sand Mining at Gata No.- 46, 47, 50, 54, 61, 62, 69, 55, 60, 63, 68, 70, 75, 74, 71, 67, 64, 59 & 56, Village- Devranar, Tehsil- Fatehpur, District- Fatehpur, U.P. M/S PRAGYASAN CONTRACTOR PVT. LTD., (Applied Area- 15.0 ha.),
- 2. The terms of reference in the matter were issued by SEIAA, U.P. vide letter no. 494/Parya/SEAC/5823/2020, dated: 04/11/2020. The public hearing was organized on 28/07/2021. Final EIA report submitted on 14/10/2021.

1.	The environmental clearance is sought for Ordinary Sand Mining at Gata No 46, 47, 50, 54,						
	61, 62, 69, 55, 60, 63, 68, 70, 75, 74, 71, 67	, 64, 59 & 56, Village- Devranar, Tehsil- Fatehpur,					
	District- Fatehpur, U.P. M/S PRAGYASAN CONTRACTOR PVT. LTD., (Applied Area-						
	15.0 ha.),						
2.	The terms of reference in the matter were issued by SEIAA, U.P. vide letter no.						
	494/Parya/SEAC/5823/2020, dated: 04/11/2020						
3.	The public hearing was organized on	28/07/2021					
4.	Final EIA report submitted on	14/10/2021					
5.	On-line proposal No.	SIA/UP/MIN/68403/2020					
6.	File No. allotted by SEIAA, UP	6632 / 5823					
7.	Name of Proponent	M/S Pragyasan Contractor Pvt. Ltd., Director-					
		Shri Santosh Kumar Yadav S/o Shri Deena Nath					
		Yadav & Smt. Yaduvanshi Pragya Singh W/o					
		Shri Santosh Kumar Yadav					
8.	Full correspondence address of	Add 94 Eldeco Green, Gomti Nagar, Lucknow,					
	proponent and mobile no.	U.P. 226010					
9.	Name of Project	Ordinary Sand Mining Project					
10.	Project location (Plot/ Khasra /Gata No.)	Gata No 46, 47, 50, 54, 61, 62, 69, 55, 60, 63,					
	,	68, 70, 75, 74, 71, 67, 64, 59 & 56					

### Minutes of 600<sup>th</sup> SEAC-1 Meeting Dated- 01-12-2021

11.	Name of River	Ganga				
12.	Name of Village	Devranar				
13.	Tehsil	Fatehpur				
14.	District	Fatehpur				
15.	Name of Minor Mineral	Ordinary Sa	ınd			
16.	Sanctioned Lease Area (in Ha.)	15.0 ha.				
17.	Max.& Min mrl within lease area	94.0 m ams	l - 91.0 m a	amsl		
18.	Pillar Coordinates(Verified by DMO)	Pillars	Latitue		Longitu	de (E)
10.		1111115		rea (15.0		(2)
		A	26°02.8	_	81°01.89	99"E
		В	26°02.4		81°01.99	
		C	26°02.:		81°02.10	
		D	26°02.8		81°01.99	
		Submerged Area (4.3893 ha)				
		A'	26°02.:		81°01.9′	71"E
		В	26°02.4		81°01.99	
		С	26°02.:		81°02.10	
		C'	26°02.′		81°02.02	
19.	Total Geological Reserves	87282 m <sup>3</sup>				
20.	Total Mineable Reserves	52369 m <sup>3</sup>				
21.	Total Proposed Production (in five year)	250000 m <sup>3</sup>				
22.	Proposed Production / year	Year		Product	tion	1
	Troposed Froduction, year	1 <sup>st</sup>		50000		1
		2 <sup>nd</sup>		50000		1
		3 <sup>rd</sup>		50000		1
		4 <sup>th</sup>		50000		
		5 <sup>th</sup>		50000		1
		Total		250000		-
23.	Sanctioned Period of Mine lease	5 Year	I			
24.	Production of mine/day	222.22 m <sup>3</sup> (	average)			
25.	Method of Mining	Opencast Se		nized		
26.	No.of working days	225 days				
27.	Working hours/day	8 Hours/Da	y			
28.	No.Of workers	33 (average	)			
29.	No.Of vehicle movement /day	19 (average	)			
30.	Type of Land	River Bed C				
31.	Ultimate Depth of Mining	0.60 meter (				
32.	Nearest metalled road from site	0.70 km				
33.	Water Requirement	PURPOSE	E	REQUII (KLD)	REMENT	
		Drinking &	& Others	(ICLD)	0.40	
		Suppression			4.20	
		Plantation			0.10	
		Others( if				
		Total	<b>-</b> J /		4.70	
34.	Name of QCI Accredited Consultant	M/s Parama	rsh (Servic	cing Envir		d
] 3-1.	with QCI No and period of validity.	Developme			Similant un	-
	The same period of various.	QCI/NABE			0	
		Validity- 13			-	
35.	Any litigation pending against the project	No				
	or land in any court					
	•	•				

36.	Details of 500 m Cluster Map & certificate	DMO, Fatehpur vide Letter No. 805/30-Khanij
	Verified by Mining Officer	(2020-21), Dated 24 <sup>th</sup> July, 2020
37.	Details of Lease Area in approved DSR	Page No 05, S.No 14.
38.	Proposed CER cost	1.30 Lakh
39.	Proposed EMP cost	9.68 Lakh
40.	Length and breadth of Haul Road.	Length- 0.70 km, Width- more than 6.0 m
41.	No. of Trees to be Planted	75

- 4. The mining would be restricted to unsaturated zone only above the phreatic water table and will not intersect the ground water table at any point of time.
- 5. The mining operation will not be carried out in safety zone of any bridge or embankment or in eco-fragile zone such as habitat of any wild fauna.
- 6. There is no litigation pending in any court regarding this project.
- 7. The project proposal falls under category–1(a) of EIA Notification, 2006 (as amended).

The committee discussed the matter and recommended grant of environmental clearance for the project proposal along with general and specific conditions as annexed at Annexure-2 to these minutes.

8. <u>Sand/Morrum Mining from Dhasan River Bed at Khand No.-06, Village- Tolakhangaran, Tehsil- Rath, Hamirpur, U.P., Shri Ram Kumar Singh, Area: 32.11 Ha File No. 6633/5699 /Proposal No. SIA/UP/MIN/68403/2020</u>

### **RESOLUTION AGAINST AGENDA NO-8**

The project proponent/consultant requested to defer the matter in the upcoming SEAC-1 meeting. The committee discussed and directed to defer the matter as per the request made by the project proponent. The matter will be discussed only after an online request is received from the project proponent.

## 9. <u>Stone (Sand Stone) Mining at Gata No.-484, at Village- Patti Kalan, Tehsil- Chunar, District- Mirzapur, U.P.,Leased Area -0.948 ha File N0.5167/Proposal No. SIA/UP/MIN/ 45561/2019</u>

The committee observed that the case was considered in 564th SEAC-1 Meeting Date 26/08/2021 wherein, "The committee discussed the matter and directed the project proponent to submit the following information:

- 1. The coordinates given in ToR's& Mining plan are diffrent from that given in the approved lease Map. The Project Proponent / Consultant should get it corrected by the competent authority.
- 2. KML file should be exhibited,
- 3. Consultant should improve the presentation quality. Letter in this regard should be sent to QCI, this time for information.
- 4. The presentation should mention that all plantations should be done during the first year and make sure that they survive. Detailed plantation plan with identification of green belt, type and number of plants/trees, and their location in consultation with forest department shall be formulated and implemented.
- 5. Project Proponent/Consultantshould explore the possibilities of Solar light and water Conservation/harvesting around the mining site/area.

The matter shall be discussed after the submission of online information on the prescribed portal."

The Project Proponent submitted their replies vide letter dated 28/10/2021. The consultant informed the committee that they are strictly following the rules, regulations and other instructions of QCI/NABET. A presentation was made by the project proponent along with their consultant M/s Ind Tech House Consult, Delhi. Based on the documents submitted and presentation made by the project proponent along with the consultant, the following facts have emerged: -

- 1. The Environmental Clearance is sought for Building Stone Sandstone Mining Project at Gata No'.484 Village- Patti Kalan, Tehsil- Chunar, District- Mirzapur, U.P. Area 0.948 Ha.
- 2. The Terms of reference in the matter were issued by SEIAA U.P vide letter no: 318/Parya/SEAC/5167/2019 dated 11 September 2020. The Public Hearing was organized on 8.1.21

3.	Salient features of the project as submitted by the project proponent:					
	The Environmental Clearance is sought for Building Stone Sandstone Mining Project at Gata					
1	No'.484 Village- Patti Kalan, Tehsil- Chuna					
2	The Terms of reference in the matter were is	sued by S	EIAA U.P vide letter	no:318/Parya/SEAC/		
	5167/2019 dated 11 September 2020					
3	The Public Hearing was organized on	8.1.21				
4	Final EIA report submitted on	18.6.21				
5	On Line Proposal No.	SIA/UP/MIN/45561/2019				
6	File No. allotted by SEIAA, UP	5167				
7	Name of Proponent	Shri. Gulab Das				
8	Full correspondence address of proponent	R/o Koiran Bazar, Vill- Ahraura, Tehsil-Chunar &				
	and mobile no.		irzapur U.P.			
9	Name of Project			mining project at Gata		
				lan, Tehsil- Chunar,		
				ea 0.948 Ha M/s Jai		
			andari Shri Gulab Da	ıs		
10	Project Location(Plot.Khsra/Gata/Araji	Gata No	o'.484			
	No.)					
11	Name of Village	Patti Ka				
12	Tehsil	Chuna				
13	District	Mirzapu				
14	Name of Minor Mineral		g Stone (Sandstone)			
16	Sanctioned Lease Area (in Ha.)	0.948 H				
17	Max. & Min mRL within lease area		mRL & 114.0 mRL			
18	Pillar Coordinates (Verified by DMO)	Point	Latitude	Longitude		
		A	25°00'23.886"N	83°01'17.184"E		
		В	25°00'25.038"N	83°01'23.25"E		
		С	25°00'22.356"N	83°01'24.078"E		
		D	25°00'21.922"N	83°01'18.528"E		
19	Total Geological Reserves		3m <sup>3</sup> /Annum			
20	Total Mineable Reserve in LOI		/Annum			
21	Total Proposed Production in	9480 m <sup>3</sup>	Annum			
	LOI					
22	Total Proposed Production in 20 Years		20=1,89,600 m <sup>3</sup>			
23	Sanctioned Period of Mine lease	20Years	1			
24	Production of mine/day	32m <sup>3</sup>				
25	Method of Mining		ast Manual/ Semi Me	echanized Mining		
26	No. of working days	300 Day				
27	Working hours/day	8 Hours				
28	No. of worker	20 Worl				
29	No. of vehicles movement/day		s / Day (Depending o	on market demand)		
30	Type of Land	Govt. La	and			

31	Ultimate of Depth of Mining	12.00 m	
32	Nearest metalled road from site	0.30Km	
33	Water Requirement	PURPOSE	REQUIREMENT
			(KLD)
		Drinking	0.20 KLD
		Suppression of dust	3.6 KLD
		Plantation	2.0 KLD
		Others (if any)	
		Total	5.8 KLD (Approx.
			6.00 KLD)
34	Name of QCI Accredited Consultant	Ind Tech House Consult	QCI No 85
	with QCI No and period of validity.	Period of Validity- 27-1	0-2021
35	Any litigation pending against the	No	
	project or land in any court		
36	Details of 500 m Cluster Map &	Letter No-1049	
	Certificate verified by Mining Officer	Date-22.8.2019	
37	Details of Lease Area in approved DSR	Page No'-12 Sr. No'-55	
38	Proposed CER cost	2% of total project cost	i.e. Rs.1.20 Lakhs
39	Proposed EMP cost	14.09 Lakhs	
40	Length and breadth of Haul Road	300 mt Length & 6m wi	dth haulage road
41	No. of Trees to be Planted	500 Trees	

- 4. The mining would be restricted to the unsaturated zone only above the phreatic water table and will not intersect the groundwater table at any point in time.
- 5. The mining operation will not be carried out in the safety zone of any bridge or embankment or eco-fragile zone such as the habitat of any wild fauna.
- 6. There is no litigation pending in any court regarding this project.
- 7. The project proposal falls under category-1(a) of EIA Notification, 2006 (as amended).

The committee discussed the matter and recommended the grant of environmental clearance for the project proposal along with general and specific conditions as annexed at Annexure-1 to the minutes. The committee also stipulated the following specific conditions:

# 10. Sand Mining at Ghaghara River bed, Gata No.-02, Village- Sharwa Manjha, District-Faizabad, U.P., (Leased Area: 25.0 Ha) File No. 4503/Proposal No. SIA/UP/MIN/29241/2018

The committee observed that the case was considered in 503rd SEAC Meeting Dated 23/11/2020 wherein, "A presentation was made by the project proponent along with their consultant M/s Geogreen Enviro House Pvt. Ltd. The committee discussed the matter and directed the project proponent to submit following information:

- 1. Location of geo coordinates is not marked and verified in lease map.
- 2. Revised cluster certificate in prescribed format.
- 3. Revise TOR point 16.
- 4. The SEAC gone through the reply mentioned in the public hearing minutes and the complaint received from Gram Pradhan letter dated 06/10/2020 and opined that for the factual report of the situation the DM, Ayodhya is requested to constitute a committee involving Senior Officers from District Administration, Mining Department, Irrigation Department, Pollution Control Board, PWD and a public representative to visit the site and conduct the inspection in view of queries in public hearing with special reference to river bank cutting and remedial measures thereof and informed the SEAC about the outcome of

the inspection to enable the committee to take decision for EC. The matter shall be discussed after submission of online information on prescribed portal."

The Project Proponent/ Consultant submitted their replies on 30./11/2021. The consultant informed the committee that they are strictly following the rules, regulations and other instructions of QCI/NABET. A presentation was made by the project proponent along with their consultant M/s Geogreen Enviro House Pvt Ltd. Based on the documents submitted and presentation made by the project proponent along with the consultant, the following facts have emerged: -

- 1. The Environmental Clearance is sought for Sand Mining at Ghaghara River bed, Gata No.-02, Village- Sharwa Manjha, District-Faizabad, U.P., (Leased Area: 25.0 Ha).
- 2. The Terms of reference in the matter were issued by SEIAA U.P vide letter no: 748/Parya/SEAC/5954/2019 dated 15/01/2021. The Public Hearing was organized on 19/08/2021

3. Salien	t features of the project as submitted	by the project proponent:
1.	On Line Proposal No.	SIA/UP/MIN/29241/2018
2.	File No. Allotted By SEIAA, UP	4503
3.	Name Of Proponent	Akhilesh Pratap Singh
4.	Full Correspondence Address Of	House No 7/302, Malhar Deluxe, Sahara Grace,
	Proponent And Mobile Number	Thana, Jankipuram
5.	Name Of Project	Proposed Sand Mining at Ghaghara River bed,
		Gata No02 over an Area of25.0 Ha Situated in
		Village- SharwaManjha, District-Faizabad, U.P.,
		(Lease Area: 25.0 Ha)
6.	Project Location (Plot/Khasra/Gata	Gata No02, Village- SharwaManjha, District-
	No.)	Faizabad
7.	Name Of River	Ghaghara River
8.	Name Of Village	SharwaManjha
9.	Tehsil	Sadar
10.	District	Faizabad
11.	Name Of Minor Mineral	Sand
12.	Sanctioned Lease Area In Ha	25 Ha
13.	Mineable Area In Ha	22.5 Ha
14.	Zero Level mRL	81 mRL
15.	Max. & Min mRLWithin Lease	Max mRL 88.50, Min mRL 83.40
	Area	
16.	Pillar Coordinates (Verified By	A:26°39.293'N, 82°28.525'E,
	DMO)	B:26°39.666'N, 82°28.483'E,
		C:26°39.325'N, 82°28.084'E,
		D:26°39.272'N, 82°28.095'E
17.	Total Geological Reserve	750000 cum
18.	Total Mineable Reserve in LOI	375000 cum
19.	Total Proposed Production in 05	1875000 cum
20	years	255000
20.	Proposed Production/year	375000 cum
21.	Sanctioned Period Of Mine Lease	5 years
22.	Production Of Mine/Day	1389 cum
23.	Method of Mining	Opencast Manual and Semi Mechanized
24.	No. of Working Days	270
25.	Working Hours/Day	08 hrs max, Day Time
26.	No. of Workers	63
27.	No. of VehiclesMovement/Day	25 Trucks/Trolleys twice a day
28.	Type Of Land	Govt. /non forest River Bed
29.	Ultimate Depth Of Mining	1.67 m

30.	Nearest Metalled Road From Site	325 m
31.	Water Requirement	9.69 KLD (Drinking Water 1.97 KLD, Dust
	-	Suppression 6.52 KLD, Plantation 1.2 KLD)
32.	Name Of The QCI Accredited	GEOGREEN ENVIRO HOUSE PVT LTD
	Consultant With QCI No. And	NABET/EIA/1720/IA0023
	Period Of Validity	Valid till April'2020
33.	Any Litigation Pending Against	No
	The Project Or Land In Any Court.	
34.	Details Of 500m Cluster Map &	-
	Certificate Verified By Mining	
	Officer	
35.	Details Of Lease Area In Approved	Serial No 8, Page 10
	DSR	
36.	Proposed CSR Cost	2500000.0
37.	Propose EMP Cost	1105500.0
38.	Length And Breadth Of Haul Road	300 m X 6 m
39.	No. of trees to be planted	173 Saplings

- 4. The mining would be restricted to unsaturated zone only above the phreatic water table and will not intersect the ground water table at any point of time.
- 5. The mining operation will not be carried out in safety zone of any bridge or embankment or in eco-fragile zone such as habitat of any wild fauna.
- 6. There is no litigation pending in any court regarding this project.
- 7. The project proposal falls under category–1(a) of EIA Notification, 2006 (as amended).

The committee discussed the matter and recommended grant of environmental clearance for the project proposal along with general and specific conditions as annexed at Annexure-2 to these minutes.

### 11. <u>Sand Stone at Khasra No.-1144, 463, Khand No.-M/G/1, Village- Mamoli/Gadewara, Tehsil-Meja, Prayagraj., Area -4.86 ha File No. 6236/Proposal No. SIA/UP/MIN/ 61695/2021</u>

The committee observed that the case was considered in Special SEAC-1 Meeting Dated 25/11/2021 wherein, "The project proponent/consultant did not appear. The committee noted and discussed the request letter of the project proponent and deliberated that project file should be kept in next upcoming proposed agenda."

The committee also noted that the project Proponent has submitted the change in consultant letter, the Project Proponent has changed consultant M/s Cognizance Research India Private Limited to M/s Earth Vision India Associate Consultant. The consultant informed the committee that they are strictly following the rules, regulations and other instructions of QCI/NABET. A presentation was made by the project proponent along with their consultant M/s Earth Vision India Associate Consultant. Based on the documents submitted and presentation made by the project proponent along with the consultant, the following facts have emerged: -

1. The Terms of Reference is sought for Sand Stone at Khasra No.-1144, 463, Khand No.-M/G/1, Village- Mamoli/Gadewara, Tehsil-Meja, Prayagraj., Area -4.86 ha

		state to the second of the project the state and the project project properties.					
	1. On-line proposal No. SIA/UP/MIN/61695/2021		SIA/UP/MIN/61695/2021				
	2.	File No. allotted by SEIAA, UP	6236				
	3. Name of Proponent Shri Mahesh Kumar Agarwal		Shri Mahesh Kumar Agarwal				
		_	S/o- Late Shri R.P. Agarwal				
Γ	4.	Registered Address	R/O-12/10 DR.Lohiya Marg,				

### Minutes of 600<sup>th</sup> SEAC-1 Meeting Dated- 01-12-2021

		Civil Lir	ie, Sac	lar, Prayagraj (	UP)		
5.	Full correspondence address of	R/O-12/10 DR.Lohiya Marg,					
	proponent and mobile no.			lar, Prayagraj (	UP)		
	FF	Mobile 1		,			
		E-mail I					
6.	Name of Project			handa, Boulder	Gitti) N	fine	
7.	Project location Khasra No			14, 463, Khand			
8.	Name of Village	Mamoli/			1 NO 1VI/	O/ I	
9.	Tehsil		Gauci	vara			
10.	District	Meja Prayagra	:				
		Uttar Pra					
11.	State			1 1 C'' D	11 )		
12.	Name of Minor Mineral			handa, Gitty, B	ouider)		
13.	Total Area (in Ha.)	4.86 He			1		
14.	Pillar Coordinates (Verified by	Pillar	No	Latitud			gitude
	DMO)	A		25° 8.559	'N	82° 1	1.469'E
		В		25° 8.507	'N	82° 1	1.643'E
		С		25° 8.430	'N	82° 1	1.586'E
		D		25° 8.495			1.425'E
15.				25 0.175	- 1	02	2011
16.	Mine Plan approval details	I ottor N	0 - 10'	7/MP/2016			
10.	wine i ian approvai detaits	Dated- 1					
17	V-1: 1:←£M: D1		4/01/2	2021			
17.	Validity of Mine Plan	3 Years		1.60500 C (1	4 2	020 21 4	2.1
18.	Total Proposed Production/Year			160590 Cum(1	st year 2	020-21 to	3rd year
1.0	D 1D 1 :: /D	2023-24					
19.	Proposed Production/Day	669.125		. 1 . 13	<i>r</i> .1 1		
20.	Method of Mining			i mechanized N	Method		
21.	No. of workers	54 Work					
22.	Type of Land	Govt. W	aste la	ınd			
23.	Ultimate Depth of Mining	20.0 m	,		,		
24.	Water Requirement			Purpose		etail	Avg.
							Demand/Day
		Portable	1 2 1 1111	king@10	54 wor		0.540 KLD
		Tanker	lpcd/	worker	10 lpcc		
					= 540 lpcd		
			Mine	÷	-		1.0 KLD
			opera	ation/others			
							5.0KLD
						ees x i	
				reclamation / ation @1	5000Ti   lpcd	rees x 1	3.0KED
1				ation @1	lpcd		3.0KLD
			plant Lit/T	ration @1 Tree	lpcd = 5000	) lpcd	
			plant Lit/T Dust	ration @1 ree suppression	lpcd = 5000 Haul R	) lpcd oad	1.2 KLD
			plant Lit/T Dust @1L	ation @1  ree  suppression  it/Sq.m	lpcd = 5000 Haul R Area =	) lpcd oad (200 m	
			plant Lit/T Dust @1L	ration @1 ree suppression	lpcd = 5000 Haul R Area = Length	oad (200 m x 6m	
			plant Lit/T Dust @1L	ation @1  ree  suppression  it/Sq.m	lpcd = 5000 Haul R Area = Length Width	) lpcd oad (200 m	
			plant Lit/T Dust @1L	ation @1 Suppression it/Sq.m	lpcd = 5000 Haul R Area = Length Width m2) x	oad (200 m x 6m = 1200	
			plant Lit/T Dust @1L	ation @1 Suppression it/Sq.m	lpcd = 5000 Haul R Area = Length Width m2) x 1lpcd/S	oad (200 m x 6m = 1200	
			plant Lit/T Dust @1L	ation @1 Tree suppression it/Sq.m ce in a day)	lpcd = 5000 Haul R Area = Length Width m2) x	oad (200 m x 6m = 1200	1.2 KLD
25	Name of OCL Assertited	M/a Fa	plant Lit/T Dust @1L (Twi	ation @1 Tree suppression it/Sq.m ce in a day)	lpcd = 5000 Haul R Area = Length Width m2) x 1lpcd/5 = 1200	oad (200 m x 6m = 1200 Sq.m	
25.	Name of QCI Accredited		plant Lit/T Dust @1L (Twi	ration @1 Tree suppression it/Sq.m ce in a day)  Total on India Associa	lpcd = 5000 Haul R Area = Length Width m2) x 11pcd/S = 1200	oad (200 m x 6m = 1200 Sq.m lpcd	1.2 KLD 7.74 KLD
25.	Consultant with QCI No and		plant Lit/T Dust @1L (Twi	ation @1 Tree suppression it/Sq.m ce in a day)	lpcd = 5000 Haul R Area = Length Width m2) x 11pcd/S = 1200	oad (200 m x 6m = 1200 Sq.m lpcd	1.2 KLD 7.74 KLD
	Consultant with QCI No and period of validity	NABET	plant Lit/T Dust @1L (Twi	ration @1 Tree suppression it/Sq.m ce in a day)  Total on India Associa	lpcd = 5000 Haul R Area = Length Width m2) x 11pcd/S = 1200	oad (200 m x 6m = 1200 Sq.m lpcd	1.2 KLD 7.74 KLD
25. 26.	Consultant with QCI No and		plant Lit/T Dust @1L (Twi	ration @1 Tree suppression it/Sq.m ce in a day)  Total on India Associa	lpcd = 5000 Haul R Area = Length Width m2) x 11pcd/S = 1200	oad (200 m x 6m = 1200 Sq.m lpcd	1.2 KLD 7.74 KLD

27.	Areas which are important or sensitive for ecological reasons – Wetlands, watercourses or other water bodies, coastal zone, biospheres, mountains, forests, protected, important or sensitive species of flora or fauna for breeding, nesting, foraging, resting, migration	None
28.	Areas occupied by sensitive manmade land uses (hospitals, schools, places of worship, community facilities)	Hospital: Jeevan raksha.Hospital Meja16.05 Km, South School: Maulana Abulkalam Azad Degree College, kohrar -4.28Km, west Temple: Shideshwar Dham Mandir Aprox - 675 m, SE
29.	Details of 500 m Cluster certificate & Map Verified by Mining Officer	Letter No. 676/Khanij/2020-21 Dated 25-02-2021
30.	Proposed CER cost	Rs. 4.949 Lakhs
31.	Proposed EMP cost	Rs 17.90 Lakhs
32	No. of Trees to be Planted.	5000
33.	Detail of CTE/CTO issued by UPPCB	NA

- 3. The mining would be restricted to unsaturated zone only above the phreatic water table and will not intersect the ground water table at any point of time.
- 4. This project does not attract any of the general conditions applicable on mining projects specified in EIA Notification 14/09/2006.
- 5. The mining operation will not be carried out in safety zone of any bridge or embankment or in eco-fragile zone such as habitat of any wild fauna.
- 6. There is no litigation pending in any court regarding this project.
- 7. The project proposal falls under category-1(a) of EIA Notification, 2006 (as amended).

The committee discussed the matter and recommended to issue the terms of reference (ToR) for the preparation of EIA as annexed at annexure-3. The committee also stipulated the following additional ToR:

1. The project proponent/Consultant should identify the core & buffer zone (2.5km) of the mining site

# 12. Sand/Morrum/Bajri from Yamuna Riverbed at Gata No.-1/1, Near Village- Dariya Baramad, Tehsil & District- Saharanpur, U.P., M/s Prime Vision Industries Pvt. Ltd., Area-52.63 ha File No. 4460/Proposal No. SIA/UP/MIN/ 28751/2018

The Committee observed that the Environmental Clearance has been issued by SEIAA vide letter no. 133/Parya/SEAC/4460/2018 dated 28/06/2019. The committee noted that a request application has been made by the Project Proponent vide letter dated: 30/09/2021 regarding the reduction of the production of riverbed sand /morrum for at Yamuna river bed at Gata No.1/1 village, Dariya Baramad, Tehsil Saharanpur, District, Saharanpur U.P., (Lease Area 52.36 ha) wherein, mentioning that some discrepancy has been found during the drone survey conducted by QCI-NABET consultant P&M Solution Noida and Excell Geometrica Noida of the set project. The Project Proponent mentioned that according to the geo-coordinate mentioned in the Grant of EC approximately 51.89% (27.31 ha) of the total area 52.36 ha lies in the state of Haryana and only 48.10 %(25.32 ha) of the total area 52.36 ha lies in the state of Uttar Pradesh.

The SEAC-1 went through the file and documents regarding amendment in mineable reserves mentioned in the environmental clearance letter. SEAC-1 advised the project proponent to approach Geology and Mining Department, U.P. for the reduction in lease area and mineral quantity.

## 13. "Building Stone (Khanda, Boulder, Bailast & Gitti ) Mining" Project at Gata No.-1097, Khand No.-03 at Village- Utiyan, Tehsil & District- Mahoba, U.P., Lease area-1.214 ha., File No. 6447/Proposal No. SIA/UP/MIN/ 61583/2021

SEAC-1 noted that the case was considered in 579th SEAC-1 Meeting Dated 08/10/2021 wherein, "The Project Proponent/Consultant did not appear. The committee discussed and deliberated that the project file should be closed and be opened only after request from the project proponent. The file shall not be treated as pending at SEAC. The matter will be discussed only after the submission of the online request on prescribed online portal."

The Project Proponent requested vide letter dated 26/11/2021. The consultant informed the committee that they are strictly following the rules, regulations and other instructions of QCI/NABET. A presentation was made by the project proponent along with their consultant M/s Environmental Research and Analysis, Lucknow (U.P.). Based on the documents submitted and presentation made by the project proponent along with the consultant, the following facts have emerged: -

1. The Terms of Reference is sought for "Building Stone (Khanda, Boulder, Bailast & Gitti ) Mining" Project at Gata No.-1097, Khand No.-03 at Village- Utiyan, Tehsil & District- Mahoba, U.P., Lease area-1.214 ha..

1. On-line proposal No.  2. File No. allotted by SEIAA, U.P  3. Name of Proponent  M/s Betwa Pulses And Warehouse Pvt. Ltd. Proponent- Mr. Bhanu Gupta S/o Mr. Asl Kumar Gupta  4. Full correspondence address of proponent and mobile no.  5. Name of Project  Building Stone, Khanda, Boulder, Ballast (Gitti) Mining Project  6. Project location (Plot/Khasra/Gata No.)  7. Name of River  NA  Name of Village  Utiyan
3. Name of Proponent  M/s Betwa Pulses And Warehouse Pvt. Ltd.  Proponent- Mr. Bhanu Gupta S/o Mr. Asl Kumar Gupta  4. Full correspondence address of proponent and mobile no.  5. Name of Project  Building Stone, Khanda, Boulder, Ballast (Gitti) Mining Project  6. Project location (Plot/Khasra/Gata No.)  7. Name of River  NA  Name of Village  Utiyan
Proponent- Mr. Bhanu Gupta S/o Mr. Asl Kumar Gupta  4. Full correspondence address of proponent and mobile no.  5. Name of Project  6. Project location (Plot/Khasra/Gata No.)  7. Name of River  8. Name of Village  Proponent- Mr. Bhanu Gupta S/o Mr. Asl Kumar Gupta  R/o- 50 Gita Colony, Dalbazar Lashkar, Gwalior, (M.P.)  Building Stone, Khanda, Boulder, Ballast (Gitti) Mining Project  Arazi No. 1097 (Khand No. – 03),  NA  Utiyan
Kumar Gupta  4. Full correspondence address of proponent and mobile no.  5. Name of Project  6. Project location (Plot/Khasra/Gata No.)  7. Name of River  8. Name of Village  Kumar Gupta  R/o- 50 Gita Colony, Dalbazar Lashkar, Gwalior, (M.P.)  Building Stone, Khanda, Boulder, Ballast (Gitti) Mining Project  Arazi No. 1097 (Khand No. – 03), NA  Utiyan
<ol> <li>Full correspondence address of proponent and mobile no.</li> <li>Name of Project</li> <li>Project location (Plot/Khasra/Gata No.)</li> <li>Name of River</li> <li>Name of Village</li> <li>Pull correspondence address of proponent and mobile no.</li> <li>R/o- 50 Gita Colony, Dalbazar Lashkar, Gwalior, (M.P.)</li> <li>Building Stone, Khanda, Boulder, Ballast (Gitti) Mining Project</li> <li>Arazi No. 1097 (Khand No. – 03),</li> <li>NA</li> <li>Utiyan</li> </ol>
and mobile no.  Gwalior, (M.P.)  Suilding Stone, Khanda, Boulder, Ballast (Gitti)  Mining Project  Project location (Plot/Khasra/Gata No.)  Arazi No. 1097 (Khand No. – 03),  Name of River  NA  Name of Village  Utiyan
5. Name of Project  Building Stone, Khanda, Boulder, Ballast (Gitti)  Mining Project  6. Project location (Plot/Khasra/Gata No.)  Arazi No. 1097 (Khand No. – 03),  Name of River  NA  Name of Village  Utiyan
Mining Project  6. Project location (Plot/Khasra/Gata No.) Arazi No. 1097 (Khand No. – 03),  7. Name of River NA  8. Name of Village Utiyan
6. Project location (Plot/Khasra/Gata No.) Arazi No. 1097 (Khand No. – 03), 7. Name of River NA 8. Name of Village Utiyan
7. Name of River NA 8. Name of Village Utiyan
8. Name of Village Utiyan
9. Tehsil Sadar
10. District Mahoba (U.P.)
11. Name of Minor Mineral Building Stone, Khanda, Boulder, Ballast (Gitti)
Mining Project
12. Sanctioned Lease Area (in Ha.) 1.214 Ha.
13. Mineable Area (in Ha.) 1.0226 Ha. (Safety Margin 0.1914 Ha.)
14. Zero level mRL NA
15. Max. & Min mrl within lease area Maximum & Minimum mRL is 167 & 153 mRL
respectively.
16. Pillar Coordinates (Verified by DMO) Pillar Latitude(N) Longitude(E)
A 25°24'24.45"N 79°56'2.37"E
B 25°24'26.72"N 79°56'5.80"E

	С	25°24'19.71"N	79°56'4.95"E		
	D	25°24'19.39"N	79°56'4.23"E		
17. Total Geological Reserves	8,30,519 m <sup>3</sup>				
18. Sanction Quantity as per LOI	36,420 m <sup>3</sup> per	year as per LOI			
19. Total Proposed Production (in five year)		1,82,100 m <sup>3</sup> in five year			
20. Proposed Production/year	36,420 m <sup>3</sup> per	36,420 m³ per year			
21. Sanctioned Period of Mine lease	10 Years as pe	10 Years as per LOI			
22. Production of mine/day	145.68 m <sup>3</sup> /day	145.68 m <sup>3</sup> /day			
23. Method of Mining	Open cast, Ser	ni- Mechanized			
24. No. of working days	250				
25. Working hours/day	8 hours/day				
26. No. Of workers	34	34			
27. No. Of vehicles movement/day	12-14 Vehicles movement/day				
28. Type of Land	Building Stone(Khanda, Boulder, Ballast (Gitti)				
	Mining Projec	t			
29. Ultimate Depth of Mining	6.0 m				
30. Nearest metalled road from site	NH-76 is about 6.21 km towards South-East				
	direction from the project site.				
31. Water Requirement	PURPOSE		JIREMENT (KLD)		
	Drinking wate		0.44 KLD		
	Dust suppressi	ion	2.76 KLD		
	Plantation		1.214 KLD		
	Others (if any)		-		
	Total		.4 KLD approx		
32. Name of QCI Accredited Consultant with	Environmental Research and Analysis, Lucknow				
QCI No	(U.P) Certificate No. NABET/ EIA/ 1922/RA 0200				
And period of validity.	Valid up to 30 Dec, 2022				
33. Any litigation pending against the project	No	Dec, 2022			
or land in any court	110				
34. Details of 500 m Cluster Map &	Letter No. 4054/ <b>एम०एम०सी०</b> /2019-20				
certificate issued by Mining Officer	Date- 28/04/2020				
35. Details of Lease Area in approved DSR	DSR page no 83, serial no -22				
36. Proposed EMP cost	Rs 27,62,100/-				
37. Proposed Total Project cost	Rs. 80,00,000/-				
	230 m length and 6.0 m width				
XX   Length and breadth of Hail Road	230 m length	and 6.0 m width			
<ul><li>38. Length and breadth of Haul Road</li><li>39. No. of Trees to be Planted</li></ul>	230 m length a	and 6.0 m width			

- 3. The mining would be restricted to unsaturated zone only above the phreatic water table and will not intersect the ground water table at any point of time.
- 4. This project does not attract any of the general conditions applicable on mining projects specified in EIA Notification 14/09/2006.
- 5. The mining operation will not be carried out in safety zone of any bridge or embankment or in eco-fragile zone such as habitat of any wild fauna.
- 6. There is no litigation pending in any court regarding this project.
- 7. The project proposal falls under category–1(a) of EIA Notification, 2006 (as amended).

The committee discussed the matter and recommended to issue the terms of reference (ToR) for the preparation of EIA as annexed at annexure-3. The committee also stipulated the following additional ToR:

1. The project proponent/Consultant should identify the core & buffer zone (2.5km) of the mining site

# 14. "Building Stone (Khanda, Boulder, Bailast & Gitti ) Mining"Project at Gata No.-19, Khand No.-04, at Village-Ganj, Tehsil & District- Mahoba, U.P., Lease area-0.404 ha., File No. 6448/Proposal No. SIA/UP/MIN/61549/2021

SEAC-1 noted that the case was considered in 579th SEAC-1 Meeting Dated 08/10/2021 wherin, "The Project Proponent/Consultant did not appear. The committee discussed and deliberated that the project file should be closed and be opened only after request from the project proponent. The file shall not be treated as pending at SEAC. The matter will be discussed only after the submission of the online request on prescribed online portal."

Project Proponent Requested vide letter dated 26/11/2021. The consultant informed the committee that they are strictly following the rules, regulations and other instructions of QCI/NABET. A presentation was made by the project proponent along with their consultant M/s Environmental Research and Analysis, Lucknow (U.P.). Based on the documents submitted and presentation made by the project proponent along with the consultant, the following facts have emerged: -

1. The Terms of Reference is sought for" Building Stone (Khanda, Boulder, Bailast & Gitti ) Mining"Project at Gata No.-19, Khand No.-04, at Village-Ganj, Tehsil & District- Mahoba, U.P., Lease area-0.404 ha..

2.	2. Salient features of the project as submitted by the project proponent:						
1.	On-line proposal No.	SIA/UP/MIN/61549/2021					
2.	File No. allotted by SEIAA, U.P	6448					
3.	Name of Proponent	M/s Betwa Pulses And Warehouse Pvt. Ltd.					
	_	Proponent- N	/Ir. Bhanu Gupta S/	o Mr. Ashok Kumar			
		Gupta					
4.	Full correspondence address of proponent	R/o50 Gita Colony, Dalbazar Lashkar,					
	and mobile no.	Gwalior, (M.P.)					
5.	Name of Project	Building Stone, Khanda, Boulder, Ballast (Gitti)					
		Mining Project					
6.	Project location (Plot/Khasra/Gata No.)	Arazi No. 19 (Khand No. – 04),					
7.	Name of River	NA					
8.	Name of Village	Ganj					
9.	Tehsil	Sadar					
10.	District	Mahoba (U.P.)					
11.	Name of Minor Mineral	Building Stone, Khanda, Boulder, Ballast (Gitti)					
		Mining Project					
12.	Sanctioned Lease Area (in Ha.)	0.404 Ha.					
	Mineable Area (in Ha.)	0.3480 Ha. (Safety Margin 0.056 Ha.)					
	Zero level mRL	NA					
15.	Max. & Min mrl within lease area	Maximum & Minimum mRL is 144.0 & 125.0 mRL					
		respectively.					
16.	Pillar Coordinates (Verified by DMO)	Pillar	Latitude(N)	Longitude(E)			
		A	25°24'18.278"N	79°56'18.73"E			
		В	25°24'19.135"N	79°56'22.340"E			
		C	25°24'16.991"N	79°56'23.154"E			
		D	25°24'16.600"N	79°56'22.157"E			
17.	Total Geological Reserves	1,89,418 m <sup>3</sup>					
18. Sanction Quantity as per LOI 12,120 m <sup>3</sup> p		r year as per LOI					

19. Total Proposed Production (in five year)	60,600 m <sup>3</sup> in five year					
20. Proposed Production/year	12,120 m <sup>3</sup> per year					
21. Sanctioned Period of Mine lease	10 Years as per LOI					
22. Production of mine/day	48.48 m <sup>3</sup> /day					
23. Method of Mining	Open cast, Semi-Mecha	Open cast, Semi-Mechanized				
24. No. of working days	250					
25. Working hours/day	8 hours/day					
26. No. Of workers	33					
27. No. Of vehicles movement/day	5-6 Vehicles movement	5-6 Vehicles movement/day				
28. Type of Land	Building Stone(Khanda, Boulder, Ballast (Gitti) Mining Project					
29. Ultimate Depth of Mining	6.0 m					
30. Nearest metalled road from site	NH-76 at 6.30 km towards South-East direction					
	from the project site.					
31. Water Requirement	PURPOSE	REQUIREMENT (KLD)				
	Drinking water	0.43 KLD				
	Dust suppression	0.6 KLD				
	Plantation	0.808 KLD				
	Others (if any)	-				
	Total	Approx. 1.84 KLD				
32. Name of QCI Accredited Consultant with		h and Analysis, Lucknow				
QCI No	(U.P)					
And period of validity.	Certificate No. NABET/ EIA/ 1922/RA 0200					
	Valid up to 30 Dec, 202	22				
33. Any litigation pending against the project or land in any court	No					
34. Details of 500 m Cluster Map &	Letter No. 4055/ एम <b>०</b> ए	<b>म०सी०-</b> 30/2019-20				
certificate issued by Mining Officer	Date- 28/04/2020					
35. Details of Lease Area in approved DSR	DSR page no 83, serial no -26					
36. Proposed EMP cost	Rs 8,31,600/-					
37. Proposed Total Project cost	Rs. 90,00,000/-					
38. Length and breadth of Haul Road	50 m length and 6.0 m width					
39. No. of Trees to be Planted 404						
2. The mining yearld be rectained to uncertainted gone only shows the absence vector toble and will						

- 3. The mining would be restricted to unsaturated zone only above the phreatic water table and will not intersect the ground water table at any point of time.
- 4. This project does not attract any of the general conditions applicable on mining projects specified in EIA Notification 14/09/2006.
- 5. The mining operation will not be carried out in safety zone of any bridge or embankment or in eco-fragile zone such as habitat of any wild fauna.
- 6. There is no litigation pending in any court regarding this project.
- 7. The project proposal falls under category–1(a) of EIA Notification, 2006 (as amended).

The committee discussed the matter and recommended to issue the terms of reference (ToR) for the preparation of EIA as annexed at annexure-3. The committee also stipulated the following additional ToR:

1. The project proponent/Consultant should identify the core & buffer zone (2.5km) of the mining site

# 15. <u>Proposed Hospital Project "Regency Hospital at plot no.-3, Block-C, Sarvoday Nagar Kanpur, U.P. by M/s Regency Hospital Ltd. File No. 6694/Proposal No. SIA/UP/MIS/2 40495/2021</u>

The project proponent/consultant requested vide letter dated 01/12/2021 to defer the matter in the next upcoming SEAC-1 meeting. The committee noted and discussed the request letter of the project proponent and deliberated that the project file should be kept in the next upcoming proposed agenda.

**Assistant Nodal SEAC** 

**Nodal SEAC** 

(Dr. Ajai Mishra) **Member**  (Om Prakash Srivastava) **Member**  (Dr. Brij Bihari Awasthi) **Member** 

(Umesh Chandra Sharma) **Member** 

(Dr. Ratan Kar) **Member**  (Rajive Kumar) **Chairman** 

### Annexure-1

### General and Specific Conditions for Gitti, Patthar& Boulder Mining Projects: -

#### A. General Conditions:

- 1. This environmental clearance is subject to allotment of mining lease in favour of project proponent by District Administration/Mining Department.
- 2. Forest clearance shall be taken by the proponent as necessary under the law.
- 3. Any addition of the mining area, change of Khasra numbers, enhancement of capacity, change in mining technology, modernization, and scope of working shall again require prior environmental clearance as per EIA notification, 2006.
- 4. No change in the calendar plan including excavation, the quantum of mineral and waste shall be made.
- 5. Mining will be carried out as per the approved mining plan. In case of any violation of the mining plan, the Environmental Clearance given by SEIAA will stand cancelled.
- 6. Four ambient air quality monitoring stations shall be established in the core zone as well as in the buffer zone for RSPM, SPM, SO<sub>2</sub>, NO<sub>x</sub> monitoring. The location of the stations should be decided based on the meteorological data, topographical features, and environmentally and ecologically sensitive targets and frequency of monitoring should be undertaken in consultation with the State Pollution Control Board. The monitored data for criteria pollutants shall be regularly uploaded on the company's website and also displayed on the website.
- 7. Data on ambient air quality (RPM, SPM, SO<sub>2</sub>, NO<sub>x</sub>) should be regularly submitted to the regional office, MoEF, GoI, Lucknow, and the State Pollution Control Board / Central Pollution Control Board once in six months.
- 8. Ambient air quality at the boundary of the mine premises shall conform to the norms prescribed in MoEF notification no. GSR/826(E) dated 16.11.09.
- 9. Fugitive dust emissions from all the sources shall be controlled regularly. Water spraying arrangement on haul roads, loading and unloading, and at transfer points shall be provided and properly maintained.
- 10. Measures shall be taken for control of noise levels below 85 dBA in the work environment. Workers engaged in operations of HEMM, etc. shall be provided with earplugs/muffs and health records of the workers shall be maintained.
- 11. Industrial wastewater (workshop and wastewater from the mine) should be properly collected, treated to conform to the standards prescribed under GSR 422 (E) dated 19th May 1993 and 31st December 1993 or as amended from time to time. Oil and grease traps shall be installed before the discharge of workshop effluents.
- 12. Personnel working in areas shall be provided with protective respiratory devices like masks and they shall also be imparted adequate training and information on safety and health aspects.
- 13. Special measures shall be adopted to prevent the nearby settlements from the impacts of mining activities.
- 14. The transportation of the materials shall be limited to the day hours' time only.
- 15. Provision shall be made for housing the laborers within the site with all necessary infrastructure and facilities such as fuel for cooking, mobile toilets, safe drinking water, medical health care, crèche, etc. The housing may be in the form of temporary structures to be removed after the completion of the project.
- 16. A separate Environmental Management Cell with suitably qualified personnel shall be setup under the control of a Senior Executive, who will report directly to the Head of the Organization.
- 17. The Project Proponent shall inform the Regional Office, MoEF, GoI, Lucknow, and State Pollution Control Board regarding the date of financial closures and final approval of the project by the concerned authorities and the date of start of land development work.

- 18. The funds earmarked for environmental protection measures shall be kept in a separate account and shall not be diverted for other purposes. The year-wise expenditure shall be reported to the MoEF, GoI, Lucknow, and State Pollution Control Board
- 19. The Regional Office, MoEF, GoI, Lucknow, and State Pollution Control Board shall monitor compliance with the stipulated conditions. A complete set of documents including Environment Impact Assessment Report, Environmental Management Plan, Public hearing, and other documents information should be given to the Regional Office of the MoEF, GoI, Lucknow, and State Pollution Control Board
- 20. A copy of the environmental clearance shall be submitted by the Project Proponent to the Heads of the Local Bodies, Panchayat, and Municipal Bodies as applicable in the matter.
- 21. The Project Proponent shall advertise at least in two local newspapers widely circulated, one of which shall be in the vernacular language of the locality concerned, within 7 days of the issue of the clearance letter informing that the project has been accorded environmental clearance and a copy of the clearance letter is available with the State Level Environment Impact Assessment Authority (SEIAA).
- 22. The Project Proponent has to submit a regular half-yearly compliance report of the stipulated prior environmental clearance terms and conditions in hard and soft copy to the SEIAA, U.P. on 1st June and 1st December of each calendar year.
- 23. The SEIAA may alter/modify the above conditions or stipulate any further condition in the interest of environmental protection.
- 24. Concealing factual data or submission of false/fabricated data and failure to comply with any of the conditions mentioned above may result in withdrawal of this clearance and attract action under the provisions of the Environment (Protection) Act, 1986.

### **B.** Specific Conditions:

- 1. At the time of operation, the project proponent will comply with all the guidelines issued by the Government of India/State Govt./District Administration related to Covid-19.
- 2. This environmental clearance does not create or verify any claim of the applicant on the proposed site/activity.
- 3. In case it has been found that the E.C. obtained by providing incorrect information, submitting that the distance between the two adjoining mines is greater than 500mt. and the area is less than 05ha, but factually the distance is less than 500 mt, and the mine is located in the cluster of area equal to or more than 05ha, the E.C issued will stand revoked.
- 4. This environmental clearance shall be subject to a valid lease in favor of the project proponent for the proposed mining proposals. In case, the project proponent does not have a valid lease, this environmental clearance shall automatically become null and void.
- 5. The Environmental clearance will be co-terminus with the mining lease period/Mining Plan.
- 6. Explosive cannot be stored on the site.
- 7. A comprehensive EIA including mining areas within 15 K.M. to assess the impact of the mining activity on the surrounding area shall be undertaken and a report submitted to this Authority within one year.
- 8. No two pits shall be simultaneously worked i.e. before the first is exhausted and reclamation work completed, no mineral bearing area shall be worked.
- 9. After exhausting the first mine pit and before starting mining operations in the next pit, reclamation and plantation work in the exhausted pit shall be completed to ensure that reclamation, forest cover, and vegetation are visible during the first year of mining operations in the next pit. This process will follow till the last pit is exhausted. Adequate rehabilitation of mined pit shall be completed before any new ore-bearing area is worked for expansion.
- 10. An adequate buffer zone shall be maintained between two consecutive mineral-bearing deposits.
- 11. The sprinkling of water on haul roads to control dust will be ensured by the project proponent.
- 12. Green belt development shall be carried out considering CPCB guidelines including the selection of plant species and in consultation with the local DFO / Agriculture Department.

- Herbs and shrubs shall also form a part of the afforestation programmebesides tree plantation. The company shall involve local people in the plantation programme. Details of year-wise afforestation programme including rehabilitation of mined-out area shall be submitted to the Regional Office, MoEF&CC, GoI, Lucknow every year.
- 13. Blast vibrations study shall be conducted and an observation report submitted to the regional office, MoEF&CC, GoI, Lucknow, and UPPCB within six months. The report shall also include measures for the prevention of blasting associated impact on nearby houses and agricultural fields.
- 14. Controlled blasting techniques with sequential blasting shall be adopted. The blasting shall be carried out in the daytime only.
- 15. Appropriate arrangement for shelter and drinking water for the mining workers has to be ensured at the mining site.
- 16. Maintenance of village roads used for transportation of minerals is to be done by the company regularly at its own expense. The roads shall be blacktopped.
- 17. Rainwater harvesting shall be undertaken to recharge the groundwater source.
- 18. Status of implementation shall be submitted to the Regional Office, MoEF&CC, GoI, Lucknow, and UP Pollution Control Board within six months and thereafter every year from the next consequent year.
- 19. The self-environmental audit shall be conducted annually. Every three years third-party environmental audit shall be carried out.
- 20. Measures for prevention and control of soil erosion and management of silt shall be undertaken. Protection of dumps against erosion shall be carried out with geotextile matting or other suitable material, and thick plantations of native trees and shrubs shall be carried out at the dump slopes. Dumps shall be protected by retaining walls.
- 21. Trenches/garland drains shall be constructed at foot of dumps and coco filters installed at regular intervals to arrest silt from being carried to water bodies. An adequate number of Check Dams and Gully Plugs shall be constructed across seasonal/perennial *nallahs* if any flowing through the ML area and silts arrested. De silting at regular intervals shall be carried out.
- 22. Garland drain of appropriate size, gradient, and length shall be constructed for both mine pit and waste dump and sump capacity shall be designed keeping 50% safety margin over and above peak sudden rainfall (based on 50 years data) and maximum discharge in the area adjoining the mine site. Sump capacity shall also provide an adequate retention period to allow proper settling of silt material. Sedimentation pits shall be constructed at the corners of the garland drains and de silted at regular intervals.
- 23. Ground and surface water, if any in and near the core zone (within 5.0 km of the lease) shall be regularly monitored for contamination and depletion due to mining activity and records maintained. The monitoring data shall be submitted to the Regional Office, MoEF, GoI, Lucknow, and U.P. Pollution Control Board regularly. Further, monitoring points shall be located between the mine, and drainage in the direction of flow of groundwater shall be set up and records maintained.
- 24. Fugitive dust generation shall be controlled. Fugitive dust emission shall be regularly monitored at locations of nearest human habitation (including schools and other public amenities located nearest to sources of dust generation as applicable) and records submitted to the Regional Office, MoEF&CC, GoI, Lucknow, and U.P. Pollution Control Board regularly.
- 25. Baseline data for ambient air quality shall be generated and maintained and RSPM level in ambient air in the nearby human habitation (villages) shall also be monitored along with other parameters.
- 26. Corporate Environmental Responsibility (CER) shall be by the project proponent and the details of the various heads of expenditure are to be submitted as per the guidelines provided in the recent CER notification No. 22-65/2017-IA.III dated 01/05/2018. Work to be executed with the installation of five hand pumps for drinking water, solar light in villages of streets, construction of two numbers of toilets at the primary school with name displayed and address and details of the beneficiary and gram Pradhan along with phone number, photographs should be submitted to Directorate as well as to the District Magistrate / Chief Development officers.

- 27. Transportation of minerals shall be done by covering the trucks with tarpaulin or other suitable mechanisms so that no spillage of mineral/dust takes place.
- 28. Occupational health and safety measures for the workers including identification of work-related health hazards, training on malaria eradication, HIV, and health effects on exposure to mineral dust, etc. shall be carried out. Periodic monitoring for exposure to Respirable mineral dust on the workers shall be conducted and records maintained including the health records of the workers. Awareness programmes for workers on the impact of mining on their health and precautionary measures like the use of personal protective equipment etc. shall be carried out periodically. A review of the impact of various health measures shall be conducted followed by follow-up action wherever required.
- 29. The project proponent will ensure for employing local people as per requirement, necessary protection measures around the mine pit and waste dump, and garland drain around the mine pit and waste dump.
- 30. Topsoil / solid waste shall be stacked properly with proper slope and adequate safeguards and shall be utilized for backfilling (wherever applicable) for reclamation and rehabilitation of the mined-out area. Topsoil shall be separately stacked for utilization later for reclamation and shall not be stacked along with overburden.
- 31. Overburden (OB) shall be stacked at the earmarked dump site(s) only and shall not be kept active for long period. The maximum height of the dump shall not exceed 20 m, each stage shall preferably be of a maximum of 10 m and the overall slope of the dump shall not exceed 35°. The OB dump shall be backfilled. The OB dumps shall be scientifically vegetated with suitable native species to prevent erosion and surface runoff.
- 32. Monitoring and management of rehabilitated areas shall continue until the vegetation becomes self-sustaining. Compliance status shall be submitted to the Regional Office, Ministry of Environment & Forests, GoI, Lucknow, and U.P. Pollution Control Board on a six-monthly basis.
- 33. The slope of the mining bench and ultimate pit limit shall be as per the mining scheme approved by the Indian Bureau of Mines.
- 34. Permission for the abstraction of groundwater shall be taken from Central Ground Water Board. Regular monitoring of ground and surface water sources for level and quality shall be carried out by establishing a network of existing wells and constructing new piezometers during the mining operation. The monitoring shall be carried out four times in a year i.e., premonsoon (April-May), monsoon (August), post-monsoon (November), and winter (January), and the data thus collected shall be regularly sent to MoEF&CC, Central Ground Water Authority, and Regional Director, Central Ground Water Board.
- 35. The wastewater from the mine shall be treated to conform to the prescribed standards before discharging into the natural stream. The discharged water from the Tailing Dam, if any shall be regularly monitored and report submitted to the Regional Office, Ministry of Environment & Forests, GoI, Lucknow, Central Pollution Control Board, and the State Pollution Control Board.
- 36. Hydrogeological study of the area shall be reviewed by the project proponent annually. In case the adverse effect on groundwater quality and quantity is observed mining shall be stopped and resumed only after mitigating steps to contain any adverse impact on groundwater is implemented.
- 37. Vehicular emissions shall be kept under control and regularly monitored. Vehicles used for transportation of minerals and others shall have valid permissions as prescribed under Central Motor Vehicle Rules, 1989 and its amendments. The vehicles transporting minerals shall be covered with a tarpaulin or other suitable enclosures so that no dust particles / fine matters escape during the period of transportation. No overloading of minerals for transportation shall be committed. The trucks transporting minerals shall not pass through the wildlife sanctuary if any in the study area.
- 38. Prior permission from the Competent Authority shall be obtained for the extraction of groundwater if any.

### Minutes of 600<sup>th</sup> SEAC-1 Meeting Dated- 01-12-2021

- 39. A final mine closure plan, along with details of Corpus Fund, shall be submitted to the Regional Office, Ministry of Environment & Forests, GoI, Lucknow, and U.P. Pollution Control Board 5 years in advance of final mine closure for approval.
- 40. Project Proponent shall explore the possibility of using solar energy where ever possible.
- 41. Commitment towards CER has to be followed strictly.
- 42. Regular health checkupthe record of the mineworkers has to be maintained at the site in a proper register. It should be made available for inspection whenever asked.
- 43. Project Proponent has to strictly follow the direction/guidelines issued by MoEF&CC, CPCB, and other Govt. Agencies from time to time.
- 44. The blasting will be done only after getting permission from the Mining Department.

### Annexure-2

### **General and Specific Conditions for Sand/Morum Mining Proposals**

#### **General Conditions:**

- 1. This environmental clearance is subject to allotment of mining lease in favour of project proponent by District Administration/Mining Department.
- 2. Forest clearance shall be taken by the proponent as necessary under law.
- 3. Any change in mining area, khasra numbers, entailing capacity addition with change in process and or mining technology, modernization and scope of working shall again require prior Environmental Clearance as per the provisions of EIA Notification, 2006 (as amended).
- 4. Precise mining area will be jointly demarcated at site by project proponent and officials of Mining/Revenue department prior to starting of mining operations. Such site plan, duly verified by competent authority along-with copy of the Environmental Clearance letter will be displayed on a hoarding/board at the site. A copy of site plan will also be submitted to SEIAA within a period of 02 months.
- 5. Mining and loading shall be done only within day hours' time.
- 6. No mining shall be carried out in the safety zone of any bridge and/or embankment.
- 7. It shall be ensured that standards related to ambient air quality/effluent as prescribed by the Ministry of Environment & Forests are strictly complied with. Water sprinklers and other dust control majors should be applied to take-care of dust generated during mining operation. Sprinkling of water on haul roads to control dust will be ensured by the project proponent.
- 8. All necessary statutory clearances shall be obtained before start of mining operations. If this condition is violated, the clearance shall be automatically deemed to have been cancelled.
- 9. Parking of vehicles should not be made on public places.
- 10. No tree-felling will be done in the leased area, except only with the permission of Forest Department.
- 11. No wildlife habitat will be infringed.
- 12. It shall be ensured that excavation of minor mineral does not disturb or change the underlying soil characteristics of the river bed /basin, where mining is carried out.
- 13. It shall be ensured that mining operation of Sand/Moram will not in any way disturb the, velocity and flow pattern of the river water significantly.
- 14. It shall be ensured that there is no fauna dependant on the river bed or areas close to mining for its nesting. A report on the same, vetted by the competent authority shall be submitted to the RO, PCB and SEIAA within 02 months.
- 15. Primary survey of flora and fauna shall be carried out and data shall be submitted to the RO, PCB and SEIAA within six months.
- 16. Hydro-geological study shall be carried out by a reputed organization/institute within six months and establish that mining in the said area will not adversely affect the ground water regime. The report shall be submitted to the RO, PCB and SEIAA within six months. In case adverse impact is observed /anticipated, mining shall not be carried out.
- 17. Adequate protection against dust and other environmental pollution due to mining shall be made so that the habitations (if any) close by the lease area are not adversely affected. The status of implementation of measures taken shall be reported to the RO, UPPCB and SEIAA and this activity should be completed before the start of sand mining.
- 18. Need-based assessment for the nearby villages shall be conducted to study economic measures which can help in improving the quality of life of economically weaker section of society. Income generating projects/tools such as development of fodder farm, fruit bearing orchards, vocational training etc. can form a part of such program me. The project proponent shall provide separate budget for community development activities and income generating programmes.
- 19. Green cover development shall be carried out following CPCB guidelines including selection of plant species and in consultation with the local DFO/Horticulture Officer.

- 20. Separate stock piles shall be maintained for excavated top soil, if any, and the top soil should be utilized for green cover/tree plantation.
- 21. Dispensary facilities for first-aid shall be provided at site.
- 22. An Environmental Audit should be annually carried out during the operational phase and submitted to the SEIAA.
- 23. The District Mining Officer should quarterly monitor compliance of the stipulated conditions. The project proponent will extend full cooperation to the District Mining Officer by furnishing the requisite data/information/monitoring reports. In case of any violations of stipulated conditions the District Mining Officer will report to SEIAA.
- 24. The project proponent shall submit six monthly reports on the status of compliance of the stipulated environmental clearance conditions including results of monitored data (both in hard & soft copies) to the SEIAA, the District Officer and the respective Regional Office of the State Pollution Control Board by 1st June and 1st December every year.
- 25. A copy of the clearance letter shall be sent by the proponent to concerned Panchayat, Zila Parisad/ Municipal Corporation and Urban Local Body.
- 26. Transportation of materials shall be done by covering the trucks / tractors with tarpaulin or other suitable mechanism to avoid fugitive emissions and spillage of mineral/dust.
- 27. Waste water, from temporary habitation campus be properly collected & treated before discharging into water bodies the treated effluent should conform to the standards prescribed by MoEF/CPCB.
- 28. Measures shall be taken for control of noise level to the limits prescribed by C.P.C.B.
- 29. Special Measures shall be adopted to protect the nearby settlements from the impacts of mining activities. Maintenance of Village roads through which transportation of minor minerals is to be undertaken, shall be carried-out by the project proponent regularly at his own expenses.
- 30. Measure for prevention & control of soil erosion and management of silt shall be undertaken. Protection of dumps against erosion, if any, shall be carried-out with geo textile matting or other suitable material.
- 31. Under corporate social responsibility a sum of 5% of the total project cost or total income whichever is higher is to be earmarked for total lease period. Its budget is to be separately maintained. CER component shall be prepared based on need of local habitant. Income generating measures which can help in upliftment of poor section of society, consistent with the traditional skills of the people shall be identified. The programme can include activities such as development of fodder farm, fruit bearing orchards, free distribution of smokeless Chula etc.
- 32. Possibility for adopting nearest three villages shall be explored and details of civic amenities such as roads, drinking water etc proposed to be provided at the project proponent's expenses shall be submitted within 02 months from the date of issuance of Environment Clearance.
- 33. The funds earmarked for environmental protection measures should be kept in separate account and should not be diverted for other purpose. Year wise expenditure should be reported to the Integrated Regional Office, MoEF&CC, GoI, Lucknow, SEIAA, U.P and UPPCB.
- 34. Action plan with respect to suggestion/improvement and recommendations made and agreed during Public Hearing shall be submitted to the District mines Officer, concern Regional Officer of UPPCB and SEIAA within 02 months.
- 35. Environmental clearance is subject to obtaining clearance under the Wildlife (Protection) Act, 1972 from the competent authority, if applicable to this project.
- 36. The proponent shall observe every 15 day for nesting of any turtle in the area. Based on the observations so made, if turtle nesting is observed, necessary safeguard measures shall be taken in consultation with the State Wildlife Department. For the purpose, awareness shall be created amongst the workers about the nesting sites so that such sites, if any, are identified by the workers during operations of the mine for taking required safeguard measures. In this regards the safety notified zone should be left so that the habitat/nesting area is undisturbed.
- 37. The project proponent shall undertake adequate safeguard measures during extraction of river bed material and ensure that due to this activity the hydro geological regime of the surrounding area shall not be affected.

- 38. The project proponent shall obtain necessary prior permission of the competent Authorities for withdrawal of requisite quantity of water (surface water and groundwater), required for the project.
- 39. Appropriate mitigative measures shall be taken to prevent pollution of the river in consultation with the State Pollution Control Board. It shall be ensured that there is no leakage of oil and grease in the river from the vehicles used for transportation.
- 40. Vehicular emissions shall be kept under control and regularly monitored. The vehicles carrying the mineral shall not be overloaded.
- 41. Provision shall be made for the housing of construction labour within the site with all necessary infrastructure and facilities such as fuel for cooking, mobile toilets, mobile STP, safe drinking water, medical health care, crèche etc. (MoEF circular Dated: 22-09-2008 regarding stipulation of condition to improve the living conditions of construction labour at site).
- 42. Personnel working in dusty areas should wear protective respiratory devices and they should also be provided with adequate training and information on safety and health aspects. Occupational health surveillance program of the workers should be undertaken periodically to observe any contractions due to exposure to dust and take corrective measures, if needed.
- 43. A copy of the clearance letter shall be sent by the proponent to concerned Panchayat, Zila Parishad/ Municipal Corporation, Urban Local Body and the Local NGO, if any, from whom suggestions/ representations, if any, were received while processing the proposal. The clearance letter shall also be put on the website of the Company by the proponent.
- 44. The environmental statement for each financial year ending 31st March in Form-V as is mandated to be submitted by the project proponent to the concerned State Pollution Control Board as prescribed under the Environment (Protection) Rules, 1986, as amended subsequently, shall also be put on the website of the company along with the status of compliance of environmental clearance conditions and shall also be sent to the Integrated Regional Office, MoEF&CC, GoI, Lucknow by e-mail.
- 45. The green cover development/tree plantation is to be done in an area equivalent to 20% of the total leased area either on river bank or along road side (Avenue Plantation).
- 46. Debris from the river bed will be collected and stored at secured place and may be utilized for strengthen the embankment.
- 47. Safety measures to be taken for the safety of the people working at the mine lease area should be given, which would also include measure for treatment of bite of poisonous reptile/insect like snake.
- 48. Periodical and Annual medical checkup of workers as per Mines Act and they should be covered under ESI as per rule.

#### **Specific Conditions:**

- 1. The Environmental clearance will be co-terminus with the mining lease period.
- 2. At the time of operation, project proponent will comply with all the guidelines issued by Government of India/State Govt./District Administration related to Covid-19.
- 3. Environment management in according to environmental status and impact of the project.
- 4. During the school opening and closing time transportation of minerals will be restricted.
- 5. Selection of plants for green belt should be on the basis of pollution removal index. Project proponent should ensure survival of tree saplings. Mortality should be replaced from time to time.
- 6. No mining activity should be carried out in-stream channel as per SSMMG, 2016.
- 7. Pakka motorable haul road to be maintained by the project proponent.
- 8. A separate Environmental Management Cell with suitable qualified personnel shall be set-up under the control of a Senior Executive, who will report directly to the Head of the Organization.
- 9. Permission from the competent authority regarding evacuation route should be taken.
- 10. One month monitoring report of the area for air quality, water quality, Noise level. Besides flora & fauna should be examined twice a week and be submitted within 45 days for a record.

- 11. Provision for cylinder to workers should be made for cooking.
- 12. The capacity of trucks/tractor for loading purpose will be in tonnes as per Transport Department applicable norms and standard fixed by the Government.
- 13. Approach road kaccha is to be made motarable and tree saplings to be planted on both sides of the road. Width of the haul road shall be more than 6 meter.
- 14. Indigenous plants should be planted according to CPCB guidelines and in consultation with local Divisional Forest Officer.
- 15. The project proponent shall in 2 years conduct detailed replenishment study duly authenticated by a QCI-NABET accredited consultant, and the District Mines Officer.
- 16. Provision for two toilets and hand pumps should be made at mining site.
- 17. Drinking water for workers would be provided by tankers.
- 18. Mining should be done by Bar scalping methods extraction (typically 0.3 -0.6 m or 1 2 ft) as per sustainable sand mining management guidelines 2016.
- 19. A buffer/safe zone shall be maintained from the habitation as per mining guidelines.
- 20. Corporate Environmental Responsibility (CER) plan shall be prepared by the project proponent and the details of the various heads of expenditure to be submitted as per the guidelines provided in the recent CER notification No. 22-65/2017-IA.III dated 01/05/2018.
- 21. Health/Insurance card, Medical claim, regular health check-up camps, facilities shall be provided to the regular/temporary/Contractual or any base workers. Copy of receipt shall be produced to the Directorate of Environment along with the compliance report.
- 22. Measure for conservation of water through rainwater harvesting and cleaning and maintenance of natural surface water bodies of the nearby areas may be considered as one of the activity in CER.
- 23. The excavated mining material should be carried and transported in such a way that no obstruction to the free flow of water takes place. Suitable measure should be taken and details to be provided to concern Department.
- 24. Submit annual replenishment report certified by an authorized agency. In case the replenishment is lower than the approved rate of production, then the mining activity / production levels shall be decreased / stopped accordingly till the replenishment is completed.
- 25. The project proponent shall ensure that if the project area falls within the eco-sensitive zone of National park/ Sanctuary prior permission of statuary committee of National board for wild life under the provision of Wildlife (Protection) Act, 1972 shall be obtained before commencement of work.
- 26. If in future this lease area becomes part of cluster of equal to or more than 05 ha. then additional conditions based on the EIA shall be imposed. The lease holder shall mandatorily follow cluster conditions otherwise it will amount to violation of E.C. conditions. If the certificate related to cluster provided by the competent authority is found false or incorrect then punitive actions as per law shall be initiated against the authority issuing the cluster certificate.
- 27. Project falling within 10 KM area of Wild Life Sanctuary is to obtain a clearance from National Board Wild Life (NBWL) even if the eco-sensitive zone is not earmarked.
- 28. To avoid ponding effect and adverse environmental conditions for sand mining in area, progressive mining should be done as per sustainable sand mining management guidelines 2016.
- 29. In case it has been found that the E.C. obtained by providing incorrect information, submitting that the distance between the two adjoining mines is greater than 500mt. and area is less than 05 ha, but factually the distance is less than 500 mt and the mine is located in cluster of area equal or more than 05 ha, the E.C issued will stand revoked.
- 30. The project proponent shall in 2 years conduct detailed replenishment study duly authenticated by a QCI-NABET accredited consultant, and the District Mines Officer which shall form the basis for midterm review of conditions of Environmental Clearance.
- 31. The mining work will be open-cast and manual/semi mechanized (subject to order of Hon'ble NGT/Hon'ble Courts (s)). Heavy machine such as excavator, scooper etc. should not be employed for mining purpose. No drilling/blasting should be involved at any stage.

- 32. It shall be ensured that there shall be no mining of any type within 03 m or 10% of the width which-ever is less, shall be left on both the banks of precise area to control and avoid erosion of river bank. The mining is confined to extraction of sand/moram from the river bank only.
- 33. The project proponent shall undertake adequate safeguard measures during extraction of river bank material and ensure that due to this activity the hydro-geological regime of the surrounding area shall not be affected.
- 34. The project proponent shall adhere to mining in conformity to plan submitted for the mine lease conditions and the Rules prescribed in this regard clearly showing the no work zone in the mine lease i.e. the distance from the bank of river to be left un-worked (Non mining area), distance from the bridges etc. It shall be ensured that no mining shall be carried out during the monsoon season.
- 35. The project proponent shall ensure that wherever deployment of labour attracts the Mines Act, the provision thereof shall be strictly followed.
- 36. The project proponent will provide personal protective equipment (PPE) as required, also provid adequate training and information on safety and health aspects. Periodical medical examination of the workers engaged in the project shall be carried out and records maintained. For the purpose, schedule of health examination of the workers should be drawn and followed accordingly.
- 37. The critical parameters such as PM10, PM2.5, SO2 and NOx in the ambient air within the impact zone shall be monitored periodically. Further, quality of discharged water if any shall also be monitored [(TDS, DO, pH, Fecal Coliform and Total Suspended Solids (TSS)].
- 38. Effective safeguard measures, such as regular water sprinkling shall be carried out in critical areas prone to air pollution and having high levels of particulate matter such as loading and unloading point and all transfer points. Extensive water sprinkling shall be carried out on haul roads.
- 39. It should be ensured that the Ambient Air Quality parameters conform to the norms prescribed by the Central Pollution Control Board in this regard.
- 40. The extended mining scheme will be submitted by the proponent before expiry of present mining plan.
- 41. Four ambient air quality-monitoring stations should be established in the core zone as well as in the buffer zone for monitoring PM10, PM2.5, SO2 and NOx. Location of the stations should be decided based on the meteorological data, topographical features and environmentally and ecologically sensitive targets and frequency of monitoring should be undertaken in consultation with the State Pollution Control Board.
- 42. Common road for transportation of mineral is to be maintained collectively. Total cost will be shared/worked out on the basis of lease area among users.
- 43. Proponent will provide adequate sanitary facility in the form of mobile toilets to the labours engaged for the project work.
- 44. Solid waste material viz., gutkha pouchs, plastic bags, glasses etc. to be generated during project activity will be separately storage in bins and managed as per Solid Waste Management rules.
- 45. Natural/customary paths used by villagers should not be obstructed at any time by the activities proposed under the project.
- 46. Digital processing of the entire lease area in the district using remote sensing technique should be done regularly once in three years for monitoring the change of river course by Directorate of Geology and Mining, Govt. of Uttar Pradesh. The record of such study to be maintained and report be submitted to Integrated Regional Office, MoEF&CC, GoI, Lucknow, SEIAA, U.P. and UPPCB.
- 47. The project authorities shall advertise at least in two local newspapers widely circulated, one of which shall be in the vernacular language of the locality concerned, within 7 days of the issue of the clearance letter informing that the project has been accorded environmental clearance and a copy of the clearance letter is available with the State Pollution Control Board and also at web site of the SEIAA at http://www.seiaaup.in and a copy of the same shall be forwarded to the Integrated Regional Office, MoEF&CC, GoI, Lucknow, CPCB, State PCB.

### Minutes of 600<sup>th</sup> SEAC-1 Meeting Dated- 01-12-2021

- 48. The MoEF&CC/SEIAA or any other competent authority may alter/modify the above conditions or stipulate any further condition in the interest of environment protection.
- 49. Concealing factual data or submission of false/fabricated data and failure to comply with any of the conditions mentioned above may result in withdrawal of this clearance and attract action under the provisions of Environment (Protection) Act, 1986.
- 50. Any appeal against this environmental clearance shall lie with the National Green Tribunal, if preferred, within a period of 30 days as prescribed under Section 11 of the National Environment Appellate Authority Act, 1997.
- 51. Waste water from potable use be collected and reused for sprinkling.
- 52. A width of not less than 50 meter or 10% width of river can be restricted for mining activities from river bank. A condition can be imposed that mining will be done from river activities from river bank.

### Annexure-3

### Standard Terms of Reference for the Mining Project prescribed by MoEF&CC, GoI

- 1) Year-wise production details since 1994 should be given, clearly stating the highest production achieved in any one year prior to 1994. It may also be categorically informed whether there had been any increase in production after the EIA Notification 1994 came into force, w.r.t. the highest production achieved prior to 1994.
- 2) A copy of the document in support of the fact that the proponent is the rightful lessee of the mine should be given.
- 3) All documents including approved mine plan, EIA and Public Hearing should be compatible with one another in terms of the mine lease area, production levels, waste generation and its management, mining technology etc. and should be in the name of the lessee.
- 4) All corner coordinates of the mine lease area, superimposed on a High Resolution Imagery/ toposheet, topographic sheet, geomorphology and geology of the area should be provided. Such an Imagery of the proposed area should clearly show the land use and other ecological features of the study area (core and buffer zone).
- 5) Information should be provided in Survey of India Toposheet in 1:50,000 scale indicating geological map of the area, geomorphology of land forms of the area, existing minerals and mining history of the area, important water bodies, streams and rivers and soil characteristics.
- 6) Details about the land proposed for mining activities should be given with information as to whether mining conforms to the land use policy of the State; land diversion for mining should have approval from State land use board or the concerned authority.
- 7) It should be clearly stated whether the proponent Company has a well laid down Environment Policy approved by its Board of Directors? If so, it may be spelt out in the EIA Report with description of the prescribed operating process/procedures to bring into focus any infringement/deviation/ violation of the environmental or forest norms/ conditions? The hierarchical system or administrative order of the Company to deal with the environmental issues and for ensuring compliance with the EC conditions may also be given. The system of reporting of non-compliances / violations of environmental norms to the Board of Directors of the Company and/or shareholders or stakeholders at large, may also be detailed in the EIA Report.
- 8) Issues relating to Mine Safety, including subsidence study in case of underground mining and slope study in case of open cast mining, blasting study etc. should be detailed. The proposed safeguard measures in each case should also be provided.
- 9) The study area will comprise of 10 km zone around the mine lease from lease periphery and the data contained in the EIA such as waste generation etc. should be for the life of the mine / lease period.
- 10) Land use of the study area delineating forest area, agricultural land, grazing land, wildlife sanctuary, national park, migratory routes of fauna, water bodies, human settlements and other ecological features should be indicated. Land use plan of the mine lease area should be prepared to encompass preoperational, operational and post operational phases and submitted. Impact, if any, of change of land use should be given.
- 11) Details of the land for any Over Burden Dumps outside the mine lease, such as extent of land area, distance from mine lease, its land use, R&R issues, if any, should be given.
- 12) A Certificate from the Competent Authority in the State Forest Department should be provided, confirming the involvement of forest land, if any, in the project area. In the event of any contrary claim by the Project Proponent regarding the status of forests, the site may be inspected by the State Forest Department along with the Regional Office of the Ministry to ascertain the status of forests, based on which, the Certificate in this regard as mentioned above be issued. In all such cases, it would be desirable for representative of the State Forest Department to assist the Expert Appraisal Committees.
- 13) Status of forestry clearance for the broken up area and virgin forestland involved in the Project including deposition of net present value (NPV) and compensatory afforestation (CA) should be indicated. A copy of the forestry clearance should also be furnished.

- 14) Implementation status of recognition of forest rights under the Scheduled Tribes and other Traditional Forest Dwellers (Recognition of Forest Rights) Act, 2006 should be indicated.
- 15) The vegetation in the RF / PF areas in the study area, with necessary details, should be given.
- 16) A study shall be got done to ascertain the impact of the Mining Project on wildlife of the study area and details furnished. Impact of the project on the wildlife in the surrounding and any other protected area and accordingly, detailed mitigative measures required, should be worked out with cost implications and submitted.
- 17) Location of National Parks, Sanctuaries, Biosphere Reserves, Wildlife Corridors, Ramsar site Tiger/ Elephant Reserves/(existing as well as proposed), if any, within 10 km of the mine lease should be clearly indicated, supported by a location map duly authenticated by Chief Wildlife Warden. Necessary clearance, as may be applicable to such projects due to proximity of the ecologically sensitive areas as mentioned above, should be obtained from the Standing Committee of National Board of Wildlife and copy furnished.
- 18) A detailed biological study of the study area [core zone and buffer zone (10 km radius of the periphery of the mine lease)] shall be carried out. Details of flora and fauna, endangered, endemic and RET Species duly authenticated, separately for core and buffer zone should be furnished based on such primary field survey, clearly indicating the Schedule of the fauna present. In case of any scheduled- I fauna found in the study area, the necessary plan alongwith budgetary provisions for their conservation should be prepared in consultation with State Forest and Wildlife Department and details furnished. Necessary allocation of funds for implementing the same should be made as part of the project cost.
- 19) Proximity to Areas declared as 'Critically Polluted' or the Project areas likely to come under the 'Aravali Range', (attracting court restrictions for mining operations), should also be indicated and where so required, clearance certifications from the prescribed Authorities, such as the SPCB or State Mining Department should be secured and furnished to the effect that the proposed mining activities could be considered.
- 20) Similarly, for coastal Projects, A CRZ map duly authenticated by one of the authorized agencies demarcating LTL. HTL, CRZ area, location of the mine lease w.r.t CRZ, coastal features such as mangroves, if any, should be furnished. (Note: The Mining Projects falling under CRZ would also need to obtain approval of the concerned Coastal Zone Management Authority).
- 21) R&R Plan/compensation details for the Project Affected People (PAP) should be furnished. While preparing the R&R Plan, the relevant State/National Rehabilitation & Resettlement Policy should be kept in view. In respect of SCs /STs and other weaker sections of the society in the study area, a need based sample survey, family-wise, should be undertaken to assess their requirements, and action programmes prepared and submitted accordingly, integrating the sectoral programmes of line departments of the State Government. It may be clearly brought out whether the village(s) located in the mine lease area will be shifted or not. The issues relating to shifting of village(s) including their R&R and socio-economic aspects should be discussed in the Report.
- 22) One season (non-monsoon) [i.e. March-May (Summer Season); October-December (post monsoon season); December-February (winter season)]primary baseline data on ambient air quality as per CPCB Notification of 2009, water quality, noise level, soil and flora and fauna shall be collected and the AAQ and other data so compiled presented date-wise in the EIA and EMP Report. Site-specific meteorological data should also be collected. The location of the monitoring stations should be such as to represent whole of the study area and justified keeping in view the pre-dominant downwind direction and location of sensitive receptors. There should be at least one monitoring station within 500 m of the mine lease in the pre-dominant downwind direction. The mineralogical composition of PM10, particularly for free silica, should be given.
- 23) Air quality modeling should be carried out for prediction of impact of the project on the air quality of the area. It should also take into account the impact of movement of vehicles for transportation of mineral. The details of the model used and input parameters used for modeling should be provided. The air quality contours may be shown on a location map clearly indicating the location of the site, location of sensitive receptors, if any, and the habitation. The wind roses showing pre-dominant wind direction may also be indicated on the map.
- 24) The water requirement for the Project, its availability and source should be furnished. A detailed

- water balance should also be provided. Fresh water requirement for the Project should be indicated.
- 25) Necessary clearance from the Competent Authority for drawl of requisite quantity of water for the Project should be provided.
- 26) Description of water conservation measures proposed to be adopted in the Project should be given.
- 27) Details of rainwater harvesting proposed in the Project, if any, should be provided.
- 28) Impact of the Project on the water quality, both surface and groundwater, should be assessed and necessary safeguard measures, if any required, should be provided.
- 29) Based on actual monitored data, it may clearly be shown whether working will intersect groundwater.
- 30) Necessary data and documentation in this regard may be provided. In case the working will intersect groundwater table, a detailed Hydro Geological Study should be undertaken and Report furnished. The Report inter-alia, shall include details of the aquifers present and impact of mining activities on these aquifers. Necessary permission from Central Ground Water Authority for working below ground water and for pumping of ground water should also be obtained and copy furnished.
- 31) Details of any stream, seasonal or otherwise, passing through the lease area and modification / diversion proposed, if any, and the impact of the same on the hydrology should be brought out.
- 32) Information on site elevation, working depth, groundwater table etc. Should be provided both in AMSL and bgl. A schematic diagram may also be provided for the same.
- 33) A time bound Progressive Greenbelt Development Plan shall be prepared in a tabular form (indicating the linear and quantitative coverage, plant species and time frame) and submitted, keeping in mind, the same will have to be executed up front on commencement of the Project. Phase-wise plan of plantation and compensatory afforestation should be charted clearly indicating the area to be covered under plantation and the species to be planted. The details of plantation already done should be given. The plant species selected for green belt should have greater ecological value and should be of good utility value to the local population with emphasis on local and native species and the species which are tolerant to pollution.
- 34) Impact on local transport infrastructure due to the Project should be indicated. Projected increase in truck traffic as a result of the Project in the present road network (including those outside the Project area) should be worked out, indicating whether it is capable of handling the incremental load. Arrangement for improving the infrastructure, if contemplated (including action to be taken by other agencies such as State Government) should be covered. Project Proponent shall conduct Impact of Transportation study as per Indian Road Congress Guidelines.
- 35) Details of the onsite shelter and facilities to be provided to the mine workers should be included in the EIA Report.
- 36) Conceptual post mining land use and Reclamation and Restoration of mined out areas (with plans and with adequate number of sections) should be given in the EIA report.
- 37) Occupational Health impacts of the Project should be anticipated and the proposed preventive measures spelt out in detail. Details of pre-placement medical examination and periodical medical examination schedules should be incorporated in the EMP. The project specific occupational health mitigation measures with required facilities proposed in the mining area may be detailed.
- 38) Public health implications of the Project and related activities for the population in the impact zone should be systematically evaluated and the proposed remedial measures should be detailed along with budgetary allocations.
- 39) Measures of socio economic significance and influence to the local community proposed to be provided by the Project Proponent should be indicated. As far as possible, quantitative dimensions may be given with time frames for implementation.
- 40) Detailed environmental management plan (EMP) to mitigate the environmental impacts which, should inter-alia include the impacts of change of land use, loss of agricultural and grazing land, if any, occupational health impacts besides other impacts specific to the proposed Project.
- 41) Public Hearing points raised and commitment of the Project Proponent on the same along with time bound Action Plan with budgetary provisions to implement the same should be provided and

- also incorporated in the final EIA/EMP Report of the Project.
- 42) Details of litigation pending against the project, if any, with direction /order passed by any Court of Law against the Project should be given.
- 43) The cost of the Project (capital cost and recurring cost) as well as the cost towards implementation of EMP should be clearly spelt out.
- 44) A Disaster management Plan shall be prepared and included in the EIA/EMP Report.
- 45) Benefits of the Project if the Project is implemented should be spelt out. The benefits of the Project shall clearly indicate environmental, social, economic, employment potential, etc.
- 46) Besides the above, the below mentioned general points are also to be followed:
  - a) Executive Summary of the EIA/EMP Report
  - b) All documents to be properly referenced with index and continuous page numbering.
  - c) Where data are presented in the Report especially in Tables, the period in which the data were collected and the sources should be indicated.
  - d) Project Proponent shall enclose all the analysis/testing reports of water, air, soil, noise etc. using the MoEF&CC/NABL accredited laboratories. All the original analysis/testing reports should be available during appraisal of the Project.
  - e) Where the documents provided are in a language other than English, an English translation should be provided.
  - f) The Questionnaire for environmental appraisal of mining projects as devised earlier by the Ministry shall also be filled and submitted.
  - g) While preparing the EIA report, the instructions for the Proponents and instructions for the Consultants issued by MoEF&CC vide O.M. No. J-11013/41/2006-IA.II(I) dated 4th August, 2009, which are available on the website of this Ministry, should be followed.
  - h) Changes, if any made in the basic scope and project parameters (as submitted in Form-I and the PFR for securing the TOR) should be brought to the attention of MoEF&CC with reasons for such changes and permission should be sought, as the TOR may also have to be altered. Post Public Hearing changes in structure and content of the draft EIA/EMP (other than modifications arising out of the P.H. process) will entail conducting the PH again with the revised documentation.
  - As per the circular no. J-11011/618/2010-IA.II(I) dated 30.5.2012, certified report of the status of compliance of the conditions stipulated in the environment clearance for the existing operations of the project, should be obtained from the Regional Office of Ministry of Environment, Forest and Climate Change, as may be applicable.
  - j) The EIA report should also include: (i) surface plan of the area indicating contours of main topographic features, drainage and mining area, (ii) geological maps and sections and (iii) sections of the mine pit and external dumps, if any, clearly showing the land features of the adjoining area.