The 603rd meeting of SEAC-1 was held in the Directorate of Environment, U.P. through dual-mode (physically/virtually) at 11:00 AM on 07/12/2021. Following members participated in the meeting:

1.	Shri Rajive Kumar,	Chairman, SEAC-1 (Virtually)
2.	Dr. Ratan Kar,	Member, SEAC-1 (Virtually)
3.	Dr. Ajai Mishra,	Member, SEAC-1 (Virtually)
4.	Shri Om Prakash Srivastava,	Member, SEAC-1 (Virtually)
5.	Dr. Brij Bihari Awasthi,	Member, SEAC-1 (Virtually)
6.	Shri Umesh Chandra Sharma,	Member, SEAC-1 (Virtually)

The Chairman welcomed the members to the 603rd SEAC-1 meeting which was conducted via dual-mode (virtually/physically). Nodal officer, SEAC-1 informed the committee that the agenda has been approved by the Member Secretary, SEAC-1/Director Environment. Nodal officer, SEAC-1 placed the agenda items along with the available file and documents before the SEAC-1.

1. Stone (Khanda, Boulder, Bailast, Gitti) Mining at Gata No. 2658, Village-Pahra, Tehsil & District-Mahoba, Smt. Sudha Singh, Area:0.547 ha. File No. 6676/Proposal No. SIA/UP/MIN/69129/2021

The consultant informed the committee that they are strictly following the rules, regulations and other instructions of QCI/NABET. A presentation was made by the project proponent along with their consultant M/s Paramarsh (Servicing Environment and Development), Lucknow. Based on the documents submitted and presentation made by the project proponent along with the consultant, the following facts have emerged: -

1. The terms of reference is sought for "Building Stone (Khanda, Boulder, Bailast (Gitti)" Project at Gata No.- 2658, Village- Pahra, Tehsil- Mahoba, District- Mahoba, State- Uttar Pradesh, (Leased Area: 0.547 ha.)

1.	On-line report submitted on	22/10/2021			
2.	On-line proposal No.	SIA/UP/MIN/69129/2021			
3.	File No. allotted by SEIAA, UP	6676			
4.	Name of Proponent	Smt. Sudha Singh W/o Sh. Jaiwant Singh			
5.	Full correspondence address of proponent and mobile no.	R/o- Village- Pahra, Tehsil & District- Mahoba U.P.			
6.	Name of Project	Building Stone (Khanda, Boulder, Bailast (Gitti) Mining Project			
7.	Project location (Plot/ Khasra /Gata No.)	Gata No 2658			
8.	Name of Village	Pahra			
9.	Tehsil	Mahoba			
10.	District	Mahoba			
11.	Name of Minor Mineral	Building Stone (Khanda, Boulder, Bailast (Gitti)			
12.	Sanctioned Lease Area (in Ha.)	0.547 ha.			
13.	Max.& Min mrl within lease area	171.0 mRL- 165.0 mRL			
14.	Pillar Coordinates(Verified by DMO)	Pillars Latitude (N) Longitude (E)			
		A 25°20'40.790"N 80°04'21.407"E			
		B 25°20'40.542"N 80°04'22.810"E			
		C 25°20'38.598"N 80°04'23.956"E			

		D	25°2	0'37.744"N	80°04'22.7	24"E
		Е	25°2	0'38.533"N	80°04'21.8	81"E
15.	Total Geological Reserves	338741 m ³				
16.	Total Mineable Reserves	90513 m ³				
17.	Total Proposed Production (in five year)	61540 m ³				
18.	Proposed Production / year	Year		Pro	duction	
		1 st		12:	308 m^3	
		2 nd		12:	308 m^3	
		3 rd			308 m^3	
		4 th		12:	308 m^3	
		5 th		12:	308 m^3	
		Total		61	540 m ³	
19.	Sanctioned Period of Mine lease	5 Year				•
20.	Production of mine/day	41.02 m ³ (av	verage))		
21.	Method of Mining	Opencast Se	emi-M	echanized		
22.	No.of working days	300 days				
23.	Working hours/day	8 Hours/Day				
24.	No.Of workers	30 (average)				
25.	No.Of vehicle movement /day	5 (average)				
26.	Type of Land	Govt. Land				
27.	Ultimate Depth of Mining	06 meter (average)				
28.	Nearest metalled road from site	0.7 km				
29.	Water Requirement	PURPOSE	Ξ	REQ	QUIREMENT (K	LD)
		Drinking &			0.60	
		Suppression		ust	4.20	
		Plantation			0.30	
		Others(if	any)			
		Total			5.10	
30.	Name of QCI Accredited Consultant with QCI				rironment and	
	No and period of validity.			icknow, U.P		
				/1821/RA01	20	
		Validity- Ja	nuary	13, 2022		
31.	Any litigation pending against the project or	No				
	land in any court	D) (C) ()		1 7 . 3-	1.500.0.55.50.50	(2021.22
32.	Details of 500 m Cluster Map & certificate				. 1530/MMC-30	/2021-22,
	Verified by Mining Officer	Dated 7 th Se				
33.	Details of Lease Area in approved DSR	Page No 0	2, S.N	o 44		
34.	Proposed CER cost	1.40 Lakh				
35.	Proposed EMP cost	12.77 Lakh			1 60	
36.	Length and breadth of Haul Road.	Length- 0.7	0 km, '	Width- more	than 6.0 m	
37.	No. of Trees to be Planted	550				

- 3. The mining would be restricted to the unsaturated zone only above the phreatic water table and will not intersect the groundwater table at any point in time.
- 4. The mining operation will not be carried out in the safety zone of any bridge or embankment or eco-fragile zone such as the habitat of any wild fauna.
- 5. There is no litigation pending in any court regarding this project.
- 6. The project proposal falls under category–1(a) of EIA Notification, 2006 (as amended).

The committee discussed the matter and recommended to issue the terms of References (ToR) for the preparation of EIA as annexed at annexure-1. The committee also stipulated flowing additional ToR:

- 1. Monitoring period photographs alongwith date and time should be provided at the time of EIA presentation.
- 2. Raw data should be provided at the time of EIA presentation.
- 3. The project proponent/Consultant should identify the core & buffer zone (2.5 km) of the mining site.

2. <u>Stone (Khanda, Boulder, Bailast, Gitti) Mining at Gata No.-791Kha (Khand No.-3), Village-Paswara, Mahoba, Shri Naresh Kumar Khatri, Area: 4.0 ha. File No. 6677/Proposal No. SIA/UP/MIN/69121/2021</u>

The consultant informed the committee that they are strictly following the rules, regulations and other instructions of QCI/NABET. A presentation was made by the project proponent along with their consultant M/s Paramarsh (Servicing Environment and Development), Lucknow. Based on the documents submitted and presentation made by the project proponent along with the consultant, the following facts have emerged: -

1. The terms of reference is sought for "Building Stone (Khanda, Boulder, Bailast (Gitti))" Project at Gata No.-791 Kha (Khand No.- 3), Village- Paswara, Tehsil-Mahoba, District-Mahoba, State-Uttar Pradesh, (Leased Area- 4.00 ha.).

	anent reatures of the project as submitted by the	project prop	JOHEH	լ.		
1.	On-line report submitted on	13/11/2021				
2.	On-line proposal No.	SIA/UP/MI	N/6912	21/2021		
3.	File No. allotted by SEIAA, UP	6677				
4.	Name of Proponent	Sh. Naresh I	Kumar	Khatri S/o Sh. T	Tulsidas Kha	tri
5.	Full correspondence address of proponent and	R/o- Madhiy				
	mobile no.	District-Ba				
6.	Name of Project			handa, Boulder,	Bailast (Gitt	i))
		Mining Proj				
7.	Project location (Plot/ Khasra /Gata No.)		91 Kh	a (Khand No3)		
8.	Name of Village	Paswara				
9.	Tehsil	Mahoba				
10.	District	Mahoba				
11.	Name of Minor Mineral	Building Stone (Khanda, Boulder, Bailast (Gitti))				
12.	Sanctioned Lease Area (in Ha.)	4.00 ha.				
13.	Max.& Min mrl within lease area	231.0 mRL- 199.0 mRL				
14.	Pillar Coordinates (Verified by DMO)	Pillars L		` /		de (E)
		A	259	°17'23.017"N	79°57'23.	609"E
		В		5°17'24.345"N 79°57'33		
		C	25	°17'20.817"N	7'20.817"N 79°57'33.8	
		D	259	°17'17.541"N	79°57'27.	464"E
15.	Total Geological Reserves	3431343 m ³				
16.	Total Mineable Reserves	1206669 m ³				
17.	Total Proposed Production (in five year)	620000 m^3				
18.	Proposed Production / year	Year		Product	ion	
		1 st		124000	m^3	
		2 nd		124000	m	
		3 rd		124000	m	
		4 th		124000	m	
		5 th		124000	m	
		Total		620000	m ³	
19.	Sanctioned Period of Mine lease	5 Year				

20.	Production of mine/day	413.33 m ³ (average)		
21.	Method of Mining	Opencast Semi-Mechanized		
22.	No.of working days	300 days		
23.	Working hours/day	8 Hours/Day		
24.	No.Of workers	40 (average)		
25.	No.Of vehicle movement /day	42 (average)		
26.	Type of Land	Govt. Land		
27.	Ultimate Depth of Mining	12 meter (average)		
28.	Nearest metalled road from site	0.6 km		
29.	Water Requirement	PURPOSE	REQUIREMENT (KLD)	
		Drinking & Others	0.40	
		Suppression of dust	3.60	
		Plantation	4.00	
		Others(if any)		
		Total	8.00	
30.	Name of QCI Accredited Consultant with QCI	M/s Paramarsh (Servicin		
	No and period of validity.	Development)., Lucknov		
		QCI/NABET/EIA/1821/		
		Validity- January 13, 202	22	
31.	Any litigation pending against the project or	No		
	land in any court			
32.	Details of 500 m Cluster Map & certificate		ter No. 1531/MMC-30/2021-22,	
	Verified by Mining Officer	Dated 07 th September, 2021		
33.	Details of Lease Area in approved DSR	Page No 02, S.No 20.		
34.	Proposed CER cost	1.75 Lakh		
35.	Proposed EMP cost	30.05 Lakh		
36.	Length and breadth of Haul Road.	Length- 0.60 km, Width-	more than 6.0 m	
37.	No. of Trees to be Planted	4000		

- 3. The mining would be restricted to the unsaturated zone only above the phreatic water table and will not intersect the groundwater table at any point in time.
- 4. The mining operation will not be carried out in the safety zone of any bridge or embankment or eco-fragile zone such as the habitat of any wild fauna.
- 5. There is no litigation pending in any court regarding this project.
- 6. The project proposal falls under category–1(a) of EIA Notification, 2006 (as amended).

The committee discussed the matter and recommended to issue the terms of References (ToR) for the preparation of EIA as annexed at annexure-1. The committee also stipulated flowing additional ToR:

- 1. Monitoring period photographs alongwith date and time should be provided at the time of EIA presentation.
- 2. Raw data should be provided at the time of EIA presentation.
- 3. The project proponent/Consultant should identify the core & buffer zone (2.5 km) of the mining site.

3. <u>Stone (Khanda, Boulder, Bailast Gitti) at Gata No.- 335 (Khand No.- 06), Village-Gauhari, Mahoba, Shri Kandhilal Yadav, Area: 2.024 ha. File No. 6678/Proposal No. SIA/UP/MIN/69115/2021</u>

The consultant informed the committee that they are strictly following the rules, regulations and other instructions of QCI/NABET. A presentation was made by the project proponent along with their consultant M/s Paramarsh (Servicing Environment and Development), Lucknow. Based on the documents submitted and presentation made by the project proponent along with the consultant, the following facts have emerged: -

1. The terms of reference is sought for Building Stone (Khanda, Boulder, Bailast (Gitti)) Mining at Gata No.- 335 (Khand No.- 06), Village- Gauhari, Tehsil- Mahoba, District- Mahoba, U.P, (Leased Area-2.024 ha.).

2. S	. Salient features of the project as submitted by the project proponent:					
1.	On-line proposal No.	SIA/UP/M	IIN/69115/2021			
2.	File No. allotted by SEIAA, UP	6678				
3.	Name of Proponent	Shri Kand	hilal Yadav S/o Shri	Bhagwandeen Yadav		
4.	Full correspondence address of proponent		alla- Bhagat Singh N	agar Kabrai, Teh. &		
		Distt. Mah	oba, U.P.			
5.	Name of Project	Building S	Stone (Khanda, Bould	ler, Bailast (Gitti))		
		Mining Pr				
6.	Project location (Plot/ Khasra /Gata No.)		335 (Khand No 06))		
7.	Name of Village	Gauhari				
8.	Tehsil	Mahoba				
9.	District	Mahoba				
10.	Name of Minor Mineral		Stone (Khanda, Bould	ler, Bailast (Gitti))		
11.	Sanctioned Lease Area (in Ha.)	2.024 ha.				
12.	Max.& Min mRL within lease area	163 mRL-				
13.	Pillar Coordinates(Verified by DMO)	Pillars	Latitude (N)	Longitude (E)		
		A	25°24'21.495"N	80°00'51.798"E		
		В	25°24'20.897"N	80°00'54.095"E		
		С	25°24'19.090"N	80°00'56.088"E		
		D	25°24'15.599"N	80°00'54.480"E		
		Е	25°24'17.280"N	80°00'50.005"E		
14.	Total Geological Reserves	1598918 n				
15.	Total Mineable Reserves	522965 m	3			
16.	Total Proposed Production (in five year)	328900 m	3			
17.	Proposed Production / year		Year	Production		
			1 st	65780 m^3		
			2 nd	65780 m^3		
			3 rd	65780 m^3		
			4 th	65780 m^3		
			5 th	65780 m^3		
			Total	328900 m ³		
18.	Sanctioned Period of Mine lease	10 Years				
19.	Production of mine/day	219.27 m ³				
20.	Method of Mining	Opencast S	Semi-Mechanized			
21.	No.of working days	300 days				
22.	Working hours/day	8 Hours/D	2			
23.	No.Of workers	36 (approx				
24.	No.Of vehicle movement /day	22 (approx.)				
25.	Type of Land	Govt. revenue land				
26.	Ultimate Depth of Mining	24 meter (average)				

27.	Nearest metalled road from site	0.40 k m		
28.	Water Requirement	PURPOSE REQUIREMENT (KLD)		
		Drinking & Others 0.40		
		Suppression of dust 2.40		
		Plantation	2.10	
		Others(if any)		
		Total	4.90	
29.	Name of QCI Accredited Consultant with QCI	M/s Paramarsh (Servicing Environment and		
	No and period of validity.	Development), Lucknow, U.P.		
		QCI/NABET/EIA/1821/RA0120, Validity-13/01/2022		
30.	Any litigation pending against the project or land	No		
	in any court			
31.	Details of 500 m Cluster Map & certificate	DMO, Mahoba vide Letter No. 1467/MMC-30/2021-22,		
	Verified by Mining Officer	Dated 01/09/2021		
32.	Details of Lease Area in approved DSR	Page No01, S.No 01		
33.	Proposed CER cost	1.50 Lakh		
34.	Proposed EMP cost	17.70 Lakh		
35.	Length and breadth of Haul Road.	Length- 0.40 k m, Width	- more than 6.0 m	
36.	No. of Trees to be Planted	2024		

- 3. The mining would be restricted to the unsaturated zone only above the phreatic water table and will not intersect the groundwater table at any point in time.
- 4. The mining operation will not be carried out in the safety zone of any bridge or embankment or eco-fragile zone such as the habitat of any wild fauna.
- 5. There is no litigation pending in any court regarding this project.
- 6. The project proposal falls under category–1(a) of EIA Notification, 2006 (as amended).

The committee discussed the matter and recommended to issue the terms of References (ToR) for the preparation of EIA as annexed at annexure-1. The committee also stipulated flowing additional ToR:

- 1. Monitoring period photographs alongwith date and time should be provided at the time of EIA presentation.
- 2. Raw data should be provided at the time of EIA presentation.
- 3. The project proponent/Consultant should identify the core & buffer zone (2.5 km) of the mining site.

4. <u>Building Stone Mining at Gata No. 1465, Village- Pahra, Mahoba, Shri Narendra Singh, M/s Narendra Granite., Area:1.664 ha. File No. 6679/Proposal No. SIA/UP/MIN/69119/2021</u>

The consultant informed the committee that they are strictly following the rules, regulations and other instructions of QCI/NABET. A presentation was made by the project proponent along with their consultant M/s Paramarsh (Servicing Environment and Development), Lucknow. Based on the documents submitted and presentation made by the project proponent along with the consultant, the following facts have emerged: -

1. The terms of reference is sought for "Building Stone (Khanda, Boulder, Bailast (Gitti)" Mining Project at Gata No.- 1465, Village- Pahra, Tehsil- Mahoba, District- Mahoba, State- Uttar Pradesh, (Leased Area: 1.664 ha.), M/s Narendra Granite.

	alient features of the project as submitted by th		onent:			
1.	On-line report submitted on	03/11/2021				
2.	On-line proposal No.	SIA/UP/MIN	J/69119/202	1		
3.	File No. allotted by SEIAA, UP	6679				
4.	Name of Proponent	M/s Narendra	a Granite			
		Prop Sh. Na				Singh
5.	Full correspondence address of proponent and	R/o- Near Sa	nkat Mocha	n, Mahob	a Road	
	mobile no.	Banda, Than	a-Kotwali N	lagar & D	istrict- Banda	ı, U.P.
6.	Name of Project	Building Stor	ne (Khanda,	Boulder,	Bailast (Gitti) Mining
		Project				
7.	Project location (Plot/ Khasra /Gata No.)	Gata No 14	65			
8.	Name of Village	Pahra				
9.	Tehsil	Mahoba				
10.	District	Mahoba				
11.	Name of Minor Mineral	Building Stor	ne (Khanda,	Boulder,	Bailast (Gitti	.)
12.	Sanctioned Lease Area (in Ha.)	1.664 ha.	,		•	
13.	Max.& Min mrl within lease area	169.0 mRL-	157.0 mRL			
14.	Pillar Coordinates(Verified by DMO)	Pillars	Latitud	e (N)	Longitue	de (E)
		A	25°21'22.3		80°03'12.20	
		В	25°21'22.40		80°03'15.94	
		C	25°21'21.1'		80°03'18.94	
		D	25°21'20.1		80°03'19.13	
		E	25°21'20.04		80°03'12.55	
		F	25°21'19.7		80°03'12.25	
		G	25°21'20.5		80°03'10.58	
		Н	25°21'20.7		80°03'10.74	
		I	25°21'20.9		80°03'10.48	
1.5	T + 1C 1 : 1D	-	25-21-20.9.	23"N	80-03-10.48	55"E
15.	Total Geological Reserves	1315660 m ³ 445008 m ³				
16.	Total Mineable Reserves					
17.	Total Proposed Production (in five year)	228800 m ³		D 1	1	
18.	Proposed Production / year	Year 1st		Product		
		2 nd		45760		
		3 rd		45760		
		_		45760		
		4 th		45760		
		5 th		45760 m ³		
		Total		228800	m ³	
19.	Sanctioned Period of Mine lease	5 Year				
20.	Production of mine/day	152.53 m ³ (av				
21.	Method of Mining	Opencast Ser	mi-Mechani	zed		
22.	No.of working days	300 days				
23.	Working hours/day	8 Hours/Day				
24.	No.Of workers	30 (average)				
25.	No.Of vehicle movement /day	13 (average)	-			
26.	Type of Land	Govt. Land				
27.	Ultimate Depth of Mining	06 meter (ave	erage)			
28.	Nearest metalled road from site	0.3 km	- /			
29.	Water Requirement	PURPOSE		REQUIF	REMENT (K	LD)
	_	Drinking &	Others		0.30	,
					1.80	
		1.1			1.70	
			nv)			
		Others(if a	ny)		3.80	
30.	Name of QCI Accredited Consultant with QCI			g Environ	3.80	

	No and period of validity.	Development)., Lucknow, U.P.
		QCI/NABET/EIA/1821/RA0120
		Validity- January 13, 2022
31.	Any litigation pending against the project or	No
	land in any court	
32.	Details of 500 m Cluster Map & certificate	DMO, Mahoba vide Letter No. 1750/MMC-30/2021-22,
	Verified by Mining Officer	Dated 01 st October, 2021
33.	Details of Lease Area in approved DSR	Page No 02, S.No 27.
34.	Proposed CER cost	1.40 Lakh
35.	Proposed EMP cost	9.92 Lakh
36.	Length and breadth of Haul Road.	Length- 0.30 km, Width- more than 6.0 m
37.	No. of Trees to be Planted	1700

- 3. The mining would be restricted to the unsaturated zone only above the phreatic water table and will not intersect the groundwater table at any point in time.
- 4. The mining operation will not be carried out in the safety zone of any bridge or embankment or eco-fragile zone such as the habitat of any wild fauna.
- 5. There is no litigation pending in any court regarding this project.
- 6. The project proposal falls under category–1(a) of EIA Notification, 2006 (as amended).

The committee discussed the matter and recommended to issue the terms of References (ToR) for the preparation of EIA as annexed at annexure-1. The committee also stipulated flowing additional ToR:

- 1. Monitoring period photographs alongwith date and time should be provided at the time of EIA presentation.
- 2. Raw data should be provided at the time of EIA presentation.
- 3. The project proponent/Consultant should identify the core & buffer zone (2.5 km) of the mining site.

5. <u>Riverbed Sand/Morrum Mining from private land (Niji Bhoomi) at Arazi No. 166Kh, Vill.-Nagwa, The.-Dudhi, Sonbhadra, Shri Vijendra Kumar, Area 2.0 ha. File No. 6663/Proposal No. SIA/UP/MIN/236523/2021</u>

The consultant informed the committee that they are strictly following the rules, regulations and other instructions of QCI/NABET. A presentation was made by the project proponent along with their consultant M/s Cognizance Research India Pvt. Ltd. Based on the documents submitted and presentation made by the project proponent along with the consultant, the following facts have emerged: -

1. The environmental clearance is sought for Sand/Morrum Mining at Arazi No. 166Kh, Village-Nagwa, Tehsil- Dudhi, District- Sonbhadra, U.P., (Leased Area 2.0 ha).

1.	On-line proposal No.	SIA/UP/MIN/236523/2021
2.	File No. allotted by SEIAA, UP	6663
3.	Name of Proponent	Shri Vijendra Kumar S/o Shri Laldhari Kushwaha
4.	Full correspondence address of proponent	Village- Sarai, Post- Ramgarh, Tehsil- Robertsganj,
	and mobile No.	District- Sonbhadra (U.P.).
5.	Name of Project	Nagwa Morrum Mining Project from Private land (Niji Bhoomi)
6.	Project location (Plot/Khasra/Gata No.)	Arazi No. 166 Kh
7.	Name of River	Kanhar
8.	Name of Village	Nagwa
9.	Tehsil	Dudhi
10.	District	Sonbhadra

11. Name of Minor Mineral	Morrum					
12. Sanctioned Lease Area (in Ha.)	2.0					
13. Max & Min mRL within lease area	Max- 217 mRL and Min- 215 mRL					
14. Pillar Coordinates (Verified by DMO)	Pillar No.	Latitude	Longitude			
	A	24° 9'28.10"N	83°18'46.83"E			
	В	24° 9'28.34"N	83°18'50.44"E			
	C	24° 9'23.86"N	83°18'54.76"E			
	D	24° 9'22.86"N	83°18'51.11"E			
15. Total Geological Reserves	59,157 cum					
16. Total Mineable Reserves in LOI	35977 cum in 6	months				
17. Total Proposed Production	35977 cum in 6					
18. Proposed Production/year	35977 cum in 6	months				
19. Sanctioned Period of Mine lease	6 months					
20. Production of mine/day	199.87					
21. Method of Mining	Open Cast Semi	-mechanized Method	1			
22. No. of working days	180 days					
23. Working hours/day	8 hrs					
24. No. of workers	35					
25. No. of vehicles movement/day	15					
26. Type of Land	Government wast	e land				
27. Ultimate Depth of Mining	2.34					
28. Nearest metalled road from site	1.0 km					
29. Water Requirement		POSE	REQUIREMENT (KLD)			
		king	0.35			
		ile Toilet	0.35			
		on of dust	1.50			
		tation	2.0			
	Others	(if any)	-			
		otal	4.20			
30. Name of QCI Accredited Consultant with		earch India Pvt Ltd.				
QCI No and period of validity.	1922, validity=0	03-02-2022				
31. Any litigation pending against the project or land in any court	No					
32. Details of 500 m Cluster Map &	Yes, certified by District Mining Officer					
certificate issued by Mining Officer	II. Don					
33. Details of Lease Area in approved DSR	Yes area is in DS	SK				
34. Proposed CER cost	Rs 1,15,000 /-					
35. Proposed EMP cost	Rs 14,44,000 /-	111 6				
36. Length and breadth of Haul Road	Length: 0.550 ki	m, width: 6 m				
37. No. of Trees to be Planted The mining would be restricted to the	1000 plants	1 1 .1	1			

- 3. The mining would be restricted to the unsaturated zone only above the phreatic water table and will not intersect the groundwater table at any point in time.
- 4. The mining operation will not be carried out in the safety zone of any bridge or embankment or eco-fragile zone such as the habitat of any wild fauna.
- 5. There is no litigation pending in any court regarding this project.
- 6. The project proposal falls under category–1(a) of EIA Notification, 2006 (as amended).

The committee discussed the matter and recommended the grant of environmental clearance for the project proposal along with general and specific conditions as annexed at Annexure-3 to the minutes.

6. Sand Stone (Khanda, Gitti & Boulder) Mine at Gata No.-174, Khanda No.- B/4, Vill.-Bangaliya, The.-Meja Prayagraj, M/s Kusum Construction, Area-2.024 ha. File No. 6673/6213/Proposal No. SIA/UP/MIN/69059/2021

The consultant informed the committee that they are strictly following the rules, regulations and other instructions of QCI/NABET. A presentation was made by the project proponent along with their consultant M/s Cognizance Research India Pvt. Ltd. Based on the documents submitted and presentation made by the project proponent along with the consultant, the following facts have emerged: -

- 1. The environmental clearance is sought for Bangaliya Building stone Sand Stone (Khanda, Gitti, Boulder) Mining project at Gata No. 174 (Khand No. B/4), Village- Bangaliya, Tehsil- Meja, District-Prayagraj, U.P., (Leased Area 2.024 ha) M/s Kusum Construction.
- 2. The terms of reference in the matter were issued by SEIAA, U.P. vide letter no-55/Parya/ SEAC/6213/2019, dated 10/06/2021.
- 3. The public hearing was organized on 15/09/2021. Final EIA report submitted by the project proponent on 11/11/2021.

4. Salient features of the project as submitted by the project proponent:					
SIA/UP/MIN/	(69059/2021				
6673/6213					
R/o Pandila, P	ost- Ismailganj, Thana	a- Tharvai, District-			
Prayagraj, (U.	P.)				
Mobile No-					
Email-					
Bangaliya Bui	ilding stone Sand Ston	e (Khanda, Gitti,			
Gata No. 174	(Khand No. B/4)				
-					
Bangaliya					
Meja					
Prayagraj					
Building stone Sand Stone (Khanda, Gitti, Boulder)					
2.024 ha					
Max- 109 mR	L and Min- 99 mRL				
Sanctioned Mining Lease Area					
Pillar No.	Latitude	Longitude			
A	25° 8.033'N	82° 16.395'E			
A1	25° 8.039'N	82° 16.401'E			
В	25° 8.030'N	82° 16.454'E			
	25° 7.950'N	82° 16.485′E			
D	25° 7.942'N	82° 16.432'E			
8,61,300 m ³					
	ır				
Maximum 20	years				
77.84					
	i-mechanized Method				
8 hrs					
32					
	SIA/UP/MIN/ 6673/6213 M/s Kusum C R/o Pandila, F Prayagraj, (U. Mobile No- Email- Bangaliya But Boulder) Min: Gata No. 174 Bangaliya Meja Prayagraj Building stone 2.024 ha Max- 109 mR Pillar No. A A1 B C D 8,61,300 m³ 20,240 m³/yea 1,01,200 m³ 20,240 m³ Maximum 20 77.84 Open Cast Sem 260 days	SIA/UP/MIN/69059/2021 6673/6213 M/s Kusum Construction, Prop. Smt R/o Pandila, Post- Ismailganj, Thana Prayagraj, (U.P.) Mobile No- Email- Bangaliya Building stone Sand Ston Boulder) Mining project Gata No. 174 (Khand No. B/4) - Bangaliya Meja Prayagraj Building stone Sand Stone (Khanda, 2.024 ha Max- 109 mRL and Min- 99 mRL Sanctioned Mining Lea Pillar No. Latitude A 25° 8.033'N A1 25° 8.039'N B 25° 8.030'N C 25° 7.950'N D 25° 7.942'N 8,61,300 m³ 20,240 m³/year 1,01,200 m³ 20,240 m³ Maximum 20 years 77.84 Open Cast Semi-mechanized Method 260 days			

25.	No. of vehicles movement/day	11			
26.	Type of Land	Government waste land			
27.	Ultimate Depth of Mining	42			
28.	Nearest metalled road from site	0.50 km			
29.	Water Requirement	PURPOSE REQUIREMENT (
		Drinking	0.32		
		Suppression of dust	3.6		
		Plantation	4.048		
		Toilet	0.32		
		Total	8.288		
30.	Name of QCI Accredited Consultant with QCI No	Cognizance Research India Pvt. Ltd.			
	and period of validity.	1922, validity= 03-02-2022			
31.	Any litigation pending against the project or land in	No			
	any court				
32.	Details of 500 m Cluster Map & certificate issued	Yes, certified			
	by Mining Officer				
_	Details of Lease Area in approved DSR	Yes, given in the DSR			
	Proposed CER cost	Rs 1,62,200/-			
35.	Proposed EMP cost	Rs 4,38,000 /-(Recurring cost)			
		21,86,200 (EMP capital cost including CER)			
	Length and breadth of Haul Road	Length: 0.300 km, width: 6	m		
37.	No. of Trees to be Planted	2024 plants			

- 5. The mining would be restricted to the unsaturated zone only above the phreatic water table and will not intersect the groundwater table at any point in time.
- 6. The mining operation will not be carried out in the safety zone of any bridge or embankment or eco-fragile zone such as the habitat of any wild fauna.
- 7. There is no litigation pending in any court regarding this project.
- 8. The project proposal falls under category–1(a) of EIA Notification, 2006 (as amended).

The committee discussed the matter and recommended the grant of environmental clearance for the project proposal along with general and specific conditions as annexed at Annexure-2 to the minutes. The committee also stipulated the following specific conditions:

- 1. The project proponent shall install solar light in their site office.
- 2. During the submission of 6 monthly compliance reports, the project proponent should make sure that the periodically taken site photographs should also be annexed along with the compliance report.
- 3. Preference should be given to indigenous local species as per the consultation of the local district Forest Officer.
- 4. The maximum height of the bench should be 06 meters and the width of the bench should be at least twice the height of the bench as per the mine plan approval letter by DGM, U.P
- 5. In case the blasting is proposed during a mining operation, the project proponent needs to assess its impact on the displacement of human beings/wild animals/birds/other species, and the suitable measures proposed and taken for their rehabilitation and resettlement need to be clearly described in first 6 monthly compliance report.
- 6. The project proponent shall submit a final mine closure plan/Exit protocol for rehabilitation of minedout land to match its surrounding land use 3years before the closure of the mine to SEIAA, UP and Department of Mines and Geology, UP for approval. The project proponent shall ensure the implementation of the approved plan under the supervision of the Dept. of Mines and Geology.

- 7. The project proponent shall plan and implement collection drain and siltation basins of adequate size to arrest the silt and sediment flow from the quarry area. The surface runoff rainwater harvesting and other water conservation measures on a long-term basis are to be taken in consultation with the Central/State Groundwater Board. The water so collected should be utilized for watering the haulage area, roads, and green belt development, etc.
- 8. The project proponent shall take all suitable measures to prevent pollution of groundwater and nearby water bodies in consultation with the State Pollution Control Board and consent to operate (if applicable) should be obtained from the State Pollution Control Board before the start of production from the mine.
- 9. Link Road from the quarry site to the main road shall be constructed as an all-weather road with blacktopping and maintained by the project proponent.
- 10. Vehicular emissions should be kept under control and regularly monitored. Suitable measures shall be taken for proper maintenance of vehicles used in a quarry operation and transportation.
- 11. The project proponent should explore the possibilities of rainwater harvesting.

7. <u>Sand/Morrum Mining from Sone River bed at Gata No.-221Cha, Vill.-Sasnai, Obra, Sonbhadra, Shri Vinay Kumar Chaturvedi, M/s A.V. Mining, Area-18.215 Ha. File No. 6263/Proposal No. SIA/UP/MIN/62361/2021</u>

RESOLUTION AGAINST AGENDA NO. 07

The project proponent/consultant informed the committee that the haulage road will pass through forest area, for which they don't have NOC from Forest Department. They further informed that the haulage road not clearly identify. The committee advise the project proponent/consultant to revise their information and commitment w.r.t. soil monitoring data and plantation plan.

8. <u>Building Stone(Khanda–Boulder/Gitti–Ballast)Mining at Gata No-442</u> (Khand-01), <u>Village Dongri, Tehsil-Sadar, Jhansi, Shri Milan Yadav, Area 1.618 Ha. File No. 6682/Proposal No. SIA/UP/MIN/238833/2021</u>

The consultant informed the committee that they are strictly following the rules, regulations and other instructions of QCI/NABET. A presentation was made by the project proponent along with their consultant M/s Environmental Research and Analysis, Lucknow. Based on the documents submitted and presentation made by the project proponent along with the consultant, the following facts have emerged:

1. The environmental clearance is sought for Building Stone (Khanda–Boulder/Gitti–Ballast)Mining at Gata No-442π (Khand-01), Village Dongri, Tehsil-Sadar, Jhansi, U.P., (Leased Area 1.618 Ha.).

	same in reactives of the project as suchinical	of the project proponent.
1.	On-line proposal No.	SIA/UP/MIN/238833/2021
2.	File No. allotted by SEIAA, UP	6682
3.	Name of Proponent	Shri Milan Yadav S/O- Shri Pramod Kumar
4.	Full correspondence address of proponent and	R/o- 612 H.No, Kamal Singh Colony, Khati Baba
	mobile no.	District: Jhansi (U.P.) 284003
5.	Name of Project	Building Stone (Khanda, Gitti, Boulder) Mining Project
6.	Project location (Plot/Khasra/Gata No.)	Gata No: 442ग Khand No.01
7.	Name of River	NA
8.	Name of Village	Dongri
9.	Tehsil	Sadar
10.	District	Jhansi(U.P.)

11. Name of Minor Mineral	Building Stone (Khanda, Gitti, Boulder) Mining Project			
12. Sanctioned Lease Area (in Ha.)	1.618 Ha.			
13. Mineable Area (in Ha.)	1.2463 Ha. (Safety Margin 0.3717 Ha.)			
14. Zero level mRL	NA			
15. Max. & Min mrl within lease area	Maximum &	Maximum & Minimum mRL is 303 & 282 mRL respective		
16. Pillar Coordinates (Verified by DMO)	Pillar	Latitude	Longitude	
	A	25°25'28.85" N	78°28'40.42" E	
	В	25°25'32.11" N	78°28'40.63" E	
	С	25°25'31.36" N	78°28'46.49" E	
	D	25°25'28.14" N	78°28'46.21" E	
17. Total Geological Reserves	4,45,971 m ³			
18. Total Mineable Reserves in LOI	32,360 m ³ per	year		
19. Total Proposed Production (in five year)	1,61,800 m ³ ii	n 5 years		
20. Proposed Production/year	32,360 m ³ per	year		
21. Sanctioned Period of Mine lease	20 Year			
22. Production of mine/day	129.44 m ³ /da	y		
23. Method of Mining	Open cast, Se	mi-Mechanized		
24. No. of working days	250			
25. Working hours/day	8 hours/day			
26. No. Of workers	Approximately 32 workers			
27. No. Of vehicles movement/day	10-12 Vehicles movement/day			
28. Type of Land	Government I	and (Rocky Barren)		
29. Ultimate Depth of Mining	6 m			
30. Nearest metalled road from site	NH 44 about	0.28km East direction	n from the project site.	
31. Water Requirement	PURPOSE		REQUIREMENT (KLD)	
	Drinking		0.42 KLD	
	Suppression of Dust 6.0 KLD		6.0 KLD	
	Plantation		1.618 KLD	
	Others (if any)	=	
	Total		8.0 KLD approx.	
32. Name of QCI Accredited Consultant with QCI			ysis, Lucknow (U.P)	
No and period of validity.		. NABET/ EIA/ 1922	2/RA 0200	
	Valid up to 30	Dec, 2022		
33. Any litigation pending against the project or land in any court	No			
34. Details of 500 m Cluster Map & certificate issued by Mining Officer	Letter No-544/30.M.M.C/2021-22Date-12/08/2021			
35. Details of Lease Area in approved DSR	Letter No. 495	5/30 MMC/ DSR /20.	20-21, on Dated	
	02/07/2020, S	No 5		
36. Proposed EMP cost	Rs 38,74,750/	<u> </u>		
37. Proposed Total Project cost	Rs. 95,00,000	/-		
38. Length and breadth of Haul Road	250 m length	and 6 m width		
39. No. of Trees to be Planted	1618			
2 The mining record he negtwinted to the rung	1	1 1 41 1	and will	

- 3. The mining would be restricted to the unsaturated zone only above the phreatic water table and will not intersect the groundwater table at any point in time.
- 4. The mining operation will not be carried out in the safety zone of any bridge or embankment or eco-fragile zone such as the habitat of any wild fauna.
- 5. There is no litigation pending in any court regarding this project.
- 6. The project proposal falls under category–1(a) of EIA Notification, 2006 (as amended).

The committee discussed the matter and recommended the grant of environmental clearance for the project proposal along with general and specific conditions as annexed at Annexure-2 to the minutes. The committee also stipulated the following specific conditions:

- 1. The project proponent shall install solar light in their site office.
- 2. During the submission of 6 monthly compliance reports, the project proponent should make sure that the periodically taken site photographs should also be annexed along with the compliance report.
- 3. Preference should be given to indigenous local species as per the consultation of the local district Forest Officer.
- 4. The maximum height of the bench should be 06 meters and the width of the bench should be at least twice the height of the bench as per the mine plan approval letter by DGM, U.P
- 5. In case the blasting is proposed during a mining operation, the project proponent needs to assess its impact on the displacement of human beings/wild animals/birds/other species, and the suitable measures proposed and taken for their rehabilitation and resettlement need to be clearly described in first 6 monthly compliance report.
- 6. The project proponent shall submit a final mine closure plan/Exit protocol for rehabilitation of minedout land to match its surrounding land use 3years before the closure of the mine to SEIAA, UP and Department of Mines and Geology, UP for approval. The project proponent shall ensure the implementation of the approved plan under the supervision of the Dept. of Mines and Geology.
- 7. The project proponent shall plan and implement collection drain and siltation basins of adequate size to arrest the silt and sediment flow from the quarry area. The surface runoff rainwater harvesting and other water conservation measures on a long-term basis are to be taken in consultation with the Central/State Groundwater Board. The water so collected should be utilized for watering the haulage area, roads, and green belt development, etc.
- 8. The project proponent shall take all suitable measures to prevent pollution of groundwater and nearby water bodies in consultation with the State Pollution Control Board and consent to operate (if applicable) should be obtained from the State Pollution Control Board before the start of production from the mine.
- 9. Link Road from the quarry site to the main road shall be constructed as an all-weather road with blacktopping and maintained by the project proponent.
- 10. Vehicular emissions should be kept under control and regularly monitored. Suitable measures shall be taken for proper maintenance of vehicles used in a quarry operation and transportation.
- 11. The project proponent should explore the possibilities of rainwater harvesting.

9. <u>Stone Mining at Gata No.98 (Khand–05), Village: Karanpura, Tehsil: Garautha, Jhansi, Shri Dhiraj Kumar Prajapati, Area: 0.809 Ha. File No. 6683/Proposal No. SIA/UP/MIN/228673/2021</u>

The consultant informed the committee that they are strictly following the rules, regulations and other instructions of QCI/NABET. A presentation was made by the project proponent along with their consultant M/s Globus Environment Engineering Services. Based on the documents submitted and presentation made by the project proponent along with the consultant, the following facts have emerged:

- 1. The environmental clearance is sought for Stone Mining at Gata No.98 (Khand–05), Village: Karanpura, Tehsil: Garautha, Jhansi, U.P., (Leased Area: 0.809 Ha.).
- 2. Salient features of the project as submitted by the project proponent:

1. On-line proposal No.	SIA/UP/MIN/228673/2021, Dated: 10.09.2021
2.File no. allotted by SEIAA,UP	6683

3. Name of Proponent	Shri Dhirai	Kumar Prajapati		
3. Name of Froponent	S/o Shri Jitendra Kumar Prajapati			
4.Full correspondence address of proponent	R/o – 511, New Basti, District: Jhansi (U.P).			
and mobile no.	Pin code: 284002			
5. Name of Project	Building Stone "Khandas, Gitti, Boulder Mining Project"			
6. Project location (Plot/Khasra/Gata No.)		3 (Khand -05)	ider Willing Froject	
7. Name of River	- (Kindid 03)			
8. Name of Village	Karanpura			
9. Tehsil	Garautha			
10. District	Jhansi			
11. Name of Minor Mineral	Building Stone			
12. Sanctioned Lease Area (in ha.)	Total Lease Area: 0.809 Ha			
13. Mineable/Workable Area (in ha.)	0.809 Ha	Tired: 0.007 Hu		
14. Zero level mRL	-			
15. Max. & Min mRL within lease area		3 mRL towards North-East	t direction	
15. Wax. & Will line within lease area		mRL towards South Wes		
16. Pillar Coordinates (Verified by DMO)	Pillar	Latitudes (N)	Longitudes (E)	
10.1 mai Coordinates (Verified by Divio)	A	25°34'10.04"N	79°13'03.51"E	
	B	25°34'07.10"N	79°13'03.26"E	
	C	25°34'06.91"N	79°13'06.94"E	
	D	25°34'09.78"N	79°13'06.85"E	
			77 13 00.83 E	
17. Total Geological Reserves	Toposheet No 54O/2 3,51,753 m ³			
(Source: Approved Mining Plan)	3,51,755 III			
18. Total Mineable Reserves	1,31,343 m ³	3		
(Source: Approved Mining Plan)	1,51,545 111			
19. Total Proposed Production (in five	ve 1,21,350 m ³			
years)	1,21,550 III			
20. Proposed Production/year	24,270 m ³			
21. Sanctioned Period of Mine lease	20 years			
22. Production of mine/day		$(80.9 \text{ m}^3/\text{day x } 2.8 = 226)$	5 52 T/day)	
23. Method of Mining				
24. No. of Working days	Opencast, semi-mechanized (Other than fully mechanized) 300 Days			
25. Working hours/day	8 hours/day	:		
26. No. of Workers	18			
27. No. of vehicles movement/day		sumed Loading Capacity: 2	20m³/Unit)	
28. Type of Land	Governmen		2011 / 2111()	
29. Ultimate Depth of Mining		RL-207 mRL)		
25. Ordinate Depth of Willing	\	oproved Mining Plan)		
30. Nearest metalled road from site		load Length 210 m & Widt	th 7 m	
31. Water Requirement	4.65 KLD			
32. Name of QCI Accredited Consultant		ENVIRONMENT ENGINE	EERING SERVICES	
with QCI No. and period of validity.		No. NABET/EIA/1821/IA(
period of variation		Validity Till December 29/		
33. Any litigation pending against the	No	j		
project or hand in any court				
34. Details of 500 m Cluster Map &	Cluster cer	tificate issued by DMO	(Mining Section) पत्रांक: 268/	
certificate issued by Mining Officer			21 issued by Mining Officer	
	Jhansi.	021-22 <i>)</i> , 19 ⁻ 1191, 10/00/20	21 issued by willing Officer	
35. Details of Lease Area in approved DSR		t letter of District Survey E	Report of Jhansi vide Letter	
33. Details of Lease Area in approved DSR				
36. Proposed CER Cost	No: 1887/30 M.M.C /2019-20, Dated: 12.03.2020 (DSR,Jhansi) Rs. 4.80 Lakhs (5% of the total Project Cost)			
37. Proposed EMP Cost	Rs. 17.54 I		i Cost)	
38. Length and breadth of Haul Road		m & Width 7 m		
50. Lengui and offadul of Hauf Koad	Lengui 210	III & WIUII / III		

39. No. of Trees to be Planted	810 Trees (1000 trees/Ha.)
39. No. of frees to be Flanted	010 11ees (1000 ffees/ffa.)

- 3. The mining would be restricted to the unsaturated zone only above the phreatic water table and will not intersect the groundwater table at any point in time.
- 4. The mining operation will not be carried out in the safety zone of any bridge or embankment or eco-fragile zone such as the habitat of any wild fauna.
- 5. There is no litigation pending in any court regarding this project.
- 6. The project proposal falls under category–1(a) of EIA Notification, 2006 (as amended).

The committee discussed the matter and recommended the grant of environmental clearance for the project proposal along with general and specific conditions as annexed at Annexure-2 to the minutes. The committee also stipulated the following specific conditions:

- 1. The project proponent shall install solar light in their site office.
- 2. During the submission of 6 monthly compliance reports, the project proponent should make sure that the periodically taken site photographs should also be annexed along with the compliance report.
- 3. Preference should be given to indigenous local species as per the consultation of the local district Forest Officer.
- 4. The maximum height of the bench should be 06 meters and the width of the bench should be at least twice the height of the bench as per the mine plan approval letter by DGM, U.P
- 5. In case the blasting is proposed during a mining operation, the project proponent needs to assess its impact on the displacement of human beings/wild animals/birds/other species, and the suitable measures proposed and taken for their rehabilitation and resettlement need to be clearly described in first 6 monthly compliance report.
- 6. The project proponent shall submit a final mine closure plan/Exit protocol for rehabilitation of minedout land to match its surrounding land use 3years before the closure of the mine to SEIAA, UP and Department of Mines and Geology, UP for approval. The project proponent shall ensure the implementation of the approved plan under the supervision of the Dept. of Mines and Geology.
- 7. The project proponent shall plan and implement collection drain and siltation basins of adequate size to arrest the silt and sediment flow from the quarry area. The surface runoff rainwater harvesting and other water conservation measures on a long-term basis are to be taken in consultation with the Central/State Groundwater Board. The water so collected should be utilized for watering the haulage area, roads, and green belt development, etc.
- 8. The project proponent shall take all suitable measures to prevent pollution of groundwater and nearby water bodies in consultation with the State Pollution Control Board and consent to operate (if applicable) should be obtained from the State Pollution Control Board before the start of production from the mine.
- 9. Link Road from the quarry site to the main road shall be constructed as an all-weather road with blacktopping and maintained by the project proponent.
- 10. Vehicular emissions should be kept under control and regularly monitored. Suitable measures shall be taken for proper maintenance of vehicles used in a quarry operation and transportation.
- 11. The project proponent should explore the possibilities of rainwater harvesting.

10. <u>Khanda-Boulder/Gitty-Ballast Mining at Gata No-515 (Khand No-10)</u>, <u>Village- Sirvo</u>, <u>Tehsil-Garautha</u>, <u>Jhansi</u>, <u>Shri Devendra Kumar Gupta</u>, <u>Area- 1.618 Ha. File No. 6685/Proposal No. SIA/UP/MIN/69225/2021</u>

The consultant informed the committee that they are strictly following the rules, regulations and other instructions of QCI/NABET. A presentation was made by the project proponent along with their consultant M/s Environmental Research and Analysis, Lucknow. Based on the documents submitted and presentation made by the project proponent along with the consultant, the following facts have emerged:

1. The terms of reference is sought for Khanda-Boulder/Gitty-Ballast Mining at Gata No-515 (Khand No-10), Village- Sirvo, Tehsil-Garautha, Jhansi, U.P. (Leased Area- 1.618 Ha.).

1. Oil-line phoposal No. 2. File No. allotted by SEIAA, UP 3. Name of Proponent M/S SAKSHAM CONTRACTOR AND SUPPLIERS Proponent - Shri Devendra Kumar Gupta S/o Shri Shiv Kumar Gupta 4. Full correspondence address of proponent and mobile no. 5. Name of Project 6. Project location (Plot/Khasra/Gata No.) 7. Name of River 8. Name of Village 9. Tehsil 10. District 11. Name of Minor Mineral 12. Sanctioned Lease Area (in Ha.) 13. Mineable Area (in Ha.) 14. Zero level mRL 15. Max. & Min mrl within lease area 16. Pillar Coordinates (Verified by DMO) Max. & Min mrl within lease area 16. Pillar Coordinates (Verified by DMO) Pillar 17. Total Geological Reserves 18. Total Mineable Reserves in LOI 19. Total Proposed Production/year 20. Proposed Production/year 21. Sanctioned Period of Mine lease M/S SAKSHAM CONTRACTOR AND SUPPLIERS Proponent - Shri Devendra Kumar Gupta S/o Shri Shiv Kumar Gupta M/S SAKSHAM CONTRACTOR AND SUPPLIERS Proponent - Shri Devendra Kumar Gupta S/o Shri Shiv Kumar Gupta M/S SAKSHAM CONTRACTOR AND SUPPLIERS Proponent - Shri Devendra Kumar Gupta S/o Shri Shiv Kumar Gupta M/S SAKSHAM CONTRACTOR AND SUPPLIERS Proponent - Shri Devendra Kumar Gupta S/o Shri Shiv Kumar Gupta M/S SAKSHAM CONTRACTOR AND SUPPLIERS Proponent - Shri Devendra Kumar Gupta S/o Shri Shiv Kumar Gupta M/S SAKSHAM CONTRACTOR AND SUPPLIERS Proponent - Shri Devendra Kumar Gupta S/o Shri Shiv Kumar Gupta M/S SAKSHAM CONTRACTOR AND SUPPLIERS Proponent - Shri Devendra Kumar Gupta S/o Shri Shiv Kumar Gupta M/S SAKSHAM CONTRACTOR AND SUPLIES Proposed Production (Brive year) 1. Sanctioned Period of Mine lease 20. Proposed Production (in five year) 21. Sanctioned Period of Mine lease	Salient features of the project as submit On-line proposal No.	SIA/UP/MIN/69225/2021			
M/S SAKSHAM CONTRACTOR AND SUPPLIERS Proponent - Shri Devendra Kumar Gupta S/o Shri Shiv Kumar Gupta					
Proponent - Shri Devendra Kumar Gupta S/o Shri Shiv Kumar Gupta 4. Full correspondence address of proponent and mobile no. 5. Name of Project Building Stone Boulder-Khanda / Gitti-Ballast Mining Project 6. Project location (Plot/Khasra/Gata No.) Gata No. 515 (Khand No 10) 7. Name of River NA 8. Name of Village Sirvo 9. Tehsil Garautha 10. District Jhansi (U.P.) 11. Name of Minor Mineral Building Stone Boulder-Khanda / Gitti-Ballast Mining Project 12. Sanctioned Lease Area (in Ha.) 1.618 Ha. 13. Mineable Area (in Ha.) 1.3508 Ha (Safety margin 0.2672 Ha). 14. Zero level mRL NA 15. Max. & Min mrl within lease area Max. & Min mRL is 256 mRL & 250 mRL respectively 16. Pillar Coordinates (Verified by DMO) Pillar Latitude Longitude		***			
Gupta 4. Full correspondence address of proponent and mobile no. 5. Name of Project 6. Project location (Plot/Khasra/Gata No.) 7. Name of River 8. Name of Village 9. Tehsil 10. District 11. Name of Minor Mineral 12. Sanctioned Lease Area (in Ha.) 13. Mineable Area (in Ha.) 14. Zero level mRL 15. Max. & Min mrl within lease area 16. Pillar Coordinates (Verified by DMO) 17. Name of Minor Mineral 18. Total Mineable Reserves in LOI 19. Total Proposed Production (in five year) 2,42,700 m³ per year	3. Name of Proponent				
4. Full correspondence address of proponent and mobile no. 5. Name of Project Building Stone Boulder-Khanda / Gitti-Ballast Mining Project 6. Project location (Plot/Khasra/Gata No.) 7. Name of River NA 8. Name of Village Sirvo 9. Tehsil Garautha 110. District Jhansi (U.P.) 11. Name of Minor Mineral Building Stone Boulder-Khanda / Gitti-Ballast Mining Project 12. Sanctioned Lease Area (in Ha.) 13. Mineable Area (in Ha.) 14. Zero level mRL 15. Max. & Min mrl within lease area Max. & Min mRL is 256 mRL & 250 mRL respectively 16. Pillar Coordinates (Verified by DMO) Pillar Latitude Longitude A 25°34'10.84" N 79°13'26.60" E B 25°34'10.84" N 79°13'26.60" E B 25°34'10.84" N 79°13'33.60" E D 25°34'04.90" N 79°13'31.47" E 17. Total Geological Reserves 18. Total Mineable Reserves in LOI 19. Total Proposed Production (in five year) 20. Proposed Production/year 48,540 m³ per year		1			
and mobile no. District- Jhansi, (U.P.) 284001 District- Jhansi, (U.P.) 284001 Building Stone Boulder-Khanda / Gitti-Ballast Mining Project Building Stone Boulder-Khanda / Gitti-Ballast Mining Project Building Stone Boulder-Khanda / Gitti-Ballast Mining Project NA Sirvo Tehsil District Jhansi(U.P.) Il. Name of Minor Mineral Building Stone Boulder-Khanda / Gitti-Ballast Mining Project Less anctioned Lease Area (in Ha.) Building Stone Boulder-Khanda / Gitti-Ballast Mining Project Less Area (in Ha.) Less Area (in Ha.) Less Area (in Ha.) Sirvo Building Stone Boulder-Khanda / Gitti-Ballast Mining Project Less Area (in Ha.) Less Area (in Ha.) Sirvo Building Stone Boulder-Khanda / Gitti-Ballast Mining Project Less Area (in Ha.) Less Area (in Ha.) Less Area (in Ha.) Sirvo Less Area (in Ha.) Less Area (in Ha.) Less Area (in Ha.) Sirvo Less Area (in Ha.) Sirvo Less Area (in Ha.) Pillar Lest Lude Aus Less Area (in Ha.) Aus Less Area (in H	4 Evil comesmendence address of management				
5. Name of Project Building Stone Boulder-Khanda / Gitti-Ballast Mining Project 6. Project location (Plot/Khasra/Gata No.) Gata No. 515 (Khand No 10) 7. Name of River NA 8. Name of Village Sirvo 9. Tehsil Garautha 10. District Jhansi(U.P.) 11. Name of Minor Mineral Building Stone Boulder-Khanda / Gitti-Ballast Mining Project 12. Sanctioned Lease Area (in Ha.) 1.618 Ha. 13. Mineable Area (in Ha.) 1.3508 Ha (Safety margin 0.2672 Ha). 14. Zero level mRL NA 15. Max. & Min mrl within lease area Max. & Min mRL is 256 mRL & 250 mRL respectively 16. Pillar Coordinates (Verified by DMO) Pillar Latitude Longitude A 25°34'10.84" N 79°13'26.60" E B 25°34'12.18" N 79°13'23.60" E D 25°34'06.27" N 79°13'33.60" E D 25°34'04.90" N 79°13'31.47" E 17. Total Geological Reserves 3,23,005 m³ 18. Total Mineable Reserves in LOI 48,540 m³ per year 19. Total Proposed Production (in five year) 2,42,700 m³ in 5 years 20. Proposed Production/year 48,540 m³ per year					
6. Project location (Plot/Khasra/Gata No.) Gata No. 515 (Khand No10) 7. Name of River NA 8. Name of Village Sirvo 9. Tehsil Garautha 10. District Jhansi(U.P.) 11. Name of Minor Mineral Building Stone Boulder-Khanda / Gitti-Ballast Mining Project 12. Sanctioned Lease Area (in Ha.) 1.618 Ha. 13. Mineable Area (in Ha.) 1.3508 Ha (Safety margin 0.2672 Ha). 14. Zero level mRL NA 15. Max. & Min mrl within lease area Max. & Min mRL is 256 mRL & 250 mRL respectively 16. Pillar Coordinates (Verified by DMO) Pillar Latitude Longitude A 25°34'10.84" N 79°13'26.60" E B 25°34'12.18" N 79°13'26.60" E B 25°34'10.84" N 79°13'33.60" E D 25°34'04.90" N 79°13'33.60" E D 25°34'04.90" N 79°13'31.47" E 17. Total Geological Reserves 3,23,005 m³ 18. Total Mineable Reserves in LOI 48,540 m³ per year 19. Total Proposed Production (in five year) 2,42,700 m³ in 5 years 20. Proposed Production/year 48,540 m³ per year			last Mining Project		
7. Name of River NA 8. Name of Village Sirvo 9. Tehsil Garautha 10. District Jhansi(U.P.) 11. Name of Minor Mineral Building Stone Boulder-Khanda / Gitti-Ballast Mining Project 12. Sanctioned Lease Area (in Ha.) 1.618 Ha. 13. Mineable Area (in Ha.) 1.3508 Ha (Safety margin 0.2672 Ha). 14. Zero level mRL NA 15. Max. & Min mrl within lease area Max. & Min mRL is 256 mRL & 250 mRL respectively 16. Pillar Coordinates (Verified by DMO) Pillar Latitude Longitude A 25°34'10.84" N 79°13'26.60" E B 25°34'12.18" N 79°13'28.77" E C 25°34'06.27" N 79°13'33.60" E D 25°34'04.90" N 79°13'31.47" E 17. Total Geological Reserves 3,23,005 m³ 18. Total Mineable Reserves in LOI 48,540 m³ per year 19. Total Proposed Production (in five year) 2,42,700 m³ in 5 years 20. Proposed Production/year 48,540 m³ per year					
8. Name of Village Sirvo 9. Tehsil Garautha 10. District Jhansi(U.P.) 11. Name of Minor Mineral Building Stone Boulder-Khanda / Gitti-Ballast Mining Project 12. Sanctioned Lease Area (in Ha.) 1.618 Ha. 13. Mineable Area (in Ha.) 1.3508 Ha (Safety margin 0.2672 Ha). 14. Zero level mRL NA 15. Max. & Min mrl within lease area Max. & Min mRL is 256 mRL & 250 mRL respectively 16. Pillar Coordinates (Verified by DMO) Pillar Latitude Longitude					
9. Tehsil Garautha 10. District Jhansi(U.P.) 11. Name of Minor Mineral Building Stone Boulder-Khanda / Gitti-Ballast Mining Project 12. Sanctioned Lease Area (in Ha.) 1.618 Ha. 13. Mineable Area (in Ha.) 1.3508 Ha (Safety margin 0.2672 Ha). 14. Zero level mRL NA 15. Max. & Min mrl within lease area Max. & Min mRL is 256 mRL & 250 mRL respectively 16. Pillar Coordinates (Verified by DMO) Pillar Latitude Longitude A					
10. District Jhansi(U.P.)	<u>e</u>				
11. Name of Minor Mineral Building Stone Boulder-Khanda / Gitti-Ballast Mining Project					
12. Sanctioned Lease Area (in Ha.) 1.618 Ha. 13. Mineable Area (in Ha.) 1.3508 Ha (Safety margin 0.2672 Ha). 14. Zero level mRL NA 15. Max. & Min mrl within lease area Max. & Min mRL is 256 mRL & 250 mRL respectively 16. Pillar Coordinates (Verified by DMO) Pillar Latitude Longitude		· /	14 Mining Duning		
1.3508 Ha (Safety margin 0.2672 Ha).			iasi iviining Project		
14. Zero level mRL					
Max. & Min mRL is 256 mRL & 250 mRL respectively 16. Pillar Coordinates (Verified by DMO)		` ' ' ' '			
Pillar Coordinates (Verified by DMO)					
A 25°34'10.84" N 79°13'26.60" E B 25°34'12.18" N 79°13'28.77" E C 25°34'06.27" N 79°13'33.60" E D 25°34'04.90" N 79°13'31.47" E 17. Total Geological Reserves 3,23,005 m³ 18. Total Mineable Reserves in LOI 48,540 m³ per year 19. Total Proposed Production (in five year) 2,42,700 m³ in 5 years 20. Proposed Production/year 48,540 m³ per year					
B 25°34'12.18" N 79°13'28.77" E C 25°34'06.27" N 79°13'33.60" E D 25°34'04.90" N 79°13'31.47" E 17. Total Geological Reserves 3,23,005 m³ 18. Total Mineable Reserves in LOI 48,540 m³ per year 19. Total Proposed Production (in five year) 2,42,700 m³ in 5 years 20. Proposed Production/year 48,540 m³ per year	16. Pillar Coordinates (Verified by DMO)				
C 25°34'06.27" N 79°13'33.60" E D 25°34'04.90" N 79°13'31.47" E 17. Total Geological Reserves 3,23,005 m³ 18. Total Mineable Reserves in LOI 48,540 m³ per year 19. Total Proposed Production (in five year) 2,42,700 m³ in 5 years 20. Proposed Production/year 48,540 m³ per year					
D 25°34′04.90" N 79°13′31.47" E 17. Total Geological Reserves 3,23,005 m³ 18. Total Mineable Reserves in LOI 48,540 m³ per year 19. Total Proposed Production (in five year) 2,42,700 m³ in 5 years 20. Proposed Production/year 48,540 m³ per year					
17. Total Geological Reserves3,23,005 m³18. Total Mineable Reserves in LOI48,540 m³ per year19. Total Proposed Production (in five year)2,42,700 m³ in 5 years20. Proposed Production/year48,540 m³ per year					
18. Total Mineable Reserves in LOI48,540 m³ per year19. Total Proposed Production (in five year)2,42,700 m³ in 5 years20. Proposed Production/year48,540 m³ per year					
19. Total Proposed Production (in five year)2,42,700 m³ in 5 years20. Proposed Production/year48,540 m³ per year					
20. Proposed Production/year 48,540 m³ per year		48,540 m ³ per year			
21. Sanctioned Period of Mine lease 20 Year					
2					
22. Production of mine/day 194.16 m³/day					
23. Method of Mining Open cast, Manual, Semi-Mechanized	C				
24. No. of working days 250					
25. Working hours/day 8 hours/day					
26. No. Of workers Approximately 28 workers					
27. No. Of vehicles movement/day 16-17 Vehicles movement/day					
		Government Land (Rocky Barren)			
29. Ultimate Depth of Mining 6 m					
30. Nearest metalled road from site SH-42 at 3.50 km towards North direction from project site.					
31. Water Requirement PURPOSE REQUIREMENT (KLD)	31. Water Requirement				
Drinking 0.38 KLD		C			
Suppression of Dust 8.16 KLD					
Plantation 1.618 KLD		Plantation	1.618 KLD		

	Others (if any)	-		
	Total 10.16 KLD approx			
32. Name of QCI Accredited Consultant with	M/s Environmental Research and	Analysis, Lucknow (U.P.)		
QCI No and period of validity.	Certificate No. NABET/EIA/1922/RA 0200 and valid up to 30/13			
	2022			
33. Any litigation pending against the project	No			
or land in any court				
34. Details of 500 m Cluster Map &	Letter No. 295/30 MMC/2021-22 on Dated 24/06/2021			
certificate issued by Mining Officer				
35. Details of Lease Area in approved DSR	184/एम॰ 228 / 2017 (खनन नीति) –	- डी॰ एस॰ आर॰		
	दिनांक- 01/07/2021			
36. Proposed EMP cost	Rs 44,68,750 /-			
37. Proposed Total Project cost	Rs. 1,20,00,000/-			
38. Length and breadth of Haul Road	340 m length and 6 m width			
39. No. of Trees to be Planted	1618			

- 3. The mining would be restricted to the unsaturated zone only above the phreatic water table and will not intersect the groundwater table at any point in time.
- 4. The mining operation will not be carried out in the safety zone of any bridge or embankment or eco-fragile zone such as the habitat of any wild fauna.
- 5. There is no litigation pending in any court regarding this project.
- 6. The project proposal falls under category–1(a) of EIA Notification, 2006 (as amended).

The committee discussed the matter and recommended to issue the terms of References (ToR) for the preparation of EIA as annexed at annexure-1. The committee also stipulated flowing additional ToR:

1. The project proponent/Consultant should identify the core & buffer zone (2.5 km) of the mining site.

11. Sand Stone Mining at Araji No./Plot No./Gata No.-1744 Khand No.-59, Village—Bhatauti, Tehsil-Meja, Prayagraj, Shri Rajeshwar Mishra, M/s Khushi Enterprises, Area 8.097 ha. File No. 6686/Proposal No. SIA/UP/MIN/69239/2021

The consultant informed the committee that they are strictly following the rules, regulations and other instructions of QCI/NABET. A presentation was made by the project proponent along with their consultant M/s Paramarsh Servicing Environment and development. Based on the documents submitted and presentation made by the project proponent along with the consultant, the following facts have emerged: -

1. The terms of reference is sought for Proposed Building Stone (Gitti, Boulder, Khanda) Sand Stone mine at Araji No./Plot No./Gata No.- 1744 Khand No.-59, at Village – Bhatauti, Tehsil- Meja, District- Prayagraj, Uttar Pradesh, (Leased Area 8.097 ha. (20.0 Acres), M/s Khushi Enterprises.

	. Same in reasones of the project as sammated by the project proponent		
1.	On-line proposal No.	SIA/UP/MIN/69239/2021	
2.	File No. allotted by SEIAA, UP	6686	
3.	Name of Proponent	M/s Khushi Enterprises	
		Rajeshwar Mishra (Prop)	
		R/o: D-168, Gangotri Nagar	
		Dandi, Prayagraj. U.P-211008	
4.	Full correspondence address of proponent	Rajeshwar Mishra (Prop)R/o: D-168, Gangotri Nagar Dandi,	
	and mobile no.	Prayagraj. U.P-211008	

		Mobile no 00	100/5080		
		Mobile no. – 9919945080 E mail ID - khushistone99@gmail.com			
5.	Project Location (Plot. Khasra/Gata No.)		Araji No./Plot No 1744 Khand No59		
6.	Name of River	Tamas River – 2.50 Km (N)			
7.	Name of Village	Bhatauti			
8.	Tehsil	Meja			
9.	District	Prayagraj			
10.	Name of Minor Mineral		(Gitti, Boulder, Khanda	<u>a)</u>	
11.	Sanctioned Lease Area (in Ha.)			u)	
12.	Max. & Min mRL within lease area		8.097 ha. (20.0 Acres) Highest 108.40 mRL		
12.	within lease area	Lowest mRL 97.90 mRL			
13.	Pillar Coordinates (Verified by DMO)	Point	Latitude	I	
	,	Point		Longitude	
		A	25° 09'35.21"N	82° 03'16.74"E	
		В	25° 09'33.21"N	82° 03'25.14"E	
		С	25° 09'30.95"N	82° 03'28.89"E	
		D	25° 09'22.83"N	82° 03'23.88"E	
		E	25° 09'29.96"N	82° 03'15.20"E	
1.4	T-4-1 C1:1 D			02 00 10.20 2	
14. 15.	Total Geological Reserves Total Mineable Reserve	3364420 m3 / 94 1811928 m3 / 5			
16.	Total Proposed Production	404850 m ³ (5 ye			
17.	Proposed Production /year (as per LoI)	80970 m3/annui			
18.	Sanctioned Period of Mine lease	5 years	III 220/10 1PA		
19.	Production of mine/day	270 m ³ /day			
20.	Method of Mining		nechanized method		
21.	No. of working days	300	nechanized method		
22.	Working hours/day	8			
23.	No. of worker	44			
24.	No. of vehicles movement/day	30			
25.	Type of Land	Govt./Non Fores	st Land		
26.	Depth of Mining	6.0 m	or Land		
27.	Nearest metalled road from site	0.60 km			
28.	Water Requirement	PURPOSE			
	1	Drinking	- 0.4	4 KLD	
		Suppression of dust - 7.20 KLD		KLD	
		Plantation		KLD	
		Others (if any)	- 0.00	KLD	
		Total		ł KLD	
29.	Name of QCI Accredited Consultant	Paramarsh Servi	cing Environment and	development	
	with QCI No and period of validity.	NABET/EIA/182	21 RA 0120, Valid till	– 13 January, 2021	
30.	Any litigation pending against the	No		·	
	project or land in any court				
31.	Details of 500 m Cluster Certificate	Letter No – 2992	2/Khanij/2021-22, date	d - 08/09/2021	
32.	verified by Mining Officer Details of Lease Area in approved DSR	Serial no 157	Daga no. 32		
33.	Project Cost	Serial no. 157, 1.70 Crore/year	1 age 110. 32		
34.	Proposed CER cost	3.34 lacs/annum	1		
35.	Length and breadth of Haul Road		m, Breadth – 6.00 m		
36.	No. of Trees to be Planted	800	an, breaun – 0.00 III		
	No. 01 frees to be Flanted	1 000			

- 3. The mining would be restricted to the unsaturated zone only above the phreatic water table and will not intersect the groundwater table at any point in time.
- 4. The mining operation will not be carried out in the safety zone of any bridge or embankment or eco-fragile zone such as the habitat of any wild fauna.

- 5. There is no litigation pending in any court regarding this project.
- 6. The project proposal falls under category–1(a) of EIA Notification, 2006 (as amended).

The committee discussed the matter and recommended to issue the terms of References (ToR) for the preparation of EIA as annexed at annexure-1. The committee also stipulated flowing additional ToR:

1. The project proponent/Consultant should identify the core & buffer zone (2.5 km) of the mining site.

12. <u>Sand/Morrum Mining from Dhasan Riverbed at Gata No:1419, Khand No.-01 Vill.-Motikatra, The.-Garautha, Jhansi, Shri Sanjeev Kumar Gupta, Area 24.0 ha. File No. 6687/Proposal No. SIA/UP/MIN/69251/2021</u>

The consultant informed the committee that they are strictly following the rules, regulations and other instructions of QCI/NABET. A presentation was made by the project proponent along with their consultant M/s Cognizance Research India Pvt Ltd. Based on the documents submitted and presentation made by the project proponent along with the consultant, the following facts have emerged: -

1. The terms of reference is sought for Sand/Morrum Mining from Dhasan Riverbed at Gata No. 1419, Khand No.-01 Vill.-Motikatra, The.-Garautha, Jhansi, U.P. (Leased Area 24.0 ha.).

On-line proposal No.	SIA/UP/MIN/69251/2021					
2. File No. allotted by SEIAA, UP	6687	6687				
3. Name of Proponent	Prop. S	Prop. Shri Sanjeev Kumar Gupta				
	S/o Shi	S/o Shri Prem Chandra Gupta				
4. Full correspondence address of proponent	Registe	ered Ad	ldress: 91- B. Kakrahi-1 B	azaar-1, Dibiyapur,		
and mobile No.	District- Auraiya (U.P.).					
	Mobile No-					
	Email-					
5. Name of Project	Propos	Proposed riverbed Sand/Morrum mining				
6. Project location (Plot/Khasra/Gata No.)	Gata No. 1419, Khand No. 01					
7. Name of River	Dhasan					
8. Name of Village	Motikatra					
9. Tehsil	Garautha					
10. District	Jhansi					
11. Name of Minor Mineral	Sand/Morrum					
12. Sanctioned Lease Area (in Ha.)	24.0					
13. Max & Min mRL within lease area	Max-1	41 mR	L and Min- 139.26 mRL			
14. Pillar Coordinates (Verified by DMO)	P	Pillar	Latitude	Longitude		
]	No.				
		A	25°33'20.50"N	79°23'58.50"E		
		В	25°33'22.60"N	79°24'3.30"E		
		B1	25°33'8.04"N	79°24'16.59"E		
		С	25°32'48.32"N	79°24'29.50"E		
		D	25°32'29.90"N	79°24'36.10"E		
		Е	25°32'28.80"N	79°24'31.70"E		
		E1	25°32'40.87"N	79°24'28.04"E		
		F	25°33'3.40"N	79°24'15.40"E		
		G	25°33'5.61"N	79°24'14.33"E		

Г			Н	25°33'6.65"N	79°24'12.08"E		
		ŀ	I	25°33'9.16"N	79°24'8.59"E		
15	Total Geological Reserves	7.12	2,662 cum	20 00) 110 11	7,5 2.10(6) 2		
	Total Mineable Reserves in LOI	_	3,60,000 cum/year				
	Total Proposed Production		3,60,000 cum/year				
	Proposed Production/year	_	3,60,000 cum/year				
	Sanctioned Period of Mine lease	5 ye	-	,			
20.	Production of mine/day	_	4.61				
21.	Method of Mining	Ope	n Cast Ser	ni-mechanized Metho	d		
22.	No. of working days	260	days				
23.	Working hours/day	8 hr	S				
	No. of workers	52					
25.	No. of vehicles movement/day	104	104				
	Type of Land		Government waste land				
	Ultimate Depth of Mining	1.74					
	Nearest metalled road from site	1.0 km					
29.	Water Requirement		PURPOSE REQUIREMENT (KLD)				
			Drinking 0.52				
		For mobile toilet 0.52					
		Suppression of dust 6.80					
		Plantation 1.20					
				rs (if any)	-		
				Γotal	9.04		
30.	Name of QCI Accredited Consultant with			esearch India Pvt Ltd.			
	QCI No and period of validity.		2, validity=	= 03-02-2022			
31.	Any litigation pending against the project	No					
	or land in any court			51 1 00			
32.	Details of 500 m Cluster Map &	Yes given by Mining officer					
2.2	certificate issued by Mining Officer	TV · · · · · · · · · · · · · · · · · · ·					
	Details of Lease Area in approved DSR	Yes area is in DSR					
	Proposed CER cost		1,74,000 /-				
	Proposed EMP cost		13,02,000 /				
	Length and breadth of Haul Road	Length: 0.572 km, width: 6 m					
37.	No. of Trees to be Planted	600 plants					

- 3. The mining would be restricted to the unsaturated zone only above the phreatic water table and will not intersect the groundwater table at any point in time.
- 4. The mining operation will not be carried out in the safety zone of any bridge or embankment or eco-fragile zone such as the habitat of any wild fauna.
- 5. There is no litigation pending in any court regarding this project.
- 6. The project proposal falls under category–1(a) of EIA Notification, 2006 (as amended).

The committee discussed the matter and recommended to issue the terms of References (ToR) for the preparation of EIA as annexed at annexure-1. The committee also stipulated flowing additional ToR:

- 1. Monitoring period photographs alongwith date and time should be provided at the time of EIA presentation.
- 2. The project proponent/Consultant should identify the core & buffer zone (2.5 km) of the mining site.

13. Stone (Khanda, Boulder, Bailast & Gitti) Mining at Gata No.-2/4, Khand No.-06, Village-Jujhar, Tehsil-Sadar, Mahoba, Shri Mamta Trivedi, Area-1.619 ha. File No. 5969/Proposal No. SIA/UP/MIN/58021/2020

The consultant informed the committee that they are strictly following the rules, regulations and other instructions of QCI/NABET. A presentation was made by the project proponent along with their consultant M/s Ind Tech House Consult. Based on the documents submitted and presentation made by the project proponent along with the consultant, the following facts have emerged: -

- 1. The environmental clearance is sought for Building Stone (Khanda, Boulder, Ballast, Gitti) Mining at Gata No.-2/4 Khand No. 6, Village- Jujhar Tehsil- Sadar, District- Mahoba U.P., (Leased Area 1.619 Ha).
- 2. The terms of reference in the matter were issued by SEIAA, U.P. vide letter no. 722/Parya/SEAC/5969/2019, dated 15/01/2021.
- 3. The public hearing was organized on 15/07/2021. Final EIA report submitted by the project proponent on 19/11/2021.

4.	4. Salient features of the project as submitted by the project proponent:				
1.	On Line Proposal No.	SIA/UP/MIN/58021/2020			
2.	File No. allotted by SEIAA, UP	5969			
3.	Name of Proponent	Smt Mamta Trivedi W/o Shri Manoj Kumar Trivedi			
4.	Full correspondence address of	R/o- Amrit Colony, Gandhi Nagar, District-Mahoba, U.P			
	proponent and mobile no.				
5.	Name of Project	Area – 1.619 Ha for Building Stone (Khanda, Boulder, Ballast,			
		Gitti Mining at Gata No2/4 Khand No 6 , Village- Jujhar Tehsil-			
		Sadar ,District- Mahoba U.P. Smt Mamta Trivedi W/o Shri Manoj			
		Kumar Trivedi			
6.	Project Location (Plot.Khsra/Gata No.)	Gata No2/4 Khand No 6			
7.	Name of Village	Jujhar			
8.	Tehsil	Sadar			
9.	District	Mahoba			
10.	Name of Minor Mineral	Building Stone (Khanda, Boulder, Ballast, Gitti) Mining			
11.	Sanctioned Lease Area (in Ha.)	1.619 Ha.			
12.	Max. & Min mRL within lease area	197.0 mRL& 177.0mRL			
13.	Pillar Coordinates (Verified by DMO)	Pillar Latitude Longitude			
		A 25°24'19.968"N 79°55'16.907"E			
		B 25°24'17.111"N 79°55'19.742"E			
		C 25°24'14.019"N 79°55'16.761"E			
		D 25°24'16.855"N 79°55'13.111"E			
14.	Total Geological Reserves	812906 m ³ /Annum			
15.	Total Mineable Reserve in LOI	64,760m ³ /Annum			
16.	Total Proposed Production in LOI	64,760 m ³ /Annum			
17.	Total Proposed Production in 10 year	64,760*10 =647600			
18.	Sanctioned Period of Mine lease	10 Years			
19.	Production of mine/day	216 m ³ /Day			
20.	Method of Mining	Open cast Manual / Semi Mechanized Mining Method			
21.	No. of working days	300 Days			
22.	Working hours/day	8 Hours			
23.	No. of worker	30 Workers			
24.	No. of vehicles movement/day	24Trucks/Day			
25.	Type of Land	(Govt. Land)			
26.	Ultimate of Depth of Mining	6.0 m			
27.	Nearest metalled road from site	1.30 Km			
28.	Water Requirement	PURPOSE REQUIREMENT (KLD)			
	-	· · · · · · · · · · · · · · · · · · ·			

		Drinking	0.30	
		Suppression of dust	6.00	
		Plantation	0.32	
		Others (if any)		
		Total	6.62 KLD (Approx 7.00 KLD)	
29.	Name of QCI Accredited Consultant	Ind Tech House Consult		
	with QCI No and period of validity.	QCI No 85		
		Period of Validity- 27-01-2022		
30.	Any litigation pending against the	No		
	project or land in any court			
31.	Details of 500 m Cluster Map &	Letter No 4983/MMC30/2020-21		
	Certificate verified by Mining Officer	Date-28.08.2020		
32.	Details of Lease Area in approved	Yes (Page No: 87, &Sr, No: 111), Shuddhi Patra dated 3.12.2020		
	DSR			
33.	Proposed CER cost	1.5 Lac		
34.	Proposed EMP cost	13.63 Lac		
35.	Length and breadth of Haul Road	500mtr Length & 6m width haulage road		
36.	No. of Trees to be Planted	80Trees		

- 5. The mining would be restricted to the unsaturated zone only above the phreatic water table and will not intersect the groundwater table at any point in time.
- 6. The mining operation will not be carried out in the safety zone of any bridge or embankment or eco-fragile zone such as the habitat of any wild fauna.
- 7. There is no litigation pending in any court regarding this project.
- 8. The project proposal falls under category–1(a) of EIA Notification, 2006 (as amended).

The committee discussed the matter and recommended the grant of environmental clearance for the project proposal along with general and specific conditions as annexed at Annexure-2 to the minutes. The committee also stipulated the following specific conditions:

- 1. The project proponent shall install solar light in their site office.
- 2. During the submission of 6 monthly compliance reports, the project proponent should make sure that the periodically taken site photographs should also be annexed along with the compliance report.
- 3. Preference should be given to indigenous local species as per the consultation of the local district Forest Officer.
- 4. The maximum height of the bench should be 06 meters and the width of the bench should be at least twice the height of the bench as per the mine plan approval letter by DGM, U.P
- 5. In case the blasting is proposed during a mining operation, the project proponent needs to assess its impact on the displacement of human beings/wild animals/birds/other species, and the suitable measures proposed and taken for their rehabilitation and resettlement need to be clearly described in first 6 monthly compliance report.
- 6. The project proponent shall submit a final mine closure plan/Exit protocol for rehabilitation of minedout land to match its surrounding land use 3years before the closure of the mine to SEIAA, UP and Department of Mines and Geology, UP for approval. The project proponent shall ensure the implementation of the approved plan under the supervision of the Dept. of Mines and Geology.
- 7. The project proponent shall plan and implement collection drain and siltation basins of adequate size to arrest the silt and sediment flow from the quarry area. The surface runoff rainwater harvesting and other water conservation measures on a long-term basis are to be taken in consultation with the Central/State Groundwater Board. The water so collected should be utilized for watering the haulage area, roads, and green belt development, etc.

- 8. The project proponent shall take all suitable measures to prevent pollution of groundwater and nearby water bodies in consultation with the State Pollution Control Board and consent to operate (if applicable) should be obtained from the State Pollution Control Board before the start of production from the mine.
- 9. Link Road from the quarry site to the main road shall be constructed as an all-weather road with blacktopping and maintained by the project proponent.
- 10. Vehicular emissions should be kept under control and regularly monitored. Suitable measures shall be taken for proper maintenance of vehicles used in a quarry operation and transportation.
- 11. The project proponent should explore the possibilities of rainwater harvesting.

Assistant Nodal SEAC-1

Nodal SEAC-1

(Dr. Ajai Mishra) Member (Om Prakash Srivastava) Member (Dr. Brij Bihari Awasthi) Member

(Umesh Chandra Sharma) Member (Dr. Ratan Kar) Member (Rajive Kumar) Chairman

Annexure-1

Standard Terms of Reference for the Mining Project prescribed by MoEF&CC, GoI

- 1) Year-wise production details since 1994 should be given, clearly stating the highest production achieved in any one year prior to 1994. It may also be categorically informed whether there had been any increase in production after the EIA Notification 1994 came into force, w.r.t. the highest production achieved prior to 1994
- 2) A copy of the document in support of the fact that the proponent is the rightful lessee of the mine should be given.
- 3) All documents including approved mine plan, EIA and Public Hearing should be compatible with one another in terms of the mine lease area, production levels, waste generation and its management, mining technology etc. and should be in the name of the lessee.
- 4) All corner coordinates of the mine lease area, superimposed on a High Resolution Imagery/ toposheet, topographic sheet, geomorphology and geology of the area should be provided. Such an Imagery of the proposed area should clearly show the land use and other ecological features of the study area (core and buffer zone).
- 5) Information should be provided in Survey of India Toposheet in 1:50,000 scale indicating geological map of the area, geomorphology of land forms of the area, existing minerals and mining history of the area, important water bodies, streams and rivers and soil characteristics.
- 6) Details about the land proposed for mining activities should be given with information as to whether mining conforms to the land use policy of the State; land diversion for mining should have approval from State land use board or the concerned authority.
- 7) It should be clearly stated whether the proponent Company has a well laid down Environment Policy approved by its Board of Directors? If so, it may be spelt out in the EIA Report with description of the prescribed operating process/procedures to bring into focus any infringement/deviation/ violation of the environmental or forest norms/ conditions? The hierarchical system or administrative order of the Company to deal with the environmental issues and for ensuring compliance with the EC conditions may also be given. The system of reporting of non-compliances / violations of environmental norms to the Board of Directors of the Company and/or shareholders or stakeholders at large, may also be detailed in the EIA Report.
- 8) Issues relating to Mine Safety, including subsidence study in case of underground mining and slope study in case of open cast mining, blasting study etc. should be detailed. The proposed safeguard measures in each case should also be provided.
- 9) The study area will comprise of 10 km zone around the mine lease from lease periphery and the data contained in the EIA such as waste generation etc. should be for the life of the mine / lease period.
- 10) Land use of the study area delineating forest area, agricultural land, grazing land, wildlife sanctuary, national park, migratory routes of fauna, water bodies, human settlements and other ecological features should be indicated. Land use plan of the mine lease area should be prepared to encompass preoperational, operational and post operational phases and submitted. Impact, if any, of change of land use should be given.
- 11) Details of the land for any Over Burden Dumps outside the mine lease, such as extent of land area, distance from mine lease, its land use, R&R issues, if any, should be given.
- 12) A Certificate from the Competent Authority in the State Forest Department should be provided, confirming the involvement of forest land, if any, in the project area. In the event of any contrary claim by the Project Proponent regarding the status of forests, the site may be inspected by the State Forest Department along with the Regional Office of the Ministry to ascertain the status of forests, based on which, the Certificate in this regard as mentioned above be issued. In all such cases, it would be desirable for representative of the State Forest Department to assist the Expert Appraisal Committees.

- 13) Status of forestry clearance for the broken up area and virgin forestland involved in the Project including deposition of net present value (NPV) and compensatory afforestation (CA) should be indicated. A copy of the forestry clearance should also be furnished.
- 14) Implementation status of recognition of forest rights under the Scheduled Tribes and other Traditional Forest Dwellers (Recognition of Forest Rights) Act, 2006 should be indicated.
- 15) The vegetation in the RF / PF areas in the study area, with necessary details, should be given.
- 16) A study shall be got done to ascertain the impact of the Mining Project on wildlife of the study area and details furnished. Impact of the project on the wildlife in the surrounding and any other protected area and accordingly, detailed mitigative measures required, should be worked out with cost implications and submitted.
- 17) Location of National Parks, Sanctuaries, Biosphere Reserves, Wildlife Corridors, Ramsar site Tiger/ Elephant Reserves/(existing as well as proposed), if any, within 10 km of the mine lease should be clearly indicated, supported by a location map duly authenticated by Chief Wildlife Warden. Necessary clearance, as may be applicable to such projects due to proximity of the ecologically sensitive areas as mentioned above, should be obtained from the Standing Committee of National Board of Wildlife and copy furnished.
- 18) A detailed biological study of the study area [core zone and buffer zone (10 km radius of the periphery of the mine lease)] shall be carried out. Details of flora and fauna, endangered, endemic and RET Species duly authenticated, separately for core and buffer zone should be furnished based on such primary field survey, clearly indicating the Schedule of the fauna present. In case of any scheduled- I fauna found in the study area, the necessary plan alongwith budgetary provisions for their conservation should be prepared in consultation with State Forest and Wildlife Department and details furnished. Necessary allocation of funds for implementing the same should be made as part of the project cost.
- 19) Proximity to Areas declared as 'Critically Polluted' or the Project areas likely to come under the 'Aravali Range', (attracting court restrictions for mining operations), should also be indicated and where so required, clearance certifications from the prescribed Authorities, such as the SPCB or State Mining Department should be secured and furnished to the effect that the proposed mining activities could be considered.
- 20) R&R Plan/compensation details for the Project Affected People (PAP) should be furnished. While preparing the R&R Plan, the relevant State/National Rehabilitation & Resettlement Policy should be kept in view. In respect of SCs /STs and other weaker sections of the society in the study area, a need based sample survey, family-wise, should be undertaken to assess their requirements, and action programmes prepared and submitted accordingly, integrating the sectoral programmes of line departments of the State Government. It may be clearly brought out whether the village(s) located in the mine lease area will be shifted or not. The issues relating to shifting of village(s) including their R&R and socio-economic aspects should be discussed in the Report.
- 21) One season (non-monsoon) [i.e. March-May (Summer Season); October-December (post monsoon season); December-February (winter season)]primary baseline data on ambient air quality as per CPCB Notification of 2009, water quality, noise level, soil and flora and fauna shall be collected and the AAQ and other data so compiled presented date-wise in the EIA and EMP Report. Site-specific meteorological data should also be collected. The location of the monitoring stations should be such as to represent whole of the study area and justified keeping in view the pre-dominant downwind direction and location of sensitive receptors. There should be at least one monitoring station within 500 m of the mine lease in the pre-dominant downwind direction. The mineralogical composition of PM10, particularly for free silica, should be given.
- 22) Air quality modeling should be carried out for prediction of impact of the project on the air quality of the area. It should also take into account the impact of movement of vehicles for transportation of mineral. The details of the model used and input parameters used for modeling should be provided. The air quality contours may be shown on a location map clearly indicating the location of the site, location of sensitive

- receptors, if any, and the habitation. The wind roses showing pre-dominant wind direction may also be indicated on the map.
- 23) The water requirement for the Project, its availability and source should be furnished. A detailed water balance should also be provided. Fresh water requirement for the Project should be indicated.
- 24) Necessary clearance from the Competent Authority for drawl of requisite quantity of water for the Project should be provided.
- 25) Description of water conservation measures proposed to be adopted in the Project should be given.
- 26) Details of rainwater harvesting proposed in the Project, if any, should be provided.
- 27) Impact of the Project on the water quality, both surface and groundwater, should be assessed and necessary safeguard measures, if any required, should be provided.
- 28) Based on actual monitored data, it may clearly be shown whether working will intersect groundwater.
- 29) Necessary data and documentation in this regard may be provided. In case the working will intersect groundwater table, a detailed Hydro Geological Study should be undertaken and Report furnished. The Report inter-alia, shall include details of the aquifers present and impact of mining activities on these aquifers. Necessary permission from Central Ground Water Authority for working below ground water and for pumping of ground water should also be obtained and copy furnished.
- 30) Details of any stream, seasonal or otherwise, passing through the lease area and modification / diversion proposed, if any, and the impact of the same on the hydrology should be brought out.
- 31) Information on site elevation, working depth, groundwater table etc. Should be provided both in AMSL and bgl. A schematic diagram may also be provided for the same.
- 32) A time bound Progressive Greenbelt Development Plan shall be prepared in a tabular form (indicating the linear and quantitative coverage, plant species and time frame) and submitted, keeping in mind, the same will have to be executed up front on commencement of the Project. Phase-wise plan of plantation and compensatory afforestation should be charted clearly indicating the area to be covered under plantation and the species to be planted. The details of plantation already done should be given. The plant species selected for green belt should have greater ecological value and should be of good utility value to the local population with emphasis on local and native species and the species which are tolerant to pollution.
- 33) Impact on local transport infrastructure due to the Project should be indicated. Projected increase in truck traffic as a result of the Project in the present road network (including those outside the Project area) should be worked out, indicating whether it is capable of handling the incremental load. Arrangement for improving the infrastructure, if contemplated (including action to be taken by other agencies such as State Government) should be covered. Project Proponent shall conduct Impact of Transportation study as per Indian Road Congress Guidelines.
- 34) Details of the onsite shelter and facilities to be provided to the mine workers should be included in the EIA Report.
- 35) Conceptual post mining land use and Reclamation and Restoration of mined out areas (with plans and with adequate number of sections) should be given in the EIA report.
- 36) Occupational Health impacts of the Project should be anticipated and the proposed preventive measures spelt out in detail. Details of pre-placement medical examination and periodical medical examination schedules should be incorporated in the EMP. The project specific occupational health mitigation measures with required facilities proposed in the mining area may be detailed.
- 37) Public health implications of the Project and related activities for the population in the impact zone should be systematically evaluated and the proposed remedial measures should be detailed along with budgetary allocations.
- 38) Measures of socio economic significance and influence to the local community proposed to be provided by the Project Proponent should be indicated. As far as possible, quantitative dimensions may be given with time frames for implementation.
- 39) Detailed environmental management plan (EMP) to mitigate the environmental impacts which, should

- inter-alia include the impacts of change of land use, loss of agricultural and grazing land, if any, occupational health impacts besides other impacts specific to the proposed Project.
- 40) Public Hearing points raised and commitment of the Project Proponent on the same along with time bound Action Plan with budgetary provisions to implement the same should be provided and also incorporated in the final EIA/EMP Report of the Project.
- 41) Details of litigation pending against the project, if any, with direction /order passed by any Court of Law against the Project should be given.
- 42) The cost of the Project (capital cost and recurring cost) as well as the cost towards implementation of EMP should be clearly spelt out.
- 43) A Disaster management Plan shall be prepared and included in the EIA/EMP Report.
- 44) Benefits of the Project if the Project is implemented should be spelt out. The benefits of the Project shall clearly indicate environmental, social, economic, employment potential, etc.
- 45) Besides the above, the below mentioned general points are also to be followed:
 - a) Executive Summary of the EIA/EMP Report
 - b) All documents to be properly referenced with index and continuous page numbering.
 - c) Where data are presented in the Report especially in Tables, the period in which the data were collected and the sources should be indicated.
 - d) Project Proponent shall enclose all the analysis/testing reports of water, air, soil, noise etc. using the MoEF&CC/NABL accredited laboratories. All the original analysis/testing reports should be available during appraisal of the Project.
 - e) Where the documents provided are in a language other than English, an English translation should be provided.
 - f) The Questionnaire for environmental appraisal of mining projects as devised earlier by the Ministry shall also be filled and submitted.
 - g) While preparing the EIA report, the instructions for the Proponents and instructions for the Consultants issued by MoEF&CC vide O.M. No. J-11013/41/2006-IA.II(I) dated 4th August, 2009, which are available on the website of this Ministry, should be followed.
 - h) Changes, if any made in the basic scope and project parameters (as submitted in Form-I and the PFR for securing the TOR) should be brought to the attention of MoEF&CC with reasons for such changes and permission should be sought, as the TOR may also have to be altered. Post Public Hearing changes in structure and content of the draft EIA/EMP (other than modifications arising out of the P.H. process) will entail conducting the PH again with the revised documentation.
 - i) As per the circular no. J-11011/618/2010-IA.II(I) dated 30.5.2012, certified report of the status of compliance of the conditions stipulated in the environment clearance for the existing operations of the project, should be obtained from the Regional Office of Ministry of Environment, Forest and Climate Change, as may be applicable.
 - j) The EIA report should also include: (i) surface plan of the area indicating contours of main topographic features, drainage and mining area, (ii) geological maps and sections and (iii) sections of the mine pit and external dumps, if any, clearly showing the land features of the adjoining area.

General and Specific Conditions for Gitti, Patthar& Boulder Mining Projects: -

A. General Conditions:

- 1. This environmental clearance is subject to allotment of mining lease in favour of project proponent by District Administration/Mining Department.
- 2. Forest clearance shall be taken by the proponent as necessary under the law.
- 3. Any addition of the mining area, change of Khasra numbers, enhancement of capacity, change in mining technology, modernization, and scope of working shall again require prior environmental clearance as per EIA notification, 2006.
- 4. No change in the calendar plan including excavation, the quantum of mineral and waste shall be made.
- 5. Mining will be carried out as per the approved mining plan. In case of any violation of the mining plan, the Environmental Clearance given by SEIAA will stand cancelled.
- 6. Four ambient air quality monitoring stations shall be established in the core zone as well as in the buffer zone for RSPM, SPM, SO₂, NO_x monitoring. The location of the stations should be decided based on the meteorological data, topographical features, and environmentally and ecologically sensitive targets and frequency of monitoring should be undertaken in consultation with the State Pollution Control Board. The monitored data for criteria pollutants shall be regularly uploaded on the company's website and also displayed on the website.
- 7. Data on ambient air quality (RPM, SPM, SO₂, NO_x) should be regularly submitted to the Integrated Regional Office, MoEF&CC, GoI, Lucknow and the State Pollution Control Board / Central Pollution Control Board once in six months.
- 8. Ambient air quality at the boundary of the mine premises shall conform to the norms prescribed in MoEF notification no. GSR/826(E) dated 16.11.09.
- 9. Fugitive dust emissions from all the sources shall be controlled regularly. Water spraying arrangement on haul roads, loading and unloading, and at transfer points shall be provided and properly maintained.
- 10. Measures shall be taken for control of noise levels below 85 dBA in the work environment. Workers engaged in operations of HEMM, etc. shall be provided with earplugs/muffs and health records of the workers shall be maintained.
- 11. Industrial wastewater (workshop and wastewater from the mine) should be properly collected, treated to conform to the standards prescribed under GSR 422 (E) dated 19th May 1993 and 31st December 1993 or as amended from time to time. Oil and grease traps shall be installed before the discharge of workshop effluents.
- 12. Personnel working in areas shall be provided with protective respiratory devices like masks and they shall also be imparted adequate training and information on safety and health aspects.
- 13. Special measures shall be adopted to prevent the nearby settlements from the impacts of mining activities.
- 14. The transportation of the materials shall be limited to the day hours' time only.
- 15. Provision shall be made for housing the laborers within the site with all necessary infrastructure and facilities such as fuel for cooking, mobile toilets, safe drinking water, medical health care, crèche, etc. The housing may be in the form of temporary structures to be removed after the completion of the project.
- 16. A separate Environmental Management Cell with suitably qualified personnel shall be setup under the control of a Senior Executive, who will report directly to the Head of the Organization.
- 17. The Project Proponent shall inform the Integrated Regional Office, MoEF&CC, GoI, Lucknow and State Pollution Control Board regarding the date of financial closures and final approval of the project by the concerned authorities and the date of start of land development work.

- 18. The funds earmarked for environmental protection measures shall be kept in a separate account and shall not be diverted for other purposes. The year-wise expenditure shall be reported to the Integrated Regional Office, MoEF&CC, GoI, Lucknow and State Pollution Control Board
- 19. The Integrated Regional Office, MoEF&CC, GoI, Lucknow and State Pollution Control Board shall monitor compliance with the stipulated conditions. A complete set of documents including Environment Impact Assessment Report, Environmental Management Plan, Public hearing, and other documents information should be given to the Integrated Regional Office, MoEF&CC, GoI, Lucknow and State Pollution Control Board
- 20. A copy of the environmental clearance shall be submitted by the Project Proponent to the Heads of the Local Bodies, Panchayat, and Municipal Bodies as applicable in the matter.
- 21. The Project Proponent shall advertise at least in two local newspapers widely circulated, one of which shall be in the vernacular language of the locality concerned, within 7 days of the issue of the clearance letter informing that the project has been accorded environmental clearance and a copy of the clearance letter is available with the State Level Environment Impact Assessment Authority (SEIAA).
- 22. The Project Proponent has to submit a regular half-yearly compliance report of the stipulated prior environmental clearance terms and conditions in hard and soft copy to the SEIAA, U.P. on 1st June and 1st December of each calendar year.
- 23. The SEIAA may alter/modify the above conditions or stipulate any further condition in the interest of environmental protection.
- 24. Concealing factual data or submission of false/fabricated data and failure to comply with any of the conditions mentioned above may result in withdrawal of this clearance and attract action under the provisions of the Environment (Protection) Act, 1986.

B. Specific Conditions:

- 1. At the time of operation, the project proponent will comply with all the guidelines issued by the Government of India/State Govt./District Administration related to Covid-19.
- 2. This environmental clearance does not create or verify any claim of the applicant on the proposed site/activity.
- 3. In case it has been found that the E.C. obtained by providing incorrect information, submitting that the distance between the two adjoining mines is greater than 500mt. and the area is less than 05ha, but factually the distance is less than 500 mt, and the mine is located in the cluster of area equal to or more than 05ha, the E.C issued will stand revoked.
- 4. This environmental clearance shall be subject to a valid lease in favor of the project proponent for the proposed mining proposals. In case, the project proponent does not have a valid lease, this environmental clearance shall automatically become null and void.
- 5. The Environmental clearance will be co-terminus with the mining lease period/Mining Plan. The Mining plan approved by the Dept. of Mines and Geology shall be strictly implemented and shall not be operated beyond the validity period.
- 6. Explosive cannot be stored on the site. The Project proponent shall take approval from Chief Controller of Explosive, if applicable for use or storage of explosive or any such materials.
- 7. A comprehensive EIA including mining areas within 15 K.M. to assess the impact of the mining activity on the surrounding area shall be undertaken and a report submitted to this Authority within one year.
- 8. No two pits shall be simultaneously worked i.e. before the first is exhausted and reclamation work completed, no mineral bearing area shall be worked.
- 9. After exhausting the first mine pit and before starting mining operations in the next pit, reclamation and plantation work in the exhausted pit shall be completed to ensure that reclamation, forest cover, and vegetation are visible during the first year of mining operations in the next pit. This process

- will follow till the last pit is exhausted. Adequate rehabilitation of mined pit shall be completed before any new ore-bearing area is worked for expansion.
- 10. An adequate buffer zone shall be maintained between two consecutive mineral-bearing deposits.
- 11. The sprinkling of water on haul roads to control dust will be ensured by the project proponent.
- 12. Green belt development shall be carried out considering CPCB guidelines including the selection of plant species and in consultation with the local DFO / Agriculture Department. Herbs and shrubs shall also form a part of the afforestation programme besides tree plantation. The company shall involve local people in the plantation programme. Details of year-wise afforestation programme including rehabilitation of mined-out area shall be submitted to the Integrated Regional Office, MoEF&CC, GoI, Lucknow every year.
- 13. Blast vibrations study shall be conducted and an observation report submitted to the Integrated Regional Office, MoEF&CC, GoI, Lucknow and UPPCB within six months. The report shall also include measures for the prevention of blasting associated impact on nearby houses and agricultural fields.
- 14. Controlled blasting techniques with sequential blasting shall be adopted. The blasting shall be carried out in the daytime only. The project proponent shall ensure prevention of displacement of human beings/wild animals/birds etc. and in case any such displacement is caused due to blasting/mining operation by any chance the project proponent shall take suitable measures for their rehabilitation and resettlement.
- 15. Appropriate arrangement for shelter and drinking water for the mining workers has to be ensured at the mining site.
- 16. Maintenance of village roads used for transportation of minerals is to be done by the company regularly at its own expenses. The link roads from mining area to main road shall be constructed as all-weather road with black topping and maintained by the project proponent.
- 17. The surface runoff rain water harvesting/rain water recharge and water conservation measures will be taken by project proponent in consultation with central /State ground water Board .The project proponent shall plan and implement collection drain and siltation basins of adequate size to arrest the silt and sediment flows from the mining area. The supernatant of the siltation basin and rain water harvested water shall be utilized for watering the haulage area, roads and green belt development etc.
- 18. Status of implementation shall be submitted to the Integrated Regional Office, MoEF&CC, GoI, Lucknow and UP Pollution Control Board within six months and thereafter every year from the next consequent year.
- 19. The self-environmental audit shall be conducted annually. Every three years third-party environmental audit shall be carried out.
- 20. Measures for prevention and control of soil erosion and management of silt shall be undertaken. Protection of dumps against erosion shall be carried out with geotextile matting or other suitable material, and thick plantations of native trees and shrubs shall be carried out at the dump slopes. Dumps shall be protected by retaining walls.
- 21. Trenches/garland drains shall be constructed at foot of dumps and coco filters installed at regular intervals to arrest silt from being carried to water bodies. An adequate number of Check Dams and Gully Plugs shall be constructed across seasonal/perennial nallahs if any flowing through the ML area and silts arrested. De silting at regular intervals shall be carried out.
- 22. Garland drain of appropriate size, gradient, and length shall be constructed for both mine pit and waste dump and sump capacity shall be designed keeping 50% safety margin over and above peak sudden rainfall (based on 50 years data) and maximum discharge in the area adjoining the mine site. Sump capacity shall also provide an adequate retention period to allow proper settling of silt material. Sedimentation pits shall be constructed at the corners of the garland drains and de silted at regular intervals.
- 23. Ground and surface water, if any in and near the core zone (within 5.0 km of the lease) shall be regularly monitored for contamination and depletion due to mining activity and records maintained.

- The monitoring data shall be submitted to the Integrated Regional Office, MoEF&CC, GoI, Lucknow and U.P. Pollution Control Board regularly. Further, monitoring points shall be located between the mine, and drainage in the direction of flow of groundwater shall be set up and records maintained.
- 24. Fugitive dust generation shall be controlled. Fugitive dust emission shall be regularly monitored at locations of nearest human habitation (including schools and other public amenities located nearest to sources of dust generation as applicable) and records submitted to the Integrated Regional Office, MoEF&CC, GoI, Lucknow and U.P. Pollution Control Board regularly.
- 25. Baseline data for ambient air quality shall be generated and maintained and RSPM level in ambient air in the nearby human habitation (villages) shall also be monitored along with other parameters.
- 26. Corporate Environmental Responsibility (CER) shall be by the project proponent and the details of the various heads of expenditure are to be submitted as per the guidelines provided in the recent CER notification No. 22-65/2017-IA.III dated 01/05/2018. Work to be executed with the installation of five hand pumps for drinking water, solar light in villages of streets, construction of two numbers of toilets at the primary school with name displayed and address and details of the beneficiary and gram Pradhan along with phone number, photographs should be submitted to Directorate as well as to the District Magistrate / Chief Development officers.
- 27. Transportation of minerals shall be done by covering the trucks with tarpaulin or other suitable mechanisms so that no spillage of mineral/dust takes place.
- 28. Occupational health and safety measures for the workers including identification of work-related health hazards, training on malaria eradication, HIV, and health effects on exposure to mineral dust, etc. shall be carried out. Periodic monitoring for exposure to respirable mineral dust on the workers shall be conducted and records maintained including the health records of the workers. Awareness programmes for workers on the impact of mining on their health and precautionary measures like the use of personal protective equipment etc. shall be carried out periodically. A review of the impact of various health measures shall be conducted followed by follow-up action wherever required.
- 29. The project proponent will ensure for employing local people as per requirement, necessary protection measures around the mine pit and waste dump, and garland drain around the mine pit and waste dump.
- 30. Topsoil / solid waste shall be stacked properly with proper slope and adequate safeguards and shall be utilized for backfilling (wherever applicable) for reclamation and rehabilitation of the mined-out area. Topsoil shall be separately stacked for utilization later for reclamation and shall not be stacked along with overburden.
- 31. Overburden (OB) shall be stacked at the earmarked dump site(s) only and shall not be kept active for long period. The maximum height of the dump shall not exceed 20 m, each stage shall preferably be of a maximum of 10 m and the overall slope of the dump shall not exceed 35°. The OB dump shall be backfilled. The OB dumps shall be scientifically vegetated with suitable native species to prevent erosion and surface runoff.
- 32. Monitoring and management of rehabilitated areas shall continue until the vegetation becomes self-sustaining. Compliance status shall be submitted to the Regional Office, Ministry of Environment & Forests, GoI, Lucknow, and U.P. Pollution Control Board on a six-monthly basis.
- 33. The slope of the mining bench and ultimate pit limit shall be as per the mining scheme approved by the Indian Bureau of Mines.
- 34. Permission for the abstraction of groundwater shall be taken from Central Ground Water Board. Regular monitoring of ground and surface water sources for level and quality shall be carried out by establishing a network of existing wells and constructing new piezometers during the mining operation. The monitoring shall be carried out four times in a year i.e., premonsoon (AprilMay), monsoon (August), post-monsoon (November), and winter (January), and the data thus collected shall be regularly sent to MoEF&CC, Central Ground Water Authority, and Regional Director, Central Ground Water Board.

- 35. The wastewater from the mine shall be treated to conform to the prescribed standards before discharging into the natural stream. The discharged water from the Tailing Dam, if any shall be regularly monitored and report submitted to the Integrated Regional Office, MoEF&CC, GoI, Lucknow, Central Pollution Control Board, and the State Pollution Control Board.
- 36. Hydrogeological study of the area shall be reviewed by the project proponent annually. In case the adverse effect on groundwater quality and quantity is observed mining shall be stopped and resumed only after mitigating steps to contain any adverse impact on groundwater is implemented.
- 37. Vehicular emissions shall be kept under control and regularly monitored. Vehicles used for transportation of minerals and others shall have valid permissions as prescribed under Central Motor Vehicle Rules, 1989 and its amendments. The vehicles transporting minerals shall be covered with a tarpaulin or other suitable enclosures so that no dust particles / fine matters escape during the period of transportation. No overloading of minerals for transportation shall be committed. The trucks transporting minerals shall not pass through the wildlife sanctuary if any in the study area.
- 38. Prior permission from the Competent Authority shall be obtained for the extraction of groundwater if any.
- 39. A final mine closure plan, along with details of Corpus Fund, shall be submitted to the Integrated Regional Office, MoEF&CC, GoI, Lucknow and U.P. Pollution Control Board 5 years in advance of final mine closure for approval.
- 40. Project Proponent shall explore the possibility of using solar energy where ever possible.
- 41. Commitment towards CER has to be followed strictly.
- 42. Regular health checkup record of the mineworkers has to be maintained at the site in a proper register. It should be made available for inspection whenever asked.
- 43. Project Proponent has to strictly follow the direction/guidelines issued by MoEF&CC, CPCB, and other Govt. Agencies from time to time.
- 44. The blasting will be done only after getting permission from the Mining Department.

Annexure-3

General and Specific Conditions for Sand/Morum Mining Proposals

General Conditions:

- 1. This environmental clearance is subject to allotment of mining lease in favour of project proponent by District Administration/Mining Department.
- 2. Forest clearance shall be taken by the proponent as necessary under law.
- 3. Any change in mining area, khasra numbers, entailing capacity addition with change in process and or mining technology, modernization and scope of working shall again require prior Environmental Clearance as per the provisions of EIA Notification, 2006 (as amended).
- 4. Precise mining area will be jointly demarcated at site by project proponent and officials of Mining/Revenue department prior to starting of mining operations. Such site plan, duly verified by competent authority along-with copy of the Environmental Clearance letter will be displayed on a hoarding/board at the site. A copy of site plan will also be submitted to SEIAA within a period of 02 months.
- 5. Mining and loading shall be done only within day hours' time.
- 6. No mining shall be carried out in the safety zone of any bridge and/or embankment.
- 7. It shall be ensured that standards related to ambient air quality/effluent as prescribed by the Ministry of Environment & Forests are strictly complied with. Water sprinklers and other dust control majors should be applied to take-care of dust generated during mining operation. Sprinkling of water on haul roads to control dust will be ensured by the project proponent.
- 8. All necessary statutory clearances shall be obtained before start of mining operations. If this condition is violated, the clearance shall be automatically deemed to have been cancelled.
- 9. Parking of vehicles should not be made on public places.
- 10. No tree-felling will be done in the leased area, except only with the permission of Forest Department.
- 11. No wildlife habitat will be infringed.
- 12. It shall be ensured that excavation of minor mineral does not disturb or change the underlying soil characteristics of the river bed /basin, where mining is carried out.
- 13. It shall be ensured that mining operation of Sand/Moram will not in any way disturb the, velocity and flow pattern of the river water significantly.
- 14. It shall be ensured that there is no fauna dependant on the river bed or areas close to mining for its nesting. A report on the same, vetted by the competent authority shall be submitted to the RO, PCB and SEIAA within 02 months.
- 15. Primary survey of flora and fauna shall be carried out and data shall be submitted to the RO, PCB and SEIAA within six months.
- 16. Hydro-geological study shall be carried out by a reputed organization/institute within six months and establish that mining in the said area will not adversely affect the ground water regime. The report shall be submitted to the RO, PCB and SEIAA within six months. In case adverse impact is observed /anticipated, mining shall not be carried out.
- 17. Adequate protection against dust and other environmental pollution due to mining shall be made so that the habitations (if any) close by the lease area are not adversely affected. The status of implementation of measures taken shall be reported to the RO, UPPCB and SEIAA and this activity should be completed before the start of sand mining.
- 18. Need-based assessment for the nearby villages shall be conducted to study economic measures which can help in improving the quality of life of economically weaker section of society. Income generating projects/tools such as development of fodder farm, fruit bearing orchards, vocational training etc. can form a part of such program me. The project proponent shall provide separate budget for community development activities and income generating programmes.

- 19. Green cover development shall be carried out following CPCB guidelines including selection of plant species and in consultation with the local DFO/Horticulture Officer.
- 20. Separate stock piles shall be maintained for excavated top soil, if any, and the top soil should be utilized for green cover/tree plantation.
- 21. Dispensary facilities for first-aid shall be provided at site.
- 22. An Environmental Audit should be annually carried out during the operational phase and submitted to the SEIAA.
- 23. The District Mining Officer should quarterly monitor compliance of the stipulated conditions. The project proponent will extend full cooperation to the District Mining Officer by furnishing the requisite data/information/monitoring reports. In case of any violations of stipulated conditions the District Mining Officer will report to SEIAA.
- 24. The project proponent shall submit six monthly reports on the status of compliance of the stipulated environmental clearance conditions including results of monitored data (both in hard & soft copies) to the SEIAA, the District Officer and the respective Regional Office of the State Pollution Control Board by 1st June and 1st December every year.
- 25. A copy of the clearance letter shall be sent by the proponent to concerned Panchayat, Zila Parisad/Municipal Corporation and Urban Local Body.
- 26. Transportation of materials shall be done by covering the trucks / tractors with tarpaulin or other suitable mechanism to avoid fugitive emissions and spillage of mineral/dust.
- 27. Waste water, from temporary habitation campus be properly collected & treated before discharging into water bodies the treated effluent should conform to the standards prescribed by MoEF/CPCB.
- 28. Measures shall be taken for control of noise level to the limits prescribed by C.P.C.B.
- 29. Special Measures shall be adopted to protect the nearby settlements from the impacts of mining activities. Maintenance of Village roads through which transportation of minor minerals is to be undertaken, shall be carried-out by the project proponent regularly at his own expenses.
- 30. Measure for prevention & control of soil erosion and management of silt shall be undertaken. Protection of dumps against erosion, if any, shall be carried-out with geo textile matting or other suitable material.
- 31. Under corporate social responsibility a sum of 5% of the total project cost or total income whichever is higher is to be earmarked for total lease period. Its budget is to be separately maintained. CER component shall be prepared based on need of local habitant. Income generating measures which can help in upliftment of poor section of society, consistent with the traditional skills of the people shall be identified. The programme can include activities such as development of fodder farm, fruit bearing orchards, free distribution of smokeless Chula etc.
- 32. Possibility for adopting nearest three villages shall be explored and details of civic amenities such as roads, drinking water etc proposed to be provided at the project proponent's expenses shall be submitted within 02 months from the date of issuance of Environment Clearance.
- 33. The funds earmarked for environmental protection measures should be kept in separate account and should not be diverted for other purpose. Year wise expenditure should be reported to the Integrated Regional Office, MoEF&CC, GoI, Lucknow, SEIAA, U.P and UPPCB.
- 34. Action plan with respect to suggestion/improvement and recommendations made and agreed during Public Hearing shall be submitted to the District mines Officer, concern Regional Officer of UPPCB and SEIAA within 02 months.
- 35. Environmental clearance is subject to obtaining clearance under the Wildlife (Protection) Act, 1972 from the competent authority, if applicable to this project.
- 36. The proponent shall observe every 15 day for nesting of any turtle in the area. Based on the observations so made, if turtle nesting is observed, necessary safeguard measures shall be taken in consultation with the State Wildlife Department. For the purpose, awareness shall be created amongst the workers about the nesting sites so that such sites, if any, are identified by the workers during operations of the mine for taking required safeguard measures. In this regards the safety notified zone should be left so that the habitat/nesting area is undisturbed.

- 37. The project proponent shall undertake adequate safeguard measures during extraction of river bed material and ensure that due to this activity the hydro geological regime of the surrounding area shall not be affected.
- 38. The project proponent shall obtain necessary prior permission of the competent Authorities for withdrawal of requisite quantity of water (surface water and groundwater), required for the project.
- 39. Appropriate mitigative measures shall be taken to prevent pollution of the river in consultation with the State Pollution Control Board. It shall be ensured that there is no leakage of oil and grease in the river from the vehicles used for transportation.
- 40. Vehicular emissions shall be kept under control and regularly monitored. The vehicles carrying the mineral shall not be overloaded.
- 41. Provision shall be made for the housing of construction labour within the site with all necessary infrastructure and facilities such as fuel for cooking, mobile toilets, mobile STP, safe drinking water, medical health care, crèche etc. (MoEF circular Dated: 22-09-2008 regarding stipulation of condition to improve the living conditions of construction labour at site).
- 42. Personnel working in dusty areas should wear protective respiratory devices and they should also be provided with adequate training and information on safety and health aspects. Occupational health surveillance program of the workers should be undertaken periodically to observe any contractions due to exposure to dust and take corrective measures, if needed.
- 43. A copy of the clearance letter shall be sent by the proponent to concerned Panchayat, Zila Parishad/ Municipal Corporation, Urban Local Body and the Local NGO, if any, from whom suggestions/ representations, if any, were received while processing the proposal. The clearance letter shall also be put on the website of the Company by the proponent.
- 44. The environmental statement for each financial year ending 31st March in Form-V as is mandated to be submitted by the project proponent to the concerned State Pollution Control Board as prescribed under the Environment (Protection) Rules, 1986, as amended subsequently, shall also be put on the website of the company along with the status of compliance of environmental clearance conditions and shall also be sent to the Integrated Regional Office, MoEF&CC, GoI, Lucknow by e-mail.
- 45. The green cover development/tree plantation is to be done in an area equivalent to 20% of the total leased area either on river bank or along road side (Avenue Plantation).
- 46. Debris from the river bed will be collected and stored at secured place and may be utilized for strengthen the embankment.
- 47. Safety measures to be taken for the safety of the people working at the mine lease area should be given, which would also include measure for treatment of bite of poisonous reptile/insect like snake
- 48. Periodical and Annual medical checkup of workers as per Mines Act and they should be covered under ESI as per rule.

Specific Conditions:

- 1. The Environmental clearance will be co-terminus with the mining lease period.
- 2. At the time of operation, project proponent will comply with all the guidelines issued by Government of India/State Govt./District Administration related to Covid-19.
- 3. Environment management in according to environmental status and impact of the project.
- 4. During the school opening and closing time transportation of minerals will be restricted.
- 5. Selection of plants for green belt should be on the basis of pollution removal index. Project proponent should ensure survival of tree saplings. Mortality should be replaced from time to time.
- 6. No mining activity should be carried out in-stream channel as per SSMMG, 2016.
- 7. Pakkamotorable haul road to be maintained by the project proponent.
- 8. A separate Environmental Management Cell with suitable qualified personnel shall be set-up under the control of a Senior Executive, who will report directly to the Head of the Organization.

- 9. Permission from the competent authority regarding evacuation route should be taken.
- 10. One month monitoring report of the area for air quality, water quality, Noise level. Besides flora & fauna should be examined twice a week and be submitted within 45 days for a record.
- 11. Provision for cylinder to workers should be made for cooking.
- 12. The capacity of trucks/tractor for loading purpose will be in tonnes as per Transport Department applicable norms and standard fixed by the Government.
- 13. Approach road kaccha is to be made motarable and tree saplings to be planted on both sides of the road. Width of the haul road shall be more than 6 meter.
- 14. Indigenous plants should be planted according to CPCB guidelines and in consultation with local Divisional Forest Officer.
- 15. The project proponent shall in 2 years conduct detailed replenishment study duly authenticated by a QCI-NABET accredited consultant, and the District Mines Officer.
- 16. Provision for two toilets and hand pumps should be made at mining site.
- 17. Drinking water for workers would be provided by tankers.
- 18. Mining should be done by Bar scalping methods extraction (typically 0.3 -0.6 m or 1 2 ft) as per sustainable sand mining management guidelines 2016.
- 19. A buffer/safe zone shall be maintained from the habitation as per mining guidelines.
- 20. Corporate Environmental Responsibility (CER) plan shall be prepared by the project proponent and the details of the various heads of expenditure to be submitted as per the guidelines provided in the recent CER notification No. 22-65/2017-IA.III dated 01/05/2018.
- 21. Health/Insurance card, Medical claim, regular health check-up camps, facilities shall be provided to the regular/temporary/Contractual or any base workers. Copy of receipt shall be produced to the Directorate of Environment along with the compliance report.
- 22. Measure for conservation of water through rainwater harvesting and cleaning and maintenance of natural surface water bodies of the nearby areas may be considered as one of the activity in CER.
- 23. The excavated mining material should be carried and transported in such a way that no obstruction to the free flow of water takes place. Suitable measure should be taken and details to be provided to concern Department.
- 24. Submit annual replenishment report certified by an authorized agency. In case the replenishment is lower than the approved rate of production, then the mining activity / production levels shall be decreased / stopped accordingly till the replenishment is completed.
- 25. The project proponent shall ensure that if the project area falls within the eco-sensitive zone of National park/ Sanctuary prior permission of statuary committee of National board for wild life under the provision of Wildlife (Protection) Act, 1972 shall be obtained before commencement of work
- 26. If in future this lease area becomes part of cluster of equal to or more than 05 ha. then additional conditions based on the EIA shall be imposed. The lease holder shall mandatorily follow cluster conditions otherwise it will amount to violation of E.C. conditions. If the certificate related to cluster provided by the competent authority is found false or incorrect then punitive actions as per law shall be initiated against the authority issuing the cluster certificate.
- 27. Project falling within 10 KM area of Wild Life Sanctuary is to obtain a clearance from National Board Wild Life (NBWL) even if the eco-sensitive zone is not earmarked.
- 28. To avoid ponding effect and adverse environmental conditions for sand mining in area, progressive mining should be done as per sustainable sand mining management guidelines 2016.
- 29. In case it has been found that the E.C. obtained by providing incorrect information, submitting that the distance between the two adjoining mines is greater than 500mt. and area is less than 05 ha, but factually the distance is less than 500 mt and the mine is located in cluster of area equal or more than 05 ha, the E.C issued will stand revoked.
- 30. The project proponent shall in 2 years conduct detailed replenishment study duly authenticated by a QCI-NABET accredited consultant, and the District Mines Officer which shall form the basis for midterm review of conditions of Environmental Clearance.

- 31. The mining work will be open-cast and manual/semi mechanized (subject to order of Hon'ble NGT/Hon'ble Courts (s)). Heavy machine such as excavator, scooper etc. should not be employed for mining purpose. No drilling/blasting should be involved at any stage.
- 32. It shall be ensured that there shall be no mining of any type within 03 m or 10% of the width which-ever is less, shall be left on both the banks of precise area to control and avoid erosion of river bank. The mining is confined to extraction of sand/moram from the river bank only.
- 33. The project proponent shall undertake adequate safeguard measures during extraction of river bank material and ensure that due to this activity the hydro-geological regime of the surrounding area shall not be affected.
- 34. The project proponent shall adhere to mining in conformity to plan submitted for the mine lease conditions and the Rules prescribed in this regard clearly showing the no work zone in the mine lease i.e. the distance from the bank of river to be left un-worked (Non mining area), distance from the bridges etc. It shall be ensured that no mining shall be carried out during the monsoon season.
- 35. The project proponent shall ensure that wherever deployment of labour attracts the Mines Act, the provision thereof shall be strictly followed.
- 36. The project proponent will provide personal protective equipment (PPE) as required, also provid adequate training and information on safety and health aspects. Periodical medical examination of the workers engaged in the project shall be carried out and records maintained. For the purpose, schedule of health examination of the workers should be drawn and followed accordingly.
- 37. The critical parameters such as PM10, PM2.5, SO2 and NOx in the ambient air within the impact zone shall be monitored periodically. Further, quality of discharged water if any shall also be monitored [(TDS, DO, pH, Fecal Coliform and Total Suspended Solids (TSS)].
- 38. Effective safeguard measures, such as regular water sprinkling shall be carried out in critical areas prone to air pollution and having high levels of particulate matter such as loading and unloading point and all transfer points. Extensive water sprinkling shall be carried out on haul roads.
- 39. It should be ensured that the Ambient Air Quality parameters conform to the norms prescribed by the Central Pollution Control Board in this regard.
- 40. The extended mining scheme will be submitted by the proponent before expiry of present mining plan.
- 41. Four ambient air quality-monitoring stations should be established in the core zone as well as in the buffer zone for monitoring PM10, PM2.5, SO2 and NOx. Location of the stations should be decided based on the meteorological data, topographical features and environmentally and ecologically sensitive targets and frequency of monitoring should be undertaken in consultation with the State Pollution Control Board.
- 42. Common road for transportation of mineral is to be maintained collectively. Total cost will be shared/worked out on the basis of lease area among users.
- 43. Proponent will provide adequate sanitary facility in the form of mobile toilets to the labours engaged for the project work.
- 44. Solid waste material viz., gutkhapouchs, plastic bags, glasses etc. to be generated during project activity will be separately storage in bins and managed as per Solid Waste Management rules.
- 45. Natural/customary paths used by villagers should not be obstructed at any time by the activities proposed under the project.
- 46. Digital processing of the entire lease area in the district using remote sensing technique should be done regularly once in three years for monitoring the change of river course by Directorate of Geology and Mining, Govt. of Uttar Pradesh. The record of such study to be maintained and report be submitted to Integrated Regional Office, MoEF&CC, GoI, Lucknow, SEIAA, U.P. and UPPCB.
- 47. The project authorities shall advertise at least in two local newspapers widely circulated, one of which shall be in the vernacular language of the locality concerned, within 7 days of the issue of

- the clearance letter informing that the project has been accorded environmental clearance and a copy of the clearance letter is available with the State Pollution Control Board and also at web site of the SEIAA at http://www.seiaaup.in and a copy of the same shall be forwarded to the Integrated Regional Office, MoEF&CC, GoI, Lucknow, CPCB, State PCB.
- 48. The MoEF&CC/SEIAA or any other competent authority may alter/modify the above conditions or stipulate any further condition in the interest of environment protection.
- 49. Concealing factual data or submission of false/fabricated data and failure to comply with any of the conditions mentioned above may result in withdrawal of this clearance and attract action under the provisions of Environment (Protection) Act, 1986.
- 50. Any appeal against this environmental clearance shall lie with the National Green Tribunal, if preferred, within a period of 30 days as prescribed under Section 11 of the National Environment Appellate Authority Act, 1997.
- 51. Waste water from potable use be collected and reused for sprinkling.
- 52. A width of not less than 50 meter or 10% width of river can be restricted for mining activities from river bank. A condition can be imposed that mining will be done from river activities from river bank.