The 470th meeting of SEAC was held through video/tele-conferencing/ email in view of the Corona Virus Disease (Covid-19) on 15/06/2020. Following members were participate in the online meeting:

1.	Dr. (Prof.) S.N. Singh,	Chairman
2.	Dr. Sarita Sinha,	Member
3.	Dr. Virendra Misra,	Member
4.	Dr. Pramod Kumar Mishra,	Member
5.	Dr. Ranjeet Kumar Dalela,	Member
6.	Dr. Ajoy Kumar Mandal,	Member
7.	Shri Rajive Kumar,	Member
8.	Shri Meraj Uddin,	Member
9.	Prof. S.K. Upadhyay,	Member

The Chairman welcomed the members to the 470th SEAC meeting which was conducted online. The SEAC unanimously took following decisions on the agenda points discussed:

1. <u>Sand Mining from Betwa River Bedat Khand No.-22/05, Village- RiruaBasaria, Tehsil-Sarila, Hamirpur.</u>, <u>ShriAjit Singh Malhotra.</u>, <u>Area: 23.0 ha. File No. 5669/Proposal No. SIA/UP/MIN/53355/2020</u>

A presentation was made by the project proponent along with their consultant M/s Cognizance Research India Pvt. Ltd. The proponent, through the documents submitted and the presentation made informed the committee that:-

- 1. The environmental clearance is sought for Sand/ Morrum Mining at Khand No. 22/5,Village-RiruaBasariya, Tehsil-Sarila, District- Hamirpur, U.P., Shri Ajit Singh Malhotra, (Leased Area 23.0 ha).
- 2. Salient features of the project as submitted by the project proponent:

1.	On-line proposal No.	SIA/UP/MIN/53355/2020
2.	File No. allotted by SEIAA, UP	5669
3.	Name of Proponent	Shri Ajit Singh Malhotra
4.	Full correspondence address of proponent	Basis AlkaTakies, Nehru Ward, Tehsil - Pipariya, District-
	and mobile No.	Hoshangabad, Madhya Pradesh
		Mobile No-
		Email-
5.	Name of Project	Proposed riverbed Sand/Morrum mining project from Betwa River for
		Shri Ajit Singh Malhotra
6.	Project location (Plot/Khasra/Gata No.)	Khand No. 22/5
7.	Name of River	Betwa
8.	Name of Village	RiruaBasariya
9.	Tehsil	Sarila
10.	District	Hamirpur
11.	Name of Minor Mineral	Sand/Morrum
12.	Sanctioned Lease Area (in Ha.)	23

13. Max & Min mRL within lease area	Max- 105 mRL and Min- 103.6 mRL					
14. Pillar Coordinates (Verified by DMO)	Pillar No. Latitude Longitude					
	A	25°54'30.75"	N 79°44'38.38"E			
	В	25°54'28.44"	N 79°44'43.59"E			
	С	25°54'15.85"				
	D	25°54'8.12"ì				
	Е	25°54'21.33"				
	F	25°54'23.75"	N 79°44'29.70"E			
15. Total Geological Reserves	6,90,000 cum					
16. Total Mineable Reserves in LOI	3,81,401cum					
17. Total Proposed Production	18,39,770 cum					
18. Proposed Production/year	3,67,954 cum					
19. Sanctioned Period of Mine lease	5 years					
20. Production of mine/day	1415.20					
21. Method of Mining	Open Cast Semi-m	nechanized Method				
22. No. of working days	260 days					
23. Working hours/day	8 hrs					
24. No. of workers	100					
25. No. of vehicles movement/day	107					
26. Type of Land	Government waste land					
27. Ultimate Depth of Mining	1.8					
28. Nearest metalled road from site	0.8 km					
29. Water Requirement	PURF	POSE	REQUIREMENT (KLD)			
	Drinking		1.0			
	Suppression of dus	st	7.2			
	Plantation		1.15			
	Others (if any)		-			
	Total		9.35			
30. Name of QCI Accredited Consultant with	Cognizance Research India Pvt Ltd.					
QCI No and period of validity.	1922, validity= 03-02-2022					
31. Any litigation pending against the project	No					
or land in any court						
32. 36. Details of 500 m Cluster Map &	Yes, 22/ Khanij M M C- Tees- Vividh(2020-2021)					
certificate issued by Mining Officer						
Details of Lease Area in approved DSR	Yes, Page No. 55 Sl. No. 55					
33. Proposed CER cost	Rs 2,72,000 /-					
34. Proposed EMP cost	Rs7,08,115 /-					
35. Length and breadth of Haul Road						
36. No. of Trees to be Planted 575 plants						

- 3. The mining would be restricted to unsaturated zone only above the phreatic water table and will not intersect the ground water table at any point of time.
- 4. This project does not attract any of the general conditions applicable on mining projects specified in EIA Notification 14/09/2006.
- 5. The mining operation will not be carried out in safety zone of any bridge or embankment or in eco-fragile zone such as habitat of any wild fauna.
- 6. There is no litigation pending in any court regarding this project.
- 7. The project proposal falls under category–1(a) of EIA Notification, 2006 (as amended).

The committee discussed the matter and recommended to issue the terms of reference (TOR) for the preparation of EIA as annexed at annexure-1. The committee also stipulated following points:

- 1. Baseline data of post monsoon period October to December should be carried out and submitted.
- 2. Site photographs with date, time and coordinates should be provided at the time of EIA presentation.

2. <u>Sand Mining from Betwa River bed at Khand No.-240, Khand No.-04, Village- Himanpura, Tehsil-Kalpi-Jalaun.</u>, Area: 16.194 ha File No. 5670/Proposal No. SIA/UP/MIN/53308/2020

A presentation was made by the project proponent along with their consultant M/s Cognizance Research India Pvt Ltd. The proponent, through the documents submitted and the presentation made informed the committee that:-

- 1. The environmental clearance is sought for Sand/ Morrum Mining at Khand No. 04, Gata No.240, Village- Himanpura, Tehsil- Kalpi, District- Jalaun, U.P., Shri Yogendra Pramani, (Leased Area 16.194, ha).
- 2. Salient features of the project as submitted by the project proponent:

1. On-line proposal No.	SIA/UP/MIN/53308/2020			
2. File No. allotted by SEIAA, UP	5670			
3. Name of Proponent	Shri Yogendra Pramani			
4. Full correspondence address of proponent and	356/4, Civil Lines, Thana- Nawabad, Tehsil - Sadar, District- Jhansi			Sadar District- Ihansi
mobile No.	Uttar Pradesh	5, 1 Hulla 1 \u w	dodd, Telisii	Sadar, District shansi,
moone ivo.	Mobile No-			
	Email-			
5. Name of Project		d Sand/Morrum	n mining proj	ect from Betwa River
3. Tunic of Froject	for Shri Yogendra		ii iiiiiiig proj	cet nom Betwa River
6. Project location (Plot/Khasra/Gata No.)	Gata No. 240, Kh			
7. Name of River	Betwa			
8. Name of Village	Himanpura			
9. Tehsil	Kalpi			
10. District	Jalaun			
11. Name of Minor Mineral	Sand/Morrum			
12. Sanctioned Lease Area (in Ha.)	16.194			
13. Max & Min mRL within lease area	Max- 106 mRL a	nd Min- 104 m	nRL	
14. Pillar Coordinates (Verified by DMO)	Pillar No.	Latitu	ide	Longitude
	A	25°52'3.4	43"N	79°47'36.50"E
	В	25°52'3.7	78"N	79°47'22.83"E
	С	25°51'49.	.47"N	79°47'21.85"E
			79°47'35.77"E	
	D1 25°51'49.83"N 79°47'23.55"E		79°47'23.55"E	
15. Total Geological Reserves	4,04,806 cum			
16. Total Mineable Reserves in LOI	2,42,910 cum			
17. Total Proposed Production	12,14,550 cum			
18. Proposed Production/year	2,42,910 cum			
19. Sanctioned Period of Mine lease	5 years			
20. Production of mine/day	934.26			
21. Method of Mining	Open Cast Semi-ı	nechanized Mo	ethod	
22. No. of working days	260 days			
23. Working hours/day	8 hrs			
24. No. of workers	64			
25. No. of vehicles movement/day	71			
26. Type of Land	Government waste land			
27. Ultimate Depth of Mining	1.6537			
28. Nearest metalled road from site	0.8 km			
29. Water Requirement	PURPOSE		REQUIREMENT (KLD)	
_	Drinking		0.64	
	Suppression of dust		10.46	
	Plantation		0.88	
	Others (if any)		-	

	Total	11.98
30. Name of QCI Accredited Consultant with QCI	Cognizance Research India Pvt Ltd.	
No and period of validity.	1922, validity= 03-02-2022	
31. Any litigation pending against the project or	No	
land in any court		
32. 36. Details of 500 m Cluster Map & certificate	Yes, 985/ Khanij M M C- 30	
issued by Mining Officer		
33. Details of Lease Area in approved DSR	Yes, Page No. 54 Sl. No. 48	
34. Proposed CER cost	Rs 1,90,000 /-	
35. Proposed EMP cost	Rs 6,51,388 /-	
36. Length and breadth of Haul Road	Length: 0.872 km, width: 6 m	
37. No. of Trees to be Planted	440 plants	

- 3. The mining would be restricted to unsaturated zone only above the phreatic water table and will not intersect the ground water table at any point of time.
- 4. This project does not attract any of the general conditions applicable on mining projects specified in EIA Notification 14/09/2006.
- 5. The mining operation will not be carried out in safety zone of any bridge or embankment or in ecofragile zone such as habitat of any wild fauna.
- 6. There is no litigation pending in any court regarding this project.
- 7. The project proposal falls under category–1(a) of EIA Notification, 2006 (as amended).

The committee discussed the matter and recommended to issue the terms of reference (TOR) for the preparation of EIA as annexed at annexure-1. The committee also stipulated following points:

- 1. Baseline data of post monsoon period October to December should be carried out and submitted.
- 2. Factual report from District Mining Officer, Kannauj for providing the details regarding total area, workable and non workable area (submersed area) alongwith volume as per SSMMG, 2016 and geo coordinates with date and time should be submitted at the time of EIA presentation.
- 3. Site photographs with date, time and coordinates should be provided at the time of EIA presentation.

3. <u>River Bed Sand Mining at Gata No.- 01 Kha, 277, Khand No.-02, Village- Teharka, Tehsil-Garautha, Jhansi, U.P., ShriJitendra Singh, Area: 13.0 ha File No. 5671/Proposal No. SIA/UP/MIN/53372/2020</u>

- 1. The environmental clearance is sought for "Sand/Morrum Mining" Project at Gata No.- 1 Kha, 277 (Khand- 02), Village- Teharka, Tehsil- Garautha, District- Jhansi, U.P. (Applied Area: 13.0 ha.).
- 2. Salient features of the project as submitted by the project proponent:

1.	On-line proposal No.	SIA/UP/MIN/53372/2020
2.	File No. allotted by SEIAA, UP	5671
3.	Name of Proponent	M/S Shiva Corporation (India) Limited
		Shri Jitendra Singh
4.	Full correspondence address of proponent	R/o- Plot No. A-24, Ambabadi Sikar Road,
	and mobile no.	Jaipur, (Rajasthan)
		Mobile No.
		E-mail ID
5.	Name of Project	Sand/Morrum Mining Project
6.	Project location (Plot/ Khasra /Gata No.)	Gata No 1 Kha, 277 (Khand- 02),

Name of Village	7.	Name of River	Betwa				
9, Tehsil		Name of Village	Teharka				
11. Name of Minor Mineral 13.0 ha. 13.	9.		Garautha				
12. Sanctioned Lease Area (in Ha.) 13.0 ha. 13.0 ha. 15.60 mRL-149.0 mRL	10.	District	Jhansi				
13. Max.& Min mrl within lease area 156.0 mRL - 149.0 mRL 14. Pillar Coordinates(Verified by DMO) Pillars Latitude (N) Longitude (E) Total Sanctioned Area (13.0 ha.) A 25°42'22.14"N 79°01'34.09"E B 25°42'22.14"N 79°01'34.09"E C 25°42'28.63"N 79°01'37.60"E D 25°42'27.45"N 79°01'37.60"E E 25°42'22.30"N 79°01'37.60"E E 25°42'22.30"N 79°01'37.60"E H 25°42'22.30"N 79°01'37.60"E H 25°42'22.30"N 79°01'37.60"E H 25°42'22.99"N 79°01'37.60"E H 25°42'22.99"N 79°01'37.60"E D 25°42'22.99"N 79°01'37.60"E D 25°42'24.03"N 79°01'37.60"E D 25°42'27.45"N 79°01'37.60"E D 25°42'23.82"N 79°01'37.60"E D 25°42'23.80"N 79°01'37.6	11.	Name of Minor Mineral					
Pillar Coordinates(Verified by DMO)	12.	Sanctioned Lease Area (in Ha.)	13.0 ha.				
Total Sanctioned Area (13.0 ha.) A	13.	Max.& Min mrl within lease area	156.0 mRI	149.0	mRL		
A 25°42'21.4"N 79°01'34.09"E	14.	Pillar Coordinates(Verified by DMO)	Pillars	La	titude (N)	Longitu	de (E)
B 25°42'27.05"N 79°01'29.49"E			Total Sanctioned Area (13.0 ha.)				
C 25°4228.63"N 79°01'37.60"E			A	25°	°42'22.14"N	79°01'34	4.09"E
D 25°42'27.45"N 79°01'55.28"E E 25°42'21.86"N 79°02'00.72"E F 25°42'22.20"N 79°02'00.72"E G 25°42'23.62"N 79°01'54.66"E H 25°42'22.23"N 79°01'54.66"E H 25°42'22.37"N 79°01'54.66"E H 25°42'22.37"N 79°01'36.68"E Submerged Area (2.09 ha.) B 25°42'27.45"N 79°01'37.60"E D 25°42'27.45"N 79°01'37.60"E D 25°42'23.82"N 79°01'37.60"E E 25°42'23.82"N 79°01'37.60"E E 25°42'23.82"N 79°01'37.61"E D 25°42'27.45"N 79°01'35.11"E D 25°42'27.45"N 79°01'37.61"E D 25°42'23.82"N 79°01'37.61"E D 25°42'27.75"N 79°01'37.61"E D 35°42'26.05"N 79°01'37.61"E D 35°42'27.05"N 79°01'37.61"E D 35°42'27.05"N 79°01'37.61"E D 35°42'27.05"N 79°01'37.61"E D 35°42'27.75"N 79°01'37.61"E			В	25°	°42'27.05"N	79°01'29	9.49"E
E 25°42'25.86"N 79°02'01.80"E F 25°42'22.20"N 79°02'00.72"E G 25°42'22.36"N 79°01'54.66"E H 25°42'22.37"N 79°01'54.20"E I 25°42'22.39"N 79°01'54.20"E I 25°42'22.39"N 79°01'36.68"E Submerged Area (2.09 ha.) B 25°42'27.05"N 79°01'37.60"E D 25°42'28.63"N 79°01'37.60"E D 25°42'28.63"N 79°01'37.60"E D 25°42'25.86"N 79°01'55.28"E F 25°42'23.82"N 79°01'55.28"E F 25°42'23.82"N 79°01'55.11"E D 25°42'26.75"N 79°01'51.19"E C 25°42'27.75"N 79°01'37.61"E D 25°42'26.75"N 79°01'37.61"E D 25°42'26.75"N 79°01'37.61"E D 25°42'26.75"N 79°01'37.61"E D 25°42'20.75"N 79°01'37.61"E D 25°42'20.05"N 79°01'37.60"E			С	25°	°42'28.63"N	79°01'37	7.60"E
F 25°42'22.0"N 79°02'00.72"E G 25°42'23.62"N 79°01'54.66"E H 25°42'22.37"N 79°01'54.60"E I 25°42'22.37"N 79°01'54.20"E I 25°42'22.99"N 79°01'54.20"E Submerged Area (2.09 ba.) B 25°42'27.05"N 79°01'37.60"E C 25°42'28.63"N 79°01'37.60"E D 25°42'27.45"N 79°01'55.28"E F 25°42'25.86"N 79°02'01.80"E E' 25°42'23.82"N 79°02'01.80"E E' 25°42'23.82"N 79°01'51.10"E C' 25°42'24.46"N 79°02'01.36"E E' 25°42'23.82"N 79°01'51.10"E C' 25°42'27.75"N 79°01'37.61"E D' 25°42'27.75"N 79°01'37.61"E			D	25°	42'27.45"N	79°01'55	5.28"E
G 25°42'23.62"N 79°01'54.66"E H 25°42'22.39"N 79°01'54.20"E I 25°42'22.39"N 79°01'36.68"E Submerged Area (2.09 ha.) B 25°42'27.05"N 79°01'29.49"E C 25°42'27.45"N 79°01'37.60"E D 25°42'27.45"N 79°01'35.28"E F 25°42'27.46"N 79°02'01.36"E F' 25°42'23.82"N 79°01'55.18"E F 25°42'23.82"N 79°01'55.18"E F 25°42'23.82"N 79°01'51.19"E C 25°42'23.82"N 79°01'51.19"E C 25°42'27.75"N 79°01'37.61"E D 25°42'27.75"N 79°01'37.61"E O			Е	25°	42'25.86"N	79°02'01	1.80"E
H 25°42'22.37"N 79°01'54.20"E I 25°42'22.99"N 79°01'36.68"E Submerged Area (2.09 ha.) B 25°42'27.05"N 79°01'29.49"E C 25°42'28.63"N 79°01'37.60"E D 25°42'27.45"N 79°01'35.28"E F 25°42'25.86"N 79°02'01.80"E F 25°42'25.86"N 79°02'01.80"E F 25°42'23.82"N 79°01'55.11"E D 25°42'27.45"N 79°01'51.19"E C 25°42'23.82"N 79°01'51.19"E C 25°42'27.75"N 79°01'51.19"E C 25°42'27.75"N 79°01'51.19"E D 25°42'27.75"N 79°01'51.19"E D 25°42'27.75"N 79°01'51.19"E O 25°42'27.75"N 79°01'51.19"E O 25°42'07.75"N 79°01'55.28"E O 25°42'07.45"N 79°01'55.28"E			F	25°	42'22.20"N	79°02'00	0.72"E
I 25°42'22.99"N 79°01'36.68"E Submerged Area (2.09 ha.) B 25°42'27.05"N 79°01'29.49"E C 25°42'28.63"N 79°01'37.60"E D 25°42'27.45"N 79°02'01.80"E F 25°42'24.86"N 79°02'01.36"E E' 25°42'24.86"N 79°02'01.36"E E' 25°42'24.86"N 79°02'01.36"E E' 25°42'24.86"N 79°02'01.36"E E' 25°42'23.82"N 79°01'56.11"E D' 25°42'26.75"N 79°01'51.19"E C' 25°42'27.75"N 79°01'37.61"E Total Mineable Reserves 56806 m³ Total Proposed Production (in five year) 18. Proposed Production / year Year Production 1st 52000 m³ 2nd 52000 m³ 3rd 52000 m³ 4th 52000 m³ 5th 52000 m³ 5th 52000 m³ 22 md 52000 m³ 3rd 52000 m³ 4th 52000 m³ 4th 52000 m³ 5th 52000 m³ 20 material production of mine/day 232 m³ (average) 21 method of Mining Opencast Semi-Mechanized 22 material production of mine/day 21 material production 23 material production of mine/day 225 days 33 material production of mine 4 more production 25 material production of mine 4 more production 26 material production of mine 4 more production 19 material production of mine 4 more production 25 material production of mine 4 more production 26 material production 4 more production 27 material production 4 more production 28 more production of mine 4 more production 29 more production of mine 4 more production 20 more production 20 more production 20 more production 27 more production 20 more production			G	25°	42'23.62"N		
Submerged Area (2.09 ha.) B			Н				
B 25°42'27.05"N 79°01'29.49"E			I				6.68"E
C 25°42'28.63"N 79°01'37.60"E D 25°42'27.45"N 79°01'35.28"E F 25°42'25.86"N 79°02'01.80"E F' 25°42'24.46"N 79°02'01.80"E F' 25°42'24.46"N 79°02'01.36"E E' 25°42'23.82"N 79°01'55.11"E D' 25°42'26.75"N 79°01'51.19"E C' 25°42'27.75"N 79°01'37.61"E D' 25°42'27.75"N 79°01'50.11"E D' 25°							
D 25°42'27.45"N 79°01'55.28"E F 25°42'25.86"N 79°02'01.36"E E' 25°42'24.46"N 79°02'01.36"E E' 25°42'23.82"N 79°01'56.11"E D' 25°42'26.75"N 79°01'51.19"E C' 25°42'27.75"N 79°01'51.19"E C' 25°42'27.75"N 79°01'37.61"E 15. Total Geological Reserves 97500 m³ 16. Total Mineable Reserves 56806 m³ 17. Total Proposed Production (in five year) 260000 m³ 18. Proposed Production / year Year Production 1st 52000 m³ 2nd 52000 m³ 3rd 52000 m³ 3rd 52000 m³ 3rd 52000 m³ 5th 52000 m³ 5th 52000 m³ 5th 52000 m³ Total 260000 m³ 20 Production of mine/day 232 m³ (average) 21. Method of Mining Opencast Semi-Mechanized 22. No.of working days 225 days 23. Working hours/day 8 Hours/Day 24. No.Of workers 33 (average) 25. No.Of vehicle movement /day 20 (average) 26. Type of Land River Bed Govt. Land 27. Ultimate Depth of Mining 0.70 meter (average) 28. Nearest metalled road from site 1.60 km							
F 25°42'25.86"N 79°02'01.80"E F' 25°42'24.46"N 79°02'01.36"E E' 25°42'23.82"N 79°01'55.11"E D' 25°42'26.75"N 79°01'51.19"E C' 25°42'27.75"N 79°01'51.19"E C' 25°42'27.75"N 79°01'37.61"E 15.							
F' 25°42'24.46"N 79°02'01.36"E E' 25°42'23.82"N 79°01'56.11"E D' 25°42'26.75"N 79°01'51.19"E C' 25°42'27.75"N 79°01'37.61"E 15.							
E' 25°42'23.82"N 79°01'56.11"E							
D' 25°42'26.75"N 79°01'51.19"E							
C' 25°42'27.75"N 79°01'37.61"E							
15. Total Geological Reserves 97500 m³ 16. Total Mineable Reserves 56806 m³ 17. Total Proposed Production (in five year) 260000 m³ 18. Proposed Production / year Year Production 1st 52000 m³ 2nd 52000 m³ 3rd 52000 m³ 4th 52000 m³ 5th 52000 m³ 3rd 52000 m³ 4th 52000 m³ 5th 52000 m³ Total 260000 m³ Total 260000 m³ 20. Production of mine/day 232 m³ (average) 21. Method of Mining Opencast Semi-Mechanized 22. No.of working days 225 days 23. Working hours/day 8 Hours/Day 24. No.Of workers 33 (average) 25. No.Of vehicle movement /day 20 (average) 26. Type of Land River Bed Govt. Land 27. Ultimate Depth of Mining 0.70 meter (average) 28. Nearest metalled road from site 1.60 km							
16. Total Mineable Reserves 56806 m³ 17. Total Proposed Production (in five year) 260000 m³ 18. Proposed Production / year Year Production 1st 52000 m³ 2nd 52000 m³ 3rd 52000 m³ 4th 52000 m³ 5th 52000 m³ Total 260000 m³ Total 260000 m³ 20. Production of Mine lease 5 Year 20. Production of mine/day 232 m³ (average) 21. Method of Mining Opencast Semi-Mechanized 22. No.of working days 225 days 23. Working hours/day 8 Hours/Day 24. No.Of workers 33 (average) 25. No.Of vehicle movement /day 20 (average) 26. Type of Land River Bed Govt. Land 27. Ultimate Depth of Mining 0.70 meter (average) 28. Nearest metalled road from site 1.60 km				25°	42'27.75"N	79°01'37	.61"E
17. Total Proposed Production (in five year) 260000 m³ 18. Proposed Production / year Year Production 1st 52000 m³ 2nd 52000 m³ 2nd 52000 m³ 3rd 52000 m³ 4th 52000 m³ 5th 52000 m³ Total 2600000 m³ 2000 m³ 20. Production of Mine lease 5 Year 20. Production of mine/day 232 m³ (average) 21. Method of Mining Opencast Semi-Mechanized 22. No.of working days 225 days 23. Working hours/day 8 Hours/Day 24. No.Of workers 33 (average) 25. No.Of vehicle movement /day 20 (average) 26. Type of Land River Bed Govt. Land 27. Ultimate Depth of Mining 0.70 meter (average) 28. Nearest metalled road from site 1.60 km							
Year							
1 st 52000 m ³ 2 nd 52000 m ³ 3 rd 52000 m ³ 4 th 52000 m ³ 5 th 52000 m ³ Total 260000 m ³ Total 260000 m ³ 2 nd 2 n			_ 				
2nd 52000 m³ 3rd 52000 m³ 4th 52000 m³ 5th 52000 m³ Total 260000 m³ 20000 m³ 20000 m³ 20000 m³ 200000 m³ 2000000 m³ 2000000 m³ 200000 m³ 200000 m³ 2000000 m³ 20000000 m³ 20000000 m³ 20000000 m³ 200000000 m³ 20000000000 m³ 200000000000000000000000000000000000	18.	Proposed Production / year					
3rd 52000 m³ 4th 52000 m³ 5th 52000 m³ Total 260000 m³ Total 26000							
4 th 52000 m ³ 5 th 52000 m ³ Total 260000 m ³ 19. Sanctioned Period of Mine lease 5 Year 20. Production of mine/day 232 m ³ (average) 21. Method of Mining Opencast Semi-Mechanized 22. No.of working days 225 days 23. Working hours/day 8 Hours/Day 24. No.Of workers 33 (average) 25. No.Of vehicle movement /day 20 (average) 26. Type of Land River Bed Govt. Land 27. Ultimate Depth of Mining 0.70 meter (average) 28. Nearest metalled road from site 1.60 km							
Sanctioned Period of Mine lease 5 Year 20. Production of mine/day 232 m³ (average) 21. Method of Mining Opencast Semi-Mechanized 22. No.of working days 225 days 23. Working hours/day 8 Hours/Day 24. No.Of workers 33 (average) 25. No.Of vehicle movement /day 20 (average) 26. Type of Land River Bed Govt. Land 27. Ultimate Depth of Mining 0.70 meter (average) 28. Nearest metalled road from site 1.60 km			3 4th		5200	00 m	
Total 260000 m³ 19. Sanctioned Period of Mine lease 5 Year 20. Production of mine/day 232 m³ (average) 21. Method of Mining Opencast Semi-Mechanized 22. No.of working days 225 days 23. Working hours/day 8 Hours/Day 24. No.Of workers 33 (average) 25. No.Of vehicle movement /day 20 (average) 26. Type of Land River Bed Govt. Land 27. Ultimate Depth of Mining 0.70 meter (average) 28. Nearest metalled road from site 1.60 km			5 th				
19.Sanctioned Period of Mine lease5 Year20.Production of mine/day232 m³ (average)21.Method of MiningOpencast Semi-Mechanized22.No.of working days225 days23.Working hours/day8 Hours/Day24.No.Of workers33 (average)25.No.Of vehicle movement /day20 (average)26.Type of LandRiver Bed Govt. Land27.Ultimate Depth of Mining0.70 meter (average)28.Nearest metalled road from site1.60 km							
20.Production of mine/day232 m³ (average)21.Method of MiningOpencast Semi-Mechanized22.No.of working days225 days23.Working hours/day8 Hours/Day24.No.Of workers33 (average)25.No.Of vehicle movement /day20 (average)26.Type of LandRiver Bed Govt. Land27.Ultimate Depth of Mining0.70 meter (average)28.Nearest metalled road from site1.60 km	10	Sanationed Daried of Mine lease		1	2000	00 111	
21. Method of Mining Opencast Semi-Mechanized 22. No.of working days 225 days 23. Working hours/day 8 Hours/Day 24. No.Of workers 33 (average) 25. No.Of vehicle movement /day 20 (average) 26. Type of Land River Bed Govt. Land 27. Ultimate Depth of Mining 0.70 meter (average) 28. Nearest metalled road from site 1.60 km				erage)			
22.No.of working days225 days23.Working hours/day8 Hours/Day24.No.Of workers33 (average)25.No.Of vehicle movement /day20 (average)26.Type of LandRiver Bed Govt. Land27.Ultimate Depth of Mining0.70 meter (average)28.Nearest metalled road from site1.60 km		·			echanized		
23. Working hours/day 8 Hours/Day 24. No.Of workers 33 (average) 25. No.Of vehicle movement /day 20 (average) 26. Type of Land River Bed Govt. Land 27. Ultimate Depth of Mining 0.70 meter (average) 28. Nearest metalled road from site 1.60 km				, ~ 1111 ⁻ 1VI	- SHAIIIZOU		
24. No.Of workers 33 (average) 25. No.Of vehicle movement /day 20 (average) 26. Type of Land River Bed Govt. Land 27. Ultimate Depth of Mining 0.70 meter (average) 28. Nearest metalled road from site 1.60 km				av			
25. No.Of vehicle movement /day 20 (average) 26. Type of Land River Bed Govt. Land 27. Ultimate Depth of Mining 0.70 meter (average) 28. Nearest metalled road from site 1.60 km							
26. Type of Land River Bed Govt. Land 27. Ultimate Depth of Mining 0.70 meter (average) 28. Nearest metalled road from site 1.60 km							
27. Ultimate Depth of Mining 0.70 meter (average) 28. Nearest metalled road from site 1.60 km		· ·					
28. Nearest metalled road from site 1.60 km							
		T C					
					KLD)		
Drinking & Others 0.35		·					
Suppression of dust 4.80							
Plantation 0.55							
Others(if any)							
Total 5.70							
30. Name of QCI Accredited Consultant with M/s Paramarsh (Servicing Environment and Development)., Luckno	30.	Name of QCI Accredited Consultant with	M/s Param	arsh (S	ervicing Envir	onment and Do	evelopment)., Lucknow
QCI No and period of validity. U.P.		QCI No and period of validity.	U.P.				

		QCI/NABET/EIA/1821/RA0120
		Validity- May 01, 2021
31.	Any litigation pending against the project	No
	or land in any court	
32.	Details of 500 m Cluster Map &	DMO, Jhansi Vide Letter No. 1753/3M.M.C./(2019-20) Dated 18,
	certificate	February 2020
	Verified by Mining Officer	
33.	Details of Lease Area in approved DSR	Page No 52, Table No13, S.No 05.
34.	Proposed CER cost	1.30 Lakh
35.	Proposed EMP cost	14.77 Lakh
36.	Length and breadth of Haul Road.	Length- 1.60km Km, Width- more than 6.0 m
37.	No. of Trees to be Planted	550

- 3. The mining would be restricted to unsaturated zone only above the phreatic water table and will not intersect the ground water table at any point of time.
- 4. This project does not attract any of the general conditions applicable on mining projects specified in EIA Notification 14/09/2006.
- 5. The mining operation will not be carried out in safety zone of any bridge or embankment or in ecofragile zone such as habitat of any wild fauna.
- 6. There is no litigation pending in any court regarding this project.
- 7. The project proposal falls under category–1(a) of EIA Notification, 2006 (as amended).

The committee discussed the matter and recommended to issue the terms of reference (TOR) for the preparation of EIA as annexed at annexure-1. The committee also stipulated following points:

- 1. Baseline data of post monsoon period October to December should be carried out and submitted.
- 2. Revised EMP should be provided at the time of EIA presentation.

4. River Bed Sand Mining at Gata No.-28, 67, 73, 76, Khand No.-02, Village- Nawada, Tehsil-Mauranipur, Jhansi, U.P., Shri Jitendra Singh, Area: 14.0 ha File No. 5672/Proposal No. SIA/UP/MIN/53376/2020

- 1. The environmental clearance is sought for Sand/Morrum Mining at Gata No.- Gata No.- 28, 67, 73, 76, Village- Atpei & Gata No.- 872, Village- Nawada, Tehsil- Mauranipur, District- Jhansi, U.P. (Leased Area- 14.0 ha.),
- 2. Salient features of the project as submitted by the project proponent:

1.	On-line proposal No.	SIA/UP/MIN/ 53376/2020
2.	File No. allotted by SEIAA, UP	5672
3.	Name of Proponent	M/S SHIVA CORPORATION (INDIA) LIMITED,
		Shri Jitendra SIngh
4.	Full correspondence address of proponent and	R/o- Plot No. A-24, Ambabadi Sikar Road, Jaipur
	mobile no.	(Rajasthan)
5.	Name of Project	Sand/Morrum Mining Project
6.	Project location (Plot/ Khasra /Gata No.)	Gata No Gata No 28, 67, 73, 76,
		& Gata No 872
7.	Name of River	Saprar
8.	Name of Village	Atpei & Nawada
9.	Tehsil	Mauranipur

10.	District	Jhansi				
11.	Name of Minor Mineral	Sand/Morrum				
12.	Sanctioned Lease Area (in Ha.)	14.0 ha.				
13.	Max.& Min mrl within lease area	227.0 mRL 221.0 mRL				
14.	Pillar Coordinates(Verified by DMO)				Longitude (E)	
		A	2	5°10'15.80"N	79°02'21.63"E	
		В	2	5°10'16.33"N	79°02'19.24"E	
		C		5°10'21.60"N	79°02'32.20"E	
		D	2	5°10'25.80"N	79°02'37.30"E	
		Е	2	5°10'28.10"N	79°02'46.40"E	
		F	2	5°10'45.10"N	79°03'17.40"E	
		G	2	5°10'44.70"N	79°03'20.22"E	
		Н	_	5°10'44.84"N	79°03'24.30"E	
		I	_	.5°10'43.80"N	79°03'28.60"E	
		J	_	.5°10'42.60"N	79°03'20.60"E	
		K	_	.5°10'42.20"N	79°03'17.80"E	
		L	_	.5°10'41.50"N	79°03'12.80"E	
		M	_	5°10'40.00"N	79°03'12.80"E	
		N	_	.5°10'31.90"N	79°02'58.20"E	
		О	_	.5°10'27.20"N	79°02'51.80"E	
		P	_	25°10'24.90"N	79°02'44.80"E	
		Q		25°10'24.40"N	79°02'42.30"E	
		R		25°10'21.40"N	79°02'38.00"E	
		S 25°10'17.80"N 79°02'27.10"E			79°02'27.10"E	
15.	Total Geological Reserves	127890 m ³				
16.	Total Mineable Reserves	76734 m ³				
17.	Total Proposed Production (in five year)	350000 m ³				
18.	Proposed Production / year	Year Production				
		1 st 70000 m ³				
		2 nd			00 m ³	
		3 rd 70000 m ³				
		4 th 70000 m ³				
		5 th			00 m ³	
		Total 350000 m ³				
19.	Sanctioned Period of Mine lease	5 Year				
20.	Production of mine/day	312 m ³ (avera				
21.	Method of Mining	Opencast Ser	nı-M	echanized		
22.	No.of working days	225 days				
23.	Working hours/day	8 Hours/Day				
24.	No.Of workers	34 (average)				
25.	No.Of vehicle movement /day	26 (average)				
26.	Type of Land	River Bed Govt. Land				
27.	Ultimate Depth of Mining	0.60 meter (average)				
28.	Nearest metalled road from site	0.45 km				
29.	Water Requirement	PURPOSE REQUIREMENT (KLD) Drinking & Others 0.35				
		Drinking & Others 0.35 Suppression of dust 2.70				
		Plantation 0.25				
		Others(if any) Total 3.30				
20	Name of OCI A consists of Councillant socials OCINI		ah (C	amri ain e E	3.30	(amt)
30.	Name of QCI Accredited Consultant with QCI No	M/s Paramarsh (Servicing Environment and Development).,			ient).,	
	and period of validity.	Lucknow, U.		/1821/D A0120)	
		QCI/NABET/EIA/1821/RA0120 Validity- May 01, 2021				
31.	Any litigation pending against the project or land in	No	y 01,	2021		
51.	This ingation pending against the project of falld in	110				

	any court	
32.	Details of 500 m Cluster Map & certificate	DMO, Jhansi Vide Letter No. 752/30M.M.C./(2019-20)
	Verified by Mining Officer	Dated 18, February 2020
33.	Details of Lease Area in approved DSR	Page No53, Table No13, S.No13
34.	Proposed CER cost	1.20 Lakh
35.	Proposed EMP cost	9.85 Lakh
36.	Length and breadth of Haul Road.	Length- 0.45 km, Width- more than 6.0 m
37.	No. of Trees to be Planted	205

- 3. The mining would be restricted to unsaturated zone only above the phreatic water table and will not intersect the ground water table at any point of time.
- 4. This project does not attract any of the general conditions applicable on mining projects specified in EIA Notification 14/09/2006.
- 5. The mining operation will not be carried out in safety zone of any bridge or embankment or in ecofragile zone such as habitat of any wild fauna.
- 6. There is no litigation pending in any court regarding this project.
- 7. The project proposal falls under category–1(a) of EIA Notification, 2006 (as amended).

The committee discussed the matter and recommended to issue the terms of reference (TOR) for the preparation of EIA as annexed at annexure-1. The committee also stipulated following points:

- 1. Baseline data of post monsoon period October to December should be carried out and submitted.
- 2. Revised EMP should be provided at the time of EIA presentation.

5. River Bed Sand Mining at Gata No.-523, Village- Khakura, Tehsil-Mauranipur, District-Jhansi, U.P., Smt. Ratna Jadaun., Area: 20.0 ha) File No. 5673/Proposal No. SIA/UP/MIN/53382/2020

- 1. The environmental clearance is sought for Sand/ Morrum Mining at Gata No.- 523, Village-Khakaura, Tehsil- Mauranipur, District- Jhansi, U.P. (Leased Area: 20.0 ha.)
- 2. Salient features of the project as submitted by the project proponent:

1.	On-line proposal No.	SIA/UP/MIN/ 53382/2020			
2.	File No. allotted by SEIAA, UP	5673			
3.	Name of Proponent	Smt. Ratna Jadaun W/o Shri Virendra Singh Jadaun			
4.	Full correspondence address of proponent and	R/o- E-7, M-708, Arera Colony, Bhopal, M.P.			
	mobile no.				
5.	Name of Project	Sand/ Morrum Mining Project			
6.	Project location (Plot/ Khasra /Gata No.)	Gata No 523			
7.	Name of River	Dhasan			
8.	Name of Village	Khakaura			
9.	Tehsil	Mauranipur			
10.	District	Jhansi			
11.	Name of Minor Mineral	Sand/ Morrum			
12.	Sanctioned Lease Area (in Ha.)	20.0 ha.			
13.	Max.& Min mrl within lease area	196.0 mRL- 192.0 mRL			
14.	Pillar Coordinates(Verified by DMO)	Pillars Latitude (N) Longitude (E)			
		Total Sanctioned Area (20.00 ha.)			
		A 25°09'38.60"N 79°18'46.40"E			

		В		09'39.70"N	79°18'50.10"E	
		С		09'33.10"N	79°18'54.50"E	
		D		09'22.50"N	79°19'04.50"E	
		Е		08'57.50"N	79°19'23.10"E	
		F		08'55.20"N	79°19'18.30"E	
		G	25°0	09'01.80"N	79°19'12.30"E	
		Н	25°0	09'17.60"N	79°19'03.80"E	
		I	25°0	09'31.50"N	79°18'51.60"E	
		J	25°0	09'35.30"N	79°18'47.20"E	
			Subr	nerged Area (0).33 Ha.)	
		A'	25°0	09'38.81"N	79°18'47.15"E	
		В	25°0	09'39.70"N	79°18'50.10"E	
		B'	25°0	09'36.30"N	79°18'52.35"E	
			Wo	rkable Area (8	.70 ha.)	
		A	25°0	09'38.60"N	79°18'46.40"E	
		A'	25°0	09'38.81"N	79°18'47.15"E	
		B'	25°0	09'36.30"N	79°18'52.35"E	
		С	25°0	09'33.10"N	79°18'54.50"E	
		D	25°0	09'22.50"N	79°19'04.50"E	
		Е	25°0	08'57.50"N	79°19'23.10"E	
		F	25°0	08'55.20"N	79°19'18.30"E	
		G	25°0	09'01.80"N	79°19'12.30"E	
		Н	25°0	09'17.60"N	79°19'03.80"E	
		I	25°0	09'31.50"N	79°18'51.60"E	
		J	25°0	09'35.30"N	79°18'47.20"E	
15.	Total Geological Reserves	265440 m ³				
16.	Total Mineable Reserves	159264 m ³				
17.	Total Proposed Production (in five year)	750000 m^3				
18.	Proposed Production / year	Year		Produc		
		1 st		150000		
		2 nd		150000		
		3 rd		150000		
		4 th		150000		
		5 th		150000		
		Total	1	750000) m ³	
19.	Sanctioned Period of Mine lease	5 Year				
20.	Production of mine/day	667 m ³ (ave				
21.	Method of Mining	Opencast S	emi-Med	chanized		
22.	No.of working days	225 days				
23.	Working hours/day	8 Hours/Da				
24.	No.Of workers	37 (average				
25.	No.Of vehicle movement /day	56 (average				
26.	Type of Land	River Bed (
27.	Ultimate Depth of Mining	0.90 meter	(average	•)		
28.	Nearest metalled road from site	0.30 km				
29.	Water Requirement	PURPOSI			REMENT (KLD)	
		Drinking of			0.40	
		Suppression		st	3.60	
		Plantation			0.20	
		Others(if	any)			
		Total			4.20	
30.	Name of QCI Accredited Consultant with QCI No			vicing Enviror	nment and Developmer	nt).,
	and period of validity.	Lucknow, U				
		QCI/NABET/EIA/1821/RA0120				
		Validity- M	Iay 01, 2	021		

31.	Any litigation pending against the project or land in	No
	any court	
32.	Details of 500 m Cluster Map & certificate	DMO, Jhansi vide Letter No.1734/30M.M.C./(2019-20)
	Verified by Mining Officer	Dated 17, February 2020
33.	Details of Lease Area in approved DSR	Page No53, Table No13, Sr. No14
34.	Proposed CER cost	1.53 Lakh
35.	Proposed EMP cost	9.80 Lakh
36.	Length and breadth of Haul Road.	Length- 0.30 km, Width- more than 6.0 m
37.	No. of Trees to be Planted	200

- 3. The mining would be restricted to unsaturated zone only above the phreatic water table and will not intersect the ground water table at any point of time.
- 4. This project does not attract any of the general conditions applicable on mining projects specified in EIA Notification 14/09/2006.
- 5. The mining operation will not be carried out in safety zone of any bridge or embankment or in ecofragile zone such as habitat of any wild fauna.
- 6. There is no litigation pending in any court regarding this project.
- 7. The project proposal falls under category–1(a) of EIA Notification, 2006 (as amended).

The committee discussed the matter and recommended to issue the terms of reference (TOR) for the preparation of EIA as annexed at annexure-1. The committee also stipulated following points:

- 1. Baseline data of post monsoon period October to December should be carried out and submitted.
- 2. Revised EMP should be provided at the time of EIA presentation.

6. Sand/Morrum Mining at Gata No.-332/1, Khand-02, Village-Deori , Tehsil-Garautha, Jhansi, U.P., Shri Raghvendra Singh., Area: 10.0 ha File No. 5674/Proposal No. SIA/UP/MIN/53383/2020

- 1. The environmental clearance is sought for Sand/ Morrum Mining at Gata No.- Gata No.- 332/1 (Khand -02), Village- Deori, Tehsil- Garautha, District- Jhansi, U.P. (Leased area 10.0 ha).
- 2. Salient features of the project as submitted by the project proponent:

1.	On-line proposal No.	SIA/UP/MIN/53383/2020				
2.	File No. allotted by SEIAA, UP	5674				
3.	Name of Proponent	Shri Raghvendra Singh S/O Shri Meghraj Singh				
4.	Full correspondence address of proponent and	R/o- C-28, Urmila Marg, Hanuman Nagar, Vaishali Nagar,				
	mobile no.	Jaipur, (Rajasthan)				
5.	Name of Project	Sand/ Morrum Mining Project				
6.	Project location (Plot/ Khasra /Gata No.)	Gata No Gata No 332/1 (Khand -02)				
7.	Name of River	Dhasan				
8.	Name of Village	Deori				
9.	Tehsil	Garautha				
10.	District	Jhansi				
11.	Name of Minor Mineral	Sand/ Morrum				
12.	Sanctioned Lease Area (in Ha.)	10.0 ha.				
13.	Max.& Min mrl within lease area	117.0 mRL- 111.0 mRL				
14.	Pillar Coordinates(Verified by DMO)	Pillars Latitude (N) Longitude (E)				
		Total Sanctioned Area (10.00 ha.)				

		A	2	5°47'14.50"N	79°23'59.20"E	
		В	2	5°47'19.57"N	79°23'59.95"E	
		С	2	5°47'27.27"N	79°23'58.46"E	
		D	2	5°47'40.50"N	79°23'49.90"E	
		Е	2	5°47'38.90"N	79°23'46.30"E	
		F	2	5°47'47.00"N	79°23'43.20"E	
		G	2	5°47'44.90"N	79°23'47.90"E	
		Н		5°47'17.76"N	79°24'06.85"E	
		I		5°47'15.53"N	79°24'07.88"E	
		J		5°47'13.47"N	79°24'07.43"E	
				omerged Area (0.		
		D'		5°47'39.19"N	79°23'46.94"E	
		E	_	5°47'38.90"N	79°23'46.30"E	
		E,		5°47'40.43"N	79°23'45.73"E	
		F'				
				5°47'45.69"N	79°23'46.02"E	
		G'		5°47'45.39"N	79°23'46.66"E	
		H'		5°47'19.97"N	79°24'05.31"E	
		Н	_	5°47'17.76"N	79°24'06.85"E	
		I		5°47'15.53"N	79°24'07.88"E	
		I'		5°47'17.54"N	79°24'05.66"E	
				orkable Area (8.7		
		A		5°47'14.50"N	79°23'59.20"E	
		В	2	5°47'19.57"N	79°23'59.95"E	
		С	2	5°47'27.27"N	79°23'58.46"E	
		D	2	5°47'40.50"N	79°23'49.90"E	
		D'	2	5°47'39.19"N	79°23'46.94"E	
		G'	2	5°47'45.39"N	79°23'46.66"E	
		G	2	5°47'44.90"N	79°23'47.90"E	
		H'		5°47'19.97"N	79°24'05.31"E	
		I'		5°47'17.54"N	79°24'05.66"E	
		I		5°47'15.53"N	79°24'07.88"E	
		J		5°47'13.47"N	79°24'07.43"E	
				Workable Area ((
		E'		5°47'40.43"N	79°23'45.73"E	
		F		5°47'47.00"N	79°23'43.20"E	
		F'		5°47'45.69"N	79°23'46.02"E	
15.	Total Geological Reserves	120000 m ³		J 4/ 45.09 IN	79 23 40.02 E	
16.	Total Mineable Reserves	68040 m ³				
17.		300000 m ³				
18.	Total Proposed Production (in five year)		ı	n 1		
18.	Proposed Production / year	Year 1st		Producti		
		2 nd		60000 r		
		3 rd		60000 r		
				60000 r		
		4 th		60000 r		
		5 th		60000 r		
		Total		300000	m̃	
19.	Sanctioned Period of Mine lease	5 Year				
20.	Production of mine/day	267 m ³ (aver				
21.	Method of Mining	Opencast Se	mi-M	echanized		
22.	No.of working days	225 days				
23.	Working hours/day	8 Hours/Day	7			
24.	No.Of workers	34 (average)				
25.	No.Of vehicle movement /day	23 (average)				
26.	Type of Land	River Bed Govt. Land				
27.	Ultimate Depth of Mining	0.90 meter (a				
	1	2:22 1112121 (6		,		

28.	Nearest metalled road from site	0.45 km			
29.	Water Requirement	PURPOSE	REQUIREMENT (KLD)		
		Drinking & Others	0.40		
		Suppression of dust	2.70		
		Plantation	0.20		
		Others(if any)			
		Total	3.30		
30.	Name of QCI Accredited Consultant with QCI No	M/s Paramarsh (Servicin	g Environment and Development).,		
	and period of validity.	Lucknow, U.P.			
		QCI/NABET/EIA/1821/	RA0120		
		Validity- May 01, 2021			
31.	Any litigation pending against the project or land in	No			
	any court				
32.	Details of 500 m Cluster Map & certificate	DMO, Jhansi vide Letter	: No. 733/30M.M.C./(2019-20)		
	Verified by Mining Officer	Dated 17, February 2020			
33.	Details of Lease Area in approved DSR	Page No52, Table No13, Sr. No04			
34.	Proposed CER cost	1.20 Lakh			
35.	Proposed EMP cost	9.80 Lakh			
36.	Length and breadth of Haul Road.	Length- 0.45 km, Width- more than 6.0 m			
37.	No. of Trees to be Planted	200			

- 3. The mining would be restricted to unsaturated zone only above the phreatic water table and will not intersect the ground water table at any point of time.
- 4. This project does not attract any of the general conditions applicable on mining projects specified in EIA Notification 14/09/2006.
- 5. The mining operation will not be carried out in safety zone of any bridge or embankment or in ecofragile zone such as habitat of any wild fauna.
- 6. There is no litigation pending in any court regarding this project.
- 7. The project proposal falls under category–1(a) of EIA Notification, 2006 (as amended).

The committee discussed the matter and recommended to issue the terms of reference (TOR) for the preparation of EIA as annexed at annexure-1. The committee also stipulated following points:

- 1. Baseline data of post monsoon period October to December should be carried out and submitted.
- 2. Revised EMP should be provided at the time of EIA presentation.

7. "Granite (Khanda, Gitti & Boulders & Pahadi Red Morrum)" at Gata No.- 2131/08, Village- Raulikalyanpur, Tehsil- Karwi, District- Chitrakoot, U.P., (Leased Area-4.0481 ha). File No. 5676/Proposal No. SIA/UP/MIN/53386/2020

- 1. The environmental clearance is sought for Granite (Khanda, Gitti, Boulder & Pahadi Red Morrum) Mining at Gata No.- 2131/08, Village- Raulikalyanpur, Tehsil- Karwi, District- Chitrakoot, U.P.
- 2. Salient features of the project as submitted by the project proponent:

1.	On-line proposal No.	SIA/UP/MIN53386/2020
2.	File No. allotted by SEIAA, UP	5676
3.	Name of Proponent	Shri Rahul Yadav S/o Shri Mordhwaj Yadav
4.	Full correspondence address of proponent and	R/o- H.No 642, Sector -15, Part-1, Gurgaon, Haryana-
	mobile no.	122001

5.	Name of Project	1	Khanda, Gitti,	Boulder & I	Pahadi	Red Morrur	n)
		Mining Project					
6.	Project location (Plot/ Khasra /Gata No.)	Gata No 2131/08					
7.	Name of River	Not Applicable					
8.	Name of Village	Raulikal	yanpur				
9.	Tehsil	Karwi					
10.	District	Chitrako	ot				
11.	Name of Minor Mineral	Granite (Khanda, Gitti,	Boulder & I	Pahadi	Red Morrur	n)
12.	Sanctioned Lease Area (in Ha.)	4.0481 h					
13.	Max.& Min mrl within lease area	173 mR1	L- 164 mRL				
14.	Pillar Coordinates(Verified by DMO)	Pilla	rs Latit	ıde (N)		ngitude (E)	
		A		1.944'		42.874'	
		В		1.865'		42.938'	
		C		1.783'		42.872'	
		D		1.861'	80°	42.796'	
15.	Total Geological Reserves	1978704					
16.	Total Mineable Reserves	962806				·	
17.	Total Proposed Production (in five year)	240000 1					
18.	Proposed Production / year	Year	Pahadi Red	Granite (G		Total	
			Morram	Khanda	,	(Granite +	-
			(in m ³)	Boulder		Morram)	
		<u> </u>		(in m ³)		(in m ³)	
		Ist	17000	31000		48000	
		IInd	19115	28885		48000	
		IIIrd	4000	44000		48000	
		IVth	3000	45000		48000	
		Vth	2000	46000		48000	
10		20.11	45115	194885		240000	
19.	Sanctioned Period of Mine lease		s (from the exec	cution of leas	se deed	1)	
20.	Production of mine/day	160 m3 (average) Opencast Semi-Mechanized					
21.	Method of Mining	300 days					
22.	No.of working days						
	Working hours/day No.Of workers	8 Hours/Day 36 (average)					
24.							
26.	No.Of vehicle movement /day	16 (average) Govt. Revenue Land					
27.	Type of Land Ultimate Depth of Mining						
28.	Nearest metalled road from site	600m	(average)				
29.	Water Requirement	PURPO)CE	DECLIIDI	ZMENI	T (KID)	
29.	water requirement		ng & Others	REQUIRE	0.40	i (KLD)	
			ssion of dust		3.60		
		Plantat			0.50		
			(if any)		0.50		
		Total	11 uiiy <i>)</i>		4.50		
30.	Name of QCI Accredited Consultant with QCI No		marsh (Servici	ng Environm			ent)
50.	and period of validity.			ng Luvuoiiii	ioni al	ra Develohii	·~···/.,
	period of variately.	Lucknow, U.P. QCI/NABET/EIA/1821/RA0120					
		1 ~	- May 01, 2021				
31.	Any litigation pending against the project or land	No	,, 2, 22-1				
	in any court						
32.	Details of 500 m Cluster Map & certificate	DMO. C	hitrakoot vide	Letter No. 82	29/Kha	nij/2019-20	
	Verified by Mining Officer		3th March, 202			J 2 -0	,
33.	Details of Lease Area in approved DSR	S.No 05, Page No 30					
34.	Proposed CER cost	1.40 Lakh					
35.	Proposed EMP cost	14.05 Lakh					
	, -	•					

36.	Length and breadth of Haul Road.	Length- 600m, Width- more than 6.0 m
37.	No. of Trees to be Planted	450

- 3. The mining would be restricted to unsaturated zone only above the phreatic water table and will not intersect the ground water table at any point of time.
- 4. This project does not attract any of the general conditions applicable on mining projects specified in EIA Notification 14/09/2006.
- 5. The mining operation will not be carried out in safety zone of any bridge or embankment or in ecofragile zone such as habitat of any wild fauna.
- 6. There is no litigation pending in any court regarding this project.
- 7. The project proposal falls under category–1(a) of EIA Notification, 2006 (as amended).

The committee discussed the matter and recommended to issue the terms of reference (TOR) for the preparation of EIA as annexed at annexure-1. The committee also stipulated following points:

- 1. Baseline data of post monsoon period October to December should be carried out and submitted.
- 2. Verified composite map should be submitted.
- 3. Quantity of excavated Granite (Khanda, Gitti & Boulders & Pahadi Red Morrum should be as per approved mining plan.
- 4. Revised breakup of EMP should be provided at the time of EIA presentation.
- 5. Free silica should be analyzed.

8. "Granite (Khanda, Gitti & Boulders & Pahadi Red Morrum)" at Gata No.- 2131/07, Village- Raulikalyanpur, Tehsil-Karwi, Chitrakoot., Area-2.4289 ha File No. 5677/Proposal No. SIA/UP/MIN/53394/2020

- 1. The environmental clearance is sought for Granite (Khanda, Gitti, Boulder & Pahadi Red Morrum) Mining at Gata No.- 2131/07, Village- Raulikalyanpur, Tehsil- Karwi, District- Chitrakoot, U.P. M/s Malhotra Brothers, (Leased Area- 2.4289 ha.)
- 2. Salient features of the project as submitted by the project proponent:

1.	On-line proposal No.	SIA/UP/MIN/53394/2020
2.	File No. allotted by SEIAA, UP	5677
3.	Name of Proponent	M/s Malhotra Brothers,
		Prop Shri Rasmeet Singh Malhotra S/o Shri Ajeet Singh
		Malhotra
4.	Full correspondence address of proponent and	R/o- Near Railway Gate, Main Road, Pipariya, District-
	mobile no.	Hosangabad (M.P.)
5.	Name of Project	Granite (Khanda, Gitti, Boulder & Pahadi Red Morrum)
		Mining Project
6.	Project location (Plot/ Khasra /Gata No.)	Gata No 2131/07
7.	Name of River	Not Applicable
8.	Name of Village	Raulikalyanpur
9.	Tehsil	Karwi
10.	District	Chitrakoot
11.	Name of Minor Mineral	Granite (Khanda, Gitti, Boulder & Pahadi Red Morrum)
12.	Sanctioned Lease Area (in Ha.)	2.4289 ha.
13.	Max.& Min mrl within lease area	200 mRL- 167 mRL

14.	Pillar Coordinates(Verified by DMO)	Pillars	Latitude	(N) Lo	ngitude (E)		
		A	25° 11.9	94' 80	° 42.840'		
		В	25° 11.9	44' 80	° 42.874'		
		С	25° 11.8	61' 80	° 42.796'		
		D	25° 11.9	22' 80	° 42.749'		
15.	Total Geological Reserves	1900271 m ³		•			
16.	Total Mineable Reserves	654738 m ³					
17.	Total Proposed Production (in five year)	150000 m ³					
18.	Proposed Production / year	Year	Pahadi Red	l Granite	Total		
			Morram	(Gitti,	(Granite +		
			(in m ³)	Khanda,	Morram)		
				Boulder)	(in m ³)		
				(in m ³)			
		Ist	6000	24000	30000		
		IInd	3045	26955	30000		
		IIIrd	200	29800	30000		
		IVth	4000	26000	30000		
		Vth	2500	27500	30000		
			15745	134255	150000		
19.	Sanctioned Period of Mine lease	20 Years					
20.	Production of mine/day	100 m3 (average)					
21.	Method of Mining	Opencast Sen	ni-Mechanize	ed			
22.	No.of working days	300 days					
23.	Working hours/day	8 Hours/Day					
24.	No.Of workers	35 (average)					
25.	No.Of vehicle movement /day	10 (average)					
26.	Type of Land	Govt. Revenu					
27.	Ultimate Depth of Mining	18 meter (ave	erage)				
28.	Nearest metalled road from site	600m					
29.	Water Requirement	PURPOSE		REQUIREMEN			
		Drinking &		0.40			
		Suppression	of dust	3.60			
		Plantation		0.30)		
		Others(if ar	ny)				
		Total		4.30)		
30.	Name of QCI Accredited Consultant with QCI No			Environment a	nd Developme	ent).,	
	and period of validity.	Lucknow, U.					
		QCI/NABET		A0120			
		Validity- May 01, 2021					
31.	Any litigation pending against the project or land	No					
<u> </u>	in any court						
32.	Details of 500 m Cluster Map & certificate	1		ter No. 830/Kh	anij/2019-20,		
	Verified by Mining Officer	Dated 13th M					
33.	Details of Lease Area in approved DSR	S.No 05, Pa	ge No 30				
34.	Proposed CER cost	1.35 Lakh					
35.	Proposed EMP cost	12.18 Lakh					
36. 37.	Length and breadth of Haul Road.	Length- 600m, Width- more than 6.0 m					
	No. of Trees to be Planted	280	.,	te than old in			

- 3. The mining would be restricted to unsaturated zone only above the phreatic water table and will not intersect the ground water table at any point of time.
- 4. This project does not attract any of the general conditions applicable on mining projects specified in EIA Notification 14/09/2006.
- 5. The mining operation will not be carried out in safety zone of any bridge or embankment or in ecofragile zone such as habitat of any wild fauna.

- 6. There is no litigation pending in any court regarding this project.
- 7. The project proposal falls under category–1(a) of EIA Notification, 2006 (as amended).

The committee discussed the matter and recommended to issue the terms of reference (TOR) for the preparation of EIA as annexed at annexure-1. The committee also stipulated following points:

- 1. Baseline data of post monsoon period October to December should be carried out and submitted.
- 2. Verified composite map should be submitted.
- 3. Quantity of excavated Granite (Khanda, Gitti & Boulders & Pahadi Red Morrum should be as per approved mining plan.
- 4. Revised breakup of EMP should be provided at the time of EIA presentation.
- 5. Free silica should be analyzed.
- 9. Sand/ Bajari/Boulder Mining from Yamuna River at Khand No.-01, Village- BarthaKorsi, Tehsil- Behat, District- Saharanpur, U.P., M/s Star Mines, Lease Area 36.00 Ha File No. 5653/Proposal No. SIA/UP/MIN/53028/2020

RESOLUTION AGAINST AGENDA NO-09

The Secretariat informed the committee that the above proposal was already recommended to issue terms of reference (TOR) in 466th SEAC meeting dated 02/06/2020. Hence, the committed directed to delist the matter from the agenda.

10. <u>Khaurawali (Seasonal or Non Perennial River) Sand/ Bajari/ Boulder Mining at Khand No.-378/2 & 379/2, Village- SherpurPelo, Tehsil- Behat, District- Saharanpur, U.P., Shri Aadesh Pandey, Area 7.00 Ha File No. 5654/Proposal No. SIA/UP/MIN/53061/2020</u>

RESOLUTION AGAINST AGENDA NO-10

The Secretariat informed the committee that the above proposal was already recommended to issue terms of reference (TOR) in 466^{th} SEAC meeting dated 02/06/2020. Hence, the committed directed to delist the matter from the agenda.

11. <u>Sand Mining from Managoru River Bedat Gata No.-794, Village-Atpei, Tehsil-Mauranipur, Jhansi, U.P., (Leased Area: 2.50 ha.), Shri Deepak Changani. File No. 5678/Proposal No. SIA/UP/MIN/154748/2020</u>

A presentation was made by the project proponent along with their consultant M/s ENV Development Assistance Systems (I) Pvt. Ltd. The proponent, through the documents submitted and the presentation made informed the committee that:-

- 1. The environmental clearance is sought for Sand Mining from Managoru River Bedat Gata No.-794, Village-Atpei, Tehsil-Mauranipur, Jhansi, U.P., (Leased Area: 2.50 ha.).
- 2. Salient features of the project as submitted by the project proponent:

1. On-line proposal No.	SIA/UP/MIN/154748/2020
2. File No. allotted by SEIAA, UP	5678
3. Name of Proponent	Shri Deepak Changani
	Authorized Signatory - Shri Deepak Changani S/o Shri Chetan

	Lal						
4. Full correspondence address of	Shri Deepak Changani						
proponent and mobile no.	Proprietor- Shri Deepak Changani S/o Shri Chetan Lal, R/o						
proponent and moone no.	H.No. 1042, CIC Campus, Jhokan Baag, Tehsil- Jhansi,						
		District- Jhansi, Uttar Pradesh.					
5. Name of Project	Sand/Morrum M						
6. Project location (Plot/Khasra/Gata No.)	Gata No. 794	5					
7. Name of River	Managoru						
8. Name of Village	Atpei						
9. Tehsil	Mauranipur						
10. District	Jhansi						
11. Name of Minor Mineral	Sand/Morrum						
12. Sanctioned Lease Area (in ha)	2.50 ha						
13. Mineable Area (in ha)	2.50 ha						
14. Zero level mRL	222 mRL						
15. Max. & Min mrl within lease area	229 mRL and 22	26 mRL					
16. Pillar Coordinates (Verified by DMO)		ctioned Lease Area (3)	6.437 ha)				
,	Points	Latitude	Longitude				
	A	25° 9'32.49"N	79° 4'13.11"E				
	В	25° 9'34.90"N	79° 4'13.70"E				
	С	25° 9'37.40"N	79° 4'15.50"E				
	D	25° 9'44.40"N	79° 4'14.90"E				
	Е	25° 9'50.30"N	79° 4'14.80"E				
	F	25° 9'59.80"N	79° 4'16.50"E				
	G	25°10'4.20"N	79° 4'15.10"E				
	Н	25°10'7.80"N	79° 4'13.40"E				
	I	25°10'9.60"N	79° 4'13.00"E				
	J	25°10'13.40"N	79° 4'15.30"E				
	K	25°10'23.15"N	79° 4'22.82"E				
	L	25°10'22.77"N	79° 4'23.25"E				
	M	25°10'13.00"N	79° 4'15.70"E				
	N	25°10'9.30"N	79° 4'13.50"E				
	0	25°10'7.80"N	79° 4'14.30"E				
	P	25°10'0.90"N	79° 4'16.90"E				
	Q	25° 9'48.80"N	79° 4'15.10"E				
	R	25° 9'36.50"N	79° 4'16.10"E				
	S	25° 9'34.90"N	79° 4'14.40"E				
	T	25° 9'32.26"N	79° 4'13.71"E				
17. Total Geological Reserves	$24,750 \text{ m}^3$						
18. Total Mineable Reserves in LOI	8,000 m ³ /year						
19. Total Proposed Production		$10,000 \text{ m}^3 \text{ in } 05 \text{ years}$					
20. Proposed Production/year	$8,000 \text{ m}^3$						
21. Sanctioned Period of Mine lease	5 years						
22. Production of mine/day	29 m³/day						
23. Method of Mining	Opencast Semi n	nechanized					
24. No. of working days	275 days						
25. Working hours/day	12 hours						
26. No. Of workers	Approximately 25 labours						
27. No. Of vehicles movement/day	2 units						
28. Type of Land	Non – Agricultu	ral, Government Waste	e Land (Revenue land)				

29. Ultimate Depth of Mining	3 m				
30. Nearest metalled road from site	MDR(Mauranipur Road)- 3.0 km*(E)				
31. Water Requirement	PURPOSE REQUIREMENT (KLD)				
	Drinking	0.25			
	Suppression of dust	1.2			
	Plantation	0.006			
	Total	1.456 KLD			
32. Name of QCI Accredited Consultant with	ENV Development Assistance Systems (I) Pvt. Ltd.				
QCI No and period of validity.	NABET/EIA/1821/SA 102 and Valid till 25/02/2021.				
33. Any litigation pending against the project	None				
or land in any court					
34. Details of 500 m Cluster Map &	Cluster certificate issued by DMO Jhansi				
certificate verified by Mining Officer	Letter No. 1946/30-MMC (2019-20), Jhansi dated 20/03/2020.				
35. Details of Lease Area in approved DSR	Page No 52; Serial No. 13				
36. Proposed CER cost	2% of total project cost i.e. Rs. 1,20,450/-				
37. Proposed EMP cost/ Total Project Cost	Rs 60,630/- & 60,23,387/-				
38. Length and Width of Haul Road	100 m Length and 6 m width				
39. No. of Trees to be Planted	13				

- 3. The mining would be restricted to unsaturated zone only above the phreatic water table and will not intersect the ground water table at any point of time.
- 4. This project does not attract any of the general conditions applicable on mining projects specified in EIA Notification 14/09/2006.
- 5. The mining operation will not be carried out in safety zone of any bridge or embankment or in ecofragile zone such as habitat of any wild fauna.
- 6. There is no litigation pending in any court regarding this project.
- 7. The project proposal falls under category–1(a) of EIA Notification, 2006 (as amended).

The committee discussed the matter and recommended grant of environmental clearance for the project proposal along with general and specific conditions as annexed at annexure 2 & 3 to these minutes regarding mining project. The committee also stipulated following specific conditions:

- 1. At the time of operation, project proponent will comply with all the guidelines issued by Government of India/State Govt./District Administration related to Covid-19.
- 2. Environment management in according to environmental status and impact of the project.
- 3. Selection of plants for green belt should be on the basis of pollution removal index.
- 4. No mining activity should be carried out in-stream channel as per SSMMG, 2016.
- 5. Pakka motorable haul road to be maintained by the project proponent.
- 6. A separate Environmental Management Cell with suitable qualified personnel shall be set-up under the control of a Senior Executive, who will report directly to the Head of the Organization.
- 7. Permission from the competent authority regarding evacuation route should be taken.
- 8. Project proponent should ensure survival of tree saplings. Mortality should be replaced from time to time.
- 9. Site Pit photographs should be submitted with date, time and point-coordinate within 15 days.
- 10. One month monitoring report of the area for air quality, water quality, Noise level. Besides flora & fauna should be examined twice a week and be submitted within 45 days for a record.
- 11. Provision for cylinder to workers should be made for cooking.

- 12. The capacity of trucks/tractor for loading purpose will be in tonnes as per Transport Department applicable norms and standard fixed by the Government.
- 13. Provide suitable mask to the workers.
- 14. Approach road kaccha is to be made motarable and tree saplings to be planted on both sides of the road.
- 15. Indigenous plants should be planted according to CPCB guidelines and in consultation with local Divisional Forest Officer.
- 16. The project proponent shall in 2 years conduct detailed replenishment study duly authenticated by a QCI-NABET accredited consultant, and the District Mines Officer.
- 17. Provision for two toilets and hand pumps should be made at mining site.
- 18. Drinking water for workers would be provided by tankers.
- 19. Mining should be done by Bar scalping methods extraction (typically 0.3 -0.6 m or 1 2 ft) as per sustainable sand mining management guidelines 2016.
- 20. A buffer/safe zone shall be maintained from the habitation as per mining guidelines.
- 21. Corporate Environmental Responsibility (CER) plan shall be prepared by the project proponent and the details of the various heads of expenditure to be submitted as per the guidelines provided in the recent CER notification No. 22-65/2017-IA.III dated 01/05/2018.
- 22. Health/Insurance card, Medical claim, regular health check-up camps, facilities shall be provided to the regular/temporary/Contractual or any base workers. Copy of receipt shall be produced to the Directorate of Environment along with the compliance report.
- 23. Measure for conservation of water through rainwater harvesting and cleaning and maintenance of natural surface water bodies of the nearby areas may be considered as one of the activity in CER.
- 24. The excavated mining material should be carried and transported in such a way that no obstruction to the free flow of water takes place. Suitable measure should be taken and details to be provided to concern Department.
- 25. Width of the haul road shall be more than 6 meter.
- 26. Submit annual replenishment report certified by an authorized agency. In case the replenishment is lower than the approved rate of production, then the mining activity / production levels shall be decreased / stopped accordingly till the replenishment is completed.

12. <u>Sand/Morrum Mining on Sharda River Bed, Gata No.-504, Village- Atariya, Tehsil-Paliya, Kheri., M/s Raj Contractor and Supplier, Area: 0.603 ha File No. 5681/Proposal No. SIA/UP/MIN/154589/2020</u>

A presentation was made by the project proponent along with their consultant M/s Cognizance Research India Pvt. Ltd. The proponent, through the documents submitted and the presentation made informed the committee that:-

- 1. The environmental clearance is sought for Sand/ Morrum Mining at Gata No.504, Village- Atariya, Tehsil-Paliya, District- Kheri, U.P., M/s Raj Contractor and supplier, (Leased Area 0.603 ha).
- 2. Salient features of the project as submitted by the project proponent:

1.	On-line proposal No.	SIA/UP/MIN/154589/2020
2.	File No. allotted by SEIAA, UP	5575
3.	Name of Proponent	Shri Vineet Pandey
4.	Full correspondence address of	R/o Sampurnnagar Road, Tehsil - Paliya, District – Kheeri, Uttar
	proponent and mobile No.	Pradesh
		Mobile No-

	Fr	nail-					
5. Name of Project			ed Ordinary Sand	minino	project from Sharda		
or traine of froject	Proposed riverbed Ordinary Sand mining project from Sharda River for M/s Raj Contractor and supplier.						
6. Project location (Plot/Khasra/Gata No.)	_		, sommeror and				
7. Name of River	Sharda						
8. Name of Village	_	riya					
9. Tehsil	Pali	-					
10. District	Khe	•					
11. Name of Minor Mineral	Ordinary Sand						
12. Sanctioned Lease Area (in Ha.)	0.603						
13. Max & Min mRL within lease area	Max- 154 mRL and Min- 151 mRL						
14. Pillar Coordinates (Verified by DMO)	Sanctioned Mining Lease Area						
,				ing Leas			
		Pillar No.	Latitude		Longitude		
		A	28°23'29.00"	N	80°32'53.00"E		
		В	28°23'27.00"	N	80°32'56.00"E		
		С	28°23'25.00"		80°32'56.00"E		
		D	28°23'28.00"	N	80°32'52.00"E		
15. Total Geological Reserves	20	,194 cum					
16. Total Mineable Reserves in LOI	11,	758 cum					
17. Total Proposed Production	58,	58,790 cum					
18. Proposed Production/year	11	,758cum					
19. Sanctioned Period of Mine lease	5 y	years .					
20. Production of mine/day	45.22						
21. Method of Mining	Open Cast Semi-mechanized Method						
22. No. of working days	260 days						
23. Working hours/day	8 hrs						
24. No. of workers	51						
25. No. of vehicles movement/day	4						
26. Type of Land	Government waste land						
27. Ultimate Depth of Mining	2.668						
28. Nearest metalled road from site	.6 km						
29. Water Requirement		PURPOSE			REQUIREMENT (KLD)		
	Dri	Drinking		0.51			
	Sup	Suppression of dust		8.24			
	Pla	Plantation		0.05			
		Others (if any)		-			
	Tot			8.8			
30. Name of QCI Accredited Consultant			earch India Pvt L	td.			
with QCI No and period of validity.	1922, validity= 03-02-2022						
31. Any litigation pending against the	No						
project or land in any court							
32. Details of 500 m Cluster Map &	Ye	es, 1102					
certificate issued by Mining Officer							
33. Details of Lease Area in approved DSR	Yes, Pg No. 12, Sl. No. 02						
34. Proposed CER cost	Rs 1,27,000 /-						
35. Proposed EMP cost	Rs 3,19,000 /-						
36. Length and breadth of Haul Road	Length: 0.687 km, width: 6 m						
37. No. of Trees to be Planted The mining would be restricted to	25 plants						

^{3.} The mining would be restricted to unsaturated zone only above the phreatic water table and will not intersect the ground water table at any point of time.

- 4. This project does not attract any of the general conditions applicable on mining projects specified in EIA Notification 14/09/2006.
- 5. The mining operation will not be carried out in safety zone of any bridge or embankment or in ecofragile zone such as habitat of any wild fauna.
- 6. There is no litigation pending in any court regarding this project.
- 7. The project proposal falls under category–1(a) of EIA Notification, 2006 (as amended).

The committee discussed the matter and recommended grant of environmental clearance for the project proposal along with general and specific conditions as annexed at annexure 2 & 3 to these minutes regarding mining project. The committee also stipulated following specific conditions:

- 1. At the time of operation, project proponent will comply with all the guidelines issued by Government of India/State Govt./District Administration related to Covid-19.
- 2. Environment management in according to environmental status and impact of the project.
- 3. Selection of plants for green belt should be on the basis of pollution removal index.
- 4. No mining activity should be carried out in-stream channel as per SSMMG, 2016.
- 5. Pakka motorable haul road to be maintained by the project proponent.
- 6. A separate Environmental Management Cell with suitable qualified personnel shall be set-up under the control of a Senior Executive, who will report directly to the Head of the Organization.
- 7. Permission from the competent authority regarding evacuation route should be taken.
- 8. Project proponent should ensure survival of tree saplings. Mortality should be replaced from time to time.
- 9. Site Pit photographs should be submitted with date, time and point-coordinate within 15 days.
- 10. One month monitoring report of the area for air quality, water quality, Noise level. Besides flora & fauna should be examined twice a week and be submitted within 45 days for a record.
- 11. Provision for cylinder to workers should be made for cooking.
- 12. The capacity of trucks/tractor for loading purpose will be in tonnes as per Transport Department applicable norms and standard fixed by the Government.
- 13. Provide suitable mask to the workers.
- 14. Approach road kaccha is to be made motarable and tree saplings to be planted on both sides of the road.
- 15. Indigenous plants should be planted according to CPCB guidelines and in consultation with local Divisional Forest Officer.
- 16. The project proponent shall in 2 years conduct detailed replenishment study duly authenticated by a QCI-NABET accredited consultant, and the District Mines Officer.
- 17. Provision for two toilets and hand pumps should be made at mining site.
- 18. Drinking water for workers would be provided by tankers.
- 19. Mining should be done by Bar scalping methods extraction (typically 0.3 -0.6 m or 1 2 ft) as per sustainable sand mining management guidelines 2016.
- 20. A buffer/safe zone shall be maintained from the habitation as per mining guidelines.
- 21. Corporate Environmental Responsibility (CER) plan shall be prepared by the project proponent and the details of the various heads of expenditure to be submitted as per the guidelines provided in the recent CER notification No. 22-65/2017-IA.III dated 01/05/2018.

- 22. Health/Insurance card, Medical claim, regular health check-up camps, facilities shall be provided to the regular/temporary/Contractual or any base workers. Copy of receipt shall be produced to the Directorate of Environment along with the compliance report.
- 23. Measure for conservation of water through rainwater harvesting and cleaning and maintenance of natural surface water bodies of the nearby areas may be considered as one of the activity in CER.
- 24. The excavated mining material should be carried and transported in such a way that no obstruction to the free flow of water takes place. Suitable measure should be taken and details to be provided to concern Department.
- 25. Width of the haul road shall be more than 6 meter.
- 26. Submit annual replenishment report certified by an authorized agency. In case the replenishment is lower than the approved rate of production, then the mining activity / production levels shall be decreased / stopped accordingly till the replenishment is completed.

(Dr. Pramod Kumar Mishra) (Dr. Virendra Misra) (Dr. Ranjeet Kumar Dalela) Member Member Member (Shri Meraj Uddin) (Dr. Ajoy Kumar Mandal) (Shri Rajiv Kumar) Member Member Member (Dr. Sarita Sinha) (Prof. S.K. Upadhyay,) (Dr. (Prof.) S. N. Singh) Member Member Chairman

Terms of Reference for the Mining Project

- 1) Latest Site Pit photographs should be submitted with date and time.
- 2) Year-wise production details since 1994 should be given, clearly stating the highest production achieved in any one year prior to 1994. It may also be categorically informed whether there had been any increase in production after the EIA Notification 1994 came into force, w.r.t. the highest production achieved prior to 1994.
- 3) A copy of the document in support of the fact that the proponent is the rightful lessee of the mine should be given.
- 4) All documents including approved mine plan, EIA and Public Hearing should be compatible with one another in terms of the mine lease area, production levels, waste generation and its management, mining technology etc. and should be in the name of the lessee.
- 5) All corner coordinates of the mine lease area, superimposed on a High Resolution Imagery/ toposheet, topographic sheet, geomorphology and geology of the area should be provided. Such an Imagery of the proposed area should clearly show the land use and other ecological features of the study area (core and buffer zone).
- 6) Information should be provided in Survey of India Toposheet in 1:50,000 scale indicating geological map of the area, geomorphology of land forms of the area, existing minerals and mining history of the area, important water bodies, streams and rivers and soil characteristics.
- 7) Details about the land proposed for mining activities should be given with information as to whether mining conforms to the land use policy of the State; land diversion for mining should have approval from State land use board or the concerned authority.
- 8) It should be clearly stated whether the proponent Company has a well laid down Environment Policy approved by its Board of Directors? If so, it may be spelt out in the EIA Report with description of the prescribed operating process/procedures to bring into focus any infringement/deviation/violation of the environmental or forest norms/conditions? The hierarchical system or administrative order of the Company to deal with the environmental issues and for ensuring compliance with the EC conditions may also be given. The system of reporting of non-compliances / violations of environmental norms to the Board of Directors of the Company and/or shareholders or stakeholders at large, may also be detailed in the EIA Report.
- 9) Issues relating to Mine Safety, including subsidence study in case of underground mining and slope study in case of open cast mining, blasting study etc. should be detailed. The proposed safeguard measures in each case should also be provided.
- 10) The study area will comprise of 10 km zone around the mine lease from lease periphery and the data contained in the EIA such as waste generation etc. should be for the life of the mine / lease period.
- 11) Land use of the study area delineating forest area, agricultural land, grazing land, wildlife sanctuary, national park, migratory routes of fauna, water bodies, human settlements and other ecological features should be indicated. Land use plan of the mine lease area should be prepared to encompass preoperational, operational and post operational phases and submitted. Impact, if any, of change of land use should be given.
- 12) Details of the land for any Over Burden Dumps outside the mine lease, such as extent of land area, distance from mine lease, its land use, R&R issues, if any, should be given.
- 13) A Certificate from the Competent Authority in the State Forest Department should be provided,

confirming the involvement of forest land, if any, in the project area. In the event of any contrary claim by the Project Proponent regarding the status of forests, the site may be inspected by the State Forest Department along with the Regional Office of the Ministry to ascertain the status of forests, based on which, the Certificate in this regard as mentioned above be issued. In all such cases, it would be desirable for representative of the State Forest Department to assist the Expert Appraisal Committees.

- 14) Status of forestry clearance for the broken up area and virgin forestland involved in the Project including deposition of net present value (NPV) and compensatory afforestation (CA) should be indicated. A copy of the forestry clearance should also be furnished.
- 15) Implementation status of recognition of forest rights under the Scheduled Tribes and other Traditional Forest Dwellers (Recognition of Forest Rights) Act, 2006 should be indicated.
- 16) The vegetation in the RF / PF areas in the study area, with necessary details, should be given.
- 17) A study shall be got done to ascertain the impact of the Mining Project on wildlife of the study area and details furnished. Impact of the project on the wildlife in the surrounding and any other protected area and accordingly, detailed mitigative measures required, should be worked out with cost implications and submitted.
- 18) Location of National Parks, Sanctuaries, Biosphere Reserves, Wildlife Corridors, Ramsar site Tiger/ Elephant Reserves/(existing as well as proposed), if any, within 10 km of the mine lease should be clearly indicated, supported by a location map duly authenticated by Chief Wildlife Warden. Necessary clearance, as may be applicable to such projects due to proximity of the ecologically sensitive areas as mentioned above, should be obtained from the Standing Committee of National Board of Wildlife and copy furnished.
- 19) A detailed biological study of the study area [core zone and buffer zone (10 km radius of the periphery of the mine lease)] shall be carried out. Details of flora and fauna, endangered, endemic and RET Species duly authenticated, separately for core and buffer zone should be furnished based on such primary field survey, clearly indicating the Schedule of the fauna present. In case of any scheduled- I fauna found in the study area, the necessary plan alongwith budgetary provisions for their conservation should be prepared in consultation with State Forest and Wildlife Department and details furnished. Necessary allocation of funds for implementing the same should be made as part of the project cost.
- 20) Proximity to Areas declared as 'Critically Polluted' or the Project areas likely to come under the 'Aravali Range', (attracting court restrictions for mining operations), should also be indicated and where so required, clearance certifications from the prescribed Authorities, such as the SPCB or State Mining Department should be secured and furnished to the effect that the proposed mining activities could be considered.
- 21) Similarly, for coastal Projects, A CRZ map duly authenticated by one of the authorized agencies demarcating LTL. HTL, CRZ area, location of the mine lease w.r.t CRZ, coastal features such as mangroves, if any, should be furnished. (Note: The Mining Projects falling under CRZ would also need to obtain approval of the concerned Coastal Zone Management Authority).
- 22) R&R Plan/compensation details for the Project Affected People (PAP) should be furnished. While preparing the R&R Plan, the relevant State/National Rehabilitation & Resettlement Policy should be kept in view. In respect of SCs /STs and other weaker sections of the society in the study area, a need based sample survey, family-wise, should be undertaken to assess their requirements, and action programmes prepared and submitted accordingly, integrating the sectoral programmes of line departments of the State Government. It may be clearly brought out whether the village(s) located in the mine lease area will be

- shifted or not. The issues relating to shifting of village(s) including their R&R and socio-economic aspects should be discussed in the Report.
- One season (non-monsoon) [i.e. March-May (Summer Season); October-December (post monsoon season); December-February (winter season)]primary baseline data on ambient air quality as per CPCB Notification of 2009, water quality, noise level, soil and flora and fauna shall be collected and the AAQ and other data so compiled presented date-wise in the EIA and EMP Report. Site-specific meteorological data should also be collected. The location of the monitoring stations should be such as to represent whole of the study area and justified keeping in view the pre-dominant downwind direction and location of sensitive receptors. There should be at least one monitoring station within 500 m of the mine lease in the pre-dominant downwind direction. The mineralogical composition of PM10, particularly for free silica, should be given.
- Air quality modeling should be carried out for prediction of impact of the project on the air quality of the area. It should also take into account the impact of movement of vehicles for transportation of mineral. The details of the model used and input parameters used for modeling should be provided. The air quality contours may be shown on a location map clearly indicating the location of the site, location of sensitive receptors, if any, and the habitation. The wind roses showing pre-dominant wind direction may also be indicated on the map.
- 25) The water requirement for the Project, its availability and source should be furnished. A detailed water balance should also be provided. Fresh water requirement for the Project should be indicated.
- 26) Necessary clearance from the Competent Authority for drawl of requisite quantity of water for the Project should be provided.
- Description of water conservation measures proposed to be adopted in the Project should be given. Details of rainwater harvesting proposed in the Project, if any, should be provided.
- 28) Impact of the Project on the water quality, both surface and groundwater, should be assessed and necessary safeguard measures, if any required, should be provided.
- 29) Based on actual monitored data, it may clearly be shown whether working will intersect groundwater. Necessary data and documentation in this regard may be provided. In case the working will intersect groundwater table, a detailed Hydro Geological Study should be undertaken and Report furnished. The Report inter-alia, shall include details of the aquifers present and impact of mining activities on these aquifers. Necessary permission from Central Ground Water Authority for working below ground water and for pumping of ground water should also be obtained and copy furnished.
- 30) Details of any stream, seasonal or otherwise, passing through the lease area and modification / diversion proposed, if any, and the impact of the same on the hydrology should be brought out.
- 31) Information on site elevation, working depth, groundwater table etc. Should be provided both in AMSL and bgl. A schematic diagram may also be provided for the same.
- 32) A time bound Progressive Greenbelt Development Plan shall be prepared in a tabular form (indicating the linear and quantitative coverage, plant species and time frame) and submitted, keeping in mind, the same will have to be executed up front on commencement of the Project. Phase-wise plan of plantation and compensatory afforestation should be charted clearly indicating the area to be covered under plantation and the species to be planted. The details of plantation already done should be given. The plant species selected for green belt should have greater ecological value and should be of good utility value to the local population with emphasis on local and native species and the species which are tolerant to pollution.
- 33) Impact on local transport infrastructure due to the Project should be indicated. Projected increase in

truck traffic as a result of the Project in the present road network (including those outside the Project area) should be worked out, indicating whether it is capable of handling the incremental load. Arrangement for improving the infrastructure, if contemplated (including action to be taken by other agencies such as State Government) should be covered. Project Proponent shall conduct Impact of Transportation study as per Indian Road Congress Guidelines.

- Details of the onsite shelter and facilities to be provided to the mine workers should be included in the EIA Report.
- 35) Conceptual post mining land use and Reclamation and Restoration of mined out areas (with plans and with adequate number of sections) should be given in the EIA report.
- Occupational Health impacts of the Project should be anticipated and the proposed preventive measures spelt out in detail. Details of pre-placement medical examination and periodical medical examination schedules should be incorporated in the EMP. The project specific occupational health mitigation measures with required facilities proposed in the mining area may be detailed.
- 37) Public health implications of the Project and related activities for the population in the impact zone should be systematically evaluated and the proposed remedial measures should be detailed along with budgetary allocations.
- 38) Measures of socio economic significance and influence to the local community proposed to be provided by the Project Proponent should be indicated. As far as possible, quantitative dimensions may be given with time frames for implementation.
- 39) Detailed environmental management plan (EMP) to mitigate the environmental impacts which, should inter-alia include the impacts of change of land use, loss of agricultural and grazing land, if any, occupational health impacts besides other impacts specific to the proposed Project.
- 40) Public Hearing points raised and commitment of the Project Proponent on the same along with time bound Action Plan with budgetary provisions to implement the same should be provided and also incorporated in the final EIA/EMP Report of the Project.
- 41) Details of litigation pending against the project, if any, with direction /order passed by any Court of Law against the Project should be given.
- 42) The cost of the Project (capital cost and recurring cost) as well as the cost towards implementation of EMP should be clearly spelt out.
- 43) A Disaster management Plan shall be prepared and included in the EIA/EMP Report.
- 44) Benefits of the Project if the Project is implemented should be spelt out. The benefits of the Project shall clearly indicate environmental, social, economic, employment potential, etc.
- 45) Besides the above, the below mentioned general points are also to be followed:
 - a) Executive Summary of the EIA/EMP Report
 - b) All documents to be properly referenced with index and continuous page numbering.
 - c) Where data are presented in the Report especially in Tables, the period in which the data were collected and the sources should be indicated.
 - d) Project Proponent shall enclose all the analysis/testing reports of water, air, soil, noise etc. using the MoEF&CC/NABL accredited laboratories. All the original analysis/testing reports should be available during appraisal of the Project.
 - e) Where the documents provided are in a language other than English, an English translation should be provided.
 - f) The Questionnaire for environmental appraisal of mining projects as devised earlier by the Ministry shall also be filled and submitted.

- g) While preparing the EIA report, the instructions for the Proponents and instructions for the Consultants issued by MoEF&CC vide O.M. No. J-11013/41/2006-IA.II(I) dated 4th August, 2009, which are available on the website of this Ministry, should be followed.
- h) Changes, if any made in the basic scope and project parameters (as submitted in Form-I and the PFR for securing the TOR) should be brought to the attention of MoEF&CC with reasons for such changes and permission should be sought, as the TOR may also have to be altered. Post Public Hearing changes in structure and content of the draft EIA/EMP (other than modifications arising out of the P.H. process) will entail conducting the PH again with the revised documentation.
- As per the circular no. J-11011/618/2010-IA.II(I) dated 30.5.2012, certified report of the status of compliance of the conditions stipulated in the environment clearance for the existing operations of the project, should be obtained from the Regional Office of Ministry of Environment, Forest and Climate Change, as may be applicable.
- j) The EIA report should also include: (i) surface plan of the area indicating contours of main topographic features, drainage and mining area, (ii) geological maps and sections and (iii) sections of the mine pit and external dumps, if any, clearly showing the land features of the adjoining area.

GENERAL CONDITIONS PRESCRIBED BY SEIAA/SEAC, UP FOR SAND/MORUM MINING PROPOSALS

General Conditions:

- 1. This environmental clearance is subject to allotment of mining lease in favour of project proponent by District Administration/Mining Department.
- 2. Forest clearance shall be taken by the proponent as necessary under law.
- 3. Any change in mining area, khasra numbers, entailing capacity addition with change in process and or mining technology, modernization and scope of working shall again require prior Environmental Clearance as per the provisions of EIA Notification, 2006 (as amended).
- 4. Precise mining area will be jointly demarcated at site by project proponent and officials of Mining/Revenue department prior to starting of mining operations. Such site plan, duly verified by competent authority alongwith copy of the Environmental Clearance letter will be displayed on a hoarding/board at the site. A copy of site plan will also be submitted to SEIAA within a period of 02 months.
- 5. Mining and loading shall be done only within day hours time.
- 6. No mining shall be carried out in the safety zone of any bridge and/or embankment.
- 7. It shall be ensured that standards related to ambient air quality/effluent as prescribed by the Ministry of Environment & Forests are strictly complied with. Water sprinklers and other dust control majors should be applied to take-care of dust generated during mining operation. Sprinkling of water on haul roads to control dust will be ensured by the project proponent.
- 8. All necessary statutory clearances shall be obtained before start of mining operations. If this condition is violated, the clearance shall be automatically deemed to have been cancelled.
- 9. Parking of vehicles should not be made on public places.
- 10. No tree-felling will be done in the leased area, except only with the permission of Forest Department.
- 11. No wildlife habitat will be infringed.
- 12. It shall be ensured that excavation of minor mineral does not disturb or change the underlying soil characteristics of the river bed /basin, where mining is carried out.
- 13. It shall be ensured that mining operation of Sand/Moram will not in any way disturb the, velocity and flow pattern of the river water significantly.
- 14. It shall be ensured that there is no fauna dependant on the river bed or areas close to mining for its nesting. A report on the same, vetted by the competent authority shall be submitted to the RO, PCB and SEIAA within 02 months.
- 15. Primary survey of flora and fauna shall be carried out and data shall be submitted to the RO, PCB and SEIAA within six months.
- 16. Hydro-geological study shall be carried out by a reputed organization/institute within six months and establish that mining in the said area will not adversely affect the ground water regime. The report shall be submitted to the RO, PCB and SEIAA within six months. In case adverse impact is observed /anticipated, mining shall not be carried out.
- 17. Adequate protection against dust and other environmental pollution due to mining shall be made so that the habitations (if any) close by the lease area are not adversely affected. The status of implementation of measures taken shall be reported to the RO, UPPCB and SEIAA and this activity should be completed before the start of sand mining.
- 18. Need-based assessment for the nearby villages shall be conducted to study economic measures which can help in improving the quality of life of economically weaker section of society. Income generating projects/tools such as development of fodder farm, fruit bearing orchards, vocational training etc. can form a part of such program me. The project proponent shall provide separate budget for community development activities and income generating programmes.

- 19. Green cover development shall be carried out following CPCB guidelines including selection of plant species and in consultation with the local DFO/Horticulture Officer.
- 20. Separate stock piles shall be maintained for excavated top soil, if any, and the top soil should be utilized for green cover/tree plantation.
- 21. Dispensary facilities for first-aid shall be provided at site.
- 22. An Environmental Audit should be annually carried out during the operational phase and submitted to the SEIAA.
- 23. The District Mining Officer should quarterly monitor compliance of the stipulated conditions. The project proponent will extend full cooperation to the District Mining Officer by furnishing the requisite data/information/monitoring reports. In case of any violations of stipulated conditions the District Mining Officer will report to SEIAA.
- 24. The project proponent shall submit six monthly reports on the status of compliance of the stipulated environmental clearance conditions including results of monitored data (both in hard & soft copies) to the SEIAA, the District Officer and the respective Regional Office of the State Pollution Control Board by 1st June and 1st December every year.
- 25. A copy of the clearance letter shall be sent by the proponent to concerned Panchayat, Zila Parisad/ Municipal Corporation and Urban Local Body.
- 26. Transportation of materials shall be done by covering the trucks / tractors with tarpaulin or other suitable mechanism to avoid fugitive emissions and spillage of mineral/dust.
- 27. Waste water, from temporary habitation campus be properly collected & treated before discharging into water bodies the treated effluent should conform to the standards prescribed by MoEF/CPCB.
- 28. Measures shall be taken for control of noise level to the limits prescribed by C.P.C.B.
- 29. Special Measures shall be adopted to protect the nearby settlements from the impacts of mining activities. Maintenance of Village roads through which transportation of minor minerals is to be undertaken, shall be carried-out by the project proponent regularly at his own expenses.
- 30. Measure for prevention & control of soil erosion and management of silt shall be undertaken. Protection of dumps against erosion, if any, shall be carried-out with geo textile matting or other suitable material.
- 31. Under corporate social responsibility a sum of 5% of the total project cost or total income whichever is higher is to be earmarked for total lease period. Its budget is to be separately maintained. CER component shall be prepared based on need of local habitant. Income generating measures which can help in upliftment of poor section of society, consistent with the traditional skills of the people shall be identified. The programme can include activities such as development of fodder farm, fruit bearing orchards, free distribution of smokeless Chula etc.
- 32. Possibility for adopting nearest three villages shall be explored and details of civic amenities such as roads, drinking water etc proposed to be provided at the project proponent's expenses shall be submitted within 02 months from the date of issuance of Environment Clearance.
- 33. The funds earmarked for environmental protection measures should be kept in separate account and should not be diverted for other purpose. Year wise expenditure should be reported to the Ministry of Environment and Forests and its Regional Office located at Lucknow, SEIAA, U.P and UPPCB.
- 34. Action plan with respect to suggestion/improvement and recommendations made and agreed during Public Hearing shall be submitted to the District mines Officer, concern Regional Officer of UPPCB and SEIAA within 02 months.
- 35. Environmental clearance is subject to obtaining clearance under the Wildlife (Protection) Act, 1972 from the competent authority, if applicable to this project.
- 36. The proponent shall observe every 15 day for nesting of any turtle in the area. Based on the observations so made, if turtle nesting is observed, necessary safeguard measures shall be taken in consultation with the State Wildlife Department. For the purpose, awareness shall be created amongst the workers about the nesting sites so that such sites, if any, are identified by the workers during operations of the mine for taking required

- safeguard measures. In this regards the safety notified zone should be left so that the habitat/nesting area is undisturbed
- 37. The project proponent shall undertake adequate safeguard measures during extraction of river bed material and ensure that due to this activity the hydro geological regime of the surrounding area shall not be affected.
- 38. The project proponent shall obtain necessary prior permission of the competent Authorities for withdrawal of requisite quantity of water (surface water and groundwater), required for the project.
- 39. Appropriate mitigative measures shall be taken to prevent pollution of the river in consultation with the State Pollution Control Board. It shall be ensured that there is no leakage of oil and grease in the river from the vehicles used for transportation.
- 40. Vehicular emissions shall be kept under control and regularly monitored. The vehicles carrying the mineral shall not be overloaded.
- 41. Provision shall be made for the housing of construction labour within the site with all necessary infrastructure and facilities such as fuel for cooking, mobile toilets, mobile STP, safe drinking water, medical health care, crèche etc. (MoEF circular Dated: 22-09-2008 regarding stipulation of condition to improve the living conditions of construction labour at site).
- 42. Personnel working in dusty areas should wear protective respiratory devices and they should also be provided with adequate training and information on safety and health aspects. Occupational health surveillance program of the workers should be undertaken periodically to observe any contractions due to exposure to dust and take corrective measures, if needed.
- 43. A copy of the clearance letter shall be sent by the proponent to concerned Panchayat, Zila Parishad/ Municipal Corporation, Urban Local Body and the Local NGO, if any, from whom suggestions/ representations, if any, were received while processing the proposal. The clearance letter shall also be put on the website of the Company by the proponent.
- 44. The environmental statement for each financial year ending 31st March in Form-V as is mandated to be submitted by the project proponent to the concerned State Pollution Control Board as prescribed under the Environment (Protection) Rules, 1986, as amended subsequently, shall also be put on the website of the company along with the status of compliance of environmental clearance conditions and shall also be sent to the Regional Office of the Ministry of Environment and Forests, Lucknow by e-mail.
- 45. The green cover development/tree plantation is to be done in an area equivalent to 20% of the total leased area either on river bank or along road side (Avenue Plantation).
- 46. Debris from the river bed will be collected and stored at secured place and may be utilized for strengthen the embankment.
- 47. Safety measures to be taken for the safety of the people working at the mine lease area should be given, which would also include measure for treatment of bite of poisonous reptile/insect like snake.
- 48. Periodical and Annual medical checkup of workers as per Mines Act and they should be covered under ESI as per rule.

Annexure-3

Specific Conditions for Sand Moram Mining:

- 1. The project proponent shall ensure that if the project area falls within the eco-sensitive zone of National park/ Sanctuary prior permission of statuary committee of National board for wild life under the provision of Wildlife (Protection) Act, 1972 shall be obtained before commencement of work.
- 2. If in future this lease area becomes part of cluster of equal to or more than 25 ha. then additional conditions based on the EIA shall be imposed. The lease holder shall mandatorily follow cluster conditions otherwise it will amount to violation of E.C. conditions. If the certificate related to cluster provided by the competent authority is found false or incorrect then punitive actions as per law shall be initiated against the authority issuing the cluster certificate.
- 3. The Environmental clearance will be co-terminus with the mining lease period.
- 4. Project falling with in 10 KM area of Wild Life Sanctuary is to obtain a clearance from National Board Wild Life (NBWL) even if the eco-sensitive zone is not earmarked.
- 5. To avoid ponding effect and adverse environmental conditions for sand mining in area, progressive mining should be done as per sustainable sand mining management guidelines 2016.
- 6. Geo coordinates should be verified by Director, DGM/District Magistrate/Regional Mining Officer/NHAI and should be submitted to SEIAA/SEAC, Secretariat as earliest.
- 7. In case it has been found that the E.C. obtained by providing incorrect information, submitting that the distance between the two adjoining mines is greater than 500mt. and area is less than 25ha, but factually the distance is less than 500 mt and the mine is located in cluster of area equal or more than 25ha, the E.C issued will stand revoked.
- 8. The project proponent shall in 2 years conduct detailed replenishment study duly authenticated by a QCI-NABET accredited consultant, and the District Mines Officer which shall form the basis for midterm review of conditions of Environmental Clearance.
- 9. The mining work will be open-cast and manual/semi mechanized (subject to order of Hon'ble NGT/Hon'ble Courts (s)). Heavy machine such as excavator, scooper etc. should not be employed for mining purpose. No drilling/blasting should be involved at any stage.
- 10. It shall be ensured that there shall be no mining of any type within 03 m or 10% of the width which-ever is less, shall be left on both the banks of precise area to control and avoid erosion of river bank. The mining is confined to extraction of sand/moram from the river bank only.
- 11. The project proponent shall undertake adequate safeguard measures during extraction of river bank material and ensure that due to this activity the hydro-geological regime of the surrounding area shall not be affected.
- 12. The project proponent shall adhere to mining in conformity to plan submitted for the mine lease conditions and the Rules prescribed in this regard clearly showing the no work zone in the mine lease i.e. the distance from the bank of river to be left un-worked (Non mining area), distance from the bridges etc. It shall be ensured that no mining shall be carried out during the monsoon season.
- 13. The project proponent shall ensure that wherever deployment of labour attracts the Mines Act, the provision thereof shall be strictly followed.
- 14. The project proponent will provide personal protective equipment (PPE) as required, also provid adequate training and information on safety and health aspects. Periodical medical examination of the workers engaged in the project shall be carried out and records maintained. For the purpose, schedule of health examination of the workers should be drawn and followed accordingly.
- 15. The critical parameters such as PM10, PM2.5, SO2 and NOx in the ambient air within the impact zone shall be monitored periodically. Further, quality of discharged water if any shall also be monitored [(TDS, DO, pH, Fecal Coliform and Total Suspended Solids (TSS)].
- 16. Effective safeguard measures, such as regular water sprinkling shall be carried out in critical areas prone to air pollution and having high levels of particulate matter such as loading and unloading point and all transfer points. Extensive water sprinkling shall be carried out on haul roads.
- 17. It should be ensured that the Ambient Air Quality parameters conform to the norms prescribed by the Central Pollution Control Board in this regard.
- 18. The extended mining scheme will be submitted by the proponent before expiry of present mining plan.

- 19. Four ambient air quality-monitoring stations should be established in the core zone as well as in the buffer zone for monitoring PM10, PM2.5, SO2 and NOx. Location of the stations should be decided based on the meteorological data, topographical features and environmentally and ecologically sensitive targets and frequency of monitoring should be undertaken in consultation with the State Pollution Control Board.
- 20. Common road for transportation of mineral is to be maintained collectively. Total cost will be shared/worked out on the basis of lease area among users.
- 21. Proponent will provide adequate sanitary facility in the form of mobile toilets to the labours engaged for the project work.
- 22. Solid waste material viz., gutkha pouchs, plastic bags, glasses etc. to be generated during project activity will be separately storage in bins and managed as per Solid Waste Management rules.
- 23. Green area/belt to be developed along haulage road in consultation of Gram Sabha/Panchyat.
- 24. Natural/customary paths used by villagers should not be obstructed at any time by the activities proposed under the project.
- 25. Digital processing of the entire lease area in the district using remote sensing technique should be done regularly once in three years for monitoring the change of river course by Directorate of Geology and Mining, Govt. of Uttar Pradesh. The record of such study to be maintained and report be submitted to Regional office of MoEF, SEIAA, U.P. and UPPCB.
- 26. A copy of clearance letter will be marked to concerned Panchayat / local NGO, if any, from whom suggestion / representation has been received while processing the proposal. The clearance letter shall also be put on the website of the company.
- 27. State Pollution Control Board shall display a copy of the clearance letter at the Regional office, District Industry Centre and Collector's office/Tehsildar's Office for 30 days.
- 28. The project authorities shall advertise at least in two local newspapers widely circulated, one of which shall be in the vernacular language of the locality concerned, within 7 days of the issue of the clearance letter informing that the project has been accorded environmental clearance and a copy of the clearance letter is available with the State Pollution Control Board and also at web site of the SEIAA at http://www.seiaaup.in and a copy of the same shall be forwarded to the Regional Office of the Ministry located in Lucknow, CPCB, State PCB.
- 29. The MoEF/SEIAA or any other competent authority may alter/modify the above conditions or stipulate any further condition in the interest of environment protection.
- 30. Concealing factual data or submission of false/fabricated data and failure to comply with any of the conditions mentioned above may result in withdrawal of this clearance and attract action under the provisions of Environment (Protection) Act, 1986.
- 31. Any appeal against this environmental clearance shall lie with the National Green Tribunal, if preferred, within a period of 30 days as prescribed under Section 11 of the National Environment Appellate Authority Act, 1997.
- 32. Waste water from potable use be collected and reused for sprinkling.
- 33. During the school opening and closing time vehicle movement will be restricted.
- 34. A width of not less than 50 meter or 10% width of river can be restricted for mining activities from river bank. A condition can be imposed that mining will be done from river activities from river bank.