



State Level Environment Impact Assessment Authority-Karnataka

(Constituted by MoEF, Government of India, under section 3(3) of E(P) Act, 1986)

**Proceedings of the 215th SEIAA Meeting held on 12th April 2022 at 11 :00. AM
at Room No. 709, 7th Floor, Gate IV, M.S Building, Bangalore-560001.**

Members present: -

1. Dr. K. R. Sree Harsha - Chairman, SEIAA
2. Shri. K. N. Shivalinge Gowda - Member, SEIAA
3. Shri. Vijay Mohan Raj V, IFS - Member Secretary, SEIAA

The Chairman welcomed the members and initiated the discussion. The subjects discussed and the decisions made on each of the agenda points are as follows:

215.1. Fresh Projects (Recommended for EC):

Construction Projects:


- 215.1.1. Residential apartment project at Kyalasanahalli Village, Bangalore East Taluk, Bangalore by M/s. ROHAN BUILDERS -Online Proposal No. SIA/KA/NCP/32846/2019 (SEIAA 43 CON 2019) : Expansion**

M/s. Rohan Builders, have proposed for construction of "ROHAN UPAVAN" - Residential Apartment Project on a plot area of 53,443.31 sqm. The total built up area is 1,79,702.06 sqm. The proposed project consists of 970 units in 2 buildings. Building 1 & 2 each consisting of 2B + G + 19UF. Total water consumption is 666 KLD (Fresh water + Recycled water). The total wastewater generated is 600 KLD. The project proponent has proposed to construct Sewage Treatment plant with capacity of 650 KLD. The project cost is Rs. 61 Crores.


Details of the project are as follows:

Sl. No	PARTICULARS	INFORMATION
1	Name & Address of the Project Proponent	Name: M/s. Rohan Builders, Address: #1147, 3 rd Floor, K P Icon Building, 12 th Main Road, HAL 2 nd Stage, Indiranagar, Bangalore - 560 038
2	Name & Location of the Project	"ROHAN UPAVAN" - Residential Apartment Project at Survey Nos. 48/1, 48/3, 48/4A, 48/4B, 48/5, 48/6 and 49/2, Kyalasanahalli Village, K R Puram Hobli, Bangalore East, Bangalore.
3	Type of Development	Residential Apartment Building.


	a.	Residential Apartment / Villas / Row Houses / Vertical Development / Office / IT/ ITES/ Mall/ Hotel/ Hospital /other	Category 8(b), Townships and Area Development projects as per the EIA notification 2006
	b.	Residential Township/ Area Development Projects	Not applicable
4		New/ Expansion/ Modification/ Renewal	Expansion
5		Water Bodies/ Nalas in the vicinity of project site	Secondary nalas passing in three locations in the project area.
6		Plot Area (Sqm)	53,443.31 sqm
7		Built Up area (Sqm)	1,79,702.06 sqm
8		FAR	
		<ul style="list-style-type: none"> • Permissible • Proposed 	2.25 2.249
9		Building Configuration [Number of Blocks / Towers / Wings etc., with Numbers of Basements and Upper Floors]	Building 1 & 2 each consisting of 2B + G + 19UF
10		Number of units / plots in case of Construction / Residential Township / Area Development Projects	970 units
11		Height Clearance	NoC from Airports Authority of India is obtained dated 07/09/2016, mentioned with reference to CCZM.
12		Project Cost (Rs. In Crores)	Rs. 61 Crores towards expansion and modification
13		Disposal of Demolition wastes and or Excavated earth	Total earth excavated from the building 1 of project is - 41,000 cum <ul style="list-style-type: none"> • Landscape development = 16,000 cum • About 2,000 cum of soil to be used for terrace landscaping, filling pots for sapling plantation etc., • Backfilling = 13,000 cum • Paved area = 10,000 cum
14		Details of Land Use (Sqm)	
	a.	Ground Coverage Area	16,270.61 sq m
	b.	Kharab Land	Foot path kharab - 14 Guntas



c.	Total Green belt on Mother Earth for projects under 8(a) of the Schedule of the EIA notification, 2006	20,782.84 sq m						
d.	Internal Roads	11,980.35 sq m						
e.	Paved area							
f.	Others Specify							
g.	Parks and Open space in case of Residential Township/ Area Development Projects	Not applicable						
h.	Total	53,443.31 sq m						
15	WATER							
I.	Construction Phase							
a.	Source of water	Tertiary treated water						
b.	Quantity of water for Construction in KLD	20 KLD						
c.	Quantity of water for Domestic Purpose in KLD	50 KLD						
d.	Waste water generation in KLD	45 KLD						
e.	Treatment facility proposed and scheme of disposal of treated water	Package Sewage Treatment Plant of 50 KLD Capacity.						
II.	Operational Phase							
a.	Total Requirement of Water in KLD	<table border="1"> <tr> <td>Fresh</td> <td>448 KLD</td> </tr> <tr> <td>Recycled</td> <td>218 KLD</td> </tr> <tr> <td>Total</td> <td>666 KLD</td> </tr> </table>	Fresh	448 KLD	Recycled	218 KLD	Total	666 KLD
Fresh	448 KLD							
Recycled	218 KLD							
Total	666 KLD							
b.	Source of water	BWSSB						
c.	Waste water generation in KLD	600 KLD						
d.	STP capacity	650 KLD						
e.	Technology employed for Treatment	Sequencing Batch Reactor						
f.	Scheme of disposal of excess treated water if any	Toilet flushing, landscape development and watering avenue plantations/ car and road washing						
16	Infrastructure for Rain water harvesting							
a.	Capacity of sump tank to store Roof run off	345 cum						
b.	No's of Ground water recharge pits	11 recharge pits						
17	Storm water management plan	Surface runoff to be collected in three ponds of total capacity 1325Cum and excess to be diverted to recharge pits						



		within the site area.
18	WASTE MANAGEMENT	
	I. Construction Phase	
a.	Quantity of Solid waste generation and mode of Disposal as per norms	125 kg/day, The domestic wastes to be segregated at source collected, stored and disposed through piggery.
	II. Operational Phase	
a.	Quantity of Biodegradable waste generation and mode of Disposal as per norms	1746 kg/day, Organic solid waste to be treated in proposed Bio gas plant and product to be used as manure for landscape development
b.	Quantity of Non-Biodegradable waste generation and mode of Disposal as per norms	1164 kg/day inorganic solid waste to be handed over to recyclers
c.	Quantity of Hazardous Waste generation and mode of Disposal as per norms	Used oil -1500 L/annum (Collected in leak proof containers and disposed to KSPCB registered authorized re-processors/incinerators)
d.	Quantity of E waste generation and mode of Disposal as per norms	e-Waste to be segregated, collected and stored at a designated place and will be handed over to authorized recyclers
19	POWER	
a.	Total Power Requirement - Operational Phase	5,145 kW from BESCO
b.	Numbers of DG set and capacity in KVA for Standby Power Supply	5 X 380 kVA capacity DG sets
c.	Details of Fuel used for DG Set	Low Sulphur content Diesel
d.	Energy conservation plan and Percentage of savings including plan for utilization of solar energy as per ECBC 2007	Total savings of 25.4%
20	PARKING	
a.	Parking Requirement as per norms	1086 ECS
b.	Level of Service (LOS) of the connecting Roads as per the Traffic Study Report	LOS : A and B
c.	Internal Road width (RoW)	8 mtr
21	CER Activities	
		Remaining works as per earlier EC



		conditions to be carried out.
22	EMP <ul style="list-style-type: none"> • Construction phase • Operation Phase 	<ul style="list-style-type: none"> • Construction phase capital cost : Rs. 2,17,80,000/- • Operation phase capital cost : Rs.1,04,50,000 /-


The subject was discussed in the SEAC meeting held on 15th, 16th & 17th March 2022. The Committee has recommended to SELAA for issue of EC and the extract of the proceedings of the Committee meeting is as below:

The proposal is for expansion of residential development project for which EC was issued earlier on 26/04/2017 for BUA of 1,48,342.81Sqm in a plot area of 53,494.64Sqmand now proposed for BUA of 1,79,702.06Sqm in plot area of 53,443.31Sqm. The proponent has submitted Certified Compliance Report from MOEF&CC dated 13/09/2021, where the status of compliance is rated as satisfactory for the earlier EC and SEIAA on 27/08/2021 issued amendment to ToR issued on 01/07/2019.

The committee during appraisal sought clarification about the foot kharab, natural drains as per village map, FAR details, provisions for harvesting rain water in the proposed area, provisions for bio gas plant, details of trees proposed to be grown in the project location. The proponent submitted clarifications and informed the committee that foot kharab is rerouted as per Orders of DC Bangalore urban District order dated: 04/09/2015. For the natural drains, the proponent informed the committee that there are three secondary drains passing in north, south west and one in center of the project area, for which they had proposed a buffer of 25mtrs from center on either sides for the drain passing in north and in center and 25mtrs from center for drains in south western side of the project area.

Proponent informed the committee that for the proposed modification gross BUA is considered and wherein earlier EC net BUA was considered and slight increase in basement floor areas for parking and increase in upper floor BUA, which has resulted in increase in BUA and slight decrease in FAR area. For harvesting rain water, the proponent has proposed a total of 345cum storage tanks for runoff from roof top and three ponds of total capacity 1325cum capacity for runoff from landscape and paved areas in addition to 11nos of recharge pits and made provisions to install biogas plant and planned to use as bio-fuel in proposed project.

The proponent informed that there are 308 of existing trees, out of which 115 trees would be removed, the committee insisted to grow 345 trees for the once that are removed and with a total of 820 trees to be grown in the project area. The proponent also informed the committee that green building concept will be adopted for the project and to comply with ECBC guidelines and have made provision for charging electrical vehicles in proposed project.



The proponent has committed to take precautionary measures during and after construction to maintain the environmental parameters within permissible limits in the proposed project and agreed to comply with the ECBC and NBC guidelines for the proposed construction and adhere to the by-laws stipulated by the governing authority for buffers and setbacks.

The committee noted that the baseline parameters are within permissible limits and informed the proponent to comply for the observations made in Certified Compliance Report issued by MoEF&CC.

The Committee after discussion decided to recommend the proposal to SEIAA for issue of EC with a condition to leave for free access to public in foot kharab area and to take necessary permissions from concerned authorities to construct culvert/bridge on drains.

Dr. K.R. Sree Harsha, Chairman of Karnataka State Environmental Impact Assessment Authority, Karnataka has recused himself from the deliberations on this subject.

The Authority perused the proposal and took note of the recommendation of SEAC. The Authority also perused the Certified Compliance Report from MOEF&CC dated 13/09/2021, where the status of compliance is rated as satisfactory for the earlier EC.

The Authority after discussion decided to clear the proposal for issue of Environmental Clearance subject to following:

- 1. The project proponent shall furnish Notarized undertaking that he shall maintain Buffer zone as per bylaw and compliance to provisions of CDP.*
- 2. The project proponent shall leave the buffer from the lake /drain as per the RCDP 2015 as directed by Supreme Court order CIVIL APPEAL NO. 5016 OF 2016 dated 5th March 2019.*
- 3. If the distance of nearest Protected Area (National Park/ Sanctuary/Bio sphere reserve/ migratory corridor) is within 10 KM, a certificate from the Chief Wild Life Warden (CWLW) along with his recommendation, else a certificate from the proponent that the proposed site is more than 10 KM away from any Protection Authority (PA) (National Park/ Sanctuary/Bio sphere reserve/ migratory corridor) shall be submitted.*
- 4. The PP shall submit CER in Specific Physical Terms with time bound action plan/Status report of the CER activities proposed for earlier EC.*
- 5. The project proponent shall ensure that tree planting/afforestation measures proposed in the EMP shall be strictly complied and an undertaking to this effect shall be submitted.*

Additional Condition:

1. Assured water supply, commensurate with the ultimate occupancy envisaged in the project, shall be ensured before commencement of the project.
2. 25% of parking space shall have charging facility to enable charging of electric vehicles.
3. The PP shall strictly adhere to the local Planning Authority Bye-Laws.
4. The PP shall leave the kharab area for free access to public.
5. The PP shall take necessary permissions from concerned authorities to construct culvert/bridge on drains.

215.1.2 Expansion of Residential Apartment Project at Manchanahalli Village, Attibele Hobli, Anekal Taluk, Bangalore Urban District by M/s. ICONICA PROJECT. - Online Proposal No.SIA/KA/MIS/61268/2021 (SEIAA 28 CON 2021) : Expansion.


M/s. Iconica Projects., have proposed for construction of Residential Apartment Project on a plot area of 78,610.25 sqm. The total built up area is 2,44,807 sq m. The proposed project consists of 22 towers in 2 Buildings with total of 2397 residential flats. Building 1 comprise of 15 towers. Tower 7 to 14 and 1, 1A to 6 consisting of 2B+G+14UF and a clubhouse with 2B+G+2F; Building 2 comprising of 7 towers (Tower 15 to 21) with Tower 15,16,17 and 21 consisting 1B+G+14UF and Tower 18,19 and 20 consisting 1B+G+14UF. Total water consumption is 1796 KLD (Fresh water + Recycled water). The total wastewater generated is 1640 KLD. The project proponent has proposed to construct Sewage Treatment plant with capacity of 1640 KLD. The project cost is Rs. 600 Crores.

Details of the project are as follows:


Sl. No	PARTICULARS	INFORMATION
1	Name & Address of the Project Proponent	<u>Name:</u> M/s. Iconica Projects., <u>Address:</u> 5 AC-510, HRBR Layout, 2 nd Block, Kalyan Nagar, Outer Ring Road, Bengaluru - 560 043.
2	Name & Location of the Project	Survey No. 5/1, 5/2, 7/2, 7/3, 10/2, 44/2, 44/5, 45/2C, 46 and 47, Manchanahalli Village, Attibele Hobli, Anekal Taluk, Bangalore.
3	Type of Development	Residential Apartment Building.

		Category 8(b), Townships and Area Development projects as per the EIA notification 2006
a.	Residential Apartment / Villas / Row Houses / Vertical Development / Office / IT/ ITES/ Mall/ Hotel/ Hospital / other	
b.	Residential Township/ Area Development Projects	Not applicable
4	New/ Expansion/ Modification/ Renewal	Expansion
5	Water Bodies/ Nalas in the vicinity of project site	<ul style="list-style-type: none"> • Manchanahalli Lake is located adjacent to the site (North East direction) • Arehalli Lake is at about 1.1 Km (South East Direction) • Krishnasagara lake is at about 1.3 Km (North direction) from the project site.
6	Plot Area (Sqm)	78,610.25 sqm
7	Built Up area (Sqm)	2,44,807 sq m
8	FAR <ul style="list-style-type: none"> • Permissible • Proposed 	2.25 2.24
9	Building Configuration [Number of Blocks / Towers / Wings etc., with Numbers of Basements and Upper Floors]	<p>Building 1 comprise of 15 towers. Tower 7 to 14 and 1, 1A to 6 consisting of 2B+G+14UF and a clubhouse with 2B+G+2F;</p> <p>Building 2 comprising of 7 towers (Tower 15 to 21) with Tower 15,16,17 and 21 consisting 1B+G+14UF and Tower 18,19 and 20 consisting 1B+G+14UF.</p>
10	Number of units / plots in case of Construction / Residential Township / Area Development Projects	22 towers in 2 Buildings with total of 2397 residential flats
11	Height Clearance	NoC from Airports Authority of India is obtained for the project dated:03/12/2021
12	Project Cost (Rs. In Crores)	Rs 600Cr
13	Disposal of Demolition wastes and or Excavated earth	Excavated soil for basement (49,000 cum) to be completely reused with in the project for landscape development (25,000 cum), paved area formation (9,000 cum) and

		backfilling activities (15,000 cum).	
14	Details of Land Use (Sqm)		
a.	Ground Coverage Area	12,000 sqm	
b.	Kharab Land	Foot path kharab :3 guntas Lake kharab : 8 guntas	
c.	Total Green belt on Mother Earth for projects under 8(a) of the Schedule of the EIA notification, 2006	24,105.26 sq m	
d.	Internal Roads	33,003.01 sq m	
e.	Paved area		
f.	Others Specify	Civic amenities: 3,938.00 sq m Area left for road widening: 3,888.69 Sqm+1675.29 Sqm	
g.	Parks and Open space in case of Residential Township/ Area Development Projects	Included in landscape area	
h.	Total	78,610.25 sq m	
15	WATER		
I.	Construction Phase		
a.	Source of water	Tertiary treated water	
b.	Quantity of water for Construction in KLD	50 KLD	
c.	Quantity of water for Domestic Purpose in KLD	45 KLD	
d.	Waste water generation in KLD	50 KLD	
e.	Treatment facility proposed and scheme of disposal of treated water	Package Sewage Treatment Plant of 50 KLD Capacity.	
II.	Operational Phase		
a.	Total Requirement of Water in KLD	Fresh	1190 KLD
		Recycled	606 KLD
		Total	1796 KLD
b.	Source of water	from Gram Panchayath	
c.	Waste water generation in KLD	1640 KLD	
d.	STP capacity	1,640 KLD	
e.	Technology employed for Treatment	BioHybrid type	
f.	Scheme of disposal of excess treated water if any	Treated water to be used for toilet flushing, landscaping, car washing, road washing, watering avenue plantation / used for other construction projects.	



16	Infrastructure for Rain water harvesting	
	a.	Capacity of sump tank to store Roof run off
	b.	No's of Ground water recharge pits
17	Storm water management plan	
	Surface runoff to be diverted to pond of capacity 100cum and excess to be used to recharge ground water through 29 recharge pits.	
18	WASTE MANAGEMENT	
	I. Construction Phase	
	a.	Quantity of Solid waste generation and mode of Disposal as per norms
	125 kg/day, domestic wastes to be segregated at source collected vermi composted.	
	II. Operational Phase	
	a.	Quantity of Biodegradable waste generation and mode of Disposal as per norms
	3823 kg/day, Organic solid waste to be treated in proposed OWC and product will be used as manure for landscape development	
	b.	Quantity of Non- Biodegradable waste generation and mode of Disposal as per norms
	2549 kg/day, inorganic solid waste to be handed over to recyclers	
	c.	Quantity of Hazardous Waste generation and mode of Disposal as per norms
	Used oil 500 L/annum, (Collected in leak proof containers and disposed to KSPCB registered authorized re-processors/incinerators)	
	d.	Quantity of E waste generation and mode of Disposal as per norms
	Waste to be segregated, collected and stored at a designated place and to be handed over to authorized recyclers.	
19	POWER	
	a.	Total Power Requirement - Operational Phase
	7,100 kVA from BESCO	
	b.	Numbers of DG set and capacity in KVA for Standby Power Supply
	1 X 625 kVA, 2 X 380 kVA and 2 X 320 kVA	
	c.	Details of Fuel used for DG Set
	Low Sulphur content Diesel	
	d.	Energy conservation plan and Percentage of savings including plan for utilization of solar energy as per ECBC 2007
	Total savings of 23.44%	
20	PARKING	
	a.	Parking Requirement as per
	2511 ECS	



	norms	
b.	Level of Service (LOS) of the connecting Roads as per the Traffic Study Report	LOS: A and B
c.	Internal Road width (RoW)	8 m
21	CER Activities	Development of Manchanahalli lake and to provide lights in nearby villages.
22	EMP <ul style="list-style-type: none"> • Construction phase • Operation Phase 	<ul style="list-style-type: none"> • Construction phase capital cost : Rs. 1,86,90,000/- • Operation phase capital cost : Rs.58,30,000/-

The subject was discussed in the SEAC meeting held on 15th, 16th & 17th March 2022. The Committee has recommended to SEIAA for issue of EC and the extract of the proceedings of the Committee meeting is as below:

The proposal is for modification and expansion of residential development project for which EC was issued earlier on 26/04/2017 for BUA of 1,32,115.63Sqm in a plot area of 73,348.25Sqmand corrigendum was obtained in 03/08/2018 and 28/01/2019. Now proposed for BUA of 2,44,807Sqm in plot area of 78,610.25Sqm. The proponent has submitted Certified Compliance Report from MOEF&CC dated 11/02/2022, where the status of compliance is rated as satisfactory for the earlier EC and SEIAA on 24/08/2021 issued ToRs.

The committee during appraisal sought clarification about the foot kharab, natural drains, water bodies as per village map, provisions for harvesting rain water in the proposed area, provisions for bio gas plant, details of trees proposed to be grown in the project location. The proponent submitted clarifications and informed the committee that foot kharab in North East will be left open for free access to public and no construction activities are proposed. Natural drains in north is out of the project area and for the water body in north east, a buffer of 30mtrs is proposed from the edge of water body.

For harvesting rain water, the proponent has proposed a total of 359cum storage tanks for runoff from roof top and a pond of capacity 100cum capacity for runoff from landscape and paved areas in addition to 29nos of recharge pits and the proponent agreed to make provisions to install biogas plant in proposed project.

The proponent submitted revised tree list and proposed to grow 990 trees in the project area. The proponent also informed the committee that green building concept will be adopted for the project and to comply with ECBC guidelines and have made provision for charging electrical vehicles in proposed project.

Handwritten signature and date: 11/4/22

The proponent has committed to take precautionary measures during and after construction to maintain the environmental parameters within permissible limits in the proposed project and agreed to comply with the ECBC and NBC guidelines for the proposed construction and adhere to the by-laws stipulated by the governing authority for buffers and setbacks.

The committee noted that the baseline parameters are within permissible limits and informed the proponent to comply with the observations made in Certified Compliance Report issued by MoEF&CC and also to harvest maximum rainwater in the proposed project area.

The Committee after discussion decided to recommend the proposal to SEIAA for issue of EC with a condition to leave for free access to public in foot kharab area.


The Authority perused the proposal and took note of the recommendation of SEAC.

The Authority after discussion decided to clear the proposal for issue of Environmental Clearance subject to following:

1. *The project proponent shall furnish Notarized undertaking that he shall maintain Buffer zone as per bylaw and compliance to provisions of CDP.*
2. *The project proponent shall leave the buffer from the lake /drain as per the RCDP 2015 as directed by Supreme Court order CIVIL APPEAL NO. 5016 OF 2016 dated 5th March 2019.*
3. *If the distance of nearest Protected Area (National Park/ Sanctuary/Bio sphere reserve/ migratory corridor) is within 10 KM, a certificate from the Chief Wild Life Warden (CWLW) along with his recommendation, else a certificate from the proponent that the proposed site is more than 10 KM away from any Protection Authority (PA) (National Park/ Sanctuary/Bio sphere reserve/ migratory corridor) shall be submitted.*
4. *The PP shall submit CER in Specific Physical Terms with time bound action plan.*
5. *The project proponent shall ensure that tree planting/afforestation measures proposed in the EMP shall be strictly complied and an undertaking to this effect shall be submitted.*

Additional Condition:

1. *Assured water supply, commensurate with the ultimate occupancy envisaged in the project, shall be ensured before commencement of the project.*





2. 25% of parking space shall have charging facility to enable charging of electric vehicles.
3. The PP shall strictly adhere to the local Planning Authority Bye-Laws.
4. The PP shall leave the kharab area for free access to public.

215.1.3. Development of Residential Apartment Project at Kada Agrahara Village, Sarjapura Hobli, Anekal Taluk, Bengaluru Urban District by M/s. Bhavisha Properties - Online Proposal No.SIA/KA/MIS/253722/2022 (SEIAA 22 CON 2022)

M/s. Bhavisha Properties have proposed for construction of Residential Apartment Building" Project on a plot area of 13,455.74 Sqm. The total built up area is 42,846.90 Sqm. The proposed project consists of 225 units BF+GF+12UF. Total water consumption is 172 KLD (Fresh water + Recycled water). The total wastewater generated is 155 KLD. The project proponent has proposed to construct Sewage Treatment plant with capacity of 175 KLD. The project cost is Rs. 70 Crores.


Details of the project are as follows:

Sl. No	PARTICULARS	INFORMATION
1.	Name & Address of the Project Proponent	Mr. S. Prasad Naidu, Proprietor M/s. Bhavisha Properties No. 001, 3rd Floor, Sy. No. 54, 55/1, Sarjapura Main Road, Yamare Village, Bengaluru-562125.
2.	Name & Location of the Project	"Development of Residential Apartment Building" Sy. Nos. 13/5, 13/6, 13/7, 13/8, 13/9, 16/4, 16/5, 16/6, 16/7, 16/8, 16/9 & 16/10, Kada Agrahara Village, Sarjapura Hobli, Anekal Taluk, Bengaluru - 562 125.
3.	Type of Development	
a.	Residential Apartment / Villas / Row Houses / Vertical Development / Office / IT/ ITES/ Mall/ Hotel/ Hospital /other	Residential Apartment Building. Category 8(a), Building & Construction project as per the EIA notification 2006
b.	Residential Township/ Area Development Projects	NA

4.	New/ Expansion/ Modification/ Renewal	New
5.	Water Bodies/ Nalas in the vicinity of project site	Kada Agrahara lake is on the western side of the site
6.	Plot Area (Sqm)	13,455.74 Sqm
7.	Built Up area (Sqm)	42,846.90 Sqm
8.	FAR <ul style="list-style-type: none"> • Permissible • Proposed 	2.25 2.249
9.	Building Configuration [Number of Blocks / Towers / Wings etc., with Numbers of Basements and Upper Floors]	BF+GF+12UF
10.	Number of units/plots in case of Construction/ Residential Township/ Area Development Projects	255 units
11.	Height Clearance	As per CCZM map, the permissible height is 145 mtr and the height achieved for our proposed building is 39.95 mtr.
12.	Project Cost (Rs. In Crores)	Rs. 70 Crores
13.	Disposal of Demolition waster and or Excavated earth	Total Excavated earth quantity : 15,000 m ³ For Backfilling : 5,683 m ³ For Landscaping : 4,425 m ³ For internal driveway & hardscape : 4,892 m ³
14.	Details of Land Use (Sqm)	
a.	Ground Coverage Area	2,816.19 Sqm
b.	Kharab Land	-
c.	Total Green belt on Mother Earth for projects under 8(a) of the schedule of the EIA notification, 2006	3,687.72 Sqm
d.	Internal Roads	4,891.85 Sqm (Internal driveway & services area)
e.	Paved area	1,384.73 Road Relinquishment Area -
f.	Others Specify	CA Area - 675.25 Sqm
g.	Parks and Open space in case of Residential Township/ Area Development Projects	-
h.	Total	13,455.74 Sqm

15.	WATER	
	I. Construction Phase	
a.	Source of water	The domestic water requirement to be met from external water suppliers and water requirement for construction purpose to be met by STP tertiary treated water.
b.	Quantity of water for Construction in KLD	24 KLD
c.	Quantity of water for Domestic Purpose in KLD	4.5 KLD
d.	Waste water generation in KLD	4.0 KLD
e.	Treatment facility proposed and scheme of disposal of treated water	Domestic sewage generated during construction phase will be lifted to BWSSB sewage treatment plant through external agencies for further treatment.
	II. Operational Phase	
a.	Total Requirement of Water in KLD	Fresh 115 KLD
		Recycled 57 KLD
		Total 172 KLD
b.	Source of water	Yamare Gam Panchayath
c.	Wastewater generation in KLD	155 KLD
d.	STP capacity	175 KLD
e.	Technology employed for Treatment	Sequential Batch Reactor Technology
f.	Scheme of disposal of excess treated water if any	Excess 64 KLD to be used for avenue plantation/construction works.
16.	Infrastructure for Rain water harvesting	
a.	Capacity of sump tank to store Roof run off	240cum
b.	No's of Ground water recharge pits	09 Nos.
17.	Storm water management plan	Storm water collection sump of 120 cum capacity to be provided and to be used for domestic purpose. Internal garland drains to be provided within the site in order to carry out the storm water into the recharge pits and to be managed within the site.
18.	WASTE MANAGEMENT	
	I. Construction Phase	
a.	Quantity of Solid waste generation and mode of Disposal	The domestic solid wastes is minimal as there is no provision of labor colony; the



	as per norms	generated domestic solid waste to be handed over to outside vendors. Construction debris : 43 cum This to be reused within the site for road and pavement formation			
II.	Operational Phase				
a.	Quantity of Biodegradable waste generation and mode of Disposal as per norms	255 kg/ day, to be segregated at household levels and to be processed in proposed organic waste converter.			
b.	Quantity of Non- Biodegradable waste generation and mode of Disposal as per norms	383 kg/ day, Recyclable wastes to be handed over to authorized waste recyclers			
c.	Quantity of Hazardous Waste generation and mode of Disposal as per norms	Waste Oil Generation: 0.3159 L/ running hour of DG Hazardous wastes like waste oil from DG sets, used batteries etc. to be handed over to the authorized hazardous waste recyclers.			
d.	Quantity of E waste generation and mode of Disposal as per norms	E-Wastes to be collected separately & it to be handed over to authorized E-waste recyclers for further processing.			
19.	POWER				
a.	Total Power Requirement - Operational Phase	869 kW			
b.	Numbers of DG set and capacity in KVA for Standby Power Supply	350 kVA -1 No. 300 kVA- 1 No.			
c.	Details of Fuel used for DG Set	136.19 l/hr			
d.	Energy conservation plan and Percentage of savings including plan for utilization of solar energy as per ECBC 2007	Total savings is around 23.30 %			
20.	PARKING				
a.	Parking Requirement as per norms	281 ECS			
b.	Level of Service (LOS) of the connecting Roads as per the Traffic Study Report	Road	Towards	Existin g	Change d
		Approach road & B. Hosahalli road	Sarjapura Main road	A	A
		Sarjapura Main Road	Sarjapura ORR	C C	B B

c.	Internal Road width (RoW)	12.19 m wide road.
21.	CER Activities	Development of Kada Agrahara Lake
22.	EMP <ul style="list-style-type: none"> • Construction phase • Operation Phase 	During Construction: Capital Investment - 3.8 Lakh Construction - 18.55 Lakh During Operation: Capital investment - 147 Lakh Operation Investment - 14.55 Lakh/annum

The subject was discussed in the SEAC meeting held on 15th, 16th & 17th March 2022. The Committee has recommended to SEIAA for issue of EC and the extract of the proceedings of the Committee meeting is as below:

The proposal is for construction of residential apartment in an area which is earmarked for residential use as per zoning regulation of Anekal Planning Authority.

The committee during appraisal sought clarification for the water body and drain in western side as per village map, details of approach road and provisions for harvesting rain water in the proposed area. The proponent informed the committee that as per village map there is a water body on western side of the project and a buffer of 30mtr from the edge has been proposed and no developmental activities is proposed in the water body buffer zone and for drain in north western side, the proponent informed that the proposed building line is out of the drain buffer zone. The proponent informed that there is an existing road bifurcating the project and passing in center, further informed that construction is proposed only in the northern side and the portion of land in southern side to be used only for landscaping. For harvesting rain water, the proponent submitted revised proposal and had proposed 120cum storage tank for runoff from rooftop and an additional tank of 120 cum capacity for runoff from landscape and paved areas in addition to 9 nos recharge pits are proposed within the project area.

The proponent further informed the committee that they have made provisions to grow 169 trees in the proposed project area. The proponent committed to take precautionary measures during and after construction to maintain the environmental parameters within permissible limits in the proposed project and agreed to comply with the ECBC and NBC guidelines for the proposed construction and adhere to the by-laws stipulated by the governing authority for buffers and setbacks.

The committee noted that the baseline parameters are found to be within permissible limits and informed the proponent to leave buffers from the lake/drain as per zoning regulations and informed the proponent to harvest maximum rainwater in the



proposed project area. The committee after discussion decided to recommend the proposal to SEIAA for issue of EC.

The Authority perused the proposal and took note of the recommendation of SEAC.

The Authority after discussion decided to clear the proposal for issue of Environmental Clearance subject to following:

1. *The project proponent shall furnish Notarized undertaking that he shall maintain Buffer zone as per bylaw and compliance to provisions of CDP.*
2. *The project proponent shall leave the buffer from the lake /drain as per the RCDP 2015 as directed by Supreme Court order CIVIL APPEAL NO. 5016 OF 2016 dated 5th March 2019.*
3. *If the distance of nearest Protected Area (National Park/ Sanctuary/Bio sphere reserve/ migratory corridor) is within 10 KM, a certificate from the Chief Wild Life Warden (CWLW) along with his recommendation, else a certificate from the proponent that the proposed site is more than 10 KM away from any Protection Authority (PA) (National Park/ Sanctuary/Bio sphere reserve/ migratory corridor) shall be submitted.*
4. *The PP shall submit CER in Specific Physical Terms with time bound action plan.*
5. *The project proponent shall ensure that tree planting/afforestation measures proposed in the EMP shall be strictly complied and an undertaking to this effect shall be submitted.*

Additional Condition:

1. *Assured water supply, commensurate with the ultimate occupancy envisaged in the project, shall be ensured before commencement of the project.*
2. *25% of parking space shall have charging facility to enable charging of electric vehicles.*
3. *The PP shall strictly adhere to the local Planning Authority Bye-Laws.*

215.1.4. Residential Apartment Building Project at Kannamangala Village, Bidarahalli Hobli, Bengaluru East Taluk, Bangalore Urban District by Sri Martin - Online Proposal No. SIA/KA/MIS/257573/2022 (SEIAA 28 CON 2022)

S. Martin Represented by GPA Holder S. Vedamuthu have proposed for construction of Residential Apartment Building Project on a plot area of 16,813.66 Sqm.


The total built up area is 70,369.03 Sqm. The proposed project consists of 350 units Tower A: 2 BF + GF + 26 UP + Terrace, Tower B: 2 BF + GF + 26 UP + Terrace and Amenities Building: 2 BF + GF + 02 UP + Terrace. Total water consumption is 255.60 KLD (Fresh water + Recycled water). The total wastewater generated is 204.48 KLD. The project proponent has proposed to construct Sewage Treatment plant with capacity of 250 KLD. The project cost is Rs. 105 Crores.

Details of the project are as follows:

Sl. No	PARTICULARS	INFORMATION
1	Name & Address of the Project Proponent	Sri. S. Vedamuthu No.416, 100 feet Road, 4th Block, Koramangala, Bangalore - 560 034
2	Name & Location of the Project	Residential Apartment Building by S. Martin Represented by GPA Holder S. Vedamuthu Survey. No. 188 & 189 of Kannamangala Village, Bidarahalli Hobli, Bangalore East Taluk, Bangalore Urban District, Bangalore - 560067
3	Type of Development	
a.	Residential Apartment / Villas / Row Houses / Vertical Development / Office / IT/ ITES/ Mall/ Hotel/ Hospital / other	Residential Apartment Building. Category 8(a), Building & Construction project as per the EIA notification 2006
b.	Residential Township/ Area Development Projects	Not Applicable
4	New/ Expansion/ Modification/ Renewal	New
5	Water Bodies/ Nalas in the vicinity of project site	Sadaramangala Lake : 4.63 Km (SW) K R Puram Lake :6.37 Km (NW) Hoskote Lake: 3.71 Km (NE)
6	Plot Area (Sqm)	16,813.66 Sqm
7	Built Up area (Sqm)	70,369.03 Sqm
8	FAR • Permissible • Proposed	2.50 2.49
9	Building Configuration [Number of Blocks / Towers / Wings etc., with Numbers of Basements and	Tower A: 2 BF + GF + 26 UP + Terrace Tower B: 2 BF + GF + 26 UP + Terrace Amenities Building: 2 BF + GF + 02 UP +

	Upper Floors]	Terrace
10	Number of units/plots in case of Construction/Residential Township/ Area Development Projects	350 Units
11	Height Clearance	The highest RL of the building after construction to be 967.35 m which is less than the permissible height of 1035 m as per CCZM.
12	Project Cost (Rs. In Crores)	105.0 Cr
13	Disposal of Demolition waste and or Excavated earth	Total Quantity of Excavated Soil: 6,419.08 Cum <ul style="list-style-type: none"> • Back filling for footings: 1,925.72 Cum • For Landscaping : 1,283.82 Cum • For formation of roads : 3,209.54 Cum
14	Details of Land Use (Sqm)	
a.	Ground Coverage Area	2567.63 Sqm
b.	Kharab Land	--
c.	Total Green belt on Mother Earth for projects under 8(a) of the schedule of the EIA notification, 2006	4631.50 Sqm
d.	Internal Roads	2524.46 Sqm
e.	Paved area	
f.	Others Specify	Podium Landscape area: 3500.30 Sqm Area under Existing Road: 175.66 Sqm Road Widening Area: 206.24 Sq.m PRR Area: 3207.74 Sqm
g.	Parks and Open space in case of Residential Township/ Area Development Projects	Not Applicable
h.	Total	16813.66 Sqm
15	WATER	
I.	Construction Phase	
a.	Source of water	Tanker Water for Domestic Use at construction site. Tertiary treated water construction Activity.
b.	Quantity of water for Construction in KLD	10 KLD
c.	Quantity of water for Domestic Purpose in KLD	3.83 KLD
d.	Waste water generation in KLD	3.06 KLD
e.	Treatment facility proposed and	Mobile STP

	scheme of disposal of treated water	
II	Operational Phase	
a.	Total Requirement of Water in KLD	Fresh 217.40 KLD
		Recycled 38.20 KLD
		Total 255.60 KLD
b.	Source of water	Gram Panchayat Water Supplies
c.	Waste water generation in KLD	204.48 KLD
d.	STP capacity	250 KLD
e.	Technology employed for Treatment	SBR
f.	Scheme of disposal of excess treated water if any	Flushing :38.20 KLD Greenbelt :23.16 KLD On land for Irrigation : 143.12 KLD
16	Infrastructure for Rain water harvesting	
a.	Capacity of sump tank to store Roof run off	100Cum
	No's of Ground water recharge pits	12 Nos
17	Storm water management plan	Storm water to be harvested in a tank of capacity 50Cum and excess water to be used to recharge ground water through 12nos of recharge pits.
18	WASTE MANAGEMENT	
I.	Construction Phase	
a.	Quantity of Solid waste generation and mode of Disposal as per norms	The construction waste generated shall be used within the project site to the extent possible and residual waste shall be segregated and be disposed off safely. In addition, there will be 85 Nos of labours working at site due to which about 42.50 kgs/day of municipal solid waste generated to be collected & disposed off suitably.
II	Operational Phase	
a.	Quantity of Biodegradable waste generation and mode of Disposal as per norms	573.0 Kg/day, to be converted as compost using Organic Waste converter.
b.	Quantity of Non- Biodegradable waste generation and mode of Disposal as per norms	382.0 Kg/day, to be handed over to authorized recyclers.
c.	Quantity of Hazardous Waste generation and mode of Disposal as	200 Liters of Waste Oil from servicing of DG. to be handed over to KSPCB approved



	per norms	recycler.
d.	Quantity of E waste generation and mode of Disposal as per norms	Quantity generated to be handed over to KSPCB authorized recyclers.
19	POWER	
a.	Total Power Requirement - Operational Phase	1750 kVA will be sourced from BESCO
b.	Numbers of DG set and capacity in KVA for Standby Power Supply	2 Nos X 500 KVA
c.	Details of Fuel used for DG Set	HSD
d.	Energy conservation plan and Percentage of savings including plan for utilization of solar energy as per ECBC 2007	Total Energy Savings: 25%
20	PARKING	
a.	Parking Requirement as per norms	543 ECS
b.	Level of Service (LOS) of the connecting Roads as per the Traffic Study Report	LOS:B
c.	Internal Road width (RoW)	Internal road width 6.00 m
21	CER Activities	In three years
		1 Primary Health centres in Kannamangala (Providing Ambulance) Seegehalli Govt Hospital(Providing Ambulance), K R Puram Govt Hospital(Providing Ambulance)
		2 Green belt development in surrounding area of Kannamangala Village, Kajisonnenahalli Village, Doddabanahalli Village
		3 Drinking water / sanitation project in, Kannamangala Village - (Provision of Toilets), Kajisonnenahalli Village - (Provision of Toilets), Doddabanahalli Village - (Provision of Toilets)
		4 Education (smart class room) in Government High School - Kannamangala, Government Primary School - Seegehalli, Government Lower Primary School - Bevinamara Colony
22	EMP <ul style="list-style-type: none"> • Construction phase • Operation Phase 	EMP Budget during Construction Phase: 50 Lakhs EMP Budget during Operation Phase: • Capital Cost: 505 Lakhs

- | | |
|--|----------------------------------|
| | • Recurring Cost: 20 Lakhs/annum |
|--|----------------------------------|

The subject was discussed in the SEAC meeting held on 15th, 16th & 17th March 2022. The Committee has recommended to SEIAA for issue of EC and the extract of the proceedings of the Committee meeting is as below:

The proposal is for construction of residential apartment in an area which is earmarked for residential use as per RMP of BDA.

The committee during appraisal sought details for the area left for road widening, provisions for electric vehicles charging, CNG and provisions for harvesting rain water in the proposed area. The proponent submitted clarifications and informed the committee that a area of 3207.74Sqm is left for road widening in north and an additional area of 206.24Sqm to be left for road widening in southern side. For e-vehicles charging, the proponent informed that they have made a provision of 25% out of the total parking slots for e-vehicles charging stations and also had made provision to use CNG in the proposed project. For harvesting rain water, the proponent had proposed 100cum storage tank for runoff from rooftop and an additional tank of 50cum capacity for runoff from landscape and paved areas in addition to 12nos recharge pits are proposed within the project area.


The proponent informed that in the proposed area there are 10 existing trees, all the trees to be removed and 30 trees to be grown for the once that are removed and with a total of 240 trees to be grown in the project area. The proponent committed to take precautionary measures during and after construction to maintain the environmental parameters within permissible limits in the proposed project and agreed to comply with the ECBC and NBC guidelines for the proposed construction and adhere to the by-laws stipulated by the governing authority for buffers and setbacks.

The committee noted that the baseline parameters are found to be within permissible limits and informed the proponent to leave buffers from the lake/drain as per zoning regulations and informed the proponent to harvest maximum rainwater in the proposed project area. The committee after discussion decided to recommend the proposal to SEIAA for issue of EC.

The Authority perused the proposal and took note of the recommendation of SEAC.

The Authority after discussion decided to clear the proposal for issue of Environmental Clearance subject to following:

1. *If the distance of nearest Protected Area (National Park/ Sanctuary/Bio sphere reserve/ migratory corridor) is within 10 KM, a certificate from the Chief Wild Life Warden*



(CWLW) along with his recommendation, else a certificate from the proponent that the proposed site is more than 10 KM away from any Protection Authority (PA) (National Park/ Sanctuary/Bio sphere reserve/ migratory corridor) shall be submitted.

2. The PP shall submit CER in Specific Physical Terms with time bound action plan.
3. The project proponent shall ensure that tree planting/afforestation measures proposed in the EMP shall be strictly complied and an undertaking to this effect shall be submitted.

Additional Condition:

1. Assured water supply, commensurate with the ultimate occupancy envisaged in the project, shall be ensured before commencement of the project.
2. 25% of parking space shall have charging facility to enable charging of electric vehicles.
3. The PP shall strictly adhere to the local Planning Authority Bye-Laws.


215.1.5. Warehouse and Logistics facility Project at Bheemakkanahalli Village, Hoskote Taluk, Bangalore Rural by M/s. Sri D K Mohan - Online Proposal No. SIA/KA/MIS/251570/2022 District (SEIAA 12 CON 2022)

Mr. D K Mohan have proposed for construction of Ware House & Logistics Project on a plot area of 48,460.43 Sqm. The total built up area is 22,510.66 Sqm. The proposed project consists of 1 Block of Ware house with Ground Floor. Total water consumption is 30 KLD (Fresh water + Recycled water). The total wastewater generated is 28.50 KLD. The project proponent has proposed to construct Sewage Treatment plant with capacity of 50 KLD. The project cost is Rs. 23.58 Crores.

Details of the project are as follows:


Sl. No	PARTICULARS	INFORMATION
1	Name & Address of the Project Proponent	Mr. D K Mohan No.264, Bajaj Layout, Devasandra, K R Puram, Bangalore.
2	Name & Location of the Project	Ware House & Logistics Project Sy. No 96/1, 96/2, 102/2C2 & 104 of Bheemakkanahalli Village, Sulibele Hobli, Hoskote Taluk, Bangalore Rural District - 562114

3	Type of Development	
a.	Residential Apartment / Villas / Row Houses / Vertical Development / Office / IT/ ITES/ Mall/ Hotel/ Hospital /other	Warehouse and Logistics. Residential Apartment Building. Category 8(a), Building & Construction project as per the EIA notification 2006
b.	Residential Township/ Area Development Projects	Not Applicable
4	New/ Expansion/ Modification/ Renewal	New
5	Water Bodies/ Nalas in the vicinity of project site	Narsapura Lake at 16.33 Km (E)
6	Plot Area (Sqm)	48,460.43 Sqm
7	Built Up area (Sqm)	22,510.66 Sqm
8	FAR <ul style="list-style-type: none"> • Permissible • Proposed 	2.50 0.49
9	Building Configuration [Number of Blocks / Towers / Wings etc., with Numbers of Basements and Upper Floors]	Ware house : Ground Floor
10	Number of units/plots in case of Construction/ Residential Township/ Area Development Projects	1 Block
11	Height Clearance	Not Applicable
12	Project Cost (Rs. In Crores)	23.58 Cr
13	Disposal of Demolition waste and or Excavated earth	Total Quantity of Excavated Soil: 945 Cum <ul style="list-style-type: none"> • Back filling for footings: 283.50 Cum • For Landscaping : 189.00 Cum • For formation of roads : 472.50 Cum
14	Details of Land Use (Sqm)	
a.	Ground Coverage Area	22510.66 Sqm
b.	Kharab Land	--
c.	Total Green belt on Mother Earth for projects under 8(a) of the schedule of the EIA notification, 2006	4848.73 Sqm
d.	Internal Roads	12,944.89 Sqm
e.	Paved area	
f.	Others Specify	Road Widening Area: 2911.86 Sqm



		18.0m Proposed Road: 5244.29						
g.	Parks and Open space in case of Residential Township/ Area Development Projects	Not Applicable						
h.	Total	48,460.43 Sqm						
15	WATER							
I.	Construction Phase							
a.	Source of water	Tanker Water for Domestic Use at construction site. Tertiary treated water construction Activity.						
b.	Quantity of water for Construction in KLD	04 KLD						
c.	Quantity of water for Domestic Purpose in KLD	1.80 KLD						
d.	Waste water generation in KLD	1.44 KLD						
e.	Treatment facility proposed and scheme of disposal of treated water	Mobile STP						
II.	Operational Phase							
a.	Total Requirement of Water in KLD	<table border="1"> <tr> <td>Fresh</td> <td>15.00 KLD</td> </tr> <tr> <td>Recycled</td> <td>15.00 KLD</td> </tr> <tr> <td>Total</td> <td>30.00 KLD</td> </tr> </table>	Fresh	15.00 KLD	Recycled	15.00 KLD	Total	30.00 KLD
Fresh	15.00 KLD							
Recycled	15.00 KLD							
Total	30.00 KLD							
b.	Source of water	Gram Panchayat Supplies						
c.	Waste water generation in KLD	28.50 KLD						
d.	STP capacity	50 KLD						
e.	Technology employed for Treatment	SBR						
f.	Scheme of disposal of excess treated water if any	Flushing : 15.00 KLD Greenbelt : 15.00 KLD						
16	Infrastructure for Rain water harvesting							
a.	Capacity of sump tank to store Roof run off	4 Nos of 150 KLD						
b.	No's of Ground water recharge pits	20 Nos						
17	Storm water management plan	Storm water to be stored in a pond of 400cum capacity and excess storm water to be harvested in recharge pits of 20nos.						
18	WASTE MANAGEMENT							
I.	Construction Phase							
a.	Quantity of Solid waste generation and mode of Disposal as per norms	The construction waste generated shall be used within the project site to the extent possible and residual waste shall be segregated and be disposed off safely.						

		In addition, there to be 40 Nos of labours working at site due to which about 20 kgs/day municipal solid waste generated to be collected & disposed off suitably.
II.	Operational Phase	
a.	Quantity of Biodegradable waste generation and mode of Disposal as per norms	180.0 Kg/ day, to be converted as compost using Organic Waste converter.
b.	Quantity of Non- Biodegradable waste generation and mode of Disposal as per norms	1070.00 Kg/ day, to be handed over to authorized recyclers.
c.	Quantity of Hazardous Waste generation and mode of Disposal as per norms	200 Liters of Waste Oil from servicing of DG. to be handed over to KSPCB approved recycler.
d.	Quantity of E waste generation and mode of Disposal as per norms	Not Applicable
19	POWER	
a.	Total Power Requirement - Operational Phase	500 kVA will be sourced from BESCO
b.	Numbers of DG set and capacity in KVA for Standby Power Supply	2 Nos X 250 KVA
c.	Details of Fuel used for DG Set	HSD
d.	Energy conservation plan and Percentage of savings including plan for utilization of solar energy as per ECBC 2007	Total Energy Savings: 35%
20	PARKING	
a.	Parking Requirement as per norms	No of Cars parking space provided: 235 No of Trucks parking space provided: 23
b.	Level of Service (LOS) of the connecting Roads as per the Traffic Study Report	Existing: B Modified: B
c.	Internal Road width (RoW)	Internal road width 9.0 m
21	CER Activities	For three years.
1		Green belt development in surrounding area of Bheemakkanahalli Village
2		Drinking water / sanitation project in Bheemakkanahalli Village (Provision of Toilets)
3		Education (smart class room) in Government Primary School - Bheemakkanahalli



22	EMP <ul style="list-style-type: none"> • Construction phase • Operation Phase 	EMP Budget during Construction Phase: 75 Lakhs EMP Budget during Operation Phase: <ul style="list-style-type: none"> • Capital Cost: 332.16 Lakhs • Recurring Cost: 22 Lakhs
----	---	---

The subject was discussed in the SEAC meeting held on 15th, 16th & 17th March 2022. The Committee has recommended to SEIAA for issue of EC and the extract of the proceedings of the Committee meeting is as below:

The proposal is for construction of warehouse and logistics building in an area which is earmarked for industrial use as per BIAAPA zoning regulations.

The committee during appraisal sought details for the kind of materials to be stored in the warehouse, provisions for fire fighting facility, solar energy harvesting and provisions for harvesting rain water in the proposed area. The proponent submitted undertaking that in the proposed warehouse facility no Hazardous Chemicals/materials/wastes to be stored and only to be used of storing consumer goods and for firefighting, proponent informed that all safety precautions to be as per NBC guidelines and agreed to use entire roof area for solar power generation in the proposed project and to comply with ECBC guidelines. For harvesting rain water, the proponent had proposed (4x150)cum storage tank for runoff from rooftop and a pond of 400cum capacity for runoff from landscape and paved areas in addition to 20nos recharge pits are proposed within the project area.

The proponent informed that they have made provisions to grow 605 trees in the project area and provisions to charge electrical vehicles in the proposed project area. The proponent committed to take precautionary measures during and after construction to maintain the environmental parameters within permissible limits in the proposed project and agreed to comply with the ECBC and NBC guidelines for the proposed construction and adhere to the by-laws stipulated by the governing authority for buffers and setbacks.

The committee noted that the baseline parameters are found to be within permissible limits and informed the proponent to leave buffers from the lake/drain as per zoning regulations and informed the proponent to harvest maximum rainwater in the proposed project area. The committee after discussion decided to recommend the proposal to SEIAA for issue of EC.

The Authority perused the proposal and took note of the recommendation of SEAC.

The Authority after discussion decided to clear the proposal for issue of Environmental Clearance subject to following:


1. If the distance of nearest Protected Area (National Park/ Sanctuary/Bio sphere reserve/ migratory corridor) is within 10 KM, a certificate from the Chief Wild Life Warden (CWLW) along with his recommendation, else a certificate from the proponent that the proposed site is more than 10 KM away from any Protection Authority (PA) (National Park/ Sanctuary/Bio sphere reserve/ migratory corridor) shall be submitted.
2. The PP shall submit CER in Specific Physical Terms with time bound action plan.
3. The project proponent shall ensure that tree planting/afforestation measures proposed in the EMP shall be strictly complied and an undertaking to this effect shall be submitted.
4. The project proponent shall submit undertaking that in the proposed warehouse facility Hazardous Chemicals/materials/wastes will not be stored.

Additional Condition:

1. Assured water supply, commensurate with the ultimate occupancy envisaged in the project, shall be ensured before commencement of the project.
2. 25% of parking space shall have charging facility to enable charging of electric vehicles.
3. The PP shall strictly adhere to the local Planning Authority Bye-Laws.

215.1.6. Residential Apartment Project at Kariyammana Agrahara village, Bangalore East Taluk, Bengaluru District by M/s. GREENFINCH PROJECTS PVT.LTD. - Online Proposal No. SIA/KA/MIS/250470/2022(SEIAA 06 CON 2022)


M/S. GREENFINCH PROJECTS PVT.LTD have proposed for construction of Residential Apartment Project on a plot area of 7891.90 Sqm. The total built up area is 27583.45 Sqm. The proposed project consists of 181 units with Block A: BF + GF + 13UP + Terrace and Block B: 2BF + GF + 13UP + Terrace. Total water consumption is 122.85 KLD (Fresh water + Recycled water). The total wastewater generated is 98.28 KLD. The project proponent has proposed to construct Sewage Treatment plant with capacity of 100 KLD. The project cost is Rs. 63.35 Crores.



Details of the project are as follows:

Sl. No	PARTICULARS	INFORMATION
1	Name & Address of the Project Proponent	Mr. Arjun Anjaneya Reddy No. 18/2A and 2B, Kempapura, Yamalur Kempapura Main Road, Bangalore - 560 037
2	Name & Location of the Project	M/S. GREENFINCH PROJECTS PVT.LTD. Sy. No 21/2, 21/3 & 22 Kariyammana Agrahara Village, Varthur Hobli, Bangalore East Taluk, Bangalore Urban District, Bangalore - 560087
3	Type of Development	
a.	Residential Apartment / Villas / Row Houses / Vertical Development / Office / IT/ ITES/ Mall/ Hotel/ Hospital /other	Residential Apartment Building. Category 8(a), Building & Construction project as per the EIA notification 2006
b.	Residential Township/ Area Development Projects	Not Applicable
4	New/ Expansion/ Modification/ Renewal	New
5	Water Bodies/ Nalas in the vicinity of project site	Bellandur Lake - 0.92 Km (NW) Doddanakundi Lake - 3.40 Km (N) BEML Layout Lake - 4.40 Km (NE) Panathur Lake - 2.26 Km (SE)
6	Plot Area (Sqm)	7891.90 Sqm
7	Built Up area (Sqm)	27583.45 Sqm
8	FAR • Permissible • Proposed	2.25 2.24
9	Building Configuration [Number of Blocks / Towers / Wings etc., with Numbers of Basements and Upper Floors]	Block A: BF + GF + 13UP + Terrace Block B: 2BF + GF + 13UP + Terrace
10	Number of units/plots in case of Construction/Residential Township/Area Development Projects	181 Units
11	Height Clearance	The proponent submitted justification for the proposed height and informed that an

		existing building (Helios Business Park) at a distance of 330mtrs from the proposed project site at an site elevation of 877mtr, having a top elevation of 917mtrs and the proposed project area is having a site elevation of 870mtr and proposed top elevation is 916mtrs.
12	Project Cost (Rs. In Crores)	63.35 Cr Sixty-Three Crore Thirty-Five Lakhs Only/-
13	Disposal of Demolition waste and or Excavated earth	Total Quantity of Excavated Soil: 5533.80 Cum <ul style="list-style-type: none"> • Back filling for footings: 1660.14 Cum • For Landscaping : 1106.76 Cum • For formation of roads : 2766.90 Cum
14	Details of Land Use (Sqm)	
a.	Ground Coverage Area	2213.52 Sqm
b.	Kharab Land	NIL
c.	Total Green belt on Mother Earth for projects under 8(a) of the schedule of the EIA notification, 2006	2604.33 Sqm
d.	Internal Roads	3074.05 Sqm
e.	Paved area	
f.	Others Specify	--
g.	Parks and Open space in case of Residential Township/ Area Development Projects	Not Applicable
h.	Total	7891.90 Sqm
15	WATER	
I.	Construction Phase	
a.	Source of water	Tanker Water for Domestic Use at construction site. Tertiary treated water for construction Activity.
b.	Quantity of water for Construction in KLD	05 KLD
c.	Quantity of water for Domestic Purpose in KLD	4.50 KLD
d.	Waste water generation in KLD	3.60 KLD



e.	Treatment facility proposed and scheme of disposal of treated water	Mobile STP
II	Operational Phase	
a.	Total Requirement of Water in KLD	Fresh 104.45 KLD
		Recycled 18.40 KLD
		Total 122.85 KLD
b.	Source of water	BWSSB Water Supplies
c.	Waste water generation in KLD	98.28 KLD
d.	STP capacity	100 KLD
e.	Technology employed for Treatment	SBR
f.	Scheme of disposal of excess treated water if any	Flushing - 18.40 KLD Greenbelt - 13.02 KLD Municipal Sewers - 66.86 KLD
16	Infrastructure for Rain water harvesting	
a.	Capacity of sump tank to store Roof run off	100 KLD
b.	No's of Ground water recharge pits	16 Nos
17	Storm water management plan	Storm water to be harvested in a tank of capacity 100Cum and excess water to be used to recharge ground water through 16nos of recharge pits.
18	WASTE MANAGEMENT	
I.	Construction Phase	
a.	Quantity of Solid waste generation and mode of Disposal as per norms	The construction waste generated shall be used within the project site to the extent possible and residual waste shall be segregated and be disposed off safely. There to be 40 Nos of labours working at site and hence about 20 kg/day municipal solid waste generated to be collected & disposed off suitably.
II	Operational Phase	
a.	Quantity of Biodegradable waste generation and mode of Disposal as per norms	276 Kg/day, to be converted as compost using Organic Waste converter.
b.	Quantity of Non- Biodegradable waste generation and mode of Disposal as per norms	184 Kg/day, to be handed over to authorized recyclers.
c.	Quantity of Hazardous Waste generation and mode of Disposal as per	200 Liters of Waste Oil from servicing of DG. to be handed over to KSPCB

	norms	approved recycler.
d.	Quantity of E waste generation and mode of Disposal as per norms	Not Applicable
19	POWER	
a.	Total Power Requirement -Operational Phase	900 kVA will be sourced from BESCO
b.	Numbers of DG set and capacity in KVA for Standby Power Supply	2 Nos X 250 KVA
c.	Details of Fuel used for DG Set	HSD
d.	Energy conservation plan and Percentage of savings including plan for utilization of solar energy as per ECBC 2007	Total Energy Savings: 35%
20	PARKING	
a.	Parking Requirement as per norms	214 ECS
b.	Level of Service (LOS) of the connecting Roads as per the Traffic Study Report	LOS : B
c.	Internal Road width (RoW)	Internal road width 7.50 m
21	CER Activities	For Three years
		1 Primary Health care in PHC Varthur, (Providing Ambulance)
		2 Green belt development in surrounding area of KariyammanaAgraharaVillage,Devarabee sanahalliVillage, KadachikkanahalliVillage
		3 Drinking water / sanitation project in Kariyammana Agrahara Village- (Provision of Toilets), DevarabeesanahalliVillage - (Provision of Toilets), KadachikkanahalliVillage - (Provision of Toilets)
		4 Education(Smart class room) in Government PrimarySchool - Varthur Government, School - Ramagondanahalli, Government PU College- Varthur
22	EMP <ul style="list-style-type: none"> • Construction phase • Operation Phase 	EMP Budget during Construction Phase: 50 Lakhs MP Budget during Operation Phase: <ul style="list-style-type: none"> • Capital Cost: 391.70 Lakhs • Recurring Cost: 20 Lakhs/ Annum

The subject was discussed in the SEAC meeting held on 15th, 16th & 17th March 2022. The Committee has recommended to SEIAA for issue of EC and the extract of the proceedings of the Committee meeting is as below:

The proposal is for construction of residential apartment building in an area which is earmarked for industrial use as per RMP of BDA, for which the proponent informed that for the proposed area they had obtained conversion of land to residential by DC, Bangalore Urban and also had obtained change of land use from industrial to residential from BDA.

The committee during appraisal sought details of natural drain in north of the project area, kharab area in southern side as per village map, height clearance justification for proposed height and provisions for harvesting rain water in the proposed area. The proponent submitted clarifications for the details and informed the committee that there is primary drain in northern side of the project and a buffer of 50mtr is left from the center of the drain to the building line as per regulations and a kharab area of 190.50Sqm is existing road and an additional area of 111.60Sqm is reserved for road widening in south west side of the project area. The proponent submitted justification for the proposed height and informed that an existing building (Helios Business Park) at a distance of 330mtrs from the proposed project site at an site elevation of 877mtr, having a top elevation of 917mtrs and the proposed project area is having a site elevation of 870mtr and proposed top elevation is 916mtrs. For harvesting rain water, the proponent had proposed 100cum storage tank for runoff from rooftop and a pond of 100cum capacity for runoff from landscape and paved areas in addition to 16nos recharge pits are proposed within the project area.

The proponent informed that they have made provisions to grow 100 trees in the project area and provisions to charge electrical vehicles in the proposed project area. The proponent committed to take precautionary measures during and after construction to maintain the environmental parameters within permissible limits in the proposed project and agreed to comply with the ECBC and NBC guidelines for the proposed construction and adhere to the by-laws stipulated by the governing authority for buffers and setbacks.

The committee noted that the baseline parameters are found to be within permissible limits and informed the proponent to leave buffers from the lake/drain as per RMP of BDA and informed the proponent to harvest maximum rainwater in the proposed project area. The committee after discussion decided to recommend the proposal to SEIAA for issue of EC.

The Authority perused the proposal and took note of the recommendation of SEAC.

The Authority after discussion decided to clear the proposal for issue of Environmental Clearance subject to following:

1. *The project proponent shall furnish Notarized undertaking that he shall maintain Buffer zone as per bylaw and compliance to provisions of CDP.*
2. *The project proponent shall leave the buffer from the lake /drain as per the RCDP 2015 as directed by Supreme Court order CIVIL APPEAL NO. 5016 OF 2016 dated 5th March 2019.*
3. *If the distance of nearest Protected Area (National Park/ Sanctuary/Bio sphere reserve/ migratory corridor) is within 10 KM, a certificate from the Chief Wild Life Warden (CWLW) along with his recommendation, else a certificate from the proponent that the proposed site is more than 10 KM away from any Protection Authority (PA) (National Park/ Sanctuary/Bio sphere reserve/ migratory corridor) shall be submitted.*
4. *The PP shall submit CER in Specific Physical Terms with time bound action plan.*
5. *The project proponent shall ensure that tree planting/afforestation measures proposed in the EMP shall be strictly complied and an undertaking to this effect shall be submitted.*

Additional Condition:

1. *Assured water supply, commensurate with the ultimate occupancy envisaged in the project, shall be ensured before commencement of the project.*
2. *25% of parking space shall have charging facility to enable charging of electric vehicles.*
3. *The PP shall strictly adhere to the local Planning Authority Bye-Laws.*

215.1.7. Residential Apartment Building Project at Attibele Village, Anekal Taluk, Bangalore District by M/s. SCT SMART CITY HOMES CREATORS PVT. LTD. - Online Proposal No. SIA/KA/MIS/250559/2022(SEIAA 07 CON 2022)

M/s. SCT Smart City Homes Creators Pvt Ltd. have proposed for construction of Residential Apartment Project on a plot area of 12,191.05 Sqm. The total built up area is 31,251.7 Sqm. The proposed project consists of 228 units in Block A: BF + GF + 3UP + Terrace and Block B: 2BF + GF + 3UP + Terrace. Total water consumption is 171.77 KLD (Fresh water + Recycled water). The total wastewater generated is 137.42 KLD. The project proponent has proposed to construct Sewage Treatment plant with capacity of 150 KLD. The project cost is Rs. 57.00 Crores.


Details of the project are as follows:

Drafted by 

Sl. No	PARTICULARS	INFORMATION
1	Name & Address of the Project Proponent	Mr. Ramesh & G. Srinivas Sy. No 28/1 & 28/2, Attibele village & Hobli, Anckal Taluk, Bangalore Urban District, Bangalore
2	Name & Location of the Project	M/s. SCT Smart City Homes Creators Pvt Ltd. Sy.No 28/1 & 28/2, Attibele village & Hobli, Anekal Taluk, Bangalore Urban District, Bangalore
3	Type of Development	
a.	Residential Apartment / Villas / Row Houses / Vertical Development / Office / IT/ ITES/ Mall/ Hotel/ Hospital /other	Residential Apartment Building Category 8(a), Building & Construction project as per the EIA notification 2006
b.	Residential Township/ Area Development Projects	Not Applicable
4	New/ Expansion/ Modification/ Renewal	New
5	Water Bodies/ Nalas in the vicinity of project site	Bidaraguppe Lake - 1.87 Km (N) Zuzuwadi Lake - 0.90 Km (S) Shanthapuram Lake - 4.64 Km (SE)
6	Plot Area (Sqm)	12,191.05 Sqm
7	Built Up area (Sqm)	31,251.7 Sqm
8	FAR • Permissible • Proposed	1.75 1.74
9	Building Configuration [Number of Blocks / Towers / Wings etc., with Numbers of Basements and Upper Floors]	Block A: BF + GF + 3UP + Terrace Block B: 2BF + GF + 3UP + Terrace
10	Number of units/plots in case of Construction/Residential Township/ Area Development Projects	228 Units
11	Height Clearance	Low rise building max height 12.80mtr
12	Project Cost (Rs. In Crores)	57 Cr
13	Disposal of Demolition waste and or Excavated earth	Total Quantity of Excavated Soil: 12192.53 Cum • Back filling for footings: 3657.76 Cum • For Landscaping : 2438.51 Cum

• For formation of roads : 6096.26 Cum

14		Details of Land Use (Sqm)	
a.	Ground Coverage Area	4877.01 Sqm	
b.	Kharab Land	NIL	
c.	Total Green belt on Mother Earth for projects under 8(a) of the schedule of the EIA notification, 2006	3880.4 Sqm	
d.	Internal Roads	3001.52 Sqm	
e.	Paved area		
f.	Others Specify	Area under existing road : 432.04 Sqm	
g.	Parks and Open space in case of Residential Township/ Area Development Projects	Not Applicable	
h.	Total	12,191.05 Sqm	
15		WATER	
I. Construction Phase			
a.	Source of water	Tanker Water for Domestic Use at construction site. Tertiary treated water for construction Activity.	
b.	Quantity of water for Construction in KLD	05 KLD	
c.	Quantity of water for Domestic Purpose in KLD	5.4 KLD	
d.	Waste water generation in KLD	4.32 KLD	
e.	Treatment facility proposed and scheme of disposal of treated water	Mobile STP	
II Operational Phase			
a.	Total Requirement of Water in KLD	Fresh	145.99 KLD
		Recycled	25.78 KLD
		Total	171.77 KLD
b.	Source of water	Gram panchayat Water Supplies	
c.	Waste water generation in KLD	137.42 KLD	
d.	STP capacity	150 KLD	
e.	Technology employed for Treatment	SBR	
f.	Scheme of disposal of excess treated water if any	Flushing - 25.78 KLD Greenbelt - 19.40 KLD	



		On Land for Irrigation - 92.24 KLD
16	Infrastructure for Rain water harvesting	
a.	Capacity of sump tank to store Roof run off	2 Nos of 70 KLD
b.	No's of Ground water recharge pits	16 Nos
17	Storm water management plan	Storm water collection sump of 100 cum capacity to be provided and excess water to be used for recharging ground water with 16nos of recharge pits.
18	WASTE MANAGEMENT	
I.	Construction Phase	
a.	Quantity of Solid waste generation and mode of Disposal as per norms	The construction waste generated shall be used within the project site to the extent possible and residual waste to be segregated and be disposed off safely. In addition, there will be 120 Nos of labours working at site due to which about 60 kgs of municipal solid waste generated to be collected & disposed off suitably.
II.	Operational Phase	
a.	Quantity of Biodegradable waste generation and mode of Disposal as per norms	386.70 Kg/day to be converted as compost using Organic Waste converter.
b.	Quantity of Non- Biodegradable waste generation and mode of Disposal as per norms	257.80 Kg/day to be handed over to authorized recyclers.
c.	Quantity of Hazardous Waste generation and mode of Disposal as per norms	200 Liters of Waste Oil from servicing of DG. to be handed over to KSPCB approved recycler.
d.	Quantity of E waste generation and mode of Disposal as per norms	Not Applicable
19	POWER	
a.	Total Power Requirement - Operational Phase	1140 kVA to be sourced from BESCO
b.	Numbers of DG set and capacity in KVA for Standby Power Supply	2 Nos X 250 KVA
c.	Details of Fuel used for DG Set	HSD
d.	Energy conservation plan and	Total Energy Savings: 30%

	Percentage of savings including plan for utilization of solar energy as per ECBC 2007	
20	PARKING	
a.	Parking Requirement as per norms	263 ECS
b.	Level of Service (LOS) of the connecting Roads as per the Traffic Study Report	Present: A Modified: C
c.	Internal Road width (RoW)	Internal road width 3.80 m
21	CER Activities	For three years
		1 Primary Health care in PHC Attibele (Providing Ambulance), Anekal Govt Hospital (Providing Ambulance), Marasuru Govt Hospital(Providing Ambulance)
		2 Green belt development insurrounding areaAttibeleVillage &ManchanahalliVillage
		3 Drinking water / sanitation project in AttibeleVillage - (Provision of Toilets), ManchanahalliVillage - (Provision of Toilets), ArehalliVillage - (Provision of Toilets)
		4 Education - To provide smart class roomGovernment High School - Attibele, Government Primary School - AttibeleGovernment School - Bidagague
22	EMP <ul style="list-style-type: none"> • Construction phase • Operation Phase 	EMP Budget during Construction Phase: 50 Lakhs EMP Budget during Operation Phase: <ul style="list-style-type: none"> • Capital Cost: 404 Lakhs • Recurring Cost: 20 Lakhs

The subject was discussed in the SEAC meeting held on 15th, 16th & 17th March 2022. The Committee has recommended to SEIAA for issue of EC and the extract of the proceedings of the Committee meeting is as below:

The proposal is for construction of residential building in an area which is earmarked for residential use as per Anekal Planning Authority.

The committee during appraisal sought details for the drain as per village map, provisions for electrical vehicles charging facilities and provisions for harvesting rain water in the proposed area. The proponent submitted clarifications and informed the committee that there is a natural drain in the southern side of the project and a buffer of

Handwritten signature and the number 30.

9mtr from the edge of the drain is proposed as per regulations. For e-vehicles charging, the proponent informed that they have made a provision of 25% out of the total parking slots for e-vehicles charging stations. For harvesting rain water, the proponent had proposed 140Cum(2x70) storage tank for runoff from rooftop and an additional tank of 100cum capacity for runoff from landscape and paved areas in addition to 16nos recharge pits are proposed within the project area.

The proponent submitted a revised tree list and informed the committee that they have made provisions to grow 153 trees in the project. The proponent committed to take precautionary measures during and after construction to maintain the environmental parameters within permissible limits in the proposed project and agreed to comply with the ECBC and NBC guidelines for the proposed construction and adhere to the by-laws stipulated by the governing authority for buffers and setbacks.

The committee noted that the baseline parameters are found to be within permissible limits and informed the proponent to leave buffers from the lake/drain as per zoning regulations and informed the proponent to harvest maximum rainwater in the proposed project area. The committee after discussion decided to recommend the proposal to SEIAA for issue of EC.

The Authority perused the proposal and took note of the recommendation of SEAC.

The Authority after discussion decided to clear the proposal for issue of Environmental Clearance subject to following:

1. *The project proponent shall furnish Notarized undertaking that he shall maintain Buffer zone as per bylaw and compliance to provisions of CDP.*
2. *The project proponent shall leave the buffer from the lake /drain as per the RCDP 2015 as directed by Supreme Court order CIVIL APPEAL NO. 5016 OF 2016 dated 5th March 2019.*
3. *If the distance of nearest Protected Area (National Park/ Sanctuary/Bio sphere reserve/ migratory corridor) is within 10 KM, a certificate from the Chief Wild Life Warden (CWLW) along with his recommendation, else a certificate from the proponent that the proposed site is more than 10 KM away from any Protection Authority (PA) (National Park/ Sanctuary/Bio sphere reserve/ migratory corridor) shall be submitted.*
4. *The PP shall submit CER in Specific Physical Terms with time bound action plan.*
5. *The project proponent shall ensure that tree planting/afforestation measures proposed in the EMP shall be strictly complied and an undertaking to this effect shall be submitted.*

Additional Condition:


1. Assured water supply, commensurate with the ultimate occupancy envisaged in the project, shall be ensured before commencement of the project.
2. 25% of parking space shall have charging facility to enable charging of electric vehicles.
3. The PP shall strictly adhere to the local Planning Authority Bye-Laws.

215.1.8. Residential Apartment Building Project at Sadaramangala Village and Kumbena Agrahara Village, K R Puram & Bidarahalli Hobli, Bangalore East Taluk, Bangalore Urban District by M/s. UNITED INFRASTRUCTURES - Online Proposal No. SIA/KA/MIS/250752/2022(SEIAA 09 CON 2022)

M/S. United Infrastructures have proposed for construction of Residential Apartment Project on a plot area of 13,051.00 Sqm. The total built up area is 43,806.10 Sqm. The proposed project consists of 268 Units with Wing 1: Basement Floor + GF + 14 UP + Terrace. Total water consumption is 204.44 KLD (Fresh water + Recycled water). The total wastewater generated is 163.55 KLD. The project proponent has proposed to construct Sewage Treatment plant with capacity of 175 KLD. The project cost is Rs. 80.40 Crores.



Details of the project are as follows:

Sl. No	PARTICULARS	INFORMATION
1	Name & Address of the Project Proponent	Mr. M S Santhosh & S Pradeep Flat No. G 001, Keerthi Heights, 3rd Main Road, Belathur, Bidarahalli Hobli, Bangalore - 560067
2	Name & Location of the Project	M/S. United Infrastructures Sy. No 6/3, 6/4 of Sadaramangala Village and Sy. No. 40/5 of Kumbena Agrahara Village, K R Puram & Bidarahalli Hobli, Bangalore East Taluk, Bangalore Urban District, Bangalore - 560067
3	Type of Development	
a.	Residential Apartment / Villas / Row Houses / Vertical Development / Office / IT/ ITES/ Mall/ Hotel/ Hospital / other	Residential Apartment Building Category 8(a), Building & Construction project as per the EIA notification 2006
b.	Residential Township/ Area	Not Applicable




Development Projects		
4	New/ Expansion/ Modification/ Renewal	New
5	Water Bodies/ Nalas in the vicinity of project site	Sadaramangala Lake - 1.25 Km (W) K R Puram Lake - 4.40 Km (NW)
6	Plot Area (Sqm)	13,051.00 Sqm
7	Built Up area (Sqm)	43,806.10 Sqm
8	FAR • Permissible • Proposed	2.50 2.29
9	Building Configuration [Number of Blocks / Towers / Wings etc., with Numbers of Basements and Upper Floors]	Wing 1: Basement Floor + GF + 14 UP + Terrace
10	Number of units/plots in case of Construction/ Residential Township/ Area Development Projects	268 Units
11	Height Clearance	As per CCZM permitted height is 1010m AMSL, Proposed building maximum heath is 915.10mtr.
12	Project Cost (Rs. In Crores)	80.40 Cr
13	Disposal of Demolition waste and or Excavated earth	Total Quantity of Excavated Soil: 5402.50 Cum • Back filling for footings: 1620.75 Cum • For Landscaping : 1080.50 Cum • For formation of roads : 2701.25 Cum
14	Details of Land Use (Sqm)	
a.	Ground Coverage Area	2161 Sqm
b.	Kharab Land	--
c.	Total Green belt on Mother Earth for projects under 8(a) of the schedule of the EIA notification, 2006	5005.02 Sqm
d.	Internal Roads	
e.	Paved area	5724.50 Sqm
f.	Others Specify	Area for road widening: 160.48 Sqm
g.	Parks and Open space in case of Residential Township/ Area Development Projects	Not Applicable
h.	Total	13,051.00 Sqm
15	WATER	

Drafted by kei

I. Construction Phase		
a. Source of water	Tanker Water for Domestic Use at construction site. Tertiary treated water construction Activity.	
b. Quantity of water for Construction in KLD	04 KLD	
c. Quantity of water for Domestic Purpose in KLD	3.00 KLD	
d. Waste water generation in KLD	2.40 KLD	
e. Treatment facility proposed and scheme of disposal of treated water	Mobile STP	
II Operational Phase		
a. Total Requirement of Water in KLD	Fresh	173.82 KLD
	Recycled	30.62 KLD
	Total	204.44 KLD
b. Source of water	BWSSB Water Supplies	
c. Waste water generation in KLD	163.55 KLD	
d. STP capacity	175 KLD	
e. Technology employed for Treatment	SBR	
f. Scheme of disposal of excess treated water if any	Flushing - 30.62 KLD Greenbelt - 25.03 KLD Municipal Sewers - 107.90 KLD	
16 Infrastructure for Rain water harvesting		
a. Capacity of sump tank to store Roof run off	2 Nos of 100 KLD	
b. No's of Ground water recharge pits	29 Nos	
17 Storm water management plan	Storm water collection sump of 100 cum capacity to be provided and excess water to be used for recharging ground water with 29nos of recharge pits.	
18 WASTE MANAGEMENT		
I. Construction Phase		
a. Quantity of Solid waste generation and mode of Disposal as per norms	The construction waste generated shall be used within the project site to the extent possible and residual waste to be segregated and be disposed off safely. In addition, there will be 65 Nos of labours working at site due to which 32.50 kg/day of municipal solid waste generated to be collected & disposed off suitably.	
II Operational Phase		



a.	Quantity of Biodegradable waste generation and mode of Disposal as per norms	459.30 Kg/day, to be converted as compost using Organic Waste converter.
b.	Quantity of Non- Biodegradable waste generation and mode of Disposal as per norms	306.20 Kg/day, to be handed over to authorized recyclers.
c.	Quantity of Hazardous Waste generation and mode of Disposal as per norms	200 Liters of Waste Oil from servicing of DG. to be handed over to KSPCB approved recycler.
d.	Quantity of E waste generation and mode of Disposal as per norms	Not Applicable
19 POWER		
a.	Total Power Requirement - Operational Phase	1340 kVA to be sourced from BESCO
b.	Numbers of DG set and capacity in KVA for Standby Power Supply	2 Nos X 500 KVA
c.	Details of Fuel used for DG Set	HSD
d.	Energy conservation plan and Percentage of savings including plan for utilization of solar energy as per ECBC 2007	Total Energy Savings: 30%
20 PARKING		
a.	Parking Requirement as per norms	300 ECS
b.	Level of Service (LOS) of the connecting Roads as per the Traffic Study Report	Existing: B Modified: C
c.	Internal Road width (RoW)	Internal road width 6.00 m
21	CER Activities	For three years
1		Primary Health care in Seeghalli Govt Hospital (Providing Ambulance), Varthur Govt Hospital (Providing Ambulance), K R Puram Govt Hospital (Providing Ambulance)
2		Green belt development in surrounding areas of Sadaramangala Village, Kumbena Agrahara Village, Dommasandra Village
3		Drinking water / sanitation project in Sadaramangala Village - (Provision of Toilets), Kumbena Agrahara Village - (Provision of Toilets), Dommasandra Village - (Provision of


		Toilets)
		4 Education -smart class room in Government Primary School - Sadaramangala, Government Primary School - Kumbena Agrahara, Government Primary School - Kadugodi Plantation
22	<p>EMP</p> <ul style="list-style-type: none"> • Construction phase • Operation Phase 	<p>Construction Phase: 50 Lakhs</p> <p>Operation Phase:</p> <ul style="list-style-type: none"> • Capital Cost: 450.80 Lakhs • Recurring Cost: 20 Lakhs/Annum

The subject was discussed in the SEAC meeting held on 15th, 16th & 17th March 2022. The Committee has recommended to SEIAA for issue of EC and the extract of the proceedings of the Committee meeting is as below:

The proposal is for construction of residential apartment building in an area which is earmarked for transportation zone as per RMP of BDA, for which the proponent informed that the for the proposed area they had obtained conversion of land to residential by DC, Bangalore Urban and also had obtained change of land use from transportation zone to residential use from BDA.

The committee during appraisal sought details for the drain in north west side as per village map, provisions for electrical vehicles charging facilities and provisions for harvesting rain water in the proposed area. The proponent submitted clarifications and informed the committee that there is a tertiary drain in the north west side, which is out side the project area and a buffer of 15mtr from the center of the drain is proposed as per regulations. For e-vehicles charging, the proponent informed that they have made a provision of 25% out of the total parking slots for e-vehicles charging stations. For harvesting rain water, the proponent had proposed 200Cum(2x100) storage tank for runoff from rooftop and an additional tank of 100cum capacity for runoff from landscape and paved areas in addition to 29nos recharge pits are proposed within the project area.

The proponent informed the committee that they have made provisions to grow 165 trees in the project and an area of 160.48Sqm is reserved for road widening in north east side of the project area. The proponent committed to take precautionary measures during and after construction to maintain the environmental parameters within permissible limits in the proposed project and agreed to comply with the ECBC and NBC guidelines for the proposed construction and adhere to the by-laws stipulated by the governing authority for buffers and setbacks.



The committee noted that the baseline parameters are found to be within permissible limits and informed the proponent to leave buffers from the lake/drain as per RMP of BDA and informed the proponent to harvest maximum rainwater in the proposed project area. The committee after discussion decided to recommend the proposal to SEIAA for issue of EC.

The Authority perused the proposal and took note of the recommendation of SEAC.

The Authority after discussion decided to clear the proposal for issue of Environmental Clearance subject to following:

1. *The project proponent shall furnish Notarized undertaking that he shall maintain Buffer zone as per bylaw and compliance to provisions of CDP.*
2. *The project proponent shall leave the buffer from the lake /drain as per the RCDP 2015 as directed by Supreme Court order CIVIL APPEAL NO. 5016 OF 2016 dated 5th March 2019.*
3. *If the distance of nearest Protected Area (National Park/ Sanctuary/Bio sphere reserve/ migratory corridor) is within 10 KM, a certificate from the Chief Wild Life Warden (CWLW) along with his recommendation, else a certificate from the proponent that the proposed site is more than 10 KM away from any Protection Authority (PA) (National Park/ Sanctuary/Bio sphere reserve/ migratory corridor) shall be submitted.*
4. *The PP shall submit CER in Specific Physical Terms with time bound action plan.*
5. *The project proponent shall ensure that tree planting/afforestation measures proposed in the EMP shall be strictly complied and an undertaking to this effect shall be submitted.*

Additional Condition:

1. *Assured water supply, commensurate with the ultimate occupancy envisaged in the project, shall be ensured before commencement of the project.*
2. *25% of parking space shall have charging facility to enable charging of electric vehicles.*
3. *The PP shall strictly adhere to the local Planning Authority Bye-Laws.*

215.1.9. Expansion of Zion Hills Golf County Project at Vaggaina Dinne Village, Hudukula Village, Siddanahalli Village, Rampara Dinne Village,

Pakarahalli Village and Krishnapurudinne Village, Bangarpete Taluk, Kolar District by M/s. Confident Projects India Pvt. Ltd. - Online Proposal No. SIA/KA/MIS/63567/2021(SEIAA 03 CON 2021)

M/s Confident Projects (India) Private Limited have proposed for Expansion of Zion Hills Golf County (Additional Development of Golf Course and Construction of Residential Units) Project on a plot area of 8,92,534.64 Sq.m. The total built up area is 1,64,752.29 Sq.m. The proposed project consists of

Details	After Expansion
Villas (nos.)	322
Group Housing Units (Nos.)	423
Club House (Nos.)	2
Utility shops (Nos.)	15
Golf Course Holes (Nos.)	18


Total water consumption is 1755 KLD (Fresh water + Recycled water). The total wastewater generated is 513 KLD. The project proponent has proposed to construct Sewage Treatment plant with capacity of 600 KLD. The project cost is Rs. 202.60 Crores.

Details of the project are as follows:

Sl. No	PARTICULARS	INFORMATION
1	Name & Address of the Project Proponent	M/s Confident Projects (India) Private Limited Address: Confident Propus, 6, Longford Town, Hosur Main road, Bangalore - 560025


Sl. No	PARTICULARS	INFORMATION
2	Name & Location of the Project	Name: Expansion of Zion Hills Golf County (Additional Development of Golf Course and Construction of Residential Units) Location: Sy.no. 1, 2, 3, 5, 6, 7, 8, 8/2, 10, 11, 13, 14, 15, 25, 26, 27, 28, 29, 30, 31, 32, 33, 36, 37, 43, 44, 45, 46, 48, 50 of Vaggaina Dinne village, Sy.no. 253, 356, 357, 358 of Hudukula village, Sy.no. 161, 162, 163, 217, 218 of Siddanahalli village, Sy.no. 3 of Rampara Dinne Village, Sr. no. 134, 135 of Pakarahalli village and Sy.no. 10, 10/1, 12, 13, 14, 15, 16, 17 of Krishnapurudinne village, Bangarpet Taluk, District Kolar, Karnataka
3	Type of Development	
a.	Residential Apartment / Villas / Row Houses / Vertical Development / Office / IT/ ITES/ Mall/ Hotel/ Hospital /other	
b.	Residential Township/ Area Development Projects	Expansion of Golf course Project - Category 8(b), Townships and Area Development projects as per the EIA notification 2006
4	New/ Expansion/ Modification/ Renewal	Expansion Project
5	Water Bodies/ Nalas in the vicinity of project site	Nala is not passing through the Site. 30 m Nala Buffer line is provided as Lakes are adjacent to the proposed Phase
6	Plot Area (Sqm)	8,92,534.64 Sq.m
7	Built Up area (Sqm)	
8	FAR • Permissible • Proposed	1.5 <1
9	Building Configuration [Number of Blocks / Towers / Wings etc., with Numbers of Basements and Upper Floors]	NA

Sl. No	PARTICULARS	INFORMATION	
		Details	After Expansion
10	Number of units/plots in case of Construction/Residential Township/ Area Development Projects	Villas (nos.)	322
		Group Housing Units (Nos.)	423
		Club House (Nos.)	2
		Utility shops (Nos.)	15
		Golf Course Holes (Nos.)	18
11	Height Clearance	Not Applicable	
12	Project Cost (Rs. In Crores)	202.6 Cr	
13	Disposal of Demolition waster and or Excavated earth	No demolition activities involved Development of Golf contours. The entire earth generated from the construction work to be utilized for the grading of golf course.	
14	Details of Land Use (Sqm)		
a.	Ground Coverage Area	1,10,024.00 Sq.m	
b.	Kharab Land	9,813.20 Sq.m	
c.	Total Green belt on Mother Earth for projects under 8(a) of the schedule of the EIA notification, 2006	NA.	
d.	Internal Roads	87,364.71 Sq.m	
e.	Paved area		
f.	Others Specify	Area	After Expansion (Sq.m)
		Golf area	4,42,674.08
		Parking area	42,054.19
	Residential areas	1,81,588.86	
g.	Parks and Open space in case of Residential Township/ Area Development Projects	1,00,101.06 Sq.m (Approx.61% of the total area to be under grass cultivation and landscape)	
h.	Total	8,92,534.64 Sq.m	
15	WATER		
I.	Construction Phase		
a.	Source of water	Panchayat supply for domestic use STP treated water for irrigation and Construction activity	
b.	Quantity of water for Construction	31 KLD	



Sl. No	PARTICULARS	INFORMATION
	in KLD	
c.	Quantity of water for Domestic Purpose in KLD	9 KLD
d.	Waste water generation in KLD	7.2 KLD
e.	Treatment facility proposed and scheme of disposal of treated water	Domestic waste water will be treated in STP of 200 kld functional at present.
II.	Operational Phase	
a.	Total Requirement of Water in KLD	1755KLD
b.	Source of water	Fresh water: Village Panchayat Supply and 2 Existing Borewell in case of scarcity Recycled water: From Existing STP of 200 kld and 400 kld of proposed STP. Rain water reservoirs of 1.6 mld
c.	Waste water generation in KLD	513 KLD
d.	STP capacity	Total 600 KLD
e.	Technology employed for Treatment	Bio-hybrid technology
f.	Scheme of disposal of excess treated water if any	NIL as Zero liquid Discharge from the Project Site
16	Infrastructure for Rain water harvesting	
a.	Capacity of sump tank to store Roof run off	Total 7 Artificial reservoirs of 1,60,000 KLD
b.	No's of Ground water recharge pits	70 Nos. of RWH Structures
17	Storm water management plan	To avoid the loss of soil during monsoon, major construction activities to be avoided during rainy season. Water accumulated on the soil dump to be locally drained in the perimeter drain using small capacity pumps after particulate settlement. All potential contaminants such as lime, paints, whitewashes, shuttering lining tars, grease, oil, solvents, etc. to be decanted/handled on the impervious PCC floor of the construction warehouse. There warehouse to be closed type with no chance of rainwater meeting the material.
18	WASTE MANAGEMENT	
I.	Construction Phase	

Sl. No	PARTICULARS	INFORMATION
a.	Quantity of Solid waste generation and mode of Disposal as per norms	20 kg/day (For proposed construction) Mode of Disposal <ul style="list-style-type: none"> ▪ Domestic Waste – sent to MSW site. ▪ Construction and Demolition waste - to be segregated and reused on site or sent for recycling
II. Operational Phase		
a.	Quantity of Biodegradable waste generation and mode of Disposal as per norms	673 kg/day, Mode of Disposal: After segregation, biodegradable waste to be treated in the biohybrid STP Horticultural waste to be composted at the site.
b.	Quantity of Non- Biodegradable waste generation and mode of Disposal as per norms	1394 kg/day, Recyclable waste to be sold to recyclers. Non-biodegradable to be sent to Common Solid Waste Management Facility.
c.	Quantity of Hazardous Waste generation and mode of Disposal as per norms	Negligible. Used oil from the DG sumps (occasional) to be sold to registered waste oil recyclers.
d.	Quantity of E waste generation and mode of Disposal as per norms	E waste to be stored at a designated place and sold to registered recyclers.
19	POWER	
a.	Total Power Requirement - Operational Phase 5,265 kW	Source: Karnataka Power Transmission Corporation Limited (KPTCL)
b.	Numbers of DG set and capacity in KVA for Standby Power Supply 3 DG set of	2019 kVA
c.	Details of Fuel used for DG Set	HSD - 404 l/hr After expansion
d.	Energy conservation plan and Percentage of savings including plan for utilization of solar energy and compliance to Karnataka ECBC guidelines	Total Energy saving is 15%.
20	PARKING	
a.	Parking Requirement as per norms	1,535 ECS
b.	Level of Service (LOS) of the connecting Roads as per the	LOS : C



Sl. No	PARTICULARS	INFORMATION
	Traffic Study Report	
c.	Internal Road width (RoW)	12 m
21	CER Activities	<p>Sanitation facilities & Health</p> <ul style="list-style-type: none"> • Construction of water tanks, water purifiers • Construction of toilets for girls and boys • Solid waste management facilities • Health awareness and medical camp <p>Educational & Vocational Training</p> <ul style="list-style-type: none"> • Books Distribution, Scholarships for students and set up computer labs and other facilities in schools • Imparting vocational training for technical skills, self-employment training for women as golf caddies, maintenance and machine operations, horticulture etc. <p>Agriculture and Environmental initiatives</p> <ul style="list-style-type: none"> • Support to farmers for agricultural yield improvement and produce marketing • Lake desilting
22	<p>EMP</p> <ul style="list-style-type: none"> • Construction phase • Operation Phase 	<p>Construction Phase: Rs. 55.10 Lakhs</p> <p>Operation Phase</p> <p>Capital cost: Rs, 119.10Lakhs</p> <p>Operation Cost: Rs, 12.17Lakhs</p>

The subject was discussed in the SEAC meeting held on 15th, 16th & 17th March 2022. The Committee has recommended to SEIAA for issue of EC and the extract of the proceedings of the Committee meeting is as below:

The proposal was initially considered in 266th SEAC meeting, the committee had deferred the appraisal as the proponent had not submitted the Certified Compliance Report for earlier EC issued on 28/11/2019. Presently the proponent had submitted satisfactory Certified Compliance Report from MoEF&CC date 11/02/2022.

The proposal is for expansion of golf course, for which earlier EC was issued on 28/11/2019 for total BUA of 1,22,856Sqm and 13 number of golf course holes in a plot area of 7,27,222.86 proposals is for modification and expansion of residential villas for which EC was issued earlier on 04/09/2020 for BUA of 1,49,772.83 Sqm and currently proposed for BUA of 1,92,588.70Sqm. SEIAA had issued ToR on 08/03/2021.

The committee during appraisal sought clarification for cart track road and water bodies as per village map, provisions for harvesting rain water in the proposed area.

details of trees proposed to be grown in the project location, provisions for bio gas plan and provisions for vermicomposting. The proponent submitted clarifications and informed the committee that there in the proposed expansion area, there is cart track road in western side of the project, which will be left open for free access to public. And for the natural water bodies, the proponent informed that there are four natural water bodies adjacent to the site and a buffer of 30mtrs all around, from the edge of the natural water body is proposed and five artificial reservoirs which are developed and another two reservoirs proposed to store rainwater inside the project area. For harvesting rain water, the proponent has informed that for the total project area they proposed a total of seven reservoirs of total capacity 1,60,000KL of storage capacity for harvesting rain water and a total of 70 rain water recharge pits. The proponent agreed to make provisions for biogas plan and to use the biogas for canteen as bio fuel and submitted a undertaking to install solar panels on roof tops of apartments and office buildings and to make provisions for vermicomposting.

The proponent has submitted revised tree list making provision to grow a total of 7271number of trees in the proposed project area. The committee informed the proponent to grow more trees in the water body buffer zones and also to comply with the observations of MoEF&CC in the Certified Compliance Report for earlier EC.

The proponent has committed to take precautionary measures during and after construction to maintain the environmental parameters within permissible limits in the proposed project and agreed to comply with the ECBC and NBC guidelines for the proposed construction and adhere to the by-laws stipulated by the governing authority for buffers and setbacks.

The committee noted that the baseline parameters are found to be within permissible limits and informed the proponent to leave buffers from the lake/drain as per the zoning regulations and decided to recommend the proposal to SEIAA for issue of EC with a condition to leave the kharab area for free access to public.

The Authority perused the proposal and took note of the recommendation of SEAC.

The Authority after discussion decided to clear the proposal for issue of Environmental Clearance subject to following:

1. *If the distance of nearest Protected Area (National Park/ Sanctuary/Bio sphere reserve/ migratory corridor) is within 10 KM, a certificate from the Chief Wild Life Warden (CWLW) along with his recommendation, else a certificate from the proponent that the proposed site is more than 10 KM away from any Protection Authority (PA) (National Park/ Sanctuary/Bio sphere reserve/ migratory corridor) shall be submitted.*

2. The PP shall submit CER in Specific Physical Terms with time bound action plan.
3. The project proponent shall ensure that tree planting/afforestation measures proposed in the EMP shall be strictly complied and an undertaking to this effect shall be submitted.

Additional Condition:

1. Assured water supply, commensurate with the ultimate occupancy envisaged in the project, shall be ensured before commencement of the project.
2. 25% of parking space shall have charging facility to enable charging of electric vehicles.
3. The PP shall strictly adhere to the local Planning Authority Bye-Laws.
4. The PP shall leave the kharab area for free access to public.


215.1.10. Commercial Mall & Hotel Project at Gokul Road, Hubli Taluk, Dharwad District by M/s. Shriya Holdings & Properties Pvt. Ltd. - Online Proposal No. SIA/KA/MIS/208131/2021(SEIAA 53 CON 2021)

M/s. Shriya Holdings & Properties Private Limited have proposed for construction of Commercial Mall and Hotel project on a plot area of 6,829.02 sq.m. The total built up area is 29,344.35 sq.m.. The proposed project consists of Block A :2 Basements + 1 Ground Floor + 4 Upper Floors + Terrace floor and Block B: 1 Upper Ground Floor + 6 Upper Floors + Terrace floor Total water consumption is 73.60 KLD (Fresh water + Recycled water). The total wastewater generated is 69.98 KLD. The project proponent has proposed to construct Sewage Treatment plant with capacity of 85 KLD. The project cost is Rs. 58.00 Crores.

Details of the project are as follows:


Sl. No	PARTICULARS	INFORMATION
1	Name & Address of the Project Proponent	Mr. Suraj Director M/s. Shriya Holdings & Properties Private Limited, No.07, Vigneshwar Nilay, Arjun Vihar, Gokul Road, Hubbli-580030
2	Name & Location of the Project	Proposed Commercial Mall and Hotel project by M/s Shriya Holdings and Properties Private Limited at CTS No. 4784/A1/B1, Gokul Road, Hubbli Taluk,

		Dharwad District
3	Type of Development	
	a Residential Apartment / Villas / Row Houses / Vertical Development / Office / IT/ ITES/ Mall/ Hotel/ Hospital / other	Proposed Commercial Mall and Hotel project Category 8(a), Building & Construction project as per the EIA notification 2006
	b Residential Township/ Area Development Projects	NA
4	New/ Expansion/ Modification/ Renewal	New
5	Water Bodies/ Nalas in the vicinity of project site	Topallgatti Lake at 1.10 kms(NW)
6	Plot Area (Sq.m)	6,829.02 sq.m
7	Built Up area (Sq.m)	29,344.35 sq.m.
8	FAR • Permissible • Proposed	2.80 3.00
9	Building Configuration [Number of Blocks / Towers / Wings etc., with Numbers of Basements and Upper Floors]	Block A :2 Basements + 1 Ground Floor + 4 Upper Floors + Terrace floor Block B: 1 Upper Ground Floor + 6 Upper Floors + Terrace floor
10	Number of units/ plots in case of Construction/ Residential Township/ Area Development Projects	--
20	Height Clearance	Site Elevation in mts : 638.72 M Permissible top elevation: 688.72 M Difference : 50m Height Proposed : 23.9m NoC obtained on 15/06/2020
11	Project Cost (Rs. In Crores)	Rs. 58.0 Cr.
12	Disposal of Demolition waster and or Excavated earth	Total quantity of Excavated earth : 34,107.52Cum For back filling for footings= 17,053.76 Cum



		For Site filling = 8,561.63 Cum For back filling for Retaining wall = 5,948.43 Cum For Landscape = 1,372.63 Cum For Internal Road making = 1,171.07 Cum	
13	Details of Land Use (Sqm)		
	a.	Ground Coverage Area	3,404.37 sq.m
	b.	Kharab Land	--
	c.	Total Green belt on Mother Earth for projects under 8(a) of the schedule of the EIA notification, 2006	2,253.58 sq.m
	d.	Internal Roads	1,171.07 Sq.m
	e.	Paved area	--
	f.	Others Specify	--
	g.	Parks and Open space in case of Residential Township/ Area Development Projects	NA
	h.	Total	6,829.02 sq.m.
14	WATER		
	I.	Construction Phase	
	a.	Source of water	From Nearby treated water suppliers
	b.	Quantity of water for Construction in KLD	50 KLD
	c.	Quantity of water for Domestic Purpose in KLD	10 KLD
	d.	Waste water generation in KLD	8 KLD
	e.	Treatment facility proposed and scheme of disposal of treated water	The sewage generated during the construction phase will be treated in the Mobile STP
	II.	Operational Phase	
	a.	Total Requirement of Water in KLD	Fresh 26.68 KLD
			Recycled 34.98+12.01 KLD
			Total 73.60 KLD
	b.	Source of water	HDMC
	c.	Waste water generation in KLD	69.98 KLD
	d.	STP capacity	85 KLD
	e.	Technology employed for Treatment	SBR Technology

	f.	Scheme of disposal of excess treated water if any	No Disposal. The treated water to be reused for toilet flushing, landscaping in the project site, avenue plantation and Reuse after treating with ultrafiltration and reverse osmosis
15	Infrastructure for Rain water harvesting		
	a.	Capacity of sump tank to store Roof run off	184 cu.m.
	b.	No's of Ground water recharge pits	7 Nos.
16	Storm water management plan		The storm water from the site to be collected by rainwater harvesting tank of 56cum capacity and excess to be used for recharging the ground water.
17	WASTE MANAGEMENT		
	I.	Construction Phase	
	a.	Quantity of Solid waste generation and mode of Disposal as per norms	No of labours = 100 Nos. Per capita of waste generated = 0.4 kg/day Separate collection bins to be used for organic and inorganic waste.
	II.	Operational Phase	
	a.	Quantity of Biodegradable waste generation and mode of Disposal as per norms	121.44 kg/day. Biodegradable waste to be converted in organic convertor.
	b.	Quantity of Non-Biodegradable waste generation and mode of Disposal as per norms	80.96 kg/day. Non- Biodegradable waste to be handed over to authorized recyclers
	c.	Quantity of Hazardous Waste generation and mode of Disposal as per norms	Nil
	d.	Quantity of E waste generation and mode of Disposal as per norms	E-waste generation to be handed over to authorized recyclers
18	POWER		
	a.	Total Power Requirement - Operational Phase	1000 kVA
	b.	Numbers of DG set and capacity in KVA for Standby Power Supply	1 X1000 kVA



	c.	Details of Fuel used for DG Set	HSD	
	d.	Energy conservation plan and Percentage of savings including plan for utilization of solar energy as per ECBC 2007	Total energy savings :26.71%	
19	PARKING			
	a.	Parking Requirement as per norms	372 ECS	
	b.	Level of Service (LOS) of the connecting Roads as per the Traffic Study Report	Gokul Road-LOS : A	
	c.	Internal Road width (RoW)	8mtr	
21	CER Activities		For 5 Corporate Environmental Responsibility (CER)	
			1st	Rain Water Harvesting in GHPS School at Hubbli
			2nd	Avenue planation and planation in GHPS School at Hubbli
			3rd	Solar Panels Provision in GHPS School at Hubbli
			4th	Cleaning and deepening of
			5th	Topallgatti Lake
22	EMP (Construction & Operation)		Construction Phase Recurring Cost Per Annum = 15.68 lakhs Capital Cost = 39.42 lakhs Operation Phase Recurring Cost Per Annum = 53.7 lakhs Capital Cost = 240.0 lakhs	

The subject was discussed in the SEAC meeting held on 15th 16th & 17th March 2022. The Committee has recommended to SEIAA for issue of EC and the extract of the proceedings of the Committee meeting is as below:

The proposal was initially considered 264th and 266th SEAC meeting and the committee had deferred the proposal, as the proponent was absent. Currently, after the request of the proponent to consider the proposal for appraisal, the committee considered the proposal in the present meeting. The proposal is for construction of

commercial mall and hotel in an area which is earmarked for commercial use as per Hubballi Dharwad Planning Authority.

The committee during appraisal sought details for the compliance to ECBC conditions and provisions for harvesting rain water in the proposed area. The proponent informed the committee that for the proposed project to comply with mandatory ECBC conditions. For harvesting rain water, the proponent had proposed 184Cum storage tank for runoff from rooftop and an additional tank of 56cum capacity for runoff from landscape and paved areas in addition to 7nos recharge pits are proposed within the project area.

The proponent informed the committee that they have made provisions to grow 85 trees in the project. The proponent committed to take precautionary measures during and after construction to maintain the environmental parameters within permissible limits in the proposed project and agreed to comply with the ECBC and NBC guidelines for the proposed construction and adhere to the by-laws stipulated by the governing authority for buffers and setbacks.

The committee noted that the baseline parameters are found to be within permissible limits and informed the proponent to leave buffers from the lake/drain as per zoning regulations and informed the proponent to harvest maximum rainwater in the proposed project area. The committee after discussion decided to recommend the proposal to SEIAA for issue of EC.


The Authority perused the proposal and took note of the recommendation of SEAC.

The Authority after discussion decided to clear the proposal for issue of Environmental Clearance subject to following:

- 1. If the distance of nearest Protected Area (National Park/ Sanctuary/Bio sphere reserve/ migratory corridor) is within 10 KM, a certificate from the Chief Wild Life Warden (CWLW) along with his recommendation, else a certificate from the proponent that the proposed site is more than 10 KM away from any Protection Authority (PA) (National Park/ Sanctuary/Bio sphere reserve/ migratory corridor) shall be submitted.*
- 2. The PP shall submit CER in Specific Physical Terms with time bound action plan.*
- 3. The project proponent shall ensure that tree planting/afforestation measures proposed in the EMP shall be strictly complied and an undertaking to this effect shall be submitted.*

Additional Condition:

- 1. Assured water supply, commensurate with the ultimate occupancy envisaged in the project, shall be ensured before commencement of the project.*



2. 25% of parking space shall have charging facility to enable charging of electric vehicles.
3. The PP shall strictly adhere to the local Planning Authority Bye-Laws.

215.1.11. Non Residential Development IT/BT Project at Dasarahalli Village, K R Puram Hobli, Bangalore East Taluk, Bangalore and Rachenahalli Village, K R Puram Hobli, Bangalore East Taluk, Bangalore by M/s. Manyata Infrastructure Development Pvt. Ltd. & M/s. Manyata Realty - Online Proposal No. SIA/KA/MIS/69036/2021 (SEIAA 57 CON 2020)

M/s. Manyata Realty and Manyata Infrastructure Developments Pvt Ltd, have proposed for construction of Non Residential Development IT/BT Project on a plot area of 2,39,531.57 sqm. The total built up area is 18,97,475.50 sq m. The proposed project consists of Block -01: 3 Basements + Ground LVL+ 17 Floors , Block -02: 3 Basements + 5 MLCP +24 Floors, Block -03: 3 Basements + 6 MLCP +18 Floors, Block -04 & 5: Ground floor, Block -06: 3 Basements + 5 MLCP + 15 Floors, Block -07: 3 Basements + 5 MLCP +19 Floors, Block -08: 3 Basements + 5 MLCP +19 Floors , Block -09: 3 Basements + 5 MLCP +24 Floors, Block -10: 3 Basements + Ground LVL + 10 Floors , Block -11: 3 Basements + 5 MLCP + 19 Floors, Block -12: 3 Basements + 6 MLCP + 20 Floors, Block -13: 3 Basements + 6 MLCP + 20 Floors. Total water consumption is 5190 KLD (Fresh water + Recycled water). The total wastewater generated is 4670 KLD. The project proponent has proposed to construct Sewage Treatment plant with capacity of 4920 KLD. The project cost is Rs. 1800 Crores.

Details of the project are as follows:

Sl. No	PARTICULARS	INFORMATION
1	Name & Address of the Project Proponent	M/s. Manyata Realty and Manyata Infrastructure Developments Pvt Ltd, 9/1, II Floor, Classic Court, Richmond Road, Bangalore- 560025
2	Name & Location of the Project	Non Residential Development IT/BT project At Sy Nos. 9/1a, 9/1b, 9/2, 10, 11/1&3, 12/1, 12/2a, 12/2b, 42/1, 44/1, 44/2, 44/3, 45/2 of Dasarahalli Village, K R Puram Hobli, Bangalore East Taluk, Bangalore and 8/1, 8/2, 8/3, 8/4, 46/1, 47/1, 47/2a, 47/2b, 48/1,

				48/2, 48/3, 48/4, 48/5, 48/6, 49, 50/1, 50/5, 50/6, 50/7, 50/8, 51/1, 51/2, 51/3, 58/1, 58/2, 59, 60/1, 60/2 & 61, 7/1, 7/2, 7/3, 50/1, 50/2, 50/3, 50/4, 50/5, 50/9, 51/1, 51/2, 52, 53, 54/1b, 56/1, 56/2, 57/1, 57/2, 57/3, 61, 62, 65/D, 63, 64/1, 64/2, 65/1a, 65/1b, 65/2, 65/3, 65/4, 66/1, 66/2, 67/1, 67/2, 67/3, 67/4, 68, 66/1, 68 of Rachenahalli Village, K R Puram Hobli, Bangalore East Taluk, Bangalore
3			Type of Development	
			a. Residential Apartment / Villas / Row Houses / Vertical Development / Office / IT/ ITES/ Mall/ Hotel/ Hospital /other	Non Residential Development IT/BT project Category 8(b), Townships and Area development projects as per the EIA notification 2006
			b. Residential Township/ Area Development Projects	NA
4			New/ Expansion/ Modification/ Renewal	New.
5			Water Bodies/ Nalas in the vicinity of project site	a. Rachenahalli lake on northern side b.Secondary nalas in east, south and west sides.
6			Plot Area (Sqm)	2,39,531.57 sqm
7			Built Up area (Sqm)	18,97,475.50 sqm
8			FAR	
	•	•	• Permissible	5.2
	•	•	• Proposed	5.15
9			Building Configuration [Number of Blocks / Towers / Wings etc., with Numbers of Basements and Upper Floors]	Block -01: 3 Basements + Ground LVL+ 17 Floors Block -02: 3 Basements + 5 MLCP +24 Floors Block -03: 3 Basements + 6 MLCP +18 Floors Block -04 & 5: Ground floor Block -06: 3 Basements + 5 MLCP + 15 Floors

				<p>Block -07: 3 Basements + 5 MLCP +19 Floors</p> <p>Block -08: 3 Basements + 5 MLCP +19 Floors</p> <p>Block -09: 3 Basements + 5 MLCP +24 Floors</p> <p>Block -10: 3 Basements + Ground LVL + 10 Floors</p> <p>Block -11: 3 Basements + 5 MLCP + 19 Floors</p> <p>Block -12: 3 Basements + 6 MLCP + 20 Floors</p> <p>Block -13: 3 Basements + 6 MLCP + 20 Floors</p>
10			Number of units/plots in case of Construction/Residential Township/ Area Development Projects	NA
11			Height Clearance	Justification, As per CCZM of Bangalore permitted top elevation permitted is 955m AMSL and existing building of SNN project at a distance of 1.60km at a ground elevation of 893m AMSL is having a top elevation of 1033m AMSL and proposed building is at ground elevation of 887.81m AMSL is having a maximum top elevation of 1005.81m AMSL.
12			Project Cost (Rs. In Crores)	Rs. 1800 Cr
13			Disposal of Demolition waster and or Excavated earth	<p>There is no demolition waste.</p> <p>Total earth excavation : 4,00,000 cum</p> <p>For back filling :1,50,000 cum</p> <p>For Landscape:1,00,000 cum</p> <p>For Internal Road making :1,00,000 cum</p> <p>Excess will be stored and will be used for our future construction projects :50,000 cum</p>
14			Details of Land Use (Sqm)	

		a.	Ground Coverage Area	76,065.0 Sqm		
		b.	Kharab Land	65.02Guntas (Excluded from total plot area)		
		c.	Total Green belt on Mother Earth for projects under 8(a) of the schedule of the EIA notification, 2006	47,906.31 Sqm		
		d.	Internal Roads	1,03,410.26 Sqm		
		e.	Paved area			
		f.	Others Specify			
		g.	Parks and Open space in case of Residential Township/ Area Development Projects	NA		
		h.	Total	2,39,531.57 sqm (Excluding kharab)		
15		WATER				
		I.	Construction Phase			
		a.	Source of water	Existing STP treated water		
		b.	Quantity of water for Construction in KLD	100 KLD		
		c.	Quantity of water for Domestic Purpose in KLD	10 KLD		
		d.	Waste water generation in KLD	8 KLD		
		e.	Treatment facility proposed and scheme of disposal of treated water	Sewage will be treated in existing STP		
		II.	Operational Phase			
		a.	Total Requirement of Water in KLD	Fresh	2883 KLD	
				Recycled	2307 KLD	
				Total	5190 KLD	
		b.	Source of water	BWSSB		
		c.	Wastewater generation in KLD	4670KLD		
		d.	STP capacity	Total capacity of 4920 KLD		
				Blocks	STP capacity In KLD	
				Block - 01, 04 & 05	450	

				Block - 02	550
				Block - 03	400
				Block - 06	300
				Block - 07	400
				Block - 08	420
				Block - 09	600
				Block - 10	100
				Block - 11	500
				Block - 12	700
				Block - 13	500
		e.	Technology employed for Treatment	MBBR/ SBR	
		f.	Scheme of disposal of excess treated water if any	To be used for HVAC	
16			Infrastructure for Rain water harvesting		
		a.	Capacity of sump tank to store Roof run off	Total Capacity of 2270 KLD	
		b.	No's of Ground water recharge pits	50 No's	
17			Storm water management plan	Excess storm water is harvested within the site in 32nos of deep recharge wells in addition to the 50nos of recharge pits within the site area.	
18			WASTE MANAGEMENT		
		I.	Construction Phase		
		a.	Quantity of Solid waste generation and mode of Disposal as per norms	11,532kg/day, disposed through BBMP authorities	
		II.	Operational Phase		
		a.	Quantity of Biodegradable waste generation and mode of Disposal as per norms	4614 kg/day, converted into organic manure and used for garden	
		b.	Quantity of Non-Biodegradable waste generation and mode of Disposal as per norms	6918 kg/day, handed over to PCB authorized recycler	
		c.	Quantity of Hazardous Waste generation and mode of Disposal as per	1000-1600 Lts/ year, given to PCB authorized recycler	

			norms																											
		d.	Quantity of E waste generation and mode of Disposal as per norms	900 kg/year, handed over to PCB authorized recycler																										
19			POWER																											
		a.	Total Power Requirement - Operational Phase	138385 kVA																										
		b.	Numbers of DG set and capacity in KVA for Standby Power Supply	<table border="1"> <thead> <tr> <th>Blocks</th> <th>DG capacity with Nos.</th> </tr> </thead> <tbody> <tr> <td>Block 1</td> <td>2250 KVA X 6 Nos</td> </tr> <tr> <td>Block 2</td> <td>2250 KVA X 6 Nos</td> </tr> <tr> <td>Block 3</td> <td>2250 KVA X 6 Nos</td> </tr> <tr> <td>Block 4 & 5</td> <td>2250 KVA X 5 Nos</td> </tr> <tr> <td>Block 6</td> <td>2250 KVA X 4 Nos</td> </tr> <tr> <td>Block 7</td> <td>2250 KVA X 5 Nos</td> </tr> <tr> <td>Block 8</td> <td>2250 KVA X 6 Nos</td> </tr> <tr> <td>Block 9</td> <td>2250 KVA X 5 Nos</td> </tr> <tr> <td>Block 10</td> <td>2250 KVA X 2 Nos</td> </tr> <tr> <td>Block 11</td> <td>2250 KVA X 5 Nos</td> </tr> <tr> <td>Block 12</td> <td>2250 KVA X 8 Nos</td> </tr> <tr> <td>Block 13</td> <td>2250 KVA X 8 Nos</td> </tr> </tbody> </table>	Blocks	DG capacity with Nos.	Block 1	2250 KVA X 6 Nos	Block 2	2250 KVA X 6 Nos	Block 3	2250 KVA X 6 Nos	Block 4 & 5	2250 KVA X 5 Nos	Block 6	2250 KVA X 4 Nos	Block 7	2250 KVA X 5 Nos	Block 8	2250 KVA X 6 Nos	Block 9	2250 KVA X 5 Nos	Block 10	2250 KVA X 2 Nos	Block 11	2250 KVA X 5 Nos	Block 12	2250 KVA X 8 Nos	Block 13	2250 KVA X 8 Nos
Blocks	DG capacity with Nos.																													
Block 1	2250 KVA X 6 Nos																													
Block 2	2250 KVA X 6 Nos																													
Block 3	2250 KVA X 6 Nos																													
Block 4 & 5	2250 KVA X 5 Nos																													
Block 6	2250 KVA X 4 Nos																													
Block 7	2250 KVA X 5 Nos																													
Block 8	2250 KVA X 6 Nos																													
Block 9	2250 KVA X 5 Nos																													
Block 10	2250 KVA X 2 Nos																													
Block 11	2250 KVA X 5 Nos																													
Block 12	2250 KVA X 8 Nos																													
Block 13	2250 KVA X 8 Nos																													
		c.	Details of Fuel used for DG Set	Low Sulphuric diesel																										
		d.	Energy conservation plan and Percentage of savings including plan for utilization of solar energy as per ECBC 2007	Total savings of 31.4%																										
20			PARKING																											

		a.	Parking Requirement as per norms	24,730 Nos. of ECS
		b.	Level of Service (LOS) of the connecting Roads as per the Traffic Study Report	LOS: C&D
		c.	Internal Road width (RoW)	8.0 mtr
21			CER Activities	Rejuvenation of Rachenahalli lake & Contributions to Bandipura National Park, Nagarahole National Park, Bannerghatta National Park.
22			EMP	Capital investment 2.0 crores
			• Construction phase	During Construction 7.50 crores/ annum
			• Operation Phase	Capital investment 41.0 crores
				During operation 3.10 crores/ annum

The subject was discussed in the SEAC meeting held on 15th, 16th & 17th March 2022. The Committee has recommended to SEIAA for issue of EC and the extract of the proceedings of the Committee meeting is as below:

The proposal was initially considered 273rd SEAC meeting held on 1st, 2nd and 3rd of February 2022 and the committee had deferred the proposal, to have a site visit so as to ascertain the ground realities with respect to sensitivity of the proposed project area.

The sub-committee visited the site on 10/02/2022 and the sub-committee after detailed inspection decided to seek clarifications/details from the proponent for the observations made. The proponent submitted the following clarification for the observations made by the sub-committee,

1. Detail of existing nala kharabs as per village map with records justifying the type of nalas and rerouted nala and treepark as per DC Orders with gps co-ordinates.

The proponent submitted the details and informed the committee that in the proposed project area there is a total of 65.02 Guntas of nala kharab as per village map and indicated through GPS co-ordinates.

2. *Details of water table depth, with reference to proposed basements levels.*

The proponent submitted clarifications and informed the committee that water table is at a depth of 15mtr below ground level and for the proposed project, maximum basement level below ground level is 10mtrs and to take necessary precautionary measures for construction of basement levels.

3. *Coloured conceptual plan clearly demarcating two different village boundaries and details of nalas and tree parks clearly indicating buffers as per by-laws.*

The proponent submitted revised conceptual plan clearly demarcating village boundaries and details of nalas and tree park with necessary buffers as per by-laws.

4. *Details of precautionary measures to be taken to prevent flooding inside the proposed area and carrying capacities of nalas during extreme flooding conditions.*

The proponent submitted hydrology report and informed the committee that drains to be designed to handle the flooding and to carry out strengthening and frequent cleaning of of existing natural nalas in the vicinity of the project, as a precautionary measures to avoid flooding.

5. *Provisions proposed for internal transportation facilities from nearest public transportation through e-vehicles and solar powered buggy.*

The proponent agreed to provide internal transportation facilities from nearest public transportation through e-vehicles and solar powered buggy.

6. *Undertaking to take up nala strengthening, widening and deepening works so as to achieve un-interpreted flow of water in all the nalas, especially in the merging location of nalas, during the initial stage of construction.*

The proponent submitted undertaking and informed that nala strengthening, widening and deepening works to as to achieve un-interpreted flow of water in all the natural nalas and also in the merging location of natural nalas before starting construction activity.

7. *Undertaking to take precautionary measures for preservation of nalas and water body during and after construction.*

The proponent submitted undertaking to take precautionary measures for preservation of nalas and water body during and after construction.

8. *Undertaking to obtain necessary permissions from competent authorities for construction of bridge/culverts on nalas before construction.*

The proponent submitted undertaking to take all necessary permissions from competent authorities for construction of bridge/culvert on nalas before beginning of construction.

9. *Undertaking to adhere to the conditions of rerouted orders and sensitive zone committee and BDA bylaws for buffers and setbacks.*

The proponent submitted undertaking to adhere to the conditions of rerouted orders and sensitive zone committee and BDA by-laws for buffers and setbacks.

10. *Undertaking to grow only trees in the buffer zones of nalas and water bodies.*

The proponent submitted undertaking to grow only trees in the buffer zones of nalas and water bodies.

11. *Height clearance justification as per CCZM Bangalore.*

The proponent submitted justification for proposed height of the buildings and informed that, as per CCZM of Bangalore permitted top elevation in the yellow zone is 955m AMSL and existing building of SNN project at a distance of 1.60km falling in yellow zone with a ground elevation of 893m AMSL is having a top elevation of 1033m AMSL and proposed building is at ground elevation of 887.81m AMSL is having a maximum top elevation of 1005.81m AMSL.

The committee accepted the clarification given by proponent and appraised the proposal. The proponent informed the committee that proposal is for non-residential IT/BT development in an area which is earmarked for residential high tech as per Revised Master Plan of BDA. The proponent justified that land use permissible is residential, as the road abutting to project site is more than 18mtr wide, proposed ancillary land use is permitted as main land use as per zoning regulations and hence proposed land use is permitted. Further the proponent informed the committee that as the part of proposed project area is under sensitive zone, they had obtained sensitive zone clearance from BDA on 17/06/2020. ToR was issued by SEIAA on 07/10/2021.

The committee during appraisal sought clarification for water body and nalas present as per village map, provisions for rain water harvesting in the proposed area and provisions for bio-methanation plant. The proponent submitted clarifications and informed the committee that as per village map water body is adjacent to the project area in northern side of the project and 30mtr of no development zone is provided as per BDA regulations and no construction activities is proposed in that area.

Proponent informed that project is located towards downstream side of Rachenahalli lake and three out of the four nalas as per village map were found to be active.

Nala 1: Situated in western side of the project and having active discharge from the waste weir of Rachenahalli lake and flowing towards east in the project site area and joining nala 4.

Nala 2: Physically was not in existence but as per village map, located in left center of the project area. Nala 3: Situated in right center of the proposed area and having gradual discharge of water from waste weir in eastern side of the Rachenahalli lake and joining nala 1. Nala 4: Flowing from north to south from Rachenahalli village in north and merging with nala 1 in the project area and continue flowing southern side.

Further, the proponent informed the committee that a part of nala 2 situated in left center of the project site as per village map is rerouted towards western side adjacent to nala 1 as per DC, Bangalore Urban, order dated 01/01/2017 and remaining part of nala 2 is converted to tree park by DC, Bangalore Urban in orders dated 28/06/2019 and later the tree park was rerouted to west of the project area adjacent to nala 1 as per DC, Bangalore Urban order dated 05/02/2021.

For harvesting rain water, the proponent has proposed a total of 2270 Cum storage tank for runoff from roof top and for runoff from landscape and paved areas to 50 nos of recharge pits 32 nos of deep recharge wells is proposed within the site area. Proponent agreed to install bio-methanisation plant for the proposed project. Further proponent informed the committee that as the proposed project is adjacent to water body, proper precautionary measures will be taken during construction of basements floors.

The proponent has submitted revised tree list making provision to grow 3000 trees in the proposed project area. They further informed that they have made provision for charging electrical vehicles in 5% out of the total parking slots in the proposed project.

The proponent committed to take precautionary measures during and after construction to maintain the environmental parameters within permissible limits in the

proposed project and agreed to comply with the ECBC and NBC guidelines for the proposed construction and adhere to the by-laws stipulated by the governing authority for buffers and setbacks.

The committee noted that the baseline parameters are found to be within permissible limits and informed the proponent to leave buffers from the lake/drain as per zoning regulations and informed the proponent to harvest maximum rainwater in the proposed project area. The committee after discussion decided to recommend the proposal to SEIAA for issue of EC with a condition to adhere to the compliances given to sub-committee observations.

The Authority perused the proposal and took note of the recommendation of SEAC.

The Authority after discussion decided to clear the proposal for issue of Environmental Clearance subject to following:

- 1. If the distance of nearest Protected Area (National Park/ Sanctuary/Bio sphere reserve/ migratory corridor) is within 10 KM, a certificate from the Chief Wild Life Warden (CWLW) along with his recommendation, else a certificate from the proponent that the proposed site is more than 10 KM away from any Protection Authority (PA) (National Park/ Sanctuary/Bio sphere reserve/ migratory corridor) shall be submitted.*
- 2. The PP shall submit CER in Specific Physical Terms with time bound action plan.*
- 3. The project proponent shall ensure that tree planting/afforestation measures proposed in the EMP shall be strictly complied and an undertaking to this effect shall be submitted.*

Additional Condition:


- 1. Assured water supply, commensurate with the ultimate occupancy envisaged in the project, shall be ensured before commencement of the project.*
- 2. 25% of parking space shall have charging facility to enable charging of electric vehicles.*
- 3. The PP shall strictly adhere to the local Planning Authority Bye-Laws.*
- 4. The PP shall adhere to the compliances given to SEAC sub-committee observations.*

Mining Projects:**215.1.12. Building Stone Quarry Project at Tavaragera Village, Kalaburgi Taluk, Kalaburgi District (2-00 Acres) by Sri Bandeppa Tengli - Online Proposal No.SIA/KA/MIN/253361/2022 (SEIAA 53 MIN 2022)**

Sri. Bandeppa S/o AmbarayaTengli have applied for Environmental clearance from SEIAA for Building Stone Quarry in 2-00 Acres of Patta Land bearing Sy. No: 137/* /2 in Tavaragera Village, Kalaburagi Taluk, Kalaburagi District, Karnataka.

Details of the project are as follows:

Sl.No	PARTICULARS	INFORMATION
1	Name & Address of the Projects Proponent	Sri. Bandeppa S/o AmbarayaTengli H.No. 21/2, Humanabad Road, Uplaon, Kalaburagi Taluk, Kalaburagi District
2	Name & Location of the Project	Building Stone Quarry in 2-00 Acres of Patta Land bearing Sy. No: 137/* /2 in Tavaragera Village, Kalaburagi Taluk, Kalaburagi District, Karnataka.
3	Type Of Mineral	Building Stone
4	New / Expansion / Modification / Renewal	New
5	Type of Land [Forest, Government Revenue, Gomal, Private / Patta, Other]	Patta Land
6	Area in Acres	2-00 Acres
7	Annual Production (Metric Ton / Cum) Per Annum	53,352 Tons/ Annum (Avg.)
8	Project Cost (Rs. In Crores)	0.20 (Rs. 20 Lakhs)
9	Proved Quantity of mine/ Quarry- Cu.m / Ton	4,23,430 Tons
10	Permitted Quantity Per Annum - Cu.m / Ton	53,352 Tons/ Annum (Max.)
11	CER Action Plan: • Propose take up 100 No. of additional plantation on either side of the approach road from quarry location to Tavaragera Village Road.	
12	EMP Budget	Rs. 8.05 L(Capital Cost) &14.20 Lakhs (Recurring cost)
13	Forest NOC	17.11.2020
14	Notification	16.08.2021



15	Quarry plan	28.12.2021
16	Cluster Certificate	20.12.2021

The subject was discussed in the SEAC meeting held on 15th, 16th & 17th March 2022. The Committee has recommended to SEIAA for issue of EC and the extract of the proceedings of the Committee meeting is as below:

There is an existing cart track road to a length of 250m connecting lease area to the all weather black topped road and the proponent informed that the quarrying operation will be commenced after strengthening the approach road to the quarry & the road connecting to the crusher as per IRC (Indian Road Congress) standard norms & would grow trees all along the approach road.

As per the cluster sketch there are 5 other leases within 500 meter radius from this lease and 2 leases were exempted from cluster in view of the ECs were issued prior to 15.01.2016. The area of the 4 leases including the subject lease is 7-34 Acres and project is categorized as B2. The Proponent has collected baseline data of air, water, soil and noise and all are within the permissible limits. The proponent informed that all mitigative measures will be taken to ensure that the parameters will be maintained within the permissible limits.

Considering the proved mineable reserve of 4,23,430 tonnes (including waste) as per the approved quarry plan, the committee estimated the life of the mine as 8 years. The committee decided to recommend the proposal to SEIAA for issue of Environmental Clearance for an annual production of 53,352 tonnes/annum.

The Authority perused the proposal and took note of the recommendation of SEAC.

The Authority after discussion decided to clear the proposal for issue of Environmental Clearance subject to following:

1. *If the distance of nearest Protected Area (National Park/ Sanctuary/Bio sphere reserve/ migratory corridor) is within 10 KM, a certificate from the Chief Wild Life Warden (CWLW) along with his recommendation, else a certificate from the proponent that the proposed site is more than 10 KM away from any Protection Authority (PA) (National Park/ Sanctuary/Bio sphere reserve/ migratory corridor).*
2. *Safety measures proposed shall be submitted.*
3. *A time bound action plan for implementation of proposed CER activities as a part of EMP shall be furnished.*

Additional Conditions:

Dust suppression measures have to be strictly followed.

Drafted by kei

215.1.13. Building Stone Quarry Project at Honnenahalli Village in Belur Taluk, Hassan District (4-32 Acres) by Sri S. Vasanth Shekar - Online Proposal No.SIA/KA/MIN/254711/2022 (SEIAA 42 MIN 2022)

Sri S. Vasanthshekar S/o Siddashetty have applied for Environmental clearance from SEIAA for Building Stone Quarry in 4-32 Acres of Patta Land bearing Sy. No: 50/3 in HonnenahalliVillage, Belur Taluk, Hassan District.

Details of the project are as follows:

Sl.No	PARTICULARS	INFORMATION
1	Name & Address of the Projects Proponent	Sri S. Vasanthshekar S/o Siddashetty, 1 st Cross, Lakshmipura, Belur, Hassan District.
2	Name & Location of the Project	Building Stone Quarry in 4-32 Acres of Patta Land bearing Sy. No: 50/3 in HonnenahalliVillage, Belur Taluk, Hassan District
3	Type Of Mineral	Building Stone
4	New / Expansion / Modification / Renewal	New
5	Type of Land [Forest, Government Revenue, Gomal, Private / Patta, Other]	Patta Land
6	Area in Ha	4-32 Acres
7	Annual Production (Metric Ton / Cum) Per Annum	2,15,460 tonnes/ annum (Avg.)
8	Project Cost (Rs. In Crores)	0.45 (Rs. 45 Lakhs)
9	Proved Quantity of mine/ Quarry- Cu.m / Ton	13,49,190 Tons
10	Permitted Quantity Per Annum - Cu.m / Ton	2,15,460 tonnes/ annum (Max.)
11	CER Action Plan: • Propose take up 200 No. of additional plantation on either side of the approach road from quarry location to Somashettihalli Village Road.	
12	EMP Budget	Rs. 10.145 Lakhs (Capital Cost) & 20.50 Lakhs (Recurring cost)
13	Forest NOC	10.02.2020
14	Notification	24.12.2021
15	Quarry plan	25.01.2022
16	Cluster certificate	25.01.2022



The subject was discussed in the SEAC meeting held on 15th, 16th & 17th March 2022. The Committee has recommended to SEIAA for issue of EC and the extract of the proceedings of the Committee meeting is as below:

There is an existing cart track road to a length of 300m connecting lease area to the all weather black topped road and the proponent informed that the quarrying operation will be commenced after strengthening the approach road to the quarry & the road connecting to the crusher as per IRC (Indian Road Congress) standard norms & would grow trees all along the approach road.

As per the cluster sketch there are 3 leases including the subject lease within 500 meter radius from this lease. The total area of all these leases is 10-22 Acres and project is categorized as B2. The Proponent has collected baseline data of air, water, soil and noise and all are within the permissible limits. The proponent informed that all mitigative measures will be taken to ensure that the parameters will be maintained within the permissible limits.

Considering the proved mineable reserve of 13,49,190 tonnes (including waste) as per the approved quarry plan, the committee estimated the life of the mine as 7 years. The committee decided to recommend the proposal to SEIAA for issue of Environmental Clearance for an annual production of 2,15,460 tonnes/ annum (including waste).

The Authority perused the proposal and took note of the recommendation of SEAC.

The Authority after discussion decided to clear the proposal for issue of Environmental Clearance subject to following:

- 1. If the distance of nearest Protected Area (National Park/ Sanctuary/Bio sphere reserve/ migratory corridor) is within 10 KM, a certificate from the Chief Wild Life Warden (CWLW) along with his recommendation, else a certificate from the proponent that the proposed site is more than 10 KM away from any Protection Authority (PA) (National Park/ Sanctuary/Bio sphere reserve/ migratory corridor).*
- 2. Safety measures proposed shall be submitted.*
- 3. A time bound action plan for implementation of proposed CER activities as a part of EMP shall be furnished.*

Additional Conditions:



Dust suppression measures have to be strictly followed.

215.1.14. Building Stone Quarry Project at Honnenahalli Village, Belur Taluk, Hassan District (7-20 Acres) Smt. K S Hemavathi - Online Proposal No.SIA/KA/MIN/255042/2022(SEIAA 46 MIN 2022)

Smt. K. S. Hemavathi W/o K.N. Devegowda have applied for Environmental clearance from SEIAA for quarrying of Building Stone Quarry in 7-20 Acres of Patta Land bearing Sy. No: 115/4 & 115/5 in Honnenahalli Village, Belur Taluk, Hassan District, Karnataka.

Details of the project are as follows:

Sl.No	PARTICULARS	INFORMATION
1	Name & Address of the Projects Proponent	Smt. K. S. Hemavathi W/o K.N. Devegowda Mathapithrushi Nilaya, 4 th Cross, Jayanagar, Chikkamagalur, Chikkamagalur District-577101.
2	Name & Location of the Project	Building Stone Quarry in 7-20 Acres of Patta Land bearing Sy. No: 115/4 & 115/5 in Honnenahalli Village, Belur Taluk, Hassan District, Karnataka.
3	Type Of Mineral	Building Stone
4	New / Expansion / Modification / Renewal	New
5	Type of Land [Forest, Government Revenue, Gomal, Private / Patta, Other]	Patta Land
6	Area in Ha	7-20 Acres
7	Annual Production (Metric Ton / Cum) Per Annum	2,63,263 Tons/ Annum (Avg.)
8	Project Cost (Rs. In Crores)	0.60 (Rs. 60 Lakhs)
9	Proved Quantity of mine/ Quarry- Cu.m / Ton	16,59,898 Tons
10	Permitted Quantity Per Annum - Cu.m / Ton	2,63,263 Tons/ Annum (Max.)

11	CER Action Plan:	
	<ul style="list-style-type: none"> Propose take up 400 No. of additional plantation on either side of the approach road from quarry location to Honnenahalli Village Road with an approximate cost of Rs. 2,00,000. 	
12	EMP Budget	Rs. 23.41 Lakhs (Capital Cost) & 25.50 Lakhs (Recurring cost)
13	Forest NOC	13.01.2020
14	Notification	24.12.2021
15	Quarry plan	25.01.2022
16	Cluster certificate	25.01.2022

The subject was discussed in the SEAC meeting held on 15th, 16th & 17th March 2022. The Committee has recommended to SEIAA for issue of EC and the extract of the proceedings of the Committee meeting is as below:

There is an existing cart track road to a length of 850m connecting lease area to the all weather black topped road and the proponent informed that the quarrying operation will be commenced after strengthening the approach road to the quarry & the road connecting to the crusher as per IRC (Indian Road Congress) standard norms & would grow trees all along the approach road.



As per the cluster sketch there are 3 leases including the subject lease within 500 meter radius from this lease. The total area of all these leases is 09-20 Acres and project is categorized as B2. The Proponent has collected baseline data of air, water, soil and noise and all are within the permissible limits. The proponent informed that all mitigative measures will be taken to ensure that the parameters will be maintained within the permissible limits.

Committee based on the proved quantity, estimated the life of the mine as 6 years and recommended the proposal to SEIAA for Issue of EC, for annual production of 2,57,998 Tons/Annum.

Considering the proved mineable reserve of 16,59,898 tonnes (including waste) as per the approved quarry plan, the committee estimated the life of the mine as 7 years. The committee decided to recommend the proposal to SEIAA for issue of Environmental Clearance for an annual production of 2,63,263 tonnes/annum

The Authority perused the proposal and took note of the recommendation of SEAC.

Drafted by 

 76 

The Authority after discussion decided to clear the proposal for issue of Environmental Clearance subject to following:

1. If the distance of nearest Protected Area (National Park/ Sanctuary/Bio sphere reserve/ migratory corridor) is within 10 KM, a certificate from the Chief Wild Life Warden (CWLW) along with his recommendation, else a certificate from the proponent that the proposed site is more than 10 KM away from any Protection Authority (PA) (National Park/ Sanctuary/Bio sphere reserve/ migratory corridor).
2. Safety measures proposed shall be submitted.
3. A time bound action plan for implementation of proposed CER activities as a part of EMP shall be furnished.

Additional Conditions:


Dust suppression measures have to be strictly followed.

215.1.15. Building Stone (M-Sand) Quarry Project at Khanpet Village, Ramadurga Taluk, Belagavi District (5-00 Acres) by Sri Jagadish R Meti - Online Proposal No.SIA/KA/MIN/243514/2021(SEIAA 48 MIN 2022)

Sri Jagadish R Meti have applied for Environmental clearance from SEIAA for "Building Stone Quarry" at Sy. No. 81(P) of Khanpet Village, Ramadurga Taluk, Belgaum District.

Details of the project are as follows:

Sl. No	PARTICULARS	INFORMATION
1	Name & Address of the Project Proponent	M/s. Laxmi Enterprises Managing Partner:Sri Jagadish R Meti, H.No.1045,Kotambari Galli, Taluk:Bailhongal, Dist:Belagavi
2	Name & Location of the Project	"Building Stone Quarry" of Sri Jagadish R Meti at Sy. No. 81(P) of Khanpet Village, Ramadurga Taluk, Belgaum District.
3	Type of Mineral	Building Stone
4	New /expansion/modification /renewal	New
5	Type of Land [Forest, Government Revenue, Gomal, Private/Patta, Other]	Patta Land.
6	Area in Ha	5-00 Acres (2.02 Ha)
7	Annual production (metric ton	77,778 tons/ annum



	/Cum) per annum	
8	Project Cost (Rs. In Crores)	1.5 Crores
9	Proved quantity of mine/quarry-Cu.m/Tons	12,26,100tons
10	permitted quantity per annum-Cu.m/Ton	77,778 tons/annum
11	CER Activities	
	Corporate Environmental Responsibility (CER)	
1 st	Plantations	
2 nd	Maintainance ,Watering of plantation on both sides of nala.	
3 rd	Maintainance ,Watering of plantation on both sides of nala.	
4 th	Maintainance ,Watering of plantation on both sides of nala.	
5 th	Maintainance ,Watering of plantation on both sides of nala.	
12	EMP Budget	Rs.19.30 lakhs (Capital Cost) & Rs. 14.65 lakhs (Recurring cost)
13	Forest NOC	30.07.2019
14	Notification	29.10.2021
15	Quarry plan	20.01.2022
16	Cluster certificate	02.02.2022

The subject was discussed in the SEAC meeting held on 15th, 16th & 17th March 2022. The Committee has recommended to SEIAA for issue of EC and the extract of the proceedings of the Committee meeting is as below:

There is an existing cart track road to a length of 250meters connecting the lease area to an all weather black topped road and the proponent informed that the quarrying operation will be commenced after strengthening the approach road to the quarry & the road connecting to the crusher as per IRC (Indian Road Congress) standard norms & would grow trees all along the approach road.

As per the cluster sketch there are no other leases within 500 meter radius from this lease area and the area of the subject lease is 5-00Acres and hence the project is categorized as B2. The Proponent will collect baseline data of air, water, soil and noise and all are within the permissible limits. The proponent informed that all mitigative measures will be taken to ensure that the parameters will be maintained within the permissible limits.

Considering the proved mineable reserve of 12,26,100tonnes (including waste) as per the approved quarry plan, the committee estimated the life of the mine as 13 years and decided to recommend the proposal to SEIAA for issue of Environment Clearance for annual production of 77,778TPA.

The Authority perused the proposal and took note of the recommendation of SEAC.

The Authority after discussion decided to clear the proposal for issue of Environmental Clearance subject to following:

1. *If the distance of nearest Protected Area (National Park/ Sanctuary/Bio sphere reserve/ migratory corridor) is within 10 KM, a certificate from the Chief Wild Life Warden (CWLW) along with his recommendation, else a certificate from the proponent that the proposed site is more than 10 KM away from any Protection Authority (PA) (National Park/ Sanctuary/Bio sphere reserve/ migratory corridor).*
2. *Safety measures proposed shall be submitted.*
3. *A time bound action plan for implementation of proposed CER activities as a part of EMP shall be furnished.*

Additional Conditions:


Dust suppression measures have to be strictly followed.



215.1.16. Laterite Stone Quarry Project at Inam Badas Village, Belagavi Taluk, Belagavi District (9-20 Acres) by Sri Channayya Siddayya Sangalmath - Online Proposal No.SIA/KA/MIN/255293/2022(SEIAA 51 MIN 2022)

Sri Channayya Siddayya Sangalmath have applied for Environmental clearance from SEIAA for Laterite Stone Quarry in 9-20 Acres of Patta Land bearing Sy. No: 130/*/* in InamBadasVillage, Belagavi Taluk, Belagavi District.

Details of the project are as follows:

Sl.No	PARTICULARS	INFORMATION
1	Name & Address of the Projects Proponent	Sri Channayya Siddayya Sangalmath At: Plot No. 1491, Saraswati Nagar, Naragund, Gadag Taluk, Gadag District
2	Name & Location of the Project	Laterite Stone Quarry in 9-20 Acres of Patta Land bearing Sy. No: 130/*/* in InamBadasVillage, Belagavi Taluk, Belagavi District.
3	Type Of Mineral	Laterite Stone
4	New / Expansion /	New

Drafted by 

 /  79

	Modification / Renewal	
5	Type of Land [Forest, Government Revenue, Gomal, Private / Patta, Other]	Patta Land
6	Area in Ha	9-20 Acres
7	Annual Production (Metric Ton / Cum) Per Annum	1,05,705 Tons/Annum (Avg.)
8	Project Cost (Rs. In Crores)	0.60 (Rs. 60 Lakhs)
9	Proved Quantity of mine/ Quarry- Cu.m / Ton	5,67,405 Tons
10	Permitted Quantity Per Annum - Cu.m / Ton	1,05,705 Tons/Annum (Max.)
11	CER Action Plan: <ul style="list-style-type: none"> Propose take up 150 No. of additional plantation on either side of the approach road from quarry location to InamBadasVillage Road. Propose to provide Roof top Rain water Harvesting facility to nearby Govt. Primary School, InamBadasVillage. 	
12	EMP Budget	Rs. 14.31 Lakhs (Capital Cost) & 24.35 Lakhs (Recurring cost)
13	Forest NOC	09.11.2021
14	Notification	13.01.2022
15	Quarry plan	31.01.2022
16	Cluster certificate	31.01.2022

The subject was discussed in the SEAC meeting held on 15th 16th & 17th March 2022. The Committee has recommended to SEIAA for issue of EC and the extract of the proceedings of the Committee meeting is as below:

There is an existing cart track road to a length of 1.20 km connecting lease area to the all weather black topped road and the proponent informed that the quarrying operation will be commenced after strengthening the approach road to the quarry & the road connecting to the crusher as per IRC (Indian Road Congress) standard norms & would grow trees all along the approach road.

As per the cluster sketch there are no other leases within 500 meter radius from this lease. The area of the subject lease is 9-20 Acres and project is categorized as B2. The Proponent has collected baseline data of air, water, soil and noise and all are within the permissible limits. The proponent informed that all mitigative measures will be taken to ensure that the parameters will be maintained within the permissible limits.

Considering the proved mineable reserve of 5,67,405 tonnes (including waste) per the approved quarry plan, the committee estimated the life of the mine as 6 years.

The committee decided to recommend the proposal to SEIAA for issue of Environmental Clearance for an annual production of 1,05,705 tonnes/ annum.

The Authority perused the proposal and took note of the recommendation of SEAC.

The Authority after discussion decided to clear the proposal for issue of Environmental Clearance subject to following:

1. *If the distance of nearest Protected Area (National Park/ Sanctuary/Bio sphere reserve/ migratory corridor) is within 10 KM, a certificate from the Chief Wild Life Warden (CWLW) along with his recommendation, else a certificate from the proponent that the proposed site is more than 10 KM away from any Protection Authority (PA) (National Park/ Sanctuary/Bio sphere reserve/ migratory corridor).*
2. *Safety measures proposed shall be submitted.*
3. *A time bound action plan for implementation of proposed CER activities as a part of EMP shall be furnished.*

Additional Conditions:

Dust suppression measures have to be strictly followed.

215.1.17. Building Stone Quarry Project at Honnebail Village, Ankola Taluk, Uttara Kannada District (1-00 Acre) by Sri Raghavendra Nayak - Online Proposal No.SIA/KA/MIN/255458/2022(SEIAA 52 MIN 2022)

Sri. Raghavendra Ramadas Nayak have applied for Environmental clearance from SEIAA for "Building Stone Quarry" at Sy No: 313Honnebail Village, Ankola Taluk,Uttar Kannada District, Karnataka

Details of the project are as follows:

Sl. No	PARTICULARS	INFORMATION
1	Name & Address of the Project Proponent	Sri. Raghavendra Ramadas Nayak Hicchada Village, Ankola Taluk, Uttar Kannada District, Karnataka
2	Name & Location of the Project	"Building Stone Quarry" of Sri. Raghavendra Ramadas Nayak Sy No: 313Honnebail Village, Ankola Taluk, Uttar Kannada District, Karnataka

3	Co-ordinates of the Project Site		Corner Pillar	Latitude	Longitude
			A	14° 36' 56.41"	74° 17' 08.85"
			B	14° 36' 58.10"	74° 17' 08.38"
			C	14° 36' 58.08"	74° 17' 10.70"
			D	14° 36' 55.48"	74° 17' 11.40"
			E	14° 36' 55.55"	74° 17' 10.60"
			F	14° 36' 56.21"	74° 17' 10.41"
			G	14° 36' 55.06"	74° 17' 10.15"
			H	14° 36' 56.88"	74° 17' 09.92"
MAP DATUM - WGS 84 DATUM					
4	Type of Mineral	Building Stone Quarry			
5	New / Expansion / Modification / Renewal	New			
6	Type of Land [Forest, Government Revenue, Gomal, Private/Patta, Other]	Patta Land			
7	Area in Ha	0.404 Ha			
8	Annual Production Proposed (Metric Tons/ CUM) / Annum	16,683TPA (including waste)			
9	Project Cost (Rs. In Crores)	0.95crores			
10	Proved quantity of mine/quarry-Cu.m/Tons	1,24,081 Tonnes(including waste)			
11	Permitted quantity per annum-Cu.m/Ton	16,683TPA (including waste)			
12	CER Action Plan:				
	For 5 Years	Corporate Environmental Responsibility (CER)			
	1st	Providing solar power panels to GLPS school at Honnebail village			
	2nd	The proponent proposes to distribute nursery plants to the GLPS school at Honnebail village			
	3rd				
	4th				
5th	Health camp in the GLPS school at Honnebail village				
13	EMP Budget	Rs. 20.96lakhs (Capital Cost) & Rs. 7.41 lakhs (Recurring cost)			
	Forest NOC	01.09.2021			

13		
14	Notification	11.01.2021
15	Quarry plan	27.01.2022
16	Cluster certificate	14.02.2022

The subject was discussed in the SEAC meeting held on 15th 16th & 17th March 2022. The Committee has recommended to SEIAA for issue of EC and the extract of the proceedings of the Committee meeting is as below:

There is an existing cart track road to a length of 353meters connecting the lease area to an all weather black topped road and the proponent informed that the quarrying operation will be commenced after strengthening the approach road to the quarry & the road connecting to the crusher as per IRC (Indian Road Congress) standard norms & would grow trees all along the approach road.

As per the cluster sketch there are no other leases within 500meter radius from this lease area and the area of the subject lease is 1-00Acres and hence the project is categorized as B2. The Proponent will collect baseline data of air, water, soil and noise and all are within the permissible limits. The proponent informed that all mitigative measures will be taken to ensure that the parameters will be maintained within the permissible limits.

Considering the proved mineable reserve of 1,24,081tonnes (including waste) as per the approved quarry plan, the committee estimated the life of the mine as 8 years and decided to recommend the proposal to SEIAA for issue of Environment Clearance for annual production of 16,683Tonnes /Annum .

The Authority perused the proposal and took note of the recommendation of SEAC.

The Authority after discussion decided to clear the proposal for issue of Environmental Clearance subject to following:

1. *If the distance of nearest Protected Area (National Park/ Sanctuary/Bio sphere reserve/ migratory corridor) is within 10 KM, a certificate from the Chief Wild Life Warden (CWLW) along with his recommendation, else a certificate from the proponent that the proposed site is more than 10 KM away from any Protection Authority (PA) (National Park/ Sanctuary/Bio sphere reserve/ migratory corridor).*
2. *Safety measures proposed shall be submitted.*
3. *A time bound action plan for implementation of proposed CER activities as a part of EMP shall be furnished.*

Additional Conditions:

Dust suppression measures have to be strictly followed.

215.1.18. Building Stone Quarry Project at Nej Village, Chikkodi Taluk, Belagavi District (2-06 Acres) by Shri Om Ganesh Industries Pvt. Ltd., - Online Proposal No.SIA/KA/MIN/255375/2022(SEIAA 54 MIN 2022)

Shri. Om Ganesh Industries Pvt. Ltd have applied for Environmental clearance from SEIAA for Building Stone Quarry in 2-06 Acres of Patta Land bearing Sy. No. 94/2 of Nej village in Chikkodi Taluk, Belagavi District, Karnataka

Details of the project are as follows:

Sl.No	PARTICULARS	INFORMATION
1	Name & Address of the Projects Proponent	Shri. Om Ganesh Industries Pvt. Ltd. Managing Director: Shri. Dheeraj M. Vaddar, Plot No. 52 Scheme 13, T. V. Centre, Belagavi District, Karnataka - 590001.
2	Name & Location of the Project	Building Stone Quarry in 2-06 Acres of Patta Land bearing Sy. No. 94/2 of Nej village in Chikkodi Taluk, Belagavi District, Karnataka
3	Type Of Mineral	Building Stone
4	New / Expansion / Modification / Renewal	New
5	Type of Land [Forest, Government Revenue, Gomal, Private / Patta, Other]	Patta Land
6	Area in Acre-Guntas	2-06 Acres
7	Annual Production (Metric Ton / Cum) Per Annum	32,181 (Avg.) Tons/ Annum
8	Project Cost (Rs. In Crores)	Rs. 0.35 Lakhs (Rs. 35 Lakhs)
9	Proved Quantity of mine/ Quarry- Cu.m / Ton	1,41,915 Tons
10	Permitted Quantity Per Annum - Cu.m / Ton	32,181 Tons/ Annum (Max.)
11	<u>CER Action Plan:</u>	
		Propose take up 200 No. of additional plantation on either side of the approach road from quarry location to Nej Village Road.
12	EMP Budget	Rs. 4.825 Lakhs (Capital Cost) & 12.30 Lakhs (Recurring cost for 5 years)

13	Forest NOC	27.02.2017
14	Notification	23.07.2021
15	Quarry plan	25.01.2022
16	Cluster certificate	04.02.2022

The subject was discussed in the SEAC meeting held on 15th 16th & 17th March 2022. The Committee has recommended to SEIAA for issue of EC and the extract of the proceedings of the Committee meeting is as below:

There is an existing cart track road to a length of 300 meters connecting lease area to the all weather black topped road and the proponent informed that the quarrying operation will be commenced after strengthening the approach road to the quarry & the road connecting to the crusher as per IRC (Indian Road Congress) standard norms & would grow trees all along the approach road.

As per the cluster sketch there are no other leases within 500m radius of quarry lease area. The area of the subject lease 2-06 Acres and the project is categorized as B2. The proponent has collected baseline data of air, water, soil and noise and all are within the permissible limits. The proponent informed that all mitigative measures will be taken to ensure that the parameters will be maintained within the permissible limits.

Considering the proved mineable reserve of 1,41,915 tonnes (including waste) as per the approved quarry plan, the committee estimated the life of the mine as 5 years. The committee decided to recommend the proposal to SEIAA for issue of Environmental Clearance for an annual production of 32,181 tonnes/ annum.

The Authority perused the proposal and took note of the recommendation of SEAC.

The Authority after discussion decided to clear the proposal for issue of Environmental Clearance subject to following:

1. *If the distance of nearest Protected Area (National Park/ Sanctuary/Bio sphere reserve/ migratory corridor) is within 10 KM, a certificate from the Chief Wild Life Warden (CWLW) along with his recommendation, else a certificate from the proponent that the proposed site is more than 10 KM away from any Protection Authority (PA) (National Park/ Sanctuary/Bio sphere reserve/ migratory corridor).*

2. *Safety measures proposed shall be submitted.*
3. *A time bound action plan for implementation of proposed CER activities as a part of EMP shall be furnished.*

Additional Conditions:

Dust suppression measures have to be strictly followed.

215.1.19. Building Stone Quarry Project at Gujjikunda Village, Davanagere Taluk & District (1-28 Acres) by Sri Yathiraj S - Online Proposal No.SIA/KA/MIN/255840/2022(SEIAA 59 MIN 2022)

Sri. Yathiraj S/o J. Siddalingappa have applied for Environmental clearance from SEIAA for Building Stone Quarry in 1-28 Acres of Patta Land bearing Sy. No.14/7 of Gujjikonda village in Mayakonda Hobli, Davanagere Taluk, Davanagere District, Karnataka

Details of the project are as follows:

Sl.No	PARTICULARS	INFORMATION
1	Name & Address of the Projects Proponent	Sri. Yathiraj S/o J. Siddalingappa Near Nituvalli High School, Shivakumaraswamy Badavane 1 st Stage, Door No. 552/9, Davanagere
2	Name & Location of the Project	Building Stone Quarry in 1-28 Acres of Patta Land bearing Sy. No.14/7 of Gujjikonda village in Mayakonda Hobli, Davanagere Taluk, Davanagere District, Karnataka
3	Type Of Mineral	Building Stone
4	New / Expansion / Modification / Renewal	New
5	Type of Land [Forest, Government Revenue, Gomal, Private / Patta, Other]	Patta Land
6	Area in Acre	1-28 Acres

7	Annual Production (Metric Ton / Cum) Per Annum	45,919 (Avg.) Tons/ Annum
8	Project Cost (Rs. In Crores)	Rs. 0.20 Crores (Rs. 20 Lakhs)
9	Proved Quantity of mine/ Quarry- Cu.m / Ton	2,62,043 Tons
10	Permitted Quantity Per Annum - Cu.m / Ton	45,919 (Avg.) Tons/ Annum
11	<u>CER Action Plan:</u> Propose take up 200 No. of additional plantation on either side of the approach road from quarry location to Gujjikonda Village Road.	
12	EMP Budget	Rs. 5.44 Lakhs (Capital Cost) & 10.30 Lakhs (Recurring cost for 5 years)
13	Forest NOC	02.03.2019
14	Notification	26.03.2021
15	Quarry plan	05.10.2021
16	Cluster certificate	17.12.2021

The subject was discussed in the SEAC meeting held on 15th 16th & 17th March 2022. The Committee has recommended to SEIAA for issue of EC and the extract of the proceedings of the Committee meeting is as below:

There is an existing cart track road to a length of 400 meters connecting lease area to the all weather black topped road and the proponent informed that the quarrying operation will be commenced after strengthening the approach road to the quarry & the road connecting to the crusher as per IRC (Indian Road Congress) standard norms & would grow trees all along the approach road.

As per the cluster sketch there are no other leases within 500m radius of quarry lease area. The area of the subject lease 1-28 Acres and the project is categorized as B2. The proponent has collected baseline data of air, water, soil and noise and all are within the permissible limits. The proponent informed that all mitigative measures will be taken to ensure that the parameters will be maintained within the permissible limits.

Considering the proved mineable reserve of 2,62,043 tonnes (including waste) as per the approved quarry plan, the committee estimated the life of the mine as 6

years. The committee decided to recommend the proposal to SEIAA for issue of Environmental Clearance for an annual production of 45,919tonnes/annum.

The Authority perused the proposal and took note of the recommendation of SEAC.

The Authority after discussion decided to clear the proposal for issue of Environmental Clearance subject to following:

1. *If the distance of nearest Protected Area (National Park/ Sanctuary/Bio sphere reserve/ migratory corridor) is within 10 KM, a certificate from the Chief Wild Life Warden (CWLW) along with his recommendation, else a certificate from the proponent that the proposed site is more than 10 KM away from any Protection Authority (PA) (National Park/ Sanctuary/Bio sphere reserve/ migratory corridor).*
2. *Safety measures proposed shall be submitted.*
3. *A time bound action plan for implementation of proposed CER activities as a part of EMP shall be furnished.*

Additional Conditions:

Dust suppression measures have to be strictly followed.

215.1.20. Pink Granite Quarry Project at Hoolgeri Village, Kushtagi Taluk, Koppala District (5-19 Acres) by Sri Chandrashekar S - Online Proposal No.SIA/KA/MIN/256081/2022(SEIAA 61 MIN 2022)

Sri. ChandrashekarS/o. Sanganagouda Goudar have applied for Environmental clearance from SEIAA for Ornamental Granite (Pink Granite) Quarry in 5-19 Acres of Patta Land bearing Sy.No.180/5, Hoolgeri Village, Kushtagi Taluk & Koppal District, Karnataka.

Details of the project are as follows:


Sl.No	PARTICULARS	INFORMATION
1	Name & Address of the Projects Proponent	Sri. ChandrashekarS/o. Sanganagouda Goudar, SAA: Hoolgeri, Kushtagi Taluk Koppal District, Karnataka.
2	Name & Location of the Project	Ornamental Granite (Pink Granite) Quarry in 5-19 Acres of Patta Land bearing Sy.No.180/5, Hoolgeri Village, Kushtagi Taluk & Koppal District, Karnataka.
3	Type Of Mineral	Pink Granite

4	New / Expansion / Modification / Renewal	New
5	Type of Land [Forest, Government Revenue, Gomal, Private / Patta, Other]	Patta Land
6	Area in Acere-Guntas	5-19 Acres
7	Annual Production (Metric Ton / Cum) Per Annum	19,999Cum (recovery 30% and 70% waste)
8	Project Cost (Rs. In Crores)	Rs. 0.50Crores (Rs. 50 Lakhs)
9	Proved Quantity of mine/ Quarry- Cu.m / Ton	2,50,847Cum (recovery 30% and 70% waste)
10	Permitted Quantity Per Annum - Cu.m / Ton	19,999Cum (recovery 30% and 70% waste)
11	CER Action Plan: <ul style="list-style-type: none"> Propose take up 550No. of additional plantation on either side of the approach road from quarry location to Hoolgeri Village Road. 	
12	EMP Budget	Rs.19.24Lakhs (Capital Cost) &21.95Lakhs (Recurring cost for 5 years)
13	Forest NOC	12.02.2018
14	District Task Force	26.11.2021
15	Quarry plan	22.12.2021
16	Cluster certificate	27.01.2022

The subject was discussed in the SEAC meeting held on 15th 16th & 17th March 2022. The Committee has recommended to SEIAA for issue of EC and the extract of the proceedings of the Committee meeting is as below:

There is an existing cart track road to a length of 700meters connecting the lease area to an all weather black topped road and the proponent informed that the quarrying operation will be commenced after strengthening the approach road to the quarry & the road connecting to the crusher as per IRC (Indian Road Congress) standard norms & would grow trees all along the approach road.

As per the cluster sketch prepared by the DMG, there are 3 other leases within the 500 meter radius from this lease area, out of which 1lease granted prior to 09.09.2013 and the total area of the remaining 3 leases including the subject lease is 11-39Acres. Hence the project is categorized as B2. The proponent has collected baseline data for air, water, soil and noise and all parameters are found to be within permissible limits. The proponent informed that all mitigative measures will be taken up to ensure that the parameters are maintained within permissible limits.



Considering the proved mineable reserve of 2,50,847Cum (recovery 30% and 70% waste) as per the approved quarry plan, the committee estimated the life of the mine as 13 years and decided to recommend the proposal to SEIAA for issue of Environment Clearance for annual production of 19,999Cum (recovery 30% and 70% waste).

The Authority perused the proposal and took note of the recommendation of SEAC.

The Authority after discussion decided to clear the proposal for issue of Environmental Clearance subject to following:

1. *If the distance of nearest Protected Area (National Park/ Sanctuary/Bio sphere reserve/ migratory corridor) is within 10 KM, a certificate from the Chief Wild Life Warden (CWLW) along with his recommendation, else a certificate from the proponent that the proposed site is more than 10 KM away from any Protection Authority (PA) (National Park/ Sanctuary/Bio sphere reserve/ migratory corridor).*
2. *Safety measures proposed shall be submitted.*
3. *A time bound action plan for implementation of proposed CER activities as a part of EMP shall be furnished.*
4. *Since there is substantial quantity of generation of waste from the quarry activity, all due precautions with respect to environment management aspects of waste dump shall be observed.*
5. *The PP shall extended cluster certificate from concerned Authority.*

Additional Conditions:

Dust suppression measures have to be strictly followed.

215.1.21. Building Stone Quarry Project at Kesavinahaklu Village, Chikkamagaluru Taluk & District (3-00 Acres) by M/s. A. N. Traders (Ramesh DE) - Online Proposal No.SIA/KA/MIN/251977/2022(SEIAA 18 MIN 2022)

M/s. A.N. Traders, Parner: Sri D.E. Ramesh have applied for Environmental clearance from SEIAA for Building Stone Quarry in 3-00 Acres of Patta Land bearing Sy. No: 90 in Kesavinahaklu Village, Chikkamagalur Taluk, Chikkamagalur District, Karnataka.

Details of the project are as follows:

Sl.No	PARTICULARS	INFORMATION
1	Name & Address of the	M/s. A.N. Traders,

Drafted by kei

	Projects Proponent	Parner: Sri D.E. Ramesh S/o Late D.P. Eregowda, Handuguli, Jogannanakere Post, Mudigere Taluk, Chikkamagalur District.
2	Name & Location of the Project	Building Stone Quarry in 3-00 Acres of Patta Land bearing Sy. No: 90 in Kesavinahaklu Village, Chikkamagalur Taluk, Chikkamagalur District, Karnataka.
3	Type Of Mineral	Building Stone
4	New / Expansion / Modification / Renewal	New
5	Type of Land [Forest, Government Revenue, Gomal, Private / Patta, Other]	Patta Land
6	Area in Ha	3-00 Acres
7	Annual Production (Metric Ton / Cum) Per Annum	1,10,460 tonnes/ annum (Avg.)
8	Project Cost (Rs. In Crores)	0.35 (Rs. 35 Lakhs)
9	Proved Quantity of mine/ Quarry- Cu.m / Ton	5,54,930 Tons
10	Permitted Quantity Per Annum - Cu.m / Ton	1,10,460 tonnes/ annum (Avg.)
11	CER Action Plan: • Propose take up 300 No. of additional plantation on either side of the approach road from quarry location to Kesavinahaklu Village Road.	
12	EMP Budget	Rs. 10.95 Lakhs (Capital Cost) & 16.40 Lakhs (Recurring cost)
13	Forest NOC	20.09.2021
14	Notification	17.12.2021
15	Quarry plan	05.01.2022
16	Cluster certificate	13.01.2022

The subject was discussed in the SEAC meeting held on 15th 16th & 17th March 2022. The Committee has recommended to SEIAA for issue of EC and the extract of the proceedings of the Committee meeting is as below:

There is an existing cart track road to a length of 350 meters connecting lease area to the all weather black topped road and the proponent informed that the quarrying operation will be commenced after strengthening the approach road to the quarry & the road connecting to the crusher as per IRC (Indian Road Congress) standard norms & would grow trees all along the approach road.

As per the cluster sketch there are no other leases within 500m radius of quarry lease area. The area of the subject lease is 3-00 Acres and the project is categorized as B2. The proponent has collected baseline data of air, water, soil and noise and all are within the permissible limits. The proponent informed that all mitigative measures will be taken to ensure that the parameters will be maintained within the permissible limits.

Considering the proved mineable reserve of 5,54,930tonnes (includingwaste) as per the approved quarry plan, the committee estimated the life of the mine as 5 years. The committee decided to recommend the proposal to SEIAA for issue of Environmental Clearance for an annual production of 1,10,460tonnes/annum.

The Authority perused the proposal and took note of the recommendation of SEAC.

The Authority after discussion decided to clear the proposal for issue of Environmental Clearance subject to following:

1. *If the distance of nearest Protected Area (National Park/ Sanctuary/Bio sphere reserve/ migratory corridor) is within 10 KM, a certificate from the Chief Wild Life Warden (CWLW) along with his recommendation, else a certificate from the proponent that the proposed site is more than 10 KM away from any Protection Authority (PA) (National Park/ Sanctuary/Bio sphere reserve/ migratory corridor).*
2. *Safety measures proposed shall be submitted.*
3. *A time bound action plan for implementation of proposed CER activities as a part of EMP shall be furnished.*

Additional Conditions:

Dust suppression measures have to be strictly followed.

215.1.22. Building Stone Quarry Project at Jakkali Village, Ron Taluk, Gadag District (2-27 Acres) by Sri Sudarshan Reddy - Online Proposal No.SIA/KA/MIN/256536/202 (SEIAA 64 MIN 2022)

Sri. P. Sudarshan Reddy have applied for Environmental clearance from SEIAA for "Building Stone Quarry" at Sy No: 396/2, 396/3 ,396/4, 396/5 & 396/1B+1C,Jakkali Village,Ron Taluk, Gadag District,Karnataka.

Details of the project are as follows:

Sl. No	PARTICULARS	INFORMATION
1	Name & Address of the Project Proponent	Sri. P. Sudarshan Reddy Near Bus stand, Basavaketan Automobile, Naregal Village and post, Ron Taluk,Gadag

Drafted by 

		District, Karnataka																		
2	Name & Location of the Project	"Building Stone Quarry" of Sri. P. Sudarshan Reddy, Sy No: 396/2, 396/3, 396/4, 396/5 & 396/1B+1C, Jakkali Village, Ron Taluk, Gadag District, Karnataka.																		
3	Co-ordinates of the Project Site	<table border="1"> <thead> <tr> <th colspan="3">GPS CO-ORDINATES</th> </tr> <tr> <th></th> <th>LATITUDE</th> <th>LONGITUDE</th> </tr> </thead> <tbody> <tr> <td>A</td> <td>N15° 36' 25.3"</td> <td>E75° 47' 21.4"</td> </tr> <tr> <td>B</td> <td>N15° 36' 23.9"</td> <td>E75° 47' 21.5"</td> </tr> <tr> <td>C</td> <td>N15° 36' 23.1"</td> <td>E75° 47' 28.0"</td> </tr> <tr> <td>D</td> <td>N15° 36' 25.8"</td> <td>E75° 47' 26.6"</td> </tr> </tbody> </table>	GPS CO-ORDINATES				LATITUDE	LONGITUDE	A	N15° 36' 25.3"	E75° 47' 21.4"	B	N15° 36' 23.9"	E75° 47' 21.5"	C	N15° 36' 23.1"	E75° 47' 28.0"	D	N15° 36' 25.8"	E75° 47' 26.6"
GPS CO-ORDINATES																				
	LATITUDE	LONGITUDE																		
A	N15° 36' 25.3"	E75° 47' 21.4"																		
B	N15° 36' 23.9"	E75° 47' 21.5"																		
C	N15° 36' 23.1"	E75° 47' 28.0"																		
D	N15° 36' 25.8"	E75° 47' 26.6"																		
4	Type of Mineral	Building Stone Quarry																		
5	New / Expansion / Modification / Renewal	New																		
6	Type of Land [Forest, Government Revenue, Gomal, Private/Patta, Other]	Patta Land																		
7	Area in Ha	1.082 Ha																		
8	Annual Production Proposed (Metric Tons/ CUM) / Annum	26,316 TPA (including waste)																		
9	Project Cost (Rs. In Crores)	1.16 crores																		
10	Proved quantity of mine/quarry-Cu.m/Tons	10,14,316 Tonnes (including waste)																		
11	Permitted quantity per annum-Cu.m/Ton	26,316 TPA (including waste)																		
12	CER Action Plan:																			
	5 Year	Corporate Environmental Responsibility (CER)																		
	1st	Providing solar power panels to GHPKGS school at Jakkali village																		
	2nd	Rain water harvesting pits in GHPKGS school at Jakkali village																		
	3rd	Cleaning out and deepening of Totganti Pond - 1.74 Kms (SW) & Abbigeri pond - 3.75 Kms (SW)																		
	4th	Scientific support and awareness to local farmers to increase yield of crop and fodder																		
	5th	Health camp in GHPKGS school at Jakkali village																		
13	EMP Budget	Rs. 28.81 lakhs (Capital Cost) & Rs. 10.11 lakhs (Recurring cost)																		



13	Forest NOC	04.10.2021
14	Notificatio n	18.01.2022
15	Quarry plan	27.01.2022
16	Cluster certificate	28.01.2022

The subject was discussed in the SEAC meeting held on 15th 16th & 17th March 2022. The Committee has recommended to SEIAA for issue of EC and the extract of the proceedings of the Committee meeting is as below:

There is an existing cart track road to a length of 233 meters connecting lease area to the all weather black topped road and the proponent informed that the quarrying operation will be commenced after strengthening the approach road to the quarry & the road connecting to the crusher as per IRC (Indian Road Congress) standard norms & would grow trees all along the approach road.

As per the cluster sketch there are no other leases within 500m radius of quarry lease area. The area of the subject lease is 2-27 Acres and the project is categorized as B2. The proponent has collected baseline data of air, water, soil and noise and all are within the permissible limits. The proponent informed that all mitigative measures will be taken to ensure that the parameters will be maintained within the permissible limits.

Considering the proved mineable reserve of 10,14,316tonnes (includingwaste) as per the approved quarry plan, the committee estimated the life of the mine as co terminus with the lease period. The committee decided to recommend the proposal to SEIAA for issue of Environmental Clearance for an annual production of 26,316tonnes/annum.

The Authority perused the proposal and took note of the recommendation of SEAC.

The Authority after discussion decided to clear the proposal for issue of Environmental Clearance subject to following:

1. *If the distance of nearest Protected Area (National Park/ Sanctuary/Bio sphere reserve/ migratory corridor) is within 10 KM, a certificate from the Chief Wild Life Warden (CWLW) along with his recommendation, else a certificate from the proponent that the proposed site is more than 10 KM away from any Protection Authority (PA) (National Park/ Sanctuary/Bio sphere reserve/ migratory corridor).*
2. *Safety measures proposed shall be submitted.*

3. A time bound action plan for implementation of proposed CER activities as a part of EMP shall be furnished.

Additional Conditions:

Dust suppression measures have to be strictly followed.

215.1.23. Shahabad Stone Quarry Project at Miriyan Village, Chincholli Taluk, Kalaburgi District (1-00 Acre) by Smt. P Sujatha Reddy - Online Proposal No.SIA/KA/MIN/235904/2021(SEIAA 589 MIN 2021)

Smt. P. Sujatha Reddy have applied for Environmental clearance from SEIAA for Shahabad Stone Quarry in 1-00 Acre of Patta Land bearing Sy. No: 87/1 in MiriyanVillage, ChincholiTaluk, Kalaburagi District, Karnataka.

Details of the project are as follows:

Sl.N o	PARTICULARS	INFORMATION
1	Name & Address of the Projects Proponent	Smt. P. Sujatha Reddy W/o P.Madhusudhanreddy, H No. 28/D, M I G, M S K Mill Road, Shanthi Nagar, Opp. Central Bus Stand, Kalaburagi District, Karnataka.
2	Name & Location of the Project	Shahabad Stone Quarry in 1-00 Acre of Patta Land bearing Sy. No: 87/1 in MiriyanVillage, ChincholiTaluk, Kalaburagi District, Karnataka.
3	Type Of Mineral	Shahabad Stone (Cherty Lime Stone)
4	New / Expansion / Modification / Renewal	New
5	Type of Land [Forest, Government Revenue, Gomal, Private / Patta, Other]	Patta Land
6	Area in Ha	1-00 Acres
7	Annual Production (Metric Ton / Cum/Sq. Meter) Per Annum	300cum (60% recovery and 40% waste)
8	Project Cost (Rs. In Crores)	0.20 (Rs. 20 Lakhs)
9	Proved Quantity of mine/ Quarry- Cu.m / Ton	15,000cum (60% recovery and 40% waste)
10	Permitted Quantity Per Annum - Cu.m / Ton	300cum (60% recovery and 40% waste)

11	CER Action Plan: • Propose to carry out Roof Top Rain Water Harvesting system with ground water recharging facility, at the Govt. School, in the nearby Miriyan Village.	
12	EMP Budget	Rs. 19.27 Lakhs (Capital Cost) & 8.60 Lakhs (Recurring cost)
13	Forest NOC	22.07.2021
14	Notification	16.08.2021
15	Quarry plan	18.08.2021
16	Cluster certificate	21.09.2021

The subject was discussed in the SEAC meeting held on 15th 16th & 17th March 2022. The Committee has recommended to SEIAA for issue of EC and the extract of the proceedings of the Committee meeting is as below:

There is an existing cart track road to a length of 1.8KM connecting lease area to the all weather black topped road and the proponent informed that the quarrying operation will be commenced after strengthening the approach road to the quarry & the road connecting to the crusher as per IRC (Indian Road Congress) standard norms & would grow trees all along the approach road.

As per the cluster sketch there are 8 other leases within 500m radius of quarry lease area and out of which 5 notified areas. The total area of 4 leases including the subject lease is 6-27 Acres and the project is categorized as B2. The proponent has collected baseline data of air, water, soil and noise and all are within the permissible limits. The proponent informed that all mitigative measures will be taken to ensure that the parameters will be maintained within the permissible limits.

Considering the proved mineable reserve of 15,000cum (60% recovery and 40% waste) as per the approved quarry plan, the committee estimated the life of the mine as co terminus with the lease period. The committee decided to recommend the proposal to SEIAA for issue of Environmental Clearance for an annual production of 300cum (60% recovery and 40% waste).

The Authority perused the proposal and took note of the recommendation of SEAC.

The Authority after discussion decided to clear the proposal for issue of Environmental Clearance subject to following:

1. *If the distance of nearest Protected Area (National Park/ Sanctuary/Bio sphere reserve/ migratory corridor) is within 10 KM, a certificate from the Chief Wild Life Warden (CWLW) along with his recommendation, else a certificate from the proponent that the proposed site is more than 10 KM away from any Protection Authority (PA) (National Park/ Sanctuary/Bio sphere reserve/ migratory corridor).*
2. *Safety measures proposed shall be submitted.*
3. *A time bound action plan for implementation of proposed CER activities as a part of EMP shall be furnished.*
4. *Since there is substantial quantity of generation of waste from the quarry activity, all due precautions with respect to environment management aspects of waste dump shall be observed.*

Additional Conditions:


Dust suppression measures have to be strictly followed.

215.1.24. Building Stone Quarry Project at Marikatti Village, Bailhongal Taluk, Belagavi District (5-28 Acres) by M/s. Shivam Stone Crusher - Online Proposal No.SIA/KA/MIN/250167/2022 (SEIAA 08 MIN 2022)

M/s. Shivam Stone Crusher have applied for Environmental clearance from SEIAA for Building Stone Quarry in 5-28 Acres of Patta Land bearing Sy. No: 14/1,3,4 (P) in MarikattiVillage, Bailahongal Taluk, Belagavi District.

Details of the project are as follows:

Sl.No	PARTICULARS	INFORMATION
1	Name & Address of the Projects Proponent	M/s. Shivam Stone Crusher, Sri Shripad A. Hishobkar Plot No. 4842A/5A Savali Building, Shivalaya Road, Sadashiv Nagar, Belgavi-590001.
2	Name & Location of the Project	Building Stone Quarry in 5-28 Acres of Patta Land bearing Sy. No: 14/1,3,4 (P) in MarikattiVillage, Bailahongal Taluk, Belagavi District.
3	Type Of Mineral	Building Stone
4	New / Expansion / Modification / Renewal	New



5	Type of Land [Forest, Government Revenue, Gomal, Private / Patta, Other]	Patta Land
6	Area in Ha	5-28 Acres
7	Annual Production (Metric Ton / Cum) Per Annum	2,78,359 Tons/Annum (Avg.)
8	Project Cost (Rs. In Crores)	1.35 (Rs. 135 Lakhs)
9	Proved Quantity of mine/ Quarry- Cu.m / Ton	15,06,990 Tons
10	Permitted Quantity Per Annum - Cu.m / Ton	2,78,359 Tons/Annum (Max.)
11	CER Action Plan: <ul style="list-style-type: none"> Propose take up 500 No. of additional plantation on either side of the approach road from quarry location to Marikatti Village Road. 	
12	EMP Budget	Rs. 7.85 Lakhs (Capital Cost) & 24.45 Lakhs (Recurring cost)
13	Forest NOC	11.02.2020
14	Notification	10.11.2021
15	Quarry plan	08.12.2021
16	Cluster certificate	21.12.2021

The subject was discussed in the SEAC meeting held on 15th 16th & 17th March 2022. The Committee has recommended to SEJAA for issue of EC and the extract of the proceedings of the Committee meeting is as below:

The committee received a complaint from villagers from Marikatti Village stating that the proponent has operated without the lease execution in the project site and requested to take legal action. The complaint circulated to all the members and to the proponent. The proponent replied and stated that the the Notification issued after payment of penalty to DMG authorities. The committee after discussion decided to continue with the appraisal.

There is an existing cart track road to a length of 200meters connecting lease area to the all weather black topped road and the proponent informed that the quarrying operation will be commenced after strengthening the approach road to the quarry & the road connecting to the crusher as per IRC (Indian Road Congress) standard norms & would grow trees all along the approach road.

As per the cluster sketch there are 3 leases including this lease within 500 meter radius from this lease area and the total area of all these leases is 10-08 Acres and project is categorized as B2. The Proponent has collected baseline data of air, water, soil and noise and all are within the permissible limits. The proponent informed that all

mitigative measures will be taken to ensure that the parameters will be maintained within the permissible limits.

Considering the proved mineable reserve of 15,06,990tonnes (includingwaste) as per the approved quarry plan, the committee estimated the life of the mine as 6 years. The committee decided to recommend the proposal toSEIAA for issue of Environmental Clearance for an annual production of 2,84,040 tonnes/annum.

The Authority perused the proposal and took note of the recommendation of SEAC.

The Authority after discussion decided to clear the proposal for issue of Environmental Clearance subject to following:

1. *If the distance of nearest Protected Area (National Park/ Sanctuary/Bio sphere reserve/ migratory corridor) is within 10 KM, a certificate from the Chief Wild Life Warden (CWLW) along with his recommendation, else a certificate from the proponent that the proposed site is more than 10 KM away from any Protection Authority (PA) (National Park/ Sanctuary/Bio sphere reserve/ migratory corridor).*
2. *Safety measures proposed shall be submitted.*
3. *A time bound action plan for implementation of proposed CER activities as a part of EMP shall be furnished.*

Additional Conditions:


Dust suppression measures have to be strictly followed.

215.1.25. Building Ganikoppa Building Stone Quarry Project at Ganikoppa Village, Bailhongal Taluk, Belagavi District (9-00 Acres) by SRI RAVI SHANKAR MATHAD - Online Proposal No.SIA/KA/MIN/241086/2021(SEIAA 47 MIN 2022)

Sri.Ravi Shankar Mathad have applied for Environmental clearance from SEIAA for "Building Stone Quarry" at Sy. No. 134/1,2&136/1,3,4,5 of Ganikoppa Village, Bailhongal Taluk, Belgaum District.

Details of the project are as follows:

Sl. No	PARTICULARS	INFORMATION
1	Name & Address of the Project Proponent	M/S Siddeshwar Stone Crusher Sri Ravi Shankar Mathad Ravi Mathad Badawane, Honnihal



		Belgavi Taluk, Belgavi District.
2	Name & Location of the Project	"Building Stone Quarry" of Sri.Ravi Shankar Mathad at Sy. No. 134/1,2&136/1,3,4,5 of Ganikoppa Village, Bailhongal Taluk, Belgaum District.
3	Type of Mineral	Building stone
4	New /expansion/modification /renewal	New
5	Type of Land [Forest, Government Revenue, Gomal, Private/Patta, Other]	Patta Land.
6	Area in Ha	9-00 Acre(3.64 Ha)
7	Annual production (metric ton /Cum) per annum	1,48,694 tonnes/annum
8	Project Cost (Rs. In Crores)	2.0 Crores
9	Proved quantity of mine/quarry- Cu.m/Tons	15,65,062 tonnes (including waste)
10	permitted quantity per annum- Cu.m/Ton	1,48,694 tonnes/annum
11	CER Activities	
	5 Year	Corporate Environmental Responsibility (CER)
	1 st	Plantations,
	2 nd	Maintainance ,Watering of plantation on both sides of nala.
	3 rd	Maintainance ,Watering of plantation on both sides of nala.
	4 th	Maintainance ,Watering of plantation on both sides of nala.
	5 th	Maintainance,Watering of plantation on both sides of nala.
12	EMP Budget	Rs.25.10 lakhs (Capital Cost) & Rs. 14.65 lakhs (Recurring cost)
13	Forest NOC	16.01.2021
14	Notification	11.11.2021
15	Quarry plan	31.01.2022
16	Cluster certificate	02.02.2021

The subject was discussed in the SEAC meeting held on 15th 16th & 17th March 2022. The Committee has recommended to SEIAA for issue of EC and the extract of the proceedings of the Committee meeting is as below:

There is an existing cart track road to a length of 500meters connecting lease area to the all weather black topped road and the proponent informed that the quarrying operation will be commenced after strengthening the approach road to the quarry & the road connecting to the crusher as per IRC (Indian Road Congress) standard norms & would grow trees all along the approach road.

As per the cluster sketch there are no other leases within 500 meter radius from this lease area and the area of the subject leases is 9-00 Acres and project is categorized as B2. The Proponent has collected baseline data of air, water, soil and noise and all are within the permissible limits. The proponent informed that all mitigative measures will be taken to ensure that the parameters will be maintained within the permissible limits.

Considering the proved mineable reserve of 15,65,062 tonnes (including waste) as per the approved quarry plan, the committee estimated the life of the mine as 11 years. The committee decided to recommend the proposal to SEIAA for issue of Environmental Clearance for an annual production of 1,48,694 tonnes/ annum.

The Authority perused the proposal and took note of the recommendation of SEAC.

The Authority after discussion decided to clear the proposal for issue of Environmental Clearance subject to following:

1. *If the distance of nearest Protected Area (National Park/ Sanctuary/Bio sphere reserve/ migratory corridor) is within 10 KM, a certificate from the Chief Wild Life Warden (CWLW) along with his recommendation, else a certificate from the proponent that the proposed site is more than 10 KM away from any Protection Authority (PA) (National Park/ Sanctuary/Bio sphere reserve/ migratory corridor).*
2. *Safety measures proposed shall be submitted.*
3. *A time bound action plan for implementation of proposed CER activities as a part of EMP shall be furnished.*

Additional Conditions:

Dust suppression measures have to be strictly followed.

215.1.26. Building Stone Quarry Project at Ambhalare Village, Periyapatna Taluk & Mysore District (3-35 Acres) by M/s. M. M. STONE CRUSHER- Online Proposal No.SIA/KA/MIN/256662/2022(SEIAA 68 MIN 2022)

M/s. M M Stone Crusher Managing Partner: Sri. P M Umesh have applied for Environmental clearance from SEIAA for Building Stone Quarry in 3-35 Acres of Patta Land bearing Sy. No. 106/1, Ambhalare Village, Periyapatna Taluk & Mysore District, Karnataka

Details of the project are as follows:

Sl.No	PARTICULARS	INFORMATION
1	Name & Address of the Projects Proponent	M/s. M M Stone Crusher Managing Partner: Sri. P M Umesh No.648, C-Block, 22/2 Cross, Vijayanagara, 3 rd Stage, Mysore-570017
2	Name & Location of the Project	Building Stone Quarry in 3-35 Acres of Patta Land bearing Sy. No. 106/1, Ambhalare Village, Periyapatna Taluk & Mysore District, Karnataka.
3	Type Of Mineral	Building Stone
4	New / Expansion / Modification / Renewal	New
5	Type of Land [Forest, Government Revenue, Gomal, Private / Patta, Other]	Patta Land
6	Area in Acre-Guntas	3-35 Acres
7	Annual Production (Metric Ton / Cum) Per Annum	1,00,000(Avg.) Tons/ Annum
8	Project Cost (Rs. In Crores)	0.35 (Rs. 35 Lakhs)
9	Proved Quantity of mine/ Quarry- Cu.m / Ton	6,63,427tonnes (excluding waste)
10	Permitted Quantity Per Annum - Cu.m / Ton	1,00,000(Avg.) Tons/ Annum
11	CER Action Plan: Propose to take up additional plantation of 200 locally suitable trees, on both sides of the approach road and near public places.	
12	EMP Budget	Rs. 22.50 Lakhs (Capital Cost) & 13.80 Lakhs (Recurring cost for 5 years)
13	Forest NOC	18.09.2021
14	Notification	31.12.2021
15	Quarry plan	09.02.2022
16	Cluster certificate	17.02.2022

The subject was discussed in the SEAC meeting held on 15th 16th & 17th March 2022. The Committee has recommended to SEIAA for issue of EC and the extract of the proceedings of the Committee meeting is as below:

There is an existing cart track road to a length of 800meters connecting lease area to the all weather black topped road and the proponent informed that the quarrying operation will be commenced after strengthening the approach road to the quarry & the road connecting to the crusher as per IRC (Indian Road Congress) standard norms & would grow trees all along the approach road.

As per the cluster sketch there are no other leases within 500 meter radius from this lease area and the area of the subject leases is 3-35 Acres and project is categorized as B2. The Proponent has collected baseline data of air, water, soil and noise and all are within the permissible limits. The proponent informed that all mitigative measures will be taken to ensure that the parameters will be maintained within the permissible limits.

Considering the proved mineable reserve of 6,63,427tonnes (excluding waste) as per the approved quarry plan, the committee estimated the life of the mine as 7 years. The committee decided to recommend the proposal to SEIAA for issue of Environmental Clearance for an annual production of 1,00,000 tonnes/ annum.

The Authority perused the proposal and took note of the recommendation of SEAC.

The Authority after discussion decided to clear the proposal for issue of Environmental Clearance subject to following:


1. *If the distance of nearest Protected Area (National Park/ Sanctuary/Bio sphere reserve/ migratory corridor) is within 10 KM, a certificate from the Chief Wild Life Warden (CWLW) along with his recommendation, else a certificate from the proponent that the proposed site is more than 10 KM away from any Protection Authority (PA) (National Park/ Sanctuary/Bio sphere reserve/ migratory corridor).*
2. *Safety measures proposed shall be submitted.*
3. *A time bound action plan for implementation of proposed CER activities as a part of EMP shall be furnished.*

Additional Conditions:

Dust suppression measures have to be strictly followed.

215.1.27. Building Stone Quarry Project at Sagadageri Village, Ankola Taluk, Uttara Kannada District (2-21 Acres) by Sri Parikshit Nayak - Online Proposal No.SIA/KA/MIN/257763/2022 (SEIAA 72 MIN 2022)

Sri. Parikshit N Nayak, have applied for Environmental clearance from SEIAA for "Building Stone Quarry" at Sy No: 43/A3 Sagadageri Village, Ankola Taluk, Uttar Kannada District.



Details of the project are as follows:

Sl. No	PARTICULARS	INFORMATION																		
1	Name & Address of the Project Proponent	Sri. Parikshit N Nayak #22, Hanehalli, Bankikodla, Kumata Taluk, Uttar Kannada District																		
2	Name & Location of the Project	"Building Stone Quarry" of Sri. Parikshit N Nayak, Sy No: 43/ A3 Sagadageri Village, Ankola Taluk, Uttar Kannada District.																		
3	Co-ordinates of the Project Site	<table border="1"> <thead> <tr> <th>Corner Pillar</th> <th>Latitude</th> <th>Longitude</th> </tr> </thead> <tbody> <tr> <td>A</td> <td>14° 35' 36.59"</td> <td>74° 21' 04.46"</td> </tr> <tr> <td>B</td> <td>14° 35' 37.72"</td> <td>74° 20' 59.98"</td> </tr> <tr> <td>C</td> <td>14° 35' 40.17"</td> <td>74° 20' 59.35"</td> </tr> <tr> <td>D</td> <td>14° 35' 39.40"</td> <td>74° 21' 02.45"</td> </tr> <tr> <td>E</td> <td>14° 35' 39.63"</td> <td>74° 21' 03.92"</td> </tr> </tbody> </table> <p>MAP DATUM - WGS 84 DATUM</p>	Corner Pillar	Latitude	Longitude	A	14° 35' 36.59"	74° 21' 04.46"	B	14° 35' 37.72"	74° 20' 59.98"	C	14° 35' 40.17"	74° 20' 59.35"	D	14° 35' 39.40"	74° 21' 02.45"	E	14° 35' 39.63"	74° 21' 03.92"
Corner Pillar	Latitude	Longitude																		
A	14° 35' 36.59"	74° 21' 04.46"																		
B	14° 35' 37.72"	74° 20' 59.98"																		
C	14° 35' 40.17"	74° 20' 59.35"																		
D	14° 35' 39.40"	74° 21' 02.45"																		
E	14° 35' 39.63"	74° 21' 03.92"																		
4	Type of Mineral	Building Stone Quarry																		
5	New / Expansion / Modification / Renewal	New																		
6	Type of Land [Forest, Government Revenue, Gomal, Private/Patta, Other]	Patta Land																		
7	Area in Ha	1.021 Ha																		
8	Annual Production Proposed (Metric Tons/ CUM) / Annum	51,020 TPA																		
9	Project Cost (Rs. In Crores)	1.17crores																		
10	Proved quantity of mine/quarry- Cu.m/Tons	3,82,084 Tonnes																		
11	Permitted quantity per annum- Cu.m/Ton	51,020 TPA																		
12	CER Action Plan:																			
	5 Years	Corporate Environmental Responsibility (CER)																		
	1 st	Providing solar power panels to GLPS school at Agerkeri village																		

	2 nd	The proponent proposes to distribute nursery plants at GLPS school at Agerkeri village
	3 rd	Conducting E-waste drive campaigns in the GLPS school at Agerkeri village
	4 th	Scientific support and awareness to local farmers to increase yield of crop and fodder
	5 th	Health camp in GLPS school at Agerkeri village
13	EMP Budget	Rs. 28.31lakhs (Capital Cost) & Rs. 10.46 lakhs (Recurring cost)
14	Forest NOC	01.01.2022
15	Notification	14.12.2022
16	Quarry plan	17.02.2022
17	Cluster certificate	19.02.2022

The subject was discussed in the SEAC meeting held on 15th 16th & 17th March 2022. The Committee has recommended to SEIAA for issue of EC and the extract of the proceedings of the Committee meeting is as below:

There is an existing cart track road to a length of 225meters connecting lease area to the all weather black topped road and the proponent informed that the quarrying operation will be commenced after strengthening the approach road to the quarry & the road connecting to the crusher as per IRC (Indian Road Congress) standard norms & would grow trees all along the approach road.

As per the cluster sketch there are no other leases within 500 meter radius from this lease area and the area of the subject leases is 2-21 Acres and project is categorized as B2. The Proponent has collected baseline data of air, water, soil and noise and all are within the permissible limits. The proponent informed that all mitigative measures will be taken to ensure that the parameters will be maintained within the permissible limits.

Considering the proved mineable reserve of 3,82,084 Tonnes (including waste) as per the approved quarry plan, the committee estimated the life of the mine as 8 years. The committee decided to recommend the proposal to SEIAA for issue of Environmental Clearance for an annual production of 51,020 tonnes/annum.

The Authority perused the proposal and took note of the recommendation of SEAC.

The Authority after discussion decided to clear the proposal for issue of Environmental Clearance subject to following:

1. *If the distance of nearest Protected Area (National Park/ Sanctuary/Bio sphere reserve/ migratory corridor) is within 10 KM, a certificate from the Chief Wild Life*




Warden (CWLW) along with his recommendation, else a certificate from the proponent that the proposed site is more than 10 KM away from any Protection Authority (PA) (National Park/ Sanctuary/Bio sphere reserve/ migratory corridor).

2. *Safety measures proposed shall be submitted.*
3. *A time bound action plan for implementation of proposed CER activities as a part of EMP shall be furnished.*

Additional Conditions:

Dust suppression measures have to be strictly followed.

215.1.28. Pudakalakatti Building Stone Quarry Project at Pudakalakatti Village, Gokak Taluk, Belagavi District (5-00 Acres) by Sri Nagaraj Tukaram Kagal - Online Proposal No.SIA/KA/MIN/257089/2022 (SEIAA 73 MIN 2022)

Sri Nagaraj Tukaram Kagal have applied for Environmental clearance from SEIAA for Building Stone Quarry, resh Grant, QL.Area Applied, in 5-00 Acres (2.024 Ha) in Sy.No 239/2,3,4 (P), Patta Land, Pudakalakatti Village, Gokak Taluk , Belagavi District

Details of the project are as follows:


Sl. No.	PARTICULARS	INFORMATION
1	Name & Address of the Project Proponent	Sri Nagaraj Tukaram Kagal # 184/2A, Plot No.1-2, Mahalaxmi Nilaya, Vivekananda Nagar, 7 th Cross, Gokak-591 307, Belagavi District
2	Name & Location of the Project	Pudakalakatti Building Stone Quarry, Fresh Grant, QL.Area Applied, in 5-00 Acres (2.024 Ha) in Sy.No 239/2,3,4 (P), Patta Land, Pudakalakatti Village, Gokak Taluk , Belagavi District
3	Type of Mineral	Building Stone
4	New / Expansion / Modification / Renewal	New
5	Type of Land(Forest, Government Revenue, Gomal,Private/Patta, Others	Patta Land
6	Area in Ha.	2.024Ha

7	Annual Production Proposed (Metric Tons/CUM)/ Annum	1,20,000 tonnes/ Annum												
8	Project Cost (in Crores)	0.50 Crore (50.0 Lakhs)												
9	Proved Quantity of mine/Quarry-Cu.m/ton	19,58,631 tonnes												
10	Permitted Quantity per Annum -C.um/ton	1,20,000 tonnes/ Annum												
11	EMP Budget	Capital Cost Rs. 17,33,000/- and Recurring Cost Rs.9,47,000/-												
12	Forest NOC	28.09.2021												
13	Notification	10.01.2022												
14	Quarry plan	02.02.2022												
15	Cluster certificate	02.02.2022												
16	CER	<table border="1"> <thead> <tr> <th>For 5 Years</th> <th>Corporate Environmental Responsibility (CER)</th> </tr> </thead> <tbody> <tr> <td>1st</td> <td>Providing solar power panels to common public places Pudukalakatti village</td> </tr> <tr> <td>2nd</td> <td>Rain water harvesting pits Pudukalakatti village Govt. schools</td> </tr> <tr> <td>3rd</td> <td>50 No;s Plantation at Pudukalakatti village Govt. schools</td> </tr> <tr> <td>4th</td> <td>Health camp in nearby community places</td> </tr> <tr> <td>5th</td> <td>Enhancing ground water through construction of check dams.</td> </tr> </tbody> </table>	For 5 Years	Corporate Environmental Responsibility (CER)	1 st	Providing solar power panels to common public places Pudukalakatti village	2 nd	Rain water harvesting pits Pudukalakatti village Govt. schools	3 rd	50 No;s Plantation at Pudukalakatti village Govt. schools	4 th	Health camp in nearby community places	5 th	Enhancing ground water through construction of check dams.
For 5 Years	Corporate Environmental Responsibility (CER)													
1 st	Providing solar power panels to common public places Pudukalakatti village													
2 nd	Rain water harvesting pits Pudukalakatti village Govt. schools													
3 rd	50 No;s Plantation at Pudukalakatti village Govt. schools													
4 th	Health camp in nearby community places													
5 th	Enhancing ground water through construction of check dams.													

The subject was discussed in the SEAC meeting held on 15th 16th & 17th March 2022. The Committee has recommended to SEIAA for issue of EC and the extract of the proceedings of the Committee meeting is as below:

There is an existing cart track road to a length of 500meters connecting lease area to the all weather black topped road and the proponent informed that the quarrying operation will be commenced after strengthening the approach road to the quarry & the road connecting to the crusher as per IRC (Indian Road Congress) standard norms & would grow trees all along the approach road.

As per the cluster sketch there are no other leases within 500 meter radius from this lease area and the area of the subject leases is 5-00 Acres and project is categorized as B2. The Proponent has collected baseline data of air, water, soil and noise and all are



within the permissible limits. The proponent informed that all mitigative measures will be taken to ensure that the parameters will be maintained within the permissible limits.

Considering the proved mineable reserve of 19,58,631 tonnes(excluding waste) as per the approved quarry plan, the committee estimated the life of the mine as 8 years. The committee decided to recommend the proposal to SEIAA for issue of Environmental Clearance for an annual production of 1,20,000 tonnes/ annum.

The Authority perused the proposal and took note of the recommendation of SEAC.

The Authority after discussion decided to clear the proposal for issue of Environmental Clearance subject to following:

1. *If the distance of nearest Protected Area (National Park/ Sanctuary/Bio sphere reserve/ migratory corridor) is within 10 KM, a certificate from the Chief Wild Life Warden (CWLW) along with his recommendation, else a certificate from the proponent that the proposed site is more than 10 KM away from any Protection Authority (PA) (National Park/ Sanctuary/Bio sphere reserve/ migratory corridor).*
2. *Safety measures proposed shall be submitted.*
3. *A time bound action plan for implementation of proposed CER activities as a part of EMP shall be furnished.*

Additional Conditions:

Dust suppression measures have to be strictly followed.


215.1.29. Ornamental Granite (Grey Granite) Quarry Project at Bydrahalli Village, Devanahalli Taluk, Bangalore rural District (3-00 Acres) by Sri P Mahadevaiah - Online Proposal No.SIA/KA/MIN/258077/2022 (SEIAA 74 MIN 2022)

Sri P Mahadevaiah have applied for Environmental clearance from SEIAA for "Ornamental Granite (Grey Granite) Quarry" at Sy. No. 19/1,Byadarahalli Village, Devanahalli Taluk, Bangalore Rural District.

Details of the project are as follows:

Sl. No	PARTICULARS	INFORMATION
1	Name & Address of the Project Proponent	Sri. P Mahadevaiah S/o Puttamallappa, Kodimanchenahalli, Devanahalli Town, Ward No.23, Bangalore Rural District - 562110.

2	Name & Location of the Project	"Ornamental Granite (Grey Granite) Quarry" of Sri P Mahadevaiah Sy. No. 19/1, Byadarahalli Village, Devanahalli Taluk, Bangalore Rural District.		
3	Co-ordinates of the Project Site		Latitude	Longitude
			N 13° 17' 24.70"	E77° 39' 48.80"
			N 13° 17' 22.85"	E77° 39' 48.44"
			N 13° 17' 24.19"	E77° 39' 42.50"
			N 13° 17' 26.58"	E77° 39' 42.88"
4	Type of Mineral	Ornamental Granite (Grey Granite) Quarry		
5	New / Expansion / Modification / Renewal	New		
6	Type of Land [Forest, Government Revenue, Gomal, Private/Patta, Other]	Patta Land		
7	Area in Ha	1.214 Ha		
8	Annual Production Proposed (Metric Tons/ CUM) / Annum	17,295cum (50% recovery & 50% waste)		
9	Project Cost (Rs. In Crores)	1.21crores		
10	Proved quantity of mine/quarry-Cu.m/Tons	1,88,400cu.m(50% recovery & 50% waste)		
11	Permitted quantity per annum- Cu.m/Ton	17,295cum(50% recovery & 50% waste)		



CER Action Plan:		
	For 5 Years	Corporate Environmental Responsibility (CER)
12	1 st	Rain water harvesting pits to Anganwadi at Byadarahalli
	2 nd	
	3 rd	
	4 th	Plantation to Anganwadi at Byadarahalli
	5 th	Health camp to Anganwadi at Byadarahalli
13	EMP Budget	Rs. 34.40lakhs (Capital Cost) & Rs. 13.88 lakhs (Recurring cost)
14	Forest NOC	06.03.2021
15	C&I Notification	19.01.2022
16	Quarry plan	19.02.2022
17	Cluster certificate	21.02.2022

The subject was discussed in the SEAC meeting held on 15th 16th & 17th March 2022. The Committee has recommended to SEIAA for issue of EC and the extract of the proceedings of the Committee meeting is as below:

There is an existing cart track road to a length of 220meters connecting lease area to the all weather black topped road and the proponent informed that the quarrying operation will be commenced after strengthening the approach road to the quarry & the road connecting to the crusher as per IRC (Indian Road Congress) standard norms & would grow trees all along the approach road.

As per the cluster sketch there are 3 leases including this lease within 500 meter radius from this lease area, out of which one lease was granted prior to 09.09.2013 and the total area of 2 leases 6-05 Acres and project is categorized as B2. The Proponent has collected baseline data of air, water, soil and noise and all are within the permissible limits. The proponent informed that all mitigative measures will be taken to ensure that the parameters will be maintained within the permissible limits.

Considering the proved mineable reserve of 1,88,400cu.m(50%recovery &50% waste) as per the approved quarry plan, the committee estimated the life of the mine as 22 years. The committee decided to recommend the proposal to SEIAA for issue of Environmental Clearance for an annual production of 17,295cum/ annum (50%recovery &50% waste).

The Authority perused the proposal and took note of the recommendation of SEAC.

The Authority after discussion decided to clear the proposal for issue of Environmental Clearance subject to following:

1. *If the distance of nearest Protected Area (National Park/ Sanctuary/Bio sphere reserve/ migratory corridor) is within 10 KM, a certificate from the Chief Wild Life Warden (CWLW) along with his recommendation, else a certificate from the proponent that the proposed site is more than 10 KM away from any Protection Authority (PA) (National Park/ Sanctuary/Bio sphere reserve/ migratory corridor).*
2. *Safety measures proposed shall be submitted.*
3. *A time bound action plan for implementation of proposed CER activities as a part of EMP shall be furnished.*
4. *Since there is substantial quantity of generation of waste from the quarry activity, all due precautions with respect to environment management aspects of waste dump shall be observed.*

Additional Conditions:

Dust suppression measures have to be strictly followed.

215.1.30. Ornamental Granite (Grey Granite) Quarry Project at Bydrahalli Village, Devanahalli Taluk, Bangalore rural District (3-33 Acres) by Sri GURUMURTHY ANAND - Online Proposal No.SIA/KA/MIN/258154/2022(SEIAA 75 MIN 2022)

Sri G Anand, have applied for Environmental clearance from SEIAA for "Ornamental Granite (Grey Granite) Quarry" at Sy. Nos. 19/3 & 222,Byadarahalli Village,Devanahalli Taluk, Bangalore Rural District.

Details of the project are as follows:

Sl. No	PARTICULARS	INFORMATION
1	Name & Address of the Project Proponent	Sri. G AnandS/o Gurumurthy Reddy, No.B-203, Salarpuria Sattva,Gold Smith, Gubbi Cross,HennurBagaluru main road,Kotthanuru,Dr. ShivaramaKaaranth Nagar,Bangalore North, Bangalore.
2	Name & Location of the Project	"Ornamental Granite (Grey Granite) Quarry"OfSri G Anand,Sy. Nos. 19/3 & 222,Byadarahalli Village,Devanahalli Taluk, Bangalore Rural District.

3	Co-ordinates of the Project Site	P. No.	Latitude	Longitude
		A	N 13° 17' 24.70"	E 77° 39' 48.80"
		B	N 13° 17' 24.22"	E 77° 39' 50.29"
		C	N 13° 17' 22.62"	E 77° 39' 50.12"
		D	N 13° 17' 22.66"	E 77° 39' 49.76"
		E	N 13° 17' 18.81"	E 77° 39' 49.34"
		F	N 13° 17' 18.87"	E 77° 39' 47.67"
		G	N 13° 17' 21.69"	E 77° 39' 48.21"
		H	N 13° 17' 22.74"	E 77° 39' 42.28"
		I	N 13° 17' 24.18"	E 77° 39' 42.50"
		J	N 13° 17' 22.85"	E 77° 39' 48.44"
4	Type of Mineral	Ornamental Granite (Grey Granite) Quarry		
5	New / Expansion / Modification / Renewal	New		
6	Type of Land [Forest, Government Revenue, Gomal, Private/Patta, Other]	Patta Land		
7	Area in Ha	1.548 Ha		
8	Annual Production Proposed (Metric Tons/ CUM) / Annum	17,359cum (50%recovery & 50% waste)		
9	Project Cost (Rs. In Crores)	1.36crores		
10	Proved quantity of mine/quarry-Cu.m/Tons	2,69,719cu.m(50%recovery & 50% waste)		
11	Permitted quantity per annum- Cu.m/Ton	17,359cum (50%recovery & 50% waste)		
12	CER Action Plan:			
	For 5 Years	Corporate Environmental Responsibility (CER)		
	1 st	Pre-school education Kit to Anganwadi at Byadarahalli		
	2 nd			
	3 rd			
	4 th	Water purifier and Scholarships for financially backwards Children of Anganwadi at Byadarahalli		
5 th				
13	EMP Budget	Rs. 45.28lakhs (Capital Cost) & Rs. 14.81 lakhs (Recurring cost)		
4	Forest NOC	08.04.2021		
15	C&I Notification	19.01.2022		
16	Quarry plan	19.02.2022		

17	Cluster certificate	21.02.2022
----	---------------------	------------

The subject was discussed in the SEAC meeting held on 15th 16th & 17th March 2022. The Committee has recommended to SEIAA for issue of EC and the extract of the proceedings of the Committee meeting is as below:

There is an existing cart track road to a length of 210meters connecting lease area to the all weather black topped road and the proponent informed that the quarrying operation will be commenced after strengthening the approach road to the quarry & the road connecting to the crusher as per IRC (Indian Road Congress) standard norms & would grow trees all along the approach road.

As per the cluster sketch there are 3 leases including this lease within 500 meter radius from this lease area, out of which one lease was granted prior to 09.09.2013 and the total area of 2 leases 6-38 Acres and project is categorized as B2. The Proponent has collected baseline data of air, water, soil and noise and all are within the permissible limits. The proponent informed that all mitigative measures will be taken to ensure that the parameters will be maintained within the permissible limits.

Considering the proved mineable reserve of 2,69,719cu.m(50%recovery & 50% waste) as per the approved quarry plan, the committee estimated the life of the mine as 16 years. The committee decided to recommend the proposal to SEIAA for issue of Environmental Clearance for an annual production of 17,359cum/annum (50%recovery & 50% waste).

The Authority perused the proposal and took note of the recommendation of SEAC.

The Authority after discussion decided to clear the proposal for issue of Environmental Clearance subject to following:

1. *If the distance of nearest Protected Area (National Park/ Sanctuary/Bio sphere reserve/ migratory corridor) is within 10 KM, a certificate from the Chief Wild Life Warden (CWLW) along with his recommendation, else a certificate from the proponent that the proposed site is more than 10 KM away from any Protection Authority (PA) (National Park/ Sanctuary/Bio sphere reserve/ migratory corridor).*
2. *Safety measures proposed shall be submitted.*
3. *A time bound action plan for implementation of proposed CER activities as a part of EMP shall be furnished.*
4. *Since there is substantial quantity of generation of waste from the quarry activity, all due precautions with respect to environment management aspects of waste dump shall be observed.*

Additional Conditions:

Dust suppression measures have to be strictly followed.

215.1.31. Building Stone Quarry Project at Siddapura Village, Nyamati Taluk, Davanagere District (1-00 Acre) by Sri Malathesha P - Online Proposal No.SIA/KA/MIN/252774/2022 (SEIAA 27 MIN 2022)

Sri Malathesha P. have applied for Environmental clearance from SEIAA for Building Stone Quarry in 1-00Acre of Patta Land bearing Sy. No: 64/7 of Siddapura village, BelaguttiHobli, Nyamati taluk, Davanagere district, Karnataka.

Details of the project are as follows:

Sl.No	PARTICULARS	INFORMATION
1	Name & Address of the Projects Proponent	Sri Malathesha P S/o Parameshwarappa, Devakattikoppa Village, KoteGangooru Post, Shivamogga
2	Name & Location of the Project	Building Stone Quarry in 1-00Acre of PattaLand bearing Sy. No: 64/7 of Siddapura village, BelaguttiHobli, Nyamati taluk, Davanagere district, Karnataka.
3	Type Of Mineral	Building Stone Quarry
4	New / Expansion / Modification / Renewal	New
5	Type of Land [Forest, Government Revenue, Gomal, Private / Patta, Other]	Patta Land
6	Area in Ha	1-00 Acres
7	Annual Production (Metric Ton / Cum) Per Annum	40,816Tons/ Annum (Avg.)
8	Project Cost (Rs. In Crores)	0.25 (Rs. 25 Lakhs)
9	Proved Quantity of mine/ Quarry- Cu.m / Ton	2,13,819Tons
10	Permitted Quantity Per Annum - Cu.m / Ton	40,816Tons/ Annum (Max.)
11	CER Action Plan: • Propose take up 100 No. of additional plantation on either side of the approach road from quarry location to Siddapura Village Road	
12	EMP Budget	Rs. 4.27 Lakhs (Capital Cost) & 9.80 Lakhs (Recurring cost)
14	Forest NOC	18.11.2021
15	Notification	03.12.2021
	Quarry plan	01.01.2022

16		
17	Cluster certificate	17.01.2022

The subject was discussed in the SEAC meeting held on 15th 16th & 17th March 2022. The Committee has recommended to SEIAA for issue of EC and the extract of the proceedings of the Committee meeting is as below:

There is an existing cart track road to a length of 300meters connecting lease area to the all weather black topped road and the proponent informed that the quarrying operation will be commenced after strengthening the approach road to the quarry & the road connecting to the crusher as per IRC (Indian Road Congress) standard norms & would grow trees all along the approach road.

As per the cluster sketch there are no other leases within 500 meter radius from this lease area and the area of the subject lease is 1-00Acre and the project is categorized as B2. The Proponent has collected baseline data of air, water, soil and noise and all are within the permissible limits. The proponent informed that all mitigative measures will be taken to ensure that the parameters will be maintained within the permissible limits.

Considering the proved mineable reserve of 2,13,819tonnes (including waste) as per the approved quarry plan, the committee estimated the life of the mine as 6 years. The committee decided to recommend the proposal to SEIAA for issue of Environmental Clearance for an annual production of 40,816TPA (including waste).

The Authority perused the proposal and took note of the recommendation of SEAC.

The Authority after discussion decided to clear the proposal for issue of Environmental Clearance subject to following:

1. *If the distance of nearest Protected Area (National Park/ Sanctuary/Bio sphere reserve/ migratory corridor) is within 10 KM, a certificate from the Chief Wild Life Warden (CWLW) along with his recommendation, else a certificate from the proponent that the proposed site is more than 10 KM away from any Protection Authority (PA) (National Park/ Sanctuary/Bio sphere reserve/ migratory corridor).*
2. *Safety measures proposed shall be submitted.*
3. *A time bound action plan for implementation of proposed CER activities as a part of EMP shall be furnished.*

Additional Conditions:

Dust suppression measures have to be strictly followed.

215.1.32. Building Stone Quarry Project at Harappanahalli Village, Harappanahalli Taluk, Vijayanagara District (2-00 Acres) by Sri K PRAKASH - Online Proposal No.SIA/KA/MIN/252297/2022 (SEIAA 26 MIN 2022)

Sri. K Prakash have applied for Environmental clearance from SEIAA for Building Stone Quarry of over an extent of 2.00 Acres of Government revenue land in Survey No. 492/BP1 of Harapanhalli Village, Harapanhalli Taluk & Vijaynagara District, Karnataka.

Details of the project are as follows:

Sl.No	PARTICULARS	INFORMATION
1	Name & Address of the Projects Proponent	K Prakash S/o. Shivanna, 6th Ward Matter Oni Harappanahalli-583131 Vijaynagara District, Karnataka
2	Name & Location of the Project	Building Stone Quarry of K Prakash over an extent of 2.00 Acres of Government revenue land in Survey No. 492/BP1 of Harapanhalli Village, Harapanhalli Taluk & Vijaynagara District, Karnataka.
3	Type Of Mineral	Building Stone
4	New / Expansion / Modification / Renewal	Expansion in production
5	Type of Land [Forest, Government Revenue, Gomal, Private / Patta, Other]	Government revenue Land
6	Area in Ha	0.809 Ha (2.00 Acres)
7	Annual Production (Metric Ton / Cum) Per Annum	88,373 TPA (including waste)-Avg
8	Project Cost (Rs. In Crores)	0.27 (Rs. 27 Lakhs)
9	Proved Quantity of mine/ Quarry- Cu.m / Ton	176,746 tonnes
10	Permitted Quantity Per Annum - Cu.m / Ton	88,373 TPA (including waste)-Avg
11	<p>CER Action Plan:</p> <ul style="list-style-type: none"> An amount of Rs. 3.00 Lakhs shall be spent towards construction of two toilets along with overhead water tank with Borewell with power connection & yearly maintenance of the same & Anganwadi kitchen, at Govt. Primary school in Kambatrahalli village. An amount of Rs. 2.00 lakh/annum shall be spend towards CER activities like desilting & rejuvenation a Harapanahalli pond, Drinking 	

	water etc..	
12	EMP Budget	Rs. 27.0Lakhs (Capital Cost) & 10.10 Lakhs (Recurring cost)
14	Forest NOC	03.05.2012
15	Lease Grant	07.02.2019 w.e.f 19.06.2012
16	Quarry plan	06.11.2021
17	Environmental Clearance	30.09.2013

The subject was discussed in the SEAC meeting held on 15th 16th & 17th March 2022. The Committee has recommended to SEIAA for issue of EC and the extract of the proceedings of the Committee meeting is as below:

The proponent has submitted the certified compliance to earlier EC conditions from KSPCB and the proponent informed that he will submit the undertaking to comply with all the earlier EC conditions within 1 year.

There is an existing cart track road to a length of 5.5KM connecting the lease area to an all weather black topped road and the proponent informed that the quarrying operation will be commenced after strengthening the approach road to the quarry and the road connecting to the crusher as per IRC (Indian Road Congress) standard norms & would grow trees all along the approach road.

Since the EC was issued prior to 15.01.2016, the project is categorized as B2. The proponent has collected baseline data of air, water, soil and noise which are within the permissible limits. The proponent informed that all mitigative measures will be taken to ensure that the parameters will be maintained within the permissible limits.

Considering the proved mineable reserve of 176,746 tonnes (including waste) as per the approved quarry plan, the committee estimated the life of the mine as 2 years. The committee decided to recommend the proposal to SEIAA for issue of Environmental Clearance for an average annual production of 88,373TPA(including waste).

The Authority perused the proposal and took note of the recommendation of SEAC.

The Authority after discussion decided to clear the proposal for issue of Environmental Clearance subject to following:

1. *If the distance of nearest Protected Area (National Park/ Sanctuary/Bio sphere reserve/ migratory corridor) is within 10 KM, a certificate from the Chief Wild Life Warden (CWLW) along with his recommendation, else a certificate from the*

proponent that the proposed site is more than 10 KM away from any Protection Authority (PA) (National Park/ Sanctuary/Bio sphere reserve/ migratory corridor).

2. *Safety measures proposed shall be submitted.*
3. *A time bound action plan for implementation of proposed CER activities as a part of EMP shall be furnished.*

Additional Conditions:

Dust suppression measures have to be strictly followed.

215.1.33. Ornamental Stone (Grey Granite) Quarry Project at Gajjigarahalli Village, Sira Taluk, Tumkur District (4-12 Acres) by M/s. Priya Granites - Online Proposal No.SIA/KA/MIN/255645/2022(SEIAA 58 MIN 2022)

M/s. Priya Granites have applied for Environmental clearance from SEIAA for "Ornamental Stone (Grey Granite) Quarry", at Sy. No: 51,Gajjigarahalli Village, Sira Taluk,Tumkur District, Karnataka.


Details of the project are as follows:

Sl. No	PARTICULARS	INFORMATION																																				
1	Name & Address of the Project Proponent	M/s. Priya Granites Prop: R. Bharathi W/o. S. Ravichandran Balajnagar, Sira Town, Sira, Tumkur - 572137																																				
2	Name & Location of the Project	"Ornamental Stone (Grey Granite) Quarry" of M/s. Priya Granites, At Sy. No: 51,Gajjigarahalli Village, Sira Taluk,Tumkur District, Karnataka.																																				
3	Co-ordinates of the Project Site	<table border="1"> <thead> <tr> <th colspan="3">GPS READING OF CORNER PILLARS</th> </tr> <tr> <th>CORNER PILLAR</th> <th>LATITUDE</th> <th>LONGITUDE</th> </tr> </thead> <tbody> <tr> <td>BP-A</td> <td>13° 48' 06.3"</td> <td>76° 49' 07.4"</td> </tr> <tr> <td>BP-B</td> <td>13° 48' 06.6"</td> <td>76° 49' 14.0"</td> </tr> <tr> <td>BP-C</td> <td>13° 48' 04.1"</td> <td>76° 49' 13.6"</td> </tr> <tr> <td>BP-D</td> <td>13° 48' 01.4"</td> <td>76° 49' 07.1"</td> </tr> <tr> <td>BP-E</td> <td>13° 48' 02.3"</td> <td>76° 49' 06.8"</td> </tr> <tr> <td>BP-F</td> <td>13° 48' 03.6"</td> <td>76° 49' 09.7"</td> </tr> <tr> <td>BP-G</td> <td>13° 48' 03.8"</td> <td>76° 49' 10.8"</td> </tr> <tr> <td>BP-H</td> <td>13° 48' 04.9"</td> <td>76° 49' 12.3"</td> </tr> <tr> <td>BP-I</td> <td>13° 48' 05.3"</td> <td>76° 49' 11.3"</td> </tr> <tr> <td>BP-J</td> <td>13° 48' 03.7"</td> <td>76° 49' 07.4"</td> </tr> </tbody> </table> <p>MAP DATUM - WGS-84</p>	GPS READING OF CORNER PILLARS			CORNER PILLAR	LATITUDE	LONGITUDE	BP-A	13° 48' 06.3"	76° 49' 07.4"	BP-B	13° 48' 06.6"	76° 49' 14.0"	BP-C	13° 48' 04.1"	76° 49' 13.6"	BP-D	13° 48' 01.4"	76° 49' 07.1"	BP-E	13° 48' 02.3"	76° 49' 06.8"	BP-F	13° 48' 03.6"	76° 49' 09.7"	BP-G	13° 48' 03.8"	76° 49' 10.8"	BP-H	13° 48' 04.9"	76° 49' 12.3"	BP-I	13° 48' 05.3"	76° 49' 11.3"	BP-J	13° 48' 03.7"	76° 49' 07.4"
GPS READING OF CORNER PILLARS																																						
CORNER PILLAR	LATITUDE	LONGITUDE																																				
BP-A	13° 48' 06.3"	76° 49' 07.4"																																				
BP-B	13° 48' 06.6"	76° 49' 14.0"																																				
BP-C	13° 48' 04.1"	76° 49' 13.6"																																				
BP-D	13° 48' 01.4"	76° 49' 07.1"																																				
BP-E	13° 48' 02.3"	76° 49' 06.8"																																				
BP-F	13° 48' 03.6"	76° 49' 09.7"																																				
BP-G	13° 48' 03.8"	76° 49' 10.8"																																				
BP-H	13° 48' 04.9"	76° 49' 12.3"																																				
BP-I	13° 48' 05.3"	76° 49' 11.3"																																				
BP-J	13° 48' 03.7"	76° 49' 07.4"																																				

4	Type of Mineral	Ornamental Stone (Grey Granite) Quarry
5	New / Expansion / Modification / Renewal	New
6	Type of Land [Forest, Government Revenue, Gomal, Private/Patta, Other]	Government Kharab Land
7	Area in Ha	1.739 Ha
8	Annual Production Proposed (Metric Tons/ CUM) / Annum	4,166cum/ annum (60%recovery & 40% waste)
9	Project Cost (Rs. In Crores)	1.30crores
10	Proved quantity of mine/quarry-Cu.m/Tons	2,09,957cu.m(60%recovery & 40% waste)
11	Permitted quantity per annum-Cu.m/Ton	4,166cum/ annum (60%recovery & 40% waste)
12	CER Action Plan:	
	For 5 Years	Corporate Environmental Responsibility (CER)
	1 st	Rain water harvesting pit to GLPS school at Gajjigarahalli village
	2 nd	The proponent proposes to distribute nursery plants at GLPS school at Gajjigarahalli village
	3 rd	
	4 th	
5 th	Health camp in GLPS school at Gajjigarahalli village	
13	EMP Budget	Rs. 46.44lakhs (Capital Cost) & Rs. 15.51 lakhs (Recurring cost)
14	Forest NOC	25.08.2015
15	C&I Notification	02.12.2021
16	Quarry plan	05.01.2022
17	Cluster certificate	19.01.2022

The subject was discussed in the SEAC meeting held on 15th 16th & 17th March 2022. The Committee has recommended to SEIAA for issue of EC and the extract of the proceedings of the Committee meeting is as below:

There is an existing cart track road to a length of 274meters connecting lease area to the all weather black topped road and the proponent informed that the quarrying



operation will be commenced after strengthening the approach road to the quarry & the road connecting to the crusher as per IRC (Indian Road Congress) standard norms & would grow trees all along the approach road.

As per the cluster sketch there are 4 leases including this lease within 500 meter radius from this lease area, out of which for one lease EC was issued prior to 15.01.2016 and the total area of 3 leases is 10-21 Acres and project is categorized as B2. The Proponent has collected baseline data of air, water, soil and noise and all are within the permissible limits. The proponent informed that all mitigative measures will be taken to ensure that the parameters will be maintained within the permissible limits.

Considering the proved mineable reserve of 2,09,957cu.m(60%recovery & 40% waste) as per the approved quarry plan, the committee estimated the life of the mine as co terminus with the lease period. The committee decided to recommend the proposal to SEIAA for issue of Environmental Clearance for an annual production of 4,166cum/annum (60%recovery & 40% waste).

The Authority perused the proposal and took note of the recommendation of SEAC.


The Authority after discussion decided to clear the proposal for issue of Environmental Clearance subject to following:

1. *If the distance of nearest Protected Area (National Park/ Sanctuary/Bio sphere reserve/ migratory corridor) is within 10 KM, a certificate from the Chief Wild Life Warden (CWLW) along with his recommendation, else a certificate from the proponent that the proposed site is more than 10 KM away from any Protection Authority (PA) (National Park/ Sanctuary/Bio sphere reserve/ migratory corridor).*
2. *Safety measures proposed shall be submitted.*
3. *A time bound action plan for implementation of proposed CER activities as a part of EMP shall be furnished.*
4. *Since there is substantial quantity of generation of waste from the quarry activity, all due precautions with respect to environment management aspects of waste dump shall be observed.*

Additional Conditions:

Dust suppression measures have to be strictly followed.

215.1.34. Building Stone Quarry Project at Halekote Village, Siraguppa Taluk, Ballari District (2-50 Acres) by M/s. KARUNAMAYA CONSTRUCTION CO., - Online Proposal No.SIA/KA/MIN/256019/2022 (SEIAA 62 MIN 2022)



M/s. Karunamaya Construction Co have applied for Environmental clearance from SEIAA for "Building Stone Quarry", Sy. No. 594, Halekote Village, Siraguppa Taluk, Ballari District.

Details of the project are as follows:

Sl. No	PARTICULARS	INFORMATION																		
1	Name & Address of the Project Proponent	M/s. Karunamaya Construction Co. Surya Complex, Near National School, 15 th Ward, Shiva Nagara, R. G. Road, Karatagi Post, Gangavathi Taluk, Koppal District - 583229																		
2	Name & Location of the Project	"Building Stone Quarry" of M/s. Karunamaya Construction Co., Sy. No. 594, Halekote Village, Siraguppa Taluk, Ballari District.																		
3	Co-ordinates of the Project Site	<table border="1"> <thead> <tr> <th colspan="3">WGS 84 DATUM</th> </tr> <tr> <th>Sl. No.</th> <th>Latitude</th> <th>Longitude</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>N 15° 33' 24.6"</td> <td>E 76° 52' 32.8"</td> </tr> <tr> <td>2</td> <td>N 15° 33' 27.6"</td> <td>E 76° 52' 36.0"</td> </tr> <tr> <td>3</td> <td>N 15° 33' 25.9"</td> <td>E 76° 52' 37.8"</td> </tr> <tr> <td>4</td> <td>N 15° 33' 22.8"</td> <td>E 76° 52' 34.5"</td> </tr> </tbody> </table>	WGS 84 DATUM			Sl. No.	Latitude	Longitude	1	N 15° 33' 24.6"	E 76° 52' 32.8"	2	N 15° 33' 27.6"	E 76° 52' 36.0"	3	N 15° 33' 25.9"	E 76° 52' 37.8"	4	N 15° 33' 22.8"	E 76° 52' 34.5"
WGS 84 DATUM																				
Sl. No.	Latitude	Longitude																		
1	N 15° 33' 24.6"	E 76° 52' 32.8"																		
2	N 15° 33' 27.6"	E 76° 52' 36.0"																		
3	N 15° 33' 25.9"	E 76° 52' 37.8"																		
4	N 15° 33' 22.8"	E 76° 52' 34.5"																		
4	Type of Mineral	Building Stone Quarry																		
5	New / Expansion / Modification / Renewal	New																		
6	Type of Land [Forest, Government Revenue, Gomal, Private/Patta, Other]	Government Land																		
7	Area in Ha	1.01171Ha																		
8	Annual Production Proposed (Metric Tons/ CUM) / Annum	1,73,470 TPA																		
9	Project Cost (Rs. In Crores)	1.33crores																		
10	Proved quantity of mine/quarry-Cu.m/ Tons	12,15,443 Tonnes																		
11	Permitted quantity per annum- Cu.m/Ton	1,73,470 TPA																		

12	CER Action Plan:	
	For 5 Years	Corporate Environmental Responsibility (CER)
	1 st	Providing solar power panels to GMHPS at Tekkalakote Vill
	2 nd	
	3 rd	Rain water harvesting pits in GMHPS at Tekkalakote Village
	4 th	Health camp centers in GMHPS at Tekkalakote Village.
5 th	Plantation programs in GMHPS at Tekkalakote Village.	
13	EMP Budget	Rs. 13.88lakhs (Capital Cost) & Rs. 11.95 lakhs (Recurring cost)
14	Forest NOC	2020-21
15	Notification	14.06.2021
16	Quarry plan	14.01.2022
17	Cluster certificate	20.09.2021

The subject was discussed in the SEAC meeting held on 15th 16th & 17th March 2022. The Committee has recommended to SEIAA for issue of EC and the extract of the proceedings of the Committee meeting is as below:

There is an existing cart track road to a length of 1.45KM connecting lease area to the all weather black topped road and the proponent informed that the quarrying operation will be commenced after strengthening the approach road to the quarry & the road connecting to the crusher as per IRC (Indian Road Congress) standard norms & would grow trees all along the approach road.

As per the cluster sketch there are 2 leases including the subject lease within 500 meter radius from this lease area and the total area of all these leases is 7-20 Acres and project is categorized as B2. The Proponent has collected baseline data of air, water, soil and noise and all are within the permissible limits. The proponent informed that all mitigative measures will be taken to ensure that the parameters will be maintained within the permissible limits.

Considering the proved mineable reserve of 12,15,443 tonnes(including waste) as per the approved quarry plan, the committee estimated the life of the mine as 7 years. The committee decided to recommend the proposal to SEIAA for issue of Environmental Clearance for an annual production of 1,73,470 tonnes/annum.

The Authority perused the proposal and took note of the recommendation of SEAC.

The Authority after discussion decided to clear the proposal for issue of Environmental Clearance subject to following:

1. *If the distance of nearest Protected Area (National Park/ Sanctuary/Bio sphere reserve/ migratory corridor) is within 10 KM, a certificate from the Chief Wild Life Warden (CWLW) along with his recommendation, else a certificate from the proponent that the proposed site is more than 10 KM away from any Protection Authority (PA) (National Park/ Sanctuary/Bio sphere reserve/ migratory corridor).*
2. *Safety measures proposed shall be submitted.*
3. *A time bound action plan for implementation of proposed CER activities as a part of EMP shall be furnished.*

Additional Conditions:

Dust suppression measures have to be strictly followed.

215.1.35. Ornamental Stone (Pink Granite) Quarry Project at Naremaddepalli Village, Bagepalli Taluk, Chikkaballapura District (3-00 Acres) by Sri. Sriramulu N V. - Online Proposal No.SIA/KA/MIN/224651/2021 (SEIAA 380 MIN 2021)

Sri Sriramulu N V have applied for Environmental clearance from SEIAA for Pink Granite Quarry in 3-00Acres of Government Gomala Land bearing Sy. No: 180 of Naremaddepalli Village, Bagepalli Taluk and Chikkaballapura District, Karnataka.

Details of the project are as follows:

Sl.No	PARTICULARS	INFORMATION
1	Name & Address of the Projects Proponent	Sri Sriramulu N V, No. 290, Musthuru Road (flour Mill Road), Behind Paathi Hospital, Ward No. 1, Prashanthnagar, Chikkaballapura-562101
2	Name & Location of the Project	Pink Granite Quarry in 3-00Acres of Government Gomala Land bearing Sy. No: 180 of Naremaddepalli Village, Bagepalli Taluk and Chikkaballapura District, Karnataka.
3	Type Of Mineral	Pink Granite
4	New / Expansion / Modification / Renewal	New
5	Type of Land {Forest, Government Revenue, Gomal,	Government Gomala Land

	Private / Patta, Other]	
6	Area in Ha	3-00 Acres
7	Annual Production (Metric Ton / Cum) Per Annum	37,380cum(40% recovery & 60% waste)
8	Project Cost (Rs. In Crores)	0.35 (Rs. 35 Lakhs)
9	Proved Quantity of mine/ Quarry- Cu.m / Ton	2,25,835cum(40% recovery & 60% waste)
10	Permitted Quantity Per Annum - Cu.m / Ton	37,380cum(40% recovery & 60% waste)
11	CER Action Plan: <ul style="list-style-type: none"> Propose to take up 300 no. of additional plantation on either sides of the approach road from quarry location to Naremaddepalli Village Road 	
12	EMP Budget	Rs. 20.95 Lakhs (Capital Cost) & 17 Lakhs (Recurring cost)
14	Forest NOC	09.01.2015
15	C&I Notification	01.04.2021
16	Quarry plan	03.08.2021
17	Cluster certificate	05.08.2021

The subject was discussed in the SEAC meeting held on 15th 16th & 17th March 2022. The Committee has recommended to SEIAA for issue of EC and the extract of the proceedings of the Committee meeting is as below:

This project was deferred during 268th SEAC meeting, since the proponent was not submitted the clear Forest NOC. Now the proponent has submitted the Forest NOC.

There is an existing cart track road to a length of 750meters connecting lease area to the all weather black topped road and the proponent informed that the quarrying operation will be commenced after strengthening the approach road to the quarry & the road connecting to the crusher as per IRC (Indian Road Congress) standard norms & would grow trees all along the approach road.

As per the cluster sketch there are no other leases within 500 meter radius from this lease area and the area of the subject lease 3-00 Acres and project is categorized as B2. The proponent has collected baseline data of air, water, soil and noise and all are within the permissible limits. The proponent informed that all mitigative measures will be taken to ensure that the parameters will be maintained within the permissible limits.

Considering the proved mineable reserve of 2,25,835cum(40% recovery & 60% waste) as per the approved quarry plan, the committee estimated the life of the mine as 7 years. The committee decided to recommend the proposal to SEIAA for issue of

Environmental Clearance for an annual production of 37,380cum(40% recovery & 60% waste).

The Authority perused the proposal and took note of the recommendation of SEAC.

The Authority after discussion decided to clear the proposal for issue of Environmental Clearance subject to following:

1. *If the distance of nearest Protected Area (National Park/ Sanctuary/Bio sphere reserve/ migratory corridor) is within 10 KM, a certificate from the Chief Wild Life Warden (CWLW) along with his recommendation, else a certificate from the proponent that the proposed site is more than 10 KM away from any Protection Authority (PA) (National Park/ Sanctuary/Bio sphere reserve/ migratory corridor).*
2. *Safety measures proposed shall be submitted.*
3. *A time bound action plan for implementation of proposed CER activities as a part of EMP shall be furnished.*
4. *Since there is substantial quantity of generation of waste from the quarry activity, all due precautions with respect to environment management aspects of waste dump shall be observed.*

Additional Conditions:


Dust suppression measures have to be strictly followed.

215.1.36. Ordinary Sand Quarry Project at Sudi Village, Gajendragada Taluk, Gadag District (7-04 Acres) by Sri Shekharagoud L Hudedamani - Online Proposal No.SIA/KA/MIN/226604/2021 (SEIAA 415 MIN 2021)

Sri. Shekharagoud L. Hudedamani have applied for Environmental clearance from SEIAA for "Ordinary Sand Quarry" Sy. No. 354/3 & 354/5 Sudi Village, Gajendragada Taluk, Gadag District, Karnataka.

Details of the project are as follows:

Sl. No	PARTICULARS	INFORMATION
1	Name & Address of the Project Proponent	Sri. Shekharagoud L. Hudedamani Gadagoli Village & Post, Holealur Hobli, Ron Taluk,Gadag District, Karnataka.



2	Name & Location of the Project	"Ordinary SandQuarry" of Sri. Shekharagoud L. Hudedamani, Sy. No. 354/3 & 354/5 Sudi Village, Gajendragada Taluk, Gadag District, Karnataka.	
3	Co-ordinates of the Project Site	GPS READING OF CORNER PILLARS	
		CORNER PILLAR	LATITUDE
		A	N15°44'50.2"
		B	N15°44'52.6"
		C	N15°44'54.7"
		D	N15°44'51.8"
		MAP DATUM - WGS 84	
4	Type of Mineral	Ordinary SandQuarry	
5	New / Expansion / Modification / Renewal	New	
6	Type of Land [Forest, Government Revenue, Gomal, Private/Patta, Other]	Patta Land	
7	Area in Ha	2.873 Ha	
8	Annual Production Proposed (Metric Tons/ CUM) / Annum	45,530 tons for 1 st year & 36,500 tons per annum for remaining 2 nd and 3 rd years of plan period.	
9	Project Cost (Rs. In Crores)	1.48crores	
10	Proved quantity of mine/quarry-Cu.m/Tons	1,18,530 tonnes	
11	Permitted quantity per annum-Cu.m/Ton	45,530 tons for 1 st year & 36,500 tons per annum for remaining 2 nd and 3 rd years of plan period	
12	CER Action Plan:		
	Year	Corporate Environmental Responsibility (CER)	
	1st	Providing solar power panels at BGMKS at Soodi Village	
	2nd	Rain water harvesting pits at BGMKS at Soodi Village	
	3rd	Health camp in BGMKS at Soodi Village	

13	EMP Budget	Rs. 21.70 lakhs (Capital Cost) & Rs. 11.59 lakhs (Recurring cost)
14	Forest NOC	09.01.2015
15	District Task Force	13.07.2021
16	Quarry plan	04.08.2021
17	Cluster certificate	16.08.2021

The subject was discussed in the SEAC meeting held on 15th 16th & 17th March 2022. The Committee has recommended to SEIAA for issue of EC and the extract of the proceedings of the Committee meeting is as below:

This project was deferred during 268th SEAC meeting, since the proponent was not submitted the C&I Notification. Now the proponent submitted the District Task Force proceedings and requested to appraise the proposal.

There is an existing cart track road to a length of 310 meters connecting the lease area to an all weather black topped road and the proponent informed that the quarrying operation will be commenced after strengthening the approach road to the quarry as per IRC (Indian Road Congress) standard norms & would grow trees all along the approach road.

As per the cluster sketch there are no other leases within 500 meter radius and the total area of the subject lease is 7-28 Acres and hence the project is categorized as B2. The proponent has collected baseline data of air, water, soil and noise which are within the permissible limits. The proponent informed that all mitigative measures will be taken to ensure that the parameters will be maintained within the permissible limits. The proponent agreed to follow the conditions stipulated in sustainable sand mining guidelines 2016 & 2020.

Considering the proved mineable reserve of 1,18,530 tonnes (including waste) as per the approved quarry plan, the committee estimated the life of the mine as 3 years. The committee decided to recommend the proposal to SEIAA for issue of Environmental Clearance for an annual production of 45,530 tons for 1st year & 36,500 tons per annum for remaining 2nd and 3rd years of plan period.

The Authority perused the proposal and took note of the recommendation of SEAC.

The Authority after discussion decided to clear the proposal for issue of Environmental Clearance subject to following:

1. If the distance of nearest Protected Area (National Park/ Sanctuary/Bio sphere reserve/ migratory corridor) is within 10 KM, a certificate from the Chief Wild Life Warden (CWLW) along with his recommendation, else a certificate from the proponent that the proposed site is more than 10 KM away from any Protection Authority (PA) (National Park/ Sanctuary/Bio sphere reserve/ migratory corridor).
2. Safety measures proposed shall be submitted.
3. A time bound action plan for implementation of proposed CER activities as a part of EMP shall be furnished.
4. The proponent shall furnish a certificate that there is no sand quarry within 5 KM of project site.

Additional Conditions:

1. Dust suppression measures have to be strictly followed.
2. The PP shall utilize the permission as per the Sand policy of the GoK Notification No. CI 343 MMN 2019 (Part 7) dated 01.12.2021.

215.137. Ordinary Sand Quarry Project at Govanakoppa Village, Shirahatti Taluk, Gadag District (6-10 Acres) by Sri Laxman N Kumargoppa - Online Proposal No.SIA/KA/MIN/226619/2021 (SEIAA 414 MIN 2021)

Sri. Laxman N. Kumargoppa, have applied for Environmental clearance from SEIAA for "Ordinary Sand Quarry" at Sy. No. 68/3 & 68/4 Govanakoppa Village, Shirahatti Taluk, Gadag District, Karnataka.

Details of the project are as follows:

Sl. No	PARTICULARS	INFORMATION
1	Name & Address of the Project Proponent	Sri. Laxman N. Kumargoppa S/o Nagappa, Lakshmi Nagara, Arekurahatti Village,Navalgund Taluk, Dharwad District, Karnataka - 582208.
2	Name & Location of the Project	"Ordinary Sand Quarry" of Sri. Laxman N. Kumargoppa, Sy. No. 68/3 & 68/4 Govanakoppa Village, Shirahatti Taluk, Gadag District, Karnataka.

3	Co-ordinates of the Project Site	GPS READING OF CORNER PILLARS		
		CORNER PILLAR	LATITUDE	LONGITUDE
		A	N15°00'18.8"	E75°40'39.2"
		B	N15°00'25.0"	E75°40'39.4"
		C	N15°00'24.5"	E75°40'42.1"
		D	N15°00'23.7"	E75°40'42.8"
		E	N15°00'23.5"	E75°40'43.5"
		F	N15°00'21.5"	E75°40'44.9"
		G	N15°00'18.3"	E75°40'42.8"
			MAP DATUM - WGS 84	
4	Type of Mineral	Ordinary Sand Quarry		
5	New / Expansion / Modification / Renewal	New		
6	Type of Land [Forest, Government Revenue, Gomal, Private/Patta, Other]	Patta Land		
7	Area in Ha	2.528 Ha		
8	Annual Production Proposed (Metric Tons/ CUM) / Annum	55,875 tons for 1 st year & 39,000 tons per annum for remaining 2 nd and 3 rd years of plan period.		
9	Project Cost (Rs. In Crores)	1.32crores		
10	Proved quantity of mine/quarry-Cu.m/Tons	1,33,875 tonnes		
11	Permitted quantity per annum- Cu.m/Ton	55,875 tons for 1 st year & 39,000 tons per annum for remaining 2 nd and 3 rd years of plan period.		
12	CER Action Plan:			
	Year	Corporate Environmental Responsibility (CER)		
	1st	Solar Power Panels facilities in GHS school at Kadakol Village		
	2nd	Rain water harvesting pits to at GHS school at Kadakol Village		
	3rd	Health camp and Plantation in GHS school at Kadakol Village		
13	EMP Budget	Rs. 48.76lakhs (Capital Cost) & Rs. 18.43 lakhs (Recurring cost)		
4	Forest NOC	04.12.2020		
15	District Task Force	13.07.2021		

16	Quarry plan	04.08.2021
17	Cluster certificate	17.08.2021

The subject was discussed in the SEAC meeting held on 15th 16th & 17th March 2022. The Committee has recommended to SEIAA for issue of EC and the extract of the proceedings of the Committee meeting is as below:

This project was deferred during 268th SEAC meeting, since the proponent was not submitted the C&I Notification. Now the proponent submitted the District Task Force proceedings and requested to appraise the proposal.

There is an existing cart track road to a length of 1.56KM connecting the lease area to an all weather black topped road and the proponent informed that the quarrying operation will be commenced after strengthening the approach road to the quarry as per IRC (Indian Road Congress) standard norms & would grow trees all along the approach road.

As per the cluster sketch there are two leases including this lease within 500 meter radius and the total area of all these leases is 11-10Acres and hence the project is categorized as B2. The proponent has collected baseline data of air, water, soil and noise which are within the permissible limits. The proponent informed that all mitigative measures will be taken to ensure that the parameters will be maintained within the permissible limits. The proponent agreed to follow the conditions stipulated in sustainable sand mining guidelines 2016 & 2020.

Considering the proved mineable reserve of 1,33,875 tonnes (including waste) as per the approved quarry plan, the committee estimated the life of the mine as 3 years. The committee decided to recommend the proposal to SEIAA for issue of Environmental Clearance for an annual production of 55,875 tons for 1st year & 39,000 tons per annum for remaining 2nd and 3rd years of plan period.

The Authority perused the proposal and took note of the recommendation of SEAC.

The Authority after discussion decided to clear the proposal for issue of Environmental Clearance subject to following:

1. *If the distance of nearest Protected Area (National Park/ Sanctuary/Bio sphere reserve/ migratory corridor) is within 10 KM, a certificate from the Chief Wild Life Warden (CWLW) along with his recommendation, else a certificate from the proponent that the proposed site is more than 10 KM away from any Protection Authority (PA) (National Park/ Sanctuary/Bio sphere reserve/ migratory corridor).*
2. *Safety measures proposed shall be submitted.*

3. A time bound action plan for implementation of proposed CER activities as a part of EMP shall be furnished.
4. The proponent shall furnish a certificate that there is no sand quarry within 5 KM of project site.

Additional Conditions:

1. Dust suppression measures have to be strictly followed.
2. The PP shall utilize the permission as per the Sand policy of the GoK Notification No. CI 343 MMN 2019 (Part 7) dated 01.12.2021.

215.1.38. Ornamental Black Granite Project at Chinnambahalli Village, Nanjangudu Taluk, Mysore District (2-22 Acres) by Sri R R Selvakumar - Online Proposal No.SIA/KA/MIN/229759/2021 (SEIAA 502 MIN 2021)

Sri. R.R. Selvakumar S/o Sri. Ramaswamy have applied for Environmental clearance from SEIAA for Ornamental Black Granite Quarry in 2-22 Acres of Patta Land bearing Sy. No. 33/1A & 33/1B of Chinnambahalli Village, Nanjangud Taluk & Mysore District, Karnataka.

Details of the project are as follows:

Sl.No	PARTICULARS	INFORMATION
1	Name & Address of the Projects Proponent	Sri. R.R. Selvakumar S/o Sri. Ramaswamy Anugraha Nilaya, Siddarthanagara, Chamarajanagara
2	Name & Location of the Project	Ornamental Black Granite Quarry in 2-22 Acres of Patta Land bearing Sy. No. 33/1A & 33/1B of Chinnambahalli Village, Nanjangud Taluk & Mysore District, Karnataka.
3	Type Of Mineral	Ornamental Black Granite
4	New / Expansion / Modification / Renewal	Existing and previously operated
5	Type of Land [Forest, Government Revenue, Gomal, Private / Patta, Other]	Patta Land
6	Area in Acere-Guntas	2-22 acres
7	Annual Production (Metric Ton / Cum) Per Annum	12,500cum (12% recovery & 88% waste)

8	Project Cost (Rs. In Crores)	Rs. 0.35 Lakhs (Rs. 35 Lakhs)
9	Proved Quantity of mine/ Quarry- Cu.m / Ton	1,29,890cum(12% recovery & 88% waste)
10	Permitted Quantity Per Annum - Cu.m / Ton	12,500cum(12% recovery & 88% waste)
11	CER Action Plan: Propose to plant 400 Nos. of Additional plantations on either side of approach road from quarry site Chinnambahalli village connecting road and also at public places like temples, schools etc..	
12	EMP Budget	Rs. 22.03 Lakhs (Capital Cost) & 17.95 Lakhs (Recurring cost for 5 years)
14	Forest NOC	14.06.2018
15	Quarry plan	05.11.2020
16	Working permission	27.09.2008
16	Cluster certificate	22.10.2021

The subject was discussed in the SEAC meeting held on 15th 16th & 17th March 2022. The Committee has recommended to SEIAA for issue of EC and the extract of the proceedings of the Committee meeting is as below:

This project was deferred during 268th SEAC meeting, since the proponent was not submitted the C&I Notification and extended cluster sketch. Now the proponent has submitted the extended cluster sketch. The proponent informed that the proposal is from old mysore region and has working permission and quarry plan approved by DMG authorities. As per the audit report certified by DMG authorities, the proponent worked from 2008-09 to 2009-10 and further no quarrying activities carried out till 2021-22.

There is an existing cart track road to a length of 800meters connecting lease area to the all weather black topped road and the proponent informed that the quarrying operation will be commenced after strengthening the approach road to the quarry & the road connecting to the crusher as per IRC (Indian Road Congress) standard norms & would grow trees all along the approach road.

As per the cluster sketch there are 2leases including this lease within 500 meter radius from this lease area and the total area of these leases is 4-00 Acres and project is categorized as B2. The proponent has collected baseline data of air, water, soil and noise and all are within the permissible limits. The proponent informed that all mitigative measures will be taken to ensure that the parameters will be maintained within the permissible limits.

Considering the proved mineable reserve of 1,29,890cum(12% recovery & 88% waste) as per the approved quarry plan, the committee estimated the life of the mine as 11 years. The committee decided to recommend the proposal to SEIAA for issue of

Environmental Clearance for an annual production of 12,500cum(12% recovery & 88% waste).

The Authority perused the proposal and took note of the recommendation of SEAC.

The Authority after discussion decided to clear the proposal for issue of Environmental Clearance subject to following:

1. If the distance of nearest Protected Area (National Park/ Sanctuary/Bio sphere reserve/ migratory corridor) is within 10 KM, a certificate from the Chief Wild Life Warden (CWLW) along with his recommendation, else a certificate from the proponent that the proposed site is more than 10 KM away from any Protection Authority (PA) (National Park/ Sanctuary/Bio sphere reserve/ migratory corridor).
2. Safety measures proposed shall be submitted.
3. A time bound action plan for implementation of proposed CER activities as a part of EMP shall be furnished.
4. Since there is substantial quantity of generation of waste from the quarry activity, all due precautions with respect to environment management aspects of waste dump shall be observed.

Additional Conditions:


Dust suppression measures have to be strictly followed.

215.1.39. Building Stone Quarry Project at Bhanapura Village, Kuknoor Taluk, Koppal District (2-29 Acres) by Sri Basavaraj Purad- Online Proposal No.SIA/KA/MIN/231687/2021 (SEIAA 533 MIN 2021)

Basavaraj Purad have applied for Environmental clearance from SEIAA for Building Stone Quarry of over an extent of 2-29Acres of Patta land in Survey No.45/2of BhanapurVillage, KuknoorTaluk& Koppal District, Karnataka.

Details of the project are as follows:

Sl.No	PARTICULARS	INFORMATION
1	Name & Address of the Projects Proponent	BasavarajPurad S/o. ManoharPurad # 8/7/684, Near Bannihatti Station area, Koppal -583231,Koppal District, Karnataka
2	Name & Location of the Project	Building Stone Quarry of BasavarajPuradover an extent of 2-29Acres of Patta land in Survey No.45/2of



		Bhanapur Village, Kuknoor Taluk & Koppal District, Karnataka.
3	Type Of Mineral	Building Stone
4	New / Expansion / Modification / Renewal	New
5	Type of Land [Forest, Government Revenue, Gomal, Private / Patta, Other]	Patta Land
6	Area in Ha	1.102 Ha (2-29 Acres)
7	Annual Production (Metric Ton / Cum) Per Annum	82,494 tons (including waaste)
8	Project Cost (Rs. In Crores)	0.19 (Rs. 19 Lakhs)
9	Proved Quantity of mine/ Quarry- Cu.m / Ton	4,12,630 tons (including waste)
10	Permitted Quantity Per Annum - Cu.m / Ton	82,494 tons (including waaste)
11	CER Action Plan: <ul style="list-style-type: none"> An amount of Rs. 3.00 Lakhs shall be spent towards construction of two toilets along with overhead water tank with Borewell with power connection & yearly maintenance of the same & Anganwadi kitchen, at Govt. Primary school in Bhanapuravillage. An amount of Rs. 2.00 lakh/annum shall be spend towards CER activities like desilting & rejuvenation a Benakalkere, Drinking water etc.. 	
12	EMP Budget	Rs. 19.0 Lakhs (Capital Cost) & 10.60 Lakhs (Recurring cost)
14	Forest NOC	27.04.2021
15	District Task Force	03.07.2021
16	Quarry plan	19.09.2021
17	Cluster certificate	28.09.2021

The subject was discussed in the SEAC meeting held on 15th 16th & 17th March 2022. The Committee has recommended to SEIAA for issue of EC and the extract of the proceedings of the Committee meeting is as below:

This project was deferred during 269th SEAC meeting, since the proponent has not left the buffer from the water body. The proponent submitted village map and informed that there is no water body within the project site.

There is an existing cart track road to a length of 240meters connecting lease area to the all weather black topped road and the proponent informed that the quarrying operation will be commenced after strengthening the approach road to the quarry & the road connecting to the crusher as per IRC (Indian Road Congress) standard norms & would grow trees all along the approach road.

As per the cluster sketch there are no other leases within 500 meter radius and the area of the subject lease is 5-20Acres and hence the project is categorized as B2The proponent has collected baseline data of air, water, soil and noise and all are within the permissible limits. The proponent informed that all mitigative measures will be taken to ensure that the parameters will be maintained within the permissible limits.

Considering the proved mineable reserve of 4,12,630 tons (including waste) as per the approved quarry plan, the committee estimated the life of the mine as 6 years. The committee decided to recommend the proposal to SEIAA for issue of Environmental Clearance for an average annual production of 82,494tons (including waste).

The Authority perused the proposal and took note of the recommendation of SEAC.

The Authority after discussion decided to clear the proposal for issue of Environmental Clearance subject to following:

- 1. If the distance of nearest Protected Area (National Park/ Sanctuary/Bio sphere reserve/ migratory corridor) is within 10 KM, a certificate from the Chief Wild Life Warden (CWLW) along with his recommendation, else a certificate from the proponent that the proposed site is more than 10 KM away from any Protection Authority (PA) (National Park/ Sanctuary/Bio sphere reserve/ migratory corridor).*
- 2. Safety measures proposed shall be submitted.*
- 3. A time bound action plan for implementation of proposed CER activities as a part of EMP shall be furnished.*

Additional Conditions:

Dust suppression measures have to be strictly followed.

215.1.40. Ordinary Sand Mining Project at Honniganoor Village, Ron Taluk, Gadag District (5-21 Acres) by M/s. R. R. Infra - Online Proposal No.SIA/KA/MIN/231208/2021(SEIAA 525 MIN 2021)

M/s. R. R. Infra, have applied for Environmental clearance from SEIAA for "Ordinary Sand Mining" at Sy. No - 58/3, 58/4, 60/2, 61/2 & 61/3 (Part), Honniganoor Village, Ron Taluk, Gadag District, Karnataka.

Details of the project are as follows:

Sl. No	PARTICULARS	INFORMATION		
1	Name & Address of the Project Proponent	M/s. R. R. Infra Prop: Sri Rajendra R. Patil, No. 1110, Basvesharnagar, Goudar Oni, Ron, ground floor, Ron Taluk, Gadag, Karnataka - 582209.		
2	Name & Location of the Project	"Ordinary Sand Mining" of M/s. R. R. Infra, Sy. No - 58/3, 58/4, 60/2, 61/2 & 61/3 (Part), Honniganoor Village, Ron Taluk, Gadag District, Karnataka.		
3	Co-ordinates of the Project Site	<i>Corner Point No</i>	<i>Latitude</i>	<i>Longitude</i>
		A	N 15° 46' 46.3."	E 75° 47' 49.5"
		B	N 15° 46' 47.5."	E 75° 47' 49.7"
		C	N 15° 46' 50.3."	E 75° 47' 50.4"
		D	N 15° 46' 49.8."	E 75° 47' 51.5"
		E	N 15° 46' 54.5."	E 75° 47' 52.7"
		F	N 15° 46' 55.1."	E 75° 47' 51.4"
		G	N 15° 46' 55.5."	E 75° 47' 50.8"
		H	N 15° 46' 56.1."	E 75° 47' 49.9"
		I	N 15° 46' 47.8."	E 75° 47' 48.3"
		J	N 15° 46' 47.7."	E 75° 47' 48.9"
		K	N 15° 46' 45.1."	E 75° 47' 48.7"
		L	N 15° 46' 43.8."	E 75° 47' 50.9"
M	N 15° 46' 45.9."	E 75° 47' 51.4"		

4	Type of Mineral	SandBlock
5	New / Expansion / Modification / Renewal	New
6	Type of Land [Forest, Government Revenue, Gomal, Private/Patta, Other]	Patta Land
7	Area in Ha	2.236 Ha
8	Annual Production Proposed (Metric Tons/ CUM) / Annum	30,100 TPA
9	Project Cost (Rs. In Crores)	1.30crores
10	Proved quantity of mine/quarry-Cu.m/Tons	90,300 Tonnes
11	Permitted quantity per annum- Cu.m/Ton	30,100 TPA
12	CER Action Plan:	
	For 3 Years	Corporate Environmental Responsibility (CER)
	1st	Providing solar power panels to common public places
	2nd	Rain water harvesting pits near by GHPS School in Honniganoor Village
3rd	Scientific support and awareness to local farmers to increase yield of crop and fodder	
13	EMP Budget	Rs. 34.95lakhs (Capital Cost) & Rs. 14.54 lakhs (Recurring cost)
14	Forest NOC	09.03.2021
15	District Task Force	13.07.2020
16	Quarry plan	23.09.2021
17	Cluster certificate	23.09.2021

The subject was discussed in the SEAC meeting held on 15th 16th & 17th March 2022. The Committee has recommended to SEIAA for issue of EC and the extract of the proceedings of the Committee meeting is as below:

This project was deferred during 269th SEAC meeting, since the proponent was not submitted the C&I Notification. Now the proponent submitted the District Task Force proceedings and requested to appraise the proposal.

There is an existing cart track road to a length of 240meters connecting the lease area to an all weather black topped road and the proponent informed that the quarrying operation will be commenced after strengthening the approach road to the quarry as per IRC (Indian Road Congress) standard norms & would grow trees all along the approach road.

As per the cluster sketch there are no other leases within 500 meter radius and the area of the subject lease is 5-20 Acres and hence the project is categorized as B2. The proponent has collected baseline data of air, water, soil and noise which are within the permissible limits. The proponent informed that all mitigative measures will be taken to ensure that the parameters will be maintained within the permissible limits. The proponent agreed to follow the conditions stipulated in sustainable sand mining guidelines 2016 & 2020.

Considering the proved mineable reserve of 90,300 tonnes (including waste) as per the approved quarry plan, the committee estimated the life of the mine as 3 years. The committee decided to recommend the proposal to SEIAA for issue of Environmental Clearance for an annual production of 30,100 tons per annum for 3 years of plan period.

The Authority perused the proposal and took note of the recommendation of SEAC.

The Authority after discussion decided to clear the proposal for issue of Environmental Clearance subject to following:

- 1. If the distance of nearest Protected Area (National Park/ Sanctuary/Bio sphere reserve/ migratory corridor) is within 10 KM, a certificate from the Chief Wild Life Warden (CWLW) along with his recommendation, else a certificate from the proponent that the proposed site is more than 10 KM away from any Protection Authority (PA) (National Park/ Sanctuary/Bio sphere reserve/ migratory corridor).*
- 2. Safety measures proposed shall be submitted.*
- 3. A time bound action plan for implementation of proposed CER activities as a part of EMP shall be furnished.*
- 4. The proponent shall furnish a certificate that there is no sand quarry within 5 KM of project site.*

Additional Conditions:

1. *Dust suppression measures have to be strictly followed.*
2. *The PP shall utilize the permission as per the Sand policy of the GoK Notification No. CI 343 MMN 2019 (Part 7) dated 01.12.2021.*

215.141. Building Stone Quarry Project at Ballenahalli Village, Hassan Taluk & District (2-00 Acres) by Sri B.S. Yashodha Nandana - Online Proposal No.SIA/KA/MIN/229046/2021 (SEIAA 489 MIN 2021)-Expansion

Sri. B. S. Yashodha Nandana have applied for Environmental clearance from SEIAA for "Building Stone Quarry" at Sy. No: 10, Ballenahalli Village, Hassan Taluk, Hassan District, Karnataka.

Details of the project are as follows:

Sl. No	PARTICULARS	INFORMATION															
1	Name & Address of the Project Proponent	Sri. B. S. YashodhaNandana S/o Sanne Gowda, Ballenahalli Village, Shantigrama Hobli, Hassan Taluk, Hassan District.															
2	Name & Location of the Project	"Building Stone Quarry" of Sri. B. S. YashodhaNandana, Sy. No: 10, Ballenahalli Village, Hassan Taluk, Hassan District, Karnataka.															
3	Co-ordinates of the Project Site	<table border="1"> <thead> <tr> <th>Corner Pillar</th> <th>Latitude</th> <th>Longitude</th> </tr> </thead> <tbody> <tr> <td>A</td> <td>N 12° 57' 03.5"</td> <td>E 76° 17' 11.9"</td> </tr> <tr> <td>B</td> <td>N 12° 56' 58.9"</td> <td>E 76° 17' 11.9"</td> </tr> <tr> <td>C</td> <td>N 12° 56' 59.0"</td> <td>E 76° 17' 13.9"</td> </tr> <tr> <td>D</td> <td>N 12° 57' 03.3"</td> <td>E 76° 17' 13.9"</td> </tr> </tbody> </table>	Corner Pillar	Latitude	Longitude	A	N 12° 57' 03.5"	E 76° 17' 11.9"	B	N 12° 56' 58.9"	E 76° 17' 11.9"	C	N 12° 56' 59.0"	E 76° 17' 13.9"	D	N 12° 57' 03.3"	E 76° 17' 13.9"
		Corner Pillar	Latitude	Longitude													
		A	N 12° 57' 03.5"	E 76° 17' 11.9"													
		B	N 12° 56' 58.9"	E 76° 17' 11.9"													
		C	N 12° 56' 59.0"	E 76° 17' 13.9"													
D	N 12° 57' 03.3"	E 76° 17' 13.9"															
WGS-84 DATUM																	
4	Type of Mineral	Building Stone Quarry															
5	New / Expansion / Modification / Renewal	Expansion (QL. No. HMG - 526)															
6	Type of Land [Forest, Government Revenue, Gomal, Private/Patta, Other]	Government Land															

7	Area in Ha	0.808 Ha
8	Annual Production Proposed (Metric Tons/ CUM) / Annum	1,05,263 TPA
9	Project Cost (Rs. In Crores)	1.22 crores
10	Proved quantity of mine/quarry-Cu.m/Tons	11,39,365 tonnes
11	Permitted quantity per annum- Cu.m/Ton	1,05,263 TPA
12	CER Action Plan:	
	For 5 Years	Corporate Environmental Responsibility (CER)
	1st	Providing solar power panels to GLPS School in Ballenahalli Village
	2nd	Rain water harvesting pits near by GLPS school at Ballenahalli village
	3rd	Cleaning out and deepening of Ballenahalli pond
	4th	Plantation programmes in GLPS School in Ballenahalli Village
	5th	Health camp in GLPS School in Ballenahalli Village
13	EMP Budget	Rs. 29.78 lakhs (Capital Cost) & Rs. 10.33 lakhs (Recurring cost)
14	Forest NOC	10.02.2013
15	Lease Grant	07.06.2018
16	Quarry plan	19.08.2021
17	Environmental Clearance	10.12.2015

The subject was discussed in the SEAC meeting held on 15th 16th & 17th March 2022. The Committee has recommended to SEIAA for issue of EC and the extract of the proceedings of the Committee meeting is as below:

This project was deferred during 269th SEAC meeting for want of certified compliance to earlier EC conditions and the proponent has submitted the certified compliance to earlier EC conditions from KSPCB and the proponent informed that he will submit the undertaking to comply with all the earlier EC conditions within 1 year.

There is an existing cart track road to a length of 900meters connecting the lease area to an all weather black topped road and the proponent informed that the quarrying operation will be commenced after strengthening the approach road to the quarry and the road connecting to the crusher as per IRC (Indian Road Congress) standard norms & would grow trees all along the approach road.

Since the EC was issued prior to 15.01.2016, the project is categorized as B2. The proponent has collected baseline data of air, water, soil and noise which are within the permissible limits. The proponent informed that all mitigative measures will be taken to ensure that the parameters will be maintained within the permissible limits.

Considering the proved mineable reserve of 11,39,365tonnes (including waste) as per the approved quarry plan, the committee estimated the life of the mine as 11 years. The committee decided to recommend the proposal to SEIAA for issue of Environmental Clearance for an annual production of 1,05,263 TPA(including waste).

The Authority perused the proposal and took note of the recommendation of SEAC.

The Authority after discussion decided to clear the proposal for issue of Environmental Clearance subject to following:

- 1. If the distance of nearest Protected Area (National Park/ Sanctuary/Bio sphere reserve/ migratory corridor) is within 10 KM, a certificate from the Chief Wild Life Warden (CWLW) along with his recommendation, else a certificate from the proponent that the proposed site is more than 10 KM away from any Protection Authority (PA) (National Park/ Sanctuary/Bio sphere reserve/ migratory corridor).*
- 2. Safety measures proposed shall be submitted.*
- 3. A time bound action plan for implementation of proposed CER activities as a part of EMP shall be furnished.*

Additional Conditions:

Dust suppression measures have to be strictly followed.

215.1.42. Building Stone Quarry Project at Chigahalli Village, Hassan Taluk & District (1-00 Acres) (QL No HMG-527) by Sri Kempegowda - Online Proposal No.SIA/KA/MIN/229029/2021 (SEIAA 488 MIN 2021) - Expansion

Sri. Kempegowda, have applied for Environmental clearance from SEIAA for "Building Stone Quarry" Sy. No: 38, Chigahalli Village, Shanthigrama Hobli, Hassan Taluk, Hassan District, Karnataka

Details of the project are as follows:

Sl. No	PARTICULARS	INFORMATION															
1	Name & Address of the Project Proponent	Sri. Kempegowda S/o Puttaningegowda, Chigahalli Village, Kowshika Post, Shanthigrama Hobli, Hassan Taluk, Hassan District, Karnataka.															
2	Name & Location of the Project	"Building Stone Quarry" of Sri. Kempegowda, Sy. No: 38, Chigahalli Village, Shanthigrama Hobli, Hassan Taluk, Hassan District, Karnataka															
3	Co-ordinates of the Project Site	<table border="1"> <thead> <tr> <th>Corner Pillar</th> <th>Latitude</th> <th>Longitude</th> </tr> </thead> <tbody> <tr> <td>A</td> <td>N 12° 57' 05.6"</td> <td>E 76° 11' 03.6"</td> </tr> <tr> <td>B</td> <td>N 12° 57' 04.0"</td> <td>E 76° 11' 03.8"</td> </tr> <tr> <td>C</td> <td>N 12° 57' 03.8"</td> <td>E 76° 11' 01.3"</td> </tr> <tr> <td>D</td> <td>N 12° 57' 05.4"</td> <td>E 76° 11' 00.9"</td> </tr> </tbody> </table>	Corner Pillar	Latitude	Longitude	A	N 12° 57' 05.6"	E 76° 11' 03.6"	B	N 12° 57' 04.0"	E 76° 11' 03.8"	C	N 12° 57' 03.8"	E 76° 11' 01.3"	D	N 12° 57' 05.4"	E 76° 11' 00.9"
		Corner Pillar	Latitude	Longitude													
		A	N 12° 57' 05.6"	E 76° 11' 03.6"													
		B	N 12° 57' 04.0"	E 76° 11' 03.8"													
		C	N 12° 57' 03.8"	E 76° 11' 01.3"													
D	N 12° 57' 05.4"	E 76° 11' 00.9"															
WGS-84 DATUM																	
4	Type of Mineral	Building Stone Quarry															
5	New / Expansion / Modification / Renewal	Expansion (QL. No. HMG - 527)															
6	Type of Land [Forest, Government Revenue, Gomal, Private/Patta, Other]	Government Land															
7	Area in Ha	0.404 Ha															
8	Annual Production Proposed (Metric Tons/ CUM) / Annum	36,842 TPA including waste															
9	Project Cost (Rs. In Crores)	1.00 crores															
10	Proved quantity of mine/quarry-Cu.m/Tons	3,69,587 tonnes															
11	Permitted quantity per annum- Cu.m/Ton	36,842 TPA including waste															
12	CER Action Plan:																
	For 5 Years	Corporate Environmental Responsibility (CER)															
	1st	Rainwater harvesting pits nearby GHPS school at Chigahalli															
	2nd	Cleaning out and deepening of Chigahalli pond															

Drafted by 

	3rd	Providing Solar panels at GHPS school at Chigahalli village.	
	4th	Avenue plantation programmes at Chigahalli village.	
	5th	Health camp facilities at GHPS school at Chigahalli village.	
13	EMP Budget	Rs. 16.88lakhs (Capital Cost) & Rs. 7.72 lakhs (Recurring cost)	
14	Forest NOC	08.08.2014	
15	Lease Grant	04.06.2018	
16	Quarry plan	26.08.2021	
17	Environmental Clearance	05.01.2016	

The subject was discussed in the SEAC meeting held on 15th 16th & 17th March 2022. The Committee has recommended to SEIAA for issue of EC and the extract of the proceedings of the Committee meeting is as below:


This project was deferred during 269th SEAC meeting for want of certified compliance to earlier EC conditions and the proponent has submitted the certified compliance to earlier EC conditions from KSPCB and the proponent informed that he will submit the undertaking to comply with all the earlier EC conditions within 1 year.

There is an existing cart track road to a length of 520meters connecting the lease area to an all weather black topped road and the proponent informed that the quarrying operation will be commenced after strengthening the approach road to the quarry and the road connecting to the crusher as per IRC (Indian Road Congress) standard norms & would grow trees all along the approach road.

Since the EC was issued prior to 15.01.2016, the project is categorized as B2. The proponent has collected baseline data of air, water, soil and noise which are within the permissible limits. The proponent informed that all mitigative measures will be taken to ensure that the parameters will be maintained within the permissible limits.

Considering the proved mineable reserve of 3,69,587tonnes (including waste) as per the approved quarry plan, the committee estimated the life of the mine as 11 years. The committee decided to recommend the proposal to SEIAA for issue of Environmental Clearance for an annual production of 36,842TPA (including waste).

The Authority perused the proposal and took note of the recommendation of SEAC.



The Authority after discussion decided to clear the proposal for issue of Environmental Clearance subject to following:

1. If the distance of nearest Protected Area (National Park/ Sanctuary/Bio sphere reserve/ migratory corridor) is within 10 KM, a certificate from the Chief Wild Life Warden (CWLW) along with his recommendation, else a certificate from the proponent that the proposed site is more than 10 KM away from any Protection Authority (PA) (National Park/ Sanctuary/Bio sphere reserve/ migratory corridor).
2. Safety measures proposed shall be submitted.
3. A time bound action plan for implementation of proposed CER activities as a part of EMP shall be furnished.

Additional Conditions:

Dust suppression measures have to be strictly followed.


215.1.43. Building Stone Quarry Project at Chigahalli Village, Hassan Taluk & District (2-00 Acres) (QL No HMG-529) by Sri Janardhana G K. - Online Proposal No.SIA/KA/MIN/228913/2021 (SEIAA 486 MIN 2021) - Expansion

Sri. Janardhana G. K,have applied for Environmental clearance from SEIAA for "Building Stone Quarry" Sy. No: 38, Chigahalli Village, Hassan Taluk, Hassan District,

Details of the project are as follows:

Sl. No	PARTICULARS	INFORMATION																		
1	Name & Address of the Project Proponent	Sri. Janardhana G. K. S/o Late Krishnegowda, KoteBeedhi Village & Post, Shantigramahobli, Hassan Taluk, Hassan District, Karnataka.																		
2	Name & Location of the Project	"Building Stone Quarry" of Sri. Janardhana G. K, Sy. No: 38, Chigahalli Village, Hassan Taluk, Hassan District,																		
3	Co-ordinates of the Project Site	<table border="1"> <thead> <tr> <th>Corner Pillar</th> <th>Latitude</th> <th>Longitude</th> </tr> </thead> <tbody> <tr> <td>A</td> <td>N 12° 57' 05.6"</td> <td>E 76° 11' 03.6"</td> </tr> <tr> <td>B</td> <td>N 12° 57' 11.2"</td> <td>E 76° 11' 05.1"</td> </tr> <tr> <td>C</td> <td>N 12° 57' 11.9"</td> <td>E 76° 11' 03.5"</td> </tr> <tr> <td>D</td> <td>N 12° 57' 06.2"</td> <td>E 76° 11' 02.0"</td> </tr> <tr> <td colspan="3" style="text-align: center;">WGS-84 DATUM</td> </tr> </tbody> </table>	Corner Pillar	Latitude	Longitude	A	N 12° 57' 05.6"	E 76° 11' 03.6"	B	N 12° 57' 11.2"	E 76° 11' 05.1"	C	N 12° 57' 11.9"	E 76° 11' 03.5"	D	N 12° 57' 06.2"	E 76° 11' 02.0"	WGS-84 DATUM		
Corner Pillar	Latitude	Longitude																		
A	N 12° 57' 05.6"	E 76° 11' 03.6"																		
B	N 12° 57' 11.2"	E 76° 11' 05.1"																		
C	N 12° 57' 11.9"	E 76° 11' 03.5"																		
D	N 12° 57' 06.2"	E 76° 11' 02.0"																		
WGS-84 DATUM																				

4	Type of Mineral	Building Stone Quarry
5	New / Expansion / Modification / Renewal	Expansion (QL. No. HMG - 529)
6	Type of Land [Forest, Government Revenue, Gomal, Private/Patta, Other]	Government Land
7	Area in Ha	0.808 Ha
8	Annual Production Proposed (Metric Tons/ CUM) / Annum	1,05,263TPA including waste
9	Project Cost (Rs. In Crores)	1.19crores
10	Proved quantity of mine/quarry- Cu.m/Tons	11,63,613 tonnes
11	Permitted quantity per annum- Cu.m/Ton	1,05,263 TPA
12	CER Action Plan:	
	For the 5 Years	Corporate Environmental Responsibility (CER)
	1st	Providing solar power panels to GLPS school at Chigahalli village
	2nd	Rain water harvesting pits near by GLPS school at Chigahalli village
	3rd	Cleaning out and deepening of Chigahalli pond
	4th	Conducting E-waste drive campaigns in the GLPS school at Chigahalli village
	5th	Health camp in GLPS school at Chigahalli village
13	EMP Budget	Rs. 24.46lakhs (Capital Cost) & Rs. 10.02 lakhs (Recurring cost)
14	Forest NOC	16.08.2014
15	Lease Grant	04.06.2018
16	Quarry plan	27.08.2021
17	Environmental Clearance	10.12.2015



The subject was discussed in the SEAC meeting held on 15th 16th & 17th March 2022. The Committee has recommended to SEIAA for issue of EC and the extract of the proceedings of the Committee meeting is as below:

This project was deferred during 269th SEAC meeting for want of certified compliance to earlier EC conditions and the proponent has submitted the certified compliance to earlier EC conditions from KSPCB and the proponent informed that he will submit the undertaking to comply with all the earlier EC conditions within 1 year.

There is an existing cart track road to a length of 350meters connecting the lease area to an all weather black topped road and the proponent informed that the quarrying operation will be commenced after strengthening the approach road to the quarry and the road connecting to the crusher as per IRC (Indian Road Congress) standard norms & would grow trees all along the approach road.

Since the EC was issued prior to 15.01.2016, the project is categorized as B2. The proponent has collected baseline data of air, water, soil and noise which are within the permissible limits. The proponent informed that all mitigative measures will be taken to ensure that the parameters will be maintained within the permissible limits.

Considering the proved mineable reserve of 11,63,613 tonnes (including waste) as per the approved quarry plan, the committee estimated the life of the mine as 11 years. The committee decided to recommend the proposal to SEIAA for issue of Environmental Clearance for an annual production of 1,05,263 TPA(including waste).

The Authority perused the proposal and took note of the recommendation of SEAC.

The Authority after discussion decided to clear the proposal for issue of Environmental Clearance subject to following:

1. *If the distance of nearest Protected Area (National Park/ Sanctuary/Bio sphere reserve/ migratory corridor) is within 10 KM, a certificate from the Chief Wild Life Warden (CWLW) along with his recommendation, else a certificate from the proponent that the proposed site is more than 10 KM away from any Protection Authority (PA) (National Park/ Sanctuary/Bio sphere reserve/ migratory corridor).*
2. *Safety measures proposed shall be submitted.*
3. *A time bound action plan for implementation of proposed CER activities as a part of EMP shall be furnished.*

Additional Conditions:

Dust suppression measures have to be strictly followed.

215.1.44. Building Stone Quarry Project at Chigahalli Village, Hassan Taluk & District (1-00 Acre) by Sri C K Ramegowda - Online Proposal No.SIA/KA/MIN/228905/2021 (SEIAA 485 MIN 2021) - Expansion

Sri. C. K. Ramegowda, have applied for Environmental clearance from SEIAA for "Building Stone Quarry" of Sy. No: 38, Chigahalli Village, Shanthigrama Hobli, Hassan Taluk, Hassan District, Karnataka.

Details of the project are as follows:

Sl. No	PARTICULARS	INFORMATION																		
1	Name & Address of the Project Proponent	Sri. C. K. Ramegowda S/o Kalegowda, Chigahalli Village, Kowshika Post, ShanthigramaHobli, Hassan Taluk, Hassan District, Karnataka.																		
2	Name & Location of the Project	"Building StoneQuarry" of Sri. C. K. Ramegowda, Sy. No: 38, Chigahalli Village, ShanthigramaHobli, Hassan Taluk, Hassan District,Karnataka.																		
3	Co-ordinates of the Project Site	<table border="1"> <thead> <tr> <th>Corner Pillar</th> <th>Latitude</th> <th>Longitude</th> </tr> </thead> <tbody> <tr> <td>A</td> <td>N 12° 57' 11.1"</td> <td>E 76° 11' 06.0"</td> </tr> <tr> <td>B</td> <td>N 12° 57' 12.7"</td> <td>E 76° 11' 03.2"</td> </tr> <tr> <td>C</td> <td>N 12° 57' 13.4"</td> <td>E 76° 11' 03.5"</td> </tr> <tr> <td>D</td> <td>N 12° 57' 11.8"</td> <td>E 76° 11' 12.2"</td> </tr> <tr> <td colspan="3" style="text-align: center;">WGS-84 DATUM</td> </tr> </tbody> </table>	Corner Pillar	Latitude	Longitude	A	N 12° 57' 11.1"	E 76° 11' 06.0"	B	N 12° 57' 12.7"	E 76° 11' 03.2"	C	N 12° 57' 13.4"	E 76° 11' 03.5"	D	N 12° 57' 11.8"	E 76° 11' 12.2"	WGS-84 DATUM		
Corner Pillar	Latitude	Longitude																		
A	N 12° 57' 11.1"	E 76° 11' 06.0"																		
B	N 12° 57' 12.7"	E 76° 11' 03.2"																		
C	N 12° 57' 13.4"	E 76° 11' 03.5"																		
D	N 12° 57' 11.8"	E 76° 11' 12.2"																		
WGS-84 DATUM																				
4	Type of Mineral	Building StoneQuarry																		
5	New / Expansion / Modification / Renewal	Expansion (QL. No. HMG - 528)																		
6	Type of Land [Forest, Government Revenue, Gomal, Private/Patta, Other]	Government Land																		

7	Area in Ha	0.404 Ha
8	Annual Production Proposed (Metric Tons/ CUM) / Annum	36,842 TPA
9	Project Cost (Rs. In Crores)	0.97crores
10	Proved quantity of mine/quarry-Cu.m/Tons	3,17,523 tonnes
11	Permitted quantity per annum- Cu.m/Ton	36,842 TPA
12	CER Action Plan:	
	For 5 Years	Corporate Environmental Responsibility (CER)
	1st	Rain water harvesting pits nearby GLPS school at Chigahalli village
	2nd	Providing solar power panels at GLPS school at Chigahalli village
	3rd	
	4th	Avenue plantation programmes GLPS school at Chigahalli village
5th	Health camp in GLPS school at Chigahalli village	
13	EMP Budget	Rs. 15.37lakhs (Capital Cost) & Rs. 7.68 lakhs (Recurring cost)
14	Forest NOC	20.09.2014
15	Lease Grant	02.06.2018
16	Quarry plan	26.08.2021
17	Environmental Clearance	05.01.2016

The subject was discussed in the SEAC meeting held on 15th 16th & 17th March 2022. The Committee has recommended to SEIAA for issue of EC and the extract of the proceedings of the Committee meeting is as below:

This project was deferred during 269th SEAC meeting for want of certified compliance to earlier EC conditions and the proponent has submitted the certified compliance to earlier EC conditions from KSPCB and the proponent informed that he will submit the undertaking to comply with all the earlier EC conditions within 1 year.

There is an existing cart track road to a length of 360meters connecting the lease area to an all weather black topped road and the proponent informed that the quarrying operation will be commenced after strengthening the approach road to the quarry and the road connecting to the crusher as per IRC (Indian Road Congress) standard norms & would grow trees all along the approach road.

Since the EC was issued prior to 15.01.2016, the project is categorized as B2. The proponent has collected baseline data of air, water, soil and noise which are within the permissible limits. The proponent informed that all mitigative measures will be taken to ensure that the parameters will be maintained within the permissible limits.

Considering the proved mineable reserve of 3,17,523tonnes (including waste) as per the approved quarry plan, the committee estimated the life of the mine as 9 years. The committee decided to recommend the proposal to SEIAA for issue of Environmental Clearance for an annual production of 36,842 TPA(including waste).

The Authority perused the proposal and took note of the recommendation of SEAC.

The Authority after discussion decided to clear the proposal for issue of Environmental Clearance subject to following:

1. *If the distance of nearest Protected Area (National Park/ Sanctuary/Bio sphere reserve/ migratory corridor) is within 10 KM, a certificate from the Chief Wild Life Warden (CWLW) along with his recommendation, else a certificate from the proponent that the proposed site is more than 10 KM away from any Protection Authority (PA) (National Park/ Sanctuary/Bio sphere reserve/ migratory corridor).*
2. *Safety measures proposed shall be submitted.*
3. *A time bound action plan for implementation of proposed CER activities as a part of EMP shall be furnished.*

Additional Conditions:

Dust suppression measures have to be strictly followed.

215.1.45. Building Stone Quarry project at Ganaguru Village, Srirangapatna Taluk, Mandya District (1-19 Acres) by M/s. SANMATHI STONE CRUSHER - Online Proposal No.SIA/KA/MIN/244004/2021 (SEIAA 658 MIN 2021) - Expansion

M/s. Sanmathi Stone Crusher have applied for Environmental clearance from SEIAA for "Building Stone Quarry" at Sy. No: 142/3, Gananguru Village, Srirangapatna Taluk, Mandya District, Karnataka

Details of the project are as follows:

Sl. No	PARTICULARS	INFORMATION		
1	Name & Address of the Project Proponent	M/s. Sanmathi Stone Crusher Prop: K. S. Jayaram, S/o Late Siddegowda, No.1585, 5th Main, 2nd Stage, Vijayanagar, Mysore District, Karnataka.		
2	Name & Location of the Project	"Building Stone Quarry" of M/s. Sanmathi Stone Crusher, Sy. No: 142/3, Gananguru Village, Srirangapatna Taluk, Mandya District, Karnataka		
3	Co-ordinates of the Project Site	Corner Point No	Latitude	Longitude
		A	N 12° 28' 21.0"	E 76° 46' 26.2"
		B	N 12° 28' 21.1"	E 76° 46' 26.4"
		C	N 12° 28' 20.9"	E 76° 46' 27.6"
		D	N 12° 28' 19.4"	E 76° 46' 27.3"
		E	N 12° 28' 19.4"	E 76° 46' 27.1"
		F	N 12° 28' 15.5"	E 76° 46' 26.8"
		G	N 12° 28' 15.6"	E 76° 46' 25.7"
4	Type of Mineral	Building Stone Quarry		
5	New / Expansion / Modification / Renewal	Expansion (QL. No. 1100)		
6	Type of Land [Forest, Government Revenue, Gomal, Private/Patta, Other]	Patta Land		
7	Area in Ha	0.596 Ha		
8	Annual Production Proposed (Metric Tons/ CUM) / Annum	52,631 TPA		

9	Project Cost (Rs. In Crores)	1.11crores
10	Proved quantity of mine/quarry-Cu.m/Tons	5,40,887 Tonnes
11	Permitted quantity per annum- Cu.m/Ton	52,631 TPA
12	CER Action Plan:	
	For 5 Years	Corporate Environmental Responsibility (CER)
	1st	Providing solar power panels to GLPS in Koddishettipura Village
	2nd	Plantation Programmes at GLPS in Koddishettipura Village
	3rd	Rain water harvesting pits at GLPS in Koddishettipura Village
	4th	Health camp in GLPS in Koddishettipura Village
5th		
13	EMP Budget	Rs. 31.12lakhs (Capital Cost) & Rs. 8.66 lakhs (Recurring cost)
14	Forest NOC	12.02.2020
15	Lease Grant	14.09.2021
16	Quarry plan	26.08.2021
17	Environmental Clearance	27.05.2021

The subject was discussed in the SEAC meeting held on 15th 16th & 17th March 2022. The Committee has recommended to SEIAA for issue of EC and the extract of the proceedings of the Committee meeting is as below:

This project was deferred during 269th SEAC meeting, since the proponent remain absent. As per the audit report certified by DMG authorities, the proponent has not carried out quarrying activity till date.

There is an existing cart track road to a length of 426meters connecting the lease area to an all weather black topped road and the proponent informed that the quarrying operation will be commenced after strengthening the approach road to the quarry and the road connecting to the crusher as per IRC (Indian Road Congress) standard norms & would grow trees all along the approach road.

As per the cluster sketch prepared by the DMG, there are 20 leases including the subject lease within the 500 meter radius from this lease area, out of which 13 leases

granted prior to 09.09.2013 and the total area of the remaining 7 leases is 10-17 Acres. Hence the project is categorized as B2. The proponent has collected baseline data for air, water, soil and noise and all parameters are found to be within permissible limits. The proponent informed that all mitigative measures will be taken up to ensure that the parameters are maintained within permissible limits.

Considering the proved mineable reserve of 5,40,887tonnes (including waste) as per the approved quarry plan, the committee estimated the life of the mine as 11years. The committee decided to recommend the proposal to SEIAA for issue of Environmental Clearance for an annual production of 52,631 TPA(including waste).

The Authority perused the proposal and took note of the recommendation of SEAC.

The Authority after discussion decided to clear the proposal for issue of Environmental Clearance subject to following:

1. *If the distance of nearest Protected Area (National Park/ Sanctuary/Bio sphere reserve/ migratory corridor) is within 10 KM, a certificate from the Chief Wild Life Warden (CWLW) along with his recommendation, else a certificate from the proponent that the proposed site is more than 10 KM away from any Protection Authority (PA) (National Park/ Sanctuary/Bio sphere reserve/ migratory corridor).*
2. *Safety measures proposed shall be submitted.*
3. *A time bound action plan for implementation of proposed CER activities as a part of EMP shall be furnished.*

Additional Conditions:


Dust suppression measures have to be strictly followed.

215.1.46. Building Stone Quarry Project at Marne Village, Karkala Taluk, Udupi District (0.50 Acres) by M/s. Shree Manjushree Enterprises - Online Proposal No.SIA/KA/MIN/225195/2021 (SEIAA 393 MIN 2021) - Expansion

M/s Shree Manjushree Enterprises have applied for Environmental clearance from SEIAA for "Building. Stone Quarry" at Sy No: 276,Marne Village, Karkala Taluk, Udupi District, Karnataka.

Details of the project are as follows:

Sl. No	PARTICULARS	INFORMATION
1	Name & Address of the Project Proponent	M/s Shree Manjushree Enterprises, Marne Village, Karkala Taluk, Udupi District,

Drafted by 

		Karnataka.		
2	Name & Location of the Project	"Building. Stone Quarry" of M/s Shree Manjushree Enterprises at Sy No: 276,Marne Village, Karkala Taluk,Udupi District, Karnataka.		
3	Co-ordinates of the Project Site	Corner Pillar	Latitude	Longitude
		A	N 13° 19' 32.90"	E 75° 00' 59.90"
		B	N 13° 19' 32.50"	E 75° 01' 01.30"
		C	N 13° 19' 31.00"	E 75° 01' 00.60"
		D	N 13° 19' 31.40"	E 75° 00' 59.30"
DATUM- WGS-84				
4	Type of Project	Building Stone Quarry		
5	New / Expansion / Modification / Renewal	Expansion (QL No. 3038)		
6	Type of Land [Forest, Government Revenue, Gomal, Private/Patta, Other]	GovernmentLand		
7	Area in Ha	0.202Ha		
8	Annual Production Proposed (Metric Tons/ CUM) / Annum	21,053 TPA (including waste)		
9	Project Cost (Rs. In Crores)	0.93Crore		
10	Proved quantity of mine/quarry-Cu.m/Tons	1,05,317 Tonnes		
11	Permitted quantity per annum- Cu.m/Ton	21,053 TPA (including waste)		
12	CER Action Plan:			
	For 5 Years	Corporate Environmental Responsibility (CER)		
	1st	Providing solar power panels to GHPS School in Marne Village		
	2nd			
	3rd	Rain water harvesting pits in GHPS School in Marne Village		
	4th	Village		
5th	Health camp in GHPS School in Marne Village			
13	EMP Budget	Rs. 14.25 lakhs (Capital Cost) & Rs. 7.34		

		lakhs (Recurring cost)
14	Forest NOC	18.05.2018
15	Lease Grant	25.09.2020 w.e.f 11.08.2005
16	Quarry plan	12.11.2020
17	Environmental Clearance	22.07.2020

The subject was discussed in the SEAC meeting held on 15th 16th & 17th March 2022. The Committee has recommended to SEIAA for issue of EC and the extract of the proceedings of the Committee meeting is as below:

This project was deferred during 268th SEAC meeting for want of certified compliance to earlier EC conditions and the proponent has submitted the certified compliance to earlier EC conditions from KSPCB and the proponent informed that he will submit the undertaking to comply with all the earlier EC conditions within 1 year.

There is an existing cart track road to a length of 520meters connecting the lease area to an all weather black topped road and the proponent informed that the quarrying operation will be commenced after strengthening the approach road to the quarry and the road connecting to the crusher as per IRC (Indian Road Congress) standard norms & would grow trees all along the approach road.

Since the lease was granted prior to 09.09.2013, the project is categorized as B2. The proponent has collected baseline data of air, water, soil and noise which are within the permissible limits. The proponent informed that all mitigative measures will be taken to ensure that the parameters will be maintained within the permissible limits.

Considering the proved mineable reserve of 1,05,317tonnes (including waste) as per the approved quarry plan, the committee estimated the life of the mine as 5years. The committee decided to recommend the proposal to SEIAA for issue of Environmental Clearance for an annual production of 21,053 TPA(including waste).

The Authority perused the proposal and took note of the recommendation of SEAC.

The Authority after discussion decided to clear the proposal for issue of Environmental Clearance subject to following:

1. If the distance of nearest Protected Area (National Park/ Sanctuary/Bio sphere reserve/ migratory corridor) is within 10 KM, a certificate from the Chief Wild Life Warden (CWLV) along with his recommendation, else a certificate from the

proponent that the proposed site is more than 10 KM away from any Protection Authority (PA) (National Park/ Sanctuary/Bio sphere reserve/ migratory corridor).

2. *Safety measures proposed shall be submitted.*
3. *A time bound action plan for implementation of proposed CER activities as a part of EMP shall be furnished.*

Additional Conditions:

Dust suppression measures have to be strictly followed.

215.1.47. Building Stone Quarry Project at Sy.No.31/C1 of Kanavi Thimmalapura Village, Hosapete Taluk, Ballari District (1.70 Acres) by Sri C. Laxminarasaiah - Online Proposal No.SIA/KA/MIN/140797/2020 (SEIAA 69 MIN 2020)

Sri C. Laxminarasaiah have applied for Environmental clearance from SEIAA for Establishment of Proposed Building Stone Quarry Project at Sy.No.31/C1 of Kanavi Thimmalapura Village, Hosapete Taluk, Ballari District (1.70 Acres) Karnataka

The subject was discussed in the SEAC meeting held on 19-06-2020. The Committee noted that this is an old lease involving building stone mining in Govt land. The proponent has stated that he has obtained NOCs from Forest, Revenue Dept.

The lease deed has been executed on 26-09-2006 for 5 years and he has carried out mining up to 2011 and further no mining activity has been carried out since then till date and the same has been reflected in the audit report prepared by DMG.

As seen from the quarry plan there is a level difference of 12 meters within the mining area and taking this factor into consideration, and also the fact that he has already mined 5850 tons the committee opined that the proposed quantity of 46753 cum or 122963 tons can be mined safely and scientifically to a quarry pit depth of 10 meters for a plan period of 5 years because the lease period ends in 2026.

The proponent has claimed exemption from cluster effect for this lease due to the fact that the lease was granted prior to 09.09.2013. In view of this the committee decided to categorize this project under B2 category as per EIA Notification 2006 and proceeded with the appraisal accordingly.

As far as approach road is concerned, the proponent has stated that, there is an existing cart track road to a length of 100meters connecting lease area to kaccha road. As far as CER is concerned the proponent has stated that he will earmark Rs 2.5 lakhs and contribute same to CM care fund.

The committee after discussion decided to recommend the proposal to SEIAA to issue Environment Clearance.

The Authority perused the proposal and took note of the recommendation of SEAC.

The Authority after discussion decided to issue Environmental Clearance for extraction of Building Stone proposed to be extracted as per approved quarry plan, subject to submission of the following information: -

- 1) Distance of the proposed project site from the boundary of nearest National Park/ Sanctuary/Bio sphere reserve/ migratory corridor of wild life animal and if it is located within 10 Km of the said National Park/ Sanctuary/Bio sphere reserve/ migratory corridor of wild life animal then a map duly authenticated by the Chief Wildlife Warden showing the boundary from such National Park/ Sanctuary/Bio sphere reserve/ migratory corridor of wild life animal vis a vis the project location and the recommendation or comments of the Chief Wildlife Warden thereon.
- 2) An action plan with activities proposed under CER in accordance with O.M F. No.22-65/2017-IA.III dated 1st May 2018 issued by MoEF& CC, Government of India, allocation of funds against each of the activities and the time frame within which such activities will be completed. The funds so earmarked shall be in accordance with para 6 (II) and the activities shall be in accordance with para 6 (V) of the said O.M.

This proposal was reconsidered by SEAC on 15th 16th & 17th March 2022 to send the recommendation to SEIAA through online.

This proposal was cleared in 188th SEIAA meeting held on 14th July 2020. This proposal was once again placed before the Authority for which already decision has been made during previous meeting. The Authority decided to issue EC after receipt of the following information.

1. *If the distance of nearest Protected Area (National Park/ Sanctuary/Bio sphere reserve/ migratory corridor) is within 10 KM, a certificate from the Chief Wild Life Warden (CWLW) along with his recommendation, else a certificate from the proponent that the proposed site is more than 10 KM away from any Protection Authority (PA) (National Park/ Sanctuary/Bio sphere reserve/ migratory corridor).*
2. *Safety measures proposed shall be submitted.*
3. *A time bound action plan for implementation of proposed CER activities as a part of EMP shall be furnished.*

Additional Conditions:


Dust suppression measures have to be strictly followed.

215.1.48. Building Stone Quarry Project at Chimmada Village, Rabakavi Banahatti Taluk, Bagalkot District (1-00 Acre) by Sri Husensab M Nadaf - Online Proposal No.SIA/KA/MIN/186820/2020 (SEIAA 405 MIN 2020)

Husensab Meerasab Nadaf have applied for Environmental clearance from SEIAA for Building Stone Quarry in 1-00Acre of Patta Land bearing Sy. No: 70/1/2 & 70/4 in Chimmada Village, Rabakavibanahatti Taluk, Bagalkot District, Karnataka.

Details of the project are as follows:

Sl.No	PARTICULARS	INFORMATION
1	Name & Address of the Projects Proponent	Husensab Meerasab Nadaf Station road, Ugarkhurd, Belagavi - 591316
2	Name & Location of the Project	Building Stone Quarry in 1-00Acre of Patta Land bearing Sy. No: 70/1/2 & 70/4 in Chimmada Village, Rabakavibanahatti Taluk, Bagalkot District, Karnataka.
3	Type Of Mineral	Building Stone
4	New / Expansion / Modification / Renewal	New
5	Type of Land [Forest, Government Revenue, Gomal, Private / Patta, Other]	Patta Land
6	Area in Ha	1-00 Acres
7	Annual Production (Metric Ton / Cum) Per Annum	12,000Tons/ Annum (Avg.)
8	Project Cost (Rs. In Crores)	0.50 (Rs. 50 Lakhs)
9	Proved Quantity of mine/ Quarry- Cu.m / Ton	1,19,757Tons
10	Permitted Quantity Per Annum - Cu.m / Ton	12,000Tons/ Annum (Max.)
11	Modified CER Action Plan:	
	Year	CER Activities
	2022-23	Avenue plantation towards Chimmad village PWD road (1000 m / 10 m = 100 X 2 line = 200 X Rs 50 = 1,00,000 (Neam, Honge, Jack fruit, Sampigeetc)
	Total	
12	EMP Budget	Rs. 2.05 Lakhs (Capital Cost) & 0.45 Lakhs (Recurring cost)



13	Forest NOC	10.02.2017
14	Notification	25.09.2019
15	Quarry plan	09.11.2020
16	Cluster certificate	26.08.2021

The subject was discussed in the SEAC meeting held on 15th 16th & 17th March 2022. The Committee has recommended to SEIAA for issue of EC and the extract of the proceedings of the Committee meeting is as below:

This project was deferred during 268th SEAC meeting, since the proponent was absent.

There is an existing cart track road to a length of 100m connecting lease area to the all weather black topped road and the proponent informed that the quarrying operation will be commenced after strengthening the approach road to the quarry & the road connecting to the crusher as per IRC (Indian Road Congress) standard norms & would grow trees all along the approach road.

As per the cluster sketch there are 6 leases including the subject lease within 500 meter radius from this lease, out of which the ECs for 2 leases was issued prior to 15.01.2016. The total area of the 4 leases is 10-34 Acres and project is categorized as B2. The Proponent has collected baseline data of air, water, soil and noise and all are within the permissible limits. The proponent informed that all mitigative measures will be taken to ensure that the parameters will be maintained within the permissible limits.

Considering the proved mineable reserve of 1,19,757 tonnes (excluding waste) as per the approved quarry plan, the committee estimated the life of the mine as 10 years. The committee decided to recommend the proposal to SEIAA for issue of Environmental Clearance for an average annual production of 12,000 tonnes/annum (excluding waste).

The Authority perused the proposal and took note of the recommendation of SEAC.

The Authority after discussion decided to clear the proposal for issue of Environmental Clearance subject to following:

1. *If the distance of nearest Protected Area (National Park/ Sanctuary/Bio sphere reserve/ migratory corridor) is within 10 KM, a certificate from the Chief Wild Life Warden (CWLW) along with his recommendation, else a certificate from the proponent that the proposed site is more than 10 KM away from any Protection Authority (PA) (National Park/ Sanctuary/Bio sphere reserve/ migratory corridor).*

2. *Safety measures proposed shall be submitted.*
3. *A time bound action plan for implementation of proposed CER activities as a part of EMP shall be furnished.*

Additional Conditions:

Dust suppression measures have to be strictly followed.

215.1.49. Building Stone Quarry Project at H Thimmapura Village, Tarikere Taluk, Chikkamagaluru District (2-00 Acres) by Sri T V Satyanarayana - Online Proposal No.SIA/KA/MIN/229195/2021 (SEIAA 494 MIN 2021) - Expansion

Sri. T. V. Sathyanarayana have applied for Environmental clearance from SEIAA for Building Stone Quarry(Enhancement) in 2-00 Acres of Government Land bearing Sy. No: 26 in H. Thimmapur Village, Tarikere Taluk, Chikkamagalur District, Karnataka.

Details of the project are as follows:

Sl.No	PARTICULARS	INFORMATION
1	Name & Address of the Projects Proponent	Sri. T. V. Sathyanarayana S/o Sri. V P Venkatesh Madaliyar, Maruthi Street, Tarikere, Chikkamagalur District.
2	Name & Location of the Project	Building Stone Quarry(Enhancement) in 2-00 Acres of Government Land bearing Sy. No: 26 in H. Thimmapur Village, Tarikere Taluk, Chikkamagalur District, Karnataka.
3	Type Of Mineral	Building Stone
4	New / Expansion / Modification / Renewal	Modification
5	Type of Land [Forest, Government Revenue, Gomal, Private / Patta, Other]	Government Land
6	Area in Ha	2-00 Acres
7	Annual Production (Metric Ton / Cum) Per Annum	1,50,225 Tons/ Annum (Avg.)
8	Project Cost (Rs. In Crores)	0.25 (Rs. 25 Lakhs)
9	Proved Quantity of mine/ Quarry- Cu.m / Ton	7,52,233 Tons
10	Permitted Quantity Per Annum - Cu.m / Ton	1,50,225 Tons/ Annum (Max.)

11	<u>CER Action Plan:</u> • Propose takeup 300No. Of additional plantation on either side of the approach road from quarry location to Thimmapura Village.
12	EMP Budget Rs. 10.10 Lakhs (Capital Cost) & 14.95 Lakhs (Recurring cost)
13	Forest NOC 25.04.2012
14	Lease Grant 01.10.2019 w.e.f 05.12.2005
15	Quarry plan 11.07.2020
16	Environmental Clearance 10.09.2018

The subject was discussed in the SEAC meeting held on 15th 16th & 17th March 2022. The Committee has recommended to SEIAA for issue of EC and the extract of the proceedings of the Committee meeting is as below:

This project was deferred during 269th SEAC meeting for want of certified compliance to earlier EC conditions and the proponent has submitted the certified compliance to earlier EC conditions from KSPCB and the proponent informed that he will submit the undertaking to comply with all the earlier EC conditions within 1 year.

There is an existing cart track road to a length of 830meters connecting the lease area to an all weather black topped road and the proponent informed that the quarrying operation will be commenced after strengthening the approach road to the quarry and the road connecting to the crusher as per IRC (Indian Road Congress) standard norms & would grow trees all along the approach road.

Since the lease was granted prior to 09.09.2013, the project is categorized as B2. The proponent has collected baseline data of air, water, soil and noise which are within the permissible limits. The proponent informed that all mitigative measures will be taken to ensure that the parameters will be maintained within the permissible limits.

Considering the proved mineable reserve of 7,52,233tonnes (including waste) as per the approved quarry plan, the committee estimated the life of the mine as 6 years. The committee decided to recommend the proposal to SEIAA for issue of Environmental Clearance for an average annual production of 1,50,225 TPA(including waste).

The Authority perused the proposal and took note of the recommendation of SEAC.

The Authority after discussion decided to clear the proposal for issue of Environmental Clearance subject to following:

1. If the distance of nearest Protected Area (National Park/ Sanctuary/Bio sphere reserve/ migratory corridor) is within 10 KM, a certificate from the Chief Wild Life Warden (CWLW) along with his recommendation, else a certificate from the proponent that the proposed site is more than 10 KM away from any Protection Authority (PA) (National Park/ Sanctuary/Bio sphere reserve/ migratory corridor).
2. Safety measures proposed shall be submitted.
3. A time bound action plan for implementation of proposed CER activities as a part of EMP shall be furnished.

Additional Conditions:


Dust suppression measures have to be strictly followed.

215.150. Building Stone Quarry Project at Hosahalli Village, Tumkur Taluk & District (3.00 Acres) by M/s. N.S. Jelly Crusher - Online Proposal No.SIA/KA/MIN/189748/2020 (SEIAA 450 MIN 2020)

M/s. N. S. Jelly Crusher, have applied for Environmental clearance from SEIAA for Building Stone Quarry of over an extent of 3.00 Acres of Government land in Survey No. 59 (P) of Hosahalli Village, Kora Hobli, Tumkur Taluk & Vijaynagara District, Karnataka.

Details of the project are as follows:

Sl.No	PARTICULARS	INFORMATION
1	Name & Address of the Projects Proponent	M/s. N. S. Jelly Crusher Dr. N. S. JAYAKUMAR S/o. N. S. NarayanaSetty, "PUNARVASU", 5 th Cross, Siddaganga Extension, Tumkur District, Karnataka Mob. No. : +91 9844375342.
2	Name & Location of the Project	Building Stone Quarry of M/s. N. S. Jelly Crusher, over an extent of 3.00 Acres of Government land in Survey No. 59 (P) of Hosahalli Village, KoraHobli, Tumkur Taluk & Vijaynagara District, Karnataka.
3	Type Of Mineral	Building Stone
4	New / Expansion / Modification / Renewal	Expansion in production



5	Type of Land [Forest, Government Revenue, Gomal, Private / Patta, Other]	Government Land
6	Area in Ha	1.214 Ha (3.00 Acres)
7	Annual Production (Metric Ton / Cum) Per Annum	1,30,359TPA(including waste)-Avg
8	Project Cost (Rs. In Crores)	0.18 (Rs. 18 Lakhs)
9	Proved Quantity of mine/ Quarry- Cu.m / Ton	651,797tonnes
10	Permitted Quantity Per Annum - Cu.m / Ton	1,30,359TPA(including waste)-Avg
11	Existing Production Proposed Capacity	Existing Production: 23,044 TPA Proposed Capacity: 150,039 TPA)
11	CER Action Plan: <ul style="list-style-type: none"> An amount of Rs. 3.00 Lakhs shall be spent towards construction of two toilets along with overhead water tank with Borewell with power connection & yearly maintenance of the same & Anganwadi kitchen, at Govt. Primary school in Siddrayapalyavillage. An amount of Rs. 2.00 lakh/annum shall be spend towards CER activities like desilting & rejuvenation a Arakerepond, Drinking water etc.. 	
12	EMP Budget	Rs. 18.0Lakhs (Capital Cost) & 14.80 Lakhs (Recurring cost)
13	Forest NOC	13.07.2016
14	Lease Grant	21.10.2019 w.e.f 07.06.1996
15	Quarry plan	06.08.2020
16	Environmental Clearance	25.01.2018

The subject was discussed in the SEAC meeting held on 15th 16th & 17th March 2022. The Committee has recommended to SEIAA for issue of EC and the extract of the proceedings of the Committee meeting is as below:

This project was deferred during 258th SEAC meeting for want of certified compliance to earlier EC conditions and the proponent has submitted the certified compliance to earlier EC conditions from KSPCB and the proponent informed that he will submit the undertaking to comply with all the earlier EC conditions within 1 year.

There is an existing cart track road to a length of 1.1KM connecting the lease area to an all weather black topped road and the proponent informed that the quarrying operation will be commenced after strengthening the approach road to the quarry and

the road connecting to the crusher as per IRC (Indian Road Congress) standard norms & would grow trees all along the approach road.

Since the lease was granted prior to 09.09.2013, the project is categorized as B2. The proponent has collected baseline data of air, water, soil and noise which are within the permissible limits. The proponent informed that all mitigative measures will be taken to ensure that the parameters will be maintained within the permissible limits.

Considering the proved mineable reserve of 6,51,797tonnes (including waste) as per the approved quarry plan, the committee estimated the life of the mine as 5years. The committee decided to recommend the proposal to SEIAA for issue of Environmental Clearance for an average annual production of 1,30,359TPA(including waste).

The Authority perused the proposal and took note of the recommendation of SEAC.

The Authority after discussion decided to clear the proposal for issue of Environmental Clearance subject to following:

- 1. If the distance of nearest Protected Area (National Park/ Sanctuary/Bio sphere reserve/ migratory corridor) is within 10 KM, a certificate from the Chief Wild Life Warden (CWLW) along with his recommendation, else a certificate from the proponent that the proposed site is more than 10 KM away from any Protection Authority (PA) (National Park/ Sanctuary/Bio sphere reserve/ migratory corridor).*
- 2. Safety measures proposed shall be submitted.*
- 3. A time bound action plan for implementation of proposed CER activities as a part of EMP shall be furnished.*

Additional Conditions:

Dust suppression measures have to be strictly followed.

215.1.51. Building Stone Quarry Project at Mulawad Village, Kolhar Taluk, Vijayapura District (3-00 Acres) by Sri Mainuddin M. Girgavi - Online Proposal No.SIA/KA/MIN/221547/2021 (SEIAA 367 MIN 2021)

Sri. Mainuddin M. Girgavi have applied for Environmental clearance from SEIAA for Building Stone Quarry in 3-00 Acres of Patta Land bearing Sy. No.50/4, Mulawad Village of Kolhar Taluk, Vijayapura District

Details of the project are as follows:

Sl.No	PARTICULARS	INFORMATION
1	Name & Address of the Projects Proponent	Sri. Mainuddin M. Girgavi S/o. Sri. Mahabubsab Girgavi, Kolhar Town, Kolhar Taluk, Vijayapura District
2	Name & Location of the Project	Building Stone Quarry in 3-00 Acres of Patta Land bearing Sy. No.50/4, Mulawad Village of Kolhar Taluk, Vijayapura District
3	Type Of Mineral	Building Stone
4	New / Expansion / Modification / Renewal	New
5	Type of Land [Forest, Government Revenue, Gomal, Private / Patta, Other]	Patta Land
6	Area in Acere-Guntas	3-00 Acres
7	Annual Production (Metric Ton / Cum) Per Annum	39,361(Avg.) Tons/ Annum
8	Project Cost (Rs. In Crores)	Rs. 0.35 Crores (Rs. 35 Lakhs)
9	Proved Quantity of mine/ Quarry- Cu.m / Ton	10,59,698 Tons
10	Permitted Quantity Per Annum - Cu.m / Ton	39,361(Avg.) Tons/ Annum
11	CER Action Plan: Propose to construct 1 No. of Check Dam at a suitable location, to the first order stream, located at a distance of 77M on W side, with locally available boulders.	
12	EMP Budget	Rs. 33.455 Lakhs (Capital Cost) & 12.80 Lakhs (Recurring cost for 5 years)
13	Forest NOC	21.01.2021
14	Notification	29.01.2021
15	Quarry plan	04.01.2021
16	Cluster certificate	06.01.2021

The subject was discussed in the SEAC meeting held on 15th 16th & 17th March 2022. The Committee has recommended to SEIAA for issue of EC and the extract of the proceedings of the Committee meeting is as below:

This project was deferred during 268th SEAC meeting, since the proponent has not submitted the EMP clearly showing the gully plugs, check dams.

There is an existing cart track road to a length of 1.25KM connecting lease area to the all weather black topped road and the proponent informed that the quarrying

operation will be commenced after strengthening the approach road to the quarry & the road connecting to the crusher as per IRC (Indian Road Congress) standard norms & would grow trees all along the approach road.

As per the cluster sketch there are 2 leases including the subject lease within 500 meter radius from this lease. The total area of these 2 leases is 5-00 Acres and the project is categorized as B2. The Proponent has collected baseline data of air, water, soil and noise and all are within the permissible limits. The proponent informed that all mitigative measures will be taken to ensure that the parameters will be maintained within the permissible limits.

Considering the proved mineable reserve of 9,53,728 tonnes (excluding waste) as per the approved quarry plan, the committee estimated the life of the mine as 25 years. The committee decided to recommend the proposal to SEIAA for issue of Environmental Clearance for an average annual production of 39,361 Tonnes/ annum (excluding waste).

The Authority perused the proposal and took note of the recommendation of SEAC.

The Authority after discussion decided to clear the proposal for issue of Environmental Clearance subject to following:

- 1. If the distance of nearest Protected Area (National Park/ Sanctuary/Bio sphere reserve/ migratory corridor) is within 10 KM, a certificate from the Chief Wild Life Warden (CWLW) along with his recommendation, else a certificate from the proponent that the proposed site is more than 10 KM away from any Protection Authority (PA) (National Park/ Sanctuary/Bio sphere reserve/ migratory corridor).*
- 2. Safety measures proposed shall be submitted.*
- 3. A time bound action plan for implementation of proposed CER activities as a part of EMP shall be furnished.*

Additional Conditions:

Dust suppression measures have to be strictly followed.

215.1.52. Building Stone Quarry Project at Mulawad Village, Kolhar Taluk, Vijayapura District (4-00 Acres) by Sri Kasimsab M. Girgavi - Online Proposal No.SIA/KA/MIN/221656/2021 (SEIAA 369 MIN 2021)

Sri. Kasimsab M. Girgavi have applied for Environmental clearance from SEIAA for Building Stone Quarry in 4-00 Acres of Patta Land bearing Sy. No. 48/6, Mulawad Village of Kolhar Taluk, Vijayapura District.

Details of the project are as follows:

Sl.No	PARTICULARS	INFORMATION
1	Name & Address of the Projects Proponent	Sri. Kasimsab M. Girgavi S/o. Sri. Mahabubsab Girgavi, Khaza Nagar, Kolhar Village, Kolhar Taluk Vijayapura District
2	Name & Location of the Project	Building Stone Quarry in 4-00 Acres of Patta Land bearing Sy. No. 48/6, Mulwad Village of Kolhar Taluk, Vijayapura District
3	Type Of Mineral	Building Stone
4	New / Expansion / Modification / Renewal	New
5	Type of Land [Forest, Government Revenue, Gomal, Private / Patta, Other]	Patta Land
6	Area in Acere-Guntas	4-00 Acres
7	Annual Production (Metric Ton / Cum) Per Annum	60,688 (Avg.) Tons/ Annum
8	Project Cost (Rs. In Crores)	Rs. 0.35 Crores (Rs. 35 Lakhs)
9	Proved Quantity of mine/ Quarry- Cu.m / Ton	14,61,369 Tons
10	Permitted Quantity Per Annum - Cu.m / Ton	60,688(Max.) Tons/ Annum
11	CER Action Plan: Propose take up 500 No. of additional plantation on either side of the approach road from quarry location to Mulwad village Road.	
12	EMP Budget	Rs. 18.29 Lakhs (Capital Cost) & 17.60 Lakhs (Recurring cost for 5 years)
13	Forest NOC	09.09.2020
14	Notification	29.01.2021
15	Quarry plan	02.01.2021
16	Cluster certificate	02.01.2021

The subject was discussed in the SEAC meeting held on 15th 16th & 17th March 2022. The Committee has recommended to SEIAA for issue of EC and the extract of the proceedings of the Committee meeting is as below:

This project was deferred during 268th SEAC meeting, since the proponent has not submitted the EMP clearly showing the gully plugs, check dams.

There is an existing cart track road to a length of 630 meters connecting lease area to the all weather black topped road and the proponent informed that the quarrying operation will be commenced after strengthening the approach road to the quarry & the road connecting to the crusher as per IRC (Indian Road Congress) standard norms & would grow trees all along the approach road.

As per the cluster sketch there are no other leases within 500 meter radius from this lease and the area of the subject lease is 4.00 Acres and the project is categorized as B2. The Proponent has collected baseline data of air, water, soil and noise and all are within the permissible limits. The proponent informed that all mitigative measures will be taken to ensure that the parameters will be maintained within the permissible limits.

Considering the proved mineable reserve of 13,15,232 tonnes (excluding waste) as per the approved quarry plan, the committee estimated the life of the mine as 22 years. The committee decided to recommend the proposal to SEIAA for issue of Environmental Clearance for an average annual production of 60,688 tonnes/annum (excluding waste).

The Authority perused the proposal and took note of the recommendation of SEAC.

The Authority after discussion decided to clear the proposal for issue of Environmental Clearance subject to following:

- 1. If the distance of nearest Protected Area (National Park/ Sanctuary/Bio sphere reserve/ migratory corridor) is within 10 KM, a certificate from the Chief Wild Life Warden (CWLW) along with his recommendation, else a certificate from the proponent that the proposed site is more than 10 KM away from any Protection Authority (PA) (National Park/ Sanctuary/Bio sphere reserve/ migratory corridor).*
- 2. Safety measures proposed shall be submitted.*
- 3. A time bound action plan for implementation of proposed CER activities as a part of EMP shall be furnished.*

Additional Conditions:

Dust suppression measures have to be strictly followed.

215.1.53. Black Granite Quarry Project at Kumbaragundi Village, Chamarajanagara Taluk & District (5-21 Acres) by Sri M. Nagendra - Online Proposal No.SIA/KA/MIN/221909/2021 (SEIAA 345 MIN 2021)

Sri. M. Nagendra have applied for Environmental clearance from SEIAA for quarrying of Black Granite Quarry in 5-21 Acres of Patta Land bearing Sy. No. 9/2 of Kumbaragundi Village, Chamarajanagar Taluk & District Karnataka.

Details of the project are as follows:

Sl.No	PARTICULARS	INFORMATION
1	Name & Address of the Projects Proponent	Sri. M. Nagendra S/o. Sri. Mahadevappa, Udigala Village, Chamarajanagara Taluk & District, PIN-571313
2	Name & Location of the Project	Black Granite Quarry in 5-21 Acres of Patta Land bearing Sy. No. 9/2 of Kumbaragundi Village, Chamarajanagar Taluk & District Karnataka
3	Type Of Mineral	Black Granite Quarry
4	New / Expansion / Modification / Renewal	New
5	Type of Land [Forest, Government Revenue, Gomal, Private / Patta, Other]	Patta Land
6	Area in Acere-Guntas	5-21acres
7	Annual Production (Metric Ton / Cum) Per Annum	9,950cum per annum (25% recovery & 75% waste)
8	Project Cost (Rs. In Crores)	0.50 (Rs.50Lakhs)
9	Proved Quantity of mine/ Quarry- Cu.m / Ton	41,810cum (25% recovery & 75% waste)
10	Permitted Quantity Per Annum - Cu.m / Ton	9,950cum per annum (25% recovery & 75% waste)
11	CER Action Plan: • Propose take up 700 No. of additional plantation on either side of the approach road from quarry location to Kumbaragundi Village Road	
12	EMP Budget	Rs. 28.985Lakhs (Capital Cost) & 22.45Lakhs (Recurring cost)
13	Forest NOC	21.05.2020
14	District Task Force	29.01.2021
15	Quarry plan	22.04.2021
16	Cluster certificate	22.07.2021

The subject was discussed in the SEAC meeting held on 15th 16th & 17th March 2022. The Committee has recommended to SEIAA for issue of EC and the extract of the proceedings of the Committee meeting is as below:

This project was deferred during 268th SEAC meeting, since the proponent was not submitted the C&I Notification. Now the proponent submitted the District Task Force proceedings and requested to appraise the proposal.

There is an existing cart track road to a length of 650meters connecting the lease area to an all weather black topped road and the proponent informed that the quarrying operation will be commenced after strengthening the approach road to the quarry as per IRC (Indian Road Congress) standard norms & would grow trees all along the approach road.

As per the cluster sketch there are no other leases within 500 meter radius and the area of the subject lease is 5-21Acres and hence the project is categorized as B2. The proponent has collected baseline data of air, water, soil and noise which are within the permissible limits. The proponent informed that all mitigative measures will be taken to ensure that the parameters will be maintained within the permissible limits.

Considering the proved mineable reserve of 41,810cum (25% recovery & 75% waste) (excluding waste) as per the approved quarry plan, the committee estimated the life of the mine as 5 years. The committee decided to recommend the proposal to SEIAA for issue of Environmental Clearance for an average annual production of 9,950cum per annum (25% recovery & 75% waste)

The Authority perused the proposal and took note of the recommendation of SEAC.

The Authority after discussion decided to clear the proposal for issue of Environmental Clearance subject to following:

1. *If the distance of nearest Protected Area (National Park/ Sanctuary/Bio sphere reserve/ migratory corridor) is within 10 KM, a certificate from the Chief Wild Life Warden (CWLW) along with his recommendation, else a certificate from the proponent that the proposed site is more than 10 KM away from any Protection Authority (PA) (National Park/ Sanctuary/Bio sphere reserve/ migratory corridor).*
2. *Safety measures proposed shall be submitted.*
3. *A time bound action plan for implementation of proposed CER activities as a part of EMP shall be furnished.*
4. *Since there is substantial quantity of generation of waste from the quarry activity, all due precautions with respect to environment management aspects of waste dump shall be observed.*

Additional Conditions:

Dust suppression measures have to be strictly followed.

215.1.54. Building Stone Quarry Project at Kolhar Village, Kolhar Taluk, Vijayapura District (1-00 Acre) by Sri Ramesh S Limbikai - Online Proposal No.SIA/KA/MIN/229837/2021 (SEIAA 504 MIN 2021)

Sri. Ramesh S. Limbikai have applied for Environmental clearance from SEIAA for Building Stone Quarry in 1-00 Acres of Patta Land bearing Sy. No. 28/2 of Kolhar Village, Kolhar Taluk, Vijayapur District, Karnataka.

Details of the project are as follows:

Sl.No	PARTICULARS	INFORMATION
1	Name & Address of the Projects Proponent	Sri. Ramesh S. Limbikai S/o. Sangappa Limbikai Kolhar Town, Kolhar Taluk, Vijayapur District - 586210
2	Name & Location of the Project	Building Stone Quarry in 1-00 Acres of Patta Land bearing Sy. No. 28/2 of Kolhar Village, Kolhar Taluk, Vijayapur District, Karnataka.
3	Type Of Mineral	Building Stone Quarry
4	New / Expansion / Modification / Renewal	New
5	Type of Land [Forest, Government Revenue, Gomal, Private / Patta, Other]	Patta Land
6	Area in Acre-Guntas	1-00 acres
7	Annual Production (Metric Ton / Cum) Per Annum	8,986Tons per annum (Avg.)
8	Project Cost (Rs. In Crores)	0. 25 (Rs. 25 Lakhs)
9	Proved Quantity of mine/ Quarry- Cu.m / Ton	1,45,697 Tons
10	Permitted Quantity Per Annum - Cu.m / Ton	8,986Tons per annum (Avg.)
11	CER Action Plan:	
		<ul style="list-style-type: none"> Propose to plant 100 Additional plantation from quarry site to approach road connecting Kolhar village with an approximate cost of Rs. 50,000
12	EMP Budget	Rs.6.275Lakhs (Capital Cost) &6.80Lakhs (Recurring cost)
13	Forest NOC	18.02.2020
14	Notification	22.02.2021
15	Quarry plan	27.01.2021
16	Cluster certificate	27.01.2021

The subject was discussed in the SEAC meeting held on 15th 16th & 17th March 2022. The Committee has recommended to SEIAA for issue of EC and the extract of the proceedings of the Committee meeting is as below:

This project was deferred during 269th SEAC meeting, since the proponent has not submitted the EMP clearly showing the gully plugs, check dams.

There is an existing cart track road to a length of 500 meters connecting lease area to the all weather black topped road and the proponent informed that the quarrying operation will be commenced after strengthening the approach road to the quarry & the road connecting to the crusher as per IRC (Indian Road Congress) standard norms & would grow trees all along the approach road.

As per the cluster sketch there are 2 leases including this lease within 500 meter radius from this lease and the total area of all these leases is 2.20 Acres and the project is categorized as B2. The Proponent has collected baseline data of air, water, soil and noise and all are within the permissible limits. The proponent informed that all mitigative measures will be taken to ensure that the parameters will be maintained within the permissible limits.

Considering the proved mineable reserve of 1,45,697 tonnes (excluding waste) as per the approved quarry plan, the committee estimated the life of the mine as 17 years. The committee decided to recommend the proposal to SEIAA for issue of Environmental Clearance for an average annual production of 8,986 Tonnes/annum (excluding waste).

The Authority perused the proposal and took note of the recommendation of SEAC.

The Authority after discussion decided to clear the proposal for issue of Environmental Clearance subject to following:

1. *If the distance of nearest Protected Area (National Park/ Sanctuary/Bio sphere reserve/ migratory corridor) is within 10 KM, a certificate from the Chief Wild Life Warden (CWLW) along with his recommendation, else a certificate from the proponent that the proposed site is more than 10 KM away from any Protection Authority (PA) (National Park/ Sanctuary/Bio sphere reserve/ migratory corridor).*
2. *Safety measures proposed shall be submitted.*
3. *A time bound action plan for implementation of proposed CER activities as a part of EMP shall be furnished.*

Additional Conditions:

Dust suppression measures have to be strictly followed.

215.1.55. Building Stone Quarry Project at Nitte Village, Karkala Taluk, Udupi District (1-62 Acres) by Sri Yogitha S Shetty - Online Proposal No. SIA/KA/MIN/245003/2021 (SEIAA 670 MIN 2021) - Renewal

Smt. Yogitha S Shetty have applied for Environmental clearance from SEIAA for Building Stone Quarry in 1.62 Acres of Govt. Land bearing Sy. No. 354/1C of Nitte village in Karkala Taluk, Udupi District.

Details of the project are as follows:

Sl.No	PARTICULARS	INFORMATION
1	Name & Address of the Projects Proponent	Smt. Yogitha S Shetty W/o Srikar Shetty 2-9-1135/16, Embee Flat No. 404 Near Air India Office, Hathillalbagh, Ashoknagar, Mangalore, Dakshina Kannada District
2	Name & Location of the Project	Building Stone Quarry in 1.62 Acres of Govt. Land bearing Sy. No. 354/1C of Nitte village in Karkala Taluk, Udupi District.
3	Type Of Mineral	Building Stone
4	New / Expansion / Modification / Renewal	Existing Quarry (20 years w.e.f. 13-04- 2010)
5	Type of Land [Forest, Government Revenue, Gomal, Private / Patta, Other]	Govt. Land
6	Area in Ha	1.62 acres
7	Annual Production (Metric Ton / Cum) Per Annum	25,003Tons/ Annum (Avg.)
8	Project Cost (Rs. In Crores)	Rs. 0.30 Crores (Rs. 30 Lakhs)
9	Proved Quantity of mine/ Quarry- Cu.m / Ton	4,82,433tonnes
10	Permitted Quantity Per Annum - Cu.m / Ton	25,003Tons/ Annum (Max.)
11	CER Action Plan: • Propose to take up additional plantation of 200 locally suitable trees, on both sides of the approach road and near public places	
12	EMP Budget	Rs. 9.30Lakhs (Capital Cost) & 13.20Lakhs (Recurring cost for 5 years)
13	Forest NOC	22.02.2017
14	Lease	13.04.2010

	Grant	
15	Quarry plan	07.12.2021
16	Cluster certificate	13-12-2021

The subject was discussed in the SEAC meeting held on 15th 16th & 17th March 2022. The Committee has recommended to SEIAA for issue of EC and the extract of the proceedings of the Committee meeting is as below:

As per the audit report certified by DMG, the proponent has not carried out quarrying activity since 12.04.2015 to till date. There is an existing cart track road to a length of 300 meters connecting lease area to the all weather black topped road and the proponent informed that the quarrying operation will be commenced after strengthening the approach road to the quarry & the road connecting to the crusher as per IRC (Indian Road Congress) standard norms & would grow trees all along the approach road.

The lease has granted prior to 09.09.2013, hence the project is categorized as B2. The Proponent has collected baseline data for air, water, soil and noise and all are within the permissible limits. The proponent informed that all mitigative measures will be taken to ensure that the parameters will be maintained within the permissible limits.

Considering the proved mineable reserve of 4,82,433 tonnes (excluding waste) as per the approved quarry plan, the committee estimated the life of the mine as 20 years. The committee decided to recommend the proposal to SEIAA for issue of Environmental Clearance for an average annual production of 25,003 tonnes/annum (excluding waste).

The Authority perused the proposal and took note of the recommendation of SEAC.

The Authority after discussion decided to clear the proposal for issue of Environmental Clearance subject to following:

1. *If the distance of nearest Protected Area (National Park/ Sanctuary/Bio sphere reserve/ migratory corridor) is within 10 KM, a certificate from the Chief Wild Life Warden (CWLW) along with his recommendation, else a certificate from the proponent that the proposed site is more than 10 KM away from any Protection Authority (PA) (National Park/ Sanctuary/Bio sphere reserve/ migratory corridor).*
2. *Safety measures proposed shall be submitted.*
3. *A time bound action plan for implementation of proposed CER activities as a part of EMP shall be furnished.*

4. Since there is substantial quantity of generation of waste from the quarry activity, all due precautions with respect to environment management aspects of waste dump shall be observed.

Additional Conditions:

Dust suppression measures have to be strictly followed.

215.1.56. Building Stone Quarry Project at Nageshanahalli Village, Koppala Taluk & District (3-00 Acres) by M/s. Sainath Stone Crushers - Online Proposal No. SIA/KA/MIN/230932/2021 (SEIAA 519 MIN 2021)

Sri Sainath Stone Crushers have applied for Environmental clearance from SEIAA for Building Stone Quarry in 3-00Acres of Government Land bearing Sy. No: 10 in Nageshanahalli village, Koppal Taluk and District, Karnataka.

Details of the project are as follows:

Sl.No	PARTICULARS	INFORMATION
1	Name & Address of the Projects Proponent	Sri Sainath Stone Crushers, Plot No. 12, Bhuvaneshwari Nilaya, Vivekanand Nagar, Joladrasigudda, Hospet, Ballary District.
2	Name & Location of the Project	Building Stone Quarry in 3-00Acres of Government Land bearing Sy. No: 10 in Nageshanahalli village, Koppal Taluk and District, Karnataka.
3	Type Of Mineral	Building Stone Quarry
4	New / Expansion / Modification / Renewal	Renewal
5	Type of Land [Forest, Government Revenue, Gomal, Private / Patta, Other]	Government Land
6	Area in Ha	3-00 Acres
7	Annual Production (Metric Ton / Cum) Per Annum	1,53,063Tons/ Annum (Avg.)
8	Project Cost (Rs. In Crores)	0.35 (Rs. 35 Lakhs)
9	Proved Quantity of mine/ Quarry- Cu.m / Ton	7,66,783Tons
10	Permitted Quantity Per Annum - Cu.m / Ton	1,53,063Tons/ Annum (Max.)
11	<u>CER Action Plan:</u>	
		<ul style="list-style-type: none"> • Propose to carryout cleaning of surrounding waterbodies • Propose to construct 1 No. of check dam at a suitable location to the first

	order stream located at a distance of 900 m SE of the Quarry location	
12	EMP Budget	Rs. 20.95 Lakhs (Capital Cost) & 17 Lakhs (Recurring cost)
13	Forest NOC	17.04.2021
14	Lease Grant	29.04.2010
15	Quarry plan	23.07.2021
16	Cluster certificate	16.09.2021

The subject was discussed in the SEAC meeting held on 15th 16th & 17th March 2022. The Committee has recommended to SEIAA for issue of EC and the extract of the proceedings of the Committee meeting is as below:

This project was deferred during 269th SEAC meeting, since the proponent has not submitted the undertaking for construction of cement concrete road and EMP clearly showing the gully plugs, check dams.

As per the audit report submitted, the proponent carried out mining till 2014-15 and further no quarrying activity was carried out. There is an existing cart track road to a length of 580 meters connecting lease area to the all weather black topped road and the proponent informed that the quarrying operation will be commenced after strengthening the approach road to the quarry & the road connecting to the crusher as per IRC (Indian Road Congress) standard norms & would grow trees all along the approach road.

The lease was granted prior to 09.09.2013 and the project is categorized as B2. The Proponent has collected baseline data of air, water, soil and noise and all are within the permissible limits. The proponent informed that all mitigative measures will be taken to ensure that the parameters will be maintained within the permissible limits.

Considering the proved mineable reserve of 7,66,783 tonnes (including waste) as per the approved quarry plan, the committee estimated the life of the mine as 5 years. The committee decided to recommend the proposal to SEIAA for issue of Environmental Clearance for an average annual production of 1,53,063 tonnes/annum (including waste).

The Authority perused the proposal and took note of the recommendation of SEAC.

The Authority after discussion decided to clear the proposal for issue of Environmental Clearance subject to following:

1. *If the distance of nearest Protected Area (National Park/ Sanctuary/Bio sphere reserve/ migratory corridor) is within 10 KM, a certificate from the Chief Wild Life Warden (CWLW) along with his recommendation, else a certificate from the*

proponent that the proposed site is more than 10 KM away from any Protection Authority (PA) (National Park/ Sanctuary/Bio sphere reserve/ migratory corridor).

2. Safety measures proposed shall be submitted.
3. A time bound action plan for implementation of proposed CER activities as a part of EMP shall be furnished.

Additional Conditions:

Dust suppression measures have to be strictly followed.

215.1.57. Building Stone Quarry Project at Veerakamba Village, Bantwala Taluk, Dakshina Kannada District (2-41 Acres) by Sri Pradeep M.S. - Online Proposal No. SIA/KA/MIN/229041/2021 (SEIAA 484 MIN 2021)

Sri. Pradeep M S have applied for Environmental clearance from SEIAA for Building Stone Quarry in 2.41 Acres of Patta Land bearing Sy. No. 28/2, 28/3, 28/4 & 28/6, Veerakamba Village, Bantwala Taluk & Dakshina Kannada District, Karnataka.

Details of the project are as follows:

Sl.No	PARTICULARS	INFORMATION
1	Name & Address of the Projects Proponent	Sri. Pradeep M S S/o. Sreckantan Nair Veerakamba Village, Bantwala Taluk Dakshina Kannada District.
2	Name & Location of the Project	Building Stone Quarry in 2.41 Acres of Patta Land bearing Sy. No. 28/2, 28/3, 28/4 & 28/6, Veerakamba Village, Bantwala Taluk & Dakshina Kannada District, Karnataka.
3	Type Of Mineral	Building Stone
4	New / Expansion / Modification / Renewal	New
5	Type of Land [Forest, Government Revenue, Gomal, Private / Patta, Other]	Patta Land
6	Area in Ha	2.41 Acres
7	Annual Production (Metric Ton / Cum) Per Annum	86,727 Tons/ Annum (Avg.)
8	Project Cost (Rs. In Crores)	Rs. 0.30 Crores (Rs. 30 Lakhs)
9	Proved Quantity of mine/ Quarry- Cu.m / Ton	8,80,884 Tons

Drafted by

10	Permitted Quantity Per Annum - Cu.m / Ton	86,727Tons/ Annum (Max.)
11	CER Action Plan: <ul style="list-style-type: none"> Propose to carry out Roof Top Rain Water Harvesting system with ground waterrecharging facility, at the Govt School, in Veerakamba Village. Propose to take up 100 Nos of additional plantation on either side of the approachroad from quarry location to Veerakamba Village connecting road and also on thesides of Irrigation canal, nearby temples and cemetery. 	
12	EMP Budget	Rs.47.05Lakhs (Capital Cost) &15.60Lakhs (Recurring cost for 5 years)
13	Forest NOC	08.02.2021
14	Notification	06.04.2021
15	Quarry plan	16.06.2021
16	Cluster certificate	16.06.2021

The subject was discussed in the SEAC meeting held on 15th 16th & 17th March 2022. The Committee has recommended to SEIAA for issue of EC and the extract of the proceedings of the Committee meeting is as below:

This project was deferred during 273rdSEAC meeting, since the proponent has not circulated the project detail, PPT to the members.

There is an existing cart track road to a length of 1.8KM connecting lease area to the all weather black topped roadand the proponent informed that the quarrying operation will be commenced after strengthening the approach road to the quarry & the road connecting to the crusher as per IRC (Indian Road Congress) standard norms & would grow trees all along the approach road.

As per the cluster sketch there are 3 leases including the subject lease within 500 meter radius from this lease. The total area of all these leases is 9.47 Acres and project is categorized as B2. The Proponent has collected baseline data of air, water, soil and noise and all are within the permissible limits. The proponent informed that all mitigative measures will be taken to ensure that the parameters will be maintained within the permissible limits.

Considering the proved mineable reserve of 8,80,884 tonnes (excludingwaste) as per the approved quarry plan, the committee estimated the life of the mine as 11years.

The committee decided to recommend the proposal to SEIAA for issue of Environmental Clearance for an annual production of 86,727 tonnes/annum (excluding waste).

The Authority perused the proposal and took note of the recommendation of SEAC.

The Authority after discussion decided to clear the proposal for issue of Environmental Clearance subject to following:

1. *If the distance of nearest Protected Area (National Park/ Sanctuary/Bio sphere reserve/ migratory corridor) is within 10 KM, a certificate from the Chief Wild Life Warden (CWLW) along with his recommendation, else a certificate from the proponent that the proposed site is more than 10 KM away from any Protection Authority (PA) (National Park/ Sanctuary/Bio sphere reserve/ migratory corridor).*
2. *Safety measures proposed shall be submitted.*
3. *A time bound action plan for implementation of proposed CER activities as a part of EMP shall be furnished.*

Additional Conditions:

Dust suppression measures have to be strictly followed.

215.1.58. Ordinary Sand Quarry Project at Vasana Village, Nargunda Taluk, Gadag District (9-30 Acres) by Sri Tippusultan D Nadaf - Online Proposal No. SIA/KA/MIN/228481/2021 (SEIAA 477 MIN 2021)

Sri. Tippusultan. D. Nadaf have applied for Environmental clearance from SEIAA for Ordinary Sand Quarry in 9-30 Acre of Patta Land bearing Sy.No. 33/1, 33/2, 31/1, 31/2, 30/2, 30/3, 30/5, 30/6, 29/1, 29/2, 29/3 in Vasana Village, Nargunda Taluk, Gadag District, Karnataka state

Details of the project are as follows:

Sl.No	PARTICULARS	INFORMATION
1	Name & Address of the Projects Proponent	Sri. Tippusultan. D. Nadaf 419/B, Ramaling Street, Saa II Navalagund, Taa II Navalagund, Dharwad District-582208
2	Name & Location of the Project	Ordinary Sand Quarry in 9-30 Acre of Patta Land bearing Sy.No. 33/1, 33/2, 31/1, 31/2, 30/2, 30/3, 30/5, 30/6, 29/1, 29/2, 29/3 in Vasana Village, Nargunda Taluk, Gadag District, Karnataka state
3	Type Of Mineral	Ordinary Sand
4	New / Expansion /	New

	Modification / Renewal	
5	Type of Land [Forest, Government Revenue, Gomala, Private / Patta, Other]	Patta Land
6	Area in Acre-Guntas	9-30 Acres.
7	Annual Production (Metric Ton / Cum) Per Annum	33,150 (Avg.) Tons/ Annum
8	Project Cost (Rs. In Crores)	0.12 (Rs. 12 Lakhs)
9	Proved Quantity of mine/ Quarry- Cu.m / Ton	1,65,750 Tons
10	Permitted Quantity Per Annum - Cu.m / Ton	33,150 (Avg.) Tons/ Annum
11	CER Action Plan: Propose to Plant take up Nos.of Additional plantation on both the sides of Approach Road from quarry site to road connecting Vasan Village and also at near by temple sand on the sides of Irrigation Canal in the village. • Propose to carryout Roof Top Rain Water Harvesting system with ground water recharging facility at the Govt. Higher Primary School in the nearby VasanVillage.	
12	EMP Budget	Rs. 12.0 Lakhs (Capital Cost) &25.55 Lakhs (Recurring cost for 5 years)
13	Forest NOC	01.12.2020
14	District Task Force	13.07.2021
15	Quarry plan	30.08.2021
16	Cluster certificate	30.08.2021

The subject was discussed in the SEAC meeting held on 15th 16th & 17th March 2022. The Committee has recommended to SEIAA for issue of EC and the extract of the proceedings of the Committee meeting is as below:

This project was deferred during 273rdSEAC meeting, since the proponent has not circulated the project detail, PPT to the members.

There is an existing cart track road to a length of 320meters connecting the lease area to an all weather black topped road and the proponent informed that the quarrying operation will be commenced after strengthening the approach road to the quarry as per IRC (Indian Road Congress) standard norms &would grow trees all along the approach road.

As per the cluster sketch there are no other leases within 500 meter radius and the total area of the subject lease is 9-30Acres and hence the project is categorized as B2.The proponent has collected baseline data of air, water, soil and noise which are

within the permissible limits. The proponent informed that all mitigative measures will be taken to ensure that the parameters will be maintained within the permissible limits. The proponent agreed to follow the conditions stipulated in sustainable sand mining guidelines 2016 & 2020.

Considering the proved mineable reserve of 1,65,750 tonnes (including waste) as per the approved quarry plan, the committee estimated the life of the mine as 5 years. The committee decided to recommend the proposal to SEIAA for issue of Environmental Clearance for an annual production of 33,150 tons per annum for 5 years of plan period.

The Authority perused the proposal and took note of the recommendation of SEAC.

The Authority after discussion decided to clear the proposal for issue of Environmental Clearance subject to following:

- 1. If the distance of nearest Protected Area (National Park/ Sanctuary/Bio sphere reserve/ migratory corridor) is within 10 KM, a certificate from the Chief Wild Life Warden (CWLW) along with his recommendation, else a certificate from the proponent that the proposed site is more than 10 KM away from any Protection Authority (PA) (National Park/ Sanctuary/Bio sphere reserve/ migratory corridor).*
- 2. Safety measures proposed shall be submitted.*
- 3. A time bound action plan for implementation of proposed CER activities as a part of EMP shall be furnished.*
- 4. The proponent shall furnish a certificate that there is no sand quarry within 5 KM of project site.*

Additional Conditions:

- 1. Dust suppression measures have to be strictly followed.*
- 2. The PP shall utilize the permission as per the Sand policy of the GoK Notification No. CI 343 MMN 2019 (Part 7) dated 01.12.2021.*

215.1.59. Building Stone Quarry Project at Devur Village, Devara Hippagri Taluk, Vijayapura District (2-00 Acres) by Sri Shashidhar S Patil - Online Proposal No. SIA/KA/MIN/239778/2021 (SEIAA 636 MIN 2021)

Sri Shashidhar S. Patil, have applied for Environmental clearance from SEIAA for Building Stone Quarry in 2.00 Acres of Patta Land bearing Sy. No. 209/1 of Devur Village, Devara Hippagri Taluk, Vijayapura District, Karnataka.

Details of the project are as follows:

Sl.No	PARTICULARS	INFORMATION
1	Name & Address of the Projects Proponent	Sri Shashidhar S. Patil, Opp. To BLDEAs Hospital, DCC Bankers Colony, Vijayapura Taluk & District-586103.
2	Name & Location of the Project	Building Stone Quarry in 2.00 Acres of Patta Land bearing Sy. No. 209/1 of Devur Village, Devara Hippagri Taluk, Vijayapura District, Karnataka.
3	Type Of Mineral	Building Stone
4	New / Expansion / Modification / Renewal	New
5	Type of Land [Forest, Government Revenue, Gomal, Private / Patta, Other]	Patta Land
6	Area in Ha	2-00 Acres
7	Annual Production (Metric Ton / Cum) Per Annum	24,570Tons/ Annum (Avg.)
8	Project Cost (Rs. In Crores)	Rs. 0.30 Crores
9	Proved Quantity of mine/ Quarry- Cu.m / Ton	2,57,085Cum (6,68,421 Tons)
10	Permitted Quantity Per Annum - Cu.m / Ton	24,570 Tons/ Annum (Max.)
12	EMP Budget	Rs. 15.23 Lakhs (Capital Cost) & 11.70 Lakhs (Recurring cost for 5 years)
13	Forest NOC	15.12.2020
14	Notification	29.01.2021
15	Quarry plan	31.12.2020
16	Cluster certificate	31.12.2020

The subject was discussed in the SEAC meeting held on 15th 16th & 17th March 2022. The Committee has recommended to SEIAA for issue of EC and the extract of the proceedings of the Committee meeting is as below:

This project was deferred during 273rd SEAC meeting, since the proponent has not circulated the project detail, PPT to the members.

There is an existing cart track road to a length of 530m connecting lease area to the all weather black topped road and the proponent informed that the quarrying operation will be commenced after strengthening the approach road to the quarry & the

road connecting to the crusher as per IRC (Indian Road Congress) standard norms & would grow trees all along the approach road.

As per the cluster sketch there are 2 leases including the subject lease within 500 meter radius from this lease. The total area of all these leases is 6-00 Acres and project is categorized as B2. The Proponent has collected baseline data of air, water, soil and noise and all are within the permissible limits. The proponent informed that all mitigative measures will be taken to ensure that the parameters will be maintained within the permissible limits.

Considering the proved mineable reserve of 6,01,579 tonnes (excluding waste) as per the approved quarry plan, the committee estimated the life of the mine as 25 years. The committee decided to recommend the proposal to SEIAA for issue of Environmental Clearance for an annual production of 24,570 tonnes/ annum (excluding waste).

The Authority perused the proposal and took note of the recommendation of SEAC.

The Authority after discussion decided to clear the proposal for issue of Environmental Clearance subject to following:

- 1. If the distance of nearest Protected Area (National Park/ Sanctuary/Bio sphere reserve/ migratory corridor) is within 10 KM, a certificate from the Chief Wild Life Warden (CWLW) along with his recommendation, else a certificate from the proponent that the proposed site is more than 10 KM away from any Protection Authority (PA) (National Park/ Sanctuary/Bio sphere reserve/ migratory corridor).*
- 2. Safety measures proposed shall be submitted.*
- 3. A time bound action plan for implementation of proposed CER activities as a part of EMP shall be furnished.*

Additional Conditions:

Dust suppression measures have to be strictly followed.

215.1.60. Building Stone Quarry Project at Mattihal Village, Kolhar Taluk, Vijayapura District (4-34 Acres) by Sri Bandenavaj M. Girgavi - Online Proposal No. SIA/KA/MIN/221477/2021 (SEIAA 366 MIN 2021)

Sri. Bandenavaj M. Girgavi have applied for Environmental clearance from SEIAA for Building Stone Quarry in 4-34 Acres of Patta Land, Sy. No.89/6 of Mattihal Village, Kolhar Taluk & Vijayapura District.



Details of the project are as follows:

Sl.No	PARTICULARS	INFORMATION
1	Name & Address of the Projects Proponent	Sri. Bandenavaj M. Girgavi S/o. Sri. Mehaboobsab Girgavi, Kolhar Town, Vijayapura District.
2	Name & Location of the Project	Building Stone Quarry in 4-34 Acres of Patta Land, Sy. No.89/6 of Mattihal Village, Kolhar Taluk & Vijayapura District
3	Type Of Mineral	Building Stone
4	New / Expansion / Modification / Renewal	New
5	Type of Land [Forest, Government Revenue, Gomal, Private / Patta, Other]	Patta Land
6	Area in Ha	4-34 Acres
7	Annual Production (Metric Ton / Cum) Per Annum	66,648 Tons/ Annum (Avg.)
8	Project Cost (Rs. In Crores)	Rs. 0.45 Crores (Rs. 45 Lakhs)
9	Proved Quantity of mine/ Quarry- Cu.m / Ton	15,96,119 tonnes
10	Permitted Quantity Per Annum - Cu.m / Ton	66,648 Tons/ Annum (Max.)
11	CER Action Plan: <ul style="list-style-type: none"> Propose to take up additional plantation of 600 locally suitable trees, on both sides of the approach road and near public places 	
12	EMP Budget	Rs. 30.97 Lakhs (Capital Cost) & 19.65 Lakhs (Recurring cost for 5 years)
13	Forest NOC	09.09.2020
14	Notification	29.01.2021
15	Quarry plan	02.01.2021
16	Cluster certificate	02.01.2021

The subject was discussed in the SEAC meeting held on 15th 16th & 17th March 2022. The Committee has recommended to SEIAA for issue of EC and the extract of the proceedings of the Committee meeting is as below:

This project was deferred during 268th SEAC meeting, since the proponent has not submitted the EMP clearly showing the gully plugs, check dams.

There is an existing cart track road to a length of 1.12KM connecting lease area to the all weather black topped road and the proponent informed that the quarrying operation will be commenced after strengthening the approach road to the quarry & the road connecting to the crusher as per IRC (Indian Road Congress) standard norms & would grow trees all along the approach road.

As per the cluster sketch there are 2 leases including this lease within 500 meter radius from this lease and the total area of all these leases is 6-24 Acres and the project is categorized as B2. The Proponent has collected baseline data of air, water, soil and noise and all are within the permissible limits. The proponent informed that all mitigative measures will be taken to ensure that the parameters will be maintained within the permissible limits.

Considering the proved mineable reserve of 15,96,119 tonnes (excluding waste) as per the approved quarry plan, the committee estimated the life of the mine as 24 years. The committee decided to recommend the proposal to SEIAA for issue of Environmental Clearance for an average annual production of 66,648 tonnes/annum (excluding waste).

The Authority perused the proposal and took note of the recommendation of SEAC.

The Authority after discussion decided to clear the proposal for issue of Environmental Clearance subject to following:

1. *If the distance of nearest Protected Area (National Park/ Sanctuary/Bio sphere reserve/ migratory corridor) is within 10 KM, a certificate from the Chief Wild Life Warden (CWLW) along with his recommendation, else a certificate from the proponent that the proposed site is more than 10 KM away from any Protection Authority (PA) (National Park/ Sanctuary/Bio sphere reserve/ migratory corridor).*
2. *Safety measures proposed shall be submitted.*
3. *A time bound action plan for implementation of proposed CER activities as a part of EMP shall be furnished.*

Additional Conditions:

Dust suppression measures have to be strictly followed.

215.1.61. Building Stone Quarry Project at Kabburu Village, Davanagere Taluk & District (5-15 Acres) by Sri AMOGH H A - Online Proposal No. SIA/KA/MIN/196620/2021 (SEIAA 68 MIN 2021)

Sri. Amogh H A, have applied for Environmental clearance from SEIAA for "Building Stone Quarry" Sy No. 24/2, Kabburu village, Davanagere Taluk, Davanagere District

Drafted by ke



Details of the project are as follows:

Sl. No	PARTICULARS	INFORMATION												
1	Name & Address of the Project Proponent	Sri. Amogh H AS/o Sri Aravinda H B #1824/2/91, Anjaneya Badavane, 1st Cross, Davanagere - 577004												
2	Name & Location of the Project	"Building Stone Quarry" of Sri. Amogh H A, Sy No. 24/2, Kabburu village, Davanagere Taluk, Davanagere District												
3	Type of Mineral	Building Stone Quarry												
4	New / Expansion / Modification / Renewal	New												
5	Type of Land [Forest, Government Revenue, Gomal, Private/Patta, Other]	Patta Land												
6	Area in Ha	2.175 Ha												
7	Annual production (metric ton /Cum) per annum	2,65,306 TPA												
8	Project Cost (Rs. In Crores)	1.58crores												
9	Proved quantity of mine/quarry- Cu.m/Tons	17,16,877Tonnes												
10	permitted quantity per annum- Cu.m/Ton	2,65,306 TPA												
11	CER Action Plan: <table border="1"> <thead> <tr> <th>For 5 Years</th> <th>Corporate Environmental Responsibility (CER)</th> </tr> </thead> <tbody> <tr> <td>1st</td> <td>The proponent proposes to distribute nursery plants at Public school at Mayakonda</td> </tr> <tr> <td>2nd</td> <td>Rain water harvesting pits to Public school at Mayakonda</td> </tr> <tr> <td>3rd</td> <td>Solar Power Panels in Public school at Mayakonda</td> </tr> <tr> <td>4th</td> <td></td> </tr> <tr> <td>5th</td> <td>Health camp in Public school at Mayakonda</td> </tr> </tbody> </table>		For 5 Years	Corporate Environmental Responsibility (CER)	1st	The proponent proposes to distribute nursery plants at Public school at Mayakonda	2nd	Rain water harvesting pits to Public school at Mayakonda	3rd	Solar Power Panels in Public school at Mayakonda	4th		5th	Health camp in Public school at Mayakonda
For 5 Years	Corporate Environmental Responsibility (CER)													
1st	The proponent proposes to distribute nursery plants at Public school at Mayakonda													
2nd	Rain water harvesting pits to Public school at Mayakonda													
3rd	Solar Power Panels in Public school at Mayakonda													
4th														
5th	Health camp in Public school at Mayakonda													
12	EMP Budget	Rs.40.5 lakhs (Capital Cost) & Rs. 13.2 lakhs (Recurring cost)												
13	Forest NOC	05.09.2018												
14	Notification	03.09.2020												
15	Quarry plan	08.12.2020												
16	Cluster certificate	03.02.2021												

The subject was discussed in the SEAC meeting held on 15th 16th & 17th March 2022. The Committee has recommended to SEIAA for issue of EC and the extract of the proceedings of the Committee meeting is as below:

The proposal was deferred during 265th SEAC meeting, since the proponent was absent during 271st SEAC meeting.

There is an existing cart track road to a length of 350meters connecting lease area to the all weather black topped road and the proponent informed that the quarrying operation will be commenced after strengthening the approach road to the quarry & the road connecting to the crusher as per IRC (Indian Road Congress) standard norms & would grow trees all along the approach road.

As per the cluster sketch there are no other leases within 500 meter radius from this lease and the area of the subject lease is 5-15 Acres and the project is categorized as B2. The Proponent has collected baseline data of air, water, soil and noise and all are within the permissible limits. The proponent informed that all mitigative measures will be taken to ensure that the parameters will be maintained within the permissible limits.

Considering the proved mineable reserve of 17,16,877 tonnes (including waste) as per the approved quarry plan, the committee estimated the life of the mine as 7 years. The committee decided to recommend the proposal to SEIAA for issue of Environmental Clearance for an average annual production of 2,65,306 tonnes/ annum (including waste).


The Authority perused the proposal and took note of the recommendation of SEAC.

The Authority after discussion decided to clear the proposal for issue of Environmental Clearance subject to following:

1. *If the distance of nearest Protected Area (National Park/ Sanctuary/Bio sphere reserve/ migratory corridor) is within 10 KM, a certificate from the Chief Wild Life Warden (CWLV) along with his recommendation, else a certificate from the proponent that the proposed site is more than 10 KM away from any Protection Authority (PA) (National Park/ Sanctuary/Bio sphere reserve/ migratory corridor).*
2. *Safety measures proposed shall be submitted.*
3. *A time bound action plan for implementation of proposed CER activities as a part of EMP shall be furnished.*

Additional Conditions:

Dust suppression measures have to be strictly followed.




215.1.62. Building Stone Quarry Project at Gummanakolli Village, Somwarpet Taluk, Kodagu District (1-00 Acre) (Q.L.No.338) by Sri T. Nagaraju - Online Proposal No. SIA/KA/MIN/204230/2021 (SEIAA 154 MIN 2021) - Expansion

Sri T. Nagaraju have applied for Environmental clearance from SEIAA for "Building Stone Quarry" at Sy No: 1/2, Gummanakolli Village, Somwarpet Taluk, Kodagu District, Karnataka.

Details of the project are as follows:

Sl. No	PARTICULARS	INFORMATION		
1	Name & Address of the Project Proponent	Sri T. Nagaraju S/o. Thammegowda, Kudumangalore, Somawarapete Taluk, Kudumangalore, Kodagu - 571232.		
2	Name & Location of the Project	"Building Stone Quarry" of Sri T. Nagaraju Sy No: 1/2, Gummanakolli Village, Somwarpet Taluk, Kodagu District, Karnataka.		
3	Co-ordinates of the Project Site		Latitude	Longitude
		A	N 12° 28'39.1"	E 75° 55'55.4"
		B	N 12° 28'37.5"	E 75° 55'56.7"
		C	N 12° 28'36.1"	E 75° 55'55.1"
		D	N 12° 28'37.8"	E 75° 55'53.7"
		WGS-84 DATUM		
4	Type of Mineral	Building Stone		
5	New / Expansion / Modification / Renewal	Expansion (QL No. 338)		



6	Type of Land [Forest, Government Revenue, Gomal, Private/Patta, Other]	Government Land
7	Area in Ha	0.404Ha
8	Annual Production Proposed (Metric Tons/ CUM) / Annum	7,653TPA (including waste)
9	Project Cost (Rs. In Crores)	0.94crores
10	Proved quantity of mine/quarry-Cu.m/Tons	1,23,720 Tonnes
11	Permitted quantity per annum-Cu.m/Ton	7,653 TPA (including waste)
12	CER Action Plan:	
	For 5 Years	Corporate Environmental Responsibility (CER)
	1 st	Rain water harvesting pits to Primary Health Centre at Somvarpet village
	2 nd	
	3 rd	The proponent proposes to distribute nursery plants to Primary Health Centre at Somvarpet
	4 th	Health camp in Primary Health Centre at Somvarpet village
5 th		
13	EMP Budget	Rs. 6.09lakhs (Capital Cost) & Rs. 6.14 lakhs (Recurring cost)
14	Forest NOC	04.07.2016
15	Lease Grant	28.09.2006
16	Quarry plan	27.11.2020
17	Environmental Clearance	22.05.2019

The subject was discussed in the SEAC meeting held on 15th 16th & 17th March 2022. The Committee has recommended to SEIAA for issue of EC and the extract of the proceedings of the Committee meeting is as below:

This project was deferred during 263rdSEAC meeting for want of certified compliance to earlier EC conditions and the proponent has submitted the certified compliance to earlier EC conditions from KSPCB and the proponent informed that he will submit the undertaking to comply with all the earlier EC conditions within 1 year.

There is an existing cart track road to a length of 440meters connecting the lease area to an all weather black topped road and the proponent informed that the quarrying operation will be commenced after strengthening the approach road to the quarry and the road connecting to the crusher as per IRC (Indian Road Congress) standard norms & would grow trees all along the approach road.

Since the lease was granted prior to 09.09.2013, the project is categorized as B2. The proponent has collected baseline data of air, water, soil and noise which are within the permissible limits. The proponent informed that all mitigative measures will be taken to ensure that the parameters will be maintained within the permissible limits.

Considering the proved mineable reserve of 1,23,720tonnes (including waste) as per the approved quarry plan, the committee estimated the life of the mine as 17 years. The committee decided to recommend the proposal to SEIAA for issue of Environmental Clearance for an average annual production of 7,653TPA(including waste).

The Authority perused the proposal and took note of the recommendation of SEAC.

The Authority after discussion decided to clear the proposal for issue of Environmental Clearance subject to following:

1. *If the distance of nearest Protected Area (National Park/ Sanctuary/Bio sphere reserve/ migratory corridor) is within 10 KM, a certificate from the Chief Wild Life Warden (CWLW) along with his recommendation, else a certificate from the proponent that the proposed site is more than 10 KM away from any Protection Authority (PA) (National Park/ Sanctuary/Bio sphere reserve/ migratory corridor).*
2. *Safety measures proposed shall be submitted.*
3. *A time bound action plan for implementation of proposed CER activities as a part of EMP shall be furnished.*

Additional Conditions:


Dust suppression measures have to be strictly followed.

215.1.63. Building Stone Quarry Project at Vanaballari Village, Koppal Taluk, Koppal District (12-11 Acres) by M/s. Amba Bhavani Stone rusher - Online Proposal No. SIA/KA/MIN/246246/2021 (SEIAA 684 MIN 2021)

M/s Amba Bhavani Stone Crusher have applied for Environmental clearance from SEIAA for Building Stone Quarry in 12A-11G of Patta Land bearing Sy. No.72/1 & 72/2, Vanaballari Village, Koppal Taluk, Koppal District.

Details of the project are as follows:

Sl.No	PARTICULARS	INFORMATION
1	Name & Addressof the Projects Proponent	M/s Amba Bhavani Stone Crusher, Sri Somashekar, Proprietor, Hitnal Village,



		Koppal Taluk, Koppal District.
2	Name & Location of the Project	Building Stone Quarry in 12A-11G of Patta Land bearing Sy. No.72/1 & 72/2, Vanaballari Village, Koppal Taluk, Koppal District.
3	Type Of Mineral	Building Stone
4	New / Expansion / Modification / Renewal	New
5	Type of Land [Forest, Government Revenue, Gomal, Private / Patta, Other]	Patta Land
6	Area in Ha	4.968 Ha
7	Annual Production (Metric Ton / Cum) Per Annum	3,60,000 Tons/Annum
8	Project Cost (Rs. In Crores)	0.60 (Rs. 60 Lakhs)
9	Proved Quantity of mine/ Quarry- Cu.m / Ton	22,83,546 Tons
10	Permitted Quantity Per Annum - Cu.m / Ton	3,60,000Tons/ Annum (Max.)
11	CER Action Plan: <ul style="list-style-type: none"> Propose to provide Portable RO Plant to the nearby Govt. School at Vanaballari Village 	
12	EMP Budget	Rs. 6.22 Lakhs (Capital Cost) & 8.84 Lakhs (Recurring cost)
13	Forest NOC	16.11.2021
14	Notification	08.12.2021
15	Quarry plan	13.12.2021
16	Cluster certificate	14.12.2021

The subject was discussed in the SEAC meeting held on 15th 16th & 17th March 2022. The Committee has recommended to SEIAA for issue of EC and the extract of the proceedings of the Committee meeting is as below:

This project was deferred during 269th SEAC meeting, since the proponent has not left the buffer from the nala. The proponent submitted revised quarry plan incorporating buffer from the nala.

There is an existing cart track road to a length of 200meters connecting lease area to the all weather black topped road and the proponent informed that the quarrying operation will be commenced after strengthening the approach road to the quarry & the

road connecting to the crusher as per IRC (Indian Road Congress) standard norms & would grow trees all along the approach road.

As per the cluster sketch there are no other leases within 500 meter radius from this lease area and the area of the subject lease is 12-11 Acres and hence the project is categorized as B2. The proponent has collected baseline data of air, water, soil and noise and all are within the permissible limits. The proponent informed that all mitigative measures will be taken to ensure that the parameters will be maintained within the permissible limits.

Considering the proved mineable reserve of 22,83,546 tonnes (excluding waste) as per the approved quarry plan, the committee estimated the life of the mine as 7 years. The committee decided to recommend the proposal to SEIAA for issue of Environmental

The Authority perused the proposal and took note of the recommendation of SEAC.

The Authority after discussion decided to clear the proposal for issue of Environmental Clearance subject to following:

1. *If the distance of nearest Protected Area (National Park/ Sanctuary/Bio sphere reserve/ migratory corridor) is within 10 KM, a certificate from the Chief Wild Life Warden (CWLW) along with his recommendation, else a certificate from the proponent that the proposed site is more than 10 KM away from any Protection Authority (PA) (National Park/ Sanctuary/Bio sphere reserve/ migratory corridor).*
2. *Safety measures proposed shall be submitted.*
3. *A time bound action plan for implementation of proposed CER activities as a part of EMP shall be furnished.*

Additional Conditions:

Dust suppression measures have to be strictly followed.

215.1.64. Siemens Healthineers Campus Project at Plot no 239, Bommasandra Industrial Estate, 3rd Phase, Hosur Road, Attibele Hobli, Anekal Taluk, Bangalore District (SEIAA 141 CON 2021) by M/s. SIEMENS HEALTHCARE PVT. LTD. - Online Proposal No. SIA/KA/MIS/240342/2021.


M/s. Siemens Healthcare Pvt. Ltd have proposed for construction of "Siemens Healthineers Campus project" on a plot area of 30,315 sqm. The total built up area is 1,49,365.24 sq m. The proposed project consists of 5 towers with 2 common basements and configuration varying from Ground + 10 floors to Ground + 18 floors. Total water consumption is 228 KLD (Fresh water + Recycled water). The total wastewater generated

is 206 KLD. The project proponent has proposed to construct Sewage Treatment plant with capacity of 210 KLD. The project cost is Rs. 1385 Crores.

Details of the project are as follows:

Sl. No	PARTICULARS	INFORMATION
1	Name & Address of the Project Proponent	Name: M/s. Siemens Healthcare Pvt. Ltd., represented by Mr. Manoj Prasad (Executive Director) and Mr. Surinder Singh (Regional Area Head - Real Estate) Address: Unit 9A, 9 th Floor, North Tower, Godrej One, Priojshanagar, Eastern Express Highway, Vikhroli East, Mumbai - 400 079
2	Name & Location of the Project	"Siemens Healthineers Campus project" Plot no 239, Bommasandra Industrial Estate, 3 rd Phase, Hosur Road, Attibele Hobli, Anekal Taluk, Bangalore District, Karnataka State.
3	Type of Development	IT / BT and R & D in the field of Healthcare equipment. Category 8(a), Building & Construction project as per the EIA notification 2006
	a. Residential Apartment / Villas / Row Houses / Vertical Development / Office / IT/ ITES/ Mall/ Hotel/ Hospital /other	
	b. Residential Township/ Area Development Projects	NA
4	New/ Expansion/ Modification/ Renewal	New
5	Water Bodies/ Nalas in the vicinity of project site	NA
6	Plot Area (Sqm)	30,315 sqm
7	Built Up area (Sqm)	1,49,365.24 sq m
8	FAR	
	• Permissible	3.25
	• Proposed	3.20

9	Building Configuration [Number of Blocks / Towers / Wings etc., with Numbers of Basements and Upper Floors]	5 towers with 2 common basements and configuration varying from Ground + 10 floors to Ground + 18 floors.	
10	Number of units/plots in case of Construction/Residential Township/Area Development Projects	Not applicable	
11	Height Clearance	NOC obtained from AAI dated:22/02/2021	
12	Project Cost (Rs. In Crores)	Rs. 1,385 Crores	
13	Disposal of Demolition wastes and or Excavated earth	Excavated earth :1,24,000 cum For Backfilling : 33,000 cubic meters, For Road/paved area formation: 16,000 cum For Landscape area formation: 20,000 cum Road development activities in surrounding areas after necessary permissions from concerned authorities : 50,000 Cum.	
14	Details of Land Use (Sq m)		
	a.	Ground Coverage Area	10,878 sq m
	b.	Kharab Land	NA
	c.	Total Green belt on Mother Earth for projects under 8(a) of the schedule of the EIA notification, 2006	8005.00 sq m
	d.	Internal Roads	10,158 sq m
	e.	Paved area	
	f.	Others Specify	Area left for road widening - 1,273.31 sq m Podium landscape - 5,115 sq m
	g.	Parks and Open space in case of Residential Township/ Area Development Projects	Not applicable
	h.	Total	30,315.00 sq m
15	WATER		
	I.	Construction Phase	
	a.	Source of water	Tertiary treated water
	b.	Quantity of water for Construction in KLD	20 KLD
	c.	Quantity of water for Domestic Purpose in KLD	100 KLD
	d.	Waste water generation in	90 KLD



		KLD	
e.	Treatment facility proposed and scheme of disposal of treated water	Package Sewage Treatment Plant of 100 KLD Capacity.	
II.	Operational Phase		
a.	Total Requirement of Water in KLD	Fresh	127 KLD
		Recycled	101 KLD
		Total	228 KLD
b.	Source of water	BWSSB, supplied through Bommasandra Industries Association (BIA)	
c.	Waste water generation in KLD	206 KLD	
d.	STP capacity	210 KLD	
e.	Technology employed for Treatment	Sequencing Batch Reactor	
f.	Scheme of disposal of excess treated water if any	Toilet flushing, landscape development and AC cooling tower make up	
16	Infrastructure for Rain water harvesting		
a.	Capacity of sump tank to store Roof run off	500 cum	
	No's of Ground water recharge pits	28 numbers	
17	Storm water management plan	Surface runoff to be collected in a collection tank of 670 cum.	
18	WASTE MANAGEMENT		
I.	Construction Phase		
a.	Quantity of Solid waste generation and mode of Disposal as per norms	250 kg/day, to be composted by vermi composting method and the product generated to be used for landscape development.	
II.	Operational Phase		
a.	Quantity of Biodegradable waste generation and mode of Disposal as per norms	405 kg/day, Organic waste is sent to bio-methanization plant.	
b.	Quantity of Non-Biodegradable waste generation and mode of Disposal as per norms	608 kg/day, In-organic waste is given to recyclers.	
c.	Quantity of Hazardous Waste generation and mode of Disposal as per norms	• Used oil - 2000 Itr/annum (Collected in leak proof containers and disposed to KSPCB registered authorized re-processors)	

		<ul style="list-style-type: none"> Oil-soaked cotton waste (Stored in carboys and disposed to KSPCB approved incinerator facility) 	
	d.	Quantity of E waste generation and mode of Disposal as per norms	e waste to be segregated, collected and stored at a designated place and to be handed over to authorized recyclers
19	POWER		
	a.	Total Power Requirement - Operational Phase	7,000 kVA from BESCO
	b.	Numbers of DG set and capacity in KVA for Standby Power Supply	5 x 2250 kVA
	c.	Details of Fuel used for DG Set	Low Sulphur content Diesel consumption is 450 l/hr for each DG set of 2,250 kVA.
	d.	Energy conservation plan and Percentage of savings including plan for utilization of solar energy as per ECBC 2007	Total energy savings : 19.63 %
20	PARKING		
	a.	Parking Requirement as per norms	988nos of ECS
	b.	Level of Service (LOS) of the connecting Roads as per the Traffic Study Report	LOS: B
	c.	Internal Road width (RoW)	8 mtr
21	CER Activities		<ol style="list-style-type: none"> Creating drinking water station in schools located around the project site. Solar lighting system in schools in nearby villages Skill development training for youth Health check camp in near by villages.
22	EMP <ul style="list-style-type: none"> Construction phase Operation Phase 		<ul style="list-style-type: none"> Construction phase Capital cost: Rs. 160.6 L Recurring cost: Rs. 15.40L Operation phase Capital cost : Rs. 99 L Recurring cost:Rs. 35.2L

The subject was discussed in the SEAC meeting held on 15th 16th & 17th March 2022. The Committee has recommended to SEIAA for issue of EC and the extract of the proceedings of the Committee meeting is as below:

The proposal was initially considered 273rd SEAC meeting held on 1st, 2nd and 3rd of February 2022 and the committee had deferred the proposal for site visit, so as to ascertain the present site conditions so as to evaluate the extent of earlier construction activities.

The sub-committee visited the site on 10/02/2022 and the sub-committee after detailed inspection decided to seek clarifications/details from the proponent for the observations made. The proponent in the present meeting submitted the following clarification for the observations made by the sub-committee,

1. *Details of permissions accorded from competent authorities for demolition of earlier buildings and compliance to post demolition conditions from authorities, with details of due-diligence, quantification of demolition debris and methods of scientific disposal.*

The proponent submitted the details and informed the committee that, M/s Jesmajo Industrial Fabrications - Karnataka Pvt. Ltd. had taken necessary permissions issued by Town Municipal Corporation, Bommasandra, Bangalore dated:29/10/2020. And in letter dated 11/02/2022, Town Municipal Corporation, Bommasandra, Bangalore, has informed to M/s Jesmajo Industrial Fabrications - Karnataka Pvt. Ltd. that they had given permission for demolition in the above said date for M/s Jesmajo Industrial Fabrications - Karnataka Pvt. Ltd. and after inspection of demolition works, the said vacant land is registered to M/s Jesmajo Industrial Fabrications - Karnataka Pvt. Ltd.

2. *Sanctioned plan from competent authorities with respect to earlier construction.*
The proponent submitted the sanctioned plan for earlier construction of M/s Jesmajo Industrial Fabrications - Karnataka Pvt. Ltd.

3. *Revised tree list and enumerate the existing trees species in the site area.*
The proponent submitted the revised tree list and enumerating the existing tree species in the project area and informed the committee that there are total of 216 existing trees and 173 trees are proposed to be removed and 34 trees to be retained and 9 trees to be transplanted.

4. *To explore possibilities for in-house parking for outsourced/outside vehicles and undertaking for outsourced bus parking facilities in rented parking spaces.*

The proponent submitted the details and informed the committee that, for the proposed project car parking is designated in basements as per KIADB planning norms and submitted a undertaking for outsourced bus parking stating, bus parking not to be done on any of the service roads abutting the plot and to ensure the supplier for the transportation shall rent/lease parking facilities in the vicinity.

5. *To explore possibilities for providing e-vehicles/solar powered buggy/monorail for the internal transportation from nearest metro station.*

The proponent informed the committee that they will ensure sustainable transportation facility like electrical vehicles, etc. from nearest metro stations to facilitate employees.

6. *Revised Conceptual plan with entry/exit by considering safety measures for public using skywalk/foot bridge and bus stand adjacent to the project location(Existing 12mtrs space between foot bridge and property should be maintained)*

The proponent submitted a revised site layout drawing for the committee's observation and assured to follow the same by considering all safety measures for public using skywalk, foot bridge and bus stand.

7. *Undertaking to obtain necessary permissions from ground water authorities for using borewell water for the proposed project.*

The proponent submitted an undertaking and informed the committee that the water supply for the project is to be supplied by BWSSB/KIADB/BIA as per agreement. At present there is one bore well which is currently not in operation and as per undertaking, to take necessary permission from ground water authorities before using the existing bore well water.

The committee accepted the clarification given by proponent. Further the proponent informed the committee that for the proposed project to comply with mandatory ECBC conditions and for harvesting rain water, the proponent had proposed 500Cum storage tank for runoff from rooftop and an additional tank of 670cum capacity for runoff from landscape and paved areas in addition to 28nos recharge pits are proposed within the project area.

The proponent informed the committee that there are total of 216 existing trees and 173 trees are to be removed and 34 trees to be retained and 9 trees to be transplanted and had made provisions to grow 380trees in the project, for which the committee insisted to grow additional 3 trees for the once which are removed in the site area. The proponent committed to take precautionary measures during and after construction to maintain the environmental parameters within permissible limits in the proposed project and agreed to comply with the ECBC and NBC guidelines for the proposed construction and adhere to the by-laws stipulated by the governing authority for buffers and setbacks.

The committee noted that the baseline parameters are found to be within permissible limits and informed the proponent to leave buffers from the lake/drain as per zoning regulations and informed the proponent to harvest maximum rainwater in the proposed project area. The committee after discussion decided to recommend the

proposal to SEIAA for issue of EC with a condition to adhere to the compliances given to sub-committee observations.

The Authority perused the proposal and took note of the recommendation of SEAC.

The Authority after discussion decided to reconsider the proposal after receipt of the following information:

1. *Submit details of Environmental due diligence to assess the environmental footprint of the previous activity before demolition along with monitoring reports pertaining to soil and water quality in the project premises.*
2. *Status details pertaining to CFE/CFO and HWM authorization for the previous activity and its closure with KSPCB with submittals of all pertinent returns.*
3. *Rework and submit rain water harvesting calculations and runoff calculations.*
4. *Provide location of STP, rain water harvesting tank, solid waste management facility etc appropriately and submit revised site plan.*
5. *Rework the design calculation of the sewage treatment plant and submit revised flow chart accordingly.*
6. *Submit the detailed design calculation for biomethanization plant along with the quantity of biogas generated, type of inoculants added along with ratio of biogas to power generation.*
7. *Rework and submit revised water calculation with appropriate standards along with revised water balance chart and disposal details.*
8. *Rework and submit earth excavation quantity along with disposal options.*
9. *The PP shall submit details of the permission accorded for disposal of Hazardous waste.*
10. *If the distance of nearest Protected Area (National Park/ Sanctuary/Bio sphere reserve/ migratory corridor) is within 10 KM, a certificate from the Chief Wild Life Warden (CWLW) along with his recommendation, else a certificate from the proponent that the proposed site is more than 10 KM away from any Protection Authority (PA) (National Park/ Sanctuary/Bio sphere reserve/ migratory corridor) shall be submitted.*
11. *The PP shall submit CER in Specific Physical Terms with time bound action plan.*
12. *The project proponent shall ensure that tree planting/afforestation measures proposed in the EMP shall be strictly complied and an undertaking to this effect shall be submitted.*

215.2. Recommended for Closure:

215.2.1. Ordinary Sand Quarry Project at Sy. Nos.11/1, 11/2, 11/3 of Shirol Village, Nargund Taluk, Gadag District (5-20 Acres) by Sri I V Kyamangoudar - Online Proposal No. SIA/KA/MIN/227743/2021 (SEIAA 468 MIN 2021).

Sri I V Kyamangoudar have applied for Environmental clearance from SEIAA for Ordinary Sand Quarry Project at Sy. Nos.11/1, 11/2, 11/3 of Shirol Village, Nargund Taluk, Gadag District.

The subject was discussed in the SEAC meeting held on 15th 16th & 17th March 2022. The Committee has recommended to SEIAA for issue of EC and the extract of the proceedings of the Committee meeting is as below:

This project was deferred during 273rd SEAC meeting, since the proponent has not circulated the project detail, PPT to the members.

The committee received a complaint from Sri Ramesh Kumbar, informing that the proposals bearing file number SEIAA295MIN2019(6-20Acre-EC issued on 03.01.2020) and SEIAA273MIN2020 (7-10Acres- EC issued on 04.09.2020) would come under the same cluster, and hence this project needs to be appraised after public hearing.

The committee observed that as per the KML files submitted by the proponent and other two proposals which were coming within 500 meters radius from the project site. The total area of these two leases is 13-30 Acres and for these two projects ECs have already been issued by SEIAA.

The committee after thorough discussion decided to recommend to SEIAA and informed the proponent to apply under B1 category.

The Authority perused the proposal and took note of the recommendation of SEAC.

The Authority after discussion decided to close the file and delist the file from the pendency.

215.2.2. Building Stone Quarry Project at Sy. Nos. 151/1 & 147 of Kottalavadi Village, Chamarajanagara Taluk & District (3-10 Acres) by Sri H Ramakrishna - Online Proposal No. SIA/KA/MIN/229786/2021 (SEIAA 503 MIN 2021)- Request for Not to Close File.

Sri H. Ramakrishna have applied for Environmental clearance from SEIAA for quarrying of Building Stone Quarry in 3-10 Acres of Patta Land bearing Sy. No. 151/1 & 147 of Kottalavadi Village, Chamarajanagar Taluk & District, Karnataka

Details of the project are as follows:


Sl.No	PARTICULARS	INFORMATION
1	Name & Address of the Projects Proponent	Sri H. Ramakrishna S/o. Sri Hanumegowda, 15, 2 nd Cross, Sri Vana Layout, Near Banker Colony, Mysore
2	Name & Location of the Project	Building Stone Quarry in 3-10 Acres of Patta Land bearing Sy. No. 151/1 & 147 of Kotthalavadi Village, Chamarajanagar Taluk & District, Karnataka
3	Type Of Mineral	Building Stone
4	New / Expansion / Modification / Renewal	New
5	Type of Land [Forest, Government Revenue, Gomal, Private / Patta, Other]	Patta Land
6	Area in Ha	3-10 Acres
7	Annual Production (Metric Ton / Cum) Per Annum	60,657 Tons/ Annum (Max.)
8	Project Cost (Rs. In Crores)	0.35 (Rs. 35 Lakhs)
9	Proved Quantity of mine/ Quarry- Cu.m / Ton	4,21,376 Tons
10	Permitted Quantity Per Annum - Cu.m / Ton	60,657 Tons/ Annum (Max.)
11	CER Action Plan: <ul style="list-style-type: none"> Propose take up 350 Nos. of additional plantation on either side of the approach road from quarry location to Kotthalavadi Village connecting road and also near the temples, govt. school etc. 	
12	EMP Budget	Rs. 2.29 Lakhs (Capital Cost) & 14.50 Lakhs (Recurring cost)

The subject was discussed in the SEAC meeting held on 25th October 2021. The Committee has recommended to SEIAA for issue of EC and the extract of the proceedings of the Committee meeting is as below:

The Proponent has obtained NOCs from Forest, Revenue Dept. and obtained land conversion order on 15.10.2019. The lease was notified on 26.07.2021.

There is an existing cart track road to a length of 800m connecting lease area to the all-weather black topped road. The proponent has informed that the approach road strengthening works (Cement Concrete Road) will be taken up under CER activities.

Drafted by



(200)

As per the Cluster Sketch there are 3 leases within 500 meter radius including the subject lease. The total area of all these leases is 12-13 Acres. The project is categorized as B2. The Proponent has collected baseline data of air, water, soil and noise and all are within the permissible limits. The proponent has informed that all mitigative measures will be taken to ensure that the parameters will be maintained within the permissible limits.

Considering the proved mineable reserve of 4,21,376 tonnes as per the approved quarry plan, the committee estimated the life of the mine as 7 years, the committee decided to recommend the proposal to SEIAA for issue of Environment Clearance for an annual production of Production is 60,657 tonnes per annum.

The Authority perused the proposal and took note of the recommendation of SEAC. The Authority have verified the documents and it was observed that file No. SEIAA 52 MIN 2021 (2-20 Acres) which was already recommended during the 198th SEIAA meeting held on 2nd July 2021 and pending for issue of EC (C&I Notification pending).

Therefore, the extent of the all these leases within 500meter is more than 5.00 Ha i.e 14-33 Acres. Hence file must be considered or reappraised as B1 category. The Authority therefore decided to refer the file back to SEAC for reappraisal in the light of the above observation and sending recommendation deemed fit based on merit.

The SEAC was recommended the proposal for issue of EC during 269th SEAC meeting.

The Authority perused the proposal and took note of the recommendation of SEAC. The Authority have verified the documents and it was observed that file No. SEIAA 52 MIN 2021 (2-20 Acres) which was already recommended during the 198th SEIAA meeting held on 2nd July 2021 and pending for issue of EC (C&I Notification pending).

Therefore, the extent of all these leases within 500meter is more than 5.00 Ha i.e 14-33 Acres. Hence file must be considered or reappraised as B1 category. The Authority therefore decided to refer the file back to SEAC for reappraisal in the light of the above observation and sending recommendation deemed fit based on merit.

The committee after thorough discussion of the observation made by the authority, decided to reject the proposal and informed the proponent to apply under B1 category.

The project proponent vide his letter dated 04.04.2022. requested to consider the above said project under B2 Category. The Authority perused the request made by the proponent and decided to send file to SEAC for reappraisal and sending recommendation deemed fit based on merit.

215.3. Reconsidered Projects:**215.3.1. Building Stone Quarry Project at B K Halli Village, Haliyala Taluk, Uttara Kannada District (2-20 Acres) by Sri Shivaji Ramanna Bandiwad - Online proposal number - SIA/KA/MIN/244202/2021 (SEIAA 660 MIN 2021).**

Sri Shivaji Ramanna Bandiwad have applied for Environmental clearance from SEIAA for quarrying of Building Stone Quarry in 2-00Acre 20 Gunta of Patta Land bearing Sy. No: 218/5 in B K Halli Village, Haliyala Taluk, Uttara Kannada District, Karnataka

Details of the project are as follows:

Sl.No	PARTICULARS	INFORMATION
1	Name & Address of the Projects Proponent	Sri Shivaji Ramanna Bandiwad, #B/699, Siddarameshwar Galli Haliyal, Uttara Kannada District
2	Name & Location of the Project	Building Stone Quarry in 2-00Acre 20 Gunta of Patta Land bearing Sy. No: 218/5 in B K Halli Village, Haliyala Taluk, Uttara Kannada District, Karnataka.
3	Type Of Mineral	Building Stone
4	New / Expansion / Modification / Renewal	New
5	Type of Land [Forest, Government Revenue, Gomal, Private / Patta, Other]	Patta Land
6	Area in Ha	2-00 Acres 20 Guntas
7	Annual Production (Metric Ton / Cum) Per Annum	60,540Tons/ Annum (Avg.)
8	Project Cost (Rs. In Crores)	0.75 (Rs. 75 Lakhs)
9	Proved Quantity of mine/ Quarry- Cu.m / Ton	4,57,417Tons
10	Permitted Quantity Per Annum - Cu.m / Ton	60,540Tons/ Annum (Max.)
11	Modified CER Action Plan:	
	Year	CER Activities
	2022-23	Rejuvenation of B K Hallikere (1.00 Ha)
	2023-24	Rejuvenation of B K Hallikere (1.00 Ha)
12	EMP Budget	Rs. 1.05 Lakhs (Capital Cost) & 1.02 Lakhs (Recurring cost)

The subject was discussed in the SEAC meeting held on 3rd January 2022. The Committee has recommended to SEIAA for issue of EC and the extract of the proceedings of the Committee meeting is as below:

The Proponent has obtained NOCs from Forest, Revenue Dept. and applied for land conversion. The lease was notified on 19.11.2021.

There is an existing cart track road to a length of 660meters connecting the lease area to an all-weather black topped road and the proponent informed that the quarrying operation will be commenced after strengthening the approach road to the quarry & the road connecting to the crusher as per IRC (Indian Road Congress) standard norms & would grow trees all along the approach road.



As per the cluster sketch there are no other leases within 500 meter radius and the total area of the subject lease is 2-20 Acres and hence the project is categorized as B2. The proponent has collected baseline data for air, water, soil and noise and all parameters are found to be within permissible limits. The proponent informed that all mitigative measures will be taken up to ensure that the parameters are maintained within permissible limits.

Considering the proved mineable reserve of 4,57,417Tons Tonnes as per the approved quarry plan, the committee estimated the life of the mine as 8 years and decided to recommend the proposal to SEIAA for issue of Environment Clearance for an annual production of 60,540 TPA(max).

The Authority perused the proposal and took note of the recommendation of SEAC. The authority verified the documents and noted that as per the google shows growth of many trees in the proposed project site. A report from Forest Department may be obtained along with the tree enumeration list (Number and kind of tree species) in the proposed area along with a map. Therefore, the Authority decided to reconsider the subject after receipt of the above information.

The project proponent has submitted information vide letter dated 24.03.2022. The Authority perused the information and after discussion decided to clear the proposal for issue of Environmental Clearance subject to following:

1. If the distance of nearest Protected Area (National Park/ Sanctuary/Bio sphere reserve/ migratory corridor) is within 10 KM, a certificate from the Chief Wild Life Warden (CWLW) along with his recommendation, else a certificate from the proponent that the proposed site is more than 10 KM away from any Protection Authority (PA) (National Park/ Sanctuary/Bio sphere reserve/ migratory corridor).
2. Safety measures proposed shall be submitted.



3. *A time bound action plan for implementation of proposed CER activities as a part of EMP shall be furnished.*

Additional Conditions:

Dust suppression measures have to be strictly followed.

215.4. Miscellaneous Projects

- 215.4.1. Quarrying of Building Stone at Sy No. 20 (P) of Madapatna Village, Bangalore South Taluk, Bangalore Urban District by Sri. B A Guruprakash - SEIAA 471 MIN 2015 - Requesting for transfer of EC in favor of M/s Mathrushree Stone Crushers.**

Environmental clearance has been issued to this project vide letter No SEIAA 471 MIN 2015 dated 17.02.2016 for Quarrying of Building Stone at Sy No. 20 (P) of Madapatna Village, Bangalore South Taluk, Bangalore Urban District by Sri. B A Guruprakash.


M/s Mathrushree Stone Crushers, Proprietor: H R Shanthamma vide letter received on 25.03.2022 requesting this Authority for transfer of EC granted to Sri. B A Guruprakash in their favor as lease has been transferred to M/s Mathrushree Stone Crushers through the Dept. of Mines and Geology.

The Authority perused the request made by M/s Mathrushree Stone Crushers and decided to transfer the EC in favour of M/s Mathrushree Stone Crushers subject to the following conditions

- i. The applicant shall furnish Notarised affidavit of M/s Mathrushree Stone Crushers relinquishing his claim (duly witnessed by Authorized Signatory of Sri. B A Guruprakash)*
- ii. Notarised Copy of EC.*
- iii. Notarised Copy of Form-T.*

- 215.4.2. Quarrying of Building Stone at Sy No. 705 (P) of Mudgal Village, Lingasugur Taluk, Raichur District by Sri. Ambji - SEIAA 1004 MIN 2015 - Requesting for transfer of EC in favor of Sri. Naveen Kumar.**

Environmental Clearance has been issued to this project vide letter No. SEIAA 1004 MIN 2015 dated 23.11.2015 for quarrying of Building Stone at Sy No. 705 (P) of Mudgal Village, Lingasugur Taluk, Raichur District to Sri. Ambji.



Naveen Kumar (Legal heir), S/o. Late. Sri. Ambji vide letter dated 26.03.2022 have informed that his father Sri. Ambji died on 23.04.2021 and therefore The Department of Mines and Geology have held Sri. Naveen Kumar has the legal heir for continuing the quarrying business of Sri. Ambji due to his demise. Sri. Naveen Kumar (Legal heir), S/o. Late. Sri. Ambji have requested this Authority for transfer of Environment Clearance dated 23.11.2015 granted by SEIAA, Karnataka in favor of his father Sri. Ambji to his name to facilitate continuing the quarry business.

The Authority perused the request made by Naveen Kumar and decided to transfer the EC in favour of Naveen Kumar subject to the following conditions

1. Notorised Copy of EC
2. Notorised Copy of Form-T.
3. Notorized copy of the Death certificate of Sri. Ambji

215.5. Additional Agenda (with the permission of Chair)

215.5.1. Construction of Proposed Mixed Use Development Project at Sy. Nos. 180/1, 180/2(P), 180/3(P), 180/4(P), 174/2(P) & 175/1 of Kangrali K H Village, Belagavi Taluk & District, Karnataka by M/s. Aryan Builders and Developers - SEIAA 111 CON 2019 dated 14.10.2019 - Requesting for Transfer of EC in favor of M/s U K Ventures and Corrigendum to EC.

Environmental Clearance has been issued to this project vide letter No. SEIAA 111 CON 2019 dated 14.10.2019 for Construction of Proposed Mixed Use Development Project at Sy. Nos. 180/1, 180/2(P), 180/3(P), 180/4(P), 174/2(P) & 175/1 of Kangrali K H Village, Belagavi Taluk & District, Karnataka by M/s. Aryan Builders and Developers.

M/s. Aryan Builders and Developers vide letter dated 04.04.2022 requesting this Authority for Transfer of EC granted to them in favor of M/s U K Ventures as M/s. Aryan Builders and Developers has sold the above mentioned property to M/s U K Ventures and also requested for issue amendment to EC due to change in plan the BUA is increase from 36,065.05 Sqm to 38,051.84 Sqm.

The Authority perused the request made by M/s. Aryan Builders and Developers and decided to transfer the EC in favour of M/s U K Ventures subject to the following conditions

- i. *The applicant shall furnish Notarised affidavit of M/s U K Ventures relinquishing his claim (duly witnessed by Authorized Signatory of M/s. Aryan Builders and Developers)*
- ii. *Notarised Copy of EC.*

and also decide to issue corrigendum to EC

215.5.2. Construction of Mixed use development (Residential & Commercial) Project at Sy No. 61, 61/2 & 61/3 of Whitefield Main road, Mahadevapuraa Village, Krishnarajapura Hobli, Bengaluru East Taluk, Bengaluru District by M/s Elegant Properties - SEIAA 79 CON 2015 - Requesting for transfer of EC in favor of M/s Ozone Elegant Developers Private Limited and issue corrigendum to EC dated 05.01.2016

Environmental Clearance has been issued to this project vide letter No. SEIAA 79 CON 2015 dated 05.01.2016 and corrigendum issued on 06.12.2016 for Construction of Mixed use development (Residential & Commercial) Project at Sy No. 61, 61/2 & 61/3 of Whitefield Main road, Mahadevapuraa Village, Krishnarajapura Hobli, Bengaluru East Taluk, Bengaluru District by M/s Elegant Properties.


M/s Ozone Elegant Developers Private Limited vide letter dated 06.04.2022 requested this Authority for change name of the company as M/s Ozone Elegant Developers Private Limited and also requested for issue corrigendum to EC due to change in plan BUA is increases from 1,36,821.42 Sqm to 1,42,426.19 Sqm., building configuration changed to B + G + 19 UF (Residential is B +G+19 and 2B + G + 10UF).

The Authority perused the request made by M/s Ozone Elegant Developers Private Limited and decided to transfer the EC in favour of M/s Ozone Elegant Developers Private Limited subject to the following conditions

- i. *The applicant shall furnish Notarised affidavit of M/s Ozone Elegant Developers Private Limited relinquishing his claim (duly witnessed by Authorized Signatory of M/s Elegant Properties.)*
- ii. *Notarised Copy of EC.*

and also decide to issue corrigendum to EC

215.5.3. Proposed horizontal Expansion of Commercial Office Building Project at Sy.Nos.4, 19/1, 19/2, 19/3, 19/4, 20/1, 20/2, 20/3, 21, 22(P), 25(P), 39, 41/3A, 41/3B2, 41/4 & 56 of Devarabeesanahalli Village and Sy.Nos.96(P), 97(P), 98/1,



98/2, 99, 100, 101 102/1&2, 102/3, 103, 104/1, 104/2, 105(P), 106(P) of Bhoganahalli Village and Sy.Nos.72/1, 72/2(P), 72/5 of Doddakannahalli Village, Varthur Hobli, Bengaluru East Taluk, Bengaluru District By M/s RMZ Eco world Infrastructure Pvt Ltd - SEIAA 149 CON 2018 - Requesting for issue Amendment to EC dated 13.12.2019.

Environmental Clearance has been issued to this project vide letter No. SEIAA 149 CON 2018 dated 13.12.2019 for Proposed horizontal Expansion of Commercial Office Building Project at Sy.Nos.4, 19/1, 19/2, 19/3, 19/4, 20/1, 20/2, 20/3, 21, 22(P), 25(P), 39, 41/3A2, 41/3B2, 41/4 & 56 of Devarabeesanahalli Village and Sy.Nos.96(P), 97(P), 98/1, 98/2, 99, 100, 101 102/1&2, 102/3, 103, 104/1, 104/2, 105(P), 106(P) of Bhoganahalli Village and Sy.Nos.72/1, 72/2(P), 72/5 of Doddakannahalli Village, Varthur Hobli, Bengaluru East Taluk, Bengaluru District By M/s RMZ Eco world Infrastructure Pvt Ltd.

The project proponent vide letter dated 05.04.2022 requesting this Authority for issue amendment to EC dated 13.12.2019. Due to certain technical and commercial reasons BUA of the Tower 4D Building increased from 57,209.41 Sqm to 65,769.58Sqm with addition of Two Upper floors i.e, 2BF + GF + 8UF to BF + GF + 10UF and Total BUA of the project has been increased from 10,54,093.86Sqm to 10,62,654.03 Sqm.

The Authority perused the request made by the proponent and verified the documents, after discussion decided to issue corrigendum

215.5.4. Quarrying of Multi Colour Granite at Sy No. 42 (P) of Maniyambal Village, Kanakapura Taluk, Ramanagara District by Sri. Noorulla Sharieff - SEIAA 362 MIN 2015 - Requesting for change of name of the proponent as Mastan Sharieff.

Environmental Clearance has been issued to this project vide letter No. SEIAA 362 MIN 2015 dated 17.10.2015 for Quarrying of Multi Colour Granite at Sy No. 42 (P) of Maniyambal Village, Kanakapura Taluk, Ramanagara District by Sri. Noorulla Sharieff.

Mastan Sharieff vide letter dated 29.03.2022 requested this Authority to change the name in the EC as Sri. Mastan Sharieff as per the school records, Adhar Card and PAN Card Noorulla Sharieff. Further DMG Ramanagara also insisted to obtain revised EC in the name of Sri. Mastan Sharieff.

The Authority perused the request made by the proponent and perused the documents and decided to issue Corrigendum in the name of Sri. Mastan Sharieff uruf Sri. Noorulla Sharieff.

204.4.1. Complaint against the builder for not obtaining EC by Shilpitha Splendour Apartment owners Associations Reg

Shilpitha Splendour Apartment Owners Associations vide their Email dated 23.09.2021 have highlighted their grievances of not getting the fresh CFO from the KSPCB due to Non availability of the EC which the builder M/s Maithri Developer have never obtained from the concerned Authority. The project is located in Sy No.119, 149 and 150 of Chinnappa Layout, Mahadevapura ORR, opp to Bagmane Tech park, Bangalore. Total BUA of the Project is 28,658.43 Sqm.

Shilpitha Splendour Apartment owners Associations further stated that "The project was constructed between 2010 to 2013. Since the time the residents have occupied in 2013. We have been following up with the builder M/s Maithri Developer for the EC, CFE and CFO documents along with the other list of NoC's which he was suppose to handover to the Resident Welfare Association (RWA). We were always told that they have applied for, and it will take time. Since the builder failed to obtain the EC, CFE and CFO we had filed a compliant against him in the State Consumer Forum bearing case No. 295/2018. The matter is now sub judice.

Since the RWA has the law abiding citizen took matter to our hands and voluntarily got the dual pipe line and the RWH. Since the RWA had been receiving the notices constantly for which we had been responding pro actively with all available documents and since we have been operating and maintaining the STP in the premises as per ther KSPCB norms. We have decided to apply for CFE and CFO voluntarily.

In this regard the project proponent has requested this Authority to take action against the Builder and recommend to issue CFO for our Apartment as we have completed all the necessary process and paid the fees for CFE & CFO.


The Authority perused the request made by the Shilpitha Splendour Apartment Owners Associations and as per the information provided by them the project has been completed without getting prior Environmental Clearance. The Authority considered this project as case of Violation and instructed the RWA to apply a fresh proposal.


Since this is a case of violation, the Authority decided to seek clarification from MoEF&CC, New Delhi, as and when the applicant formally approaches this Authority.


Further, Shilpitha Splendour Apartment Owners Associations have requested this Authority to issue notice to the builder pertaining to this matter.

The Authority after discussion decided to communicate the above information to MoEF&CC, CPCB & KSPCB for information and to take further necessary action in this regard.

Meeting concluded with thanks to the Chair.


(Dr. K. R. Sree Harsha)
Chairman,
SEIAA, Karnataka


(K. N. Shivalinge Gowda)
Member,
SEIAA, Karnataka


(Vijay Mohan Raj V, IFS)
Member Secretary,
SEIAA, Karnataka