

# **State Environment Impact Assessment Authority, Bihar**

2<sup>nd</sup> floor, Beltron Bhawan, Shastri Nagar, Patna - 800 023.

Ref. No. - 266

Patna, Date:- 22/08/2023

## **Minutes of the 40<sup>th</sup> meeting of SEIAA, Bihar, constituted on 12-08-2021 convened on 16<sup>th</sup> August, 2023**

A meeting of SEIAA was convened on Thursday, 17.08.2023. Following members were present in the meeting.

### **Present: -**

- |                            |   |                  |
|----------------------------|---|------------------|
| 1. Shri Atul Aditya Pandey | - | Chairman.        |
| 2. Shri Arun Prakash       | - | Member.          |
| 3. Shri Sudhir Kumar       | - | Member Secretary |

### **Agenda Item No.- 01**

Proposed Township and Area Development Project "Mega Food Park" at Mauza:- Murarpur (Damodarpur), Block:- Motipur, District:- Muzaffarpur, State:- Bihar; by M/s Bihar Industrial Area Development Authority, (BIADA) [Total Plot Area-58.2585 ha. (582585 Sq.m./143.96 Acres), Total Built-up Area:- 6.6 Ha. (66004.23 Sq.m/16.31 Acres)] (File No.: SIA/8(b)/2427/2023, Proposal No.: SIA/BR/INFRA2/438864/2023).


- **Proposal discussed in SEAC** on 12<sup>th</sup> August, 2023 and recommended for Environmental Clearance with Standard conditions along with special conditions.

➤ **Resolve of the SEIAA:-**

In view of the consideration of SEAC and its recommendation to grant of Environmental Clearance (EC), the SEIAA resolved to grant EC with standard conditions in addition to special conditions i.e. the project proponent shall submit bank guarantee of Rs. 18,07,500 (Eighteen lakhs seven thousand five hundred only) being equivalent to the budgetary provision for implementation of remediation Plan, Natural & Community Resource Augmentation Plan and also a penalty of Rs. 7,50,000 (Seven lakhs fifty thousand only) to be deposited with the Bihar State Pollution Control Board prior to the grant of environmental clearance. (As per directives mentioned in O.M. F.No. – 22-21/2020-IA.III, dated 07.07.2021) (a) Remediation Plan, Natural & Community Resource Augmentation

5

Plan shall be completed in 3 years. **(b)** Abstraction of ground water shall be subject to the permission of Central Ground Water Authority (CGWA) **(c)** Zero Liquid Discharge (ZLD) must be maintained by the proponent if Leased out to private agencies / firms / organizations. **(d)** Solid Waste Management must be done for fruits / vegetables / grains / millets / wastages from industrial operation. **(e)** Vehicle movement route must be planned to maintain the cleanliness in the premises. **(f)** Water Sprinkler system must be installed near haul road / transportation road within the campus to address the fugitive emissions. **(g)** Tree plantation in three rows must be raised all around the entire premises. **(h)** Develop a greenbelt to contain the fugitive dust emission and a mechanism must be developed to control noise pollution within the premises. **(i)** Develop greenery in the vicinity of the project site along the external roads in consultation with local authorities. **(j)** Promote Rain Water Harvesting and construction of enough number of Rain Water Harvesting pits in the nearby government school. The conditions be fulfilled along with standard conditions as imposed by the SEAC (Annexure – A) in its MoM (Ref. No. 248, dated 14.08.2023).

  
(Sudhir Kumar)  
Member Secretary, SEIAA

Sd/-  
(Arun Prakash),  
Member, SEIAA

  
(Atul Aditya Pandey)  
Chairman, SEIAA