

Minutes of 783rd SEAC-1 Meeting Dated 11/09/2023

The 783rd meeting of SEAC-1 was held in the Directorate of Environment, U.P. through dual-mode (physically/virtually) at 10:00 AM on 11/09/2023. Following members participated in the meeting:

- | | | |
|----|-----------------------------|-----------------------------|
| 1. | Shri Rajive Kumar, | Chairman, SEAC |
| 2. | Dr. Ratan Kar, | Member, SEAC-1 |
| 3. | Shri Om Prakash Srivastava, | Member, SEAC-1 (through VC) |
| 4. | Dr. Brij Bihari Awasthi, | Member, SEAC-1 |
| 5. | Shri Umesh Chandra Sharma, | Member, SEAC-1 |
| 6. | Shri Ashish Tiwari, | Member-Secretary, SEAC-1 |

The Chairman welcomed the members to the 783rd SEAC-1 meeting which was conducted via dual-mode (virtually/physically). Nodal Officer, SEAC-1 informed the committee that the agenda has been approved by the Member Secretary, SEAC-1/Director Environment. Nodal Officer, SEAC-1 placed the agenda items along with the available file and documents before the SEAC-1.

1. "Granite Gitti, Khanda / Boulders" Project at Gata No./ Khand No.- 1078 / 37 , Village-Gonda, Tehsil- Karwi, District- Chitrakoot, Shri Anand Kumar Dwivedi, Area : 2.0240 ha., 8085/7584/SIA/UP/MIN/439386/2023

The consultant informed the committee that they are strictly following the rules, regulations and other instructions of QCI/NABET. A presentation was made by the project proponent along with their consultant M/s Paramarsh (Servicing Environment and Development), Lucknow, U.P. Based on the documents submitted and presentation made by the project proponent along with the consultant, the following facts have emerged: -

1. The environmental clearance is sought for Granite Gitti, Khanda / Boulders Mining at Gata No./ Khand No.- 1078 / 37, Village- Gonda, Tehsil- Karwi, District- Chitrakoot, U.P. (Applied Area- 2.0240 ha.).
2. The Terms of Reference in the matter were issued by SEIAA, U.P vide Letter No. 32/Parya/SEIAA/7584/2022, dated: 05/05/2023.
3. The Public Hearing was organized on 07/07/2023. Final EIA Report was submitted by the Project Proponent on 09/08/2023.
4. Salient features of the project as submitted by the project proponent:

1.	On-line proposal No.	SIA/UP/MIN/439386/2023		
2.	File No. allotted by SEIAA, UP	8085 / 7584		
3.	Name of Proponent	Shri Anand Kumar Dwivedi S/o Shri Murat Dhawaj Dwivedi		
4.	Full correspondence address of proponent	R/o- Behind Deepak Talkies Laxmanpuri, Tehsil- Karwi, District- Chitrakoot, U.P.		
5.	Name of Project	Granite Gitti, Khanda / Boulders Mining Project		
6.	Project location (Plot/ Khasra /Gata No.)	Gata No./ Khand No.- 1078 / 37		
7.	Name of Village	Gonda		
8.	Tehsil	Karwi		
9.	District	Chitrakoot		
10.	Name of Minor Mineral	Granite Gitti, Khanda / Boulders		
11.	Sanctioned Lease Area (in Ha.)	2.0240 ha.		
12.	Max.& Min mRL within lease area	286 mRL- 252 mRL		
13.	Pillar Coordinates(Verified by DMO)	Pillars	Latitude (N)	Longitude (E)
		A	25° 11.775' N	80° 44.173' E
		B	25° 11.703' N	80° 44.300' E
		C	25° 11.677' N	80° 44.278' E
		D	25° 11.741' N	80° 44.144' E

14.	Total Geological Reserves	3881580 m ³	
15.	Total Mineable Reserves	366027 m ³	
16.	Total Proposed Production (in five year)	303600 m ³	
17.	Proposed Production / year	60720 m ³	
18.	Sanctioned Period of Mine lease	10 Years	
19.	Method of Mining	Opencast Semi-Mechanized	
20.	No.Of workers	38 (approx.)	
21.	Type of Land	Govt. revenue land	
22.	Ultimate Depth of Mining	30 meter (average)	
23.	Nearest metalled road from site	200m	
24.	Water Requirement	PURPOSE	REQUIREMENT (KLD)
		Drinking & Others	0.40
		Suppression of dust	1.20
		Plantation	3.00
		Others(if any)	-----
		Total	4.60
25.	Name of QCI Accredited Consultant with QCI No and period of validity.	M/s Paramarsh (Servicing Environment and Development), Lucknow, U.P. QCI/NABET/EIA/2124/RA0224, Validity-01/05/2024	
26.	Any litigation pending against the project or land in any court	No	
27.	Details of 500 m Cluster certificate Verified by Mining Officer	DMO (Khanan Anubhag) Chitrakoot vide Letter No. 1162/Khanij/2022-23, Dated 24.01.2023	
28.	Details of Lease Area in approved DSR	Page No.- 29, Sr. No.- 02 with correction letter no.- 1209/khanij/ 2022-23 dated- 06.02.2023	
29.	Proposed CER cost	1.45 Lakh	
30.	Proposed EMP cost	EMP in First Year - 16.15 Lakh EMP (Recurring Years) – 7.10 Lakh	
31.	Length and breadth of Haul Road.	Length- 200m, Width- more than 6.0 m	
32.	No. of Trees to be Planted	3000	

5. The mining would be restricted to unsaturated zone only above the phreatic water table and will not intersect the ground water table at any point of time.
6. This project does not attract any of the general conditions applicable on mining projects specified in EIA Notification 14/09/2006.
7. The mining operation will not be carried out in safety zone of any bridge or embankment or in eco-fragile zone such as habitat of any wild fauna.
8. There is no litigation pending in any court regarding this project.
9. The project proposal falls under category–1(a) of EIA Notification, 2006 (as amended).

The consultant (EIA Coordinator) also submitted an affidavit dated 08/08/2023 mentioning is as follows:

1. I, Pankaj Srivastava S/o Sri V.V. Srivastava am EIA Coordinator of Paramarsh Servicing Environment and Development.
2. I have prepared EIA report for EC in the name of Shri Anand Kumar Dwivedi S/o Shri Murat Dhawaj Dwivedi for the “Granite Gitti, Khanda / Boulders” Project at Gata No.- 1078 (Khand No.- 37), Village- Gonda, Tehsil- Karwi, District- Chitrakoot, U.P. (Applied Area : 2.024 ha.) with my team.
3. I have personally visited the site of proposal and certify that no Mining activity has been undertaken on the project site for the present proposal.
4. I am satisfied with that all the necessary data/information submitted along with EIA are true and correct.
5. I certify that this project proposal has been uploaded for the first time on Parivesh Portal.
6. I certify that there is no mismatch between information/data provided on the online application submitted on Parivash Portal and hard copy which is submitted after acceptance of application.
7. I state that all the TOR Points have been complied and all the issues raised during Public Hearing is properly addressed in EIA report.

8. The EIA report for the Proposal has prepared by my team as per guideline laid down by QCI/NABET.

RESOLUTION AGAINST AGENDA NO. 01

The committee discussed the matter and recommended grant of environmental clearance for the project proposal along with general and specific conditions as annexed at Annexure-1 to these minutes. The committee also stipulated the following additional conditions:

1. Project proponent has committed to plant 1000 number of trees/hectare. The project proponent/consultant if desires may approach to concerned District Forest Authority to plant 1000 trees/ha on a land available to the Forest Department. The project proponent will deposit the required amount for this entire plantation work (including its maintenance and security) to the Forest Department.
2. The project proponent shall install solar light in their site office.
3. During the submission of 6 monthly compliance reports, the project proponent should make sure that the periodically taken site photographs should also be annexed along with the compliance report.
4. Preference should be given to indigenous local species as per the consultation of the local district Forest Officer.
5. The maximum height of the bench should be 06 meters and the width of the bench should be at least twice the height of the bench as per the mine plan approval letter by DGM, U.P
6. In case the blasting is proposed during a mining operation, the project proponent needs to assess its impact on the displacement of human beings/wild animals/birds/other species, and the suitable measures proposed and taken for their rehabilitation and resettlement need to be clearly described in first 6 monthly compliance report.
7. The project proponent shall submit a final mine closure plan/Exit protocol for rehabilitation of mined-out land to match its surrounding land use 3years before the closure of the mine to SEIAA, UP and Department of Mines and Geology, UP for approval. The project proponent shall ensure the implementation of the approved plan under the supervision of the Dept. of Mines and Geology.
8. The project proponent shall plan and implement collection drain and siltation basins of adequate size to arrest the silt and sediment flow from the quarry area. The surface runoff rainwater harvesting and other water conservation measures on a long-term basis are to be taken in consultation with the Central/State Groundwater Board. The water so collected should be utilized for watering the haulage area, roads, and green belt development, etc.
9. The project proponent shall take all suitable measures to prevent pollution of groundwater and nearby water bodies in consultation with the State Pollution Control Board and consent to operate (if applicable) should be obtained from the State Pollution Control Board before the start of production from the mine.
10. Link Road from the quarry site to the main road shall be constructed as an all-weather road with blacktopping and maintained by the project proponent.
11. Vehicular emissions should be kept under control and regularly monitored. Suitable measures shall be taken for proper maintenance of vehicles used in a quarry operation and transportation.
12. The project proponent should explore the possibilities of rainwater harvesting.
13. Agreement/ Consent between project proponent and competent authority/ landowner for haulage road from lease site to link road.
14. Latest technology (water sprinklers/ tankers) to be adopted for mitigating dust at source points in lease area and haulage road during operational activity/vehicular movement.
15. As per the proposed plan, plantation with area specific plant species, number of plants to be Planted and report of green belt development to be submitted to the Forest Department, UPPCB and Directorate of Environment, UP.

2. **“Building Stone, Khanda & Gitti, Boulder Mining Project” located at Arazi No.- 1097, Khand No.-03 Village- Utiyan, Tehsil Sadar & District- Mahoba, Shri Bhanu Gupta, Area 1.214 Ha., 8089/6447/SIA/UP/MIN/440116/2023**

RESOLUTION AGAINST AGENDA NO. 02

The project proponent/consultant did not appear. The committee discussed and deliberated that the project file should be closed and be opened only after request from the project proponent. The file shall not be treated as pending at SEAC. The matter will be discussed only after submission of online requests on prescribed online portal.

3. **“Granite Gitti, Khanda / Boulders” Project at Gata No.- 1078/19, Village- Gonda, Tehsil- Karwi, Chitrakoot, Shri Zaheer Khan, Area : 0.810 ha., 8095/7567/SIA/UP/MIN/439798/2023**

The consultant informed the committee that they are strictly following the rules, regulations and other instructions of QCI/NABET. A presentation was made by the project proponent along with their consultant M/s Paramarsh (Servicing Environment and Development), Lucknow, U.P. Based on the documents submitted and presentation made by the project proponent along with the consultant, the following facts have emerged: -

1. The environmental clearance is sought for Granite Gitti, Khanda / Boulders Mining at Gata No./ Khand No.- 1078 / 19, Village- Gonda, Tehsil- Karwi, District- Chitrakoot, U.P. (Applied Area- 0.810 ha.), M/s Khan Stone Crusher.
2. The Terms of Reference in the matter were issued by SEIAA, U.P vide Letter No. 26/Parya/SEIAA/7568/2022, dated: 05/05/2023.
3. The Public Hearing was organized on 07/07/2023. Final EIA Report was submitted by the Project Proponent on 09/08/2023.
4. Salient features of the project as submitted by the project proponent:

1.	On-line proposal No.	SIA/UP/MIN/439798/2023		
2.	File No. allotted by SEIAA, UP	8095 / 7567		
3.	Name of Proponent	M/s Khan Stone Crusher, Prop.- Shri Jaheer Khan S/o Shri Habeeb Khan		
4.	Full correspondence address of proponent	R/o- Gonda, Raulikalyanpur, Bharatkoop, Karwi, District- Chitrakoot, U.P.		
5.	Name of Project	Granite Gitti, Khanda / Boulders Mining Project		
6.	Project location (Plot/ Khasra /Gata No.)	Gata No./ Khand No.- 1078 / 19		
7.	Name of Village	Gonda		
8.	Tehsil	Karwi		
9.	District	Chitrakoot		
10.	Name of Minor Mineral	Granite Gitti, Khanda / Boulders		
11.	Sanctioned Lease Area (in Ha.)	0.810 ha.		
12.	Max.& Min mRL within lease area	243 mRL- 198 mRL		
13.	Pillar Coordinates(Verified by DMO)	Pillars	Latitude (N)	Longitude (E)
		A	25° 12.074' N	80° 44.411' E
		B	25° 12.062' N	80° 44.448' E
		C	25° 11.984' N	80° 44.431' E
		D	25° 11.998' N	80° 44.399' E
14.	Total Geological Reserves	917327 m ³		
15.	Total Mineable Reserves	121502 m ³		
16.	Total Proposed Production (in five year)	121500 m ³		
17.	Proposed Production / year	24300 m ³		
18.	Sanctioned Period of Mine lease	10 Years		
19.	Method of Mining	Opencast Semi-Mechanized		
20.	No.Of workers	37 (approx.)		

21.	Type of Land	Govt. revenue land	
22.	Ultimate Depth of Mining	12 meter (average)	
23.	Nearest metalled road from site	400m	
24.	Water Requirement	PURPOSE	REQUIREMENT (KLD)
		Drinking & Others	0.40
		Suppression of dust	2.40
		Plantation	1.00
		Others(if any)	-----
		Total	3.80
25.	Name of QCI Accredited Consultant with QCI No and period of validity.	M/s Paramarsh (Servicing Environment and Development), Lucknow, U.P. QCI/NABET/EIA/2124/RA0224, Validity- 01/05/2024	
26.	Any litigation pending against the project or land in any court	No	
27.	Details of 500 m Cluster certificate Verified by Mining Officer	DMO (Khanan Anubhag) Chitrakoot vide Letter No. 765/Khanij/2022-23, Dated 12 th Sept, 2022	
28.	Details of Lease Area in approved DSR	Page No.- 29, Sr. No.- 02 with correction letter no.- 811/khanij/ 2022-23 dated- 18.10.2022	
29.	Proposed CER cost	1.40 Lakh	
30.	Proposed EMP cost	EMP in First Year - 11.50 Lakh EMP (Recurring Years) – 7.05 Lakh	
31.	Length and breadth of Haul Road.	Length- 400m, Width- more than 6.0 m	
32.	No. of Trees to be Planted	1000	

5. The mining would be restricted to unsaturated zone only above the phreatic water table and will not intersect the ground water table at any point of time.
6. This project does not attract any of the general conditions applicable on mining projects specified in EIA Notification 14/09/2006.
7. The mining operation will not be carried out in safety zone of any bridge or embankment or in eco-fragile zone such as habitat of any wild fauna.
8. There is no litigation pending in any court regarding this project.
9. The project proposal falls under category–1(a) of EIA Notification, 2006 (as amended).

The consultant (EIA Coordinator) also submitted an affidavit dated 08/08/2023 mentioning is as follows:

1. I, Pankaj Srivastava S/o Sri V.V. Srivastava am EIA Coordinator of Paramarsh Servicing Environment and Development.
2. I have prepared EIA report for EC in the name of M/s Khan Stone Crusher, Prop.- Shri Jaheer Khan S/o Shri Habeeb Khan for the “Granite Gitti, Khanda / Boulders” Project at Gata No.- 1078 (Khand No.- 19), Village- Gonda, Tehsil- Karwi, District- Chitrakoot, U.P. (Applied Area : 0.810 ha.) with my team.
3. I have personally visited the site of proposal and certify that no Mining activity has been undertaken on the project site for the present proposal.
4. I am satisfied with that all the necessary data/information submitted along with EIA are true and correct.
5. I certify that this project proposal has been uploaded for the first time on Parivesh Portal.
6. I certify that there is no mismatch between information/data provided on the online application submitted on Parivash Portal and hard copy which is submitted after acceptance of application.
7. I state that all the TOR Points have been complied and all the issues raised during Public Hearing is properly addressed in EIA report.
8. The EIA report for the Proposal has prepared by my team as per guideline laid down by QCI/NABET.

RESOLUTION AGAINST AGENDA NO. 03

The committee discussed the matter and recommended grant of environmental clearance for the project proposal along with general and specific conditions as annexed at Annexure-1 to these minutes. The committee also stipulated the following additional conditions:

1. Project proponent has committed to plant 1000 number of trees/hectare. The project proponent/consultant if desires may approach to concerned District Forest Authority to plant 1000 trees/ha on a land available to the Forest Department. The project proponent will deposit the required amount for this entire plantation work (including its maintenance and security) to the Forest Department.
2. The project proponent shall install solar light in their site office.
3. During the submission of 6 monthly compliance reports, the project proponent should make sure that the periodically taken site photographs should also be annexed along with the compliance report.
4. Preference should be given to indigenous local species as per the consultation of the local district Forest Officer.
5. The maximum height of the bench should be 06 meters and the width of the bench should be at least twice the height of the bench as per the mine plan approval letter by DGM, U.P
6. In case the blasting is proposed during a mining operation, the project proponent needs to assess its impact on the displacement of human beings/wild animals/birds/other species, and the suitable measures proposed and taken for their rehabilitation and resettlement need to be clearly described in first 6 monthly compliance report.
7. The project proponent shall submit a final mine closure plan/Exit protocol for rehabilitation of mined-out land to match its surrounding land use 3years before the closure of the mine to SEIAA, UP and Department of Mines and Geology, UP for approval. The project proponent shall ensure the implementation of the approved plan under the supervision of the Dept. of Mines and Geology.
8. The project proponent shall plan and implement collection drain and siltation basins of adequate size to arrest the silt and sediment flow from the quarry area. The surface runoff rainwater harvesting and other water conservation measures on a long-term basis are to be taken in consultation with the Central/State Groundwater Board. The water so collected should be utilized for watering the haulage area, roads, and green belt development, etc.
9. The project proponent shall take all suitable measures to prevent pollution of groundwater and nearby water bodies in consultation with the State Pollution Control Board and consent to operate (if applicable) should be obtained from the State Pollution Control Board before the start of production from the mine.
10. Link Road from the quarry site to the main road shall be constructed as an all-weather road with blacktopping and maintained by the project proponent.
11. Vehicular emissions should be kept under control and regularly monitored. Suitable measures shall be taken for proper maintenance of vehicles used in a quarry operation and transportation.
12. The project proponent should explore the possibilities of rainwater harvesting.
13. Agreement/ Consent between project proponent and competent authority/ landowner for haulage road from lease site to link road.
14. Latest technology (water sprinklers/ tankers) to be adopted for mitigating dust at source points in lease area and haulage road during operational activity/vehicular movement.
15. As per the proposed plan, plantation with area specific plant species, number of plants to be Planted and report of green belt development to be submitted to the Forest Department, UPPCB and Directorate of Environment, UP.

4. “Building Stone (Granite Khanda, Boulder, Bailast (Gitti))” Project at Gata No.- 342/6 (Khand No.- 05), Village- Jujhar, Tehsil- Mahoba, District- Mahoba, Shri Riyazuddin, Area : 2.024 ha., 8097/7516/SIA/UP/MIN/439868/2023

The consultant informed the committee that they are strictly following the rules, regulations and other instructions of QCI/NABET. A presentation was made by the project proponent along with their consultant M/s Paramarsh (Servicing Environment and Development), Lucknow, U.P. Based on the documents submitted and presentation made by the project proponent along with the consultant, the following facts have emerged: -

1. The environmental clearance is sought for “Building Stone (Granite Khanda, Boulder, Bailast (Gitti))” Project at Gata No.- 342/6 (Khand No.- 05), Village- Jujhar, Tehsil- Mahoba, District- Mahoba, U.P. (Applied Area : 2.024 ha.), M/s A.B. Associates.
2. The Terms of Reference in the matter were issued by SEIAA, U.P vide Letter No. 04/Parya/SEIAA/7516/2022, dated: 12/04/2023.
3. The Public Hearing was organized on 21/06/2023. Final EIA Report was submitted by the Project Proponent on 09/08/2023.

4. Salient features of the project as submitted by the project proponent:

1.	On-line proposal No.	SIA/UP/MIN/439868/2023		
2.	File No. allotted by SEIAA, UP	8097 / 7516		
3.	Name of Proponent	M/s A.B. Associates Prop.- Shri Riyazuddin S/o Shri Saeeduddin		
4.	Full correspondence address of proponent	R/o- Bagh No. 2, Shama Vihar Colony, Sarojani Nagar, Manas Nagar, District- Lucknow, U.P.		
5.	Name of Project	Building Stone (Granite Khanda, Boulder, Bailast (Gitti)) Mining Project		
6.	Project location (Plot/ Khasra /Gata No.)	Gata No.- 342/6 (Khand No.- 05)		
7.	Name of Village	Jujhar		
8.	Tehsil	Mahoba		
9.	District	Mahoba		
10.	Name of Minor Mineral	Building Stone (Granite Khanda, Boulder, Bailast (Gitti))		
11.	Sanctioned LeaseArea (inHa.)	2.024 ha.		
12.	Max.& Min mRL within lease area	205 mRL- 169 mRL		
13.	Pillar Coordinates(Verified by DMO)	Pillars	Latitude (N)	Longitude (E)
		A	25 ^o 23' 32.15"N	79 ^o 54' 44.68"E
		B	25 ^o 23' 32.42"N	79 ^o 54' 49.48"E
		C	25 ^o 23' 25,20"N	79 ^o 54' 51.02"E
		D	25 ^o 23' 27.85"N	79 ^o 54' 46.87"E
14.	Total Geological Reserves	2000084 m ³		
15.	Total Mineable Reserves	519838 m ³		
16.	Total Proposed Production (in five year)	354200 m ³		
17.	Proposed Production / year	70840m ³		
18.	Sanctioned Period of Mine lease	10 Years		
19.	Method of Mining	Opencast Semi-Mechanized		
20.	No.Of workers	37 (approx.)		
21.	Type of Land	Govt. revenue land		
22.	Nearest metalled road from site	0.40 km		
23.	Water Requirement	PURPOSE	REQUIREMENT (KLD)	
		Drinking& Others	0.40	
		Suppression of dust	0.60	
		Plantation	3.00	
		Total	4.00	
24.	Name of QCI Accredited Consultant with QCI No and period of validity.	M/s Paramarsh Servicing Environment and Development, Lucknow, U.P. QCI/NABET/EIA/2124/RA0224.		

		Validity-01/05/2024
25.	Any litigation pending against the project or land in any court	No
26.	Details of 500m Cluster certificate Verified by Mining Officer	DMO (Khanan Anubhag), Mahoba vide Letter No. 1941/MMC-30/ 2022-23, Dated 03.11.2022
27.	Details of Lease Area in approved DSR	DSR correction letter No.- 154/MMC-30-Khanij (2021-22) dated- 12.05.2021, Page No.-03, S.No.- 106
28.	Proposed CER cost	1.45 Lakh
29.	Proposed EMP cost	EMP in First Year –16.15 Lakh EMP (Recurring Years) – 7.10 Lakh
30.	Length and breadth of Haul Road.	Length- 0.10 km, Width- more than 6.0 m
31.	No. of Trees to be Planted	3000

5. The mining would be restricted to unsaturated zone only above the phreatic water table and will not intersect the ground water table at any point of time.
6. This project does not attract any of the general conditions applicable on mining projects specified in EIA Notification 14/09/2006.
7. The mining operation will not be carried out in safety zone of any bridge or embankment or in eco-fragile zone such as habitat of any wild fauna.
8. There is no litigation pending in any court regarding this project.
9. The project proposal falls under category–1(a) of EIA Notification, 2006 (as amended).

The consultant (EIA Coordinator) also submitted an affidavit dated 08/08/2023 mentioning is as follows:

1. I, Pankaj Srivastava S/o Sri V.V. Srivastava am EIA Coordinator of Paramarsh Servicing Environment and Development.
2. I have prepared EIA report for EC in the name of M/s A.B. Associates, Prop.- Shri Riyazuddin S/o Shri Saeeduddin for the “Building Stone (Granite Khanda, Boulder, Bailast (Gitti))” Project at Gata No.- 342/6 (Khand No.- 05), Village- Jujhar, Tehsil- Mahoba, District- Mahoba, U.P. (Applied Area : 2.024 ha.) with my team.
3. I have personally visited the site of proposal and certify that no Mining activity has been undertaken on the project site for the present proposal.
4. I am satisfied with that all the necessary data/information submitted along with EIA are true and correct.
5. I certify that this project proposal has been uploaded for the first time on Parivesh Portal.
6. I certify that there is no mismatch between information/data provided on the online application submitted on Parivash Portal and hard copy which is submitted after acceptance of application.
7. I state that all the TOR Points have been complied and all the issues raised during Public Hearing is properly addressed in EIA report.
8. The EIA report for the Proposal has prepared by my team as per guideline laid down by QCI/NABET.

RESOLUTION AGAINST AGENDA NO. 04

The committee discussed the matter and recommended grant of environmental clearance for the project proposal along with general and specific conditions as annexed at Annexure-1 to these minutes. The committee also stipulated the following additional conditions:

1. Project proponent has committed to plant 1000 number of trees/hectare. The project proponent/consultant if desires may approach to concerned District Forest Authority to plant 1000 trees/ha on a land available to the Forest Department. The project proponent will deposit the required amount for this entire plantation work (including its maintenance and security) to the Forest Department.
2. The project proponent shall install solar light in their site office.

3. During the submission of 6 monthly compliance reports, the project proponent should make sure that the periodically taken site photographs should also be annexed along with the compliance report.
4. Preference should be given to indigenous local species as per the consultation of the local district Forest Officer.
5. The maximum height of the bench should be 06 meters and the width of the bench should be at least twice the height of the bench as per the mine plan approval letter by DGM, U.P
6. In case the blasting is proposed during a mining operation, the project proponent needs to assess its impact on the displacement of human beings/wild animals/birds/other species, and the suitable measures proposed and taken for their rehabilitation and resettlement need to be clearly described in first 6 monthly compliance report.
7. The project proponent shall submit a final mine closure plan/Exit protocol for rehabilitation of mined-out land to match its surrounding land use 3 years before the closure of the mine to SEIAA, UP and Department of Mines and Geology, UP for approval. The project proponent shall ensure the implementation of the approved plan under the supervision of the Dept. of Mines and Geology.
8. The project proponent shall plan and implement collection drain and siltation basins of adequate size to arrest the silt and sediment flow from the quarry area. The surface runoff rainwater harvesting and other water conservation measures on a long-term basis are to be taken in consultation with the Central/State Groundwater Board. The water so collected should be utilized for watering the haulage area, roads, and green belt development, etc.
9. The project proponent shall take all suitable measures to prevent pollution of groundwater and nearby water bodies in consultation with the State Pollution Control Board and consent to operate (if applicable) should be obtained from the State Pollution Control Board before the start of production from the mine.
10. Link Road from the quarry site to the main road shall be constructed as an all-weather road with blacktopping and maintained by the project proponent.
11. Vehicular emissions should be kept under control and regularly monitored. Suitable measures shall be taken for proper maintenance of vehicles used in a quarry operation and transportation.
12. The project proponent should explore the possibilities of rainwater harvesting.
13. Agreement/ Consent between project proponent and competent authority/ landowner for haulage road from lease site to link road.
14. Latest technology (water sprinklers/ tankers) to be adopted for mitigating dust at source points in lease area and haulage road during operational activity/vehicular movement.
15. As per the proposed plan, plantation with area specific plant species, number of plants to be Planted and report of green belt development to be submitted to the Forest Department, UPPCB and Directorate of Environment, UP.

5. Sand/Morrum/Bajri Excavation Project At Gata No. -1/1/1, Laat No.- 38, Village – Nuniyari Aehatmal Tehsil – Behat & District – Saharanpur, Shri Dhanpal Singh & Shri Rajeev Bhatia, M/s Shanti Enterprises, Area-24.29 Ha., 8103/7546/SIA/UP/MIN/440229/2023

RESOLUTION AGAINST AGENDA NO. 05

Due to technical problem the SEAC could not see the drone survey conducted by the project proponent. Hence, the SEAC decided to take up the matter tomorrow meeting i.e. 12/09/2023.

6. “Building Stone (Granite Khanda, Boulder, Bailast (Gitti))” Project at Gata No.- 2/4 (Khand No.- 03), Village- Jujhar, Tehsil- Mahoba, District- Mahoba, Shri Ashwani Rawat, Area : 4.048 ha., 8105/7454/SIA/UP/MIN/440087/2023

The consultant informed the committee that they are strictly following the rules, regulations and other instructions of QCI/NABET. A presentation was made by the project proponent along with their consultant M/s Paramarsh (Servicing Environment and Development), Lucknow, U.P. Based on

the documents submitted and presentation made by the project proponent along with the consultant, the following facts have emerged: -

1. The environmental clearance is sought for Building Stone (Granite Khanda, Boulder, Bailast (Gitti)) Mining at Gata No.- 2/4 (Khand No.- 03), Village- Jujhar, Tehsil- Mahoba, District- Mahoba, U.P. (Applied Area- 4.048 ha.), P.N.C. Mining Private Limited.
2. The Terms of Reference in the matter were issued by SEIAA, U.P vide Letter No. 399/Parya/SEIAA/7454/2022, dated: 24/03/2023.
3. The Public Hearing was organized on 21/06/2023. Final EIA Report was submitted by the Project Proponent on 14/08/2023.
4. Salient features of the project as submitted by the project proponent:

4. Sanction features of the project as submitted by the project proponent.			
1.	On-line proposal No.	SIA/UP/MIN/440087/2023	
2.	File No. allotted by SEIAA, UP	8105 / 7454	
3.	Name of Proponent	P.N.C. Mining Private Limited, Auth. Representative- Shri Ashwani Rawat S/o Shri Devi Prasad Rawat	
4.	Full correspondence address of proponent	Add.- Head Office D- 5/7, Vasant Vihar, New Delhi	
5.	Name of Project	Building Stone (Granite Khanda, Boulder, Bailast (Gitti)) Mining Project	
6.	Project location (Plot/ Khasra /Gata No.)	Gata No.- 2/4 (Khand No.- 03)	
7.	Name of Village	Jujhar	
8.	Tehsil	Mahoba	
9.	District	Mahoba	
10.	Name of Minor Mineral	Building Stone (Granite Khanda, Boulder, Bailast (Gitti))	
11.	Sanctioned Lease Area (in Ha.)	4.048 ha.	
12.	Max.& Min mRL within lease area	202 mRL- 154 mRL	
13.	Pillar Coordinates (Verified by DMO)	Pillars	Latitude (N) Longitude (E)
		A	25° 24' 13.77"N 79° 55' 16.52"E
		B	25° 24' 23.07"N 79° 55' 25.49"E
		C	25° 24' 20.39"N 79° 55' 27.85"E
		D	25° 24' 12.08"N 79° 55' 19.82"E
		E	25° 24' 12.03"N 79° 55' 19.00"E
		F	25° 24' 10.84"N 79° 55' 18.51"E
		G	25° 24' 11.18"N 79° 55' 17.49"E
14.	Total Geological Reserves	3537009 m ³	
15.	Total Mineable Reserves	977763 m ³	
16.	Total Proposed Production (in five year)	809600 m ³	
17.	Proposed Production / year	161920 m ³	
18.	Sanctioned Period of Mine lease	10 Years	
19.	Method of Mining	Opencast Semi-Mechanized	
20.	No.of working days	300 days	
21.	Type of Land	Govt. revenue land	
22.	Nearest metalled road from site	0.10 km	
23.	Water Requirement	PURPOSE	REQUIREMENT (KLD)
		Drinking & Others	0.40
		Suppression of dust	0.60
		Plantation	5.00
		Total	6.00
24.	Name of QCI Accredited Consultant with QCI No and period of validity.	M/s Paramarsh (Servicing Environment and Development), Lucknow, U.P. QCI/NABET/EIA/2124/RA0224, Validity-01/05/2024	
25.	Any litigation pending against the project or land in any court	No	
26.	Details of 500m Cluster certificate Verified by Mining Officer	DMO (Khanan Anubhag), Mahoba vide Letter No. 1416/MMC-30/ 2021-22, Dated 16.08.2022	
27.	Details of Lease Area in approved DSR	Sudhi Patra No.-154/ MMC-30-Khanij (2021-22).	

		Dated 12-05-2021 at Page No.-04, S.No.- 123
28.	Proposed CER cost	1.60 Lakh
29.	Proposed EMP cost	EMP in First Year - 22.15 Lakh EMP (Recurring Years) – 8.50 Lakh
30.	Length and breadth of Haul Road.	Length- 0.10 km, Width- more than 6.0 m
31.	No. of Trees to be Planted	5000

5. The mining would be restricted to unsaturated zone only above the phreatic water table and will not intersect the ground water table at any point of time.
6. This project does not attract any of the general conditions applicable on mining projects specified in EIA Notification 14/09/2006.
7. The mining operation will not be carried out in safety zone of any bridge or embankment or in eco-fragile zone such as habitat of any wild fauna.
8. There is no litigation pending in any court regarding this project.
9. The project proposal falls under category–1(a) of EIA Notification, 2006 (as amended).

The consultant (EIA Coordinator) also submitted an affidavit dated 11/08/2023 mentioning is as follows:

1. I, Pankaj Srivastava S/o Sri V.V. Srivastava am EIA Coordinator of Paramarsh Servicing Environment and Development.
2. I have prepared EIA report for EC in the name of P.N.C. Mining Private Limited, Auth. Representative- Shri Ashwani Rawat S/o Shri Devi Prasad Rawat for the “Building Stone (Granite Khanda, Boulder, Bailast (Gitti))” Project at Gata No.- 2/4 (Khand No.- 03), Village- Jujhar, Tehsil- Mahoba, District- Mahoba, U.P. (Applied Area : 4.048 ha.) with my team.
3. I have personally visited the site of proposal and certify that no Mining activity has been undertaken on the project site for the present proposal.
4. I am satisfied with that all the necessary data/information submitted along with EIA are true and correct.
5. I certify that this project proposal has been uploaded for the first time on Parivesh Portal.
6. I certify that there is no mismatch between information/data provided on the online application submitted on Parivash Portal and hard copy which is submitted after acceptance of application.
7. I state that all the TOR Points have been complied and all the issues raised during Public Hearing is properly addressed in EIA report.
8. The EIA report for the Proposal has prepared by my team as per guideline laid down by QCI/NABET.

RESOLUTION AGAINST AGENDA NO. 06

The committee discussed the matter and recommended grant of environmental clearance for the project proposal along with general and specific conditions as annexed at Annexure-1 to these minutes. The committee also stipulated the following additional conditions:

1. Project proponent has committed to plant 1000 number of trees/hectare. The project proponent/consultant if desires may approach to concerned District Forest Authority to plant 1000 trees/ha on a land available to the Forest Department. The project proponent will deposit the required amount for this entire plantation work (including its maintenance and security) to the Forest Department.
2. The project proponent shall install solar light in their site office.
3. During the submission of 6 monthly compliance reports, the project proponent should make sure that the periodically taken site photographs should also be annexed along with the compliance report.
4. Preference should be given to indigenous local species as per the consultation of the local district Forest Officer.
5. The maximum height of the bench should be 06 meters and the width of the bench should be at least twice the height of the bench as per the mine plan approval letter by DGM, U.P

6. In case the blasting is proposed during a mining operation, the project proponent needs to assess its impact on the displacement of human beings/wild animals/birds/other species, and the suitable measures proposed and taken for their rehabilitation and resettlement need to be clearly described in first 6 monthly compliance report.
7. The project proponent shall submit a final mine closure plan/Exit protocol for rehabilitation of mined-out land to match its surrounding land use 3years before the closure of the mine to SEIAA, UP and Department of Mines and Geology, UP for approval. The project proponent shall ensure the implementation of the approved plan under the supervision of the Dept. of Mines and Geology.
8. The project proponent shall plan and implement collection drain and siltation basins of adequate size to arrest the silt and sediment flow from the quarry area. The surface runoff rainwater harvesting and other water conservation measures on a long-term basis are to be taken in consultation with the Central/State Groundwater Board. The water so collected should be utilized for watering the haulage area, roads, and green belt development, etc.
9. The project proponent shall take all suitable measures to prevent pollution of groundwater and nearby water bodies in consultation with the State Pollution Control Board and consent to operate (if applicable) should be obtained from the State Pollution Control Board before the start of production from the mine.
10. Link Road from the quarry site to the main road shall be constructed as an all-weather road with blacktopping and maintained by the project proponent.
11. Vehicular emissions should be kept under control and regularly monitored. Suitable measures shall be taken for proper maintenance of vehicles used in a quarry operation and transportation.
12. The project proponent should explore the possibilities of rainwater harvesting.
13. Agreement/ Consent between project proponent and competent authority/ landowner for haulage road from lease site to link road.
14. Latest technology (water sprinklers/ tankers) to be adopted for mitigating dust at source points in lease area and haulage road during operational activity/vehicular movement.
15. As per the proposed plan, plantation with area specific plant species, number of plants to be Planted and report of green belt development to be submitted to the Forest Department, UPPCB and Directorate of Environment, UP.

7. “Gitti / Patthar Mining” Project at Gata No.- New 360 (Old 918) , Village- Mataundh, Tehsil- Banda, District- Banda, Smt. Shivani Singh, Area- 1.821 ha., 8107/SIA/UP/MIN/440191/2023

The consultant informed the committee that they are strictly following the rules, regulations and other instructions of QCI/NABET. A presentation was made by the project proponent along with their consultant M/s Paramarsh (Servicing Environment and Development), Lucknow, U.P. Based on the documents submitted and presentation made by the project proponent along with the consultant, the following facts have emerged: -

1. The environmental clearance is sought for Gitti / Patthar Mining at Gata No.- New 360 (Old 918),Village- Mataundh, Tehsil- Banda, District- Banda, U.P. (Leased Area- 1.821 ha.).
2. Salient features of the project as submitted by the project proponent:

1.	On-line proposal No.	SIA/UP/MIN/440191/2023
2.	File No. allotted by SEIAA, UP	8107
3.	Name of Proponent	M/s Shailendra Singh, Partner- Smt. Shivani Singh W/o Shri Narendra Singh
4.	Full correspondence address of proponent	R/o- Mahoba Road, Civil Lines, Kyotra, District- Banda, U.P.
5.	Name of Project	Gitti / Patthar Mining Project
6.	Project location (Plot/ Khasra /Gata No.)	Gata No.- New 360 (Old 918)
7.	Name of Village	Mataundh
8.	Tehsil	Banda
9.	District	Banda

10.	Name of Minor Mineral	Gitti / Patthar	
11.	Sanctioned Lease Area (in Ha.)	1.821 ha.	
12.	Max.& Min mRL within lease area	162 mRL- 156 mRL	
13.	Pillar Coordinates (Verified by DMO)	Pillars	Latitude (N) Longitude (E)
		A	25° 26' 30.64"N 80° 09' 08.25"E
		B	25° 26' 28.75"N 80° 09' 06.06"E
		C	25° 26' 28.91"N 80° 09' 05.88"E
		D	25° 26' 28.49"N 80° 09' 05.03"E
		E	25° 26' 26.72"N 80° 09' 04.73"E
		F	25° 26' 26.12"N 80° 09' 02.30"E
		G	25° 26' 27.17"N 80° 09' 01.83"E
		H	25° 26' 31.66"N 80° 09' 03.09"E
		I	25° 26' 32.16"N 80° 09' 06.46"E
		J	25° 26' 31.62"N 80° 09' 07.49"E
14.	Total Geological Reserves	1408155 m ³	
15.	Total Mineable Reserves	269817 m ³	
16.	Total Proposed Production (in five year)	136575 m ³	
17.	Proposed Production / year	27315 m ³	
18.	Sanctioned Period of Mine lease	10 Years	
19.	Method of Mining	Opencast Semi-Mechanized	
20.	No.Of workers	33 (approx.)	
21.	Type of Land	Govt. revenue land	
22.	Nearest metalled road from site	200m	
23.	Water Requirement	PURPOSE	REQUIREMENT (KLD)
		Drinking & Others	0.40
		Suppression of dust	1.20
		Plantation	2.00
		Total	3.60
24.	Name of QCI Accredited Consultant with QCI No and period of validity.	M/s Paramarsh (Servicing Environment and Development), Lucknow, U.P. QCI/NABET/EIA/2124/RA0224, Validity- 01/05/2024	
25.	Any litigation pending against the project or land in any court	No	
26.	Details of 500 m Cluster certificate Verified by Mining Officer	DMO, Banda (Khanan Anubhag) vide Letter No. 2171/Khanij-30, Banda Dated- 11.07.2023	
27.	Details of Lease Area in approved DSR	DSR Page No.-28, Table-10, S.No.- 01 with Sudhi Patra No.-188/ Khanij-30, Banda, Dated- 23-08-2023.	
28.	Proposed CER cost	1.30 Lakh	
29.	Proposed EMP cost	EMP in First Year - 13.70 Lakh EMP (Recurring Years) – 6.95 Lakh	
30.	Length and breadth of Haul Road.	Length- 200m, Width- more than 6.0 m	
31.	No. of Trees to be Planted	2000	

- The mining would be restricted to unsaturated zone only above the phreatic water table and will not intersect the ground water table at any point of time.
- This project does not attract any of the general conditions applicable on mining projects specified in EIA Notification 14/09/2006.
- The mining operation will not be carried out in safety zone of any bridge or embankment or in eco-fragile zone such as habitat of any wild fauna.
- There is no litigation pending in any court regarding this project.
- The project proposal falls under category–1(a) of EIA Notification, 2006 (as amended).

The consultant (EIA Coordinator) also submitted an affidavit dated 11/08/2023 mentioning is as follows:

- I, Pankaj Srivastava S/o Sri V.V. Srivastava am EIA Coordinator of Paramarsh Servicing Environment and Development.

2. I have prepared EMP report for EC in the name of M/s Shailendra Singh, Partner- Smt. Shivani Singh W/o Shri Narendra Singh, for the Proposed “Gitti / Patthar” Project at Gata No.- New 360 (Old 918), Village- Mataundh, Tehsil- Banda, District- Banda, U.P. (Applied Area : 1.821 ha.) with my team.
3. I have personally visited the site of proposal and certify that no Mining activity has been undertaken on the project site for the present proposal.
4. I am satisfied with that all the necessary data/information submitted along with EMP are true and correct.
5. I certify that this project proposal has been uploaded for the first time on Parivash Portal.
6. I certify that there is no mismatch between information/data provided on the online application submitted on Parivash Portal and hard copy which is submitted after acceptance of application.
7. The EMP report for the Proposal is prepared by my team as per guideline laid down by QCI/NABET.

RESOLUTION AGAINST AGENDA NO. 07

The committee discussed the matter and recommended grant of environmental clearance for the project proposal along with general and specific conditions as annexed at Annexure-1 to these minutes. The committee also stipulated the following additional conditions:

1. Project proponent has committed to plant 1000 number of trees/hectare. The project proponent/consultant if desires may approach to concerned District Forest Authority to plant 1000 trees/ha on a land available to the Forest Department. The project proponent will deposit the required amount for this entire plantation work (including its maintenance and security) to the Forest Department.
2. The project proponent shall install solar light in their site office.
3. During the submission of 6 monthly compliance reports, the project proponent should make sure that the periodically taken site photographs should also be annexed along with the compliance report.
4. Preference should be given to indigenous local species as per the consultation of the local district Forest Officer.
5. The maximum height of the bench should be 06 meters and the width of the bench should be at least twice the height of the bench as per the mine plan approval letter by DGM, U.P
6. In case the blasting is proposed during a mining operation, the project proponent needs to assess its impact on the displacement of human beings/wild animals/birds/other species, and the suitable measures proposed and taken for their rehabilitation and resettlement need to be clearly described in first 6 monthly compliance report.
7. The project proponent shall submit a final mine closure plan/Exit protocol for rehabilitation of mined-out land to match its surrounding land use 3years before the closure of the mine to SEIAA, UP and Department of Mines and Geology, UP for approval. The project proponent shall ensure the implementation of the approved plan under the supervision of the Dept. of Mines and Geology.
8. The project proponent shall plan and implement collection drain and siltation basins of adequate size to arrest the silt and sediment flow from the quarry area. The surface runoff rainwater harvesting and other water conservation measures on a long-term basis are to be taken in consultation with the Central/State Groundwater Board. The water so collected should be utilized for watering the haulage area, roads, and green belt development, etc.
9. The project proponent shall take all suitable measures to prevent pollution of groundwater and nearby water bodies in consultation with the State Pollution Control Board and consent to operate (if applicable) should be obtained from the State Pollution Control Board before the start of production from the mine.
10. Link Road from the quarry site to the main road shall be constructed as an all-weather road with blacktopping and maintained by the project proponent.
11. Vehicular emissions should be kept under control and regularly monitored. Suitable measures shall be taken for proper maintenance of vehicles used in a quarry operation and transportation.

12. The project proponent should explore the possibilities of rainwater harvesting.
13. Agreement/ Consent between project proponent and competent authority/ landowner for haulage road from lease site to link road.
14. Latest technology (water sprinklers/ tankers) to be adopted for mitigating dust at source points in lease area and haulage road during operational activity/vehicular movement.
15. As per the proposed plan, plantation with area specific plant species, number of plants to be Planted and report of green belt development to be submitted to the Forest Department, UPPCB and Directorate of Environment, UP.

8. “Building Stone (Khanda, Boulder, Bailast (Gitti))” Project at Gata No.- 712, Village- Chhikahra, Tehsil- Mahoba, District- Mahoba, Shri Kamlesh Singh Area : 2.024 ha., 8109/7576/SIA/UP/MIN/440228/2023

The consultant informed the committee that they are strictly following the rules, regulations and other instructions of QCI/NABET. A presentation was made by the project proponent along with their consultant M/s Paramarsh (Servicing Environment and Development), Lucknow, U.P. Based on the documents submitted and presentation made by the project proponent along with the consultant, the following facts have emerged: -

1. The environmental clearance is sought for Building Stone (Khanda, Boulder, Bailast (Gitti)) Mining at Gata No.- 712 (Khand No.- 03), Village- Chhikahra, Tehsil & District- Mahoba, U.P. (Leased Area- 2.024 ha.).
2. The Terms of Reference in the matter were issued by SEIAA, U.P vide Letter No. 33/Parya/SEIAA/7576/2022, dated: 05/05/2023.
3. The Public Hearing was organized on 22/07/2023. Final EIA Report was submitted by the Project Proponent on 14/08/2023.
4. Salient features of the project as submitted by the project proponent:

1.	On-line proposal No.	SIA/UP/MIN/440228/2023																											
2.	File No. allotted by SEIAA, UP	8109, 7576																											
3.	Name of Proponent	Shri Kamlesh Singh S/o Shri Brijraj Singh																											
4.	Full correspondence address of proponent	R/o- 74 Kha, Raipura Khurd, Bilbai, District- Mahoba, U.P.																											
5.	Name of Project	Building Stone (Khanda, Boulder, Bailast (Gitti)) Mining Project																											
6.	Project location (Plot/ Khasra /Gata No.)	Gata No.- 712 (Khand No.- 03)																											
7.	Name of Village	Chhikahra																											
8.	Tehsil	Mahoba																											
9.	District	Mahoba																											
10.	Name of Minor Mineral	Building Stone (Khanda, Boulder, Bailast (Gitti))																											
11.	Sanctioned Lease Area (in Ha.)	2.024 ha.																											
12.	Max.& Min mRL within lease area	213 mRL- 183 mRL																											
13.	Pillar Coordinates(Verified by DMO)	<table border="1"> <thead> <tr> <th>Pillars</th><th>Latitude (N)</th><th>Longitude (E)</th></tr> </thead> <tbody> <tr> <td>A</td><td>25° 22' 01.80"N</td><td>79° 52' 43.32"E</td></tr> <tr> <td>B</td><td>25° 22' 01.11"N</td><td>79° 52' 44.80"E</td></tr> <tr> <td>C</td><td>25° 22' 01.27"N</td><td>79° 52' 45.20"E</td></tr> <tr> <td>D</td><td>25° 22' 02.18"N</td><td>79° 52' 44.37"E</td></tr> <tr> <td>E</td><td>25° 22' 05.92"N</td><td>79° 52' 44.48"E</td></tr> <tr> <td>F</td><td>25° 22' 04.41"N</td><td>79° 52' 47.78"E</td></tr> <tr> <td>G</td><td>25° 21' 58.37"N</td><td>79° 52' 47.27"E</td></tr> <tr> <td>H</td><td>25° 21' 58.88"N</td><td>79° 52' 43.42"E</td></tr> </tbody> </table>	Pillars	Latitude (N)	Longitude (E)	A	25° 22' 01.80"N	79° 52' 43.32"E	B	25° 22' 01.11"N	79° 52' 44.80"E	C	25° 22' 01.27"N	79° 52' 45.20"E	D	25° 22' 02.18"N	79° 52' 44.37"E	E	25° 22' 05.92"N	79° 52' 44.48"E	F	25° 22' 04.41"N	79° 52' 47.78"E	G	25° 21' 58.37"N	79° 52' 47.27"E	H	25° 21' 58.88"N	79° 52' 43.42"E
Pillars	Latitude (N)	Longitude (E)																											
A	25° 22' 01.80"N	79° 52' 43.32"E																											
B	25° 22' 01.11"N	79° 52' 44.80"E																											
C	25° 22' 01.27"N	79° 52' 45.20"E																											
D	25° 22' 02.18"N	79° 52' 44.37"E																											
E	25° 22' 05.92"N	79° 52' 44.48"E																											
F	25° 22' 04.41"N	79° 52' 47.78"E																											
G	25° 21' 58.37"N	79° 52' 47.27"E																											
H	25° 21' 58.88"N	79° 52' 43.42"E																											
14.	Total Geological Reserves	2107319 m ³																											
15.	Total Mineable Reserves	433209 m ³																											
16.	Total Proposed Production (in five year)	361790 m ³																											
17.	Proposed Production / year	72358 m ³																											
18.	Sanctioned Period of Mine lease	10 Years																											
19.	Method of Mining	Opencast Semi-Mechanized																											

20.	No.Of workers	38 (approx.)	
21.	Type of Land	Govt. revenue land	
22.	Ultimate Depth of Mining	6 meter (average)	
23.	Nearest metalled road from site	200m	
24.	Water Requirement	PURPOSE	REQUIREMENT (KLD)
		Drinking & Others	0.40
		Suppression of dust	1.20
		Plantation	3.00
		Others(if any)	-----
		Total	4.60
25.	Name of QCI Accredited Consultant with QCI No and period of validity.	M/s Paramarsh (Servicing Environment and Development), Lucknow, U.P. QCI/NABET/EIA/2124/RA0224, Validity-01/05/2024	
26.	Any litigation pending against the project or land in any court	No	
27.	Details of 500 m Cluster certificate Verified by Mining Officer	DMO (Khanan Anubhag) Mahoba vide Letter No. 1845/MMC-30/2022-23, Dated 19.10.2022	
28.	Details of Lease Area in approved DSR	Page No.-02, S.No.- 39	
29.	Proposed CER cost	1.50 Lakh	
30.	Proposed EMP cost	EMP in First Year - 16.20 Lakh EMP (Recurring Years) – 7.15 Lakh	
31.	Length and breadth of Haul Road.	Length- 200m, Width- more than 6.0 m	
32.	No. of Trees to be Planted	3000	

5. The mining would be restricted to unsaturated zone only above the phreatic water table and will not intersect the ground water table at any point of time.
6. This project does not attract any of the general conditions applicable on mining projects specified in EIA Notification 14/09/2006.
7. The mining operation will not be carried out in safety zone of any bridge or embankment or in eco-fragile zone such as habitat of any wild fauna.
8. There is no litigation pending in any court regarding this project.
9. The project proposal falls under category–1(a) of EIA Notification, 2006 (as amended).

The consultant (EIA Coordinator) also submitted an affidavit dated 11/08/2023 mentioning is as follows:

1. I, Pankaj Srivastava S/o Sri V.V. Srivastava am EIA Coordinator of Paramarsh Servicing Environment and Development.
2. I have prepared EIA report for EC in the name of Shri Kamlesh Singh S/o Shri Brijraj Singh for the “Building Stone (Granite Khanda, Boulder, Bailast (Gitti))” Project at Arajai No.- 712 (Khand No.- 03), Village- Chhikahra, Tehsil- Mahoba, District- Mahoba, U.P. (Applied Area : 2.024 ha.) with my team.
3. I have personally visited the site of proposal and certify that no Mining activity has been undertaken on the project site for the present proposal.
4. I am satisfied with that all the necessary data/information submitted along with EIA are true and correct.
5. I certify that this project proposal has been uploaded for the first time on Parivesh Portal.
6. I certify that there is no mismatch between information/data provided on the online application submitted on Parivash Portal and hard copy which is submitted after acceptance of application.
7. I state that all the TOR Points have been complied and all the issues raised during Public Hearing is properly addressed in EIA report.
8. The EIA report for the Proposal has prepared by my team as per guideline laid down by QCI/NABET.

RESOLUTION AGAINST AGENDA NO. 08

The committee discussed the matter and recommended grant of environmental clearance for the project proposal along with general and specific conditions as annexed at Annexure-1 to these minutes. The committee also stipulated the following additional conditions:

1. Project proponent has committed to plant 1000 number of trees/hectare. The project proponent/consultant if desires may approach to concerned District Forest Authority to plant 1000 trees/ha on a land available to the Forest Department. The project proponent will deposit the required amount for this entire plantation work (including its maintenance and security) to the Forest Department.
2. The project proponent shall install solar light in their site office.
3. During the submission of 6 monthly compliance reports, the project proponent should make sure that the periodically taken site photographs should also be annexed along with the compliance report.
4. Preference should be given to indigenous local species as per the consultation of the local district Forest Officer.
5. The maximum height of the bench should be 06 meters and the width of the bench should be at least twice the height of the bench as per the mine plan approval letter by DGM, U.P
6. In case the blasting is proposed during a mining operation, the project proponent needs to assess its impact on the displacement of human beings/wild animals/birds/other species, and the suitable measures proposed and taken for their rehabilitation and resettlement need to be clearly described in first 6 monthly compliance report.
7. The project proponent shall submit a final mine closure plan/Exit protocol for rehabilitation of mined-out land to match its surrounding land use 3years before the closure of the mine to SEIAA, UP and Department of Mines and Geology, UP for approval. The project proponent shall ensure the implementation of the approved plan under the supervision of the Dept. of Mines and Geology.
8. The project proponent shall plan and implement collection drain and siltation basins of adequate size to arrest the silt and sediment flow from the quarry area. The surface runoff rainwater harvesting and other water conservation measures on a long-term basis are to be taken in consultation with the Central/State Groundwater Board. The water so collected should be utilized for watering the haulage area, roads, and green belt development, etc.
9. The project proponent shall take all suitable measures to prevent pollution of groundwater and nearby water bodies in consultation with the State Pollution Control Board and consent to operate (if applicable) should be obtained from the State Pollution Control Board before the start of production from the mine.
10. Link Road from the quarry site to the main road shall be constructed as an all-weather road with blacktopping and maintained by the project proponent.
11. Vehicular emissions should be kept under control and regularly monitored. Suitable measures shall be taken for proper maintenance of vehicles used in a quarry operation and transportation.
12. The project proponent should explore the possibilities of rainwater harvesting.
13. Agreement/ Consent between project proponent and competent authority/ landowner for haulage road from lease site to link road.
14. Latest technology (water sprinklers/ tankers) to be adopted for mitigating dust at source points in lease area and haulage road during operational activity/vehicular movement.
15. As per the proposed plan, plantation with area specific plant species, number of plants to be Planted and report of green belt development to be submitted to the Forest Department, UPPCB and Directorate of Environment, UP.

9. Hotel and Commercial building at Khasra No.- 490, 491, 494, 495, 496, & 497, Village- Noor Nagar, District - Ghaziabad, U.P., Shri Devendra Singh, 8111/SIA/UP/INFRA2/440376/2023

The consultant informed the committee that they are strictly following the rules, regulations and other instructions of QCI/NABET. A presentation was made by the project proponent along with their consultant M/s Paramarsh Servicing Environment and Development, U.P. Based on the documents submitted and presentation made by the project proponent along with the consultant, the following facts have emerged: -

1. The environmental clearance is sought for Hotel and Commercial building at Khasra No.- 490, 491, 494, 495, 496, & 497, Village- Noor Nagar, District - Ghaziabad, U.P., M/s Nakshatr Infratech LLP.
2. Salient features of the project:

Nature of project	Hotel and Commercial Development
Size of project	Plot area as per record- 8560.00sqm As per site condition – 8134.24sqm Total Built-up Area – 28247.67 sqm
Location of project	Village- Noor Nagar, Tehsil and District – Ghaziabad , Uttar Pradesh
Geographical Extent	Latitude: 28°42'8.22"N Longitude: 77°24'37.91"E Maximum elevation above MSL - 112m
Land Use	Th total plot area for the development of proposed Hotel and commercial development is 8560.00sq.m, and is categorized as COMMERCIAL LAND USE as per the Master Plan, 2031 of Ghaziabad Development Authority (GDA).
Land Acquisition details	The total project area is 8560.00sqm (khasra no 490, 491, 494, 495, 496, & 497) and it is already owned by the Company.
Approval by Town Planning Authority	The layout and building plans has been approved by Ghaziabad Development Authority (GDA) on dated 08.06.2023.
Structural Design certificate	The structural design and drawing vetted by Indian Institute of Technology (IIT) Roorkee on 13.01.2023.
Total Cost of the project	102.89 crores
Water Requirement	Fresh water demand – 193KLD Flushing water demand – 98KLD Total water requirement - 291KLD
Waste Water	253KLD
STP Capacity	275KLD
Treated water	202KLD
Source of water	Municipal supply augmented by Groundwater
Rain water harvesting pits (RWH pits)	03 no of rain water harvesting (RWH) pits proposed for effective recharge of rain water.
Power Requirement	2678 KVA (UPPCL)
Backup Power	DG sets: 1010 KVA DG Set considering almost 100% power backup for entire complex.
Parking Details	
Total area required for parking	3946.25Sqm
Total area provided for parking	16464.34Sqm
Man-power Requirement	50 nos
Solid Waste Details	
Total Solid Waste Generation	500kg/day
Landscape Waste (@0.0036/sqm/day)	1.02kg/day
E-waste (0.15 kg/C/Yr.)	<1 kg/yr
Management opted for organic waste	Organic waste convertor technology adopted for bio-degradable waste management.
Green area Details	
Total proposed Green and Open Area	409.18sqm
Req. No of Trees	82

Proposed No. of Trees	90
-----------------------	----

3. Area details:

	Area Details	Sq. Mts
1	Area of plot as per record	8560.00
2	Net area of Plot (1-2) Area of plot	8134.24
	Green and open space	489.40
	Plot area for FAR	8134.24
	Total Perm. Far area (2.50)	20335.60
3	Permissible ground coverage area (40%)	3253.70
	Proposed ground coverage area (39.47%)	3210.64

4. Water requirement details:

DOMESTIC WATER REQUIREMENT						
S. No.	Description	Occupancy	Units/Area	Total Population	Total water Req.	
					L/Head	LPD
COMMERCIAL COMPLEX						
1	Hotel rooms	208 units	2 person/unit	416	260	108160
	Staff	10% of hotel population		42	25	1050
2	Commercial Area					
	1st Basement + Ground floor	6066 sqm	3 sqm/person	2022	25	50550
	First floor	2313 sqm	6 sqm/person	386	5	1930
	Visitors	90% of total population of commercial area	-	2168	5	10840
	Staff	10% of total population of commercial area	-	241	25	6025
3	Multipurpose hall					
	Ground floor	800 sqm	1.8 sqm/person	445	25	11125
	Second floor	3327 sqm	1.8 sqm/person	1849	25	46225
4	KITCHEN				L.S.	10000
Total Water Requirement						193425
SAY						193KL
Total Fresh and flushing water requirement during operation phase shall be 292KLD and the sewage generated shall be about 253KLD, which will be treated in the Sewage Treatment Plant of capacity 275KLD. The treated water from the STP of quantity 202KLD shall be reused for Landscaping activities (1.0KLD) and DG set cooling (44.0KLD) within premises and the rest 59KLD treated water discharged into municipal sewer line.						

5. Solid waste generation details:

S. No.	Category	kg per capita per day	Waste generated (kg/day)
1.	Staff	283 @ 0.25 kg/day	70.75
2.	Hotel Room	208 @ 0.5 kg/day	104
3.	Commercial	2168 @ 0.15 kg/day	325.2
	TOTAL SOLID WASTE GENERATED		500 kg/day

6. Parking details:

Vehicle Type	Required		Proposed	
	No.	Area (sqm)	No.	Area (sqm)
Equivalent Car Space			187	2571.25
Two Stack Car			-	-
Three Stack car			160	2200.00
Total car	287	3946.25	347	4771.25
Visitor car parking	-	-	-	5170.95
Other parking	-	-	-	6522.114
Total	-	3946.25	347	16464.34

7. The project proposal falls under category-8(a) of EIA Notification, 2006 (as amended).

The consultant (EIA Coordinator) also submitted an affidavit dated 05/09/2023 mentioning is as follows:

1. I, Dr. Manjul Gupta, W/o Shri Saurabh Gupta is EIA Coordinator of M/s M/s Paramarsh Servicing Environment and Development, U.P.
2. I have prepared the Form-1, 1A and Conceptual Plan for the file no. 8111, Proposal No. SIA/UP/Infra2/440376/2023, for the project Hotel and Commercial building at Khasra No.- 490, 491, 494, 495, 496, & 497, Village- Noor Nagar, District - Ghaziabad, U.P., M/s Nakshatr Infratech LLP with my team.
3. I have personally visited the site and certify that no construction activity has been undertaken on the project site for the present proposal.
4. I am satisfied with that all the necessary data/information submitted along with EC application are true and correct.
5. I certify that this project has been uploaded for first time on Parivesh Portal.
6. I certify that there will be no mismatch between information/data provided on the online application submitted on Parivesh Portal and hard copy/presentation submitted which will be submitted after acceptance of application.
7. The EC application for the Proposal is prepared by my team as per guidelines laid down by QCI/ NABET.

RESOLUTION AGAINST AGENDA NO. 09

The committee discussed the matter and recommended grant of environmental clearance on the proposal as above alongwith standard environmental clearance conditions prescribed by MoEF&CC, GoI and following additional conditions:

Additional Conditions:

1. Project proponent is advised to explore the possibility and getting the cement in a closed container rather through the plastic bag to prevent dust emissions at the time of loading/unloading.
2. Project proponent should ensure that there will be no use of "Single use of Plastic" (SUP).
3. In compliance to Hon'ble Supreme Court order dated 13/01/2020 in IA no. 158128/2019 and 158129/2019 in Writ petition no. 13029/1985 (MC Mehta Vs. GoI and others) anti-smog guns shall be installed to reduce dust during excavation.
4. The project proponent will ensure that there is no mismatch/deviation between the project proposal submitted to SEIAA for environmental clearance and maps/drawings were approved by concerned development authority. In case of any mismatch/deviation, amended environmental clearance will be obtained by project proponent. In case of failure, the granted environmental clearance shall automatically deem to be cancelled.
5. The proponent should provide the sufficient electric vehicle charging points as per the requirements at ground level and allocate the safe and suitable place in the premises for the same.
6. The project proponent should develop green belt in the housing scheme as per the plan submitted and also follow the guidelines of CPCB/Development authority for green belt as per the norms. The project proponent will prepare working plan of plantation/green belt development showing type of plant species and their spacing in consultation with subject expert/ forest department and submit to the forest department and concerned regulatory authority and ensure their survival and sustainability
7. Project proponent should invest the CSR amount as per the proposal and submit the compliance report regularly to the concerned authority/Directorate of environment.
8. Proponent shall provide the dual pipeline network in the project for utilization of treated water of STP for different purposes and also provide the monitoring mechanism for the same. STP treated water not to be discharged outside the premises without the permission of the concerned authority.

9. The project proponent will ensure full exploitation of potential of rain water harvesting for storage and recharging and also treated wastewater in order to reduce the withdrawal of fresh water and accordingly use the three sources of water supply namely stored rain water, treated wastewater and the fresh water. The project proponent shall also provide a flow measuring device along with flow integrator for monitoring the various sources of water supply namely fresh water, treated waste water and stored harvested rain water. The project proponent will submit revised water mass balance in the light of above to the directorate of Environment and the concerned regulatory authorities.
10. The project proponent will ensure the quality of construction water as per standards and specifications of relevant codes in order to prevent possible corrosion in concrete, reinforcements and other structural components in order to avoid adverse social and environmental impacts.
11. The project proponent will ensure exploitation of maximum possible potential of solar energy generation in the proposed project area and prefer to use it instead of conventional electricity in order to reduce the Green House Gas Emission causing climate change.
12. The project proponent will make necessary arrangement to get Structural auditing conducted by an expert institution once in 5 years during life span of the building to ensure safe life of the residents and prevent environmental and social hazards.

Standard Environmental Clearance Conditions prescribed by MoEF&CC:

1. Statutory compliance:
 1. The project proponent shall obtain all necessary clearance/ permission from all relevant agencies including town planning authority before commencement of work. All the construction shall be done in accordance with the local building byelaws.
 2. The approval of the Competent Authority shall be obtained for structural safety of buildings due to earthquakes, adequacy of firefighting equipment etc as per National Building Code including protection measures from lightning etc.
 3. The project proponent shall obtain forest clearance under the provisions of Forest (Conservation) Act, 1986, in case of the diversion of forest land for non-forest purpose involved in the project.
 4. The project proponent shall obtain clearance from the National Board for Wildlife, if applicable.
 5. The project proponent shall obtain Consent to Establish / Operate under the provisions of Air (Prevention & Control of Pollution) Act, 1981 and the Water (Prevention & Control of Pollution) Act, 1974 from the concerned State Pollution Control Board/ Committee.
 6. The project proponent shall obtain the necessary permission for drawl of ground water / surface water required for the project from the competent authority.
 7. A certificate of adequacy of available power from the agency supplying power to the project along with the load allowed for the project should be obtained.
 8. All other statutory clearances such as the approvals for storage of diesel from Chief Controller of Explosives, Fire Department, Civil Aviation Department shall be obtained, as applicable, by project proponents from the respective competent authorities.
 9. The provisions of the Solid Waste (Management) Rules, 2016, e-Waste (Management) Rules, 2016, and the Plastics Waste (Management) Rules, 2016 shall be followed.
 10. The project proponent shall follow the ECBC/ECBC-R prescribed by Bureau of Energy Efficiency, Ministry of Power strictly.
2. Air quality monitoring and preservation:
 1. Notification GSR 94(E) dated 25.01.2018 of MoEF&CC regarding Mandatory Implementation of Dust Mitigation Measures for Construction and Demolition Activities for projects requiring Environmental Clearance shall be complied with.
 2. A management plan shall be drawn up and implemented to contain the current exceedance in ambient air quality at the site.
 3. The project proponent shall install system to carryout Ambient Air Quality monitoring for common/criterion parameters relevant to the main pollutants released (e.g. PM10 and PM25) covering upwind and downwind directions during the construction period.

4. Construction site shall be adequately barricaded before the construction begins. Dust, smoke & other air pollution prevention measures shall be provided for the building as well as the site. These measures shall include screens for the building under construction, continuous dust/ wind breaking walls all around the site (at least 3 meter height). Plastic/tarpaulin sheet covers shall be provided for vehicles bringing in sand, cement, murram and other construction materials prone to causing dust pollution at the site as well as taking out debris from the site.
5. Sand, murram, loose soil, cement, stored on site shall be covered adequately so as to prevent dust pollution.
6. Wet jet shall be provided for grinding and stone cutting.
7. Unpaved surfaces and loose soil shall be adequately sprinkled with water to suppress dust.
8. All construction and demolition debris shall be stored at the site (and not dumped on the roads or open spaces outside) before they are properly disposed. All demolition and construction waste shall be managed as per the provisions of the Construction and Demolition Waste Rules 2016.
9. The diesel generator sets to be used during construction phase shall be low sulphur diesel type and shall conform to Environmental (Protection) prescribed for air and noise mission standards.
10. The gaseous emissions from DG set shall be dispersed through adequate stack height as per CPCB standards. Acoustic enclosure shall be provided to the DG sets to mitigate the noise pollution. The location of the DG set and exhaust pipe height shall be as per the provisions of the Central Pollution Control Board (CPCB) norms.
11. For indoor air quality the ventilation provisions as per National Building Code of India.
3. Water quality monitoring and preservation:
 1. The natural drain system should be maintained for ensuring unrestricted flow of water. No construction shall be allowed to obstruct the natural drainage through the site, on wetland and water bodies. Check dams, bio-swales, landscape, and other sustainable urban drainage systems (SUDS) are allowed for maintaining the drainage pattern and to harvest rain water.
 2. Buildings shall be designed to follow the natural topography as much as possible. Minimum cutting and filling should be done.
 3. Total fresh water use shall not exceed the proposed requirement as provided in the project details.
 4. The quantity of fresh water usage, water recycling and rainwater harvesting shall be measured and recorded to monitor the water balance as projected by the project proponent. The record shall be submitted to the Regional Office, MoEF&CC along with six monthly Monitoring reports.
 5. A certificate shall be obtained from the local body supplying water, specifying the total annual water availability with the local authority, the quantity of water already committed, the quantity of water allotted to the project under consideration and the balance water available. This should be specified separately for ground water and surface water sources, ensuring that there is no impact on other users.
 6. At least 20% of the open spaces as required by the local building bye-laws shall be pervious. Use of Grass pavers, paver blocks with at least 50% opening, landscape etc. would be considered as pervious surface.
 7. Installation of dual pipe plumbing for supplying fresh water for drinking, cooking and bathing etc and other for supply of recycled water for flushing, landscape irrigation car washing, thermal cooling, conditioning etc. shall be done.
 8. Use of water saving devices/ fixtures (viz. low flow flushing systems; use of low flow faucets tap aerators etc) for water conservation shall be incorporated in the building plan.
 9. Use of water saving devices/ fixtures (viz. low flow flushing systems; use of low flow faucets tap aerators etc) for water conservation shall be incorporated in the building plan.
 10. Water demand during construction should be reduced by use of pre-mixed concrete, curing agents and other best practices referred.
 11. The local bye-law provisions on rain water harvesting should be followed. If local byelaw provision is not available, adequate provision for storage and recharge should be followed as per the Ministry of Urban Development Model Building Byelaws, 2016. Rain water

- harvesting recharge pits/storage tanks shall be provided for ground water recharging as per the CGWB norms.
12. A rain water harvesting plan needs to be designed where the recharge bores of minimum one recharge bore per 5,000 square meters of built up area and storage capacity of minimum one day of total fresh water requirement shall be provided. In areas where ground water recharge is not feasible, the rain water should be harvested and stored for reuse. The ground water shall not be withdrawn without approval from the Competent Authority.
 13. All recharge should be limited to shallow aquifer.
 14. No ground water shall be used during construction phase of the project.
 15. Any ground water dewatering should be properly managed and shall conform to the approvals and the guidelines of the CGWA in the matter. Formal approval shall be taken from the CGWA for any ground water abstraction or dewatering.
 16. The quantity of fresh water usage, water recycling and rainwater harvesting shall be measured and recorded to monitor the water balance as projected by the project proponent. The record shall be submitted to the Regional Office, MoEF&CC along with six monthly Monitoring reports.
 17. Sewage shall be treated in the STP with tertiary treatment. The treated effluent from STP shall be recycled/re-used for flushing, AC make up water and gardening. As proposed, not related water shall be disposed in to municipal drain.
 18. No sewage or untreated effluent water would be discharged through storm water drains.
 19. Onsite sewage treatment of capacity of treating 100% waste water to be installed. The installation of the Sewage Treatment Plant (STP) shall be certified by an independent expert and a report in this regard shall be submitted to the Ministry before the project is commissioned for operation. Treated waste water shall be reused on site for landscape, flushing, cooling tower, and other end-uses. Excess treated water shall be discharged as per statutory norms notified by Ministry of Environment, Forest and Climate Change. Natural treatment systems shall be promoted.
 20. Periodical monitoring of water quality of treated sewage shall be conducted. Necessary measures should be made to mitigate the odor problem from STP.
 21. Sludge from the onsite sewage treatment, including septic tanks, shall be collected, conveyed and disposed as per the Ministry of Urban Development, Centre Public Health and Environmental Engineering Organization (CPHEEO) Manual on Sewerage and Sewage Treatment Systems, 2013.
4. Noise monitoring and prevention:
1. Ambient noise levels shall conform to residential area/commercial area/industrial area/silence zone both during day and night as per Noise Pollution (Control and Regulation) Rules, 2000. Incremental pollution loads on the ambient air and noise quality shall be closely monitored during construction phase. Adequate measures shall be made to reduce ambient air and noise level during construction phase, so as to conform to the stipulated standards by CPCB / SPCB.
 2. Noise level survey shall be carried as per the prescribed guidelines and report in this regard shall be submitted to Regional Officer of the Ministry as a part of six-monthly compliance report.
 3. Acoustic enclosures for DG sets, noise barriers for ground-run bays, ear plugs for operating personnel shall be implemented as mitigation measures for noise impact due to ground sources.
5. Energy Conservation measures:
1. Compliance with the Energy Conservation Building Code (ECBC) of Bureau of Energy Efficiency shall be ensured. Buildings in the States which have notified their own ECBC, shall comply with the State ECBC.
 2. Outdoor and common area lighting shall be LED.
 3. Concept of passive solar design that minimize energy consumption in buildings by using design elements, such as building orientation, landscaping, efficient building envelope, appropriate fenestration, increased day lighting design and thermal mass etc. shall be incorporated in the building design. Wall, window, and roof u-values shall be as per ECBC specifications.

4. Energy conservation measures like installation of CFLs/ LED for the lighting the area outside the building should be integral part of the project design and should be in place before project commissioning.
5. Solar, wind or other Renewable Energy shall be installed to meet electricity generation equivalent to 1% of the demand load or as per the state level/ local building bye-laws requirement, whichever is higher.
6. Solar power shall be used for lighting in the apartment to reduce the power load on grid. Separate electric meter shall be installed for solar power. Solar water heating shall be provided to meet 20% of the hot water demand of the commercial and institutional building or as per the requirement of the local building bye-laws, whichever is higher. Residential buildings are also recommended to meet its hot water demand from solar water heaters, as far as possible.
6. Waste Management :
 1. A certificate from the competent authority handling municipal solid wastes, indicating the existing civic capacities of handling and their adequacy to cater to the M.S.W. generated from project shall be obtained.
 2. Disposal of muck during construction phase shall not create any adverse effect on the neighboring communities and be disposed taking the necessary precautions for general safety and health aspects of people, only in approved sites with the approval of competent authority.
 3. Separate wet and dry bins must be provided in each unit and at the ground level for facilitating segregation of waste. Solid waste shall be segregated into wet garbage and inert materials.
 4. Organic waste compost/ Vermiculture pit/ Organic Waste Converter within the premises with a minimum capacity of 0.3 kg /person/day must be installed.
 5. All non-biodegradable waste shall be handed over to authorized recyclers for which a written tie up must be done with the authorized recyclers.
 6. Any hazardous waste generated during construction phase, shall be disposed off as per applicable rules and norms with necessary approvals of the State Pollution Control Board.
 7. Use of environment friendly materials in bricks, blocks and other construction materials, shall be required for at least 20% of the construction material quantity. These include Fly Ash bricks, hollow bricks, AACs, Fly Ash Lime Gypsum blocks, Compressed earth blocks, and other environment friendly materials.
 8. Fly ash should be used as building material in the construction as per the provision of Fly Ash Notification of September, 1999 and amended as on 27th August, 2003 and 25th January, 2016. Ready mixed concrete must be used in building construction.
 9. Any wastes from construction and demolition activities related thereto shall be managed so as to strictly conform to the Construction and Demolition Rules, 2016.
 10. Used CFLs and TFLs should be properly collected and disposed off/sent for recycling as per the prevailing guidelines/ rules of the regulatory authority to avoid mercury contamination.
7. Green Cover:
 1. No tree can be felled/transplant unless exigencies demand. Where absolutely necessary, tree felling shall be with prior permission from the concerned regulatory authority. Old trees should be retained based on girth and age regulations as may be prescribed by the Forest Department. Plantations to be ensured species (cut) to species (planted).
 2. A minimum of 1 tree for every 80 sqm of land should be planted and maintained. The existing trees will be counted for this purpose. The landscape planning should include plantation of native species. The species with heavy foliage, broad leaves and wide canopy cover are desirable. Water intensive and/or invasive species should not be used for landscaping.
 3. Where the trees need to be cut with prior permission from the concerned local Authority, compensatory plantation in the ratio of 1:10 (i.e. planting of 10 trees for every 1 tree that is cut) shall be done and maintained. Plantations to be ensured species (cut) to species (planted). Area for green belt development shall be provided as per the details provided in the project document.
 4. Topsoil should be stripped to a depth of 20 cm from the areas proposed for buildings, roads, paved areas, and external services. It should be stockpiled appropriately in designated areas and reapplied during plantation of the proposed vegetation on site.

8. Transport:
 1. A comprehensive mobility plan, as per MoUD best practices guidelines (URDPFI), shall be prepared to include motorized, non-motorized, public, and private networks. Road should be designed with due consideration for environment, and safety of users. The road system can be designed with these basic criteria.
 - a. Hierarchy of roads with proper segregation of vehicular and pedestrian traffic.
 - b. Traffic calming measures.
 - c. Proper design of entry and exit points.
 - d. Parking norms as per local regulation.
 2. Vehicles hired for bringing construction material to the site should be in good condition and should have a pollution check certificate and should conform to applicable air and noise emission standards be operated only during non-peak hours.
 3. A detailed traffic management and traffic decongestion plan shall be drawn up to ensure that the current level of service of the roads within a 05 kms radius of the project is maintained and improved upon after the implementation of the project. This plan should be based on cumulative impact of all development and increased habitation being carried out or proposed to be carried out by the project or other agencies in this 05 Kms radius of the site in different scenarios of space and time and the traffic management plan shall be duly validated and certified by the State Urban Development department and the P.W.D./ competent authority for road augmentation and shall also have their consent to the implementation of components of the plan which involve the participation of these departments.
9. Human health issues :
 1. All workers working at the construction site and involved in loading, unloading, carriage of construction material and construction debris or working in any area with dust pollution shall be provided with dust mask.
 2. For indoor air quality the ventilation provisions as per National Building Code of India.
 3. Emergency preparedness plan based on the Hazard identification and Risk Assessment (HIRA) and Disaster Management Plan shall be implemented.
 4. Provision shall be made for the housing of construction labour within the site with all necessary infrastructure and facilities such as fuel for cooking, mobile toilets, mobile STP, safe drinking water, medical health care, crèche etc. The housing may be in the form of temporary structures to be removed after the completion of the project.
 5. Occupational health surveillance of the workers shall be done on a regular basis.
 6. A First Aid Room shall be provided in the project both during construction and operations of the project.
10. Corporate Environment Responsibility:
 1. The project proponent shall comply with the provisions contained in this Ministry's OM vide F.No. 22-65/2017-IA.III dated 1st May 2018, as applicable, regarding Corporate Environment Responsibility.
 2. The company shall have a well laid down environmental policy duly approved by the Board of Directors. The environmental policy should prescribe for standard operating procedures to have proper checks and balances and to bring into focus any infringements/deviation/violation of the environmental / forest / wildlife norms / conditions. The company shall have defined system of reporting infringements / deviation / violation of the environmental / forest / wildlife norms / conditions and / or shareholders / stake holders. The copy of the board resolution in this regard shall be submitted to the MoEF&CC as a part of six-monthly report.
 3. A separate Environmental Cell both at the project and company head quarter level, with qualified personnel shall be set up under the control of senior Executive, who will directly to the head of the organization.
 4. Action plan for implementing EMP and environmental conditions along with responsibility matrix of the company shall be prepared and shall be duly approved by competent authority. The year wise funds earmarked for environmental protection measures shall be kept in separate account and not to be diverted for any other purpose. Year wise progress of implementation of action plan shall be reported to the Ministry/Regional Office along with the Six Monthly Compliance Report.
11. Miscellaneous:

1. The project proponent shall prominently advertise it at least in two local newspapers of the District or State, of which one shall be in the vernacular language within seven days indicating that the project has been accorded environment clearance and the details of MoEFCC/SEIAA website where it is displayed.
2. The copies of the environmental clearance shall be submitted by the project proponents to the Heads of local bodies, Panchayats and Municipal Bodies in addition to the relevant offices of the Government who in turn has to display the same for 30 days from the date of receipt.
3. The project proponent shall upload the status of compliance of the stipulated environment clearance conditions, including results of monitored data on their website and update the same on half-yearly basis.
4. The project proponent shall submit six-monthly reports on the status of the compliance of the stipulated environmental conditions on the website of the ministry of Environment, Forest and Climate Change at environment clearance portal.
5. The project proponent shall submit the environmental statement for each financial year in Form-V to the concerned State Pollution Control Board as prescribed under the Environment (Protection) Rules, 1986, as amended subsequently and put on the website of the company.
6. The project proponent shall inform the Regional Office as well as the Ministry, the date of financial closure and final approval of the project by the concerned authorities, commencing the land development work and start of production operation by the project.
7. The project authorities must strictly adhere to the stipulations made by the State Pollution Control Board and the State Government.
8. The project proponent shall abide by all the commitments and recommendations made in the EIA/EMP report, commitment made during Public Hearing and also that during their presentation to the Expert Appraisal Committee.
9. No further expansion or modifications in the plant shall be carried out without prior approval of the Ministry of Environment, Forests and Climate Change (MoEF&CC).
10. Concealing factual data or submission of false/fabricated data may result in revocation of this environmental clearance and attract action under the provisions of Environment (Protection) Act, 1986.
11. The Ministry may revoke or suspend the clearance, if implementation of any of the above conditions is not satisfactory.
12. The Ministry reserves the right to stipulate additional conditions if found necessary. The Company in a time bound manner shall implement these conditions.
13. The Regional Office of this Ministry shall monitor compliance of the stipulated conditions. The project authorities should extend full cooperation to the officer (s) of the Regional Office by furnishing the requisite data / information/monitoring reports.
14. The above conditions shall be enforced, inter-alia under the provisions of the Water (Prevention & Control of Pollution) Act, 1974, the Air (Prevention & Control of Pollution) Act, 1981, the Environment (Protection) Act, 1986, Hazardous and Other Wastes (Management and Transboundary Movement) Rules, 2016 and the Public Liability Insurance Act, 1991 along with their amendments and Rules and any other orders passed by the Hon'ble Supreme Court of India / High Courts and any other Court of Law relating to the subject matter.
15. Any appeal against this EC shall lie with the National Green Tribunal, if preferred, within a period of 30 days as prescribed under Section 16 of the National Green Tribunal Act, 2010.

10. Building Stone or Khanda, Boulder, Ballast (Gitty) and Red Morrum Located at Arazi No. 791 Kh (Khand No. 04) Village- Paswara, Tehsil - Sadar, Mahoba, Smt. Pawan Kumari, Area: 4.0 ha., 8113/ 7058/SIA/UP/MIN/440437/2023

RESOLUTION AGAINST AGENDA NO. 10

The project proponent/consultant did not appear. The committee discussed and deliberated that the project file should be closed and be opened only after request from the project proponent. The file shall not be treated as pending at SEAC. The matter will be discussed only after submission of online requests on prescribed online portal.

11. “Building Stone (Granite Khanda, Boulder, Bailast (Gitti)) Mining” Project at Gata No.- 453/1 , Village- Damaura, Tehsil- Mahoba, District- Mahoba, Shri Atique Ahmed, Area- 4.755 ha., 8117/ 7586/SIA/UP/MIN/440447/2023

RESOLUTION AGAINST AGENDA NO. 11

The committee directed to defer the matter for tomorrow meeting on the request of consultant/project proponent.

12. “Building Stone (Granite Khanda, Boulder, Bailast (Gitti))” Project at Gata No.- 19 (Khand No.- 2 Old), Village- Ganj, Tehsil- Mahoba, District- Mahoba, Shri Ashwani Rawat, Area : 4.048 ha., 8119/ 7514/SIA/UP/MIN/440453/2023

The consultant informed the committee that they are strictly following the rules, regulations and other instructions of QCI/NABET. A presentation was made by the project proponent along with their consultant M/s Paramarsh (Servicing Environment and Development), Lucknow, U.P. Based on the documents submitted and presentation made by the project proponent along with the consultant, the following facts have emerged: -

1. The environmental clearance is sought for Building Stone (Granite Khanda, Boulder, Bailast (Gitti)) Mining at Gata No.- 19 (Khand No.- 2 Old), Village- Ganj, Tehsil- Mahoba, District- Mahoba, U.P. (Leased Area : 4.048 ha.), P.N.C. Mining Private Limited.
2. The Terms of Reference in the matter were issued by SEIAA, U.P vide Letter No. 02/Parya/SEIAA/7514/2022, dated: 12/04/2023.
3. The Public Hearing was organized on 05/07/2023. Final EIA Report was submitted by the Project Proponent on 16/08/2023.
4. Salient features of the project as submitted by the project proponent:

1.	On-line proposal No.	SIA/UP/MIN/440453/2023		
2.	File No. allotted by SEIAA, UP	8119 / 7514		
3.	Name of Proponent	P.N.C. Mining Private Limited, Auth. Representative- Shri Ashwani Rawat S/o Shri Devi Prasad Rawat		
4.	Full correspondence address of proponent	Add.- Head Office D- 5/7, Vasant Vihar, New Delhi		
5.	Name of Project	Building Stone (Granite Khanda, Boulder, Bailast (Gitti)) Mining Project		
6.	Project location (Plot/ Khasra /Gata No.)	Gata No.- 19 (Khand No.- 2 Old)		
7.	Name of Village	Ganj		
8.	Tehsil	Mahoba		
9.	District	Mahoba		
10.	Name of Minor Mineral	Building Stone (Granite Khanda, Boulder, Bailast (Gitti))		
11.	Sanctioned Lease Area (inHa.)	4.048ha.		
12.	Max.& Min mRL within lease area	223 mRL- 168 mRL		
13.	Pillar Coordinates(Verified by DMO)	Pillars	Latitude (N)	Longitude (E)
		A	25° 24' 19.63"N	79° 56' 08.06"E
		B	25° 24' 19.54"N	79° 56' 09.27"E
		C	25° 24' 19.07"N	79° 56' 10.45"E
		D	25° 24' 18.58"N	79° 56' 11.58"E
		E	25° 24' 18.25"N	79° 56' 13.43"E
		F	25° 24' 18.24"N	79° 56' 13.59"E
		G	25° 24' 09.12"N	79° 56' 11.71"E
		H	25° 24' 13.57"N	79° 56' 06.51"E
14.	Total Geological Reserves	4488720 m ³		
15.	Total Mineable Reserves	1341804 m ³		
16.	Total Proposed Production (in five year)	364320m ³		
17.	Proposed Production / year	72864 m ³		

18.	Sanctioned Period of Mine lease	10 Years	
19.	Method of Mining	Opencast Semi-Mechanized	
20.	No.Of workers	37 (approx.)	
21.	Type of Land	Govt. revenue land	
22.	Ultimate Depth of Mining	30 meter (average)	
23.	Nearest metalled road from site	0.40 km	
24.	Water Requirement	PURPOSE	REQUIREMENT (KLD)
		Drinking& Others	0.40
		Suppression of dust	2.40
		Plantation	5.00
		Others(if any)	-----
		Total	7.80
25.	Name of QCI Accredited Consultant with QCI No and period of validity.	M/s Paramarsh (Servicing Environment and Development), Lucknow, U.P. QCI/NABET/EIA/2124/RA0224, Validity-01/05/2024	
26.	Any litigation pending against the project or land in any court	No	
27.	Details of 500m Cluster certificate Verified by Mining Officer	DMO (KhananAnubhag), Mahobavide Letter No. 1424/MMC-30/ 2021-22, Dated 17.08.2022	
28.	Details of Lease Area in approved DSR	DSR Report Page No.-88, Part-3 S.No.- 2	
29.	Proposed CER cost	1.80 Lakh	
30.	Proposed EMP cost	EMP in First Year - 22.30 Lakh EMP (Recurring Years) – 8.65 Lakh	
31.	Length and breadth of Haul Road.	Length- 0.40 km, Width- more than 6.0 m	
32.	No. of Trees to be Planted	5000	

5. The mining would be restricted to unsaturated zone only above the phreatic water table and will not intersect the ground water table at any point of time.
6. This project does not attract any of the general conditions applicable on mining projects specified in EIA Notification 14/09/2006.
7. The mining operation will not be carried out in safety zone of any bridge or embankment or in eco-fragile zone such as habitat of any wild fauna.
8. There is no litigation pending in any court regarding this project.
9. The project proposal falls under category–1(a) of EIA Notification, 2006 (as amended).

The consultant (EIA Coordinator) also submitted an affidavit dated 11/08/2023 mentioning is as follows:

1. I, Pankaj Srivastava S/o Sri V.V. Srivastava am EIA Coordinator of Paramarsh Servicing Environment and Development.
2. I have prepare EIA report for EC in the name of P.N.C. Mining Private Limited, Auth. Representative- Shri Ashwani Rawat S/o Shri Devi Prasad Rawat for the “Building Stone (Granite Khanda, Boulder, Bailast (Gitti))” Project at Gata No.- 19 (Khand No.- 2 Old), Village- Ganj, Tehsil- Mahoba, District- Mahoba, U.P. (Applied Area : 4.048 ha.) with my team.
3. I have personally visited the site of proposal and certify that no Mining activity has been undertaken on the project site for the present proposal.
4. I am satisfied with that all the necessary data/information submitted along with EIA are true and correct.
5. I certify that this project proposal has been uploaded for the first time on Parivesh Portal.
6. I certify that there is no mismatch between information/data provided on the online application submitted on Parivash Portal and hard copy which is submitted after acceptance of application.
7. I state that all the TOR Points have been complied and all the issues raised during Public Hearing is properly addressed in EIA report.
8. The EIA report for the Proposal has prepared by my team as per guideline laid down by QCI/NABET.

RESOLUTION AGAINST AGENDA NO. 12

The committee discussed the matter and recommended grant of environmental clearance for the project proposal along with general and specific conditions as annexed at Annexure-1 to these minutes. The committee also stipulated the following additional conditions:

1. Project proponent has committed to plant 1000 number of trees/hectare. The project proponent/consultant if desires may approach to concerned District Forest Authority to plant 1000 trees/ha on a land available to the Forest Department. The project proponent will deposit the required amount for this entire plantation work (including its maintenance and security) to the Forest Department.
2. The project proponent shall install solar light in their site office.
3. During the submission of 6 monthly compliance reports, the project proponent should make sure that the periodically taken site photographs should also be annexed along with the compliance report.
4. Preference should be given to indigenous local species as per the consultation of the local district Forest Officer.
5. The maximum height of the bench should be 06 meters and the width of the bench should be at least twice the height of the bench as per the mine plan approval letter by DGM, U.P
6. In case the blasting is proposed during a mining operation, the project proponent needs to assess its impact on the displacement of human beings/wild animals/birds/other species, and the suitable measures proposed and taken for their rehabilitation and resettlement need to be clearly described in first 6 monthly compliance report.
7. The project proponent shall submit a final mine closure plan/Exit protocol for rehabilitation of mined-out land to match its surrounding land use 3years before the closure of the mine to SEIAA, UP and Department of Mines and Geology, UP for approval. The project proponent shall ensure the implementation of the approved plan under the supervision of the Dept. of Mines and Geology.
8. The project proponent shall plan and implement collection drain and siltation basins of adequate size to arrest the silt and sediment flow from the quarry area. The surface runoff rainwater harvesting and other water conservation measures on a long-term basis are to be taken in consultation with the Central/State Groundwater Board. The water so collected should be utilized for watering the haulage area, roads, and green belt development, etc.
9. The project proponent shall take all suitable measures to prevent pollution of groundwater and nearby water bodies in consultation with the State Pollution Control Board and consent to operate (if applicable) should be obtained from the State Pollution Control Board before the start of production from the mine.
10. Link Road from the quarry site to the main road shall be constructed as an all-weather road with blacktopping and maintained by the project proponent.
11. Vehicular emissions should be kept under control and regularly monitored. Suitable measures shall be taken for proper maintenance of vehicles used in a quarry operation and transportation.
12. The project proponent should explore the possibilities of rainwater harvesting.
13. Agreement/ Consent between project proponent and competent authority/ landowner for haulage road from lease site to link road.
14. Latest technology (water sprinklers/ tankers) to be adopted for mitigating dust at source points in lease area and haulage road during operational activity/vehicular movement.
15. As per the proposed plan, plantation with area specific plant species, number of plants to be Planted and report of green belt development to be submitted to the Forest Department, UPPCB and Directorate of Environment, UP.

13. **“Building Stone Khanda, Boulders, Ballast (Gitti) Mining Project” located at Gata No. -989 (Khand No.- 04), Village-Makarbai, Tehsil- Sadar& District- Mahoba, Shri Anant Ram Shukla, Area- 0.809 ha., 7768/ 6890/SIA/UP/MIN/425239/2023**

RESOLUTION AGAINST AGENDA NO. 13

The Secretariat informed the committee that the project proposal has already recommended for grant of environmental clearance in 774th SEAC meeting dated 17/08/2023. Hence, no action is required in the matter at SEAC level.

14. **Regarding Cancel/Revoke the Environment Clearance granted to the Hotel Project of M/s Luxus Hospitality Private Limited, at Plot No. TC – 25V & 26V, Vibhuti Khand, Gomti Nagar, District – Lucknow (U.P.) which has been obtained by giving false information.**

The Secretariat informed the committee that the matter was earlier discussed in 752nd SEIAA meeting dated 25/08/2023 wherein:

“SEIAA gone through the UP govt. Letter no. 713/81-7-2023-103, dated 19/06/2023 along with the letter of Shri Arvind Kumar Rai regarding the above subject and opined to refer the letter to SEAC and UPPCB for necessary action.”

As per the decision of SEIAA, the matter was listed in 783rd SEAC meeting dated 11/09/2023. The committee has gone through the compliant letter of Shri Arvind Kumar Rai and UP govt. Letter no. 713/81-7-2023-103, dated 19/06/2023 and opined that the aforesaid letters is being shared with project proponent with the direction to submit point wise factual reply on the issues raised in above letters.

The matter will be discussed after receipt of point wise reply from project proponent.

15. **Discussion on Complaint letter of Ashish, Dayalpur, Siddharthnagar regarding File No. 7923, Proposal No. SIA/UP/MIN/430341/2023 & File No. 7959, Proposal No. SIA/UP/MIN/431332/2023 on illegal grant of false and fabricated information by QCI accredited consultant/Project Proponent for conducting EIA studies for the false period which is not notified under CPCB/MoEF guideline**

RESOLUTION AGAINST AGENDA NO. 15

The committee directed to defer the matter for tomorrow meeting i.e. 12/09/2023 on the request of consultant/project proponent.

(Dr. Brij Bihari Awasthi)
Member

(Umesh Chandra Sharma)
Member

(Dr. Ratan Kar)
Member

(Om Prakash Srivastava)
Member

(Ashish Tiwari)
Member-Secretary, SEAC

(Rajive Kumar)
Chairman

Nodal, SEAC-1

MoM prepared by Secretariat in consultation with
Chairman & Members on the basis of decisions
taken by SEAC-1 during the meeting.

Annexure-1

General and Specific Conditions for Gitti, Patthar & Boulder Mining Projects: -

A. General Conditions:

1. This environmental clearance is subject to allotment of mining lease in favour of project proponent by District Administration/Mining Department.
2. Forest clearance shall be taken by the proponent as necessary under the law.
3. Any addition of the mining area, change of Khasra numbers, enhancement of capacity, change in mining technology, modernization, and scope of working shall again require prior environmental clearance as per EIA notification, 2006.
4. No change in the calendar plan including excavation, the quantum of mineral and waste shall be made.
5. Mining will be carried out as per the approved mining plan. In case of any violation of the mining plan, the Environmental Clearance given by SEIAA will stand cancelled.
6. Four ambient air quality monitoring stations shall be established in the core zone as well as in the buffer zone for RSPM, SPM, SO₂, NO_x monitoring. The location of the stations should be decided based on the meteorological data, topographical features, and environmentally and ecologically sensitive targets and frequency of monitoring should be undertaken in consultation with the State Pollution Control Board. The monitored data for criteria pollutants shall be regularly uploaded on the company's website and also displayed on the website.
7. Data on ambient air quality (RPM, SPM, SO₂, NO_x) should be regularly submitted to the Integrated Regional Office, MoEF&CC, GoI, Lucknow and the State Pollution Control Board / Central Pollution Control Board once in six months.
8. Ambient air quality at the boundary of the mine premises shall conform to the norms prescribed in MoEF notification no. GSR/826(E) dated 16.11.09.
9. Fugitive dust emissions from all the sources shall be controlled regularly. Water spraying arrangement on haul roads, loading and unloading, and at transfer points shall be provided and properly maintained.
10. Measures shall be taken for control of noise levels below 85 dBA in the work environment. Workers engaged in operations of HEMM, etc. shall be provided with earplugs/muffs and health records of the workers shall be maintained.
11. Industrial wastewater (workshop and wastewater from the mine) should be properly collected, treated to conform to the standards prescribed under GSR 422 (E) dated 19th May 1993 and 31st December 1993 or as amended from time to time. Oil and grease traps shall be installed before the discharge of workshop effluents.
12. Personnel working in areas shall be provided with protective respiratory devices like masks and they shall also be imparted adequate training and information on safety and health aspects.
13. Special measures shall be adopted to prevent the nearby settlements from the impacts of mining activities.
14. The transportation of the materials shall be limited to the day hours' time only.
15. Provision shall be made for housing the laborers within the site with all necessary infrastructure and facilities such as fuel for cooking, mobile toilets, safe drinking water, medical health care, crèche, etc. The housing may be in the form of temporary structures to be removed after the completion of the project.
16. A separate Environmental Management Cell with suitably qualified personnel shall be setup under the control of a Senior Executive, who will report directly to the Head of the Organization.
17. The Project Proponent shall inform the Integrated Regional Office, MoEF&CC, GoI, Lucknow and State Pollution Control Board regarding the date of financial closures and final approval of the project by the concerned authorities and the date of start of land development work.
18. The funds earmarked for environmental protection measures shall be kept in a separate account and shall not be diverted for other purposes. The year-wise expenditure shall be reported to the Integrated Regional Office, MoEF&CC, GoI, Lucknow and State Pollution Control Board

19. The Integrated Regional Office, MoEF&CC, GoI, Lucknow and State Pollution Control Board shall monitor compliance with the stipulated conditions. A complete set of documents including Environment Impact Assessment Report, Environmental Management Plan, Public hearing, and other documents information should be given to the Integrated Regional Office, MoEF&CC, GoI, Lucknow and State Pollution Control Board
20. A copy of the environmental clearance shall be submitted by the Project Proponent to the Heads of the Local Bodies, Panchayat, and Municipal Bodies as applicable in the matter.
21. The Project Proponent shall advertise at least in two local newspapers widely circulated, one of which shall be in the vernacular language of the locality concerned, within 7 days of the issue of the clearance letter informing that the project has been accorded environmental clearance and a copy of the clearance letter is available with the State Level Environment Impact Assessment Authority (SEIAA).
22. The Project Proponent has to submit a regular half-yearly compliance report of the stipulated prior environmental clearance terms and conditions in hard and soft copy to the SEIAA, U.P. on 1st June and 1st December of each calendar year.
23. The SEIAA may alter/modify the above conditions or stipulate any further condition in the interest of environmental protection.
24. Concealing factual data or submission of false/fabricated data and failure to comply with any of the conditions mentioned above may result in withdrawal of this clearance and attract action under the provisions of the Environment (Protection) Act, 1986.

B. Specific Conditions:

1. At the time of operation, the project proponent will comply with all the guidelines issued by the Government of India/State Govt./District Administration related to Covid-19.
2. This environmental clearance does not create or verify any claim of the applicant on the proposed site/activity.
3. In case it has been found that the E.C. obtained by providing incorrect information, submitting that the distance between the two adjoining mines is greater than 500mt. and the area is less than 05 ha, but factually the distance is less than 500 mt, and the mine is located in the cluster of area equal to or more than 05 ha, the E.C issued will stand revoked.
4. This environmental clearance shall be subject to a valid lease in favor of the project proponent for the proposed mining proposals. In case, the project proponent does not have a valid lease, this environmental clearance shall automatically become null and void.
5. The Environmental clearance will be co-terminus with the mining lease period/Mining Plan whichever is less. The Mining plan approved by the Dept. of Mines and Geology shall be strictly implemented and shall not be operated beyond the validity period.
6. Explosive cannot be stored on the site. The Project proponent shall take approval from Chief Controller of Explosive, if applicable for use or storage of explosive or any such materials.
7. A comprehensive EIA including mining areas within 15 K.M. to assess the impact of the mining activity on the surrounding area shall be undertaken and a report submitted to this Authority within one year.
8. No two pits shall be simultaneously worked i.e. before the first is exhausted and reclamation work completed, no mineral bearing area shall be worked.
9. After exhausting the first mine pit and before starting mining operations in the next pit, reclamation and plantation work in the exhausted pit shall be completed to ensure that reclamation, forest cover, and vegetation are visible during the first year of mining operations in the next pit. This process will follow till the last pit is exhausted. Adequate rehabilitation of mined pit shall be completed before any new ore-bearing area is worked for expansion.
10. An adequate buffer zone shall be maintained between two consecutive mineral-bearing deposits.
11. The sprinkling of water on haul roads to control dust will be ensured by the project proponent.
12. Green belt development shall be carried out considering CPCB guidelines including the selection of plant species and in consultation with the local DFO / Agriculture Department. Herbs and shrubs shall also form a part of the afforestation programme besides tree plantation. The company shall involve local people in the plantation programme. Details of year-wise

- afforestation programme including rehabilitation of mined-out area shall be submitted to the Integrated Regional Office, MoEF&CC, GoI, Lucknow every year.
13. Blast vibrations study shall be conducted and an observation report submitted to the Integrated Regional Office, MoEF&CC, GoI, Lucknow and UPPCB within six months. The report shall also include measures for the prevention of blasting associated impact on nearby houses and agricultural fields.
 14. Controlled blasting techniques with sequential blasting shall be adopted. The blasting shall be carried out in the daytime only. The project proponent shall ensure prevention of displacement of human beings/wild animals/birds etc. and in case any such displacement is caused due to blasting/mining operation by any chance the project proponent shall take suitable measures for their rehabilitation and resettlement.
 15. Appropriate arrangement for shelter and drinking water for the mining workers has to be ensured at the mining site.
 16. Maintenance of village roads used for transportation of minerals is to be done by the company regularly at its own expenses. The link roads from mining area to main road shall be constructed as all-weather road with black topping and maintained by the project proponent.
 17. The surface runoff rain water harvesting/rain water recharge and water conservation measures will be taken by project proponent in consultation with central /State ground water Board .The project proponent shall plan and implement collection drain and siltation basins of adequate size to arrest the silt and sediment flows from the mining area. The supernatant of the siltation basin and rain water harvested water shall be utilized for watering the haulage area, roads and green belt development etc.
 18. Status of implementation shall be submitted to the Integrated Regional Office, MoEF&CC, GoI, Lucknow and UP Pollution Control Board within six months and thereafter every year from the next consequent year.
 19. The self-environmental audit shall be conducted annually. Every three years third-party environmental audit shall be carried out.
 20. Measures for prevention and control of soil erosion and management of silt shall be undertaken. Protection of dumps against erosion shall be carried out with geotextile matting or other suitable material, and thick plantations of native trees and shrubs shall be carried out at the dump slopes. Dumps shall be protected by retaining walls.
 21. Trenches/garland drains shall be constructed at foot of dumps and coco filters installed at regular intervals to arrest silt from being carried to water bodies. An adequate number of Check Dams and Gully Plugs shall be constructed across seasonal/perennial nallahs if any flowing through the ML area and silts arrested. De silting at regular intervals shall be carried out.
 22. Garland drain of appropriate size, gradient, and length shall be constructed for both mine pit and waste dump and sump capacity shall be designed keeping 50% safety margin over and above peak sudden rainfall (based on 50 years data) and maximum discharge in the area adjoining the mine site. Sump capacity shall also provide an adequate retention period to allow proper settling of silt material. Sedimentation pits shall be constructed at the corners of the garland drains and de silted at regular intervals.
 23. Ground and surface water, if any in and near the core zone (within 5.0 km of the lease) shall be regularly monitored for contamination and depletion due to mining activity and records maintained. The monitoring data shall be submitted to the Integrated Regional Office, MoEF&CC, GoI, Lucknow and U.P. Pollution Control Board regularly. Further, monitoring points shall be located between the mine, and drainage in the direction of flow of groundwater shall be set up and records maintained.
 24. Fugitive dust generation shall be controlled. Fugitive dust emission shall be regularly monitored at locations of nearest human habitation (including schools and other public amenities located nearest to sources of dust generation as applicable) and records submitted to the Integrated Regional Office, MoEF&CC, GoI, Lucknow and U.P. Pollution Control Board regularly.
 25. Baseline data for ambient air quality shall be generated and maintained and RSPM level in ambient air in the nearby human habitation (villages) shall also be monitored along with other parameters.
 26. Corporate Environmental Responsibility (CER) shall be by the project proponent and the details of the various heads of expenditure are to be submitted as per the guidelines provided in the

- recent CER notification No. 22-65/2017-IA.III dated 01/05/2018. Work to be executed with the installation of five hand pumps for drinking water, solar light in villages of streets, construction of two numbers of toilets at the primary school with name displayed and address and details of the beneficiary and gram Pradhan along with phone number, photographs should be submitted to Directorate as well as to the District Magistrate / Chief Development officers.
27. Transportation of minerals shall be done by covering the trucks with tarpaulin or other suitable mechanisms so that no spillage of mineral/dust takes place.
 28. Occupational health and safety measures for the workers including identification of work-related health hazards, training on malaria eradication, HIV, and health effects on exposure to mineral dust, etc. shall be carried out. Periodic monitoring for exposure to respirable mineral dust on the workers shall be conducted and records maintained including the health records of the workers. Awareness programmes for workers on the impact of mining on their health and precautionary measures like the use of personal protective equipment etc. shall be carried out periodically. A review of the impact of various health measures shall be conducted followed by follow-up action wherever required.
 29. The project proponent will ensure for employing local people as per requirement, necessary protection measures around the mine pit and waste dump, and garland drain around the mine pit and waste dump.
 30. Topsoil / solid waste shall be stacked properly with proper slope and adequate safeguards and shall be utilized for backfilling (wherever applicable) for reclamation and rehabilitation of the mined-out area. Topsoil shall be separately stacked for utilization later for reclamation and shall not be stacked along with overburden.
 31. Overburden (OB) shall be stacked at the earmarked dump site(s) only and shall not be kept active for long period. The maximum height of the dump shall not exceed 20 m, each stage shall preferably be of a maximum of 10 m and the overall slope of the dump shall not exceed 35°. The OB dump shall be backfilled. The OB dumps shall be scientifically vegetated with suitable native species to prevent erosion and surface runoff.
 32. Monitoring and management of rehabilitated areas shall continue until the vegetation becomes self-sustaining. Compliance status shall be submitted to the Regional Office, Ministry of Environment & Forests, GoI, Lucknow, and U.P. Pollution Control Board on a six-monthly basis.
 33. The slope of the mining bench and ultimate pit limit shall be as per the mining scheme approved by the Indian Bureau of Mines.
 34. Permission for the abstraction of groundwater shall be taken from Central Ground Water Board. Regular monitoring of ground and surface water sources for level and quality shall be carried out by establishing a network of existing wells and constructing new piezometers during the mining operation. The monitoring shall be carried out four times in a year i.e., premonsoon (April May), monsoon (August), post-monsoon (November), and winter (January), and the data thus collected shall be regularly sent to MoEF&CC, Central Ground Water Authority, and Regional Director, Central Ground Water Board.
 35. The wastewater from the mine shall be treated to conform to the prescribed standards before discharging into the natural stream. The discharged water from the Tailing Dam, if any shall be regularly monitored and report submitted to the Integrated Regional Office, MoEF&CC, GoI, Lucknow, Central Pollution Control Board, and the State Pollution Control Board.
 36. Hydrogeological study of the area shall be reviewed by the project proponent annually. In case the adverse effect on groundwater quality and quantity is observed mining shall be stopped and resumed only after mitigating steps to contain any adverse impact on groundwater is implemented.
 37. Vehicular emissions shall be kept under control and regularly monitored. Vehicles used for transportation of minerals and others shall have valid permissions as prescribed under Central Motor Vehicle Rules, 1989 and its amendments. The vehicles transporting minerals shall be covered with a tarpaulin or other suitable enclosures so that no dust particles / fine matters escape during the period of transportation. No overloading of minerals for transportation shall be committed. The trucks transporting minerals shall not pass through the wildlife sanctuary if any in the study area.

38. Prior permission from the Competent Authority shall be obtained for the extraction of groundwater if any.
39. A final mine closure plan, along with details of Corpus Fund, shall be submitted to the Integrated Regional Office, MoEF&CC, GoI, Lucknow and U.P. Pollution Control Board 5 years in advance of final mine closure for approval.
40. Project Proponent shall explore the possibility of using solar energy where ever possible.
41. Commitment towards CER has to be followed strictly.
42. Regular health checkup record of the mineworkers has to be maintained at the site in a proper register. It should be made available for inspection whenever asked.
43. Project Proponent has to strictly follow the direction/guidelines issued by MoEF&CC, CPCB, and other Govt. Agencies from time to time.
44. The blasting will be done only after getting permission from the Mining Department.