### Minutes of 585<sup>th</sup> SEAC-2 Meeting Dated 25/10/2021

The 585<sup>th</sup> meeting of SEAC-2 was held in hybrid (physical and virtual) through video conferencing in view of the Corona Virus Disease (Covid-19) on 25/10/2021. Following members participated in the meeting:

1.	Dr. Harikesh Bahadur Singh,	Chairman, SEAC-2
2.	Dr. Amrit Lal Haldar,	Member, SEAC-2 (through VC)
3.	Dr. Dineshwar Prasad Singh,	Member, SEAC-2 (through VC)
4.	Shri Tanzar Ullah Khan,	Member, SEAC-2
5.	Prof. Jaswant Singh,	Member, SEAC-2
6.	Dr. Shiv Om Singh,	Member, SEAC-2 (through VC)

The Chairman welcomed the members to the 585<sup>th</sup> SEAC meeting which was conducted online. The SEAC-2 unanimously took following decisions on the agenda points discussed in meeting :

## 1. <u>Stone Mining at Gata No.-60, Khand No.-03, Village- Jamala, Tehsil- Kulpahar,</u> <u>District-Mahoba, U.P., Leased area-1.02 ha. File No. 6362/Proposal No.</u> <u>SIA/UP/MIN/202596/2021</u>

The committee noted that the matter was earlier discussed in 562<sup>nd</sup> SEAC meeting dated 24/08/2021 and directed the project proponent to submit following information:

- 1. Revised CER Plan with the consultation of District Authority.
- 2. Detailed plan for dust suppression.
- 3. Revised plan for safe disposal of municipal solid waste.
- 4. Plan for vehicular movement.
- 5. Detailed plantation plan with identification of green belt, type and number of plants/trees and their location in consultation with forest department shall be formulated and implemented.

The project proponent submitted their replies vide letter dated 18/09/2021. A presentation was made by the project proponent along with their consultant M/s Environmental Research and Analysis, Lucknow. The proponent, through the documents submitted and the presentation made informed the committee that:-

1. The environmental clearance is sought for Stone Mining at Gata No.-60, Khand No.-03, Village-Jamala, Tehsil- Kulpahar, District-Mahoba, U.P., (Leased area-1.02 ha.).

1 5	
1. On-line proposal No.	SIA/UP/MIN/202596/2021
2. File No. allotted by SEIAA, UP	6362
3. Name of Proponent	Shri Jai Prakash Rawat S/O-Shri Ramdulare Rawat
4. Full correspondence address of proponent and mobile no.	R/O-Village Alipura, Tehsil Kulpahar, District-Mahoba (U.P.)
5. Name of Project	Building Stone, Khanda, Boulder, Ballast (Gitty) Mine
6. Project location (Plot/Khasra/Gata No.)	Gata No. 60, Khand No 03
7. Name of River	NA
8. Name of Village	Jamala
9. Tehsil	Kulpahar
10. District	Mahoba (U.P.)
11. Name of Minor Mineral	Building Stone, Khanda, Boulder, Ballast (Gitty) Mine
12. Sanctioned Lease Area (in Ha.)	1.012 Ha.
13. Mineable Area (in Ha.)	0.6685 Ha. (safety 0.3435 Ha)

2. Salient features of the project as submitted by the project proponent:

14. Zero level mRL	NA			
15. Max. & Min mRL within lease area	Max. & Mi	n mRL is 200.	5 mRL and 180 mRL respectively	
16. Pillar Coordinates (Verified by DMO)	Point	Latitude	Longitude	
	А	25°24'55.18"	N 79°30'12.33"E	
	В	25°24'55.41"		
	С	25°24'51.78"		
	D	25°24'50.84"		
17. Total Geological Reserves	4,34,998 m <sup>3</sup>	3		
18. Sanctioned Quantity as per LOI	50,000 m <sup>3</sup> p	er year		
19. Total Proposed Production (in five year)	2,50,000 m <sup>3</sup>			
20. Proposed Production/year	50,000 m <sup>3</sup> p	ber year		
21. Sanctioned Period of Mine lease	10 Year	-		
22. Production of mine/day	$166.77 \text{ m}^3/$	day		
23. Method of Mining		Manual, Mechan	ized	
24. No. of working days	300			
25. Working hours/day	8 hours/day			
26. No. Of workers		tely 30 workers		
27. No. Of vehicles movement/day			ements per day.(Vehicles such as	
			or Trolleys, etc. will be in use)	
28. Type of Land	Governmen	ernment Land (rocky Barren)		
29. Ultimate Depth of Mining	6 m			
30. Nearest metalled road from site	NH-76/link road at 0.25 km towards South direction fro		towards South direction from the	
	project site.			
31. Water Requirement	PURPOSE		REQUIREMENT (KLD)	
	Drinking		0.4 KLD	
	Suppression	n of dust	4.68 KLD	
	Plantation		0.5 KLD	
	Others (if a	ny)	-	
	Total		5.58 KLD approx.	
32. Name of QCI Accredited Consultant with QCI			h and Analysis, Lucknow (U.P.)	
No			A/ 1922/RA 0200	
And period of validity.		30 December 2	022	
33. Any litigation pending against the project or	NO			
land in any court			2020.21 D ( 11()12)2022	
34. Details of 500 m Cluster Map & certificate	Letter No. 7	/414/M.M.C-30/	2020-21, on Dated 16/12/2020	
issued by Mining Officer	T atta : NT :	1222/14/14/20 20	Khan: (2021-22)	
35. Details of Lease Area in approved DSR		1555/WIVIC-30	-Khanij (2021-22) on dated-	
36. Proposed EMP cost	17/08/2021 Rs 24,26,90	0/		
30. Proposed EMP cost 37. Proposed Total Project cost	, ,	Rs 24,26,900/- Rs. 80,00,000/-		
38. Length and breadth of Haul Road		bo/- h and 6 m width		
38. Length and breadth of Haul Road 39. No. of Trees to be Planted	500	in and o m width		
59. INO. OF Frees to be Planted	500			

4. The mining operation will not be carried out in the safety zone of any bridge or embankment or ecofragile zone such as the habitat of any wild fauna.

- 5. There is no litigation pending in any court regarding this project.
- 6. The project proposal falls under category–1(a) of EIA Notification, 2006 (as amended).

#### **RESOLUTION AGAINST AGENDA NO. 01**

The committee discussed the matter and recommended grant of environmental clearance for the project proposal along with general and specific conditions as annexed at Annexure-4 to these minutes.

## 2. <u>Stone Mining at Gata No.-60, Khand No.-01, Village-Jamala, Tehsil-Kulpahar,</u> <u>District-Mahoba., Leased Area-1.214 ha. File No. 6364/Proposal No.</u> <u>SIA/UP/MIN/202558/2021</u>

The committee noted that the matter was earlier discussed in 562<sup>nd</sup> SEAC meeting dated 24/08/2021 and directed the project proponent to submit following information:

- 1. Revised CER Plan with the consultation of District Authority.
- 2. Detailed plan for dust suppression.
- 3. Revised plan for safe disposal of municipal solid waste.
- 4. Plan for vehicular movement.
- 5. Detailed plantation plan with identification of green belt, type and number of plants/trees and their location in consultation with forest department shall be formulated and implemented.

The project proponent submitted their replies vide letter dated 18/09/2021. A presentation was made by the project proponent along with their consultant M/s Environmental Research and Analysis, Lucknow. The proponent, through the documents submitted and the presentation made informed the committee that:-

1. The environmental clearance is sought for Stone Mining at Gata No.-60, Khand No.-01, Village-Jamala, Tehsil-Kulpahar, District-Mahoba, U.P., (Leased Area-1.214 ha.).

2. Salient features of the project as submitted by the project p	proponent:
--	------------

1.On-Inter proposal NO.STACEP MITV20233620212.File No. allotted by SEIAA, UP63643.Name of ProponentShri Sapan Kumar Agarwal S/o-Shri Sudhakar Agarwal4.Full correspondence address of proponent and mobile no.Mo Mugalpura Kasba, Thana Rath, District-Hamirpur (U.P.)5.Name of ProjectBuilding Stone, Khanda, Boulder, Ballast (Gitty) Mine6.Project location (Plot/Khasra/Gata No.)Gata No. 60, Khand No017.Name of RiverNA8.Name of VillageJamala9.TehsilKulpahar10.DistrictMahoba (U.P.)11.Name of Minor MineralBuilding Stone, Khanda, Boulder, Ballast (Gitty) Mine12.Sanctioned Lease Area (in Ha.)1.214 Ha.13.Mineable Area (in Ha.)0.8355 Ha. (safety 0.3785 Ha)14.Zero level mRLNA15.Max. & Min mRL is 189.5 mRL and 183 mRL respectively16.Pillar Coordinates (Verified by DMO)PointLatitude(N)17.Total Geological Reserves4,65,184 m <sup>3</sup> 18.Sanctioned Quantity as per LOI60,000 m <sup>3</sup> per year19.Total Proposed Production (in five year)3,00,000 m <sup>3</sup> in 5 years20.Production of mine/day200 m <sup>3</sup> /day	1. On-line proposal No.	SIA/UP/MIN/202558/2021			
3.Name of ProponentShri Sapan Kumar Agarwal S/o-Shri Sudhakar Agarwal4.Full correspondence address of proponent and mobile no.Mo Mugalpura Kasba, Thana Rath, District-Hamirpur (U.P.)5.Name of ProjectBuilding Stone, Khanda, Boulder, Ballast (Gitty) Mine6.Project location (Plot/Khasra/Gata No.)Gata No. 60, Khand No017.Name of RiverNA8.Name of VillageJamala9.TehsilKulpahar10.DistrictMahoba (U.P.)11.Name of Minor MineralBuilding Stone, Khanda, Boulder, Ballast (Gitty) Mine12.Sanctioned Lease Area (in Ha.)1.214 Ha.13.Mineable Area (in Ha.)0.8355 Ha. (safety 0.3785 Ha)14.Zero level mRLNA15.Max. & Min mRL within lease areaMax. & Min mRL is 189.5 mRL and 183 mRL respectively16.Pillar Coordinates (Verified by DMO)PointLatitude(N)17.Total Geological Reserves $4,65,184 \text{ m}^3$ 18.Sanctioned Quantity as per LOI $60,000 \text{ m}^3$ per year19.Total Proposed Production (in five year) $3,00,000 \text{ m}^3$ in 5 years20.Proposed Production (year $60,000 \text{ m}^3$ per year21.Sanctioned Period of Mine lease10 Year	1 1				
4.Full correspondence address of proponent and mobile no.Mo Mugalpura Kasba, Thana Rath, District-Hamirpur (U.P.) minodel enc.5.Name of ProjectBuilding Stone, Khanda, Boulder, Ballast (Gitty) Mine6.Project location (Plot/Khasra/Gata No.)Gata No. 60, Khand No 017.Name of RiverNA8.Name of VillageJamala9.TehsilKulpahar10.DistrictMahoba (U.P.)11.Name of Minor MineralBuilding Stone, Khanda, Boulder, Ballast (Gitty) Mine12.Sanctioned Lease Area (in Ha.)1.214 Ha.13.Mineable Area (in Ha.)0.8355 Ha. (safety 0.3785 Ha)14.Zero level mRLNA15.Max. & Min mRL within lease areaMax. & Min mRL is 189.5 mRL and 183 mRL respectively16.Pillar Coordinates (Verified by DMO)PointLatitude(N)17.Total Geological Reserves $4,65,184 \text{ m}^3$ 18.Sanctioned Quantity as per LOI60,000 m³ per year19.Total Proposed Production (in five year) $3,00,000 \text{ m}^3$ in 5 years20.Proposed Production (in five year) $3,00,000 \text{ m}^3$ pre year21.Sanctioned Period of Mine lease10 Year					
mobile no.Image: Constraint of the second seco					
5. Name of ProjectBuilding Stone, Khanda, Boulder, Ballast (Gitty) Mine6. Project location (Plot/Khasra/Gata No.)Gata No. 60, Khand No 017. Name of RiverNA8. Name of VillageJamala9. TehsilKulpahar10. DistrictMahoba (U.P.)11. Name of Minor MineralBuilding Stone, Khanda, Boulder, Ballast (Gitty) Mine12. Sanctioned Lease Area (in Ha.)1.214 Ha.13. Mineable Area (in Ha.)0.8355 Ha. (safety 0.3785 Ha)14. Zero level mRLNA15. Max. & Min mRL within lease areaMax. & Min mRL is 189.5 mRL and 183 mRL respectively16. Pillar Coordinates (Verified by DMO)PointLatitude(N)Longitude(E)A25°24'55.70"N79°30'6.53"ED25°24'55.49"NPointE25°24'50.48"N79°30'7.03"EF25°24'52.48"N79°30'5.10"E17. Total Geological Reserves4,65,184 m³18. Sanctioned Quantity as per LOI60,000 m³ per year19. Total Proposed Production (in five year)3,00,000 m³ in 5 years20. Proposed Production/year60,000 m³ per year21. Sanctioned Period of Mine lease10 Year		Wo Wuguputu Kusou, Thana Kaui, District Hanniput (0.1.)			
6.Project location (Plot/Khasra/Gata No.)Gata No. 60, Khand No 017.Name of RiverNA8.Name of VillageJamala9.TehsilKulpahar10.DistrictMahoba (U.P.)11.Name of Minor MineralBuilding Stone, Khanda, Boulder, Ballast (Gitty) Mine12.Sanctioned Lease Area (in Ha.)1.214 Ha.13.Mineable Area (in Ha.)0.8355 Ha. (safety 0.3785 Ha)14.Zero level mRLNA15.Max. & Min mRL within lease areaMax. & Min mRL is 189.5 mRL and 183 mRL respectively16.Pillar Coordinates (Verified by DMO)PointLatitude(N)Longitude(E)A $25^{\circ}24'57.20"N$ $79^{\circ}30'6.53"E$ D $25^{\circ}24'55.49"N$ $79^{\circ}30'6.53"E$ D $25^{\circ}24'55.49"N$ $79^{\circ}30'7.03"E$ E $25^{\circ}24'55.49"N$ $79^{\circ}30'7.03"E$ F $25^{\circ}24'52.28"N$ $79^{\circ}30'5.10"E$ 17.Total Geological Reserves4,65,184 m³18.Sanctioned Quantity as per LOI60,000 m³ per year19.Total Proposed Production (in five year) $3,00,000 \text{ m}^3$ in 5 years20.Proposed Production/year $60,000 \text{ m}^3$ per year21.Sanctioned Period of Mine lease10 Year		Building Stone, Khanda, Boulder, Ballast (Gitty) Mine			
7.Name of RiverNA8.Name of VillageJamala9.TehsilKulpahar10.DistrictMahoba (U.P.)11.Name of Minor MineralBuilding Stone, Khanda, Boulder, Ballast (Gitty) Mine12.Sanctioned Lease Area (in Ha.)1.214 Ha.13.Mineable Area (in Ha.)0.8355 Ha. (safety 0.3785 Ha)14.Zero level mRLNA15.Max. & Min mRL within lease areaMax. & Min mRL is 189.5 mRL and 183 mRL respectively16.Pillar Coordinates (Verified by DMO)PointLatitude(N)17.Total Geological Reserves4,65,184 m³18.Sanctioned Quantity as per LOI60,000 m³ per year19.Total Proposed Production (in five year)3,00,000 m³ in 5 years20.Proposed Production/year60,000 m³ per year21.Sanctioned Period of Mine lease10 Year					
8. Name of VillageJamala9. TehsilKulpahar10. DistrictMahoba (U.P.)11. Name of Minor MineralBuilding Stone, Khanda, Boulder, Ballast (Gitty) Mine12. Sanctioned Lease Area (in Ha.) $1.214$ Ha.13. Mineable Area (in Ha.) $0.8355$ Ha. (safety $0.3785$ Ha)14. Zero level mRLNA15. Max. & Min mRL within lease areaMax. & Min mRL is 189.5 mRL and 183 mRL respectively16. Pillar Coordinates (Verified by DMO)PointLatitude(N)Longitude(E)A25°24'56.92"N79°30'4.73"EB $25°24'56.92"N$ 79°30'6.53"EDD $25°24'55.49"N$ 79°30'7.03"EE20. Proposed Production (in five year) $3,00,000$ m³ per year20. Proposed Production/year $60,000$ m³ per year21. Sanctioned Period of Mine lease $10$ Year					
9. TehsilKulpahar10. DistrictMahoba (U.P.)11. Name of Minor MineralBuilding Stone, Khanda, Boulder, Ballast (Gitty) Mine12. Sanctioned Lease Area (in Ha.) $1.214$ Ha.13. Mineable Area (in Ha.) $0.8355$ Ha. (safety $0.3785$ Ha)14. Zero level mRLNA15. Max. & Min mRL within lease areaMax. & Min mRL is $189.5$ mRL and $183$ mRL respectively16. Pillar Coordinates (Verified by DMO)PointLatitude(N)Longitude(E)A $25^{\circ}24'57.20"N$ 79°30'6.27"EC $25^{\circ}24'55.70"N$ Total Geological Reserves $4,65,184$ m³18. Sanctioned Quantity as per LOI $60,000$ m³ per year19. Total Proposed Production (in five year) $3,00,000$ m³ in 5 years20. Proposed Production/year $60,000$ m³ per year21. Sanctioned Period of Mine lease $10$ Year					
11. Name of Minor MineralBuilding Stone, Khanda, Boulder, Ballast (Gitty) Mine12. Sanctioned Lease Area (in Ha.) $1.214$ Ha.13. Mineable Area (in Ha.) $0.8355$ Ha. (safety $0.3785$ Ha)14. Zero level mRLNA15. Max. & Min mRL within lease areaMax. & Min mRL is 189.5 mRL and 183 mRL respectively16. Pillar Coordinates (Verified by DMO)PointLatitude(N) $A$ $25^{\circ}24'57.20''N$ $79^{\circ}30'4.73''E$ $B$ $25^{\circ}24'55.70''N$ $79^{\circ}30'6.27''E$ $C$ $25^{\circ}24'55.49''N$ $79^{\circ}30'6.53''E$ $D$ $25^{\circ}24'55.49''N$ $79^{\circ}30'7.03''E$ $E$ $25^{\circ}24'52.28''N$ $79^{\circ}30'5.10''E$ 17. Total Geological Reserves $4,65,184 \text{ m}^3$ 18. Sanctioned Quantity as per LOI $60,000 \text{ m}^3$ per year19. Total Proposed Production (in five year) $3,00,000 \text{ m}^3$ in 5 years20. Proposed Production/year $60,000 \text{ m}^3$ per year21. Sanctioned Period of Mine lease $10$ Year		Kulpahar			
12. Sanctioned Lease Area (in Ha.)1.214 Ha.13. Mineable Area (in Ha.)0.8355 Ha. (safety 0.3785 Ha)14. Zero level mRLNA15. Max. & Min mRL within lease areaMax. & Min mRL is 189.5 mRL and 183 mRL respectively16. Pillar Coordinates (Verified by DMO)PointLatitude(N)Longitude(E)A25°24'57.20"N79°30'4.73"EB25°24'56.92"N79°30'6.27"ECC25°24'55.70"N79°30'6.53"ED25°24'55.49"N79°30'7.03"EF25°24'52.28"N79°30'5.10"E17. Total Geological Reserves4,65,184 m³18. Sanctioned Quantity as per LOI60,000 m³ per year19. Total Proposed Production (in five year)3,00,000 m³ in 5 years20. Proposed Production/year60,000 m³ per year21. Sanctioned Period of Mine lease10 Year	10. District	Mahoba (U.P.)			
13. Mineable Area (in Ha.) $0.8355$ Ha. (safety $0.3785$ Ha)14. Zero level mRLNA15. Max. & Min mRL within lease areaMax. & Min mRL is 189.5 mRL and 183 mRL respectively16. Pillar Coordinates (Verified by DMO)Point Latitude(N) Longitude(E)A $25^{\circ}24'57.20"N$ $79^{\circ}30'4.73"E$ B $25^{\circ}24'56.92"N$ $79^{\circ}30'6.27"E$ C $25^{\circ}24'55.70"N$ $79^{\circ}30'6.53"E$ D $25^{\circ}24'55.49"N$ $79^{\circ}30'6.53"E$ E $25^{\circ}24'55.49"N$ $79^{\circ}30'7.03"E$ F $25^{\circ}24'52.28"N$ $79^{\circ}30'5.10"E$ 17. Total Geological Reserves $4,65,184 m^3$ 18. Sanctioned Quantity as per LOI $60,000 m^3$ per year19. Total Proposed Production (in five year) $3,00,000 m^3$ in 5 years20. Proposed Production/year $60,000 m^3$ per year21. Sanctioned Period of Mine lease $10$ Year	11. Name of Minor Mineral	Building Stone, Khanda, Boulder, Ballast (Gitty) Mine			
14. Zero level mRLNA15. Max. & Min mRL within lease areaMax. & Min mRL is 189.5 mRL and 183 mRL respectively16. Pillar Coordinates (Verified by DMO)PointLatitude(N)Longitude(E)A $25^{\circ}24'57.20"N$ $79^{\circ}30'4.73"E$ B $25^{\circ}24'56.92"N$ $79^{\circ}30'6.27"E$ C $25^{\circ}24'55.70"N$ $79^{\circ}30'6.53"E$ D $25^{\circ}24'55.49"N$ $79^{\circ}30'6.53"E$ D $25^{\circ}24'52.49"N$ $79^{\circ}30'7.03"E$ E $25^{\circ}24'52.49"N$ $79^{\circ}30'7.03"E$ E $25^{\circ}24'52.28"N$ $79^{\circ}30'7.03"E$ F $25^{\circ}24'52.28"N$ $79^{\circ}30'5.10"E$ 17. Total Geological Reserves $4,65,184 m^3$ 18. Sanctioned Quantity as per LOI $60,000 m^3 per year$ 19. Total Proposed Production (in five year) $3,00,000 m^3 in 5 years$ 20. Proposed Production/year $60,000 m^3 per year$ 21. Sanctioned Period of Mine lease $10$ Year	12. Sanctioned Lease Area (in Ha.)	1.214 Ha.			
15. Max. & Min mRL within lease areaMax. & Min mRL is 189.5 mRL and 183 mRL respectively16. Pillar Coordinates (Verified by DMO)PointLatitude(N)Longitude(E)A $25^{\circ}24'57.20"N$ $79^{\circ}30'4.73"E$ B $25^{\circ}24'56.92"N$ $79^{\circ}30'6.27"E$ C $25^{\circ}24'55.70"N$ $79^{\circ}30'6.53"E$ D $25^{\circ}24'55.49"N$ $79^{\circ}30'6.63"E$ E $25^{\circ}24'55.49"N$ $79^{\circ}30'7.03"E$ F $25^{\circ}24'52.28"N$ $79^{\circ}30'5.10"E$ 17. Total Geological Reserves $4,65,184 m^3$ 18. Sanctioned Quantity as per LOI $60,000 m^3$ per year19. Total Proposed Production (in five year) $3,00,000 m^3$ in 5 years20. Proposed Production/year $60,000 m^3$ per year21. Sanctioned Period of Mine lease $10$ Year	13. Mineable Area (in Ha.)	0.8355 Ha. (safety 0.3785 Ha)			
16. Pillar Coordinates (Verified by DMO)PointLatitude(N)Longitude(E)A $25^{\circ}24'57.20"N$ $79^{\circ}30'4.73"E$ B $25^{\circ}24'56.92"N$ $79^{\circ}30'6.27"E$ B $25^{\circ}24'55.70"N$ $79^{\circ}30'6.53"E$ D $25^{\circ}24'55.49"N$ $79^{\circ}30'7.03"E$ D $25^{\circ}24'55.49"N$ $79^{\circ}30'7.03"E$ E25^{\circ}24'50.48"N $79^{\circ}30'7.03"E$ F $25^{\circ}24'52.28"N$ $79^{\circ}30'7.03"E$ F25^{\circ}24'52.28"N $79^{\circ}30'5.10"E$ 17. Total Geological Reserves $4,65,184 m^3$ $60,000 m^3 per year$ 118. Sanctioned Quantity as per LOI $60,000 m^3 per year$ $3,00,000 m^3 in 5 years$ $20. Proposed Production (in five year)$ $3,00,000 m^3 per year$ 20. Proposed Production/year $60,000 m^3 per year$ $10 Year$	14. Zero level mRL				
$ \begin{array}{ c c c c c c c c c c c c c c c c c c c$	15. Max. & Min mRL within lease area	Max. & Min mRL is 189.5 mRL and 183 mRL respectively			
$ \begin{array}{ c c c c c c c c c c c c c c c c c c c$	16. Pillar Coordinates (Verified by DMO)	Point Latitude(N) Longitude(E)			
$\begin{tabular}{ c c c c c c c c c c c c c c c c c c c$		A 25°24'57.20"N 79°30'4.73"E			
$\begin{tabular}{ c c c c c c c c c c c c c c c c c c c$		B 25°24'56.92"N 79°30'6.27"E			
$\begin{tabular}{ c c c c c c c c c c c c c c c c c c c$		C 25°24'55.70"N 79°30'6.53"E			
F25°24'52.28"N79°30'5.10"E17. Total Geological Reserves4,65,184 m³18. Sanctioned Quantity as per LOI60,000 m³ per year19. Total Proposed Production (in five year)3,00,000 m³ in 5 years20. Proposed Production/year60,000 m³ per year21. Sanctioned Period of Mine lease10 Year		D 25°24'55.49"N 79°30'8.86"E			
17. Total Geological Reserves4,65,184 m³18. Sanctioned Quantity as per LOI60,000 m³ per year19. Total Proposed Production (in five year)3,00,000 m³ in 5 years20. Proposed Production/year60,000 m³ per year21. Sanctioned Period of Mine lease10 Year		E 25°24'50.48"N 79°30'7.03"E			
18. Sanctioned Quantity as per LOI     60,000 m³ per year       19. Total Proposed Production (in five year)     3,00,000 m³ in 5 years       20. Proposed Production/year     60,000 m³ per year       21. Sanctioned Period of Mine lease     10 Year		F 25°24'52.28"N 79°30'5.10"E			
19. Total Proposed Production (in five year)3,00,000 m³ in 5 years20. Proposed Production/year60,000 m³ per year21. Sanctioned Period of Mine lease10 Year	17. Total Geological Reserves				
20. Proposed Production/year60,000 m³ per year21. Sanctioned Period of Mine lease10 Year	18. Sanctioned Quantity as per LOI	60,000 m <sup>3</sup> per year			
21. Sanctioned Period of Mine lease 10 Year	19. Total Proposed Production (in five year)	3,00,000 m <sup>3</sup> in 5 years			
		60,000 m <sup>3</sup> per year			
22. Production of mine/day 200 m <sup>3</sup> /day	21. Sanctioned Period of Mine lease				
	22. Production of mine/day	200 m <sup>3</sup> /day			

23. Method of Mining	Open cast, Mechanized		
24. No. of working days	300		
25. Working hours/day	8 hours/day		
26. No. Of workers	Approximately 30 workers	5	
27. No. Of vehicles movement/day	Approximately 18-20 move	ements per day.(Vehicles such as	
		or Trolleys, etc. will be in use)	
28. Type of Land	Government Land (rocky B	arren)	
29. Ultimate Depth of Mining	6 m		
30. Nearest metalled road from site	NH-76/link Road at 0.25 km	n towards South direction from the	
	project site.		
31. Water Requirement	PURPOSE	<b>REQUIREMENT (KLD)</b>	
	Drinking	0.4 KLD	
	Suppression of dust	6.0 KLD	
	Plantation	0.6 KLD	
	Others (if any)	-	
	Total	7.0 KLD	
32. Name of QCI Accredited Consultant with QCI	M/s Environmental Researc	h and Analysis, Lucknow (U.P.)	
No	Certificate No. NABET/ EL		
And period of validity.	Valid up to 30 December 2	022	
33. Any litigation pending against the project or land in any court	NO		
34. Details of 500 m Cluster Map & certificate	Letter No. 7426/M.M.C-30/	2020-21, on Dated 16/12/2020	
issued by Mining Officer			
35. Details of Lease Area in approved DSR		-Khanij(2021-22) on dated –	
	13/08/2021		
36. Proposed EMP cost	Rs 22,95,000/-		
37. Proposed Total Project cost	Rs. 90,00,000/-		
38. Length and breadth of Haul Road	250 m length and 6 m width	L	
39. No. of Trees to be Planted	600		

- 4. The mining operation will not be carried out in the safety zone of any bridge or embankment or ecofragile zone such as the habitat of any wild fauna.
- 5. There is no litigation pending in any court regarding this project.
- 6. The project proposal falls under category–1(a) of EIA Notification, 2006 (as amended).

#### **RESOLUTION AGAINST AGENDA NO. 02**

The committee discussed the matter and recommended grant of environmental clearance for the project proposal along with general and specific conditions as annexed at Annexure-4 to these minutes.

### 3. <u>Stone Mine at Aaraji No.-428, Village- Dhuriyan, Tehsil- Chunar, District- Mirzapur,</u> U.P., Area -1.21 ha. File No. 6073/Proposal No. SIA/UP/MIN/59402/2020

The committee noted that the matter was earlier discussed in 553<sup>rd</sup> SEAC meeting dated 29/07/2021 and directed the project proponent to submit following information:

1. Singrauli Action Plan (CEPI) as defined by CPCB which includes the area of Uttar Pradesh and Madhya Pradesh. The committee directed the Project proponent to submit the status of

proposed site with reference to aforesaid Singrauli Action Plan (CEPI) along with certified map with geo-coordinates from the competent authority.

2. Detailed plantation plan with identification of green belt, type and number of plants/trees and their location in consultation with forest department shall be formulated and implemented.

The project proponent submitted their replies vide letter dated 24/09/2021. A presentation was made by the project proponent along with their consultant M/s Environmental Research and Analysis, Lucknow. The proponent, through the documents submitted and the presentation made informed the committee that:-

- 1. The terms of reference is sought for Stone Mine at Araji No.-428, Village- Dhuriyan, Tehsil- Chunar, District- Mirzapur, U.P., (Leased Area -1.21 ha.).
- 2. Salient features of the project as submitted by the project proponent:

1. On-line proposal No.	SIA/UP/MIN/59402/2020			
2. File No. allotted by SEIAA, UP	6073			
3. Name of Proponent	Smt. Sushma Srivastava w/o Shri Vinod Srivastava			
4. Full correspondence address of proponent and	R/o- Dhuriyan, Ahraura			
4. Full correspondence address of proponent and mobile no.	Tehsil- Chunar			
moone no.	District- Mirzapur (U.P.)			
5. Name of Project	Building Stone (Sand Stone)Mining Project			
6. Project location (Plot/Khasra/Gata No.)	Arazi No. 428			
7. Name of River	NA			
8. Name of Village	Dhuriyan			
9. Tehsil	Chunar			
10. District	Mirzapur (U.P.)			
11. Name of Minor Mineral	Building Stone (Sand Stone)Mining Project			
12. Sanctioned Lease Area (in Ha.)	1.21 Ha.			
12. Sanctioned Lease Area (in Ha.) 13. Mineable Area (in Ha.)	0.889 ha.(0.321 Ha)			
14. Zero level mRL	NA			
15. Max. & Min mrl within lease area	The highest and lowest point in the leasehold is 124 mRL			
15. Max. & Mill IIII Within lease area	towards South-West direction and 105 mRL towards			
	North-East direction.			
16. Pillar Coordinates (Verified by DMO)	Pillar       Latitude(N)       Longitude(E)			
10. That Coordinates (Vernied by Divid)				
	A 25°02'42.60"N 83°02'50.80"E			
	B 25°02'40.10"N 83°02'51.70"E			
	C 25°02'39.90"N 83°02'46.90"E			
	D 25°02'42.50"N 83°02'46.30"E			
17. Total Geological Reserves	5,73,812 m <sup>3</sup> /year			
18. Total Mineable Reserves	12100 m <sup>3</sup> per year as per LOI			
19. Total Proposed Production (in five year)	62,500 m <sup>3</sup>			
20. Proposed Production/year	12,100 m <sup>3</sup> per year			
21. Sanctioned Period of Mine lease	10 Year (from date of execution)			
22. Production of mine/day	48.4 m <sup>3</sup> /day			
23. Method of Mining	Open cast, Semi Mechanized			
24. No. of working days	250			
25. Working hours/day	8 hours/day			
26. No. Of workers	Approximately 15 workers per day			
27. No. Of vehicles movement/day	4-5 Vehicles movement/day			
28. Type of Land	Building Stone (Sand Stone)Mining Project			
29. Ultimate Depth of Mining	6 m			
30. Nearest metalled road from site	NH-7 at 15.42 km towards North West direction.			
31. Water Requirement	PURPOSE REQUIREMENT (KLD)			
-	Drinking water 0.25 KLD			

	Suppression of dust	8.28 KLD
	Plantation	0.6 KLD
	Others (if any)	-
	Total	9.13 KLD (9.0 KLD approx.)
32. Name of QCI Accredited Consultant with QCI No	Environmental Research a	nd Analysis, Lucknow (U.P)
And period of validity.	letter No- NABET/EIA/1	922/RA0200
	and valid up to 30 Dec 20	22
	_	
33. Any litigation pending against the project or land	No	
in any court		
34. Details of 500 m Cluster Map & certificate issued	Letter No. 1015/Khanij/\$	॰ स॰/2020, on Dated
by Mining Officer	23/10/2020	
35. Details of Lease Area in approved DSR	On Page No. 19, Sr. No-	43
36. Proposed CER cost	Rs 30,46,600/-	
37. Proposed EMP cost/ Total Project cost	Rs. 87,00,000/-	
38. Length and breadth of Haul Road	230.0 m length and 6.0 m	width
39. No. of Trees to be Planted	600	
	. 1 1 1 .1	1 1 1

- 4. The mining operation will not be carried out in the safety zone of any bridge or embankment or ecofragile zone such as the habitat of any wild fauna.
- 5. There is no litigation pending in any court regarding this project.
- 6. The project proposal falls under category–1(a) of EIA Notification, 2006 (as amended).

#### **RESOLUTION AGAINST AGENDA NO. 03**

The committee discussed the matter and recommended to issue the standard terms of reference for the preparation of EIA as annexed at Annexure-1 to the minutes. The committee also stipulated following additional TOR Points:

#### **Additional TOR:**

- 1. CEPI certificate issued by Mining Officer should be submitted at the time of EIA presentation.
- 2. In rocky places the soil below is made up of the impenetrable stone, plant roots have a tough time getting the nutrients they need to survive. Therefore, plantation should be done only after drilling about 2 feet below ground and proper manuring should be done along with plant growth promoters for proper growth of the plants.
- 3. Agreement between project proponent and competent authority for safe disposal of municipal solid waste should be provided at the time EIA presentation.
- 4. The project proponent shall plan and implement collection drain and siltation basins of adequate size to arrest the silt and sediment flows from the quarry area. The surface runoff rain water harvesting and other water conservation measures of long term basis are to be taken in consultation with central/State Ground water Board. The water so collected should be utilized for watering the haulage area, roads and green belt development etc.
- 5. Plan for vehicular movement.
- 6. Detailed plantation plan with identification of green belt, type and number of plants/trees and their location in consultation with Forest Department should be submitted.

## 4. <u>Stone Mining at Gata No.-669, Khand No.- 17, Village- Khailar, Tehsil-Sadar, Jhansi,</u> <u>U.P. Smt. KavitaParecha, Area-1.655 ha. File No. 6472/Proposal No.</u> <u>SIA/UP/MIN/66142/2021</u>

#### **RESOLUTION AGAINST AGENDA NO-04**

The project proponent requested the committee to defer the matter in tomorrow SEAC meeting dated 26/10/2021. The committee agreed with the request made by project proponent and directed to list the matter in SEAC meeting dated 26/10/2021.

## 5. <u>Stone Mining at Gata No.-669, Khand -14, at Village- Khailar, Tehsil-Sadar, Jhansi,</u> <u>U.P., Smt. Radhika Parecha, Area-2.023 ha. File No. 6474/Proposal No.</u> <u>SIA/UP/MIN/66212/2021</u>

#### **RESOLUTION AGAINST AGENDA NO-05**

The project proponent requested the committee to defer the matter in tomorrow SEAC meeting dated 26/10/2021. The committee agreed with the request made by project proponent and directed to list the matter in SEAC meeting dated 26/10/2021.

## 6. <u>Sand/Morrum Mining from Sone River bed at Araji No.-531 Anga, Khand No.- 05,</u> <u>Village-Sasnai, Tehsil-Obra, District-Sonbhadra.,M/s Silvrr Mist Retail Pvt. Ltd., Area-</u> <u>16.194 Ha. File No. 6475/Proposal No. SIA/UP/MIN/66226/2021</u>

#### **RESOLUTION AGAINST AGENDA NO-06**

The project proponent/Consultant informed the committee that this area is within 5 km of the CPA boundary in the district of Sonbhadra. The project proponent/Consultant also informed the committee that this area is in SPA as per the EPI score defined by the CPCB assessment of 2018. The NGT order dated 02/8/2021 in the matter of Appeal No. 54/2020 Anil Kumar Yadav Versus State Environment Impact Assessment Authority, Uttar Pradesh &Ors. with Review Application No. 07/2021 in Appeal No. 04/2020 Abhinav Gramodyog & Seva Sansthan Versus State Environment Impact Assessment Authority, Uttar Pradesh &Ors. Mentions that... "Accordingly, the joint Committee of MoEF&CC, CPCB and State PCB may, with the help of the District Magistrate, Sonbhadra, finalise the exercise and clarify the factual position of the outer boundary of the CPA and distance of the projects in question from said area. The State PCB will be the nodal agency for coordination and compliance. The Joint Committee may also give a report whether the projects in question fall within the prohibited distance from the protected area under the Wild Life (Protection) Act, 1972 and the inter-State boundary."...Because of the above order, the committee requests SEIAA to get clarification on whether this case can be taken as category B1 or not.

# 7. <u>Soil Excavation at Gata No.-1, 24, 26, 27, 28, 29, 33, Village- Palanpur, Tehsil-Bilari, Moradabad., ShriSagar Gupta, Area-0.9521 Ha. File No. 6478/Proposal No. SIA/UP/MIN/221534/2021</u>

The consultant informed the committee that they are strictly following the rules, regulations and other instructions of QCI/NABET. A presentation was made by the project proponent along with their consultant M/s Ind Tech House Consult. The proponent, through the documents submitted and the presentation made informed the committee that:

 The environmental clearance is sought for "Ordinary Soil Excavation" Project at Gata No. 1, 24, 26, 27, 28, 29, 33, Village-Palanpur, Tehsil-Bilari, District- Moradabad, Uttar Pradesh. (Leased Area:0.9521 Ha.), M/s Mahakal Construction Company.

1.	On Line Proposal No.	SIA/UP/MIN/221534/2021			
2.	File No. allotted by SEIAA, UP	6478			
3.	Name of Proponent	Sagar Gupta (M/s Mahakal Construction Company)			
4.	Full correspondence address of proponent and mobile no.	R/o-Mohalla	R/o-Mohalla Mahajan, P.O-Chandausi District-Sambhal U.P.		
5.	Name of Project	Proposed "Ordinary Soil Excavation" Project M/s Mahakal			
		Construction	Company Shri SagarGupta atGata No.–1, 24	1, 26,	
			), 33 Village-Palanpur, Tehsil-Bilari, Dis	strict-	
			Uttar Pradesh. (Area:0.9521 Ha.)		
6.	Project Location (Plot.Khsra/Gata/Araji No.)	Gata No.– 1,	24, 26, 27, 28, 29, 33		
7.	Name of Village	Palanpur			
8.	Tehsil	Bilari			
9.	District	Moradabad			
10.	Name of Minor Mineral		I Excavation		
11.	Sanctioned Lease Area (in Ha.)	0.9521 Ha.			
12.	Max. & Min mRL within lease area	202.00mRL& 200.00mRL			
13.	Pillar Coordinates (Verified by DMO)	GATA	1		
		NO.			
		A	28°34'1.25"N 78°46'19.32"E		
		В	28°33'59.37"N 78°46'21.49"E		
		С	28°33'58.84"N 78°46'21.03"E		
		D	28°34'0.84"N 78°46'18.80"E		
		Е	28°34'1.21"N 78°46'18.91"E		
		GATA	24		
		NO.			
		А	28°33'56.71"N 78°46'15.21"E		
		В	28°33'58.00"N 78°46'16.67"E		
		GACTA	28°33'56.08"N 27 78°46'17.78"E		
		NQ.	28°33'55.37"N 78°46'17.28"E		
		A	28°33'55.27"N 78°46'13.53"E		
		В	28°33'55.73"N 78°46'14.11"E		
		С	28°33'54.34"N 78°46'16.22"E		
		D	28°33'53.90"N 78°46'15.82"E		
		GATA	28		

2. Salient features of the project as submitted by the project proponent:

	with QCI No and period of validity.	Period of Validity- 27-10-2021				
29.	Name of QCI Accredited Consultant	Ind Tech House Consult QCI No 85			/	
		Total	<i>J</i> /	6.9 KI	LD (Approx. 7.00 KLI	))
		Others (if a	ny)			
		Plantation		0.1K		
		Suppression	n of dust	6.6 K		
	1	Drinking			KLD	
28.	Water Requirement	PURPOSE		REO	UIREMENT (KLD)	
27.	Nearest metalled road from site	1.10Km				
26.	Ultimate of Depth of Mining	2.2 m		<u></u>		
25.	Type of Land	Pvt. Land (				
23. 24.	No. of vehicles movement/day			ending	on market demand)	
22. 23.	Working hours/day No. of worker	8 Hours 25 Workers	,			
21.	No. of working days	90 Days				
20.	Method of Mining	1	vianuai/ Se	mi Mec	hanized Mining	
19.	Production of mine/day	194 m <sup>3</sup>	fame 1/ C			
18.	Sanctioned Period of Mine lease	3  months				
17.	Total Proposed Production in 3months	17419m <sup>3</sup>				
16.	Total Proposed Production	$17419m^{3}(3)$	months)			
15.	Total Mineable Reserve	17419m <sup>3</sup> (3	,			
14.	Total Geological Reserves		20941m <sup>3</sup>			
			78°46'16	.33″E		
		D	28°33'54			
			78°46'16			
l		C	28°33'54			
			78°46'14			
		В	28°33'56			
		Α	28°33'55		78°46'14.21"E	
		NO.				
		GATA		2	6	
		D	28°33'50	.37"N	78°46'14.74"E	
		C	28°33'50		78°46'15.22"E	
		В	28°33'51		78°46'14.91"E	
		A	28°33'50		78°46'14.35"E	
		NO.				
		GATA		3	3	
		D	28°33'52		78°46'14.47"E	
		C	28°33'53		78°46'15.15"E	
		В	28°33'54		78°46'13.04"E	
		A	28°33'53		78°46'12.40"E	
		NO.		0.017		
		GATA		2	9	
			78°46'15			
		D	28°33'53			
			78°46'15			
		С	28°33'53			
			78°46'13			
		В	28°33'55			
			78°46'13			
		A	28°33'54	.67"N		
i i		NO.				

	project or land in any court	
31.	Details of 500 m Cluster Map &	Letter No-86/Khanij/2021
	Certificate verified by Mining Officer	Date-30.6.2021
32.	Proposed CER cost	2% of total project cost i.e. Rs.42920
33.	Proposed EMP cost	3.88 Lakhs
34.	Length and breadth of Haul Road	1100mt Length & 6m width haulage road
35.	No. of Trees to be Planted	25Trees

- 3. The mining would be restricted to unsaturated zone only above the phreatic water table and will not intersect the ground water table at any point of time.
- 4. This project does not attract any of the general conditions applicable on mining projects specified in EIA Notification 14/09/2006.
- 5. The mining operation will not be carried out in safety zone of any bridge or embankment or in ecofragile zone such as habitat of any wild fauna.
- 6. There is no litigation pending in any court regarding this project.
- 7. The project proposal falls under category–1(a) of EIA Notification, 2006 (as amended).

#### **RESOLUTION AGAINST AGENDA NO-07**

The committee discussed the matter and recommended grant of environmental clearance for the project proposal along with general and specific conditions as annexed at Annexure-2 to these minutes.

## 8. <u>Stone Mining at Gata No.-649, Khand No.-01 at Village- Aswan, Tehsil- Bara,</u> <u>Prayagraj, U.P., M/s Khushi Enterprises, Area -2.717 ha. File No. 6485/Proposal No.</u> <u>SIA/UP/MIN/66358/2021</u>

A presentation was made by the project proponent along with their consultant M/s Paramarsh Servicing Environment and Development, Lucknow. The proponent, through the documents submitted and the presentation made informed the committee that:-

- 1. The environmental clearance is sought for Building Stone (Gitti, Boulder, Khanda) Sand Stone mine at Araji No./Plot No./Gata No.- 649 Khand No.-01, Village Aswan, Tehsil- Bara, District-Prayagraj, Uttar Pradesh of M/s Khushi Enterprises
- 2. Salient features of the project as submitted by the project proponent:

1.	On-line proposal No.	SIA/UP/MIN/66358/2021
2.	File No. allotted by SEIAA, UP	6485
3.	Name of Proponent	M/s Khushi Enterprises
		Rajeshwar Mishra (Prop)
4.	Full correspondence address of	Shri Rajeshwar Mishra (Prop) R/o: D-168, Gangotri Nagar,
	proponent and mobile no.	Dandia, Prayagraj. U.P-211008
		Mobile no. – 9919945080
		E mail ID - rmsandstoneald@gmail.com
5.	Name of Project	Environment Clearance of Proposed Building Stone (Gitti,
		Boulder, Khanda) Sand Stone mine at Araji No./Plot No./Gata
		No 649 Khand No01, Area 2.717 ha. (6.71 Acres) at Village
		– Aswan, Tehsil- Bara, District- Prayagraj, Uttar Pradesh of M/s
		Khushi Enterprises
6.	Project Location (Plot. Khasra/Gata No.)	Gata No 649 Khand No01
7.	Name of River	Yamuna River – 8.0 Km (N)
8.	Name of Village	Village – Aswan

9.	Tehsil	Bara				
10.	District	Prayagraj				
11.	Name of Minor Mineral	Building Stone (Khanda, Boulder, Gitti)				
12.	Sanctioned Lease Area (in Ha.)	2.717 ha				
12.	Max. & Min mRL within lease area	Highest mRL 102.50 mRL				
15.	where we will might within lease area	Lowest mRL 99.60 mRL				
14.	Pillar Coordinates (Verified by DMO)	Point       Latitude       Longitude				
17.	That Coordinates (Vernied by Divio)					
		A 25° 16.731"N 81° 40.380"E				
		B 25° 16.661"N 81° 40.559"E				
		C 25° 16.577"N 81° 40.567"E				
		D 25° 16.611"N 81° 40.488"E				
15.	Total Geological Reserves	5,82,870 m <sup>3</sup> / 16,32,036 Tonnes				
16.	Total Mineable Reserve	2,72,120 m <sup>3</sup> / 7,61,936 Tonnes				
17.	Total Proposed Production	1,35,850 m <sup>3</sup> (5 years)				
18.	Proposed Production /year (as per LoI)	27,170 m <sup>3</sup> /annum, 76,076 TPA				
19.	Sanctioned Period of Mine lease	5 years				
20.	Production of mine/day	90.56 m <sup>3</sup> /day				
21.	Method of Mining	Opencast, /Semi-mechanized method				
22.	No. of working days	300				
23.	Working hours/day	8				
24.	No. of worker	39				
25.	No. of vehicles movement/day	12				
26.	Type of Land	Govt./Non Forest Land				
27.	Depth of Mining	6.0 m				
28.	Nearest metalled road from site	0.58 km				
29.	Water Requirement	PURPOSE				
	-	Drinking - 0.39 KLD				
		Suppression of dust - 6.96 KLD				
		Plantation - 0.246 KLD				
		Others (if any) - 0.00 KLD				
		Total - 7.496 KLD				
30.	Name of QCI Accredited Consultant	Paramarsh Servicing Environment and development				
	with QCI No and period of validity.	NABET/EIA/1821 RA 0120 Valid till – 19 Oct 2021				
31.	Any litigation pending against the	No				
	project or land in any court					
32.	Details of 500 m Cluster Certificate	Letter No - 561/Khanij/2020-21 dated - 22/03/2021				
	verified by Mining Officer					
33.	Details of Lease Area in approved DSR					
		Page no. 32				
34.	Project Cost	1.3 Crore/year				
35.	Proposed CER cost	2.60 lacs/annum				
36.	Length and breadth of Haul Road	Length $-0.58$ km				
		Breadth – 6.00 m				
37.	No. of Trees to be Planted	246				

4. The mining operation will not be carried out in the safety zone of any bridge or embankment or ecofragile zone such as the habitat of any wild fauna.

5. There is no litigation pending in any court regarding this project.

6. The project proposal falls under category–1(a) of EIA Notification, 2006 (as amended).

#### **RESOLUTION AGAINST AGENDA NO-08**

The committee discussed the matter and recommended to issue the standard terms of reference for the preparation of EIA as annexed at Annexure-1 to the minutes. The committee also stipulated following additional TOR Points:

#### **Additional TOR:**

- 1. In rocky places the soil below is made up of the impenetrable stone, plant roots have a tough time getting the nutrients they need to survive. Therefore, plantation should be done only after drilling about 2 feet below ground and proper manuring should be done along with plant growth promoters for proper growth of the plants.
- 2. Agreement between project proponent and competent authority for safe disposal of municipal solid waste should be provided at the time EIA presentation.
- 3. The project proponent shall plan and implement collection drain and siltation basins of adequate size to arrest the silt and sediment flows from the quarry area. The surface runoff rain water harvesting and other water conservation measures of long term basis are to be taken in consultation with central/State Ground water Board. The water so collected should be utilized for watering the haulage area, roads and green belt development etc.
- 4. Plan for vehicular movement.
- 5. Joint venture plan regarding maintenance of haul road.

## 9. <u>Stone Mining at Gata No.-179,Khand No.-01 at Village-Dhara, Tehsil- Bara, Prayagraj,</u> <u>U.P., M/s Khushi Enterprises, Area -15.0 ha. File No. 6486/Proposal No.</u> <u>SIA/UP/MIN/66372/2021</u>

A presentation was made by the project proponent along with their consultant M/s Paramarsh Servicing Environment and Development, Lucknow. The proponent, through the documents submitted and the presentation made informed the committee that:-

1. The terms of reference is sought for Building Stone (Gitti, Boulder, Khanda) Sand Stone mine at Araji No./Plot No./Gata No.- 179 Khand No.-01, at Village – Dhara, Tehsil- Bara, District-Prayagraj, Uttar Pradesh, (Leased Area : 15.0 Ha), M/s Khushi Enterprises.

	· Sument reactives of the project as such inter of the project propenent.				
1.	File No. allotted by SEIAA, UP	6486			
2.	Name of Proponent	M/s Khushi Enterprises			
		Rajeshwar Mishra (Prop)			
		R/o: D-168, Gangotri Nagar			
		Dandi, Prayagraj. U.P-211008			
3.	Full correspondence address of	M/s Khushi Enterprises			
	proponent and mobile no.	Rajeshwar Mishra (Prop)R/o: D-168, Gangotri Nagar Dandi, Prayagraj.			
		U.P-211008			
		Mobile no. – 9919945080			
		E mail ID - rmsandstoneald2@gmail.com			
4.	Project Location (Plot.	Araji No./Plot No 179 Khand No01			
	Khasra/Gata No.)				
5.	Name of River	Yamuna River – 8.0 Km (N)			
		Ganga River- 26.0 km (E)			
6.	Name of Village	Dhara			
7.	Tehsil	Bara			
8.	District	Prayagraj			

2. Salient features of the project as submitted by the project proponent:

10.     11.     12.	Name of Minor MineralSanctioned Lease Area (in Ha.)Max. & Min mRL within leasearea	6.072 ha. (15.0 A		/		
11. 12.	Max. & Min mRL within lease					
		Highest mRL 102.20 mRL Lowest mRL 98.10 mRL				
	Pillar Coordinates (Verified by	Point	Latitude	Longitude		
	DMO)	А	25° 16.615"N	81° 40.452"E		
1		В	25° 16.586"N	81° 40.500"E		
		С	25° 16.413"N	81° 40.562"E		
		D	25° 16.442" N	81° 40.549"E		
		Е	25° 16.506" N	81° 40.352"E		
13.	Total Geological Reserves	26,52,210 m3 / ′	74,26,188 Tonnes			
14.	Total Mineable Reserve		37,59,504 Tonnes			
15.	Total Proposed Production	3,44,000 m <sup>3</sup> (5 y	years)			
16.	Proposed Production /year (as	60,720 m <sup>3</sup> /annu	m 1,70,016 TPA			
	per LoI)					
17.	Sanctioned Period of Mine lease	5 years				
18.	Production of mine/day	202 m <sup>3</sup> /day				
19.	Method of Mining	Opencast, /Semi-	-mechanized method			
20.	No. of working days	300				
21.	Working hours/day	8				
22.	No. of worker	39				
23.	No. of vehicles movement/day	26				
24.	Type of Land	Govt./Non Forest Land				
	Depth of Mining	6.0 m				
26.	Nearest metalled road from site	0.33 km				
27.	Water Requirement	PURPOSE				
		Drinking - 0.46 KLD				
		Suppression of dust - 3.96 KLD				
		Plantation - 0.162 KLD				
		Others (if any) - 0.00 KLD				
		Total		12 KLD		
	Name of QCI Accredited Consultant with QCI No and period of validity.	Paramarsh Servicing Environment and development NABET/EIA/1821 RA 0120, Valid till – 19 October 2021				
29.	Any litigation pending against the project or land in any court	No				
	Details of 500 m Cluster Certificate verified by Mining Officer	Letter No – 899/Khanij/2020-21, dated - 22/03/2021				
	Details of Lease Area in approved DSR	Serial no. 157, Page no. 32				
	Project Cost	1.50 Crore/year				
	Proposed CER cost	3.30 lacs/annum				
	Length and breadth of Haul Road	Length $-0.33$ km Breadth $-6.00$ m				
35.	No. of Trees to be Planted	162				

4. The mining operation will not be carried out in the safety zone of any bridge or embankment or ecofragile zone such as the habitat of any wild fauna.

5. There is no litigation pending in any court regarding this project.

6. The project proposal falls under category–1(a) of EIA Notification, 2006 (as amended).

#### **RESOLUTION AGAINST AGENDA NO-09**

The committee discussed the matter and recommended to issue the standard terms of reference for the preparation of EIA as annexed at Annexure-1 to the minutes. The committee also stipulated following additional TOR Points:

#### Additional TOR:

- 1. In rocky places the soil below is made up of the impenetrable stone, plant roots have a tough time getting the nutrients they need to survive. Therefore, plantation should be done only after drilling about 2 feet below ground and proper manuring should be done along with plant growth promoters for proper growth of the plants.
- 2. Agreement between project proponent and competent authority for safe disposal of municipal solid waste should be provided at the time EIA presentation.
- 3. The project proponent shall plan and implement collection drain and siltation basins of adequate size to arrest the silt and sediment flows from the quarry area. The surface runoff rain water harvesting and other water conservation measures of long term basis are to be taken in consultation with central/State Ground water Board. The water so collected should be utilized for watering the haulage area, roads and green belt development etc.
- 4. Plan for vehicular movement.

## 10. <u>Stone Minng at Khasra No.-768, Khand No.-04 at Village- Ram Nagar, Tehsil- Moth,</u> <u>District- Jhansi, U.P., M/s Kanpur Granite Stone Company, Area -4.046 ha. File No.</u> <u>6487/Proposal No. SIA/UP/MIN/64654/2021</u>

A presentation was made by the project proponent along with their consultant M/s Earth Vision India Associate Consultants. The proponent, through the documents submitted and the presentation made informed the committee that:-

1. The terms of reference is sought for Stone Minng at Khasra No.-768, Khand No.-04 at Village- Ram Nagar, Tehsil- Moth, District- Jhansi, U.P., (Leased Area -4.046 ha.), M/s Kanpur Granite Stone Company.

1.	On-line proposal No.		SIA/UP/MIN/64654/2021		
2.	File No .allotted by SEIAA,UP	6487			
3.	Name of Proponent	M/S KANPUR GRANITE STONE COMPANY			
			SHRI RAJESH KUMAR MARIWALA		
4.	Registered Address	]	R/O-SINDHI COLONY STATION ROAD,		
		(	CHIRGAON, TEHSIL-MOTH, DISTT-JHANSI (U.P)		
5.	Full correspondence address of proponent		R/O-SINDHI COLONY STATION ROAD,		
	and mobile no.	(	CHIRGAON, TEHSIL-MOTH, DISTT-JHANSI (U.P)		
		]	Mobile no		
		E-mail ID			
6.	Name of Project	Building Stone (Khanda, Gittti, Boulder) Mining Project			
7.	Project location Khasra No	768 khand no04			
8.	Name of Village	Ramnagar			
9.	Tehsil	Moth			
10.	District	Jhansi, Uttar Pradesh			
11.	Name of Minor Mineral	Building Stone (Khanda, Gittti, Boulder) Mining Project			
12.	Total Area (in Ha.)	4.046 Ha.			
13.	Mineable Area (in Ha.)	4.046 Ha.			
14.	Pillar Coordinates (Verified by DMO)		Pillar No. N E		

2. Salient features of the project as submitted by the project proponent:

		r			
		A	25°35'55.92"N	78°53'46	
		В	25°35'58.95"N	78°53'48	
		С	25°35'58.30"N	78°53'49	
		D	25°35'49.00"N	78°53'56	.11"E
		Е	25°35'46.26"N	78°53'54	.97"E
		F	25°35'50.60"N	78°53'49	
		G	25°35'51.90"N	78°53'49	
		H	25°35'53.40"N	78°53'48	
		I	25°35'55.00"N	78°53'47	
15.	Period of Lease As per Loi	20 Year	25 55 55.00 1	10 55 47	.07 L
15.	Mine Plan approval details		21/4/10/55863 dated	102 06 2021	
10.	Validity of Mine Plan		xecution of Lease D		
17.				ieeu	
	Total Proposed Production	40460 Cubic 1	vieter/ year		
19.	Proposed Production/Day	168.58 M <sup>3</sup>			
20.	Method of Mining		i Mechanized		
21.	No. of workers	36 Workers			
22.	Type of Land	Waste Land			
23.	Ultimate Depth of Mining	30 m			
24.	Water Requirement				
			Purpose	Detail	Avg.
			-		Demand/Day
		Portable	Drinking@15	36 workers x	0.54
		Tanker	lpcd/worker	15 lpcd	KLD
			1	=540 lpcd	
			Mine		2.0 KLD
			operation/others		2.0 1112
			Land	50Trees x 5	0.250KLD
			reclamation /	lpcd	0.20 01222
			plantation @5	= 250  lpcd	
			Lit/Tree	250 ipea	
			Dust	Haul Road	2.4 KLD
			suppression	Area = $(200)$	2.4 KLD
			@2Lit/Sq.m	m Length x	
			(Twice in a day)	6m Width =	
			(1 wice in a day)	$1200 \text{ m}^2$	
				/	
				x2lpcd/Sq.m	
			T - 4 - 1	= 2400  lpcd	5 10 KI D
25			Total		5.19 KLD
25.	Name of QCI Accredited Consultant with		ION INDIA ASSO		
	QCI No and period of validity		o. NABET/EIA/212	4/1A00//, Valid	I III: Feb
26	· • • • • • • • • • • • • • • • • • • •	24,2024			
26.	Any litigation pending against the project	No			
	or land in any court				
27.	Areas which are important or sensitive	None			
	for ecological reasons - Wetlands,				
	watercourses or other water bodies,				
	coastal zone, biospheres, mountains,				
	forests, protected, important or sensitive				
	species of flora or fauna for breeding,				
	nesting, foraging, resting, migration				
28.	Areas occupied by sensitive manmade	Hospital: Con	nmunity Health Cen	tre, Moth	
	land uses (hospitals, schools, places of	Aprox. 16.60		,	
	worship, community facilities)	School: S.V.M. Inter College, Chirgaon -9 Km,SW			
	1, , ,			0	
29.	Details of 500 m Cluster certificate &	Letter No. 234	55/30MMC/2020-21	Dated 06 03 202	20
	Lemme of 200 m Chapter continuate &	Letter 110. 23.		. Daied 00.03.202	

	Map Verified by Mining Officer	
30.	Proposed CER cost	Rs. 3.71275 Lakhs
31.	Proposed EMP cost	Rs. 9.375 Lakhs
32	No. of Trees to be Planted.	500 per year
33.	Detail of CTE/CTO issued by UPPCB	NA

- 3. The mining would be restricted to the unsaturated zone only above the phreatic water table and will not intersect the groundwater table at any point in time.
- 4. The mining operation will not be carried out in the safety zone of any bridge or embankment or ecofragile zone such as the habitat of any wild fauna.
- 5. There is no litigation pending in any court regarding this project.
- 6. The project proposal falls under category–1(a) of EIA Notification, 2006 (as amended).

#### **RESOLUTION AGAINST AGENDA NO. 10**

The committee discussed the matter and recommended to issue the standard terms of reference for the preparation of EIA as annexed at Annexure-1 to the minutes. The committee also stipulated following additional TOR Points:

#### Additional TOR:

- 1. In rocky places the soil below is made up of the impenetrable stone, plant roots have a tough time getting the nutrients they need to survive. Therefore, plantation should be done only after drilling about 2 feet below ground and proper manuring should be done along with plant growth promoters for proper growth of the plants.
- 2. Agreement between project proponent and competent authority for safe disposal of municipal solid waste should be provided at the time EIA presentation.
- 3. The project proponent shall plan and implement collection drain and siltation basins of adequate size to arrest the silt and sediment flows from the quarry area. The surface runoff rain water harvesting and other water conservation measures of long term basis are to be taken in consultation with central/State Ground water Board. The water so collected should be utilized for watering the haulage area, roads and green belt development etc.
- 4. Plan for vehicular movement.
- 5. Detailed plantation plan with identification of green belt, type and number of plants/trees and their location in consultation with Forest Department should be submitted.

## 11. <u>Stone Mining at Gata No.-669, Khand No.-33, Village-Khailar, Tehsil-Sadar, Jhansi.</u>, <u>Shri Raj Kumar Parecha, Area-2.023 ha. File No. 6500/Proposal No. SIA/UP/MIN/</u> <u>66618/2021</u>

#### **RESOLUTION AGAINST AGENDA NO-11**

The project proponent/consultant did not appear. The committee discussed and deliberated that project file should be closed and be opened only after request from the project proponent. The file shall not be treated as pending at SEAC. The matter will be discussed only after submission of online request on prescribed online portal.

## 12. <u>Earth Mining at Gata No.-78, 129, 510, 8, 325, 40, Village- Angrasi, Tehsil & District-Sitapur, U.P., Smt. Geeta Shukla, M/s Ramraj Construction, Area-2.0170 Ha. File No. 6505/Proposal No. SIA/UP/MIN/ 223886/2021</u>

A presentation was made by the project proponent along with their consultant M/s Epsilon Projects Pvt. Ltd. The committee discussed the matter and directed the project proponent to submit following information:

- 1. NOC from concerned Bank.
- 2. Mine closure plan.
- 3. Chronology of court case status after 2017.
- 4. Detailed plantation plan with identification of green belt, type and number of plants/trees along with their location.

The matter will be discussed only after submission of online information on prescribed portal.

## 13. <u>Sand Mining from Ganga River Bed, at Gata No./Zone-03, Khand No.-02, Village-KatriJalesherAlipur, Kannauj., M/s Sanjeev Kumar Gupta, Area: 37.065 Ha. File No.</u> <u>6508/Proposal No. SIA/UP/MIN/ 66788/2021</u>

A presentation was made by the project proponent along with their consultant M/s Paramarsh Servicing Environment and Development, Lucknow. The proponent, through the documents submitted and the presentation made informed the committee that:-

1. The terms of reference is sought for Sand Mining from Ganga River Bed, at Gata No./Zone-03, Khand No.-02, Village-Katri Jalesher Alipur, Kannauj, U.P. (Leased Area: 37.065 Ha.).

2.	Salient features of	of the project a	s submitted by t	the project proponent:

	then realures of the project as submitted of			
1.	On-line proposal No.	SIA/UP/MIN/66788/2021		
2.	File No. allotted by SEIAA, UP	6508		
3.	Name of Proponent	Shri Sanjeev Kumar Gupta (Prop)		
4.	Full correspondence address of proponent	Shri Sanjeev Kumar Gupta (Prop) S/o Shri late Omprakash		
	and mobile no.	Gupta Add: 35 Krishna Bihar, Krishna Mandir, Jwala Nagar,		
		District- Rampur Uttar Pradesh- 24490		
		E mail ID - sksand2021@gmail.com		
5.	Project Location (Plot. Khasra/Gata No.)	Gata no./Zone-3, Khand No. 02		
6.	Name of River	Ganga River		
7.	Name of Village	Katri Jalesher Alipur, Tehsil- Kannauj, District- Kannauj		
8.	Tehsil	Kannauj		
9.	District	Kannauj		
10.	Name of Minor Mineral	River bed ordinary sand mining		
11.	Sanctioned Lease Area (in Ha.)	15.0 ha		
12.	Max. & Min mRL within lease area	The highest level is 132.55 mRL		
		The lowest level is 130.57 mRL		
13.	Pillar Coordinates (Verified by DMO)	Pillar Latitude Longitude		
		A 27°10'14.70"N 79°48'06.70"E		
		B 27°10'14.10"N 79°48'18.90"E		
		C 27°10'18.80"N 79°48'28.76"E		
		D 27°10'11.64"N 79°48'33.53"E		
		E 27°10'09.80"N 79°48'25.49"E		
14.	Total Geological Reserves	6,00,000 m <sup>3</sup>		
15.	Total Mineable Reserve	3,60,000 m <sup>3</sup>		
16.	Total Proposed Production	15,00,000 m <sup>3</sup> (5 Year)		
17.	Proposed Production /year (as per LoI)	3,00,000 m <sup>3</sup>		

18.	Sanctioned Period of Mine lease	5 years
19.	Production of mine/day	1334 m <sup>3</sup> /day
20.	Method of Mining	Opencast semi-mechanized
21.	No. of working days	225
22.	Working hours/day	8
23.	No. of worker	49
24.	No. of vehicles movement/day	111
25.	Type of Land	Govt./Non Forest Land
26.	Ultimate of Depth of Mining	3.0 m (For Mining Plan Period)
27.	Nearest metalled road from site	0.60 km
28.	Water Requirement	PURPOSE
		Drinking - 0.49 KLD
		Suppression of dust - 7.2 KLD
		Plantation - 0.315 KLD
		Others (if any) - 0.00 KLD
		Total - 8.0 KLD
29.	Name of QCI Accredited Consultant	Paramarsh Servicing Environment and development
	with QCI No and period of validity.	NABET/EIA/1821 RA 0120 Valid till – 13 January 2021
30.	Any litigation pending against the	No
	project or land in any court	
31.	Details of 500 m Cluster Certificate	Letter No-1103/Khanij Lipik-Cluster Praman
	verified by Mining Officer	Patra/2021-22 dated 19/08/2021
32.	Details of Lease Area in approved DSR	Serial no. 02, Page no. 26
33.	Project Cost	1.45 Crore/annum
34.	Proposed CER cost	2.90 lacs/annum
35.	Proposed EMP cost	Apply for ToR
36.	Length and breadth of Haul Road	Length $-0.60$ km, Breadth $-6.00$ m
37.	No. of Trees to be Planted	315

- 4. The mining operation will not be carried out in the safety zone of any bridge or embankment or ecofragile zone such as the habitat of any wild fauna.
- 5. There is no litigation pending in any court regarding this project.
- 6. The project proposal falls under category–1(a) of EIA Notification, 2006 (as amended).

#### **RESOLUTION AGAINST AGENDA NO-13**

The committee discussed the matter and recommended to issue the standard terms of reference for the preparation of EIA as annexed at Annexure-1 to the minutes. The committee also stipulated following additional TOR Points:

#### Additional TOR:

- 1. In rocky places the soil below is made up of the impenetrable stone, plant roots have a tough time getting the nutrients they need to survive. Therefore, plantation should be done only after drilling about 2 feet below ground and proper manuring should be done along with plant growth promoters for proper growth of the plants.
- 2. Agreement between project proponent and competent authority for safe disposal of municipal solid waste should be provided at the time EIA presentation.
- 3. The project proponent shall plan and implement collection drain and siltation basins of adequate size to arrest the silt and sediment flows from the quarry area. The surface runoff rain water harvesting and other water conservation measures of long term basis are to be taken in consultation with central/State Ground water Board. The water so collected should be utilized for watering the haulage area, roads and green belt development etc.
- 4. Plan for vehicular movement.

## 14. <u>RBM (Mixed Form) Mining at Gata No.-2/102,Village-Shahalipur Kotra, Tehsil-Nagina, Bijnaor. Shri Satyendra Singh., Area:1.215 Ha. File No. 6515/Proposal No. SIA/UP/MIN/ 225460/2021</u>

A presentation was made by the project proponent along with their consultant M/s Environmental Research and Analysis. The proponent, through the documents submitted and the presentation made informed the committee that:-

- 1. The environmental clearance is sought for RBM (Mixed Form) Mining at Gata No.-2/102, Village-Shahalipur Kotra, Tehsil- Nagina, Bijnaor, U.P. (Leased Area:1.215 Ha.).
- 2. Salient features of the project as submitted by the project proponent:

1.	On-line proposal No.	SIA/UP/M	N/225460/202	1		
2.	File No. allotted by SEIAA, UP	6515				
3.	Name of Proponent	M/S BRIJWALA INFRA SOLUTIONS PRIVATE LIMITED			LIMITED	
		DIRECTOR Shri Satyendra Singh S/O Shri Brijendra Singh				
		(Authorized Signatory) & Shri Brijendra Singh S/O Ramji				) Ramji
		Lal				
4.	Full correspondence address of proponent and			olony,	Nikat Nangla Maul	vi Aligarh
	mobile no.		Aligarh(U.P)			
	Name of Project		ed form) (Niji E	Bhumi	) mine	
	Project location (Plot/Khasra/Gata No.)	Gata No 2/				
	Name of River	Khoh River				
8.	Name of Village	Shahalipur	Kotra			
	Tehsil	Nagina				
-	District	Bijnor (U.I				
	Name of Minor Mineral		ed form) mine			
12.	Sanctioned Lease Area (in Ha.)	1.215 Ha.				
13.	Mineable Area (in Ha.)	1.0843 Ha	.(safety zone 0.	1307 H	Ha.)	
14.	Zero level mRL	249.0 mRI				
15.	Max. & Min mrl within lease area	Maximum	mRL 255 mRL	and M	Minimum mRL 253	mRL
16.	Pillar Coordinates (Verified by DMO)	Points	Latitude		Longitude	
		А	29°33'44.90"	"N	78°28'42.10"E	
		В	29°33'45.90"	"N	78°28'38.50"E	
		С	29°33'42.10"	"N	78°28'35.70"E	
		D	29°33'41.30"	'N	78°28'38.60"E	
17.	Total Geological Reserves	$48,600 \text{ m}^3$				
	Total Mineable Reserves	$24,300 \text{ m}^3$				
	Total Proposed Production (in five year)	$24,300 \text{ m}^3$	(as per LOI)			
	Proposed Production/year		in 6 months			
	Sanctioned Period of Mine lease	6 months				
22.	Production of mine/day	$135 \text{ m}^3/\text{day}$	7			
	Method of Mining	Open cast,	Manual, semi-	mecha	nized	
	No. of working days	180				
	Working hours/day	8 hours/day	/			
	No. Of workers	27				
	No. Of vehicles movement/day	12 Vehicle	s movement/day	y		
	Type of Land	Niji Bhumi				
	Ultimate Depth of Mining	2.4 m				
	Nearest metalled road from site	Rampur Tandamaidas Road is 3.47 km towards West			st	
		direction and NH-74 is 13.65 km towards North-West				
		direction				
31.	Water Requirement	PURPOSE		R	EQUIREMENT (F	KLD)

	0.37 KLD	
Suppression of dust	3.36 KLD	
Plantation	0.01 KLD	
Others (if any)	-	
Total	3.74 KLD Approx.	
Environmental Research	and Analysis, Lucknow (U.P)	
Certificate No. QCI/NAI	BET/EIA/1922/RA/0200	
and valid up to $\frac{30}{12}/2022$		
No		
Letter No. 729/ खनिज-अ	अनुभाग -21 dated 13/08/2021	
	5	
2172/एमo 228/2017(खन	ान निति)-डी०ए <b>स०आर०</b>	
Rs 2,70,980/-		
Rs. 70,00,000/-		
280 m length and 6.0 m	width	
10		
	Plantation Others (if any) Total Environmental Research Certificate No. QCI/NAI and valid up to 30/12/20 No Letter No. 729/ खनिज-उ 2172/एमo 228/2017(खन Rs 2,70,980/- Rs. 70,00,000/- 280 m length and 6.0 m	

4. The mining operation will not be carried out in the safety zone of any bridge or embankment or ecofragile zone such as the habitat of any wild fauna.

- 5. There is no litigation pending in any court regarding this project.
- 6. The project proposal falls under category–1(a) of EIA Notification, 2006 (as amended).

#### **RESOLUTION AGAINST AGENDA NO-14**

The committee discussed the matter and recommended grant of environmental clearance for the project proposal along with general and specific conditions as annexed at Annexure-3 to these minutes.

#### Note:

The committee observed that during the appraisal of the mining projects that the baseline data of air quality in Tehsil-kabrai, District-Mahoba is much higher than the prescribed limit. Therefore, the committee opined that a letter to be sent to UP Pollution Control Board and Geology and Mining Department, Govt. of U.P. for factual report on the said issue.

(Dr. Harikesh Bahadur Singh)	(Dr. Amrit Lal Haldar)	(Dr. Dineshwar Prasad Singh)	
Chairman, SEAC-2	Member, SEAC-2	Member, SEAC-2	
(Tanzar Ullah Khan)	(Prof. Jaswant Singh)	(Dr. Shiv Om Singh)	
Member, SEAC-2	Member, SEAC-2	Member, SEAC-2	

#### Annexure-1

#### Standard Terms of Reference for the Mining Project prescribed by MoEF&CC, GoI

- 1) Year-wise production details since 1994 should be given, clearly stating the highest production achieved in any one year prior to 1994. It may also be categorically informed whether there had been any increase in production after the EIA Notification 1994 came into force, w.r.t. the highest production achieved prior to 1994.
- 2) A copy of the document in support of the fact that the proponent is the rightful lessee of the mine should be given.
- 3) All documents including approved mine plan, EIA and Public Hearing should be compatible with one another in terms of the mine lease area, production levels, waste generation and its management, mining technology etc. and should be in the name of the lessee.
- 4) All corner coordinates of the mine lease area, superimposed on a High Resolution Imagery/ toposheet, topographic sheet, geomorphology and geology of the area should be provided. Such an Imagery of the proposed area should clearly show the land use and other ecological features of the study area (core and buffer zone).
- 5) Information should be provided in Survey of India Toposheet in 1:50,000 scale indicating geological map of the area, geomorphology of land forms of the area, existing minerals and mining history of the area, important water bodies, streams and rivers and soil characteristics.
- 6) Details about the land proposed for mining activities should be given with information as to whether mining conforms to the land use policy of the State; land diversion for mining should have approval from State land use board or the concerned authority.
- 7) It should be clearly stated whether the proponent Company has a well laid down Environment Policy approved by its Board of Directors? If so, it may be spelt out in the EIA Report with description of the prescribed operating process/procedures to bring into focus any infringement/deviation/ violation of the environmental or forest norms/ conditions? The hierarchical system or administrative order of the Company to deal with the environmental issues and for ensuring compliance with the EC conditions may also be given. The system of reporting of non-compliances / violations of environmental norms to the Board of Directors of the Company and/or shareholders or stakeholders at large, may also be detailed in the EIA Report.
- 8) Issues relating to Mine Safety, including subsidence study in case of underground mining and slope study in case of open cast mining, blasting study etc. should be detailed. The proposed safeguard measures in each case should also be provided.
- 9) The study area will comprise of 10 km zone around the mine lease from lease periphery and the data contained in the EIA such as waste generation etc. should be for the life of the mine / lease period.
- 10) Land use of the study area delineating forest area, agricultural land, grazing land, wildlife sanctuary, national park, migratory routes of fauna, water bodies, human settlements and other ecological features should be indicated. Land use plan of the mine lease area should be prepared to encompass preoperational, operational and post operational phases and submitted. Impact, if any, of change of land use should be given.
- 11) Details of the land for any Over Burden Dumps outside the mine lease, such as extent of land area, distance from mine lease, its land use, R&R issues, if any, should be given.
- 12) A Certificate from the Competent Authority in the State Forest Department should be provided, confirming the involvement of forest land, if any, in the project area. In the event of any contrary claim by the Project Proponent regarding the status of forests, the site may be inspected by the State Forest Department along with the Regional Office of the Ministry to ascertain the status of forests, based on which, the Certificate in this regard as mentioned above be issued. In all such cases, it would be desirable for representative of the State Forest Department to assist the Expert Appraisal Committees.
- 13) Status of forestry clearance for the broken up area and virgin forestland involved in the Project including deposition of net present value (NPV) and compensatory afforestation (CA) should be indicated. A copy of the

forestry clearance should also be furnished.

- 14) Implementation status of recognition of forest rights under the Scheduled Tribes and other Traditional Forest Dwellers (Recognition of Forest Rights) Act, 2006 should be indicated.
- 15) The vegetation in the RF / PF areas in the study area, with necessary details, should be given.
- 16) A study shall be got done to ascertain the impact of the Mining Project on wildlife of the study area and details furnished. Impact of the project on the wildlife in the surrounding and any other protected area and accordingly, detailed mitigative measures required, should be worked out with cost implications and submitted.
- 17) Location of National Parks, Sanctuaries, Biosphere Reserves, Wildlife Corridors, Ramsar site Tiger/ Elephant Reserves/(existing as well as proposed), if any, within 10 km of the mine lease should be clearly indicated, supported by a location map duly authenticated by Chief Wildlife Warden. Necessary clearance, as may be applicable to such projects due to proximity of the ecologically sensitive areas as mentioned above, should be obtained from the Standing Committee of National Board of Wildlife and copy furnished.
- 18) A detailed biological study of the study area [core zone and buffer zone (10 km radius of the periphery of the mine lease)] shall be carried out. Details of flora and fauna, endangered, endemic and RET Species duly authenticated, separately for core and buffer zone should be furnished based on such primary field survey, clearly indicating the Schedule of the fauna present. In case of any scheduled- I fauna found in the study area, the necessary plan alongwith budgetary provisions for their conservation should be prepared in consultation with State Forest and Wildlife Department and details furnished. Necessary allocation of funds for implementing the same should be made as part of the project cost.
- 19) Proximity to Areas declared as 'Critically Polluted' or the Project areas likely to come under the 'Aravali Range', (attracting court restrictions for mining operations), should also be indicated and where so required, clearance certifications from the prescribed Authorities, such as the SPCB or State Mining Department should be secured and furnished to the effect that the proposed mining activities could be considered.
- 20) R&R Plan/compensation details for the Project Affected People (PAP) should be furnished. While preparing the R&R Plan, the relevant State/National Rehabilitation & Resettlement Policy should be kept in view. In respect of SCs /STs and other weaker sections of the society in the study area, a need based sample survey, familywise, should be undertaken to assess their requirements, and action programmes prepared and submitted accordingly, integrating the sectoral programmes of line departments of the State Government. It may be clearly brought out whether the village(s) located in the mine lease area will be shifted or not. The issues relating to shifting of village(s) including their R&R and socio-economic aspects should be discussed in the Report.
- 21) One season (non-monsoon) [i.e. March-May (Summer Season); October-December (post monsoon season); December-February (winter season)]primary baseline data on ambient air quality as per CPCB Notification of 2009, water quality, noise level, soil and flora and fauna shall be collected and the AAQ and other data so compiled presented date-wise in the EIA and EMP Report. Site-specific meteorological data should also be collected. The location of the monitoring stations should be such as to represent whole of the study area and justified keeping in view the pre-dominant downwind direction and location of sensitive receptors. There should be at least one monitoring station within 500 m of the mine lease in the pre-dominant downwind direction. The mineralogical composition of PM10, particularly for free silica, should be given.
- 22) Air quality modeling should be carried out for prediction of impact of the project on the air quality of the area. It should also take into account the impact of movement of vehicles for transportation of mineral. The details of the model used and input parameters used for modeling should be provided. The air quality contours may be shown on a location map clearly indicating the location of the site, location of sensitive receptors, if any, and the habitation. The wind roses showing pre-dominant wind direction may also be indicated on the map.
- 23) The water requirement for the Project, its availability and source should be furnished. A detailed water balance should also be provided. Fresh water requirement for the Project should be indicated.
- 24) Necessary clearance from the Competent Authority for drawl of requisite quantity of water for the Project should be provided.
- 25) Description of water conservation measures proposed to be adopted in the Project should be given.

- 26) Details of rainwater harvesting proposed in the Project, if any, should be provided.
- 27) Impact of the Project on the water quality, both surface and groundwater, should be assessed and necessary safeguard measures, if any required, should be provided.
- 28) Based on actual monitored data, it may clearly be shown whether working will intersect groundwater.
- 29) Necessary data and documentation in this regard may be provided. In case the working will intersect groundwater table, a detailed Hydro Geological Study should be undertaken and Report furnished. The Report inter-alia, shall include details of the aquifers present and impact of mining activities on these aquifers. Necessary permission from Central Ground Water Authority for working below ground water and for pumping of ground water should also be obtained and copy furnished.
- 30) Details of any stream, seasonal or otherwise, passing through the lease area and modification / diversion proposed, if any, and the impact of the same on the hydrology should be brought out.
- 31) Information on site elevation, working depth, groundwater table etc. Should be provided both in AMSL and bgl. A schematic diagram may also be provided for the same.
- 32) A time bound Progressive Greenbelt Development Plan shall be prepared in a tabular form (indicating the linear and quantitative coverage, plant species and time frame) and submitted, keeping in mind, the same will have to be executed up front on commencement of the Project. Phase-wise plan of plantation and compensatory afforestation should be charted clearly indicating the area to be covered under plantation and the species to be planted. The details of plantation already done should be given. The plant species selected for green belt should have greater ecological value and should be of good utility value to the local population with emphasis on local and native species and the species which are to pollution.
- 33) Impact on local transport infrastructure due to the Project should be indicated. Projected increase in truck traffic as a result of the Project in the present road network (including those outside the Project area) should be worked out, indicating whether it is capable of handling the incremental load. Arrangement for improving the infrastructure, if contemplated (including action to be taken by other agencies such as State Government) should be covered. Project Proponent shall conduct Impact of Transportation study as per Indian Road Congress Guidelines.
- 34) Details of the onsite shelter and facilities to be provided to the mine workers should be included in the EIA Report.
- 35) Conceptual post mining land use and Reclamation and Restoration of mined out areas (with plans and with adequate number of sections) should be given in the EIA report.
- 36) Occupational Health impacts of the Project should be anticipated and the proposed preventive measures spelt out in detail. Details of pre-placement medical examination and periodical medical examination schedules should be incorporated in the EMP. The project specific occupational health mitigation measures with required facilities proposed in the mining area may be detailed.
- 37) Public health implications of the Project and related activities for the population in the impact zone should be systematically evaluated and the proposed remedial measures should be detailed along with budgetary allocations.
- 38) Measures of socio economic significance and influence to the local community proposed to be provided by the Project Proponent should be indicated. As far as possible, quantitative dimensions may be given with time frames for implementation.
- 39) Detailed environmental management plan (EMP) to mitigate the environmental impacts which, should inter-alia include the impacts of change of land use, loss of agricultural and grazing land, if any, occupational health impacts besides other impacts specific to the proposed Project.
- 40) Public Hearing points raised and commitment of the Project Proponent on the same along with time bound Action Plan with budgetary provisions to implement the same should be provided and also incorporated in the final EIA/EMP Report of the Project.
- Details of litigation pending against the project, if any, with direction /order passed by any Court of Law against the Project should be given.

- 42) The cost of the Project (capital cost and recurring cost) as well as the cost towards implementation of EMP should be clearly spelt out.
- 43) A Disaster management Plan shall be prepared and included in the EIA/EMP Report.
- 44) Benefits of the Project if the Project is implemented should be spelt out. The benefits of the Project shall clearly indicate environmental, social, economic, employment potential, etc.
- 45) Besides the above, the below mentioned general points are also to be followed:
  - a) Executive Summary of the EIA/EMP Report
  - b) All documents to be properly referenced with index and continuous page numbering.
  - c) Where data are presented in the Report especially in Tables, the period in which the data were collected and the sources should be indicated.
  - d) Project Proponent shall enclose all the analysis/testing reports of water, air, soil, noise etc. using the MoEF&CC/NABL accredited laboratories. All the original analysis/testing reports should be available during appraisal of the Project.
  - e) Where the documents provided are in a language other than English, an English translation should be provided.
  - f) The Questionnaire for environmental appraisal of mining projects as devised earlier by the Ministry shall also be filled and submitted.
  - g) While preparing the EIA report, the instructions for the Proponents and instructions for the Consultants issued by MoEF&CC vide O.M. No. J-11013/41/2006-IA.II(I) dated 4th August, 2009, which are available on the website of this Ministry, should be followed.
  - h) Changes, if any made in the basic scope and project parameters (as submitted in Form-I and the PFR for securing the TOR) should be brought to the attention of MoEF&CC with reasons for such changes and permission should be sought, as the TOR may also have to be altered. Post Public Hearing changes in structure and content of the draft EIA/EMP (other than modifications arising out of the P.H. process) will entail conducting the PH again with the revised documentation.
  - i) As per the circular no. J-11011/618/2010-IA.II(I) dated 30.5.2012, certified report of the status of compliance of the conditions stipulated in the environment clearance for the existing operations of the project, should be obtained from the Regional Office of Ministry of Environment, Forest and Climate Change, as may be applicable.
  - j) The EIA report should also include: (i) surface plan of the area indicating contours of main topographic features, drainage and mining area, (ii) geological maps and sections and (iii) sections of the mine pit and external dumps, if any, clearly showing the land features of the adjoining area.

#### Annexure-2

#### General and Specific Conditions for Soil Earth Mining Projects:-

#### General condition:

- 1. This environmental clearance does not create or verify any claim of applicant on the proposed site/activity.
- 2. Any mining activity shall be undertaken only after valid permission from Mining Department/District Administration and written agreement with land owner from where earth excavation is proposed.
- 3. No change is mining technology and scope of working shall be made without approval of Authority.
- 4. Personnel working in dusty areas shall be provided with protective respiratory devices and they shall also be imparted adequate training and information on safety and health aspects.
- 5. The Authority reserves the right to revoke the clearance if conditions stipulated are not implemented. The Authority will also be entitled to impose additional environmental conditions or modify the existing ones, if necessary.
- 6. In case of any deviation or alteration in the project proposed from those submitted to this Authority for clearance, a fresh reference should be made to the Authority to assess the adequacy of the condition(s) imposed and to add additional environmental protection Measures required, if any.
- 7. Concealing factual data or submission of false/fabricated data and failure to comply with any of the conditions mentioned above may result in withdrawal of this clearance and attract action under the provisions of Environment (Protection) Act, 1986.

#### **Specific Conditions:**

- 1. Environment management should be in accordance with the present environment status of the project.
- 2. The Environmental clearance will be co-terminus with the agreement/lease.
- 3. Approach kaccha road should be made motorable and maintained periodically.
- 4. Transportation of soil should be undertaken in covered containers.
- 5. Rehabilitation plan with planting of trees to be submitted along with the closure plan.
- 6. Land to be leveled and handed over to the owners after completion of excavation work.
- 7. A valid NOC from State Pollution Control Board shall be obtained for the Brick kiln prior to operation as per law and all guidelines must be followed, if applicable.
- 8. The mining operations shall be strictly limited to the proposed mining sites and proposed purpose.
- 9. Top soil should be adequately preserved and should be used for landscaping.
- 10. Excavated soil should be properly stored in a manner not to increase surrounding air pollution level.
- 11. Water sprinkling should be exercised during excavation and storage of soil for suppression of fugitive dust.
- 12. Excavated area should be properly reclaimed and ensured that no open bore hole is left.
- 13. Safety measures for the people working at the site shall be duly taken care of as per law.
- 14. The excavation work shall be done in day time only.

- 15. The project boundary shall be properly covered to restrict dust dispersion.
- 16. Precautionary measures during soil excavation for conservation and protection of rare and endangered flora and fauna found in the study area.
- 17. Noise level shall be maintained as per standards for both day and night.
- 18. The route map for soil transportation from excavation plots to work site should be firmed up and necessary permissions shall be sought from District Administration.
- 19. Vehicles hired for the transportation should be in good condition and should have Pollution Check Certificate and should conform to applicable air and noise emission standards.
- 20. Personnel exposure monitoring for respirable mineral dust shall be carried out for the workers and records maintained including health records of the workers. Awareness program for workers on impact of mining on their health and precautionary measures like use of personal protective equipments etc. shall be carried out periodically. First aid facilities and adequate sanitary facility in the form of temporary toilets/septic tanks.
- 21. Solid waste material viz gutkha rappers, plastic bags, glasses etc. to be generated during project activity will be separately stored in bins and managed as per Solid Waste Management Rules.
- 22. Project proponent should maintain daily register for information of (a) collection of soil/clay,(b) manpower & (c) transportation purpose.
- 23. Soil mining shall strictly be undertaken as per rules and regulations/permissions obtained from District Administration/Mining Department
- 24. Corporate Environmental Responsibility (CER) shall be prepared by the project proponent and the details of the various heads of expenditure to be submitted as per the guidelines provided in the recent CER notification No. 22-65/2017-IA.III dated 01/05/2018. A copy of resolution as above shall be submitted to the authority along with list of beneficiaries with their mobile nos./address.
- 25. The borrowing/excavation activity shall be restricted to a maximum depth of 2 m. below general ground level at the site.
- 26. The borrowing/excavation activity shall be restricted to 2 m. above the ground water table at the site.
- 27. The borrowing/excavation activity shall not alter the natural drainage pattern of the area.
- 28. The borrowed/excavated pit shall be restored by the project proponent for useful purpose(s).
- 29. Appropriate fencing all around the borrowed/excavated pit shall be made to prevent any mishap.
- 30. Measures shall be taken to prevent dust emission by covering of borrowed/excavated earth during transportation.
- 31. Safeguards shall be adopted against health risks on account of breeding of vectors in the water bodies created due to borrowing/excavation of earth.
- 32. Workers/labourers shall be provided with facilities for drinking water and sanitation.
- 33. A berm shall be left from the boundary of adjoining field having a width equal to at least half the depth of proposed excavation.
- 34. A minimum distance of 15 m from any civil structure shall be kept from the periphery of any excavation area.

### Annexure-3

#### **General and Specific Conditions for Sand/Morum Mining Proposals**

#### **General Conditions:**

- 1. This environmental clearance is subject to allotment of mining lease in favour of project proponent by District Administration/Mining Department.
- 2. Forest clearance shall be taken by the proponent as necessary under law.
- 3. Any change in mining area, khasra numbers, entailing capacity addition with change in process and or mining technology, modernization and scope of working shall again require prior Environmental Clearance as per the provisions of EIA Notification, 2006 (as amended).
- 4. Precise mining area will be jointly demarcated at site by project proponent and officials of Mining/Revenue department prior to starting of mining operations. Such site plan, duly verified by competent authority along-with copy of the Environmental Clearance letter will be displayed on a hoarding/board at the site. A copy of site plan will also be submitted to SEIAA within a period of 02 months.
- 5. Mining and loading shall be done only within day hours' time.
- 6. No mining shall be carried out in the safety zone of any bridge and/or embankment.
- 7. It shall be ensured that standards related to ambient air quality/effluent as prescribed by the Ministry of Environment & Forests are strictly complied with. Water sprinklers and other dust control majors should be applied to take-care of dust generated during mining operation. Sprinkling of water on haul roads to control dust will be ensured by the project proponent.
- 8. All necessary statutory clearances shall be obtained before start of mining operations. If this condition is violated, the clearance shall be automatically deemed to have been cancelled.
- 9. Parking of vehicles should not be made on public places.
- 10. No tree-felling will be done in the leased area, except only with the permission of Forest Department.
- 11. No wildlife habitat will be infringed.
- 12. It shall be ensured that excavation of minor mineral does not disturb or change the underlying soil characteristics of the river bed /basin, where mining is carried out.
- 13. It shall be ensured that mining operation of Sand/Moram will not in any way disturb the, velocity and flow pattern of the river water significantly.
- 14. It shall be ensured that there is no fauna dependant on the river bed or areas close to mining for its nesting. A report on the same, vetted by the competent authority shall be submitted to the RO, PCB and SEIAA within 02 months.
- 15. Primary survey of flora and fauna shall be carried out and data shall be submitted to the RO, PCB and SEIAA within six months.
- 16. Hydro-geological study shall be carried out by a reputed organization/institute within six months and establish that mining in the said area will not adversely affect the ground water regime. The report shall be submitted to the RO, PCB and SEIAA within six months. In case adverse impact is observed /anticipated, mining shall not be carried out.
- 17. Adequate protection against dust and other environmental pollution due to mining shall be made so that the habitations (if any) close by the lease area are not adversely affected. The status of implementation of measures taken shall be reported to the RO, UPPCB and SEIAA and this activity should be completed before the start of sand mining.
- 18. Need-based assessment for the nearby villages shall be conducted to study economic measures which can help in improving the quality of life of economically weaker section of society. Income generating

projects/tools such as development of fodder farm, fruit bearing orchards, vocational training etc. can form a part of such program me. The project proponent shall provide separate budget for community development activities and income generating programmes.

- 19. Green cover development shall be carried out following CPCB guidelines including selection of plant species and in consultation with the local DFO/Horticulture Officer.
- 20. Separate stock piles shall be maintained for excavated top soil, if any, and the top soil should be utilized for green cover/tree plantation.
- 21. Dispensary facilities for first-aid shall be provided at site.
- 22. An Environmental Audit should be annually carried out during the operational phase and submitted to the SEIAA.
- 23. The District Mining Officer should quarterly monitor compliance of the stipulated conditions. The project proponent will extend full cooperation to the District Mining Officer by furnishing the requisite data/information/monitoring reports. In case of any violations of stipulated conditions the District Mining Officer will report to SEIAA.
- 24. The project proponent shall submit six monthly reports on the status of compliance of the stipulated environmental clearance conditions including results of monitored data (both in hard & soft copies) to the SEIAA, the District Officer and the respective Regional Office of the State Pollution Control Board by 1st June and 1st December every year.
- 25. A copy of the clearance letter shall be sent by the proponent to concerned Panchayat, Zila Parisad/ Municipal Corporation and Urban Local Body.
- 26. Transportation of materials shall be done by covering the trucks / tractors with tarpaulin or other suitable mechanism to avoid fugitive emissions and spillage of mineral/dust.
- 27. Waste water, from temporary habitation campus be properly collected & treated before discharging into water bodies the treated effluent should conform to the standards prescribed by MoEF/CPCB.
- 28. Measures shall be taken for control of noise level to the limits prescribed by C.P.C.B.
- 29. Special Measures shall be adopted to protect the nearby settlements from the impacts of mining activities. Maintenance of Village roads through which transportation of minor minerals is to be undertaken, shall be carried-out by the project proponent regularly at his own expenses.
- 30. Measure for prevention & control of soil erosion and management of silt shall be undertaken. Protection of dumps against erosion, if any, shall be carried-out with geo textile matting or other suitable material.
- 31. Under corporate social responsibility a sum of 5% of the total project cost or total income whichever is higher is to be earmarked for total lease period. Its budget is to be separately maintained. CER component shall be prepared based on need of local habitant. Income generating measures which can help in upliftment of poor section of society, consistent with the traditional skills of the people shall be identified. The programme can include activities such as development of fodder farm, fruit bearing orchards, free distribution of smokeless Chula etc.
- 32. Possibility for adopting nearest three villages shall be explored and details of civic amenities such as roads, drinking water etc proposed to be provided at the project proponent's expenses shall be submitted within 02 months from the date of issuance of Environment Clearance.
- 33. The funds earmarked for environmental protection measures should be kept in separate account and should not be diverted for other purpose. Year wise expenditure should be reported to the Integrated Regional Office, MoEF&CC, GoI, Lucknow, SEIAA, U.P and UPPCB.
- 34. Action plan with respect to suggestion/improvement and recommendations made and agreed during Public Hearing shall be submitted to the District mines Officer, concern Regional Officer of UPPCB and SEIAA within 02 months.
- 35. Environmental clearance is subject to obtaining clearance under the Wildlife (Protection) Act, 1972 from the competent authority, if applicable to this project.

- 36. The proponent shall observe every 15 day for nesting of any turtle in the area. Based on the observations so made, if turtle nesting is observed, necessary safeguard measures shall be taken in consultation with the State Wildlife Department. For the purpose, awareness shall be created amongst the workers about the nesting sites so that such sites, if any, are identified by the workers during operations of the mine for taking required safeguard measures. In this regards the safety notified zone should be left so that the habitat/nesting area is undisturbed.
- 37. The project proponent shall undertake adequate safeguard measures during extraction of river bed material and ensure that due to this activity the hydro geological regime of the surrounding area shall not be affected.
- 38. The project proponent shall obtain necessary prior permission of the competent Authorities for withdrawal of requisite quantity of water (surface water and groundwater), required for the project.
- 39. Appropriate mitigative measures shall be taken to prevent pollution of the river in consultation with the State Pollution Control Board. It shall be ensured that there is no leakage of oil and grease in the river from the vehicles used for transportation.
- 40. Vehicular emissions shall be kept under control and regularly monitored. The vehicles carrying the mineral shall not be overloaded.
- 41. Provision shall be made for the housing of construction labour within the site with all necessary infrastructure and facilities such as fuel for cooking, mobile toilets, mobile STP, safe drinking water, medical health care, crèche etc. (MoEF circular Dated : 22-09-2008 regarding stipulation of condition to improve the living conditions of construction labour at site).
- 42. Personnel working in dusty areas should wear protective respiratory devices and they should also be provided with adequate training and information on safety and health aspects. Occupational health surveillance program of the workers should be undertaken periodically to observe any contractions due to exposure to dust and take corrective measures, if needed.
- 43. A copy of the clearance letter shall be sent by the proponent to concerned Panchayat, Zila Parishad/ Municipal Corporation, Urban Local Body and the Local NGO, if any, from whom suggestions/ representations, if any, were received while processing the proposal. The clearance letter shall also be put on the website of the Company by the proponent.
- 44. The environmental statement for each financial year ending 31st March in Form-V as is mandated to be submitted by the project proponent to the concerned State Pollution Control Board as prescribed under the Environment (Protection) Rules, 1986, as amended subsequently, shall also be put on the website of the company along with the status of compliance of environmental clearance conditions and shall also be sent to the Integrated Regional Office, MoEF&CC, GoI, Lucknow by e-mail.
- 45. The green cover development/tree plantation is to be done in an area equivalent to 20% of the total leased area either on river bank or along road side (Avenue Plantation).
- 46. Debris from the river bed will be collected and stored at secured place and may be utilized for strengthen the embankment.
- 47. Safety measures to be taken for the safety of the people working at the mine lease area should be given, which would also include measure for treatment of bite of poisonous reptile/insect like snake.
- 48. Periodical and Annual medical checkup of workers as per Mines Act and they should be covered under ESI as per rule.

#### **Specific Conditions:**

- 1. The Environmental clearance will be co-terminus with the mining lease period.
- 2. At the time of operation, project proponent will comply with all the guidelines issued by Government of India/State Govt./District Administration related to Covid-19.
- 3. Environment management in according to environmental status and impact of the project.

- 4. During the school opening and closing time transportation of minerals will be restricted.
- 5. Selection of plants for green belt should be on the basis of pollution removal index. Project proponent should ensure survival of tree saplings. Mortality should be replaced from time to time.
- 6. No mining activity should be carried out in-stream channel as per SSMMG, 2016.
- 7. Pakka motorable haul road to be maintained by the project proponent.
- 8. A separate Environmental Management Cell with suitable qualified personnel shall be set-up under the control of a Senior Executive, who will report directly to the Head of the Organization.
- 9. Permission from the competent authority regarding evacuation route should be taken.
- 10. One month monitoring report of the area for air quality, water quality, Noise level. Besides flora & fauna should be examined twice a week and be submitted within 45 days for a record.
- 11. Provision for cylinder to workers should be made for cooking.
- 12. The capacity of trucks/tractor for loading purpose will be in tonnes as per Transport Department applicable norms and standard fixed by the Government.
- 13. Approach road kaccha is to be made motarable and tree saplings to be planted on both sides of the road. Width of the haul road shall be more than 6 meter.
- 14. Indigenous plants should be planted according to CPCB guidelines and in consultation with local Divisional Forest Officer.
- 15. The project proponent shall in 2 years conduct detailed replenishment study duly authenticated by a QCI-NABET accredited consultant, and the District Mines Officer.
- 16. Provision for two toilets and hand pumps should be made at mining site.
- 17. Drinking water for workers would be provided by tankers.
- 18. Mining should be done by Bar scalping methods extraction (typically 0.3 -0.6 m or 1 2 ft) as per sustainable sand mining management guidelines 2016.
- 19. A buffer/safe zone shall be maintained from the habitation as per mining guidelines.
- 20. Corporate Environmental Responsibility (CER) plan shall be prepared by the project proponent and the details of the various heads of expenditure to be submitted as per the guidelines provided in the recent CER notification No. 22-65/2017-IA.III dated 01/05/2018.
- 21. Health/Insurance card, Medical claim, regular health check-up camps, facilities shall be provided to the regular/temporary/Contractual or any base workers. Copy of receipt shall be produced to the Directorate of Environment along with the compliance report.
- 22. Measure for conservation of water through rainwater harvesting and cleaning and maintenance of natural surface water bodies of the nearby areas may be considered as one of the activity in CER.
- 23. The excavated mining material should be carried and transported in such a way that no obstruction to the free flow of water takes place. Suitable measure should be taken and details to be provided to concern Department.
- 24. Submit annual replenishment report certified by an authorized agency. In case the replenishment is lower than the approved rate of production, then the mining activity / production levels shall be decreased / stopped accordingly till the replenishment is completed.
- 25. The project proponent shall ensure that if the project area falls within the eco-sensitive zone of National park/ Sanctuary prior permission of statuary committee of National board for wild life under the provision of Wildlife (Protection) Act, 1972 shall be obtained before commencement of work.
- 26. If in future this lease area becomes part of cluster of equal to or more than 05 ha. then additional conditions based on the EIA shall be imposed. The lease holder shall mandatorily follow cluster conditions otherwise it will amount to violation of E.C. conditions. If the certificate related to cluster provided by the competent authority is found false or incorrect then punitive actions as per law shall be initiated against the authority issuing the cluster certificate.
- 27. Project falling within 10 KM area of Wild Life Sanctuary is to obtain a clearance from National Board Wild Life (NBWL) even if the eco-sensitive zone is not earmarked.
- 28. To avoid ponding effect and adverse environmental conditions for sand mining in area, progressive mining should be done as per sustainable sand mining management guidelines 2016.
- 29. In case it has been found that the E.C. obtained by providing incorrect information, submitting that the distance between the two adjoining mines is greater than 500mt. and area is less than 05 ha, but factually the distance is less than 500 mt and the mine is located in cluster of area equal or more than 05 ha, the E.C issued will stand revoked.

- 30. The project proponent shall in 2 years conduct detailed replenishment study duly authenticated by a QCI-NABET accredited consultant, and the District Mines Officer which shall form the basis for midterm review of conditions of Environmental Clearance.
- 31. The mining work will be open-cast and manual/semi mechanized (subject to order of Hon'ble NGT/Hon'ble Courts (s)). Heavy machine such as excavator, scooper etc. should not be employed for mining purpose. No drilling/blasting should be involved at any stage.
- 32. It shall be ensured that there shall be no mining of any type within 03 m or 10% of the width whichever is less, shall be left on both the banks of precise area to control and avoid erosion of river bank. The mining is confined to extraction of sand/moram from the river bank only.
- 33. The project proponent shall undertake adequate safeguard measures during extraction of river bank material and ensure that due to this activity the hydro-geological regime of the surrounding area shall not be affected.
- 34. The project proponent shall adhere to mining in conformity to plan submitted for the mine lease conditions and the Rules prescribed in this regard clearly showing the no work zone in the mine lease i.e. the distance from the bank of river to be left un-worked (Non mining area), distance from the bridges etc. It shall be ensured that no mining shall be carried out during the monsoon season.
- 35. The project proponent shall ensure that wherever deployment of labour attracts the Mines Act, the provision thereof shall be strictly followed.
- 36. The project proponent will provide personal protective equipment (PPE) as required, also provid adequate training and information on safety and health aspects. Periodical medical examination of the workers engaged in the project shall be carried out and records maintained. For the purpose, schedule of health examination of the workers should be drawn and followed accordingly.
- 37. The critical parameters such as PM10, PM2.5, SO2 and NOx in the ambient air within the impact zone shall be monitored periodically. Further, quality of discharged water if any shall also be monitored [(TDS, DO, pH, Fecal Coliform and Total Suspended Solids (TSS)].
- 38. Effective safeguard measures, such as regular water sprinkling shall be carried out in critical areas prone to air pollution and having high levels of particulate matter such as loading and unloading point and all transfer points. Extensive water sprinkling shall be carried out on haul roads.
- 39. It should be ensured that the Ambient Air Quality parameters conform to the norms prescribed by the Central Pollution Control Board in this regard.
- 40. The extended mining scheme will be submitted by the proponent before expiry of present mining plan.
- 41. Four ambient air quality-monitoring stations should be established in the core zone as well as in the buffer zone for monitoring PM10, PM2.5, SO2 and NOx. Location of the stations should be decided based on the meteorological data, topographical features and environmentally and ecologically sensitive targets and frequency of monitoring should be undertaken in consultation with the State Pollution Control Board.
- 42. Common road for transportation of mineral is to be maintained collectively. Total cost will be shared/worked out on the basis of lease area among users.
- 43. Proponent will provide adequate sanitary facility in the form of mobile toilets to the labours engaged for the project work.
- 44. Solid waste material viz., gutkha pouchs, plastic bags, glasses etc. to be generated during project activity will be separately storage in bins and managed as per Solid Waste Management rules.
- 45. Natural/customary paths used by villagers should not be obstructed at any time by the activities proposed under the project.
- 46. Digital processing of the entire lease area in the district using remote sensing technique should be done regularly once in three years for monitoring the change of river course by Directorate of Geology and Mining, Govt. of Uttar Pradesh. The record of such study to be maintained and report be submitted to Integrated Regional Office, MoEF&CC, GoI, Lucknow, SEIAA, U.P. and UPPCB.
- 47. The project authorities shall advertise at least in two local newspapers widely circulated, one of which shall be in the vernacular language of the locality concerned, within 7 days of the issue of the clearance letter informing that the project has been accorded environmental clearance and a copy of the clearance letter is available with the State Pollution Control Board and also at web site of the SEIAA at http://www.seiaaup.in and a copy of the same shall be forwarded to the Integrated Regional Office, MoEF&CC, GoI, Lucknow, CPCB, State PCB.

- 48. The MoEF&CC/SEIAA or any other competent authority may alter/modify the above conditions or stipulate any further condition in the interest of environment protection.
- 49. Concealing factual data or submission of false/fabricated data and failure to comply with any of the conditions mentioned above may result in withdrawal of this clearance and attract action under the provisions of Environment (Protection) Act, 1986.
- 50. Any appeal against this environmental clearance shall lie with the National Green Tribunal, if preferred, within a period of 30 days as prescribed under Section 11 of the National Environment Appellate Authority Act, 1997.
- 51. Waste water from potable use be collected and reused for sprinkling.
- 52. A width of not less than 50 meter or 10% width of river can be restricted for mining activities from river bank. A condition can be imposed that mining will be done from river activities from river bank.

#### Annexure-4

#### General and Specific Conditions for Gitti, Patthar& Boulder Mining Projects: -

#### A. <u>General Conditions:</u>

- 1. This environmental clearance is subject to allotment of mining lease in favour of project proponent by District Administration/Mining Department.
- 2. Forest clearance shall be taken by the proponent as necessary under the law.
- 3. Any addition of the mining area, change of Khasra numbers, enhancement of capacity, change in mining technology, modernization, and scope of working shall again require prior environmental clearance as per EIA notification, 2006.
- 4. No change in the calendar plan including excavation, the quantum of mineral and waste shall be made.
- 5. Mining will be carried out as per the approved mining plan. In case of any violation of the mining plan, the Environmental Clearance given by SEIAA will stand cancelled.
- 6. Four ambient air quality monitoring stations shall be established in the core zone as well as in the buffer zone for RSPM, SPM, SO<sub>2</sub>, NO<sub>x</sub> monitoring. The location of the stations should be decided based on the meteorological data, topographical features, and environmentally and ecologically sensitive targets and frequency of monitoring should be undertaken in consultation with the State Pollution Control Board. The monitored data for criteria pollutants shall be regularly uploaded on the company's website and also displayed on the website.
- 7. Data on ambient air quality (RPM, SPM, SO<sub>2</sub>, NO<sub>x</sub>) should be regularly submitted to the Integrated Regional Office, MoEF&CC, GoI, Lucknow and the State Pollution Control Board / Central Pollution Control Board once in six months.
- 8. Ambient air quality at the boundary of the mine premises shall conform to the norms prescribed in MoEF notification no. GSR/826(E) dated 16.11.09.
- 9. Fugitive dust emissions from all the sources shall be controlled regularly. Water spraying arrangement on haul roads, loading and unloading, and at transfer points shall be provided and properly maintained.
- 10. Measures shall be taken for control of noise levels below 85 dBA in the work environment. Workers engaged in operations of HEMM, etc. shall be provided with earplugs/muffs and health records of the workers shall be maintained.
- 11. Industrial wastewater (workshop and wastewater from the mine) should be properly collected, treated to conform to the standards prescribed under GSR 422 (E) dated 19th May 1993 and 31st December 1993 or as amended from time to time. Oil and grease traps shall be installed before the discharge of workshop effluents.
- 12. Personnel working in areas shall be provided with protective respiratory devices like masks and they shall also be imparted adequate training and information on safety and health aspects.
- 13. Special measures shall be adopted to prevent the nearby settlements from the impacts of mining activities.
- 14. The transportation of the materials shall be limited to the day hours' time only.
- 15. Provision shall be made for housing the laborers within the site with all necessary infrastructure and facilities such as fuel for cooking, mobile toilets, safe drinking water, medical health care, crèche, etc. The housing may be in the form of temporary structures to be removed after the completion of the project.
- 16. A separate Environmental Management Cell with suitably qualified personnel shall be setup under the control of a Senior Executive, who will report directly to the Head of the Organization.
- 17. The Project Proponent shall inform the Integrated Regional Office, MoEF&CC, GoI, Lucknow and State Pollution Control Board regarding the date of financial closures and final approval of the project by the concerned authorities and the date of start of land development work.

- 18. The funds earmarked for environmental protection measures shall be kept in a separate account and shall not be diverted for other purposes. The year-wise expenditure shall be reported to the Integrated Regional Office, MoEF&CC, GoI, Lucknow and State Pollution Control Board
- 19. The Integrated Regional Office, MoEF&CC, GoI, Lucknow and State Pollution Control Board shall monitor compliance with the stipulated conditions. A complete set of documents including Environment Impact Assessment Report, Environmental Management Plan, Public hearing, and other documents information should be given to the Integrated Regional Office, MoEF&CC, GoI, Lucknow and State Pollution Control Board
- 20. A copy of the environmental clearance shall be submitted by the Project Proponent to the Heads of the Local Bodies, Panchayat, and Municipal Bodies as applicable in the matter.
- 21. The Project Proponent shall advertise at least in two local newspapers widely circulated, one of which shall be in the vernacular language of the locality concerned, within 7 days of the issue of the clearance letter informing that the project has been accorded environmental clearance and a copy of the clearance letter is available with the State Level Environment Impact Assessment Authority (SEIAA).
- 22. The Project Proponent has to submit a regular half-yearly compliance report of the stipulated prior environmental clearance terms and conditions in hard and soft copy to the SEIAA, U.P. on 1<sup>st</sup> June and 1st December of each calendar year.
- 23. The SEIAA may alter/modify the above conditions or stipulate any further condition in the interest of environmental protection.
- 24. Concealing factual data or submission of false/fabricated data and failure to comply with any of the conditions mentioned above may result in withdrawal of this clearance and attract action under the provisions of the Environment (Protection) Act, 1986.

#### B. Specific Conditions:

- 1. At the time of operation, the project proponent will comply with all the guidelines issued by the Government of India/State Govt./District Administration related to Covid-19.
- 2. This environmental clearance does not create or verify any claim of the applicant on the proposed site/activity.
- 3. In case it has been found that the E.C. obtained by providing incorrect information, submitting that the distance between the two adjoining mines is greater than 500mt. and the area is less than 05ha, but factually the distance is less than 500 mt, and the mine is located in the cluster of area equal to or more than 05ha, the E.C issued will stand revoked.
- 4. This environmental clearance shall be subject to a valid lease in favor of the project proponent for the proposed mining proposals. In case, the project proponent does not have a valid lease, this environmental clearance shall automatically become null and void.
- 5. The Environmental clearance will be co-terminus with the mining lease period/Mining Plan. The Mining plan approved by the Dept. of Mines and Geology shall be strictly implemented and shall not be operated beyond the validity period.
- 6. Explosive cannot be stored on the site. The Project proponent shall take approval from Chief Controller of Explosive, if applicable for use or storage of explosive or any such materials.
- 7. A comprehensive EIA including mining areas within 15 K.M. to assess the impact of the mining activity on the surrounding area shall be undertaken and a report submitted to this Authority within one year.
- 8. No two pits shall be simultaneously worked i.e. before the first is exhausted and reclamation work completed, no mineral bearing area shall be worked.
- 9. After exhausting the first mine pit and before starting mining operations in the next pit, reclamation and plantation work in the exhausted pit shall be completed to ensure that reclamation, forest cover, and vegetation are visible during the first year of mining operations in the next pit. This process

will follow till the last pit is exhausted. Adequate rehabilitation of mined pit shall be completed before any new ore-bearing area is worked for expansion.

- 10. An adequate buffer zone shall be maintained between two consecutive mineral-bearing deposits.
- 11. The sprinkling of water on haul roads to control dust will be ensured by the project proponent.
- 12. Green belt development shall be carried out considering CPCB guidelines including the selection of plant species and in consultation with the local DFO / Agriculture Department. Herbs and shrubs shall also form a part of the afforestation programme besides tree plantation. The company shall involve local people in the plantation programme. Details of year-wise afforestation programme including rehabilitation of mined-out area shall be submitted to the Integrated Regional Office, MoEF&CC, GoI, Lucknow every year.
- 13. Blast vibrations study shall be conducted and an observation report submitted to the Integrated Regional Office, MoEF&CC, GoI, Lucknow and UPPCB within six months. The report shall also include measures for the prevention of blasting associated impact on nearby houses and agricultural fields.
- 14. Controlled blasting techniques with sequential blasting shall be adopted. The blasting shall be carried out in the daytime only. The project proponent shall ensure prevention of displacement of human beings/wild animals/birds etc. and in case any such displacement is caused due to blasting/mining operation by any chance the project proponent shall take suitable measures for their rehabilitation and resettlement.
- 15. Appropriate arrangement for shelter and drinking water for the mining workers has to be ensured at the mining site.
- 16. Maintenance of village roads used for transportation of minerals is to be done by the company regularly at its own expenses. The link roads from mining area to main road shall be constructed as all-weather road with black topping and maintained by the project proponent.
- 17. The surface runoff rain water harvesting/rain water recharge and water conservation measures will be taken by project proponent in consultation with central /State ground water Board .The project proponent shall plan and implement collection drain and siltation basins of adequate size to arrest the silt and sediment flows from the mining area. The supernatant of the siltation basin and rain water harvested water shall be utilized for watering the haulage area, roads and green belt development etc.
- 18. Status of implementation shall be submitted to the Integrated Regional Office, MoEF&CC, GoI, Lucknow and UP Pollution Control Board within six months and thereafter every year from the next consequent year.
- 19. The self-environmental audit shall be conducted annually. Every three years third-party environmental audit shall be carried out.
- 20. Measures for prevention and control of soil erosion and management of silt shall be undertaken. Protection of dumps against erosion shall be carried out with geotextile matting or other suitable material, and thick plantations of native trees and shrubs shall be carried out at the dump slopes. Dumps shall be protected by retaining walls.
- 21. Trenches/garland drains shall be constructed at foot of dumps and coco filters installed at regular intervals to arrest silt from being carried to water bodies. An adequate number of Check Dams and Gully Plugs shall be constructed across seasonal/perennial nallahs if any flowing through the ML area and silts arrested. De silting at regular intervals shall be carried out.
- 22. Garland drain of appropriate size, gradient, and length shall be constructed for both mine pit and waste dump and sump capacity shall be designed keeping 50% safety margin over and above peak sudden rainfall (based on 50 years data) and maximum discharge in the area adjoining the mine site. Sump capacity shall also provide an adequate retention period to allow proper settling of silt material. Sedimentation pits shall be constructed at the corners of the garland drains and de silted at regular intervals.
- 23. Ground and surface water, if any in and near the core zone (within 5.0 km of the lease) shall be regularly monitored for contamination and depletion due to mining activity and records maintained.

The monitoring data shall be submitted to the Integrated Regional Office, MoEF&CC, GoI, Lucknow and U.P. Pollution Control Board regularly. Further, monitoring points shall be located between the mine, and drainage in the direction of flow of groundwater shall be set up and records maintained.

- 24. Fugitive dust generation shall be controlled. Fugitive dust emission shall be regularly monitored at locations of nearest human habitation (including schools and other public amenities located nearest to sources of dust generation as applicable) and records submitted to the Integrated Regional Office, MoEF&CC, GoI, Lucknow and U.P. Pollution Control Board regularly.
- 25. Baseline data for ambient air quality shall be generated and maintained and RSPM level in ambient air in the nearby human habitation (villages) shall also be monitored along with other parameters.
- 26. Corporate Environmental Responsibility (CER) shall be by the project proponent and the details of the various heads of expenditure are to be submitted as per the guidelines provided in the recent CER notification No. 22-65/2017-IA.III dated 01/05/2018. Work to be executed with the installation of five hand pumps for drinking water, solar light in villages of streets, construction of two numbers of toilets at the primary school with name displayed and address and details of the beneficiary and gram Pradhan along with phone number, photographs should be submitted to Directorate as well as to the District Magistrate / Chief Development officers.
- 27. Transportation of minerals shall be done by covering the trucks with tarpaulin or other suitable mechanisms so that no spillage of mineral/dust takes place.
- 28. Occupational health and safety measures for the workers including identification of work-related health hazards, training on malaria eradication, HIV, and health effects on exposure to mineral dust, etc. shall be carried out. Periodic monitoring for exposure to respirable mineral dust on the workers shall be conducted and records maintained including the health records of the workers. Awareness programmes for workers on the impact of mining on their health and precautionary measures like the use of personal protective equipment etc. shall be carried out periodically. A review of the impact of various health measures shall be conducted followed by follow-up action wherever required.
- 29. The project proponent will ensure for employing local people as per requirement, necessary protection measures around the mine pit and waste dump, and garland drain around the mine pit and waste dump.
- 30. Topsoil / solid waste shall be stacked properly with proper slope and adequate safeguards and shall be utilized for backfilling (wherever applicable) for reclamation and rehabilitation of the mined-out area. Topsoil shall be separately stacked for utilization later for reclamation and shall not be stacked along with overburden.
- 31. Overburden (OB) shall be stacked at the earmarked dump site(s) only and shall not be kept active for long period. The maximum height of the dump shall not exceed 20 m, each stage shall preferably be of a maximum of 10 m and the overall slope of the dump shall not exceed 35°. The OB dump shall be backfilled. The OB dumps shall be scientifically vegetated with suitable native species to prevent erosion and surface runoff.
- 32. Monitoring and management of rehabilitated areas shall continue until the vegetation becomes selfsustaining. Compliance status shall be submitted to the Regional Office, Ministry of Environment & Forests, GoI, Lucknow, and U.P. Pollution Control Board on a six-monthly basis.
- 33. The slope of the mining bench and ultimate pit limit shall be as per the mining scheme approved by the Indian Bureau of Mines.
- 34. Permission for the abstraction of groundwater shall be taken from Central Ground Water Board. Regular monitoring of ground and surface water sources for level and quality shall be carried out by establishing a network of existing wells and constructing new piezometers during the mining operation. The monitoring shall be carried out four times in a year i.e., premonsoon (AprilMay), monsoon (August), post-monsoon (November), and winter (January), and the data thus collected shall be regularly sent to MoEF&CC, Central Ground Water Authority, and Regional Director, Central Ground Water Board.

- 35. The wastewater from the mine shall be treated to conform to the prescribed standards before discharging into the natural stream. The discharged water from the Tailing Dam, if any shall be regularly monitored and report submitted to the Integrated Regional Office, MoEF&CC, GoI, Lucknow, Central Pollution Control Board, and the State Pollution Control Board.
- 36. Hydrogeological study of the area shall be reviewed by the project proponent annually. In case the adverse effect on groundwater quality and quantity is observed mining shall be stopped and resumed only after mitigating steps to contain any adverse impact on groundwater is implemented.
- 37. Vehicular emissions shall be kept under control and regularly monitored. Vehicles used for transportation of minerals and others shall have valid permissions as prescribed under Central Motor Vehicle Rules, 1989 and its amendments. The vehicles transporting minerals shall be covered with a tarpaulin or other suitable enclosures so that no dust particles / fine matters escape during the period of transportation. No overloading of minerals for transportation shall be committed. The trucks transporting minerals shall not pass through the wildlife sanctuary if any in the study area.
- 38. Prior permission from the Competent Authority shall be obtained for the extraction of groundwater if any.
- 39. A final mine closure plan, along with details of Corpus Fund, shall be submitted to the Integrated Regional Office, MoEF&CC, GoI, Lucknow and U.P. Pollution Control Board 5 years in advance of final mine closure for approval.
- 40. Project Proponent shall explore the possibility of using solar energy where ever possible.
- 41. Commitment towards CER has to be followed strictly.
- 42. Regular health checkup record of the mineworkers has to be maintained at the site in a proper register. It should be made available for inspection whenever asked.
- 43. Project Proponent has to strictly follow the direction/guidelines issued by MoEF&CC, CPCB, and other Govt. Agencies from time to time.
- 44. The blasting will be done only after getting permission from the Mining Department.