

### **Minutes of 592<sup>nd</sup> SEAC-1 Meeting Dated 12/11/2021**

The 592<sup>nd</sup> meeting of SEAC-1 was held in the Directorate of Environment, U.P. through dual-mode (physically/virtually) at 11:00 AM on 12/11/2021. Following members participated in the meeting:

- |    |                             |                  |
|----|-----------------------------|------------------|
| 1. | Shri Rajive Kumar,          | Chairman, SEAC-1 |
| 2. | Shri Om Prakash Srivastava, | Member, SEAC-1   |
| 3. | Dr. Brij Bihari Awasthi,    | Member, SEAC-1   |
| 4. | Shri Umesh Chandra Sharma,  | Member, SEAC-1   |
| 5. | Dr. Ratan Kar,              | Member, SEAC-1   |

The Chairman welcomed the members to the 592<sup>nd</sup> SEAC-1 meeting which was conducted via dual-mode (virtually/physically). Nodal officer, SEAC-1 informed the committee that the agenda has been approved by the Member Secretary, SEAC-1/Director Environment. Nodal officer, SEAC-1 placed the agenda items along with the available file and documents before the SEAC-1.

#### **Part-A**

**1. Granite Mining at Gata No.- 1876, Khand No.- 04, Village- Girawan, Naraini, Banda, Shri Suresh Pratap Singh, M/s Bajrang Road Lines, Area-1.21 ha File No. 6559/ 6104 Proposal No. SIA/UP/MIN/ 67411/2021**

The consultant informed the committee that they are strictly following the rules, regulations and other instructions of QCI/NABET. A presentation was made by the project proponent along with their consultant M/s Cognizance Research India Pvt Ltd. Based on the documents submitted and presentation made by the project proponent along with the consultant, the following facts have emerged: -

1. The environmental clearance is sought for Granite Mining at Gata No.- 1876, Khand No.- 04, Village- Girawan, Naraini, Banda, Shri Suresh Pratap Singh, M/s Bajrang Road Lines, Area-1.21 ha
2. Salient features of the project as submitted by the project proponent:

1.	The environmental clearance is sought for Girwan Granite, Khanda, Gitty, Boulder Mining project at Gata No. 1876 (Khand 04), Village- Girwan, Tehsil- Naraini, District - Banda, U.P., of M/s Bajrang Road Lines, Partner- Shri Suresh Pratap Singh, (Leased Area 1.21 ha)	
2.	The terms of reference in the matter were issued by SEIAA, U.P. vide letter no 831/ Parya/ SEAC/6104, /2019, dated 22.03.2021.	
3.	The public hearing was organized on	11.08.2021
4.	Final EIA report submitted on	10.09.2021
5.	On-line proposal No.	SIA/UP/MIN/67411/2021
6.	File No. allotted by SEIAA, UP	6559/6104
7.	Name of Proponent	M/s Bajrang Road Lines Partner- Shri Suresh Pratap Singh
8.	Full correspondence address of proponent and mobile No.	R/o Village and Post- Mau, 584, Katra Lalganj, Tehsil- Gauriganj, District- Amethi, (U.P.)
		<b>Mobile No-</b>

**Minutes of 587<sup>th</sup> SEAC-1 Meeting Dated 01/11/2021**

	<b>Email-</b>	
9. Name of Project	Girwan Granite, Khanda, Gitty, Boulder Mining project	
10. Project location (Plot/Khasra/Gata No.)	Gata No. 1876 (Khand 04)	
11. Name of River	-	
12. Name of Village	Girwan	
13. Tehsil	Naraini	
14. District	Banda	
15. Name of Minor Mineral	Granite, Khanda, Gitty, Boulder Mining project	
16. Sanctioned Lease Area (in Ha.)	1.21	
17. Max & Min mRL within lease area	Max- 152.10 mRL and Min- 142.20 mRL	
18. Pillar Coordinates (Verified by DMO)	<b>Sanctioned Mining Lease Area</b>	
	<b>Pillar No.</b>	<b>Latitude</b>
	<b>A</b>	25°18'24.06"N
	<b>B</b>	80°23'0.21"E
	<b>C</b>	25°18'25.48"N
	<b>D</b>	80°23'5.07"E
	<b>E</b>	25°18'22.37"N
	<b>F</b>	80°23'6.04"E
	<b>D</b>	25°18'22.37"N
	<b>E</b>	80°23'2.64"E
	<b>F</b>	25°18'21.52"N
		80°23'2.35"E
		25°18'22.24"N
		80°23'0.67"E
19. Total Geological Reserves	5,28,282 cum	
20. Total Mineable Reserves in LOI	12,100 cum	
21. Total Proposed Production	60,500 cum	
22. Proposed Production/year	12,100 cum	
23. Sanctioned Period of Mine lease	Maximum 10 years (Mining plan prepared for 5 years)	
24. Production of mine/day	46.53	
25. Method of Mining	Open Cast Semi-mechanized Method	
26. No. of working days	260 days	
27. Working hours/day	8 hrs	
28. No. of workers	30	
29. No. of vehicles movement/day	7	
30. Type of Land	Government waste land	
31. Ultimate Depth of Mining	24	
32. Nearest metalled road from site	1.4 km	
33. Water Requirement	PURPOSE	REQUIREMENT (KLD)
	Drinking	0.30
	Suppression of dust	7.18
	Plantation	2.4
	Toilet	0.30
	Total	10.18

34. Name of QCI Accredited Consultant with QCI No and period of validity.	Cognizance Research India Pvt Ltd. 1922, validity= 03-02-2022
35. Any litigation pending against the project or land in any court	No
36. Details of 500 m Cluster Map & certificate issued by Mining Officer	Yes, certified
37. Details of Lease Area in approved DSR	Yes, given in the DSR
38. Proposed CER cost	Rs 1,20,000/-
39. Proposed EMP cost	Capital Cost including CER Rs 13.20 Lakh Recurring cost- Rs. 4.58 Lakh
40. Length and breadth of Haul Road	Length: 0.59 km, width: 6 m
41. No. of Trees to be Planted	1200 plants

3. The mining would be restricted to the unsaturated zone only above the phreatic water table and will not intersect the groundwater table at any point in time.
4. The mining operation will not be carried out in the safety zone of any bridge or embankment or eco-fragile zone such as the habitat of any wild fauna.
5. There is no litigation pending in any court regarding this project.
6. The project proposal falls under category-1(a) of EIA Notification, 2006 (as amended).

**RESOLUTION AGAINST AGENDA NO-01**

**The committee discussed the matter and recommended the grant of environmental clearance for the project proposal along with general and specific conditions as annexed at Annexure-1 to the minutes. The committee also stipulated the following specific conditions:**

1. The project proponent shall install solar light in their site office.
2. During the submission of 6 monthly compliance reports, the project proponent should make sure that the periodically taken site photographs should also be annexed along with the compliance report.
3. Preference should be given to indigenous local species as per the consultation of the local district Forest Officer.
4. The maximum height of the bench should be 06 meters and the width of the bench should be at least twice the height of the bench as per the mine plan approval letter by DGM, U.P
5. In case the blasting is proposed during a mining operation, the project proponent needs to assess its impact on the displacement of human beings/wild animals/birds/other species, and the suitable measures proposed and taken for their rehabilitation and resettlement need to be clearly described in first 6 monthly compliance report.
6. The project proponent shall submit a final mine closure plan/Exit protocol for rehabilitation of mined-out land to match its surrounding land use 3years before the closure of the mine to SEIAA, UP and Department of Mines and Geology, UP for approval. The project proponent shall ensure the implementation of the approved plan under the supervision of the Dept. of Mines and Geology.
7. The project proponent shall plan and implement collection drain and siltation basins of adequate size to arrest the silt and sediment flow from the quarry area. The surface runoff rainwater harvesting and other water conservation measures on a long-term basis are to be taken in consultation with the

Central/State Groundwater Board. The water so collected should be utilized for watering the haulage area, roads, and green belt development, etc.

8. The project proponent shall take all suitable measures to prevent pollution of groundwater and nearby water bodies in consultation with the State Pollution Control Board and consent to operate (if applicable) should be obtained from the State Pollution Control Board before the start of production from the mine.
9. Link Road from the quarry site to the main road shall be constructed as an all-weather road with blacktopping and maintained by the project proponent.
10. Vehicular emissions should be kept under control and regularly monitored. Suitable measures shall be taken for proper maintenance of vehicles used in a quarry operation and transportation.  
The project proponent should explore the possibilities of rainwater harvesting.

**2. Stone Mining at Gata No.- 707 Mi, Village-Nathupura, District-Mahoba , Shri Ratnesh Sahu, Area -2.428 ha File No. 6561 Proposal No. SIA/UP/MIN/ 228871/2021**

The consultant informed the committee that they are strictly following the rules, regulations and other instructions of QCI/NABET. A presentation was made by the project proponent along with their consultant M/s Paramarsh (Servicing Environment and Development), Lucknow, U.P. Based on the documents submitted and presentation made by the project proponent along with the consultant, the following facts have emerged: -

1. The environmental clearance is sought for Stone Mining at Gata No.- 707 Mi, Village-Nathupura, District-Mahoba , Shri Ratnesh Sahu, Area -2.428 ha
2. Salient features of the project as submitted by the project proponent:

1.	The environmental clearance is sought for "Building Stone (Khanda, Boulder, Bailast (Gitti))" Project at Gata No.- 707 Mi, Village- Nathupura, Tehsil- Mahoba, District- Mahoba, U.P. <b>Shri Ratnesh Sahu S/o Shri Laxmi Narayan Sahu, (Applied Area- 2.428ha.)</b>	
2.	On-line proposal No.	SIA/UP/MIN/228871/2021
3.	File No. allotted by SEIAA, UP	6561
4.	Name of Proponent	<b>Shri Ratnesh Sahu S/o Shri Laxmi Narayan Sahu</b>
5.	Full correspondence address of proponent	R/o- Sabji Mandi, Haidargarh, District- Barabanki, U.P.
6.	Name of Project	Building Stone (Khanda, Boulder, Bailast (Gitti)) Mining Project
7.	Project location (Plot/ Khasra /Gata No.)	Gata No.- 707 Mi
8.	Name of Village	Nathupura
9.	Tehsil	Sadar
10.	District	Mahoba
11.	Name of Minor Mineral	Building Stone (Khanda, Boulder, Bailast (Gitti))
12.	Sanctioned Lease Area (inHa.)	2.428ha.
13.	Max. & Min mRL within lease area	212 mRL- 196 mRL

**Minutes of 587<sup>th</sup> SEAC-1 Meeting Dated 01/11/2021**

14.	Pillar Coordinates(Verified by DMO)	Pillars	Latitude (N)	Longitude (E)
		A	25 <sup>o</sup> 19' 46.006"	79 <sup>o</sup> 48' 54.345"
		B	25 <sup>o</sup> 19' 46.585"	79 <sup>o</sup> 48' 59.529"
		C	25 <sup>o</sup> 19' 44.655"	79 <sup>o</sup> 48' 59.104"
		D	25 <sup>o</sup> 19' 40.084"	79 <sup>o</sup> 48' 54.989"
		E	25 <sup>o</sup> 19' 40.709"	79 <sup>o</sup> 48' 53.215"
15.	Total Geological Reserves	2222218 m <sup>3</sup>		
16.	Total Mineable Reserves	650246m <sup>3</sup>		
17.	Total Proposed Production (in five year)	364200m <sup>3</sup>		
18.	Proposed Production / year	Year	Production	
		1 <sup>st</sup>	72840m <sup>3</sup>	
		2 <sup>nd</sup>	72840m <sup>3</sup>	
		3 <sup>rd</sup>	72840m <sup>3</sup>	
		4 <sup>th</sup>	72840m <sup>3</sup>	
		5 <sup>th</sup>	72840m <sup>3</sup>	
		Total	364200m <sup>3</sup>	
19.	Sanctioned Period of Mine lease	10 Years		
20.	Production of mine/day	242.8m <sup>3</sup> (average)		
21.	Method of Mining	Opencast Semi-Mechanized		
22.	No.of working days	300 days		
23.	Working hours/day	8 Hours/Day		
24.	No.Of workers	37		
25.	No.Of vehicle movement /day	20 (approx.)		
26.	Type of Land	Govt. revenue land		
27.	Ultimate Depth of Mining	8 meterBGL (average)		
28.	Nearest metalled road from site	0.30 km.		

**Minutes of 587<sup>th</sup> SEAC-1 Meeting Dated 01/11/2021**

29.	Water Requirement	PURPOSE	REQUIREMENT (KLD)
		Drinking& Others	0.40
		Suppression of dust	1.80
		Plantation	0.25
		Others( if any)	-----
		Total	2.45
30.	Name of QCI Accredited Consultant with QCI No and period of validity.	M/s Paramarsh (Servicing Environment and Development), Lucknow, U.P.  QCI/NABET/EIA/1821/RA0120, Validity-13/01/2022	
31.	Any litigation pending against the project or land in any court	No	
32.	Details of 500 m Cluster Map & certificate Verified by Mining Officer	DMO, Mahobavide Letter No. 1083/MMC-30/ 2020-21 Dated 30/07/2021	
33.	Details of Lease Area in approved DSR	DSR Correction letter sanctioned from DMO, Mahobavide Letter No. 8471/MMC-30-khanij/2020-21 Dated 10 <sup>th</sup> March, 2021  Page No.- 3, Sr. No.- 56	
34.	Proposed CER cost	1.40 Lakh	
35.	Proposed EMP cost	11.45 Lakh	
36.	Length and breadth of Haul Road.	Length- 0.3 km, Width- more than 6.0 m	
37.	No. of Trees to be Planted	250	

3. The mining would be restricted to the unsaturated zone only above the phreatic water table and will not intersect the groundwater table at any point in time.
4. The mining operation will not be carried out in the safety zone of any bridge or embankment or eco-fragile zone such as the habitat of any wild fauna.
5. There is no litigation pending in any court regarding this project.
6. The project proposal falls under category-1(a) of EIA Notification, 2006 (as amended).

**RESOLUTION AGAINST AGENDA NO-02**

**The committee discussed the matter and recommended the grant of environmental clearance for the project proposal along with general and specific conditions as annexed at Annexure-1 to the minutes. The committee also stipulated the following specific conditions:**

1. The project proponent shall install solar light in their site office.

2. During the submission of 6 monthly compliance reports, the project proponent should make sure that the periodically taken site photographs should also be annexed along with the compliance report.
3. Preference should be given to indigenous local species as per the consultation of the local district Forest Officer.
4. The maximum height of the bench should be 06 meters and the width of the bench should be at least twice the height of the bench as per the mine plan approval letter by DGM, U.P
5. In case the blasting is proposed during a mining operation, the project proponent needs to assess its impact on the displacement of human beings/wild animals/birds/other species, and the suitable measures proposed and taken for their rehabilitation and resettlement need to be clearly described in first 6 monthly compliance report.
6. The project proponent shall submit a final mine closure plan/Exit protocol for rehabilitation of mined-out land to match its surrounding land use 3years before the closure of the mine to SEIAA, UP and Department of Mines and Geology, UP for approval. The project proponent shall ensure the implementation of the approved plan under the supervision of the Dept. of Mines and Geology.
7. The project proponent shall plan and implement collection drain and siltation basins of adequate size to arrest the silt and sediment flow from the quarry area. The surface runoff rainwater harvesting and other water conservation measures on a long-term basis are to be taken in consultation with the Central/State Groundwater Board. The water so collected should be utilized for watering the haulage area, roads, and green belt development, etc.
8. The project proponent shall take all suitable measures to prevent pollution of groundwater and nearby water bodies in consultation with the State Pollution Control Board and consent to operate (if applicable) should be obtained from the State Pollution Control Board before the start of production from the mine.
9. Link Road from the quarry site to the main road shall be constructed as an all-weather road with blacktopping and maintained by the project proponent.
10. Vehicular emissions should be kept under control and regularly monitored. Suitable measures shall be taken for proper maintenance of vehicles used in a quarry operation and transportation. The project proponent should explore the possibilities of rainwater harvesting.

**3. Stone Mining at Gata No.- 640, Village- Ratauli, Tehsil- Sadar, Mahoba, Shri Harishankar Rajput, Area -1.7730 ha File No. 6562 Proposal No. SIA/UP/MIN/ 228833/2021**

The consultant informed the committee that they are strictly following the rules, regulations and other instructions of QCI/NABET. A presentation was made by the project proponent along with their consultant M/s Paramarsh (Servicing Environment and Development), Lucknow, U.P. Based on the documents submitted and presentation made by the project proponent along with the consultant, the following facts have emerged: -

1. The environmental clearance is sought for Stone Mining at Gata No.- 640, Village- Ratauli, Tehsil- Sadar, Mahoba, Shri Harishankar Rajput, Area -1.7730 ha
2. Salient features of the project as submitted by the project proponent:

1.	The environmental clearance is sought for Building Stone (Khanda, Boulder, Bailast (Gitti)) Mining at Gata No.-640, Village-Ratauli, Tehsil- Sadar, District- Mahoba, U.P. <b>M/s Harishankar Rajput Contractor</b> , Prop.- Shri Harishankar Rajput S/o Shri Ramgopal Rajput, (Applied Area- 1.773 ha.)	
2.	On-line proposal No.	SIA/UP/MIN/228833/2021
3.	File No. allotted by SEIAA, UP	6562
4.	Name of Proponent	<b>M/s Harishankar Rajput Contractor</b> , Prop- Shri Harishankar Rajput S/o Shri Ramgopal Rajput
5.	Full correspondence address of proponent	R/o- Kumdhaura Maf, Tehsil & Distt.- Mahoba,

**Minutes of 587<sup>th</sup> SEAC-1 Meeting Dated 01/11/2021**

		U.P.		
6.	Name of Project	Building Stone (Khanda, Boulder, Bailast (Gitti)) MiningProject		
7.	Project location (Plot/ Khasra /Gata No.)	Gata No.-640		
8.	Name of Village	Ratauli		
9.	Tehsil	Sadar		
10.	District	Mahoba		
11.	Name of Minor Mineral	Building Stone (Khanda, Boulder, Bailast (Gitti))		
12.	Sanctioned LeaseArea (inHa.)	1.733ha.		
13.	Max.& Min mRL within lease area	183 mRL- 177 mRL		
14.	Pillar Coordinates(Verified by DMO)	Pillars	Latitude (N)	Longitude (E)
		A	25° 19' 04.429"	80° 00' 01.238"
		B	25° 19' 04.685"	80° 00' 03.787"
		C	25° 19' 03.602"	80° 00' 05.146"
		D	25° 19' 02.305"	80° 00' 04.852"
		E	25° 18' 59.670"	80° 00' 02.213"
		F	25° 19' 01.919"	80° 00' 00.284"
15.	Total Geological Reserves	1481318 m <sup>3</sup>		
16.	Total Mineable Reserves	415151 m <sup>3</sup>		
17.	Total Proposed Production (in five year)	259300 m <sup>3</sup>		
18.	Proposed Production / year	Year	Production	
		1 <sup>st</sup>	51860m <sup>3</sup>	
		2 <sup>nd</sup>	51860m <sup>3</sup>	
		3 <sup>rd</sup>	51860m <sup>3</sup>	
		4 <sup>th</sup>	51860m <sup>3</sup>	
		5 <sup>th</sup>	51860m <sup>3</sup>	
		Total	259300m <sup>3</sup>	
19.	Sanctioned Period of Mine lease	10 Years		



**Minutes of 587<sup>th</sup> SEAC-1 Meeting Dated 01/11/2021**

20.	Production of mine/day	172.87m <sup>3</sup> (average)	
21.	Method of Mining	Opencast Semi-Mechanized	
22.	No.of working days	300 days	
23.	Working hours/day	8 Hours/Day	
24.	No.Of workers	37	
25.	No.Of vehicle movement /day	18 (approx.)	
26.	Type of Land	Govt. revenue land	
27.	Ultimate Depth of Mining	16 meter (average)	
28.	Nearest metalled road from site	0.20 km	
29.	Water Requirement	PURPOSE	REQUIREMENT (KLD)
		Drinking& Others	0.40
		Suppression of dust	1.20
		Plantation	0.20
		Others( if any)	-----
		Total	1.80
30.	Name of QCI Accredited Consultant with QCI No and period of validity.	M/s Paramarsh (Servicing Environment and Development), Lucknow, U.P.  QCI/NABET/ENV/ACO/21/2110, Validity-13/01/2022	
31.	Any litigation pending against the project or land in any court	No	
32.	Details of 500 m Cluster Map & certificate  Verified by Mining Officer	DMO, Mahobavide Letter No. 1058/MMC-30/ 2020-21 Dated 29/07/2021	
33.	Details of Lease Area in approved DSR	DSR Correction letter from DM, Mahobavide Letter No. 154/MMC-30-khanij (2021-22) Dated 12 <sup>th</sup> May, 2021, Page No.- 4, Sr. No.- 115	
34.	Proposed CER cost	1.36 Lakh	
35.	Proposed EMP cost	11.13 Lakh	
36.	Length and breadth of Haul Road.	Length- 0.2 k m, Width- more than 6.0 m	
37.	No. of Trees to be Planted	180	

3. The mining would be restricted to the unsaturated zone only above the phreatic water table and will not intersect the groundwater table at any point in time.
4. The mining operation will not be carried out in the safety zone of any bridge or embankment or eco-fragile zone such as the habitat of any wild fauna.
5. There is no litigation pending in any court regarding this project.
6. The project proposal falls under category-1(a) of EIA Notification, 2006 (as amended).

**RESOLUTION AGAINST AGENDA NO-03**

**The committee discussed the matter and recommended the grant of environmental clearance for the project proposal along with general and specific conditions as annexed at Annexure-1 to the minutes. The committee also stipulated the following specific conditions:**

1. The project proponent shall install solar light in their site office.
2. During the submission of 6 monthly compliance reports, the project proponent should make sure that the periodically taken site photographs should also be annexed along with the compliance report.
3. Preference should be given to indigenous local species as per the consultation of the local district Forest Officer.
4. The maximum height of the bench should be 06 meters and the width of the bench should be at least twice the height of the bench as per the mine plan approval letter by DGM, U.P
5. In case the blasting is proposed during a mining operation, the project proponent needs to assess its impact on the displacement of human beings/wild animals/birds/other species, and the suitable measures proposed and taken for their rehabilitation and resettlement need to be clearly described in first 6 monthly compliance report.
6. The project proponent shall submit a final mine closure plan/Exit protocol for rehabilitation of mined-out land to match its surrounding land use 3years before the closure of the mine to SEIAA, UP and Department of Mines and Geology, UP for approval. The project proponent shall ensure the implementation of the approved plan under the supervision of the Dept. of Mines and Geology.
7. The project proponent shall plan and implement collection drain and siltation basins of adequate size to arrest the silt and sediment flow from the quarry area. The surface runoff rainwater harvesting and other water conservation measures on a long-term basis are to be taken in consultation with the Central/State Groundwater Board. The water so collected should be utilized for watering the haulage area, roads, and green belt development, etc.
8. The project proponent shall take all suitable measures to prevent pollution of groundwater and nearby water bodies in consultation with the State Pollution Control Board and consent to operate (if applicable) should be obtained from the State Pollution Control Board before the start of production from the mine.
9. Link Road from the quarry site to the main road shall be constructed as an all-weather road with blacktopping and maintained by the project proponent.
10. Vehicular emissions should be kept under control and regularly monitored. Suitable measures shall be taken for proper maintenance of vehicles used in a quarry operation and transportation. The project proponent should explore the possibilities of rainwater harvesting.

4. **Stone Mining at Gata No.- 1580, Village- Makarbai, Tehsil & District Mahoba, Yashoda Devi Sahu, Area -1.4160 ha File No. 6563 Proposal No. SIA/UP/MIN/ 228819/2021**

## Minutes of 587<sup>th</sup> SEAC-1 Meeting Dated 01/11/2021

The consultant informed the committee that they are strictly following the rules, regulations and other instructions of QCI/NABET. A presentation was made by the project proponent along with their consultant M/s Paramarsh (Servicing Environment and Development), Lucknow, U.P. Based on the documents submitted and presentation made by the project proponent along with the consultant, the following facts have emerged: -

1. The environmental clearance is sought for Stone Mining at Gata No.- 1580, Village- Makarbai, Tehsil & District Mahoba, Yashoda Devi Sahu, Area -1.4160 ha
2. Salient features of the project as submitted by the project proponent:

	The environmental clearance is sought for Building Stone (Khanda, Boulder, Bailast (Gitti)) Mining at Gata No.-1580, Village-Makarbai, Tehsil- Sadar, District- Mahoba, U.P. <b>Smt. Yashoda Devi Sahu W/o Shri Chhanga Prasad Sahu,</b> (Applied Area- 1.416ha.)		
2.	On-line proposal No.	SIA/UP/MIN/228819/2021	
3.	File No. allotted by SEIAA, UP	6563	
4.	Name of Proponent	<b>Smt. Yashoda Devi Sahu W/o Shri Chhanga Prasad Sahu</b>	
5.	Full correspondence address of proponent	R/o- Vivek Nagar, Kabrai, Tehsil & District- Mahoba, U.P.	
6.	Name of Project	Building Stone (Khanda, Boulder, Bailast (Gitti)) Mining Project	
7.	Project location (Plot/ Khasra /Gata No.)	Gata No.-1580	
8.	Name of Village	Makarbai	
9.	Tehsil	Sadar	
10.	District	Mahoba	
11.	Name of Minor Mineral	Building Stone (Khanda, Boulder, Bailast (Gitti))	
12.	Sanctioned Lease Area (inHa.)	1.416ha.	
13.	Max.& Min mRL within lease area	170 mRL- 156 mRL	
14.	Pillar Coordinates(Verified by DMO)	<b>Pillars</b>	<b>Latitude (N)</b> <b>Longitude (E)</b>
		A	25° 20' 42.997" 80° 02' 12.728"
		B	25° 20' 42.028" 80° 02' 14.798"
		C	25° 20' 39.120" 80° 02' 16.123"
		D	25° 20' 38.486" 80° 02' 13.959"
		E	25° 20' 39.368" 80° 02' 12.012"
		F	25° 20' 39.526" 80° 02' 12.358"
		G	25° 20' 40.185" 80° 02' 11.339"

**Minutes of 587<sup>th</sup> SEAC-1 Meeting Dated 01/11/2021**

15.	Total Geological Reserves	1206745 m <sup>3</sup>	
16.	Total Mineable Reserves	362373 m <sup>3</sup>	
17.	Total Proposed Production (in five year)	212400 m <sup>3</sup>	
18.	Proposed Production / year	Year	Production
		1 <sup>st</sup>	42480m <sup>3</sup>
		2 <sup>nd</sup>	42480m <sup>3</sup>
		3 <sup>rd</sup>	42480m <sup>3</sup>
		4 <sup>th</sup>	42480m <sup>3</sup>
		5 <sup>th</sup>	42480m <sup>3</sup>
		Total	212400m <sup>3</sup>
19.	Sanctioned Period of Mine lease	10 Years	
20.	Production of mine/day	141.6m <sup>3</sup> (average)	
21.	Method of Mining	Opencast Semi-Mechanized	
22.	No.of working days	300 days	
23.	Working hours/day	8 Hours/Day	
24.	No.Of workers	38	
25.	No.Of vehicle movement /day	15 (approx.)	
26.	Type of Land	Govt. revenue land	
27.	Ultimate Depth of Mining	12meter (average)	
28.	Nearest metalled road from site	0.50 km	
29.	Water Requirement	PURPOSE	REQUIREMENT (KLD)
		Drinking& Others	0.40
		Suppression of dust	3.00
		Plantation	0.20
		Others( if any)	-----
		Total	3.60
30.	Name of QCI Accredited Consultant with QCI No and period of validity.	M/s Paramarsh (Servicing Environment and Development), Lucknow, U.P.	

		QCI/NABET/ENV/ACO/21/2110, Validity-13/01/2022
31.	Any litigation pending against the project or land in any court	No
32.	Details of 500 m Cluster Map & certificate Verified by Mining Officer	DMO, Mahobavide Letter No. 1059/MMC-30/ 2020-21 Dated 29/07/2021
33.	Details of Lease Area in approved DSR	DSR Correction letter from DM, Mahobavide Letter No. 8471/MMC-30-khanij (2021-22) Dated 10 <sup>th</sup> Mar, 2021, Page No.- 1, Sr. No.- 6
34.	Proposed CER cost	1.36 Lakh
35.	Proposed EMP cost	10.95 Lakh
36.	Length and breadth of Haul Road.	Length- 0.5 k m, Width- more than 6.0 m
37.	No. of Trees to be Planted	145

3. The mining would be restricted to the unsaturated zone only above the phreatic water table and will not intersect the groundwater table at any point in time.
4. The mining operation will not be carried out in the safety zone of any bridge or embankment or eco-fragile zone such as the habitat of any wild fauna.
5. There is no litigation pending in any court regarding this project.
6. The project proposal falls under category-1(a) of EIA Notification, 2006 (as amended).

**RESOLUTION AGAINST AGENDA NO-04**

**The committee discussed the matter and recommended the grant of environmental clearance for the project proposal along with general and specific conditions as annexed at Annexure-1 to the minutes. The committee also stipulated the following specific conditions:**

1. The project proponent shall install solar light in their site office.
2. During the submission of 6 monthly compliance reports, the project proponent should make sure that the periodically taken site photographs should also be annexed along with the compliance report.
3. Preference should be given to indigenous local species as per the consultation of the local district Forest Officer.
4. The maximum height of the bench should be 06 meters and the width of the bench should be at least twice the height of the bench as per the mine plan approval letter by DGM, U.P
5. In case the blasting is proposed during a mining operation, the project proponent needs to assess its impact on the displacement of human beings/wild animals/birds/other species, and the suitable measures proposed and taken for their rehabilitation and resettlement need to be clearly described in first 6 monthly compliance report.
6. The project proponent shall submit a final mine closure plan/Exit protocol for rehabilitation of mined-out land to match its surrounding land use 3 years before the closure of the mine to SEIAA, UP and Department of Mines and Geology, UP for approval. The project proponent shall ensure the implementation of the approved plan under the supervision of the Dept. of Mines and Geology.
7. The project proponent shall plan and implement collection drain and siltation basins of adequate size to arrest the silt and sediment flow from the quarry area. The surface runoff rainwater harvesting and

other water conservation measures on a long-term basis are to be taken in consultation with the Central/State Groundwater Board. The water so collected should be utilized for watering the haulage area, roads, and green belt development, etc.

8. The project proponent shall take all suitable measures to prevent pollution of groundwater and nearby water bodies in consultation with the State Pollution Control Board and consent to operate (if applicable) should be obtained from the State Pollution Control Board before the start of production from the mine.
9. Link Road from the quarry site to the main road shall be constructed as an all-weather road with blacktopping and maintained by the project proponent.
10. Vehicular emissions should be kept under control and regularly monitored. Suitable measures shall be taken for proper maintenance of vehicles used in a quarry operation and transportation. The project proponent should explore the possibilities of rainwater harvesting.

**5. Stone Mining at Gata No.- 946, Village- Makarbai, Tehsil Mahoba, Shri Pradeep Kumar Agrawal, Area -4.445 haFile No. 6564/ 6171 Proposal No. SIA/UP/MIN/ 67425/2021**

The consultant informed the committee that they are strictly following the rules, regulations and other instructions of QCI/NABET. A presentation was made by the project proponent along with their consultant M/s Paramarsh (Servicing Environment and Development), Lucknow, U.P. Based on the documents submitted and presentation made by the project proponent along with the consultant, the following facts have emerged: -

1. The environmental clearance is sought for Stone Mining at Gata No.- 946, Village- Makarbai, Tehsil Mahoba, Shri Pradeep Kumar Agrawal, Area -4.445 ha
2. Salient features of the project as submitted by the project proponent:

	The environmental clearance is sought for "Building Stone (Khanda, Boulder, Bailast (Gitti))" Project at Gata No.-946, Village- Makarbai, Tehsil- Mahoba, District- Mahoba, U.P.  M/S PRADEEP KUMAR AGRAWAL MINES CONTRACTOR  Prop.- Shri Pradeep Kumar Agrawal S/o Shri Yateesh Chandra Agrawal (Applied Area- 4.445ha.)	
2.	The terms of reference in the matter were issued by SEIAA, U.P. vide letter no. 63/Parya/SEAC/6171/2019, dated: 10 <sup>th</sup> June, 2021.	
3.	The public hearing was organized on	05 <sup>th</sup> August, 2021
4.	Final EIA report submitted on	11 <sup>th</sup> September, 2021
5.	On-line proposal No.	SIA/UP/MIN/67425/2021
6.	File No. allotted by SEIAA, UP	6564/6171
7.	Name of Proponent	M/S PRADEEP KUMAR AGRAWAL MINES CONTRACTOR  Prop.- Shri Pradeep Kumar Agrawal S/o Shri Yateesh Chandra Agrawal
8.	Full correspondence address of proponent	R/o- D.M. Colony, Banda, Tehsil & Distt.- Banda, U.P.
9.	Name of Project	Building Stone (Khanda, Boulder, Bailast (Gitti)) MiningProject

**Minutes of 587<sup>th</sup> SEAC-1 Meeting Dated 01/11/2021**

10.	Project location (Plot/ Khasra /Gata No.)	Gata No.-946		
11.	Name of Village	Makarbai		
12.	Tehsil	Mahoba		
13.	District	Mahoba		
14.	Name of Minor Mineral	Building Stone (Khanda, Boulder, Bailast (Gitti))		
15.	Sanctioned LeaseArea (inHa.)	4.445ha.		
16.	Max.& Min mRL within lease area	222.0 mRL- 187.0 mRL		
17.	Pillar Coordinates(Verified by DMO)	Pillars	Latitude (N)	Longitude (E)
		A	25° 19' 41.414"N	79° 58' 52.514"E
		B	25° 19' 40.178"N	79° 58' 55.326"E
		C	25° 19' 39.116"N	79° 58' 55.997"E
		D	25° 19' 38.253"N	79° 58' 58.029"E
		E	25° 19' 36.003"N	79° 58' 58.597"E
		F	25° 19' 33.918"N	79° 58' 55.567"E
		G	25° 19' 34.196"N	79° 58' 50.947"E
		H	25° 19' 36.638"N	79° 58' 48.447"E
		I	25° 19' 39.012"N	79° 58' 48.427"E
18.	Total Geological Reserves	4320337 m <sup>3</sup>		
19.	Total Mineable Reserves	2158918 m <sup>3</sup>		
20.	Total Proposed Production (in five year)	1650000m <sup>3</sup>		
21.	Proposed Production / year	Year	Production	
		1 <sup>st</sup>	330000m <sup>3</sup>	
		2 <sup>nd</sup>	330000m <sup>3</sup>	
		3 <sup>rd</sup>	330000m <sup>3</sup>	
		4 <sup>th</sup>	330000m <sup>3</sup>	
		5 <sup>th</sup>	330000m <sup>3</sup>	
		Total	1650000m <sup>3</sup>	
22.	Sanctioned Period of Mine lease	10 Years		
23.	Production of mine/day	1100m <sup>3</sup> (approx.)		
24.	Method of Mining	Opencast Semi-Mechanized		
25.	No.of working days	300 days		
26.	Working hours/day	8 Hours/Day		

**Minutes of 587<sup>th</sup> SEAC-1 Meeting Dated 01/11/2021**

27.	No.Of workers	50 (approx.)	
28.	No.Of vehicle movement /day	92 (approx.)	
29.	Type of Land	Govt. revenue land	
30.	Ultimate Depth of Mining	27 meter BGL (average)	
31.	Nearest metalled road from site	0.50 km	
32.	Water Requirement	PURPOSE	REQUIREMENT (KLD)
		Drinking& Others	0.50
		Suppression of dust	3.0
		Plantation	0.45
		Others( if any)	-----
		Total	3.95
33.	Name of QCI Accredited Consultant with QCI No and period of validity.	M/s Paramarsh (Servicing Environment and Development), Lucknow, U.P.  QCI/NABET/EIA/1821/RA0120, Validity-13/01/2022	
34.	Any litigation pending against the project or land in any court	No	
35.	Details of 500 m Cluster Map & certificate  Verified by Mining Officer	DMO, Mahoba vide Letter No. 7336/MMC-30/2020-21 Dated 09 <sup>th</sup> December, 2020	
36.	Details of Lease Area in approved DSR	DSR Correction Letter No.- 154/MMC-30-Khanij (2020-21) Dated 12/05/2021,  Page No. 3, Sr No. 75	
37.	Proposed CER cost	2.25 Lakh	
38.	Proposed EMP cost	14.64 Lakh	
39.	Length and breadth of Haul Road.	Length- 500m, Width- more than 6.0 m	
40.	No. of Trees to be Planted	445	

- The mining would be restricted to the unsaturated zone only above the phreatic water table and will not intersect the groundwater table at any point in time.
- The mining operation will not be carried out in the safety zone of any bridge or embankment or eco-fragile zone such as the habitat of any wild fauna.
- There is no litigation pending in any court regarding this project.
- The project proposal falls under category-1(a) of EIA Notification, 2006 (as amended).



**RESOLUTION AGAINST AGENDA NO-05**

**The committee discussed the matter and recommended the grant of environmental clearance for the project proposal along with general and specific conditions as annexed at Annexure-1 to the minutes. The committee also stipulated the following specific conditions:**

1. The project proponent shall install solar light in their site office.
  2. During the submission of 6 monthly compliance reports, the project proponent should make sure that the periodically taken site photographs should also be annexed along with the compliance report.
  3. Preference should be given to indigenous local species as per the consultation of the local district Forest Officer.
  4. The maximum height of the bench should be 06 meters and the width of the bench should be at least twice the height of the bench as per the mine plan approval letter by DGM, U.P
  5. In case the blasting is proposed during a mining operation, the project proponent needs to assess its impact on the displacement of human beings/wild animals/birds/other species, and the suitable measures proposed and taken for their rehabilitation and resettlement need to be clearly described in first 6 monthly compliance report.
  6. The project proponent shall submit a final mine closure plan/Exit protocol for rehabilitation of mined-out land to match its surrounding land use 3years before the closure of the mine to SEIAA, UP and Department of Mines and Geology, UP for approval. The project proponent shall ensure the implementation of the approved plan under the supervision of the Dept. of Mines and Geology.
  7. The project proponent shall plan and implement collection drain and siltation basins of adequate size to arrest the silt and sediment flow from the quarry area. The surface runoff rainwater harvesting and other water conservation measures on a long-term basis are to be taken in consultation with the Central/State Groundwater Board. The water so collected should be utilized for watering the haulage area, roads, and green belt development, etc.
  8. The project proponent shall take all suitable measures to prevent pollution of groundwater and nearby water bodies in consultation with the State Pollution Control Board and consent to operate (if applicable) should be obtained from the State Pollution Control Board before the start of production from the mine.
  9. Link Road from the quarry site to the main road shall be constructed as an all-weather road with blacktopping and maintained by the project proponent.
  10. Vehicular emissions should be kept under control and regularly monitored. Suitable measures shall be taken for proper maintenance of vehicles used in a quarry operation and transportation.
- The project proponent should explore the possibilities of rainwater harvesting.

**Nodal SEAC-1**

(Dr. Ajai Mishra)  
**Member**

(Om Prakash Srivastava)  
**Member**

(Dr. Brij Bihari Awasthi)  
**Member**

(Umesh Chandra Sharma)  
**Member**

(Dr. Ratan Kar)  
**Member**

(Rajive Kumar)  
**Chairman**

**Annexure-1**

**General and Specific Conditions for Gitti, Patthar& Boulder Mining Projects: -**

**A. General Conditions:**

1. This environmental clearance is subject to allotment of mining lease in favour of project proponent by District Administration/Mining Department.
2. Forest clearance shall be taken by the proponent as necessary under the law.
3. Any addition of the mining area, change of Khasra numbers, enhancement of capacity, change in mining technology, modernization, and scope of working shall again require prior environmental clearance as per EIA notification, 2006.
4. No change in the calendar plan including excavation, the quantum of mineral and waste shall be made.
5. Mining will be carried out as per the approved mining plan. In case of any violation of the mining plan, the Environmental Clearance given by SEIAA will stand cancelled.
6. Four ambient air quality monitoring stations shall be established in the core zone as well as in the buffer zone for RSPM, SPM, SO<sub>2</sub>, NO<sub>x</sub> monitoring. The location of the stations should be decided based on the meteorological data, topographical features, and environmentally and ecologically sensitive targets and frequency of monitoring should be undertaken in consultation with the State Pollution Control Board. The monitored data for criteria pollutants shall be regularly uploaded on the company's website and also displayed on the website.
7. Data on ambient air quality (RPM, SPM, SO<sub>2</sub>, NO<sub>x</sub>) should be regularly submitted to the Integrated Regional Office, MoEF&CC, GoI, Lucknow and the State Pollution Control Board / Central Pollution Control Board once in six months.
8. Ambient air quality at the boundary of the mine premises shall conform to the norms prescribed in MoEF notification no. GSR/826(E) dated 16.11.09.
9. Fugitive dust emissions from all the sources shall be controlled regularly. Water spraying arrangement on haul roads, loading and unloading, and at transfer points shall be provided and properly maintained.
10. Measures shall be taken for control of noise levels below 85 dBA in the work environment. Workers engaged in operations of HEMM, etc. shall be provided with earplugs/muffs and health records of the workers shall be maintained.
11. Industrial wastewater (workshop and wastewater from the mine) should be properly collected, treated to conform to the standards prescribed under GSR 422 (E) dated 19th May 1993 and 31st December 1993 or as amended from time to time. Oil and grease traps shall be installed before the discharge of workshop effluents.
12. Personnel working in areas shall be provided with protective respiratory devices like masks and they shall also be imparted adequate training and information on safety and health aspects.
13. Special measures shall be adopted to prevent the nearby settlements from the impacts of mining activities.
14. The transportation of the materials shall be limited to the day hours' time only.
15. Provision shall be made for housing the laborers within the site with all necessary infrastructure and facilities such as fuel for cooking, mobile toilets, safe drinking water, medical health care, crèche, etc. The housing may be in the form of temporary structures to be removed after the completion of the project.
16. A separate Environmental Management Cell with suitably qualified personnel shall be setup under the control of a Senior Executive, who will report directly to the Head of the Organization.

17. The Project Proponent shall inform the Integrated Regional Office, MoEF&CC, GoI, Lucknow and State Pollution Control Board regarding the date of financial closures and final approval of the project by the concerned authorities and the date of start of land development work.
18. The funds earmarked for environmental protection measures shall be kept in a separate account and shall not be diverted for other purposes. The year-wise expenditure shall be reported to the Integrated Regional Office, MoEF&CC, GoI, Lucknow and State Pollution Control Board
19. The Integrated Regional Office, MoEF&CC, GoI, Lucknow and State Pollution Control Board shall monitor compliance with the stipulated conditions. A complete set of documents including Environment Impact Assessment Report, Environmental Management Plan, Public hearing, and other documents information should be given to the Integrated Regional Office, MoEF&CC, GoI, Lucknow and State Pollution Control Board
20. A copy of the environmental clearance shall be submitted by the Project Proponent to the Heads of the Local Bodies, Panchayat, and Municipal Bodies as applicable in the matter.
21. The Project Proponent shall advertise at least in two local newspapers widely circulated, one of which shall be in the vernacular language of the locality concerned, within 7 days of the issue of the clearance letter informing that the project has been accorded environmental clearance and a copy of the clearance letter is available with the State Level Environment Impact Assessment Authority (SEIAA).
22. The Project Proponent has to submit a regular half-yearly compliance report of the stipulated prior environmental clearance terms and conditions in hard and soft copy to the SEIAA, U.P. on 1<sup>st</sup> June and 1st December of each calendar year.
23. The SEIAA may alter/modify the above conditions or stipulate any further condition in the interest of environmental protection.
24. Concealing factual data or submission of false/fabricated data and failure to comply with any of the conditions mentioned above may result in withdrawal of this clearance and attract action under the provisions of the Environment (Protection) Act, 1986.

**B. Specific Conditions:**

1. At the time of operation, the project proponent will comply with all the guidelines issued by the Government of India/State Govt./District Administration related to Covid-19.
2. This environmental clearance does not create or verify any claim of the applicant on the proposed site/activity.
3. In case it has been found that the E.C. obtained by providing incorrect information, submitting that the distance between the two adjoining mines is greater than 500mt. and the area is less than 05ha, but factually the distance is less than 500 mt, and the mine is located in the cluster of area equal to or more than 05ha, the E.C issued will stand revoked.
4. This environmental clearance shall be subject to a valid lease in favor of the project proponent for the proposed mining proposals. In case, the project proponent does not have a valid lease, this environmental clearance shall automatically become null and void.
5. The Environmental clearance will be co-terminus with the mining lease period/Mining Plan. The Mining plan approved by the Dept. of Mines and Geology shall be strictly implemented and shall not be operated beyond the validity period.
6. Explosive cannot be stored on the site. The Project proponent shall take approval from Chief Controller of Explosive, if applicable for use or storage of explosive or any such materials.
7. A comprehensive EIA including mining areas within 15 K.M. to assess the impact of the mining activity on the surrounding area shall be undertaken and a report submitted to this Authority within one year.
8. No two pits shall be simultaneously worked i.e. before the first is exhausted and reclamation work completed, no mineral bearing area shall be worked.

9. After exhausting the first mine pit and before starting mining operations in the next pit, reclamation and plantation work in the exhausted pit shall be completed to ensure that reclamation, forest cover, and vegetation are visible during the first year of mining operations in the next pit. This process will follow till the last pit is exhausted. Adequate rehabilitation of mined pit shall be completed before any new ore-bearing area is worked for expansion.
10. An adequate buffer zone shall be maintained between two consecutive mineral-bearing deposits.
11. The sprinkling of water on haul roads to control dust will be ensured by the project proponent.
12. Green belt development shall be carried out considering CPCB guidelines including the selection of plant species and in consultation with the local DFO / Agriculture Department. Herbs and shrubs shall also form a part of the afforestation programme besides tree plantation. The company shall involve local people in the plantation programme. Details of year-wise afforestation programme including rehabilitation of mined-out area shall be submitted to the Integrated Regional Office, MoEF&CC, GoI, Lucknow every year.
13. Blast vibrations study shall be conducted and an observation report submitted to the Integrated Regional Office, MoEF&CC, GoI, Lucknow and UPPCB within six months. The report shall also include measures for the prevention of blasting associated impact on nearby houses and agricultural fields.
14. Controlled blasting techniques with sequential blasting shall be adopted. The blasting shall be carried out in the daytime only. The project proponent shall ensure prevention of displacement of human beings/wild animals/birds etc. and in case any such displacement is caused due to blasting/mining operation by any chance the project proponent shall take suitable measures for their rehabilitation and resettlement.
15. Appropriate arrangement for shelter and drinking water for the mining workers has to be ensured at the mining site.
16. Maintenance of village roads used for transportation of minerals is to be done by the company/project proponent regularly at its own expenses. The link roads from mining area to main road shall be constructed as all-weather road with black topping and maintained by the project proponent.
17. The surface runoff rain water harvesting/rain water recharge and water conservation measures will be taken by project proponent in consultation with central /State ground water Board. The project proponent shall plan and implement collection drain and siltation basins of adequate size to arrest the silt and sediment flows from the mining area. The supernatant of the siltation basin and rain water harvested water shall be utilized for watering the haulage area, roads and green belt development etc.
18. Status of implementation shall be submitted to the Integrated Regional Office, MoEF&CC, GoI, Lucknow and UP Pollution Control Board within six months and thereafter every year from the next consequent year.
19. The self-environmental audit shall be conducted annually. Every three years third-party environmental audit shall be carried out.
20. Measures for prevention and control of soil erosion and management of silt shall be undertaken. Protection of dumps against erosion shall be carried out with geotextile matting or other suitable material, and thick plantations of native trees and shrubs shall be carried out at the dump slopes. Dumps shall be protected by retaining walls.
21. Trenches/garland drains shall be constructed at foot of dumps and coco filters installed at regular intervals to arrest silt from being carried to water bodies. An adequate number of Check Dams and Gully Plugs shall be constructed across seasonal/perennial nallahs if any flowing through the ML area and silts arrested. De silting at regular intervals shall be carried out.
22. Garland drain of appropriate size, gradient, and length shall be constructed for both mine pit and waste dump and sump capacity shall be designed keeping 50% safety margin over and above peak sudden rainfall (based on 50 years data) and maximum discharge in the area adjoining the mine site. Sump capacity shall also provide an adequate retention period to allow proper settling of silt

material. Sedimentation pits shall be constructed at the corners of the garland drains and de silted at regular intervals.

23. Ground and surface water, if any in and near the core zone (within 5.0 km of the lease) shall be regularly monitored for contamination and depletion due to mining activity and records maintained. The monitoring data shall be submitted to the Integrated Regional Office, MoEF&CC, GoI, Lucknow and U.P. Pollution Control Board regularly. Further, monitoring points shall be located between the mine, and drainage in the direction of flow of groundwater shall be set up and records maintained.
24. Fugitive dust generation shall be controlled. Fugitive dust emission shall be regularly monitored at locations of nearest human habitation (including schools and other public amenities located nearest to sources of dust generation as applicable) and records submitted to the Integrated Regional Office, MoEF&CC, GoI, Lucknow and U.P. Pollution Control Board regularly.
25. Baseline data for ambient air quality shall be generated and maintained and RSPM level in ambient air in the nearby human habitation (villages) shall also be monitored along with other parameters.
26. Corporate Environmental Responsibility (CER) shall be by the project proponent and the details of the various heads of expenditure are to be submitted as per the guidelines provided in the recent CER notification No. 22-65/2017-IA.III dated 01/05/2018. Work to be executed with the installation of five hand pumps for drinking water, solar light in villages of streets, construction of two numbers of toilets at the primary school with name displayed and address and details of the beneficiary and gram Pradhan along with phone number, photographs should be submitted to Directorate as well as to the District Magistrate / Chief Development officers.
27. Transportation of minerals shall be done by covering the trucks with tarpaulin or other suitable mechanisms so that no spillage of mineral/dust takes place.
28. Occupational health and safety measures for the workers including identification of work-related health hazards, training on malaria eradication, HIV, and health effects on exposure to mineral dust, etc. shall be carried out. Periodic monitoring for exposure to respirable mineral dust on the workers shall be conducted and records maintained including the health records of the workers. Awareness programmes for workers on the impact of mining on their health and precautionary measures like the use of personal protective equipment etc. shall be carried out periodically. A review of the impact of various health measures shall be conducted followed by follow-up action wherever required.
29. The project proponent will ensure for employing local people as per requirement, necessary protection measures around the mine pit and waste dump, and garland drain around the mine pit and waste dump.
30. Topsoil / solid waste shall be stacked properly with proper slope and adequate safeguards and shall be utilized for backfilling (wherever applicable) for reclamation and rehabilitation of the mined-out area. Topsoil shall be separately stacked for utilization later for reclamation and shall not be stacked along with overburden.
31. Overburden (OB) shall be stacked at the earmarked dump site(s) only and shall not be kept active for long period. The maximum height of the dump shall not exceed 20 m, each stage shall preferably be of a maximum of 10 m and the overall slope of the dump shall not exceed 35°. The OB dump shall be backfilled. The OB dumps shall be scientifically vegetated with suitable native species to prevent erosion and surface runoff.
32. Monitoring and management of rehabilitated areas shall continue until the vegetation becomes self-sustaining. Compliance status shall be submitted to the Regional Office, Ministry of Environment & Forests, GoI, Lucknow, and U.P. Pollution Control Board on a six-monthly basis.
33. The slope of the mining bench and ultimate pit limit shall be as per the mining scheme approved by the Indian Bureau of Mines.
34. Permission for the abstraction of groundwater shall be taken from Central Ground Water Board. Regular monitoring of ground and surface water sources for level and quality shall be carried out by establishing a network of existing wells and constructing new piezometers during the mining

operation. The monitoring shall be carried out four times in a year i.e., premonsoon (April/May), monsoon (August), post-monsoon (November), and winter (January), and the data thus collected shall be regularly sent to MoEF&CC, Central Ground Water Authority, and Regional Director, Central Ground Water Board.

35. The wastewater from the mine shall be treated to conform to the prescribed standards before discharging into the natural stream. The discharged water from the Tailing Dam, if any shall be regularly monitored and report submitted to the Integrated Regional Office, MoEF&CC, GoI, Lucknow, Central Pollution Control Board, and the State Pollution Control Board.
36. Hydrogeological study of the area shall be reviewed by the project proponent annually. In case the adverse effect on groundwater quality and quantity is observed mining shall be stopped and resumed only after mitigating steps to contain any adverse impact on groundwater is implemented.
37. Vehicular emissions shall be kept under control and regularly monitored. Vehicles used for transportation of minerals and others shall have valid permissions as prescribed under Central Motor Vehicle Rules, 1989 and its amendments. The vehicles transporting minerals shall be covered with a tarpaulin or other suitable enclosures so that no dust particles / fine matters escape during the period of transportation. No overloading of minerals for transportation shall be committed. The trucks transporting minerals shall not pass through the wildlife sanctuary if any in the study area.
38. Prior permission from the Competent Authority shall be obtained for the extraction of groundwater if any.
39. A final mine closure plan, along with details of Corpus Fund, shall be submitted to the Integrated Regional Office, MoEF&CC, GoI, Lucknow and U.P. Pollution Control Board 5 years in advance of final mine closure for approval.
40. Project Proponent shall explore the possibility of using solar energy where ever possible.
41. Commitment towards CER has to be followed strictly.
42. Regular health checkup record of the mineworkers has to be maintained at the site in a proper register. It should be made available for inspection whenever asked.
43. Project Proponent has to strictly follow the direction/guidelines issued by MoEF&CC, CPCB, and other Govt. Agencies from time to time.
44. The blasting will be done strictly as per the DGMS norms.