

AGENDA & MINUTES SEVENTY SECOND MEETING OF THE STATE LEVEL EXPERT APPRAISAL COMMITTEE (SEAC), TAMILNADU, CHENNAI-15 HELD ON 04th, 5th & 6th FEBRUARY 2016

4th, 5th & 6th FEBRUARY 2016			
Item No.	File No	Agenda	Minutes
1.	(a)	Confirmation of the minutes of 71 st SEAC meeting held on 29.12.2015 30.12.2015 & 31.12.2015	The Chairman welcomed the Members of the SEAC for the 72nd meeting. The minutes of 71st SEAC meeting were discussed and confirmed
	(b) F.4067	Proposed Construction of Condominium development "MSB IT Park" by "M/s Horizonview Properties P.Ltd." at S.Nos. 25/3A etc., Porur Village, Maduravayol Taluk, Thiruvallur District – Category "B"-8(a) Building and constructions- Environmental Clearance	The Proponent of "M/s Horizonview Properties P.Ltd." has applied for Environment Clearance for the proposed Construction of Condominium development "MSB IT Park" with built up area of 145326 Sq.m. S.Nos. 25/3A etc., Porur Village, Maduravayol Taluk, Thiruvallur District on 22.09.2015. The Committee further observed that the above project comes under Item No 8(a) of the Schedule. After the presentation made by the proponent the Committee decided to recommend the proposal for the grant of EC to SEIAA after obtaining and considering the following details, Details of the solid waste management for the canteen to be proposed for the IT park shall be furnished.
2.	4008	Proposed Project seeking Environmental Clearance by M/s Indian Oil Corporation Ltd, for Augumentation of LPG Bottling Plant Inamkumathur, Kolathur village, Srirangam Taluk, Trichy District under Item No. 6(b) & Category 'B1' of the Schedule to the EIA Notification, 2006- Issue of ToR .	The Project Proponent of M/s Indian Oil Corporation Ltd, submitted application in Form-1, Prefeasibility Report to SEIAA-TN on 05.09.2015 for obtaining Environmental Clearance for the for the project proposal of Augumentation of LPG Bottling Capacity by installing additional 1 x 24 point Carousel and LPG bulk storage capacity from 1000 MT to 1900 MT by installing 3 x 300 MT mounded storage unit at LPG Indane bottling plant Trichy at S.No.376/2, Kolathur village, Srirangam Taluk, Trichuchirapalli District under Item No. 6(b) & Category 'B1', of the Schedule to the EIA Notification, 2006. After presentation of the project details, the SEAC in its 72 nd meeting observed that the project falls under category B1, item no. 6 (b) of the schedule, Isolated storage & handling of hazardous chemicals and decided to prescribe standard ToR as per Annexure –I for preparation of EIA report with Public consultation and the following additional ToR: <ol style="list-style-type: none"> 1. Details of existing capacity wrt to operational details, safety measures , details of accidents, leakages occurred if any etc. 2. Risk Assessment report shall be prepared by authorised agency. 3. Environment Management Report(EMP) 4. EIA report to be quantitative, qualitative and to focus on issues relevant to site. 5. (i) Process hazard analysis details. (ii) Disaster Mitigation measures for Vapour cloud explosion 6. Latest trend in Safety aspects to be adopted for Layer Of Protection(LOP) envisaged. 7. Safety aspects shall form separate report. 8. Green Belt – Report with details of existing green belt provided ,

proposed, along with types of trees to be provided , area allotted etc to be covered.

9. Traffic Study to include Risk & Safety aspects, Pollution aspects .
10. CSR to be considered as per MoEF&CC,GOI guidelines and to be planned for ten year period.
11. The EIA study report shall be made afresh in pre-monsoon season.
12. The project proponent requested for exemption from Public Hearing on grounds that this is an existing activity and having mounded storage, however the Committee resolved to ask the proponent to having Public Consultation conducted by obtaining responses in writing from other concerned persons having a plausible stake in the environmental aspects of the project activity, as per para (ii) -b of the Public Consultation process of EIA notification 2006.

Annexure - I

6(b)- STANDARD TERMS OF REFERENCE (TOR) FOR EIA/EMP REPORT FOR PROJECTS/ACTIVITIES REQUIRING ENVIRONMENT CLEARANCE 6(b):STANDARD TERMS OF REFERENCE FOR CONDUCTING ENVIRONMENT IMPACT ASSESSMENT STUDY FOR ISOLATED STORAGE & HANDLING OF HAZARDOUS CHEMICALS (AS PER THRESHOLD PLANNING QUANTITY INDICATED IN COLUMN 3 OF SCHEDULE 2 & 3 OF MSIHC RULES 1989 AMENDED 2000)AND INFORMATION TO BE INCLUDED IN EIA/EMP REPORT.

A. STANDARD TERMS OF REFERENCE

- 1) Executive Summary
- 2) Introduction
 - i. Details of the EIA Consultant including NABET accreditation
 - ii. Information about the project proponent
 - iii. Importance and benefits of the project
- 3) Project Description
 - i. Cost of project and time of completion.
 - ii. Products with capacities for the proposed project.
 - iii. If expansion project, details of existing products with capacities and whether adequate land is available for expansion, reference of earlier EC if any.
 - iv. List of raw materials required and their source along with mode of transportation.
 - v. Other chemicals and materials required with quantities and storage capacities
 - vi. Details of Emission, effluents, hazardous waste generation and their management.
 - vii. Requirement of water, power, with source of supply, status of approval, water balance diagram,man-power requirement (regular and contract)
 - viii. Process description along with major equipments and machineries, process flow sheet(quantative) from raw material to products to be provided
 - ix. Hazard identification and details of proposed safety systems.
 - x. Expansion/modernization proposals:
 - a. Copy of all the Environmental Clearance(s) including Amendments thereto obtained for the project from MOEF/SEIAA shall be attached as an Annexure.

A certified copy of the latest Monitoring Report of the Regional Office of the Ministry of Environment and Forests as per circular dated 30th May,

			<p>2012 on the status of compliance of conditions stipulated in all the existing environmental clearances including Amendments shall be provided. In addition, status of compliance of Consent to Operate for the ongoing Iexisting operation of the project from SPCB shall be attached with the EIA-EMP report.</p> <p>b. In case the existing project has not obtained environmental clearance, reasons for not taking EC under the provisions of the EIA Notification 1994 and/or EIA Notification 2006 shall be provided. Copies of Consent to Establish/No Objection Certificate and Consent to Operate (in case of units operating prior to EIA Notification 2006, CTE and CTO of FY 2005-2006) obtained from the SPCB shall be submitted. Further, compliance report to the conditions of consents from the SPCB shall be submitted.</p> <p>4) Site Details</p> <p>i. Location of the project site covering village, Taluka/Tehsil, District and State, Justification for selecting the site, whether other sites were considered.</p> <p>ii. A toposheet of the study area of radius of 10km and site location on 1:50,000/1:25,000 scale on an A3/A2 sheet. (including all eco-sensitive areas and environmentally sensitive places)</p> <p>iii. Details w.r.t. option analysis for selection of site</p> <p>iv. Co-ordinates (lat-long) of all four corners of the site.</p> <p>v. Google map-Earth downloaded of the project site.</p> <p>vi. Layout maps indicating existing unit as well as proposed unit indicating storage area, plant area, greenbelt area, utilities etc. If located within an Industrial area/Estate/Complex, layout of Industrial Area indicating location of unit within the Industrial area/Estate.</p> <p>vii. Photographs of the proposed and existing (if applicable) plant site. If existing, show photographs of plantation/greenbelt, in particular.</p> <p>viii. Landuse break-up of total land of the project site (identified and acquired), government/ private - agricultural, forest, wasteland, water bodies, settlements, etc shall be included. (not required for industrial area)</p> <p>ix. A list of major industries with name and type within study area (10km radius) shall be incorporated. Land use details of the study area x. Geological features and Geo-hydrological status of the study area shall be included.</p> <p>xi. Details of Drainage of the project upto 5km radius of study area. If the site is within 1 km radius of any major river, peak and lean season river discharge as well as flood occurrence frequency based on peak rainfall data of the past 30 years. Details of Flood Level of the project site and maximum Flood Level of the river shall also be provided. (mega green field projects)</p> <p>xii. Status of acquisition of land. If acquisition is not complete, stage of the acquisition process and expected time of complete possession of the land.</p> <p>xiii. R&R details in respect of land in line with state Government policy</p> <p>5) Forest and wildlife related issues (if applicable):</p> <p>i. Permission and approval for the use of forest land (forestry clearance), if any, and recommendations of the State Forest Department. (if applicable)</p> <p>ii. Landuse map based on High resolution satellite imagery (GPS) of the proposed site delineating the forestland (in case of projects involving forest land more than 40 ha)</p> <p>iii. Status of Application submitted for obtaining the stage I forestry clearance along with latest status shall be submitted.</p> <p>iv. The projects to be located within 10 km of the National Parks, Sanctuaries, Biosphere Reserves, Migratory Corridors of Wild Animals, the project proponent shall submit the map duly authenticated by Chief Wildlife Warden showing these features vis-à-vis the project location and</p>
--	--	--	---

the recommendations or comments of the Chief Wildlife Warden-thereon.

v. Wildlife Conservation Plan duly authenticated by the Chief Wildlife Warden of the State Government for conservation of Schedule I fauna, if any exists in the study area.

vi. Copy of application submitted for clearance under the Wildlife (Protection) Act, 1972, to the Standing Committee of the National Board for Wildlife.

6) Environmental Status

i. Determination of atmospheric inversion level at the project site and site-specific micrometeorological data using temperature, relative humidity, hourly wind speed and direction and rainfall.

ii. AAQ data (except monsoon) at 8 locations for PM10, PM2.5, SO2, NOX, CO and other parameters relevant to the project shall be collected. The monitoring stations shall be based CPCB guidelines and take into account the pre-dominant wind direction, population zone and sensitive receptors including reserved forests.

iii. Raw data of all AAQ measurement for 12 weeks of all stations as per frequency given in the NAQQM Notification of Nov. 2009 along with - min., max., average and 98% values for each of the AAQ parameters from data of all AAQ stations should be provided as an annexure to the EIA Report.

iv. Surface water quality of nearby River (100m upstream and downstream of discharge point) and other surface drains at eight locations as per CPCB/MoEF&CC guidelines.

v. Whether the site falls near to polluted stretch of river identified by the CPCB/MoEF&CC, if yes give details.

vi. Ground water monitoring at minimum at 8 locations shall be included.

vii. Noise levels monitoring at 8 locations within the study area.

viii. Soil Characteristic as per CPCB guidelines.

ix. Traffic study of the area, type of vehicles, frequency of vehicles for transportation of materials, additional traffic due to proposed project, parking arrangement etc.

x. Detailed description of flora and fauna (terrestrial and aquatic) existing in the study area shall be given with special reference to rare, endemic and endangered species. If Schedule-I fauna are found within the study area, a Wildlife Conservation Plan shall be prepared and furnished.

xi. Socio-economic status of the study area.

7) Impact and Environment Management Plan

i. Assessment of ground level concentration of pollutants from the stack emission based onsite-specific meteorological features. In case the project is located on a hilly terrain, the AQIP Modelling shall be done using inputs of the specific terrain characteristics for determining the potential impacts of the project on the AAQ. Cumulative impact of all sources of emissions (including transportation) on the AAQ of the area shall be assessed. Details of the model used and the input data used for modelling shall also be provided. The air quality contours shall be plotted on a location map showing the location of project site, habitation nearby, sensitive receptors, if any.

ii. Water Quality modelling - in case of discharge in water body

iii. Impact of the transport of the raw materials and end products on the surrounding environment shall be assessed and provided. In this regard, options for transport of raw materials and finished products and wastes (large quantities) by rail or rail-cum road transport or conveyor-cum-rail transport shall be examined.

iv. A note on treatment of wastewater from different plant operations, extent recycled and reused for different purposes shall be included. Complete scheme of effluent treatment. Characteristics of untreated and treated effluent to meet the prescribed standards of discharge under E(P)

		<p>Rules.</p> <p>v. Details of stack emission and action plan for control of emissions to meet standards.</p> <p>vi. Measures for fugitive emission control</p> <p>vii. Details of hazardous waste generation and their storage, utilization and management. Copies of MOU regarding utilization of solid and hazardous waste in cement plant shall also be included. EMP shall include the concept of waste-minimization, recycle/reuse/recover techniques, Energy conservation, and natural resource conservation.</p> <p>viii. Proper utilization of fly ash shall be ensured as per Fly Ash Notification, 2009. A detailed plan of action shall be provided.</p> <p>ix. Action plan for the green belt development plan in 33 % area i.e. land with not less than 1,500 trees per ha. Giving details of species, width of plantation, planning schedule etc. shall be included. The green belt shall be around the project boundary and a scheme for greening of the roads used for the project shall also be incorporated.</p> <p>x. Action plan for rainwater harvesting measures at plant site shall be submitted to harvest rainwater from the roof tops and storm water drains to recharge the ground water and also to use for the various activities at the project site to conserve fresh water and reduce the water requirement from other sources.</p> <p>xi. Total capital cost and recurring cost/annum for environmental pollution control measures shall be included.</p> <p>xii. Action plan for post-project environmental monitoring shall be submitted.</p> <p>xiii. Onsite and Offsite Disaster (natural and Man-made) Preparedness and Emergency Management Plan including Risk Assessment and damage control. Disaster management plan should be linked with District Disaster Management Plan.</p> <p>8) Occupational health</p> <p>i. Plan and fund allocation to ensure the occupational health & safety of all contract and casual workers</p> <p>ii. Details of exposure specific health status evaluation of worker. If the workers' health is being evaluated by pre designed format, chest x rays, Audiometry, Spirometry, Vision testing (Far & Near vision, colour vision and any other ocular defect) ECG, during pre placement and periodical examinations give the details of the same. Details regarding last month analyzed data of above mentioned parameters as per age, sex, duration of exposure and department wise.</p> <p>iii. Details of existing Occupational & Safety Hazards. What are the exposure levels of hazards and whether they are within Permissible Exposure level (PEL). If these are not within PEL, what measures the company has adopted to keep them within PEL so that health of the workers can be preserved,</p> <p>iv. Annual report of health status of workers with special reference to Occupational Health and Safety.</p> <p>9) Corporate Environment Policy</p> <p>i. Does the company have a well laid down Environment Policy approved by its Board of Directors? If so, it may be detailed in the EIA report.</p> <p>ii. Does the Environment Policy prescribe for standard operating process / procedures to bring into focus any infringement / deviation / violation of the environmental or forest norms /conditions? If so, it may be detailed in the EIA.</p> <p>iii. What is the hierarchical system or Administrative order of the company to deal with the environmental issues and for ensuring compliance with the environmental clearance conditions? Details of this system may be given.</p> <p>iv. Does the company have system of reporting of non compliances /</p>
--	--	---

			<p>violations of environmental norms to the Board of Directors of the company and / or shareholders or stakeholders at large? This reporting mechanism shall be detailed in the EIA report.</p> <p>10) Details regarding infrastructure facilities such as sanitation, fuel, restroom etc. to be provided to the labour force during construction as well as to the casual workers including truck drivers during operation phase.</p> <p>11) Enterprise Social Commitment (ESC) i. Adequate funds (at least 2.5 % of the project cost) shall be earmarked towards the Enterprise Social Commitment based on Public Hearing issues and item-wise details along with time bound action plan shall be included. Socio-economic development activities need to be elaborated upon.</p> <p>12) Any litigation pending against the project and/or any direction/order passed by any Court of Law against the project, if so, details thereof shall also be included. Has the unit received any notice under the Section 5 of Environment (Protection) Act, 1986 or relevant Sections of Air and Water Acts? If so, details thereof and compliance/ATR to the notice(s) and present status of the case.</p> <p>13) A tabular chart with index for point wise compliance of above TOR.</p> <p><u>B. SPECIFIC TERMS OF REFERENCE FOR EIA STUDIES FOR ISOLATED STORAGE & HANDLING OF HAZARDOUS CHEMICALS (AS PER THRESHOLD PLANNING QUANTITY INDICATED IN COLUMN 3 OF SCHEDULE 2 & 3 OF MSIHC RULES 1989 AMENDED 2000)</u></p> <p>1. Details on list of hazardous chemicals to be stored alongwith storage quantities at the facility, their category (as per MSIHC Rules), MSDS. 2. Mode of receiving hazardous chemicals in isolated storages and mode of their dispatch. 3. Layout plan of the storage tanks and other associated facilities. 4. Details on types and specifications of the storage facilities including tanks, pumps, piping, valves,flanges, pumps,monitoring equipments, systems for emissions control safety controls including relief systems. 5. Arrangements to control loss/leakage of chemicals and management system in case of leakage. 6. Risk Assessment & Disaster Management Plan – Identification of hazards – Consequence Analysis – Details of domino effect of the storage tanks and respective preventive measures including distance between storage units in an isolated storage facility. – Onsite and offsite emergency preparedness plan.</p>
3	4004	Proposed Project seeking Environmental Clearance by M/s.Indian Oil Corporation Ltd, for Augumentation of LPG Bottling & LPG storage from 1200MT to 2700MT by installing 2700 MT Mounded Storage at Salem LPG Bottling Plant, in Karuppur	<p>The Project Proponent of M/s Indian Oil Corporation Ltd, (Augumentation of LPG Bottling Plant & LPG Storage) Salem District submitted application in Form-1, Prefeasibility Report to SEIAA-TN on 14.09.2016 for obtaining Environmental Clearance for the for Augumentation of LPG Bottling & LPG storage from 1200MT to 2700MT by installing 2700 MT Mounded Storage at Salem LPG Bottling Plant, in Karuppur village, Omalur Taluk,Salem District under Item No. 6(b) & Category ‘B1’ of the Schedule to the EIA Notification, 2006. After presentation of the project details, the SEAC in its 72nd meeting observed that the project falls under category B1, item no. 6 (b) of the schedule, Isolated storage & handling of hazardous chemicals and decided to prescribe standard ToR as per Annexure –I for preparation of EIA report with Public consultation and the following additional ToR:</p> <p>1. Details of existing capacity wrt to operational details, safety</p>

village, Omalur Taluk, Salem District under Item No. 6(b) & Category 'B1' of the Schedule to the EIA Notification, 2006- Issue of ToR .

- measures , details of accidents, leakages occurred if any etc.
2. Risk Assessment report shall be prepared by authorised agency.
 3. Environment Management Report(EMP)
 4. EIA report to be quantitative, qualitative and to focus on issues relevant to site.
 5. (i) Process hazard analysis details.
(ii) Disaster Mitigation measures for Vapour cloud explosion
 6. Latest trend in Safety aspects to be adopted for Layer Of Protection (LOP) envisaged.
 7. Safety aspects shall form separate report.
 8. Green Belt – Report with details of existing green belt provided , proposed, along with types of trees to be provided , area allotted etc to be covered.
 9. Traffic Study to include Risk & Safety aspects, Pollution aspects .
 10. CSR to be considered as per MoEF&CC,GOI guidelines and to be planned for ten year period.
 11. The EIA study report shall be made afresh in pre-monsoon season.
 12. The project proponent requested for exemption from Public Hearing on grounds that this is an existing activity and having mounded storage, however the Committee resolved to ask the proponent to having Public Consultation conducted by obtaining responses in writing from other concerned persons having a plausible stake in the environmental aspects of the project activity, as per para (ii) -b of the Public Consultation process of EIA notification 2006

Annexure - I

6(b)- STANDARD TERMS OF REFERENCE (TOR) FOR EIA/EMP REPORT FOR PROJECTS/ACTIVITIES REQUIRING ENVIRONMENT CLEARANCE 6(b):STANDARD TERMS OF REFERENCE FOR CONDUCTING ENVIRONMENT IMPACT ASSESSMENT STUDY FOR ISOLATED STORAGE & HANDLING OF HAZARDOUS CHEMICALS (AS PER THRESHOLD PLANNING QUANTITY INDICATED IN COLUMN 3 OF SCHEDULE 2 & 3 OF MSIHC RULES 1989 AMENDED 2000)AND INFORMATION TO BE INCLUDED IN EIA/EMP REPORT.

A. STANDARD TERMS OF REFERENCE

- 1) Executive Summary
- 2) Introduction
 - i. Details of the EIA Consultant including NABET accreditation
 - ii. Information about the project proponent
 - iii. Importance and benefits of the project
- 3) Project Description
 - i. Cost of project and time of completion.
 - ii. Products with capacities for the proposed project.
 - iii. If expansion project, details of existing products with capacities and whether adequate land is available for expansion, reference of earlier EC if any.
 - iv. List of raw materials required and their source along with mode of transportation.
 - v. Other chemicals and materials required with quantities and storage capacities
 - vi. Details of Emission, effluents, hazardous waste generation and their management.
 - vii. Requirement of water, power, with source of supply, status of approval, water balance diagram, man-power requirement (regular and

contract)

viii. Process description along with major equipments and machineries, process flow sheet(quantative) from raw material to products to be provided

ix. Hazard identification and details of proposed safety systems.

x. Expansion/modernization proposals:

a. Copy of all the Environmental Clearance(s) including Amendments thereto obtained for the project from MOEF/SEIAA shall be attached as an Annexure.

A certified copy of the latest Monitoring Report of the Regional Office of the Ministry of Environment and Forests as per circular dated 30th May, 2012 on the status of compliance of conditions stipulated in all the existing environmental clearances including Amendments shall be provided. In addition, status of compliance of Consent to Operate for the ongoing Iexisting operation of the project from SPCB shall be attached with the EIA-EMP report.

b. In case the existing project has not obtained environmental clearance, reasons for not taking EC under the provisions of the EIA Notification 1994 and/or EIA Notification 2006 shall be provided. Copies of Consent to Establish/No Objection Certificate and Consent to Operate (in case of units operating prior to EIA Notification 2006, CTE and CTO of FY 2005-2006) obtained from the SPCB shall be submitted. Further, compliance report to the conditions of consents from the SPCB shall be submitted.

4) Site Details

i. Location of the project site covering village, Taluka/Tehsil, District and State, Justification for selecting the site, whether other sites were considered.

ii. A toposheet of the study area of radius of 10km and site location on 1:50,000/1:25,000 scale on an A3/A2 sheet. (including all eco-sensitive areas and environmentally sensitive places)

iii. Details w.r.t. option analysis for selection of site

iv. Co-ordinates (lat-long) of all four corners of the site.

v. Google map-Earth downloaded of the project site.

vi. Layout maps indicating existing unit as well as proposed unit indicating storage area, plant area, greenbelt area, utilities etc. If located within an Industrial area/Estate/Complex, layout of Industrial Area indicating location of unit within the Industrial area/Estate.

vii. Photographs of the proposed and existing (if applicable) plant site. If existing, show photographs of plantation/greenbelt, in particular.

viii. Landuse break-up of total land of the project site (identified and acquired), government/ private - agricultural, forest, wasteland, water bodies, settlements, etc shall be included. (not required for industrial area)

ix. A list of major industries with name and type within study area (10km radius) shall be incorporated. Land use details of the study area

x. Geological features and Geo-hydrological status of the study area shall be included.

xi. Details of Drainage of the project upto 5km radius of study area. If the site is within 1 km radius of any major river, peak and lean season river discharge as well as flood occurrence frequency based on peak rainfall data of the past 30 years. Details of Flood Level of the project site and maximum Flood Level of the river shall also be provided. (mega green field projects)

xii. Status of acquisition of land. If acquisition is not complete, stage of the acquisition process and expected time of complete possession of the land.

xiii. R&R details in respect of land in line with state Government policy

5) Forest and wildlife related issues (if applicable):

		<p>i. Permission and approval for the use of forest land (forestry clearance), if any, and recommendations of the State Forest Department. (if applicable)</p> <p>ii. Landuse map based on High resolution satellite imagery (GPS) of the proposed site delineating the forestland (in case of projects involving forest land more than 40 ha)</p> <p>iii. Status of Application submitted for obtaining the stage I forestry clearance along with latest status shall be submitted.</p> <p>iv. The projects to be located within 10 km of the National Parks, Sanctuaries, Biosphere Reserves, Migratory Corridors of Wild Animals, the project proponent shall submit the map duly authenticated by Chief Wildlife Warden showing these features vis-à-vis the project location and the recommendations or comments of the Chief Wildlife Warden-thereon.</p> <p>v. Wildlife Conservation Plan duly authenticated by the Chief Wildlife Warden of the State Government for conservation of Schedule I fauna, if any exists in the study area.</p> <p>vi. Copy of application submitted for clearance under the Wildlife (Protection) Act, 1972, to the Standing Committee of the National Board for Wildlife.</p> <p>6) Environmental Status</p> <p>i. Determination of atmospheric inversion level at the project site and site-specific micrometeorological data using temperature, relative humidity, hourly wind speed and direction and rainfall.</p> <p>ii. AAQ data (except monsoon) at 8 locations for PM10, PM2.5, SO2, NOX, CO and other parameters relevant to the project shall be collected. The monitoring stations shall be based CPCB guidelines and take into account the pre-dominant wind direction, population zone and sensitive receptors including reserved forests.</p> <p>iii. Raw data of all AAQ measurement for 12 weeks of all stations as per frequency given in the NAQQM Notification of Nov. 2009 along with - min., max., average and 98% values for each of the AAQ parameters from data of all AAQ stations should be provided as an annexure to the EIA Report.</p> <p>iv. Surface water quality of nearby River (100m upstream and downstream of discharge point) and other surface drains at eight locations as per CPCB/MoEF&CC guidelines.</p> <p>v. Whether the site falls near to polluted stretch of river identified by the CPCB/MoEF&CC, if yes give details.</p> <p>vi. Ground water monitoring at minimum at 8 locations shall be included.</p> <p>vii. Noise levels monitoring at 8 locations within the study area.</p> <p>viii. Soil Characteristic as per CPCB guidelines.</p> <p>ix. Traffic study of the area, type of vehicles, frequency of vehicles for transportation of materials, additional traffic due to proposed project, parking arrangement etc.</p> <p>x. Detailed description of flora and fauna (terrestrial and aquatic) existing in the study area shall be given with special reference to rare, endemic and endangered species. If Schedule-I fauna are found within the study area, a Wildlife Conservation Plan shall be prepared and furnished.</p> <p>xi. Socio-economic status of the study area.</p> <p>7) Impact and Environment Management Plan</p> <p>i. Assessment of ground level concentration of pollutants from the stack emission based onsite-specific meteorological features. In case the project is located on a hilly terrain, the AQIP Modelling shall be done using inputs of the specific terrain characteristics for determining the potential impacts of the project on the AAQ. Cumulative impact of all sources of emissions (including transportation) on the AAQ of the area shall be assessed. Details of the model used and the input data used for modelling shall also be provided. The air quality contours shall be plotted on a location map showing the location of project site, habitation nearby,</p>
--	--	--

		<p>sensitive receptors, if any.</p> <p>ii. Water Quality modelling - in case of discharge in water body</p> <p>iii. Impact of the transport of the raw materials and end products on the surrounding environment shall be assessed and provided. In this regard, options for transport of raw materials and finished products and wastes (large quantities) by rail or rail-cum road transport shall be examined.</p> <p>iv. A note on treatment of wastewater from different plant operations, extent recycled and reused for different purposes shall be included. Complete scheme of effluent treatment. Characteristics of untreated and treated effluent to meet the prescribed standards of discharge under E(P) Rules.</p> <p>v. Details of stack emission and action plan for control of emissions to meet standards.</p> <p>vi. Measures for fugitive emission control</p> <p>vii. Details of hazardous waste generation and their storage, utilization and management. Copies of MOU regarding utilization of solid and hazardous waste in cement plant shall also be included. EMP shall include the concept of waste-minimization, recycle/reuse/recover techniques, Energy conservation, and natural resource conservation.</p> <p>viii. Proper utilization of fly ash shall be ensured as per Fly Ash Notification, 2009. A detailed plan of action shall be provided.</p> <p>ix. Action plan for the green belt development plan in 33 % area i.e. land with not less than 1,500 trees per ha. Giving details of species, width of plantation, planning schedule etc. shall be included. The green belt shall be around the project boundary and a scheme for greening of the roads used for the project shall also be incorporated.</p> <p>x. Action plan for rainwater harvesting measures at plant site shall be submitted to harvest rainwater from the roof tops and storm water drains to recharge the ground water and also to use for the various activities at the project site to conserve fresh water and reduce the water requirement from other sources.</p> <p>xi. Total capital cost and recurring cost/annum for environmental pollution control measures shall be included.</p> <p>xii. Action plan for post-project environmental monitoring shall be submitted.</p> <p>xiii. Onsite and Offsite Disaster (natural and Man-made) Preparedness and Emergency Management Plan including Risk Assessment and damage control. Disaster management plan should be linked with District Disaster Management Plan.</p> <p>8) Occupational health</p> <p>i. Plan and fund allocation to ensure the occupational health & safety of all contract and casual workers</p> <p>ii. Details of exposure specific health status evaluation of worker. If the workers' health is being evaluated by pre designed format, chest x rays, Audiometry, Spirometry, Vision testing (Far & Near vision, colour vision and any other ocular defect) ECG, during pre placement and periodical examinations give the details of the same. Details regarding last month analyzed data of above mentioned parameters as per age, sex, duration of exposure and department wise.</p> <p>iii. Details of existing Occupational & Safety Hazards. What are the exposure levels of hazards and whether they are within Permissible Exposure level (PEL). If these are not within PEL, what measures the company has adopted to keep them within PEL so that health of the workers can be preserved,</p> <p>iv. Annual report of health status of workers with special reference to Occupational Health and Safety.</p> <p>9) Corporate Environment Policy</p> <p>i. Does the company have a well laid down Environment Policy approved</p>
--	--	--

by its Board of Directors? If so, it may be detailed in the EIA report.

ii. Does the Environment Policy prescribe for standard operating process / procedures to bring into focus any infringement / deviation / violation of the environmental or forest norms /conditions? If so, it may be detailed in the EIA.

iii. What is the hierarchical system or Administrative order of the company to deal with the environmental issues and for ensuring compliance with the environmental clearance conditions? Details of this system may be given.

iv. Does the company have system of reporting of non compliances / violations of environmental norms to the Board of Directors of the company and / or shareholders or stakeholders at large? This reporting mechanism shall be detailed in the EIA report.

10) Details regarding infrastructure facilities such as sanitation, fuel, restroom etc. to be provided to the labour force during construction as well as to the casual workers including truck drivers during operation phase.

11) Enterprise Social Commitment (ESC)

i. Adequate funds (at least 2.5 % of the project cost) shall be earmarked towards the Enterprise Social Commitment based on Public Hearing issues and item-wise details along with time bound action plan shall be included. Socio-economic development activities need to be elaborated upon.

12) Any litigation pending against the project and/or any direction/order passed by any Court of Law against the project, if so, details thereof shall also be included. Has the unit received any notice under the Section 5 of Environment (Protection) Act, 1986 or relevant Sections of Air and Water Acts? If so, details thereof and compliance/ATR to the notice(s) and present status of the case.

13) A tabular chart with index for point wise compliance of above TOR.

B. SPECIFIC TERMS OF REFERENCE FOR EIA STUDIES FOR ISOLATED STORAGE & HANDLING OF HAZARDOUS CHEMICALS (AS PER THRESHOLD PLANNING QUANTITY INDICATED IN COLUMN 3 OF SCHEDULE 2 & 3 OF MSIHC RULES 1989 AMENDED 2000)

1. Details on list of hazardous chemicals to be stored alongwith storage quantities at the facility, their category (as per MSIHC Rules), MSDS.
2. Mode of receiving hazardous chemicals in isolated storages and mode of their dispatch.
3. Layout plan of the storage tanks and other associated facilities.
4. Details on types and specifications of the storage facilities including tanks, pumps, piping, valves, flanges, pumps, monitoring equipments, systems for emissions control safety controls including relief systems.
5. Arrangements to control loss/leakage of chemicals and management system in case of leakage.
6. Risk Assessment & Disaster Management Plan
 - Identification of hazards
 - Consequence Analysis
 - Details of domino effect of the storage tanks and respective preventive measures including distance between storage units in an isolated storage facility.
 - Onsite and offsite emergency preparedness plan.

4	1777	<p>Proposed Project seeking Environmental Clearance by The Municipal Commissioner Nagarcoil Municipality, Under Ground Sewerage Scheme 49.10 ha, TS.No M7/9.2 Nagarcoil Village, Agestheeswaram Taluk Nagarcoil District under Item No. 7 (h) & 7 (i) Category 'B1' of the Schedule to the EIA Notification, 2006-EIA presentation .</p>	<p>The Proposal seeking Environmental Clearance by The Municipal Commissioner Nagarcoil Municipality, Under Ground Sewerage Scheme 49.10 ha, TS.No M7/9.2 Nagarcoil Village, Agestheeswaram Taluk Nagarcoil District under Item No. 7 (h) & 7 (i) Category 'B1' of the Schedule to the EIA Notification, 2006.</p> <p>After the presentation made by the proponent the Committee decided to recommend the proposal for the grant of EC to SEIAA after obtaining and considering the following details,</p> <ol style="list-style-type: none"> 1. Undertaking in an affidavit stating that no treated effluent will be let into the scheme. 2. Extended aeration should adopt standard aeration time. 3. Chlorination of the sewage may be avoided. <p>STP should be designed as per the CPHEEO guidelines.</p>
5	3730	<p>Proposed project seeking EC for setting up of Solvent Production Plant, at R.S.no. 432/2B, 433/2, 439/2 Mullakadu village, Thoothukudi Taluk & District under Category "B 1" and schedule S.No. 5(f) by Heavy Water Division, Tuticorin to the EIA Notification, 2006- EIA presentation .</p>	<p>The Project Proponent submitted application in Form-1, Prefeasibility Report to SEIAA-TN on 29.08.2015 for obtaining Environmental Clearance for the project proposal of setting up of Solvent Production Plant, at Mullakadu village, Thoothukudi Taluk & District under Category "B 1" and schedule S.No. 5(f) for Issue of TOR.</p> <p>The Solvent Production Plant (SPP), Heavy Water Plant, Tuticorin is proposed to be set up at RS. No. 432/2B, 433/2, 439/2 Mullakkadu Part - I village, Thoothukudi Taluk and District, within the existing premises of the Heavy Water Plant (Tuticorin), at an estimated project cost of Rs 38 crores, for the manufacture of the following solvents:</p> <ol style="list-style-type: none"> 1. Tri Iso Amyl Phosphate (TiAP) – 35 MT per Annum (MTPA). 2. Monoester of 2 Ethyl Hexyl Phosponic Acid (D2EHPA – II) – 12 MTPA. 3. Di- Hexyl Octanomide (DHOA) – 30 MTPA. 4. Tri Octyl Phosphine Oxide (TOPO) – 15 MTPA. 5. Tri Butyl Phosphate (TBP) – 150 MTPA. <p>The proposal was placed in the 67th SEAC meeting held on 25.09.2015 for scoping and after presentation by the project proponent, and detailed discussion, the SEAC observed that the project falls under Category 'B' and schedule no-5(f) as per MoEF & CC Notification amendment to S.O 1599E dated 25TH June 2014 - (ii) Small units with water consumption <25m³/day , fuel consumption < 25 TPD and not covered in the category of MAH units as per the Management, Storage and Import of Hazardous Chemicals Rules 1989.-GC shall apply, and <i>prescribed TOR with Public Hearing</i> with additional TORs .</p> <p>The proponent has submitted final EIA report and sought for exemption from Public Consultation on the following grounds:</p> <ul style="list-style-type: none"> ➤ The Proposed Solvent Production Plant is a project of national importance intended for production of solvents for Strategic in-house use in the Department of Atomic Energy (DAE) and furnished letter issued by the Extraction since the Chief Executive, HWB, vide letter No. HWB/CE/4/2015/4464/dated

			<p>29.9.2015.</p> <p>The proposal was placed in the 72nd SEAC meeting held on 04.02.2016. After EIA presentation by the project proponent and detailed discussion, the Committee</p> <p>resolved to consider the proponents request and exempted the project from Public consultation on the Grounds that, the project is of national importance intended for production of solvents for Strategic in-house use in the Department of Atomic Energy (DAE), the Heavy Water Plant set up in 1974 is located in Notified Industrial Area. The Solvent recovery plant will be set up inside the existing premises, hence no additional land required.</p> <p>The Committee recommended to SEIAA to consider Environmental Clearance after obtaining the following details:</p> <ol style="list-style-type: none"> 1. Characteristic details of all 5 solvents at inlet and outlet of every stage of operation. 2. Characteristic details of Air stream in process (Inlet and outlet of reactors). 3. Copy of the document proof for remitting Rs.10 lakhs towards construction of shed for fish cleaning /segregating activity in vellapatti village as a part of CSR activity .The remittance shall be made to district collector for the above purpose.
6	4726	<p>Proposed Project seeking Environmental Clearance by Motherson Auto Solution - Sojitz Motherson Industrial Park(SMIP) Singadivakkam Village Mummulpattu & Athivakkam Taluk,Kancheepuram District District under Item No. 8b) & Category 'B1' of the Schedule to the EIA Notification, 2006-EIA Presentation .</p>	<p>The Proposal for Industrial Park of Sojitz Motherson Industrial Park(SMIP) at S.No-18/1A1,1A2,1A3.1A4,etc of Singadivakkam village, & 119/8,20/1,2,3,4,5,11 etc of Mummulpattu village, Athivakkam Panchayat, Kancheepuram District in total land area of 274.362 acres under Category B 1- and Schedule S.No 8(b) by M/s.Motherson Auto Solutions was placed in the 71st SEAC meeting held on 30.12.2015 and the Committee observed that the above project comes under Category "B2" and Item No 8 (b) of the Schedule. After the presentation made by the proponent and the documents furnished, the Committee prescribed TOR for the preparation of EIA report along with certain details:-</p> <ol style="list-style-type: none"> 1. OSR and Green Belt shall be provided separately as per norms and revised Land break- up details shall be furnished. 2. Area earmarked for Green belt shall be 33% of Total Land Area. Detailed report on Green belt proposed shall be brought in EIA Study report. 3. The issue of ToR is subject to outcome of any litigation pending against the project in any Court of LAW.[W.P.No.30078 of 2013 in High Court of Madras]. 4. Ground water shall not be abstracted as it is falling under "Critical Area". <p>The proponent submitted final EIA report and clarification to additional queries raised in SEAC letter No.SEAC-TN/F476/Addtl-1/2015 dated 27.01.2016. The Proposal was placed in the 72nd SEAC meeting held on 04.02.2015 and the proponent presented final EIA. After detailed discussion, the Committee resolved to recommend to SEIAA for issue of Environment Clearance after furnishing relevant certificate as obtained from PWD and Revenue department stating that the concerned project is not encroaching/occupying any water bodies (Rivers, canals, lakes, streams, ponds, tanks, etc.) and water spread area of its original boundary.</p>

7	985	Proposed Black Granite mine over an extent of 31.35.0 ha. by “M/s Tamilnadu Minerals Limited” at S.Nos. 133(P), Kaveripuram Village, Mettur Taluk, Salem District – Category “B1”-1(a) Mining of Minerals- EIA submission	<p>The Proponent of “M/s Tamilnadu Minerals Limited” has applied for Environment Clearance for the proposed Black Granite mine over an extent of 31.35.0 ha. at S.Nos. 133(P), Kaveripuram Village, Mettur Taluk, Salem District, Tamilnadu on 19.03.2013.</p> <p>The Committee further observed that the above project comes under Item No 1(a) of the Schedule. After the presentation made by the proponent the Committee decided to recommend the proposal for the grant of EC to SEIAA after obtaining and considering the following details,</p> <ol style="list-style-type: none"> 1. More number of trees should be planted along the periphery of the project site. 2. Focussed CSR activity with Specific allocation of funds should include the following: <ol style="list-style-type: none"> a. Solar lighting for the nearby villages and the details shall be furnished as affidavit. 3. Mine closure plan shall be wetted by an expert and report to be furnished. 4. Cost of all closure plans shall be furnished. 5. DGPS survey system shall only be adopted. 6. Mitigation measures for the mining activity at the site.
8	4709	Proposed Construction of 672 slum tenements “M/s. Tamilnadu Slum Clearance Board” at S.F.No 1004/3A,etc, Madukkarai Village, Madukkarai Taluk, Coimbatore District, Tamilnadu – Category “B”-8(a) Building and constructions- Environmental Clearance	<p>The Proponent of “M/s. Tamilnadu Slum Clearance Board” has applied for Environment Clearance for the proposed Construction of 672 slum tenements with built up area of 24952 Sq.m. at S.F.No 1004/3A,etc, Madukkarai Village, Madukkarai Taluk, Coimbatore District, Tamilnadu on 18.12.2015.</p> <p>The Committee further observed that the above project comes under Item No 8(a) of the Schedule. After the presentation made by the proponent the Committee decided to recommend the proposal for the grant of EC to SEIAA after obtaining and considering the following details,</p> <ol style="list-style-type: none"> 1. STP shall be shifted to the S.F No: 1005, which belongs to the M/s. TNSCB and green belt should be provided around STP. 2. STP capacity shall be reduced for adequacy and efficient treatment of sewage. 3. Bio-degradable Solid waste shall only be composted at site. 4. Details of storm water management based on the storm water design manual shall be furnished.
9	4737	Proposed Construction of 1280 tenements “M/s. Tamilnadu Slum	The Proponent of M/s. Tamilnadu Slum Clearance Board”has applied for Environment Clearance for the proposed Construction of 1280 tenements with built up area of 47527 Sq.m. at S.F.No 429 & 437, Veerapandi

		Clearance Board”at S.F.No 429 & 437, Veerapandi Village, Tiruppur south Taluk, Tiruppur District, Tamilnadu – Category “B”-8(a) Building and constructions- Environmental Clearance	<p>Village, Tiruppur south Taluk, Tiruppur District, Tamilnadu on 26.12.2015.</p> <p>The Committee further observed that the above project comes under Item No 8(a) of the Schedule. After the presentation made by the proponent the Committee decided to recommend the proposal for the grant of EC to SEIAA after obtaining and considering the following details,</p> <ol style="list-style-type: none"> 1. STP shall be surrounded by the Greenbelt. 2. Noyyal River should not be polluted directly/ indirectly. 3. Biodegradable Solid waste shall only be composted at the site.
10	4771	Proposed Construction of 2394 Multistoried LIG Flats “M/s. Tamilnadu Housing Board”at S.F.No 492,etc., Ambattur Village, Ambattur Taluk, Thiruvallur District, Tamilnadu – Category “B”-8(a) Building and constructions- Environmental Clearance	<p>The Proponent of “M/s. Tamilnadu Housing Board”has applied for Environment Clearance for the proposed Construction of 2394 Multistoried LIG Flats with built up area of 144434.49 Sq.m. at S.F.No 492,etc., Ambattur Village, Ambattur Taluk, Thiruvallur District, Tamilnadu on 30.12.2015.</p> <p>The Committee further observed that the above project comes under Item No 8(a) of the Schedule. After the presentation made by the proponent the Committee decided to recommend the proposal for the grant of EC to SEIAA after obtaining and considering the following details,</p> <ol style="list-style-type: none"> 1. Details of Flood occurrence and also certificate stating that the proposed site not encroached any water body (rivers, canals, lakes, ponds, tanks etc.) from its original boundary shall be obtained from PWD and Revenue department. 2. Secondary data for prominent wind direction to be submitted. 3. Details of the total area of the Ambattur Lake to be furnished along with the distance from the site. 4. Permission letter to be obtained from CMWSSB for the disposal of excess treated water with details on the capacity accepted for diacharge.
11	1403	Proposed Project seeking Environmental Clearance for the proposed expansion of Power plant from 15 MW to 19 MW in the existing Co-Gen plant by M/s. Ponni Sugars (Erode) Ltd., Odapalli Village,	<p>The project proposal seeking Environmental Clearance for the proposed expansion of Power plant from 15 MW to 19 MW in the existing Co-Gen plant by M/s. Ponni Sugars (Erode) Ltd., Odapalli Village, Trichengodu Taluk, Namakkal District under Item No. 1(d) & Category ‘B1’ of the Schedule to the EIA Notification, 2006 was placed in the 58th SEAC meeting held on 31.07.2014 and ToR was prescribed with Public Hearing for preparation of EIA study along with additional details.</p>

		Trichengodu Taluk, Namakkal District District under Item No.1(d) & Category 'B1' of the Schedule to the EIA Notification, 2006-EIA presentation.	<p>Based on Revised EIA report and minutes of Public Hearing conducted on 25.11.2015 and relevant documents, the proposal was placed in the 72nd SEAC meeting held on 4.2.2016. After appraisal of the project and detailed discussion the SEAC resolved to recommend to SEIAA for Environmental clearance after obtaining the following details:-</p> <ol style="list-style-type: none"> 1. Revised water balance diagram to present as closed circuit. 2. Revise rain water harvesting details after incorporating the corrections. 3. To undertake CSR as per guidelines of MoEF & CC, GOI. 4. To ensure adequate pollution prevention measures in all stages of coal handling such as transport, storage, conveying, etc. 5. To comply with points raised in Public hearing with adherence to budget allocations for the same.
12	3199	Proposed Project seeking Environmental Clearance for expansion of Power plant from 18 MW to 20 MW by M/s.EID Parry (India) Limited, Pettavaithalai Village, Srirangam Taluk, Trichy District under Item No. I(d) & Category 'B1' of the Schedule to the EIA Notification, 2006- EIA presentation	<p>The project proposal seeking Environmental Clearance for the proposed expansion of Power plant from 18 MW to 20 MW by M/s.EID Parry (India) Limited, at S.F.No-147/3A/23 etc, Pettavaithalai Village, Srirangam Taluk, Trichy District in the existing CO-Gen plant under Item No. 1(d) & Category 'B1' of the Schedule to the EIA Notification, 2006 was placed in the 58th SEAC meeting held on 31.07.2014 and ToR was prescribed with Public Hearing for preparation of EIA study along with additional details.</p> <p>Based on Revised EIA report and minutes of Public Hearing conducted on 25.11.2015 and relevant documents, the proposal was placed in the 72nd SEAC meeting held on 4.2.2016. After appraisal of the project and detailed discussion the SEAC resolved to recommend to SEIAA for Environmental clearance after obtaining the following details:-</p> <ol style="list-style-type: none"> 1. Revised report on Noise level survey conducted in EIA report. 2. Furnish Modelling study report of Air quality study with details on SO₂ emission levels at inlet of ESP and outlets to determine efficiency of ESP attached to boiler. 3. Certified compliance report of existing environmental clearance obtained .
13	3296	Proposed construction of Additional residential & Public Building "Anuvijay Township" by M/s Nuclear Power Corporation of India	<p>The Proponent of M/s Nuclear Power Corporation of India Ltd. Kudankulam Nuclear Power Project has applied for Environment Clearance for the proposed Construction of Additional residential & Public Building with built up area of 298342.73 Sq.mat S.Nos. 51 etc., Chettikulam Village, Radhapuram Taluk, Tirunelveli District on 31.12.2014.</p>

		Ltd. Kudankulam Nuclear Power Project at S.Nos. 51 etc., Chettikulam Village, Radhapuram Taluk, Tirunelveli District – Category “B”-8(a) Building and constructions- EIA submission	<p>The Committee further observed that the above project comes under Item No 8(b) of the Schedule. After the presentation made by the proponent the Committee decided to recommend the proposal for the grant of EC to SEIAA after obtaining and considering the following details,</p> <p>Furnish analysis report of baseline data of the proposed site which includes PM_{2.5} & PM₁₀.</p>
14	4738	Proposed Construction of Residential cum commercial Building “M/s. Mavaadi Project P.Ltd.,” at S.F.No 173/3, etc, Kazhipattur Village, Thiruporur Taluk, Kancheepuram District, Tamilnadu – Category “B”-8(a) Building and constructions- Environmental Clearance	<p>The Proponent of “M/s. Mavaadi Project P.Ltd.,” has applied for Environment Clearance for the proposed Construction of Residential cum commercial Building with built up area of 49360.05 Sq.m. at S.F.No 173/3, etc, Kazhipattur Village, Thiruporur Taluk, Kancheepuram District, Tamilnadu on 28.12.2015.</p> <p>The Committee further observed that the above project comes under Item No 8(a) of the Schedule. After the presentation made by the proponent the Committee decided to recommend the proposal for the grant of EC to SEIAA after obtaining and considering the following details,</p> <ol style="list-style-type: none"> 1. Details of Flood occurrence and also certificate stating that the proposed site not encroached any water body (rivers, canals, lakes, ponds, tanks etc.) from its original boundary shall be obtained from PWD and Revenue department. 2. NOC from Tambaram Airforce station to be obtained and furnished. 3. Google map for 5 KM radius of the project site to be submitted. 4. All the Standard norms for treated sewage utilization shall be strictly followed. 5. Details of storm water management based on the storm water design manual shall be furnished.
15	3438	Proposed Construction of Residential Appartment “ BBCL Breeze Residences” by M/s. BBCL Developers India P. Ltd at S.F.No 3123/19 etc, Purasawalkkam Village, Perambur-Purasawalkkam Taluk, Chennai District, Tamilnadu –	<p>The Proponent of “M/s. BBCL Developers India P. Ltd” has applied for Environment Clearance for the proposed Construction of residential apartment with built up area of 21498.84 Sq.m. at S.F.No 3123/19 etc, Purasawalkkam Village, Perambur-Purasawalkkam Taluk, Chennai District, Tamilnadu on 19.02.2015.</p> <p>The Committee further observed that the above project comes under Item No 8(a) of the Schedule. After the presentation made by the proponent the Committee decided to defer the proposal for the next meeting for want of certain additional details and also the Proponent is advised to make presentation along with the NABET Accredited Consultant.</p>

		Category "B"-8(a) Building and constructions- Environmental Clearance	
16	4002	Proposed Construction of Residential development "M/s. Shree Velu Builders P.Ltd." at S.F.No 177/1 etc, Kondappanaickenpatti Village, Salem Taluk, Salem District, Tamilnadu – Category "B"-8(a) Building and constructions- Environmental Clearance	<p>The Proponent of "M/s. Shree Velu Builders P.Ltd." has applied for Environment Clearance for the proposed Construction of residential apartment with built up area of 90994.12 Sq.m. at S.F.No 177/1 etc, Kondappanaickenpatti Village, Salem Taluk, Salem District, Tamilnadu on 18.09.2015.</p> <p>The Committee further observed that the above project comes under Item No 8(a) of the Schedule. After the presentation made by the proponent the Committee decided to recommend the proposal for the grant of EC to SEIAA after obtaining and considering the following details,</p> <ol style="list-style-type: none"> 1. Affidavit in Rs 50 /- stamp paper for the following needs to be furnished: <ul style="list-style-type: none"> • Commitment from the proponent stating the list of activities to be carried out in Commercial area proposed and apart from the listed activities no other activities will be carried out. 2. For the disposal of excess treated water, the MoU signed between the proponent and minimum 3 farmers to be obtained and furnished. 4. All the Standard norms for treated sewage utilization shall be strictly followed. 5. Details of Flood occurrence and also certificate stating that the proposed site not encroached any water body (rivers, canals, lakes, ponds, tanks etc..) from its original boundary shall be obtained from PWD and Revenue department.
17	4749	Proposed Construction of residential apartment "M/s. HCL Technologies Limited" at S.F.No 184 etc, Saligramam Village, Egmore - Nungambakkam Taluk, Chennai District, Tamilnadu – Category "B"-8(a) Building and constructions-	<p>The Proponent of "M/s. HCL Technologies Limited" has applied for Environment Clearance for the proposed Construction of residential apartment with built up area of 65252.2 Sq.m. at S.F.No 184 etc, Saligramam Village, Egmore -Nungambakkam Taluk, Chennai District, Tamilnadu on 28.12.2015.</p> <p>The Committee further observed that the above project comes under Item No 8(a) of the Schedule. After the presentation made by the proponent the Committee decided to recommend the proposal for the grant of EC to SEIAA after obtaining and considering the following</p>

		Environmental Clearance	details, Furnish analysis report of existing environment status (baseline data) of the proposed site.
18	4980	Proposed Construction of 1848 Multistoried flats “M/s.Tamilnadu Housing Board”at S.F.No 52/9 etc, Kavundampalayam Village, Coimbatore North Taluk, Coimbatore District, Tamilnadu – Category “B”-8(a) Building and constructions- Environmental Clearance	<p>The Proponent of “M/s.Tamilnadu Housing Board” has applied for Environment Clearance for the proposed Construction of 1848 Multistoried flats with built up area of 50949.53 Sq.m. at S.F.No 52/9 etc, Kavundampalayam Village, Coimbatore North Taluk, Coimbatore District, Tamilnadu on 01.02.2016.</p> <p>The Committee further observed that the above project comes under Item No 8(a) of the Schedule. After the presentation made by the proponent the Committee decided to recommend the proposal for the grant of EC to SEIAA after obtaining and considering the following details,</p> <ol style="list-style-type: none"> 1. Alternate proposal for disposal of raw sewage water shall be furnished. <p>Biodegradable solid waste shall only be composted at the site.</p>
19	4262	Proposal seeking Environmental Clearance for the proposed Aerospace Park - SIPCOT Industrial Estate in total land area of 244.53 acres or 99 Ha area at Vallam ‘ A ’ village,Sriperumbudur Taluk, Kancheepuram District—Category B 1- and Schedule S.No 8(b) by SIPCOT - EIA presentation .	<p>The Project Proponent SIPCOT, submitted application Form-1, IA and conceptual plan for obtaining Environmental Clearance for the proposed Aerospace Park in SICOT Industrial Estate in total land area of 244.53 acres or 99 Ha area at Vallam ‘ A ’ village, Sriperumbudur Taluk, Kancheepuram District under Category B 2 and ScheduleS.No 8(b) on 07.10.2015 to SEIAA-TN.</p> <p>The subject was placed in the 72nd SEAC meeting and the Committee observed that the above project comes under Category “B2” and Item No 8(b) of the Schedule. After the presentation made by the proponent and the documents furnished, the Committee decided to recommend the proposal for the grant of EC to SEIAA after obtaining and considering the following details,</p> <ol style="list-style-type: none"> 1. Details of Flood occurrence and also certificate stating that the proposed site not encroached any water body (rivers, canals, lakes, ponds, tanks etc..) from its original boundary shall be obtained from PWD and Revenue department. 2. Undertaking in Affidavit from the proponent stating that no activity will be carried out in the lands which are under court cases until the court case is over. 3. Water balance chart for 0.25 MLD shall be provided along with the appropriate water to be supplied considering the consumption of individual units. 4. Monitoring wells shall be provided.

			<p>5. As per the list of industrial units permitted , the brief details for water quantity, Solid waste, etc shall be furnished.</p> <p>6. Continuous development of green belt in the site shall be insisted for individual units.</p>
20	4778	<p>Proposed Project seeking Environmental Clearance by M/s. Southern District Textiles Processing Cluster Pvt. Ltd at .S.F.No 22 (1) 2, 1(3), 1(4), 1(5), 1 (6) etc. Pottalkulam & Thamaraikulam Village Kariyapatti Taluk, Virudhunagar District under Item No. 7(h), 7(c) & 1(d) & Category 'B1' of the Schedule to the EIA Notification, 2006</p>	<p>The Project Proponent submitted application in Form-1, Prefeasibility Report to SEIAA-TN on 30.12.2015 for obtaining Environmental Clearance for the project proposal of providing Common Effluent Treatment Plant (CETP) of 6 MLD under B1, and item no. 7(h), Industrial Estate of Plot area is 40.31.5 Hectares, under item no. - 7 (C) (area < 500 Ha housing Industry under category B) and Captive Power Plant under Item no.- 1(d) at S.F.No 22 (1) 2, 1(3), 1(4), 1(5), 1 (6) etc, Pottalkulam & Thamaraikulam Village, Kariyapatti Taluk, Virudhunagar District by M/s. Southern District Textiles Processing Cluster Pvt. Ltd.</p> <p>After receipt of additional details and clarification vide SEAC letter no. SEAC –TN/F.No 4778/2015 dated 05.12.2015, the Proposal was placed in the presented in the 72nd SEAC meeting held on 4.2.2016.</p> <p>After detailed discussion and scoping, the State Level Expert Appraisal Committee observed that the project falls under category B1 and item no. 7(h), under item no. - 7 (C) and under Item no.- 1(d), and the Committee resolved to prescribe standard ToR for the project under the above items 7(h),7(C) and 1(d) with Public Consultation after obtaining detailed Report regarding the Relocation of the existing dyeing units from various parts of Southern Districts of Tamilnadu State to the proposed site at Virudhunagar.</p> <p>The proponent requested for exemption for the project from Public consultation stating that it is a Project identified under the Government Scheme and citing the EIA manual as proposed CETP will be having treatment system with Zero Liquid Discharge.</p> <p>The SEAC decided to insist on Public hearing and submit final EIA report along with the following additional ToRs:</p> <ol style="list-style-type: none"> 1. To furnish detailed report on the Characterisation of effluent generated and treated effluent. 2. To conduct Fresh study for EIA report. 3. To furnish detailed report along with quantity of hazardous waste generated in existing units, stored and/ or disposed, method of disposal adopted.

21	2981	<p>Proposed Construction of “Martyr Devasahayam Pillai Catholic Institute of Medical Sciences & Hospital” by M/s. St. Alphonsa Trust at S.F.No 528/1A etc, Kadiyappattanam Village, Kalkulam Taluk, Kanniyakumari District, Tamilnadu – Category “B”-8(a) Building and constructions- Environmental Clearance</p>	<p>The Proponent of “M/s. St. Alphonsa Trust” has applied for Environment Clearance for the proposed Construction of “Martyr Devasahayam Pillai Catholic Institute of Medical Sciences & Hospital” with built up area of 49446.86 Sq.m. at S.F.No 528/1A etc, Kadiyappattanam Village, Kalkulam Taluk, Kanniyakumari District, Tamilnadu on 29.09.2014.</p> <p>The Committee further observed that the above project comes under Item No 8(a) of the Schedule. After the presentation made by the proponent the Committee decided to recommend the proposal for the grant of EC to SEIAA after obtaining and considering the following details,</p> <ol style="list-style-type: none"> 1. Details of Flood occurrence and also certificate stating that the proposed site not encroached any water body (rivers, canals, lakes, ponds, tanks etc.,) from its original boundary shall be obtained from PWD and Revenue department. 2. Affidavit in Rs 50/- Non judicial stamp paper duly notarized by Notary public for the following needs to be furnished <ul style="list-style-type: none"> • For Vacant Site- Declaration from the PP stating that no construction activity was carried out along with the latest dated site photograph. 3. Source of water supply for operation phase to be firmed out and necessary permission from competent Authority to be produced. 4. EMP shall include the component of biomedical waste management. 5. Details of total number of inpatient beds and out patients allowed needs to be briefed. 6. Letter of interest for handing over of Bio medical waste to the TNPCB authorized biomedical facilitator. 7. Details of ten categories of Biomedical waste, their colour code, and their disposal to be briefed. 8. All inflow/outflow air shall be sent only through bio safety cabins. 9. Details of sterilization in the operation theatres to be furnished. 10. The details of disinfection for the waste water to be furnished. 11. The effluent from patent beds, operation theatre and labs shall be treated separately and hence furnish revised water balance diagram. 12. The development of Green belt shall be done in consultation with the Local DFO and detailed report shall be submitted. 13. Specific plan for green belt shall be provided with the details of the kind of trees to be planted. 14. Brief details of water, sanitation, solid waste covered under Hospital shall be furnished. 15. Details of the solid waste management for the canteen to be
----	------	---	---

			<p>proposed for the hospital block shall be furnished.</p> <p>16. No treated excess water shall be let out at any point, ensuring ZLD, shall be furnished in affidavit form.</p>
22	4989	<p>Proposed Construction of 384 Multistoried LIG Flats “M/s. Tamilnadu Housing Board” at S.F.No 134/1, Ramapuram Village, Maduravoyal Taluk, Thiruvallur District, Tamilnadu – Category “B”-8(a) Building and constructions- Environmental Clearance</p>	<p>The Proponent of “M/s. Tamilnadu Housing Board” has applied for Environment Clearance for the proposed Construction of 384 Multistoried LIG Flats with built up area of 20344.32 Sq.m. at S.F.No 134/1, Ramapuram Village, Maduravoyal Taluk, Thiruvallur District, Tamilnadu on 02.02.2016.</p> <p>The Committee further observed that the above project comes under Item No 8(a) of the Schedule. After the presentation made by the proponent the Committee decided to recommend the proposal for the grant of EC to SEIAA after obtaining and considering the following details,</p> <ol style="list-style-type: none"> 1. Details of Flood occurrence and also certificate stating that the proposed site not encroached any water body (rivers, canals, lakes, ponds, tanks etc.,) from its original boundary shall be obtained from PWD and Revenue department. 2. Basement/Stilt Floor of the proposed site should be above the Maximum flood level. 3. Ensure sustainable water supply for the residents and scientific & environmental friendly disposal of the excess treated water.
23	4996	<p>Proposed Construction of 324 Multistoried LIG Flats “M/s. Tamilnadu Housing Board” at S.F.No 249/3A,B1 , Villivakkam Village, Perambur-Purasawalkkam Taluk, Chennai District, Tamilnadu – Category “B”-8(a) Building and constructions- Environmental Clearance</p>	<p>The Proponent of “M/s. Tamilnadu Housing Board” has applied for Environment Clearance for the proposed Construction of 324 Multistoried LIG Flats with built up area of 21946.88 Sq.m. at S.F.No 249/3A,B1 , Villivakkam Village, Perambur-Purasawalkkam Taluk, Chennai District, Tamilnadu on 02.02.2016.</p> <p>The Committee further observed that the above project comes under Item No 8(a) of the Schedule. After the presentation made by the proponent the Committee decided to recommend the proposal for the grant of EC to SEIAA after obtaining and considering the following details,</p> <ol style="list-style-type: none"> 1. Details of Flood occurrence and also certificate stating that the proposed site not encroached any water body (rivers, canals, lakes, ponds, tanks etc.,) from its original boundary shall be obtained from PWD and Revenue department. 2. Basement/Stilt Floor of the proposed site should be above the Maximum flood level. 3. Ensure sustainable water supply for the residents and scientific & environmental friendly disposal of the excess treated water.

24	4997	Proposed Construction of 510 Multistoried LIG Flats “M/s. Tamilnadu Housing Board” at S.F.No 738 Pt etc., MKB Nagar, Perambur Village, Perambur-Purasawalkkam Taluk, Chennai District, Tamilnadu – Category “B”-8(a) Building and constructions- Environmental Clearance	<p>The Proponent of “M/s. Tamilnadu Housing Board” has applied for Environment Clearance for the proposed Construction of 510 Multistoried LIG Flats with built up area of 21946.88 Sq.m. at S.F.No 738 Pt etc., MKB Nagar, Perambur Village, Perambur-Purasawalkkam Taluk, Chennai District, Tamilnadu on 02.02.2016.</p> <p>The Committee further observed that the above project comes under Item No 8(a) of the Schedule. After the presentation made by the proponent the Committee decided to recommend the proposal for the grant of EC to SEIAA after obtaining and considering the following details,</p> <ol style="list-style-type: none"> 1. Details of Flood occurrence and also certificate stating that the proposed site not encroached any water body (rivers, canals, lakes, ponds, tanks etc..) from its original boundary shall be obtained from PWD and Revenue department. 2. Basement/Stilt Floor of the proposed site should be above the Maximum flood level. 3. Ensure sustainable water supply for the residents and scientific & environmental friendly disposal of the excess treated water.
25	443	Proposed Construction of residential project by “M/S. K.R.C. Housing & Infrastructure company” at S.Nos. 348 etc., Chettipalayam Village, Tiruppur Taluk, Tiruppur District – Category “B”-8(a) Building and constructions- Environmental Clearance	<p>The Proponent of “M/S. K.R.C. Housing & Infrastructure company” has applied for Environment Clearance for the proposed Construction of residential project with built up area of 31621.93 Sq.m at S.Nos. 348 etc., Chettipalayam Village, Tiruppur Taluk, Tiruppur District on 14.02.2011.</p> <p>The Committee further observed that the above project comes under Item No 8(a) of the Schedule. After the presentation made by the proponent the Committee decided to defer the proposal for the next meeting for want of certain additional details and also the Proponent is advised to make presentation along with the NABET Accredited Consultant.</p>
Agenda Item			

The SEAC appraised the following project proposals Granite & Rough Stone .; 215 Nos along with approved mining plans, Pre-feasibility reports and other supporting documents in detail. These proposals are for seeking Environmental Clearance for mining of minor minerals. The SEAC while appraising in detail, the Project proposals furnished by the proponent, took into consideration of the impact on pollution that is possible in these types of activities and after verification of the details furnished by the proponent recommended the proposals subject to the verification of the following:

1. The distance between the mining area and interstate border, wherever necessary.
 2. The distance between the mining area and the boundary of Western Ghats, Prohibited area wherever necessary.
 3. One month base line data be collected to ensure the pollution within the limits.
- The following should be incorporated as conditions in EC.
1. Free silica test should be conducted and reported
 2. Air Sampling at intersection point should be conducted and reported
 3. Bunds to be provided at the boundary of the project site.
 4. Ground water quality monitoring should be conducted once in 3 Months
 5. Transportation of the quarried materials shall not cause any hindrance to the Village people/Existing Village road.
 6. Rainwater shall be pumped out Via Settling Tank only
 7. The project proponent shall undertake plantation/afforestation work by planting the native species on all side of the lease area
 8. Atleast 10 neem trees should be planted around the boundary of the quarry site.
 9. Floor of excavated pit to be levelled and sides to be sloped with gentle slope (Except for granite quarries) in the mine closure phase.
 10. Earthen bunds and barbed wire fencing around the pits with green belt all along the boundary shall be developed and maintained.
 11. The Project Proponent shall ensure a minimum of 2.5% of the annual turn over will be utilized for the CSR Activity
 12. The Project Proponent shall provide solar lighting system to the nearby villages
 13. The Project Proponent shall comply the mining and other relevent rules and regulations where ever applicable.
 14. GPS coordinates for ground water table is to be provided.
 15. The mined out pits should be backfilled where warranted and area should be suitably landscaped to prevent environmental degradation. The mine closure plan as furnished in the proposal shall be strictly followed with back filling and tree plantation.
 16. Safty distance of 50m has to be provided incase of railway, reservoiar, canal/odai
 17. As per MoEF&CC, GoI, Office Memorandum dated 30.03.2015, prior clearance from Forestry & Wild Life angle including clearance from obtaining committee of the National Board for Wild life as applicable shall be obtained before starting the quarrying operation, if the project site is located within 10KM from National Park and Sanctuaries.
 18. Safety equipments to be provided to all the employees.
 19. The quarrying activity shall be stopped if the entire quantity indicated in the Mining plan is quarried even before the expiry of the quarry lease period and the same shall be monitored by the District Authorities.

MINOR MINERALS - Rough Stone /Blue Metal(215 Nos)

Sl. No.	F.No	Name of the proponent	Extent in ha.	SF.No	District	Recommendation of the Committee
1	1819	Tmt. A. Kamachi Vayalogam Post Illupur Taluk, Pudhukottai - 622 104	0.60.5	S.F.No. 141/6A, 6B, 6C, 6D, 6E, 6F Mangudi Village, Illuppur Taluk,	Pudukottai	Absent

2	1873	Thiru S. Sriram No 2, Lakshmiapuram Extension II Mudichur Road, Tambaram West Chennai - 600 045	1.89.5	S.F.No. 208/1, 2, 3, 4, 5 Periyavenmani Village, Maduranthagam Taluk	Kancheepura m	Absent
3	2530	Thiru G. Manirajan Elaiyanvayal, Kulathur Post Kulathur Taluk Pudukottai - 622 504	0.97.5	S.F.No. 58/1, 58/2A, 62/1, Kulathur Village, Kulathur Taluk	Pudukottai	Absent
4	2686	Tmt A. Thenormozhi Manalur Village Sankarapuram Taluk Villuppuram - 605 702	1.50.0	S.F.No. 131/7 (P-II), Manalur Village, Sankarapuram Taluk	Villuppuram	Absent
5	2882	Thiru P. Ponraj No 1/39, North Street Athimarapatti Village Thoothukudi Taluk Thoothukudi - 628 005	2.58.5	S.F.No. 452/2, 452/4, Mela Thattaparai Village, Thoothukudi Taluk	Thoothukudi	Absent
6	3349	Tmt T. Arul mozhi No 218, Thalakarai Pollachi Taluk Coimbatore - 642 005	3.09.5	S.F.No. 236/1B, 236/1E, 236/1F, 263/1I, 236/1G(P), 237/B2, Thalakarai Village, Pollachi Taluk	Coimbatore	Absent
7	3441	Thiru G. Thavasumani Chettuvillaiputhaveedu Kearalapuram Post Kalkulam Taluk Kanniyakumari - 629 174	0.59.0	S.F.No. 165(P), Kalkulam Village, Kalkulam Taluk	Kanniyakumar i	Deffered for want of Particulars
8	3443	Tvl. Robo Silicon Pvt.Ltd Edaiyarpalayam Village Sulur Taluk Coimbatore - 641 402	3.64.0	S.F.No. 179/2(P), Edaiyarpalayam Village, Sulur Taluk	Coimbatore	Absent
9	3451	Thiru P.K. PalanisamyNo 2/61, Covai Main RoadK. Paramathy PostAravakurichi Taluk,Karur - 639 111	4.84.5	S.F.No. 126/2(P), 127/1(P), 133/1(P), 133/2(P),Thennilai East Village,Aravakurichi Taluk	Karur	Absent
10	3607	Thiru K.Thangamuthu No.20, Nethaji Nagar, Kurikaran Palayam Railway Colony Erode District	4.72.0	118/2,118/3, etc Mugasi Anumanpalli & Attavanai Anumanpalli Village Erode	Erode	Absent
11	3613	Thiru D.Murugapandian No.1/93, Kollaiveli Street, Chokkanandhal Village Gingee Taluk	2.00.0	69/3(P) Perumpugai Village Gingee Taluk	Villupuram	Absent
12	3620	Thiru R.Subramanian 2/4A1, Senthur Illam, Sri Ranga Nagar, Sulur, Coimbatore District - 641 402	1.77.5	S.F.No. 27/2E Kodangipalayam Village, Palladam Taluk	Tiruppur	Recommended

13	3623	Thiru S.Somasundaram Parapatti Post, Maalur (Via), Salem South Taluk, Salem District - 636 203	1.61.0	S.F.No. 99/1A3B (P) Parapatti Village, Salem South Taluk	Salem	Recommended
14	3627	Thiru K.Sivakumar No: 1/219, Manal Kadu, Karanampettai, Palladam Taluk Tiruppur District - 641 401	3.06.0	S.F.No. 28/1B & 28/2A Kodangipalayam Village, Palladam Taluk	Tiruppur	Recommended
15	3629	Thiru P.Subramani Vadugapatti, Kondamanaickenpatti Post, Namakkal Taluk, Namakkal District - 637 405	0.89.0	S.F.No. 225/2, 225/4 & 225/7 Kondamanaickenpatti Village, Namakkal Taluk	Namakkal	Recommended
16	3634	Tmt. V.Nirmaladevi W/o. Velliangiri No.4/143, Nadaiveedu, Karacheri, Periyaquili (Post) Kinathukadavu Taluk, Coimbatore District - 641 302	0.73.5	S.F.No. 470(P) Panapatti Village, Kinathukadavu Taluk	Coimbatore	Recommended
17	3649	Tmt M.Rasamani W/o K.Marimuthu Karacheri, Periyakuyilai Post Kinathukadavu Taluk, Coimbatore District - 641 301	0.99.0	S.F.No. 361/1A & 362/1 Arasampalayam Village, Kinathukadavu Taluk	Coimbatore	Deffered for want of Particulars
18	3650	Thiru K. Senthilkumar 2/74, Vazhukkuparai Ottakalmandapam Coimbatore - 32	1.98.5	S.F.No. 112 Kuthiraiyalampalayam Village, Kinathukadavu Taluk	Coimbatore	Deffered for want of Particulars

19	3651	Thiru K. Kandhasamy1-12, PokkampalayamKumaramang alam PostTiruchencode TalukNamakkal - 637 205	0.50.0	S.F.No. 138/2(P)Kumaramangal am Village,Tiruchencode Taluk	Namakkal	Recommended
20	3652	Thiru K. Ravikumar No 7/68, Karacheri Arasampalayam Village Periyakuyilai Post, Chettipalayam via Kinathukadavu Taluk Coimbatore - 641 201	1.93.5	S.F.No. 355/2A(P), 2C(P), 2D(P) Arasampalayam Village, Kinathukadavu Taluk	Coimbatore	Deffered for want of Particulars
21	3653	Thiru R. Kandasamy No 2/107, Kalaththkadu Podarampalayam Perumanallur Tiruppur - 641 666	3.37.5	S.F.No. 197/A, 197/B, 198, 199/A, 199/B Chinnamarudhur Village, Dharapuram Taluk	Tiruppur	Recommended
22	3656	Thiru T.Gowerisankar No:137, A.T.S. Municipal Office Road, Pollachi Taluk Coimbatore District - 642 001	2.37.5	S.F.No. 90/3 (P) & 94/1D Solapalayam Village, Pollachi Taluk	Coimbatore	Deffered for want of Particulars
23	3657	Thiru V.Marudavel Anupparpalayam, Eripatti Post, Pollachi Taluk, Coimbatore District - 642 006	1.08.0	S.F.No. 132/3B (P) Unjuvellampatti Village, Pollachi Taluk	Coimbatore	Recommended
24	3658	Tmt. M.Jayanthi W/o. V.Maruthavel Anupparpalayam, Eripatti (Post) Pollachi Taluk, Coimbatore District - 642 205	3.83.5	S.F.No. 62/2 and 63/2 R.Ponnapuram Village, Pollachi Taluk	Coimbatore	Recommended

25	3700	Thiru R. Subramaniam 1/404, Thachankadu Devarayan Palayam Palladam Taluk Tiruppur - 641 401	1.99.5	S.F.No. 114/1B, 1C Kodangipalayam Village, Palladam Taluk	Tiruppur	Recommended
26	3701	Thiru K.S. Rajendran 1/403, North Andi Thottam Karanampettai Post, Palladam Taluk Tiruppur - 641 401	1.20.5	S.F.No. 158/2H Kodangipalayam Village, Palladam Taluk	Tiruppur	Recommended
27	3703	Thiru K.M. Chinnaswamy 5/174, Kadampadi Sulur Taluk Coimbatore - 641 401	2.42.0	S.F.No. 89/4B(P), 92/2 Kodangipalayam Village, Palladam Taluk	Tiruppur	Recommended
28	3704	Thiru S.N. SivasamyChingaiyanpudur, Chokkanur (Post)Kinathukadavu TalukCoimbatore - 642 109	2.09.0	S.F.No. 247/1, 2A, 2B1, 2B2, 3A, 3B, 4Sangarayapuram Village,Kinathukadavu Taluk	Coimbatore	Recommended
29	3712	Thiru T. Srinivasan 91-A, Thuttampatty Village And Post Tharamangalam Via Omalur Taluk Salem - 1	3.00.0	S.F.No. 161(P) Nadupatty Village, Omalur Taluk	Salem	Deffered for want of Particulars
30	3713	M/s K.P.Blue Metal No 27/A, M.B.D.Raod Navalpur Ranipettai Walajah Taluk Vellore - 632 402	2.00.0	S.F.No. 662(Part-2) Ayilam Village, Walajah Taluk	Vellore	Recommended
31	3714	M/s K.P.Blue Metal No 27/A, M.B.D.Raod Navalpur Ranipettai Walajah Taluk Vellore - 632 402	2.00.0	S.F.No. 662(Part-1) Ayilam Village, Walajah Taluk	Vellore	Recommended

32	3715	Tmt. A.Gangammal W/o. Angamuthu Sokkalapuram, Lingamanickenpatti Post, Aravakurichi Taluk, Karur District	0.44.5	S.F.No. 149/A(Part) (Patta Land) Pallappatti Village, Aravakurichi Taluk	Karur	Recommended
33	3717	M/s. Kandhan Blue Metals Thennilai South Village, Masayampalayam Pirivu, Thennilai Post, Aravakurichi Taluk, Karur District	4.43.0	S.F.No. 753/B2, 753/B3 & 755/A1 Thennilai South Village, Aravakurichi Taluk	Karur	Recommended
34	3718	Thiru M.Gunasekaran Karipalayam, Nadaiyanur (Post), Karur Taluk, Karur District	4.96.5	S.F.No. 710/2, 710/3 & 712/2 (Patta Land) Kuppam Village, Aravakurichi Taluk	Karur	Recommended
35	3727	Thiru K. Selvakumar No. 26C/4B, Savadi Street Ramaburamputhur Namakkal - 637 001	2.00.0	S.F.No. 141/6(P) Kalappanaickenpatti Village, Namakkal Taluk	Namakkal	Deffered for want of Particulars
36	3728	Thiru K. Selvakumar No. 26C/4B, Chavadi Street R.P.Pudur Namakkal - 637 001	0.63.5	S.F.No. 141/3, 4 & 5 Kalappanaickenpatti Village, Namakkal Taluk	Namakkal	Deffered for want of Particulars
37	3732	Thiru S. Ramesh 14/35, Vinayagar Kovil Street Othakkal Mandapam Coimbatore - 32	2.63.0	S.F.No. 423/1 Vadapudur Village, Kinathukadavu Taluk	Coimbatore	Recommended
38	3733	Thiru S. Viswanathan 14/35, Vinayagar Kovil Street Othakkal Mandapam Coimbatore - 32	3.42.0	S.F.No. 217/3 Sulakkal Village, Kinathukadavu Taluk	Coimbatore	Recommended

39	3734	Thiru M. Eswaran 202-A, Govindampalayam Agraharaperiyalayam Village Uthukuli Taluk Tiruppur - 641 607	1.74.0	S.F.No. 160/2 Morattupalayam Village, Uthukuli Taluk	Tiruppur	Recommended
40	3739	Tmt T. Janaki W/o Thangamuthu Gounder Chettiyarthottam, Thimmanaikenpalayam Morattupalayam Village Uthukuli Taluk Tiruppur	2.66.0	S.F.No. 189/1, 190/1 Morattupalayam Village, Uthukuli Taluk	Tiruppur	Recommended
41	3741	Tmt G. Nirmala W/o Gopalakrishnan Othai Panaikalam Chenniyur Sulakkal Village, Pollachi Taluk Coimbatore - 641 302	1.72.0	S.F.No. 189/4A (P) Sulakkal Village, Pollachi Taluk	Coimbatore	Recommended
42	3758	Thiru K. Palanisamy Uthukkaraiatti Paganatham Village Aravakurichi Taluk, Karur	1.15.0	S.F.No. 2/3, 2/4A Anjagoundanpatti Village, Aravakurichi Taluk	Karur	Deffered for want of Particulars
43	3760	Thiru R. Subramani Nadupalayam Punnam Post Aravakurichi Taluk, Karur - 639 002	3.20.5	S.F.No. 1093/1A(P), 1B(P), 2A1(P), 1094/1A, 1B, 2A1 Punnam Village, Aravakurichi Taluk	Karur	Recommended
44	3772	Thiru C.Mohandhas Kulathuvilagam, Painkulam Post, Vilavancode Taluk Kanniyakumari District - 629 188	0.63.00	S.F.No. 214/1B & 214/2B Painkulam Village, Vilavancode Taluk	Kanniyakumar i	Recommended subject to condition the depth of mining restricted to 5 m from the existing ground profile

45	3786	Thiru K.Ravikumar 15/156, Palaghat Road, Marapalam, Madukkarai Taluk, Coimbatore District - 641 105	3.62.0	S.F.No. 54/2, 55/1, 57/2 Thambagoundanpalaya m Village, Madukkarai Taluk	Coimbatore	Recommended
46	3787	Thiru C.Palanisamy Karunjami Goundanpalayam, Palathurai (Post), Mathukarai Market, Coimbatore District - 641 105	1.29.0	S.F.No. 924(P) Chettipalayam Village, Mathukarai Taluk	Coimbatore	Deffered for want of Particulars
47	3799	Thiru P.RamasamyNo.11/682, Sivanmalai,Kangeyam Taluk,Tiruppur District - 638 701	0.86.5	S.F.No. 277/1B1, 277/2C1Keeranur Village,Kangeyam Taluk	Tiruppur	Recommended
48	3803	R.Chellammal, President Sri Kamatchiamman Womens self help association, Near Pachiamman Kovil, 3/67, Kottapalayathar line house, Puthur, Kumaramangalam, Tiruchengode Taluk, Namakka District - 637 205	0.44.0	S.F.No. 138/2 (Part) Kumaramangalam Village, Tiruchencode Taluk	Namakkal	Recommended
49	3804	Tmt.C.Rajamani W/o. R.V.Chandrasekaran, Aattukaragoundar Thottam, Chinnakallipatti (Post), Mettupalayam Taluk, Coimbatore District	1.59.5	S.F.No. 74/2A, 74/2B,74/2C, etc., Chinna Kallipatti Village, Mettupalayam Taluk	Coimbatore	Deffered for want of Particulars

50	3805	Thiru P. Govintharaj No 11/481, Saravana Nagar Keeranur, Kangeyam Taluk Tiruppur	0.46.0	S.F.No. 277/1B2 Keeranur Village, Kangeyam Taluk	Tiruppur	Recommended
51	3806	Thiru M. Ramesh Vargheese No 5/80, Poovan Vilai Kannumavilai Karungal Post Kanniyakumari	0.60.0	S.F.No. 17(P) Kappiarai Village, Kalkulam Taluk	Kanniyakumar i	Deffered for want of Particulars
52	3811	Thiru R. Sankar Thuthivilagam House Kalluketti, Kuzhithurai Post Kanniyakumari	3.45.0	S.F.No. 210/10, 211/1(P) Mullankanavilai Village, Vilavancode Taluk	Kanniyakumar i	Recommended subject to condition the depth of mining restricted only above Ground level
53	3827	Thiru K. Vijay Perichiyappan Karattupalayam Elathur Village Gobichettipalayam Taluk Erode	0.86.0	S.F.No. 347/1B, 2B Elathur Village, Gobichettipalayam Taluk	Erode	Deffered for want of Particulars
54	3829	Thiru S.Kandasamy Kamaraj Nagar Chinnakodiveri Gopi Taluk Erode - 638 752	5.00.0	S.F.No. 70/9(P) Kavundampalayam Village, Gobichettipalayam Taluk	Erode	Absent
55	3830	Thiru P. MagudeswaranRathna NilayamMain RoadT.N.Palayam PostGobichettipalayam TalukErode - 638 506	3.94.0	S.F.No. 233/1(North Part)Vaniputhur Village,Gobi Taluk	Erode	Absent
56	3847	Thiru. K. Subramanian C.64, Rayan Nagar Illupanatham Mettupalayam Coimbatore - 641302	1.27.0	S.F.No. 252 Irumparai Village, Mettupalayam Taluk	Coimbatore	Deffered for want of Particulars

57	3850	Thiru. R. Shanmugasundaram No.37, Park Avenue Thudiyalur Coimbatore - 641034	0.67.0	S.F.No. 45/1B Irumparai Village, Mettupalayam Taluk	Coimbatore	Deffered for want of Particulars
58	3851	Thiru. A. Murugesan Singarampalayam Kinathukadavu Kinathukadavu Coimbatore-642109	0.77.0	S.F.No. 400/1 (P) Vadapudur Village, Kinathukadavu Taluk	Coimbatore	Deffered for want of Particulars
59	3853	Thiru. S.Palanisamy No.2/611, Vadapudur Kinathukadavu Coimbatore-641032	0.73.5	S.F.No. 188/6 & 188/7 Vadapudur Village, Kinathukadavu Taluk	Coimbatore	Deffered for want of Particulars
60	3854	Thiru. V. Ramalingam 2/52, No. 10, Muthur village Pollachi Taluk Coimbatore-642109	2.07.0	S.F.No. 94/B1 Muthur Village, Pollachi Taluk	Coimbatore	Deffered for want of Particulars
61	3856	Thiru. P. Radhakrishnan No.31, Dr. Subbarayan Street Bhagavathipalayam Kinathukadavu Coimbatore-642109	1.06.0	S.F.No. 130/1 (P) Kinathukadavu Village, Kinathukadavu Taluk	Coimbatore	Deffered for want of Particulars
62	3857	Tmt. K. Sangeetha No.11, Thilagar Street Bagavathipalayam Coimbatore-642109	3.78.0	S.F.No. 423/2 Vadaputhur Village, Kinathukadavu Taluk	Coimbatore	Deffered for want of Particulars
63	3864	Thiru. P. Palanisamy No.7/124A, Sakthinagar Colony Vadugapatti Koneripalli Post Namakkal -638007	1.29.5	S.F.No. 1(P) (Bit-7) Kondamanaickenpatti Village, Namakkal Taluk	Namakkal	Recommended

64	3865	Tmt. R. Meenashi Kurinchi Womens Self Help Group Kondamanickenpatti Senthamangalam Namakkal-637405	1.13.5	S.F.No. 1(P) (Bit-6) Kondamanaickenpatti Village, Senthamangalam Taluk	Namakkal	Recommended
65	3877	Thiru. B. SakthivelPachapalayamPeriya kuyilaiChettipalayamSulurCo imbatore-641201	1.34.5	S.F.No. 280/1 (P) & 280/2 (P)Pachapalayam Village, Sulur Taluk	Coimbatore	Deffered for want of Particulars
66	3896	Thiru T.C.Nagarajan & Thiru S.Maniyan 40, A.R.R. Colony, II T.N.Palayam, Vaniputhur, Gobi Taluk, Erode District - 638 506	0.90.0	S.F.No. 25/10C1 & 26/7A Kavundampalayam Village, Gobi Taluk	Erode	Deffered for want of Particulars
67	3899	Thiru S.Kumaresan 77, Sunnalampatti Village, Uthangarai Post & Taluk, Krishnagiri District - 635 109	1.98.0	S.F.No. 35/2A, 35/2B & 35/2C Katteri Village, Uthangarai Taluk	Krishnagiri	Deffered for want of Particulars
68	3909	Thiru. H. Kirubasankar No.7, Main Road Vadivel Nagar Sankaranpalayam Vellore	1.60.0	S.F.No. 412/11 (Part-4) Palamathi Village, Vellore Taluk	Vellore	Recommended
69	3912	Thiru. D. Muthuraman No.1/336, Thidian Road Chellampatti Usilampatti Taluk, Madurai	2.86.0	S.F.No. 919/1A2, 919/1B2, 929/2A2, 929/2C, 931, 932 & 935/2 Kullapuram Village, Periyakulam Taluk	Theni	Absent

70	3920	Thiru. K. Ramesh Old No.3/20A, New No.39 Bajani Koil Street Mettuedayampatti Adukkamparai Vellore-	1.07.5	S.F.No. 499/3 Palamathi Village, Vellore Taluk	Vellore	Recommended
71	3924	Thiru V.Maruthachalam Pulikkalmedu 2nd Street, Kangeyam Taluk, Tiruppur District - 638 701	2.02.5	S.F.No. 1259/3 Sivanmalai Village, Kangeyam Taluk	Tiruppur	Deffered for want of Particulars
72	3925	Thiru R.Rangaraj M.K.K.Nagar, Karamadai Village, Mettupalayam Taluk, Coimbatore District - 641 302	1.21.5	S.F.No. 76/1A Chikkarampalayam Village, Mettupalayam Taluk	Coimbatore	Deffered for want of Particulars
73	3926	Thiru S.SomasundaramParapatty Village and Post,Mallur (Via),Salem Taluk,Salem District - 636 203	1.42.0	S.F.No. 3 (P)Santhiyar Village,Salem Taluk	Salem	Recommended
74	3927	Thiru N. Chellappan 5/255,Azhagu Nagar, Seelanaickenpatty post, Salem Taluk, Salem District - 636201	1.58.5	S.F.No. 339/2 Marapparai Village, Tiruchengode Taluk	Namakkal	Absent
75	3928	Thiru. M.K. Rajendiran No.4/282/D Vaiyappamalai Tiruchengode Namakkal 637410	1.30.5	S.F.No. 336/1A1A & 338/3B Mrapparai Village, Tiruchengode Taluk	Namakkal	Recommended

76	3929	Thiru. K. Ragunathan NO.1/158, Vasanthapuram Namakkam Namakkam-637410	2.59.0	S.F.No. 216/2A1 & 216/2C Kokkalai Village, Tiruchengode Taluk	Namakkal	Recommended
77	3930	Thiru. N. Chellappan No.5/255, Azhagu Nagar Seelanaickenpatty post, Salem-636201	1.29.5	S.F.No. 216/1 Kokkalai Village, Tiruchengode Taluk	Namakkal	Recommended
78	3931	P.A. Raja No.120, Samiyappa Nagar Seelanaickenpatty post, Salem Taluk, Salem-636201	2.09.0	S.F.No. 224/3B Kokkalai Village, Tiruchengode Taluk	Namakkal	Absent
79	3937	Tvl. Aravind Blue Metals Komalivalasu Kodanthur Aravakurichi Taluk, Karur-639006	4.33.0	S.F.No. 408 Kodanthur North Village, Aravankurichi Taluk	Karur	Recommended
80	3938	Tvl. Aravind Blue Metals Komalivalasu Kodanthur Aravakurichi Taluk, Karur-639006	3.77.0	S.F.No. 409 Kodanthur North Village, Aravankurichi Taluk	Karur	Recommended
81	3942	Thiru. K.M. Subramaniyan No.12-6-5C/2, Kacheri Street Gandhi Nagar Nilakkottai Dindigul-624208	1.08.0	S.F.No. 304/5, 305/1C, 317/2C3, 318/1C2, 319/2B & 320/1 Mallanampatti Village, Nilakottai Taluk	Dindihul	Deffered for want of Particulars

82	3943	Thiru. K.M. Subramaniyan No.12-6-5C/2, Kacheri Street Gandhi Nagar Nilakkottai Dindigul-624208	0.64.5	S.F.No. 302/2 (P) Mallanampatti Village, Nilakottai Taluk	Dindhul	Deffered for want of Particulars
83	3946	Thiru. R.R. Senthil Kumar Raju No.33-Guru Illam V.T. Pandian Nagar Kariapatti Virudhunagar 626 106	2.47.5	S.F.No. 53/1B (0.55.5 Hec.) 53/2A (0.30.0 Hec.), 53/2B (0.40.0 Hec.), 53/2C (0.36.0 Hec.) & 53/2D (0.86.0 Hec.) Aladipatti Village, Aruppukottai Taluk	Virudhunagar	Recommended
84	3947	Thiru. A. Duraisamy Andigoundampatti Kannivadugapatti Manapparai taluk Tiruchirapalli-621 306	3.00.0	S.F.No. 209/1 (P) Sampatti Village, Manapparai Taluk	Tiruchirappalli	Recommended
85	3949	Tmt. G. Guruvammal No. 2/3, Agraharam street Nathikudi post Sivakasi taluk Virudhunager District	1.35.0	S.F.No. 903/2 (Patta Land) Nathikudi Village, Sivakasi Taluk	Virudhunagar	Recommended
86	3953	Tmt. Ramayee No.1/60, Mallasamudram Road Marapparai Tiruchengode Taluk Namakkal-637410	1.20.0	S.F.No. 176/12 Marapparai Village, Tiruchengode Taluk	Namakkal	Recommended
87	3959	Thiru. P. Sivasubramanian No.32, Arumugam Nagar Mahalingapuram Pollachi Taluk, Coimbatore-642002	1.13.0	S.F.No. 219 (P) Thalakkurai Village, Pollachi Taluk	Coimbatore	Recommended

88	3960	Tmt. M. Mythili No.3/2, Priyaraj Nivas Vaiyappamalai Tiruchengode Taluk Namakkal - 637410	0.79.5	S.F.No. 143/6 Munjanur Village, Tiruchengode Taluk	Namakkal	Recommended
89	3967	Thiru. S. Vellapandi No.63-B, South Street Vadkku Elanthai Kulam Kayathar Kovilpatti Turicorin-628714	0.92.0	S.F.No. 781/1, 782/2 & 783 Pirancheri Village, Tirunelveli Taluk	Tirunelveli	Recommended
90	3978	M/s. Malligai Magalir Sangam Vadaku Theru T. Rajagopalanpatti Andipatti Theni	2.00.0	S.F.No. 1432/3 (P) Timmarasanaickanur Bit-II Village, Andipatti Taluk	Theni	Deffered for want of Particulars
91	3979	M/s. Malaieswarar Kaludaikkum Magalir SuyauthavikuluVadaku TheruT. SubbulapuramAndipattiTheni	1.00.0	S.F.No. 659/1 (Part- IV)Timmarasanaickanur Bit-I Village,Andipatti Taluk	Theni	Absent
92	3980	M/s. Sri Eswaran Kaludaikkum Magalir Suyauthavikulu Vadaku Theru T. Pudur T. Subbulapuram Andipatti Theni	4.32.0	S.F.No. 95/1 Timmarasanaickanur Bit-I Village, Andipatti Taluk	Theni	Absent
93	3983	Thiru. T. Gnanavel Pagalpatty Omalur Salem-636004	1.00.0	S.F.No. 232 (P) Nadupatty Village, Omalur Taluk	Salem	Deffered for want of Particulars
94	3984	Tmt. T. Jayasudha No.22, Arthanari Street Arisipalayam 1 Salem-636009	2.00.0	S.F.No. 80 (P) Kadayampatty North Village, Omalur Taluk	Salem	Deffered for want of Particulars
95	3985	Thiru. C. Climond No.174, Paravilai Alanchy Parapallam Vilavancode Kanniyakumari-629159	0.70.96	S.F.No. 133/2A, 2B, 3A, 3B, 4 & 142/5C2, 6B, 7A, 7B (Patta Land) Keezhmidalam-A Village, Vilavancode Taluk	Kanniyakumar i	Recommended subject to condition the depth of mining restricted only above Ground level

96	3986	Thiru. J. Godwin Moses No.612, Asaripallam Road Nesamony Nagar Nagercoil Nagercoil Kanniyakumari-629001	1.69.5	S.F.No. 331/1 (Patta land) Nalloor Village, Agasteeswaram Taluk	Kanniyakumar i	Recommended on receipt of NBWL acknowledgeme nt
97	3989	Thiru. R. Sivakumar Vettukkadu Thottam Devanampalayam, Kattur Pappampalayam Tiruchengode Namakkal-638007	2.08.0	S.F.No. 247/3 Eraiymangalam Village, Tiruchengode Taluk	Namakkal	Recommended
98	3990	Thiru. V. Shankar No.14, Jeyapuram Colony Dhindivanam Taluk Dhindivanm Villupuram-604001	4.23.0	S.F.No. 2/1,2,3,4,5 & 3/1(P),2(P),3,4,5,6,7,8,9, 10,11(Consent Patta Land) Thollamur Village, Vanur Taluk	Villupuram	Deffered for want of Particulars
99	3991	Thiru. A. P. Nandakumar No. 4/2, 2nd East Main Road Gandhi Nagar Katapadi Taluk Vellore District	0.80.0	S.F.No. 279(PART- 1) Ayelam Village, Walajah Taluk	Vellore	Deffered for want of Particulars
10 0	3992	Thiru. G. Nagesh Thonaparai Village Rajakuppam Post Kudiyatham Taluk Vellore District - 635803	0.55.5	S.F.No. 662(PART - 2) (Government Poramboke Land) Pogalur Village, Gudiyatham Taluk	Vellore	Deffered for want of Particulars
10 1	3996	Thiru. S. Manickam Ambethkar Nagar Esanai Perambalur Perambalur-621219	1.00.0	S.F.No. 43/1 (P) Keelakarai Village, Perambalur Taluk	Perambalur	Recommended
10 2	3997	M/s. Ultratech Cement Limited3rd Floor Ahura CentreOpp. Middle OfficeAndheri (E)Mumbai	4.98.0	S.F.No. 5/3A, 5/3B, 5/3C, 6 (P)Kariasandiram Village,Hosur Taluk	Krishnagiri	Deffered for want of Particulars
10 3	3999	Tmt. Meenal No.7/48, Mathukoil Street Virachilai Thirumayam Pudukkottai	0.66.0	S.F.No. 276/9 Neikkonam Village, Thirumayam Taluk	Pudukkottai	Deffered for want of Particulars

10 4	4029	Thiru. T. Jagadeeswaran Orambu Puthur Kolumanguli Dharapuram Tiruppur-638710	1.41.5	S.F.No. 156/2B (P) Kolumanaguli Village, Dharapuram Taluk	Tiruppur	Recommended
10 5	4031	Thiru. K. Periyasamy Salipalayam Kuppam Aravakurichi Taluk, Karur	2.54.0	S.F.No. 478/A & 478/B1 (Consent Patta Land) Munnur Village, Aravakurichi Taluk	Karur	Recommended subject to condition tree saplings to be planted and evident photocopies to be submitted by PP
10 6	4032	Thiru. A. Jayaraman H2, 42, R. M. Colony Dindigul-624001	3.99.5	S.F.No. 265/1, 265/2, 265/3, 265/4, 422/1, 422/2 K. Pudukkottai & Kothapuli Village, Dindigul West Taluk	Dindigul	Recommended
10 7	4034	Thiru. K. Murugesan Punnamm Chathiram Aravakurichi Taluk, Karur	1.60.0	S.F.No. 801/1 (Patta Land) Kuppam Village, Aravakurichi Taluk	Karur	Recommended
10 8	4036	Thiru. S. Kandhasamy Malaikovil Semmandampalayam Aravakurichi Taluk, Karur	4.37.0	S.F.No. 750 (Part) & 751 (Patta Land) Thennilai East Village, Aravakurichi Taluk	Karur	Absent
10 9	4037	Thiru. R.P. Kaliappan Periyarengapalayam Punnam Aravakurichi Taluk, Karur	1.45.0	S.F.No. 95/B1, 95/B2, 95/B3, 95/B4 & 95/B5 (Patta Land) Paganatham Village, Karur Taluk	Karur	Recommended
11 0	4041	M/s. New Five Star Crusher S. Thottampatti Nadanthai (South) Village Aravakurichi Taluk, Karur	4.98.5	S.F.No. 719, 720, 732 (P) & 733 (P) Nadanthai (South) Village, Aravakurichi Taluk	Karur	Deffered for want of Particulars
11 1	4042	Thiru. A. Natarajan No. 3/80, Pullyampalayam Punnam Post Aravakurichi Taluk, Karur	0.91.0	S.F.No. 106/2 (Patta land) Paganatham Village, Karur Taluk	Karur	Deffered for want of Particulars

11 2	4044	Thiru. K. Thangarasu Natham Medu Athur Manmangalam Karur	4.33.5	S.F.No. 614/1A, 614/1B, 621/1B, 621/2B, & 621/4B (Patta Land) Manjanaickenpatty Village, Kadavur Taluk	Karur	Deffered for want of Particulars
11 3	4055	Thiru. P. Govindan D. Thurunjipatty Thenkaraikottai Pappireddipatty Dharmapuri-636904	1.51.5	S.F.No. 30/1 Dhasirahalli Village, Harur Taluk	Dharmapuri	Deffered for want of Particulars
11 4	4058	Thiru. R.N. PrasannaNo.15, Narayanan NivasSomasundaram LayourUdumalai RoadPollachiCoimbatore	1.20.5	S.F.No. 406/1A1B(P) & 410/3B (P)Sinjuvadi Village,Pollachi Taluk	Coimbatore	Recommended
11 5	4059	Thiru. P. Thangavel No.5/56-1, Kandasampuram Udumalai Road M.K.Patti Pollachi Coimbatore-642 003	0.92.0	S.F.No. 107/2(P) Nattukalpalayam Village, Pollachi Taluk	Coimbatore	Deffered for want of Particulars
11 6	4066	Thiru. R. Manokaran Kuppam Aravakurichi Taluk Karur	1.31.0	S.F.No. 1063/2 (Patta land) Thennilai East Village, Aravakurichi Taluk	Karur	Deffered for want of Particulars
11 7	4068	Thiru. Rajavadivu Poruppumettupatti Sindupatti Usilampatti Taluk, Madurai	2.86.5	S.F.No. 88/1, 88/2A, 88/2B & 88/3A Poruppu Mettupatti Village, Usilampatti Taluk	Madurai	Deffered for want of Particulars
11 8	4079	Thiru. S. Sundaraj No.4/44, West Street Mela Thattaparai Thoothukudi Thoothukudi-628304	1.53.5	S.F.No. 292 & 293 (P) Mela Thattaparai Village, Thoothukudi Taluk	Thoothukudi	Recommended
11 9	4081	Tmt. R. Saradha Onthampatti Manapparai Tiruchirappalli-621302	0.88.5	S.F.No. 380/1A Vengaikurichi Village, Manapparai Taluk	Tiruchirappalli	Recommended

12 0	4103	Thiru. K.S. Rajmohan No. 23/1, Kandhan Palayam Velayuthampalayam Post Karuar Taluk Karuar District	1.04.0	S.F.No. 1055(P) Bit - I Kodanthur Village, Aravakurichi Taluk	Karur	Absent
12 1	4104	Thiru. R. Senthilkumar No. 45/1, Ellees Nager Dharapuram Taluk Tiruppur District - 638657	3.50.0	S.F.No. 245/3(Part) Manakkadavu Village, Dharapuram Taluk	Tiruppur	Deffered for want of Particulars
12 2	4123	Thiru. T.P.S. Sadasivam Thinnapatty Omalur Salem-636305	1.54.0	S.F.No. 241/2, 3 (p) Nadupatty Village, Omalur Taluk	Salem	Recommended
12 3	4124	Thiru. M. Vellaiyan Sri Jayamurugan Blue Metals China Nadupatty Chikkanampatty Omalur Salem - 636351	2.05.5	S.F.No. 98/6, 98/7, 98/8 & 260/1 Veppilai Village, Omalur Taluk	Salem	Recommended
12 4	4125	Thiru. G. Nagarajan No.52-E, Railway Station Road Omalur Salem 636 455	0.81.0	S.F.No. 6/5B & 6/6BKulamanickenpatty Village, Omalur Taluk	Salem	Absent
12 5	4130	Thiru. S. Sriram No.2, Lakshmipuram Extension-II Mudichur Road West Tambaram Chennai-45	2.00.0	S.F.No. 58/2 (P) T.C. Kandigai (East) Village, Tiruttani Taluk	Tiruvallur	Deffered for want of Particulars
12 6	4132	Thiru. S. Vinothkumar No.8A, Duraisamy Pillai Street Tambaram West Chennai-45	1.92.0	S.F.No. 394/1F, 394/2B & 394/2C Pinayur Village, Uthiramerur Taluk	Kancheepura m	Deffered for want of Particulars

12 7	4133	Thiru. S. Ravisundar No.1/1178-A, 1st Street Bethel Nagar Injambakkam Chennai-115	1.88.0	S.F.No. 417 Pinayur Village, Uthiramerur Taluk	Kancheepura m	Deffered for want of Particulars
12 8	4144	Tvl. Arulmigu Kannimarsamy Kaludaikkum Magalir Nalasangam T. Rajagopalanpatti Andipatti Theni	2.50.0	S.F.No. 1619(P) Timmarasanaickanur Bit II Village, Andipatti Taluk	Theni	Deffered for want of Particulars
12 9	4151	Thiru. C. Perumal No.126, EB Road Thiruchirappalli - 628008	1.00.0	S.F.No. 139 Block-3 Esanai Village, Perambalur Taluk	Perambalur	Absent
13 0	4152	Thiru. P. Selvakumar No.23, Jayalakshmi Illam Uraiyur Trichy-3	1.00.0	S.F.No. 328/2 Block-1 Kalpadi North Village, Perambalur Taluk	Perambalur	Absent
13 1	4154	Tmt. A. Lakshmi No.BC 59, Ilango Street Mahalingapuram Pollachi Taluk, Coimbatore - 642 002	1.06.0	S.F.No. 68/1, 69/2A, 81A/1A1 & 81A/1A2 Solapalayam Village, Pollachi Taluk	Coimbatore	Deffered for want of Particulars
13 2	4158	Thiru. V. Chandran No.5/68, VLS Office Thalapathi Nagar Venjiambakkam Singaperumalkoil, Chengalpattu Kancheepuram 603 204	2.45.0	S.F.No. 509, 510, 511/1A, 511/1B & 511/2A Pakkam Village, Madurantakam Taluk	Kancheepura m	Recommended on receipt of NBWL acknowledgeme nt and evedednt for 500 saplings plantation

13 3	4159	Thiru. V. Chandran No.5/68, VLS IllamThalapathi NagarChinna VenjiambakkamSingaperumal koil, ChengalpattuKancheepuram 603 204	3.25.0	S.F.No. 511/2B, 512, 514 & 515Pakkam Village,Madurantakam Taluk	Kancheepura m	Recommended on receipt of NBWL acknowledgeme nt and evedednt for 500 saplings plantation
13 4	4167	Thiru. K. Shanmugam Nallavur Vanur Villupuram 604154	1.99.5	S.F.No. 318/14, 15, 16, 20, 21 & 22, 319/3 Peravur Village, Vanur Taluk	Villupuram	Recommended
13 5	4180	Thiru. B. Suresh No.1/150, Main Road 36, Eraiyur Veppanthattai Perambalur	1.00.0	S.F.No. 52/1 Block-14 Sengunam Village, Perambalur Taluk	Perambalur	Recommended
13 6	4193	Thiru. A. Durairaj No.52, Sivankovil Street Elambalur Perambalur Perambalur-621212	1.00.0	S.F.No. 52/1 Block-11 Sengunam Village, Perambalur Taluk	Perambalur	Recommended
13 7	4200	Tmt. Pandiselvi Thaiyenipatti Villathupatti Pudukkottai	1.50.0	S.F.No. 94 (Part) (Q.No.3 South) Sithannavasal Village, Illuppur Taluk	Pudukkottai	Deffered for want of Particulars
13 8	4224	Thiru. A. Sardharmohaideen No.4-3.23, Main Road Achanpudhur Senkottai Tirunelveli - 627415	3.37.0	S.F.No 422/3, 416/1, 2, 3, 4, 425/18, 20 Poolankulam Village Alangulam Taluk	Tirunelveli	Deffered for want of Particulars
13 9	4225	Thiru. R. Ponrajan N0.L-198, T.N.H.B. Colony Tenkasi Tirunelveli 627 811	1.00.0	S.F.No 372/13 (P) Periyapillaivalasai Village Senkottai Taluk	Tirunelveli	Recommended on receipt of NBWL acknowledgeme nt
14 0	4239	Thiru. P. Mohanraj No.12, South Street Aranarai Perambalur	1.00.0	S.F.No 120/2A, 1A Block-2 (North) Aranarai North Village Perambalur Taluk	Perambalur	Recommended

14 1	4253	Thiru. K. Ravisuthan No.286/51, Nainampatty Road Street Gandhi Nagar Vellandivalasu Edappadi Salem - 637101	0.81.0	S.F.No 415/3B Vellirivelli Village Edappadi Taluk	Salem	Absent
14 2	4254	Thiru. R. K. Palanisamy No.4/5A, Ramampalayam Jadayampalayam Mettupalayam Coimbatore	4.02.0	S.F.No 341/3 Bellathi Village Mettupalayam Taluk	Coimbatore	Recommended on receipt of NBWL acknowledgeme nt
14 3	4258	Thiru. K. Kathirkamaraj No.37, IX Trust Cross Street Mandaveli Pakkam Chennai-28	1.79.0	S.F.No 794/1 Padmanabamangalam Village Srivaikuntam Taluk	Thoothukudi	Absent
14 4	4259	Thiru. K. KathirkamarajNo.37, IX Trust Cross StreetMandaveli PakkamChennai-28	1.78.5	S.F.No 794/3Padmanabamangal am VillageSrivaikuntam Taluk	Thoothukudi	Absent
14 5	4270	Thiru. B. Ravichandran No.161, Periyakamala Street Trichy Trichy	1.00.0	S.F.No 10/1 (Block-21) (Government Poramboke Land) Padalur (East) Village Kunnam (Presently at Alathur) Taluk	Perambalur	Recommended
14 6	4273	Thiru. N. Jayaraman South Street Krishnapuram Veppanthattai Perambalur	1.00.0	S.F.No 200/1C (Part) (Block-7) (Government Poramboke Land) Vengalam (East) Village Veppanthattai Taluk	Perambalur	Recommended
14 7	4295	Thiru. M. Mohan NO.8, Rajendran Nagar Palayamjottai Tirunelveli 627002	1.97.5	S.F.No 523 Tharuvai Village Palayamkottai Taluk	Tirunelveli	Deffered for want of Particulars
14 8	4320	Thiru. V. Paneer Selvam South Street Thennamanadu Orathanadu Taluk Thanjavur 614925	1.00.0	S.F.No 10/1 (Block-22) Padalur (East) Village Alathur (Old Perambalur) Taluk	Perambalur	Deffered for want of Particulars
14 9	4380	Thiru. D. Sakthivel No.73, West Car Street Thirupparankundram Madurai	2.83.5	S.F.No 67/2 Mangulrevu Village Peraiyur Taluk	Madurai	Deffered for want of Particulars

150	4384	Thiru. P. Selvasundaram No.1/2, Ramamoorthy Nagar Raghupathinaickenpalayam Railway Colony post Erode -2	2.37.5	S.F.No 49 Kuttapalayam Village Kangayam Taluk	Tiruppur	Recommended
151	4413	Thiru.H.Rajaram No.5/2 Sriram Nagar 3rd Street ,Polur Main Road Tiruvannamalai	2.00.0	S.F.No 21 Veraiyur Village Village Tiruvannamalai Taluk	Tiruvannamalai	Deffered for want of Particulars
152	4426	Thiru.V.Thangaraj no.9/203 Nainarkovil Street Vellaipanaiyerpatti Tenkasi Tirunelveli-627808	0.83.5	S.F.No 754/21,754/22,754/23 Keelakadayam Village Ambasamuduram Taluk	Tirnelveli	Recommended on receipt of NBWL acknowledgment
153	4499	Thiru.A.D.Elango No.531-C Tiruppur Main Road Kunnathur Avinashi Tiruppur	4.56.5	S.F.No 825/A(P),825/B2(P),826/A2(P),826/B,827/1,827/2,827/3,827/4,827/5 Nall Road Village Kangayam Taluk	Tiruppur	Recommended
154	4571	Tmt. C. Arulmozhi Karungalakudi Melur Madurai	1.10.5	S.F.No 387 (P) Ayyapatti Village Melur Taluk	Madurai	Deffered for want of Particulars
155	4572	Thiru. V. Senthilraja No.5/88, Ottakovilpatty Ayyapatti Melur Dindigul - 626103	0.91.5	S.F.No 407/4 & 408 Sirukudi Village Natham Taluk	Dindigul	Deffered for want of Particulars
156	4576	Thiru. P.K.M. Prabakaran Othaveedu Andarkottaram Madurai - 625020	0.81.0	S.F.No 48/2 O.Alankuklam Village Madurai South Taluk	Madurai	Deffered for want of Particulars
157	4612	Thiru.M.Baskaran Thiruvalakkurichi Padalur East &post Alathur Perambalur	5.40.5	S.F.No 4/1,4/2,7/3,7/4B, & 7/5 Padalur east Village Alathur Taluk	Perambalur	Recommended

15 8	4615	Thiru.P.Alagapapan Naranamangalam Village Kunnam Perambalur	1.00.0	S.F.No 324/1(P) Naranamangalam Village Kunnam Taluk	Perambalur	Recommended
15 9	4624	Thiru.M.Ravi No.2/78 Malaiyadivaram Chettikulam Post Alathur Taluk Perambalur	1.00.0	S.F.No 10/10(Block-20) Padalur east Village Kunnam Taluk	Perambalur	Recommended
16 0	4632	Thiru.R.Ravichandran No.103,Periyar Nagar Thiruvanaikkovil Trichy	1.00.0	S.F.No 10/1(Block-19) Padalur East Village Kunnam Taluk	Perambalur	Recommended
16 1	4637	Thiru.S.Viajakumar Old.No.9A,New No.10 Collector Office Road Contonment Trichy	0.40.0	S.F.No 300/1 Block-3 Naranamangalam Village Kunnam Taluk	Perambalur	Recommended
16 2	4639	Thiru.N.Muthukumar Nattarmangalam Post Kunnam Perambalur	2.00.0	S.F.No 258(Part-3) Nattarmangalam Village Kunnam Taluk	Perambalur	Recommended
16 3	4645	Thiru.K.Natarajan `No.122-A1 Kandhasamy gounder Street Rathianpuri Coimbatore	1.83.5	S.F.No 291/2A2,291/2B Pachapalayam Village Sulur Taluk	Coimbatore	Deffered for want of Particulars
16 4	4646	Thiru.A.Ammaisaiappan No.4/90-A Skmk Illam Kurumbapalayam Madukkarai Coimbatore	2.35.5	S.F.No 72/1,72/2 and 72/3 Myleripalayam Village Madukkarai Taluk	Coimbatore	Deffered for want of Particulars
16 5	4647	Thiru.D.JayaKumar 16/175 Palakkad Road Marappalam Madukkarai Coimbatore	2.32.0	S.F.No 631/2,632(P), &649(P) Madukkarai Village Madukkarai Taluk	Coimbatore	Deffered for want of Particulars
16 6	4668	Tmt.S.Kanimozhi No.152 Old street Avoor post Tiruvannamalai Taluk Tiruvannamalai	1.00.0	S.F.No 105/1(p-4) Periyakolapadi Village Chengam Taluk	Tiruvannamal ai	Recommended

167	4704	Thiru.k.ThirumoorthiNo.18/35Thoppu ThoottamMarappalamMadukkaraiCoimbatore	0.97.5	S.F.No 633/2B,633/3 &633/2A2AMadukkarai VillageMadukkarai Taluk	Coimbatore	Deffered for want of Particulars
168	4748	Thiru. R. Balaguru No.33, Guru Illam V.T. Pandian Nagar Karaipatti Virudhunagar District	1.08.0	S.F.No 62/5 Aladipatti Village Aruppukottai Taluk	Virudhunagar	Recommended
169	4754	Thiru. M. Abdul Ali No.8, Moonusuzhi Road Vadakarai Shencottai Tirunelveli.	4.00.0	S.F.No 1,2,11/2 & 12 Surandai Part-1 Village V.K. Pudur Taluk	Tirunelveli	Recommended
170	4765	Thiru. P. Rajendran No.18-7-23, Kamaraj Nagar Surandai Veerakeralampudur Tirunelveli	0.85.0	S.F.No 281/6 & 281/8 Kulaiyaneri Village Veerakeralampudur Taluk	Tirunelveli	Deffered for want of Particulars
171	4768	Thiru. R. Gopi No.4/75B, Veerapathiran Kovil Street Vijayappanur Irayandapuram Thandrapattu Tiruvannamalai	1.71.0	S.F.No 2/1, 2/2A & 2/3 Varagur Village Thandrapattu Taluk	Tiruvannamalai	Deffered for want of Particulars
172	4770	Thiru. P. Arun Gopinath No.4/136, Sither Street Mettur Ambasamudram Tirunelveli	1.85.0	S.F.No 826 Keelakadayam Village Ambasamudram Taluk	Tirunelveli	Recommended on receipt of NBWL acknowledgment
173	4791	Thiru. V. Jeba Dhas Shalom House Iniya Nagar Verkilambi Kalkulam Kanniyakumari - 629 166	1.37.5	S.F.No 852/4 & 854/1, 7, 8 (Patta Land) Mecode Village Kalkulam Taluk	Kanniyakumari	Recommended subject to condition the depth of mining restricted only above Ground level
174	4792	Thiru. C. Suresh No.22/2a, Sri Ram Illam Keezhakarupucodu Chukankadai Kalkulam Kanniyakumari - 629 003	0.99.5	S.F.No 408/6A, 6B, 7P (Patta Land) Villukuri Village Kalkulam Taluk	Kanniyakumari	Recommended subject to condition the depth of mining restricted only above Ground level

17 5	4801	Tmt. B. Lakshmi Rajam Ramana Bhavan No.36, South Street Melagaram Tenkasi Tirunelveli-627818	2.59.0	S.F.No 1519/4, 1519/5, 1519/6E, 1519/8, 1519/9, 1519/10A, 1519/10B & 1519/12 Vengadampatti Part - 2 Village Alangulam Taluk	Tirunelveli	Deffered for want of Particulars
17 6	4804	M/s. Blue Metal Company No.250/1-1, Tiruchendur Road Kumbikulam Radhapuram Tirunelveli - 627112	1.61.5	S.F.No 1115/1 & 1116/1 Kottaikarunkulam Part-1 Village Radhapuram Taluk	Tirunelveli	Deffered for want of Particulars
17 7	4805	M/s. Sri R.R. Construction No.4D, N.C.C. Office Road Vishalatchipuram Madurai	2.72.5	S.F.No 372/1A, 372/1B, 372/2A, 372/2B, 372/2C, 372/2D, 372/2E, 378/1B 378/1C & 378/2 Timmarasanaickanur Bit-I Village Andipatti Taluk	Theni	Deffered for want of Particulars
17 8	4812	Tmt. VaidhehiMallakottaiThirupathur Sivagangai-630566	1.36.5	S.F.No 181/2, 181/3A, 183/22B & 183/6BMallakottai VillageThirupathur Taluk	Sivagangai	Recommended
17 9	4814	Thiru. P.S. Jayaraman D.No.14/2, Rajaji Nagar 3rd Cross Ariyalur Ariyalur	1.23.0	S.F.No 131/1 (Block 1) Government Poramboke Land Padalur East Village Kunnam presently at Alathurgate Taluk	Perambalur	Recommended
18 0	4815	Thiru. P.S. Jayaraman D.No.14/2, Rajaji Nagar 3rd Cross Ariyalur Ariyalur	1.00.0	S.F.No 172 (Part) Block-III Government Poramboke Land Padalur East Village Kunnam presently at Alathurgate Taluk	Perambalur	Recommended
18 1	4827	Thiru. K. Paramasivam Chokkanthangal Keelsiviri Marakkanam Villupuram	1.06.5	S.F.No 10/2, 10/5A, 10/5B, 10/5C & 10/9 Nalmukkal Village Marakkanam Taluk	Villupuram	Recommended
18 2	4828	M/s. Blue Metal Company No.250/1-1, Tiruchendur Road Kumbikulam Radhapuram Tirunelveli-627112	3.09.5	S.F.No 1047 Kottaikarunkulam Part-1 Village Radhapuram Taluk	Tirunelveli	Deffered for want of Particulars

183	4831	Thiru. Boopal Gounder Guruvammapettai Endiyur Tindivanam Villupuram- 604002	0.41.5	S.F.No 69/1 Keelারণunam Village Tindivanam Taluk	Villupuram	Deffered for want of Particulars
184	4842	Thiru. A.D. Elango No.531-C, Main Road Kunnathur Kangeyam Tiruppur-638103	1.92.0	S.F.No 823/A & 823/B Nall Road Village Kangeyam Taluk	Tiruppur	Recommended
185	4860	Thiru. R. Vijayakumar No.3/306, South Street Kanaiyar Ulundurpet Villupuram	0.83.5	S.F.No 332/1, 321/1 & 321/3 (Patta Land) Thirupair Village Ulundurpet Taluk	Villupuram	Recommended
186	4870	Thiru. N. Mathiyalagan Koothanur (Nattarmangalam) Sridevimangalam Kunnam (Presently at Alathur Gate) Perambalur	1.00.0	S.F.No 258 (Part-5) Government Poramboke Land Nattarmangalam Village Kunnam (Presently at Alathurgate) Taluk	Perambalur	Recommended
187	4884	Thiru. Sakthi Periyakumaran N.5/132, Velavan Illam Ex. VM Street Koodankulam Radhapuram Tirunelveli-627106	4.16.5	S.F.No 432, 437/3A & 438/3 Vijayapathy Village Radhapuram Taluk	Tirunelveli	Deffered for want of Particulars
188	4897	Thiru. V. Solaimalai	0.34.8	22/5A (Patta Land)	Madurai	Recommended
189	4906	Thiru. D. Thangaraj P.G. 14 Gobi Taluk Bonded Labourers Rehbeitaiton Jelly and Stone Work's Co- Operative Society Ltd.Malapalayam Gobi Erode-638458	2.28.0	23/3 Ozhalakoil ,Gobi	Erode	Absent
190	4932	Thiru. P. Madhavadas, Chukankadai, Kanniyakumari-629807	1.00.0	10/4A (P), Aloor Village, Kalkulam Taluk,	Kanniyakumar i	Deffered for want of Particulars
191	4936	Thiru. V. Abdul Gafoor Nalakath Nalakath House ,Kuttipaara, Payyanad Manjeri, Malapuram, Kerala	3.40.0	147/1B, Therkku Sankarankovil Village, Sankarankoil Taluk	Tirunelveli	Recommended

19 2	4938	M/s. PCS Industries Pvt. Ltd., No.B-7, B. Wing 6th Floor,Gemini Parsn Manere 602, Anna Salai, Chennai	2.49.5	220/1, 220/2 & 222,Periya Venmani, Maduranthagam Taluk	Kanchipuram	Recommended
19 3	4939	Thiru. A.S. Sekar V. Meenakshipuram, Velichanatham,Madurai	2.00.0	1 (Part-2) (Government Porambke lands),Rajakkalpatti, Vadipatti Taluk	Madurai	Recommended
19 4	4940	Thiru. V. Mahendran No.24, Chettiyar Street Palamedu Village, Vadipatti Taluk, Madurai	2.00.0	12(Part) (Government Poramboke Lands) Manikampatti,Vadipatti	Madurai	Recommended
19 5	4946	Tmt. S. Palaniammal Karukkampatti Vedasandur Dindigul	0.94.5	163/5A2 & 163/5B V.Pudukottai Vedasandur	Dindigul	Recommended
19 6	4959	M. Maridurai, No.3/189, A.Maruthappapuram,Nettur Alangulam, Tirunelveli	1.29.0	62,Kanarpatti,Tirunelvel i	Tirunelveli	Deffered for want of Particulars
19 7	4971	Thiru. A. Aji Kumar No. 19- 195, Kuzhinjan Vilai Soorya Code Kanyakumari - 629 190	1.40.0	483/1 (Patta Land) Mecode Kalkulam	Kanniyakumar i	Deffered for want of Particulars
19 8	4972	Thiru. T.V. Rajendrakumar Kannan Vilagam Kappukadu Kanniyakumari Kanniyakumari-629162	1.00.0	189/1 (Patta Land) Mecode Vilavancode	Kanniyakumar i	Deffered for want of Particulars
19 9	4979	Thiru V.P.Ramasamy Veerankattu Thottam,No.63, Vellampalayam Village,Palladam Taluk,Tiruppur District	1.59.0	286/1 (P) Iduvai Tiruppur	Tiruppur	Recommended
20 0	4982	Thiru. R. Sivakumar No.63, Velampalayam Mangalam Palladam Tiruppur - 641663	1.01.5	199/1A2 Poomalur Palladam	Tiruppur	Recommended
20 1	4983	Thiru. A. Kandasamy Gounder Velampalayam Mangalam Palladam Tiruppur - 641663	0.89.5	17/1A2D, 17/1B1B Velampalayam Palladam	Tiruppur	Recommended

20 2	3979	M/s. Malaieswarar Kaludaikkum Magalir Suyauthavikulu Vadakku Theru T. Subbulapuram Andipatti Theni	1.00.0	S.F.No. 659/1 (Part-IV) Timmarasanaickanur Bit-I Village, Andipatti Taluk	Theni	Recommended
20 3	3980	M/s. Sri Eswaran Kaludaikkum Magalir Suyauthavikulu Vadakku Theru T. Pudur T. Subbulapuram Andipatti Theni	4.32.0	S.F.No. 95/1 Timmarasanaickanur Bit-I Village, Andipatti Taluk	Theni	Recommended
20 4	4144	Tvl. Arulmigu Kannimarsamy Kaludaikkum Magalir Nalasangam T. Rajagopalanpatti Andipatti Theni	2.50.0	S.F.No. 1619(P) Timmarasanaickanur Bit II Village, Andipatti Taluk	Theni	Absent
20 5	4535	Thiru.J.saiprakash No.41 Madley road T Nagar Chennai-600017	4.98.0	S.F.No 36/2,1A,1B,1c & 583/2B(P),1,2A,4A Poonthandalam & Pazhanthandalam Village Sriperumbudur Taluk	Kanchipuram	Recommended
20 6	4629	Thiru.M.Thiyagarajan Old No.3/18 New nO.3/56 Athibarasakthi Thiruppalai Madurai	1.27.0	S.F.No 17/2,17/28 & 17/31 Krishnapuram Village Vadipatti Taluk	Madurai	Recommended
20 7	4829	Thiru. D. Radhakrishnan No.306, Mettu Street Endiyur Vanur Villupuram- 604304	1.50.0	S.F.No 67/1, 67/3P, 67/4P, 67/6, 67/7, 67/8, 67/9 & 69/2 Eraiur Village Vanur Taluk	Villupuram	Deffered for want of Particulars
20 8	4928	Thiru. R. Manoharan	4.37.0	252/3, 253/2A, 253/2B, 253/7, 253/8, 253/9, 253/10, 253/11	Pudukkottai	Absent

209	4974	Thiru. M. Tamilarasan	1.64.5	224/5, 224/6, 224/7 & 224/9	Theni	Absent
210	4999	Thiru. R. Veeramani	4.00.5	399/2A(P)	Madurai	Recommended
211	5000	Thiru. C. Manogaran	4.00.00	198(P)	Madurai	Recommended
212	4619	Thiru.D.Kumar No.4/41 Pilliyar Kovil Street Kammavar Pudhur Katapadi,Vellore	1.15.5	S.F.No 336/3 Kaigiri Village Kadpadi Taluk	Vellore	Recommended
213	4881	Thiru. P. Vinayagamoorthi No.61C, Ramana Nagar Thiruvannamalai	0.75.5	S.F.No 4/7 Pavithram Village Thiruvannamalai Taluk	Thiruvannamalai	Recommended
214	4493	Thiru.E.Elampoopathi No.1/125 Melpatti Street Karigiri Village Katpadi Vellore	0.80.0	S.F.No 412/11(P-1) Palamathi Village Vellore Taluk	Vellore	Recommended
215	5005	Tvl. Salem Mines & Aggregates, No. 9, Nagarathinam Nager Extension, Thiruneermalai Road,Chennai - 45	3.13.0	175/2,175/3,175/8B,175 /9B,175/10B,175/11B,1 75/12,176/2A,176/2B, Kunnavakkam, Thirukazhukundram	Kanchipuram	Recommended
Agenda Item						

The SEAC appraised the following project proposals 1. Savudu/Gravel/Saral/Earth/Brick Earth - 50 Nos.; along with approved mining plans, Pre-feasibility reports and other supporting documents in detail. These proposals are for seeking Environmental Clearance for mining of minor minerals. The SEAC while appraising in detail, the Project proposals furnished by the proponent, took into consideration of the impact on pollution that is possible in these types of activities and after verification of the details furnished by the proponent recommended the proposals subject to the verification of the following:

1. The distance between the mining area and interstate border, wherever necessary.
2. The distance between the mining area and the boundary of Western Ghats, Prohibited area wherever necessary.
3. One month base line data be collected to ensure the pollution within the limits.

The following should be incorporated as conditions in EC.

1. Free silica test should be conducted and reported
2. Air Sampling at intersection point should be conducted and reported
3. Bunds to be provided at the boundary of the project site.
4. Ground water quality monitoring should be conducted once in 3 Months
5. Transportation of the quarried materials shall not cause any hindrance to the Village people/Existing Village road.
6. Rainwater shall be pumped out Via Settling Tank only
7. The project proponent shall undertake plantation/afforestation work by planting the native species on all side of the lease area
8. Atleast 10 neem trees should be planted around the boundary of the quarry site.
9. Floor of excavated pit to be levelled and sides to be sloped with gentle slope (Except for granite quarries) in the mine closure phase.
10. Earthen bunds and barbed wire fencing around the pits with green belt all along the boundary shall be developed and maintained.
11. The Project Proponent shall ensure a minimum of 2.5% of the annual turn over will be utilized for the CSR Activity
12. The Project Proponent shall provide solar lighting system to the nearby villages
13. The Project Proponent shall comply the mining and other relevent rules and regulations where ever applicable.
14. As per MoEF&CC, GoI, Office Memorandum dated 30.03.2015, prior clearance from Forestry & Wild Life angle including clearance from obtaining committee of the National Board for Wild life as applicable shall be obtained before starting the quarring operation, if the project site is located within 10KM from National Park and Sanctuaries.
15. The quarrying activity shall be stopped if the entire quantity indicated in the Mining plan is quarried even before the expiry of the quarry lease period and the same shall be monitored by the District Authorities.

MINOR MINERALS - Brick Earth, Savudu, Gravel (50)

Sl. No.	F.No	Name of the proponent	Extent in ha.	SF.No	District	Recommendation of the Committee
1	2142	Thiru A. Subramaniyan Malaiyapatti Village Thatchankurichi Village Gandarvakottai Taluk Pudukkottai District - 613 005	3.24.0	S.F.No. 278/1, 3, 4, 5, Malaiyapatti Village, Gandarvakottai Taluk	Pudukkottai	Absent
2	2192	Thiru R. Dheenadayalan Small Street, Arigilapady Village Arakonam Town Vellore - 631 151	0.52.50	S.F.No. 115/5B, Illupai Thandalam Village, Arakkonam Taluk	Vellore	Absent
3	2595	Executive Engineer Public Works Department Water Resources Department Krishna water supply project Division VIII, Chepauk Chennai - 600 005	18.92.0	S.F.No. 98/1 Poromboke PWD Tank, Meiyur Village, Poonamallee Taluk	Tiruvallur	Absent

4	2797	The Director L&T Shipbuilding Ltd Kattupalli Village Ponneri Taluk Tiruvallur - 600 120	2.40.0	S.F.No. 155/2 Poromboke PWD Tank, Thathamaji Village, Ponneri Taluk	Tiruvallur	Absent
5	2850	Thiru P. Manokaran No.2/171, East Street Pillaiperumanallur Kazhiyappanallur Village Tharangambadi Taluk Nagapattinam - 609 307	1.82.0	S.F.No. 349/1B(P) & 349/2B, Pillaiperumanallur Village, Tharangambadi Taluk	Nagapattinam	Absent
6	3203	Thiru G. Veerasekaran No.107, 5th Street Dr. Vimala Nagar, Medavakkam Chennai - 600 100	1.91.75	S.F.No. 226(P), Periya Eri (PWD Tank) Sitalapakkam Village, Sholinganallur Taluk	Kancheepuram	Absent
7	3573	Thiru D. Suresh No.121, Ampalakara Street Sillathur Village Orathanadu Taluk Thanjavur District - 614902	5.70.0	S.F.No. 173(P), Salaiyampalayam Village, Villuppuram Taluk	Villuppuram	Absent
8	3582	Thiru M. Senthil Kumar 29, North Street, Pannayapuram, Thiruvanaikoil (via) Tiruchirappalli	2.99.0	152/2 & 177/4 Melur Village Srirangam Taluk	Tiruchirappalli	Absent
9	3583	Thiru P. Naveen Chandar 4/167, Maruthupandian Street, Thalsildar Nagar, Madurai - 625 020	4.00.0	493/1 Elumalai Village Peraiyur Taluk	Madurai	Recommended
10	3599	Thiru T. Yoseph No.306A, Main Road, Leppaikudiyiruppu, Perungudi Village, Kaval Kinaru Post, Radhapuram Taluk, Tirunelveli District - 627 105	0.81.0	206 Panagudi Part-1 Village Radhapuram Taluk	Tirunelveli	Absent
11	3606	Thiru M. Chinnasamy J. Sithamoor Madura Pillaiyarpalayam Village Thirukovilur Taluk Viluppuram District - 605 757	0.19.5	120/19B Manalurpettai Village Thirukovilur Taluk	Villuppuram	Absent
12	3635	Thiru S. Kumaravel No 181/2, Elangovadigal Street Ramanathapuram - 623 501	1.44.0	S.F.No. 60/1A1, 60/2, 61/4A, 61/4B, 62/10A9, 62/10A10 Kudakottai Village, Radhapuram Taluk	Ramanathapura m	Recommended

13	3640	Thiru C. Rajendiran No 28E, 2-3, 3rd South Street Bharathiyar Nagar, Kambam Uthamapalayam Taluk Theni - 625 516	2.72.0	S.F.No. 1742/2, 1743, 1746, 1747/1A, 1757 Kambam Village, Uthamapalayam Taluk	Theni	Recommended
14	3678	Thiru A. Prem No.10, Padmavathy Nagar Nemilicheri, Thiruniravur- P.O. Chennai - 600 024	4.50.0	S.F.No. 192-PWD Tank Thandalam Village, Tiruvallur Taluk	Tiruvallur	Recommended subject to condition that EC is valid based on the outcome of NGT order
15	3687	Thiru N. Udayakumar No 44, Chithanallur Semmangalam Post Thiruvarur Taluk Thiruvarur - 611 101	0.92.5	S.F.No. 125/1C, 125/2A, 142/9, 144/15B Karayapalaiyur Village, Kodavasal Taluk	Thiruvarur	Recommended
16	3710	Thiru S.P. Saravanapandiyan No 4-454, Thangappapuram Katturani Post Ramanathapuram Taluk Ramanathapuram - 623 503	1.22.5	S.F.No. 524/2 Sakkarakottai Village, Ramanathapuram Taluk	Ramanathapuram	Recommended on receipt of NBWL acknowledgement
17	3726	Thiru S. Manikandan No.56/43, South Forth Street Pudukottai - 622 001	3.00.0	S.F.No. 310, 311, 312 Nallambakkam Village, Chengalpattu Taluk	Kancheepuram	Absent
18	3740	Thiru M.G. Rahulkumar Thirumala Brick Field Puduvoyal Village Gummidipoondi Taluk Tiruvallur	0.49.0	S.F.No. 55/8B, 9 Eliambedu Village, Ponneri Taluk	Tiruvallur	Recommended

19	3742	Thiru R. Banumathi W/o S.Ravi Vannankattu Thottam Arakkan Kottai Gobichettipalayam Taluk Erode - 638 506	1.44.0	S.F.No. 603/3, 4 Ayalur Village, Gobichettipalayam Taluk	Erode	Recommended
20	3752	Thiru P.Ravi Railway Contractor, 36/1, Periyavillai, Kottar Post, Nagerkovil, Kanniyakumari District - 629 002	0.60.0	S.F.No. 169/2(P) Melapalayam Village, Palayamkottai Taluk	Tirunelveli	Recommended
21	3757	Thiru K. Sivaprakasam No 188, Anna Street Ramapuram Kadaperi Post Walajah Taluk Vellore	0.77.0	S.F.No. 382/15, 382/16 Kadaperi Ramapuram Village, Walajah Taluk	Vellore	Recommended
22	3783	Thiru J. Lourdu MaryW/o JosephSengudi Village, R.S.Mangalam ViaThiruvadanai TalukRamanathapuram - 623 525	0.80.0	S.F.No. 117/1, 6, 128/8Sengudi Village,Thiruvadanai Taluk	Ramanathapura m	Absent
23	3859	Thiru V.Raghuvaran Thiruppunaivasal Post, Avudaiyarkovil Taluk, Pudukottai District	3.15.0	S.F.No. 500/2(P) Sathanancherry Village, Uthiramerur Taluk	Kanchipuram	Absent

24	3882	Thiru M.Kalidass No.5/393, Keelakadukkaivalasai, Kadukkaivalasai Village & Post, Ramanathapuram Taluk, Ramanathapuram - 623 516	2.16.5	S.F.No. 258 Karan Village, Ramanathapuram Taluk	Ramanathapura m	Recommended
25	3907	Thiru. S. Paramasivam Veerasamy Kovil Street Puliyankudi Village Sivagiri Tirunelveli-627855	1.17.0	S.F.No. 528(P) Puliyankudi Village, Sivagiri Taluk	Tirunelveli	Recommended on receipt of NBWL acknowledgeme nt
26	3908	Thiru. E. Jayaseelan No.3, Decastar Road Puliyanthope Chennai-600012	3.15.0	S.F.No. 185(P) Alamathi Village, Ponneri Taluk	Thiruvallur	Recommended
27	3932	Thiru. S. Muthuchamy No.1/30, Velayuthampalayam Vedasandur Dindigul-624802	1.89.0	S.F.No. 325/7 & 326/1 Pottipuram Village, Uthamapalayam Taluk	Theni	Recommended
28	3968	Thiru. M. Kumar No.2/155, Vadakku Theru Palavoor Part-1 Radhapuram Taluk Tirunelveli	2.63.0	S.F.No. 973, 969/1 & 969/2 Palavoor Part 1 Village, Radhapuram Taluk	Tirunelveli	Recommended on receipt of NBWL acknowledgeme nt
29	3972	Thiru. M. Bharaneetharan Poyyapatty Harur Dharmapuri-605501	3.28.0	S.F.No. 222/4, 222/6, 225/1, 226/1, 226/2, 227/4 & 227/5 Vellaiyampatti Village, Salem Taluk	Salem	Absent
30	3974	M/s. Sree Murugan Tile WorksSurandai RoadPavoorchatramTenkasi TalukTirunelveli-627808	2.00.4	S.F.No. 82 (P)Kasikkuvaithan Village,Alangulam Taluk	Tirunelveli	Recommended

31	3982	Tmt. Sasipraba No.9-B, Pappacha Gowder Cumbum Town Uthamapalayam Taluk Theni-625516	1.56.5	S.F.No. 1913/1 Cumbum Village, Uthamapalayam Taluk	Theni	Recommended
32	4003	Thiru. S. Karthiyasamy 17th Ward Chokkanathapuram Chinnamanur Uthamapalayam Theni	2.22.5	S.F.No. 477/2B, 480/3, 480/4, 480/5, 480/6, 481/1 & 483/9 Odaipatti Village, Uthamapalayam Taluk	Theni	Recommended on receipt of NBWL acknowledgeme nt
33	4056	Thiru. P. Ramu Sambakulam Mudukulathur Ramanathapuram-623706	0.52.0	S.F.No. 152/8 & 152/9 Sathanur Village, Mudukulathur Taluk	Ramanathapura m	Recommended on receipt of NBWL acknowledgeme nt/DFO letter
34	4057	Thiru. K. Srinivasan No.8/113A-Periyar Nagar Sholavaram Chennai-67	1.96.0	S.F.No. 220(P), 247, 248, 249(P), 251(P) Pattaraiperumbudur Village, Tiruvallur Taluk	Tiruvallur	Absent
35	4075	Thiru. K. Subbu Bangalowmedu Usilampatti Taluk, Madurai	1.86.0	S.F.No. 31/4A, 31/4D, 31/4E, 31/4F, 31/4G, 31/7A, 31/8 & 31/9 Poduvarpatti Village, Usilampatti Taluk	Madurai	Absent
36	4084	Thiru. S. Mathiyalagan Chinna Ovulapuram Uthamapalayam Theni	1.83.0	S.F.No. 237/4, 238/4 & 238/5 Pottipuram Village, Uthamapalayam Taluk	Theni	Absent
37	4086	Thiru. R. Murugan No.1/287, Muniappan Koil Street Silamalai Bodinaickanur Theni	1.03.0	S.F.No. 120/2C Silamalai Village, Bodinaickanur Taluk	Theni	Absent
38	4087	Tmt. P. Prabha No.5(1), 2nd Main Road Thirumal Nagar Poonamalee, Chennai-600056	0.70.5	S.F.No. 13/1,3,4,7,16,20,50/7, 8, 51/1, 4,5,6,8 & 12 Malanthur Village, Uthukkottai Taluk	Thiruvallur	Recommended

39	4088	Thiru. M. Bakthavatchalu Old No.15, New No.23 Nathamuni Street Naduvakkarai Anna Nagar Chennai 600 040	1.88.0	S.F.No. 120/4A, 4B, 4E, 121/1A, 1B, 123/4A, 14 & 16 Sembedu Village, Thiruvallur Taluk	Thiruvallur	Recommended
40	4108	Thiru. S. Pradeep Raja No.14/16, Indhra Nagar Bharma Colony Perungudi Madurai-625 022	2.00.0	S.F.No. 11/1 (P) Valayapatti Village, Thiruparangundram Taluk	Madurai	Recommended
41	4111	Thiru. S. Nagarajan No.9/1137D, Bharathi Nagar Alagankulam Ramanathapuram Taluk Ramanathapuram	0.76.0	S.F.No. 14/1B Sathakkonevalasai Village, Radhapuram Taluk	Ramanathapuram	Recommended
42	4139	Thiru. V. Chakkaravarthy Ja. Siddhamur Madhura Pillaiyarpalayam Village Tirukkivilur Villupuram	0.10.5	S.F.No. 126/8B1 Manalurpettai Village, Thirukkivilur Taluk	Viluppuram	Recommended
43	4143	Thiru. V. Pitchaimani No.211, Ward No.3, Thaminaickanpatti Uthamapalayam Taluk Theni	0.63.0	S.F.No. 338/1C (Part) Pottipuram Village, Uthamapalayam Taluk	Theni	Recommended
44	4148	Thiru. M. Murugesan Paikulam Neelachuvantharkal Vivasaikal Abiveruthi Sangam Iruvappapuram Thoothukudi	4.89.6	S.F.No. 4/1 (P) Iruvappapuram-I Village, Srivaikundam Taluk	Thoothukudi	Absent

45	4161	Sree Balaji Minerals No.25-E, Bharani Flats 2nd Floor Warners Road Cantonment Tiruchirappalli 620 001	2.21.5	S.F.No. 267 & 268 Karai East Village, Kunnam Taluk	Perambalur	Absent
46	4779	Thiru. S. Rajasekar No.33C/11, Samy Kulam 2nd Street Chinnamanur Uthamapalayam Theni	1.52.5	S.F.No 283/3 Pottipuram Village Uthamapalayam Taluk	Theni	Recommended
47	4839	Thiru. K. ChinnanChinnamanurUthamap alayamTheni-625515	1.20.3	S.F.No W-A, B-15, T.S.No.9/4 (Old S.F.No.235/1)Chinna manur VillageUthamapalaya m Taluk	Theni	Recommended
48	4958	Thiru. U. Ramachandran No.69/53, 3/57 Santhai Street Sinkilipatti,Chokkampatti, Kadayanallur, Tirunelveli	3.14.0	311/1, 315/1 & 315/2,Chokkampatti, Kadayanallur	Tirunelveli	Recommended
49	4734	Thiru.M.Mardhu Pandiyan No.8j Panidyan Nagar Thiru Nagar Madurai	2.50.0	S.F.No 155/1(P) Kannanur Village Village Usilampatti Taluk	Madurai	Recommended
50	4561	Thiru. P. Durai Pandiyan Sri Prakasam Chamber Bricks Sudiyur Paramakudi Ramanathapuram-623608	4.54.5	S.F.No 4/4 & 4/7B, 209/2B Vengalur & Kulanthapuri Village Paramakudi Taluk	Ramanathapura m	Recommended

Agenda Item

The SEAC considered the following project proposals along with approved mining plan, Pre-feasibility reports and other supporting documents in detail seeking Environmental Clearance for mining of minor minerals. The SEAC appraised the Project proposals furnished by the proponent in detail and took into consideration the less pollution that is possible in these types of activities and after verification of the details furnished by the proponent subject to usual terms and conditions.

The following should be incorporated as conditions in EC.

1. The quarrying activity shall be stopped if the entire quantity is quarried even before the expiry of the quarry lease period and the same shall be monitored by the District Authorities.
2. It is the responsibility of the project proponent to maintain the village approach road in good condition usable by the public during the implementation of the project. On the completion of the project the village approach road should be in good condition.
3. After restoration of the road, the proponent should submit the detailed report of the road maintenance including cost along with photographs to SEAC within one month of the completion of the project.
4. Base line studies to be conducted for the entire area.

MINOR MINERALS Sand - 4 Nos

Sl. No	F.No	Name of the proponent	Extent in ha.	SF.No	District	Recommendation of the Committee
1	3564	Executive Engineer, WRD, Upper Palar Basin Division Vellore - 632006	5.40.0	S.F.No. 225/2(P), Veerankuppam Village, Ambur Taluk	Vellore	Recommended
2	3817	Executive Engineer, PWD/WRO Lower Vaigai Basin Division Paramakudi Taluk, Ramanathapuram District - 623 707	3.37.0	S.F.No. 375 (P) & 393 (P) Pullamadai Village, Thiruvadanai Taluk	Ramanathapuram	Recommended
3	3995	Er. P. Anbarasu Executive Engineer WRD Upper Palar Basin Division Vellore-632006	7.20.0	S.F.No. 3 (P) Navlak Village, Walajah Taluk	Vellore	Recommended
4	4160	The Executive Engineer WRD Upper Palar Basin Division Vellore-632006	5.11.5	S.F.No. 300/2 (P) Vadavirinjipuram Village, Katpadi Taluk	Vellore	Recommended

*Environmental Clearance may be considered for the above projects subject to conditions that the project Proponent has to furnish the following particulars before issue of EC.

1. Letter from the AD/DD Mines about the details (Name of the Owner, S F No, Extent & distance from the boundary of this quarry) of other quarries (proposed/Existing/Abandoned quarries) within a radius of 1km from the boundary of the proposed quarry site.
2. Certificate from the Mining department stating that no other quarry will be proposed within 1km radius from the periphery of the site exceeding 25 ha within the lease period of this application including existing and abandoned quarries.
3. Certificate from the VAO stating the details of habitation located within 300 m radius from the boundary of the proposed site along with FMB sketch.
4. If the proposed site is nearby Reserve Forest areas obtain a certificate from the District/Divisional forest officer's concerned stating that
 - a. The proposed quarry site is outside the Eco Sensitive Area (ESA).
 - b. The proposed quarry site is 5 Km away from the Protected Areas notified under the Wild Life (Protection) Act, 1972.
 - c. Map showing the above details are to be furnished
5. Certificate from the Revenue Inspector/Deputy Tahsildar stating that the distance of inter-State boundary from the proposed quarry site is more than 5 Km.(Applicable for Quarries of Total extent within 500 m is >5Ha).
6. The PP has to ensure that shall be no quarrying of sand in any river bed or adjoining area or any other area which is located within 500m radial distances from the location of any bridge, water supply system, infiltration well or pumping installation of any of the local bodies or Central or State Government Department or the Tamil Nadu Water Supply and Drainage Board head works or any area identified for locating water supply and schemes by any of the above – mentioned Government Departments or other bodies.
7. The project proponent has to furnish the affidavit stating that there are no bridges, culverts, cross masonaries, water head works or any other civil structures within 500 mts., of the proposed quarry site.

Agenda Item

The SEAC appraised the following project proposals Granite .,37 Nos along with approved mining plans, Pre-feasibility reports and other supporting documents in detail. These proposals are for seeking Environmental Clearance for mining of minor minerals. The SEAC while appraising in detail, the Project proposals furnished by the proponent, took into consideration of the impact on pollution that is possible in these types of activities and after verification of the details furnished by the proponent recommended the proposals subject to the verification of the following:

1. The distance between the mining area and interstate border, wherever necessary.
2. The distance between the mining area and the boundary of Western Ghats, Prohibited area wherever necessary.
3. One month base line data be collected to ensure the pollution within the limits.

The following should be incorporated as conditions in EC.

1. Free silica test should be conducted and reported
2. Air Sampling at intersection point should be conducted and reported
3. Bunds to be provided at the boundary of the project site.
4. Ground water quality monitoring should be conducted once in 3 Months
5. Transportation of the quarried materials shall not cause any hindrance to the Village people/Existing Village road.
6. Rainwater shall be pumped out Via Settling Tank only
7. The project proponent shall undertake plantation/afforestation work by planting the native species on all side of the lease area
8. Atleast 10 neem trees should be planted around the boundary of the quarry site.
9. Floor of excavated pit to be levelled and sides to be sloped with gentle slope (Except for granite quarries) in the mine closure phase.
10. Earthen bunds and barbed wire fencing around the pits with green belt all along the boundary shall be developed and maintained.
11. The Project Proponent shall ensure a minimum of 2.5% of the annual turn over will be utilized for the CSR Activity
12. The Project Proponent shall provide solar lighting system to the nearby villages
13. The Project Proponent shall comply the mining and other relevent rules and regulations where ever applicable.
14. GPS coordinates for ground water table is to be provided.
15. The mined out pits should be backfilled where warranted and area should be suitably landscaped to prevent environmental degradation. The mine closure plan as furnished in the proposal shall be strictly followed with back filling and tree plantation.
16. Safty distance of 50m has to be provided incase of railway, reservoir, canal/odai
17. As per MoEF&CC, GoI, Office Memorandum dated 30.03.2015, prior clearance from Forestry & Wild Life angle including clearance from obtaining committee of the National Board for Wild life as applicable shall be obtained before starting the quarring operation, if the project site is located within 10KM from National Park and Sanctuaries.
18. Safety equipments to be provided to all the employees.
19. The quarrying activity shall be stopped if the entire quantity indicated in the Mining plan is quarried even before the expiry of the quarry lease period and the same shall be monitored by the District Authorities.

MINOR MINERALS -Granite (37)

Sl. No	F.No	Name of the proponent	Extent in ha.	SF.No	District	Recommendati on of the Committee
1	3661	Thiru V.P.Arputham Veeramalai, Pochampalli Taluk, Krishnagiri District - 635 203	1.03.0	S.F.No. 281/3(P) Veeramalai Village, Pochampalli Taluk	Krishnagiri	Recommended

2	3692	M/s S.R.P Rock Exports No 12/51, Maruthupandiyar Street K.K. Nagar Madurai - 625 020	2.06.0	S.F.No. 840/1, 2, 841/2(P) Kannanallur Village, Radhapuram Taluk	Tirunelveli	Deffered for want of Particulars
3	3775	Tvl. Bannari Amman Sugars Limited No.1212, Trichy Road, Coimbatore District - 641 018	3.68.5	S.F.No. 781(P), 744(P), 526/2A, 526/2B, 526/3A, 526/3B, 529/2 (P), 529/3(P), 529/4(P), 531/1(P), 531/2(P), 531/3(P) Puligunda Village, Krishnagiri Taluk	Krishnagiri	Recommended
4	3776	Tvl. Bannari Amman Sugars Limited No.1212, Trichy Road, Coimbatore District - 641 018	1.91.0	S.F.No. 530/1, 530/2 Puligunda Village, Krishnagiri Taluk	Krishnagiri	Recommended
5	3777	Tvl. Bannari Amman Sugars Limited No.1212, Trichy Road, Coimbatore District - 641 018	4.80.5	S.F.No. 745, 780, 786/1 Puligunda Village, Krishnagiri Taluk	Krishnagiri	Recommended
6	3778	Tvl. Bannari Amman Sugars Limited No.1212, Trichy Road, Coimbatore District - 641 018	3.27.0	S.F.No. 511, 514 Valathy Village, Gingee Taluk	Villuppura m	Recommended
7	3779	Tvl. Bannari Amman Sugars Limited No.1212, Trichy Road, Coimbatore District - 641 018	1.01.0	S.F.No. 528/1B1(P), 528/1B2(P), 528/2(P), 532/1B(P), 532/1C, 532/1D(P), 532/1A2(P) Puligunda Village, Krishnagiri Taluk	Krishnagiri	Recommended
8	3780	Tvl. Bannari Amman Sugars Limited No.1212, Trichy Road, Coimbatore District - 641 018	3.32.5	S.F.No. 494/9D, 494/11 Andipatti Village, Palani Taluk	Dindihul	Recommended

9	3781	Tvl. Bannari Amman Sugars Limited No.1212, Trichy Road, Coimbatore District - 641 018	2.85.0	S.F.No. 356/1A1, 356/1A2, 356/1B2, 356/3A1, 356/3A2, 357/1A1, 357/4A1, 357/4A2, 357/5A Chendarapalli Village, Krishnagiri Taluk	Krishnagiri	Recommended
10	3782	Tvl. Bannari Amman Sugars Limited No.1212, Trichy Road, Coimbatore District - 641 018	6.00.0	S.F.No. 260 Part II Panchapalli Village, Palacode Taluk	Dharmapur i	Recommended on receipt of NBWL acknowledgeme nt
11	3818	Thiru E.C.Senniappan M/s. Annamar Granites, 413/296, Sathy Road, Erode District - 638 003	1.01.0	S.F.No. 214/1A & 214/2B Iggalore Village, Sathyamangalam Taluk	Erode	Absent
12	3826	Thiru A. Manoharan No 1&2, Spencer Compound Dindigul - 624 003	1.09.5	S.F.No. 322/2A, 323/1, 324/2 Karikkali Village, Vedasandur Taluk	Dindihul	Recommended
13	3873	Thiru. P. Illayaraja No.5J/11, Bharathiyarpuram, Melur Taluk, Madurai-625 106	1.46.0	S.F.No. 557/2C (Eastern Part) Kadamboduvallvu Village, Nanguneri Taluk	Tirunelveli	Deffered for want of Particulars
14	3874	Thiru. P. Arunraja No.5J/11, Bharathiyarpuram, Melur Taluk, Madurai-625 106	1.08.0	S.F.No. 544/2A, 544/2B, 545/1A, 545/1B, 545/2 554/1B1A, 554/1B1B, 554/1C1, 554/2, 555/1(P), 555/2A1A Kadamboduvallvu Village, Nanguneri Taluk	Tirunelveli	Deffered for want of Particulars
15	4417	M/s. Blue Horse Granites Door. No 133-1,2A Sivagangai Main Road Varichur Madurai	1.03.0	S.F.No 519/1(p) Inunganoor Village Village Aravakurichi Taluk	Karur	Recommended
16	4655	M/s Standard Granites 5-2-15C,Sattur Road Virudhunagar District	1.47.0	1325/2B1B,2B2,2B3 &4A,Thiruthangal Sivakasi Taluk	Virudhunag ar	Recommended

17	4656	M/s. Stanco Traders 1/3,Thiruthangaal road,Post Box No.299,Sivakasi Virudhunagar District	4.41.0	1332/1,2A,2B,1324,1325/1,1327 /2A,2B1 & 2B2,Thiruthangal Sivakasi Taluk	Virudhunag ar	Recommended
18	4733	Thiru.D.Mathiazhagan No.58-B Gandhi Nagar Krishnagiri	6.55.0	S.F.No 1158/4,5,1162/1,2,3,4,5,1163/6,7 and 1165/1 Irudukottai Village Denkanikottai Taluk	Krishnagiri	Recommended on receipt of NBWL acknowledgeme nt
19	4772	Sri. Meenakshi Amman Granites N.2/239C, Vignesh Avenue Sivagangai Main Road Karuppayurani Madurai - 625020	1.75.0	S.F.No 110/2A1 & 110/2B Agarapatti Village Illuppur Taluk	Pudukkotta i	Recommended
20	4784	Thiru. H.M. Hussain Meera No.A-54, Viralimalai Road Annavasal Illuppur Pudukkottai	1.44.5	S.F.No 138/1 (P) and 138/2 (P) Mathiyallur Village Illuppur Taluk	Pudukkotta i	Recommended
21	4818	Thiru. P. Gunasekaran No.3/516A, Indira Salai Sri Krishna Nagar Tirupalai Madurai-14	1.37.0	S.F.No 30/2B, 30/3B, 30/4 (P) & 30/5 (P) Vakkanangundu Village Kariapatti Taluk	Virudhunag ar	Recommended
22	4850	M/s. P.K.K. Exports No.31, Elango Adigal Street K.K. Nagar Madurai-625020	2.42.9	S.F.No 488/1B (P) & 503/3 (P) Sithampoondi Village Paramathivelur Taluk	Namakkal	Recommended
23	4878	Tmt. M. Mariam Banu No.1/192, Mushiem Masuthi Street Jagadevipalayam Krishnagiri Krishnagiri-635203	3.90.0	S.F.No 378/3, 379/7 & 379/8 Chendarapalli Village Krishnagiri Taluk	Krishnagiri	Recommended
24	4887	M/s. Stanco Traders 1/3,Thiruthangaal road,Post Box No.299,Sivakasi Virudhunagar District	3.29.0	1320/2A, 1323/1B1, 1B2, 1325/5A1, 5A2,Thiruthangal Sivakasi Taluk	Virudhunag ar	Recommended

25	4888	M/s. Stanco Traders 1/3,Thiruthangaal road,Post Box No.299,Sivakasi Virudhunagar District	1.93.0	1320/1A, 1320/1B1, 1320/1B2, 1322/1C,1322/1B, 1322/1A, 1325/3A, 1325/3B, 1325/2B4, 1325/2B5, 1325/2B6,Thiruthangal Sivakasi Taluk	Virudhunag ar	Recommended
26	4889	M/s. Stanco Traders 1/3,Thiruthangaal road,Post Box No.299,Sivakasi Virudhunagar District	1.21.5	1302/2 &1323/1A ,Thiruthangal Sivakasi Taluk	Virudhunag ar	Recommended
27	4891	Thiru. R.P. Paramasivam No.58-A, Sivan Koil Street Chinnasalem Kallakurichi Villupuram - 606201	1.22.5	171/7A1 & 171/7A2A Neykuppai Veppanthattai	Perambalur	Recommended
28	4904	Thiru. A. V. Elamurugu	2.42.0	372/3B2 (Part), 372/3B4 (Part), 372/3B5 (Part) & 377/1A (Part)	Krishnagiri	Recommended
29	4915	M/s. Standard Granites 5-2-15C,Sattur Road Virudhunagar District	0.80.5	1325/2A & 2B1A,Thiruthangal Sivakasi Taluk	Virudhunag ar	Recommended
30	4941	M/s. Sri Balaji Land Promoters Pvt. Ltd., No.358 Ganapathy Colony,2nd Street, Ekkattuthangal, Chennai	2.02.5	416/2A & 417/2B,Veppalampatty,Pochamp alli Taluk	Krishnagiri	Recommended
31	4945	M/s. S.M. Exports, No.2-A2, 3rd Cross ,Gopalakrishna Colony, Krishnagiri	1.26.0	116/2A2(P), 110/3A(P) & 110/3B1,Kondappanayanapalli, Krishnagiri	Krishnagiri	Recommended
32	4947	Thiru. A. Ameen, Jagadevipalayam, Krishnagiri	2.85.5	377/1A2, 1A1B, 1B, 2A, 2B, 378/1 & 378/2, Chendarapalli Village, Krishnagiri Taluk	Krishnagiri	Recommended
33	4956	Thiru. A. Nazeer No.15-464/1, Saravanapuram,Chittoor	3.93.5	382/1A1B (P) & 382/1A1C,Achamangalam,Krish nagiri	Krishnagiri	Recommended
34	4957	Tmt. L. Selvi, No.3B, 3rd Cross,Power House Colony,Krishnagiri	4.40.5	494/1 & 494/2,Nadanthai,Paramathivelur, Namakkal	Namakkal	Recommended
35	4964	Thiru. S. Venkatesan Bargur Krishnagiri Krishnagiri-635 104	3.22.0	9(Part) (Patta Land) Jagadevipalayam Krishnagiri	Krishnagiri	Recommended

36	4965	Thiru. G. Jayapalan Bargur Krishnagiri Krishnagiri-635 104	3.23.0	421/8 (Part), 421/9, 444/1A (PART), 444/1B (Part) & 445(Part) (Consent Patta Lands) Jagadevipalayam Krishnagiri	Krishnagiri	Recommended
37	4973	Thiru. P. Ganesan No.2/36, Gundalapatti Hale Dharmapuri Dharmapuri	3.44.5	59/2B, 59/3A (P), 59/3B, 60/2A &3A Karandapalli Denkanikottai	Krishnagiri	Recommended on receipt of NBWL acknowledgeme nt

*Environmental Clearance may be considered for the above projects subject to incorporating the following additional conditions in the EC

1. The EC is valid only if the scheme of the mining plan is approved by the Commissioner of Geology & Mining or any officers nominated on his behalf.
2. If there is any change in the proposal of production or handling the waste amendment has to be submitted to SEIAA for further approval.
3. This EC is approved as per the G.O.No. 79 & Rule 41 & 42 of Tamil Nadu Mining Mineral Concession Rule 1959.