



# State Level Environment Impact Assessment Authority-Karnataka

(Constituted by MoEF, Government of India, under section 3(3) of E(P) Act, 1986)

Proceedings of the 226<sup>th</sup> SEIAA Meeting held on 27<sup>th</sup> October 2022 at 12:00 PM  
at Room No. 709, 7<sup>th</sup> Floor, Gate IV, M.S Building, Bangalore-560001.

## Members present: -

1. Dr. K. R. Sree Harsha - Chairman, SEIAA
2. Shri. K. N. Shivalinge Gowda - Member, SEIAA
3. Shri. Vijay Mohan Raj V, IFS - Member Secretary, SEIAA

The Chairman welcomed the members and initiated the discussion. The subjects discussed and the decisions made on each of the agenda points are as follows:

## 226.1. Fresh Projects (Recommended for EC):

### Construction Projects:


- 226.1.1. Residential Apartment Project at Sy.Nos.70/1A, 70/1B, 71(Part), 73(Part) & 74/1 of Ammannikere Bellandur Village, Varthur Hobli, Bangalore South Taluk, Bangalore Urban District by M/s. Puravankara Projects Ltd. - Online Proposal No.SIA/KA/MIS/291265/2022 (SEIAA 117 CON 2022).

M/s. Puravankara Limited have proposed for construction of Residential Apartments Project on a plot area of 16,084.73Sqm. The total built up area is 49,618.28Sqm. The proposed project consists of 309 Residential Apartments in 3 Towers Tower A: B+Stilt+12UF, Tower B: Stilt+12UF, Tower C: Stilt+12UF. Total water consumption is 211 KLD (Fresh water + Recycled water). The total wastewater generated is 169 KLD. The project proponent has proposed to construct Sewage Treatment plant with capacity of 225 KLD. The project cost is Rs. 139.5 Crores.


Details of the project are as follows:

Sl. No	PARTICULARS	INFORMATION
1	Name & Address of the Project Proponent	M/s. Puravankara Limited #130/1, Ulsoor Road, Bengaluru -42


2	Name & Location of the Project	<b>M/s. Puravankara Limited</b> Sy.No:70/1A,70/1B,70/2,70/3,71,73 & 74/1 of Ammannikere Bellandur Village, Varthur Hobli, Bangalore
3	Type of Development	-
a.	Residential Apartment / Villas / Row Houses / Vertical Development / Office / IT/ ITES/ Mall/ Hotel/ Hospital /other	309 Residential Apartments
b.	Residential Township/ Area Development Projects	-
4	New/ Expansion/ Modification/ Renewal	Renewal
5	Water Bodies/ Nalas in the vicinity of project site	-
6	Plot Area (Sqm)	16084.73Sqm
7	Built Up area (Sqm)	49618.28Sqm
8	FAR • Permissible • Proposed	(2.5) (2.499)
9	Building Configuration [ Number of Blocks / Towers / Wings etc., with Numbers of Basements and Upper Floors]	Tower A: B+Stilt+12UF Tower B: Stilt+12UF Tower C: Stilt+12UF
10	Number of units/plots in case of Construction/ Residential Township/ Area Development Projects	309 Residential Apartments
11	Height Clearance	HAL NOC Dated:08.06.2019
12	Project Cost (Rs. In Crores)	139.5crore
13	Disposal of Demolition waster and or Excavated earth	Reused in the site and handed over to authorized vendor
14	Details of Land Use (Sqm)	
a.	Ground Coverage Area	3967.62Sqm
b.	Kharab Land	NalaKharab: 101.17 Sqm Kharab: 202.34Sqm



c.	Total Green belt for projects under 8(a) of the schedule of the EIA notification, 2006 ( i ) on Mother Earth (ii) On podium	<b>Area in Sqm</b>	
		<b>Green Area total</b>	<b>5279.52</b>
		On Mother earth	3742.07
		podium	159.26
	On driveway & parking	1378.19	
d.	Internal Roads	1381.7sqm	
e.	Paved area		
f.	Others Specify ( services-incl STP & UG sump)	307.43sqm	
g.	Parks and Open space in case of Residential Township/ Area Development Projects	-	
h.	Total	16,084.73sqm	
15	<b>WATER</b>		
I.	<b>Construction Phase</b>		
a.	Source of water	Tanker	
b.	Quantity of water for Construction in KLD	5 KLD	
c.	Quantity of water for Domestic Purpose in KLD	4.5KLD	
d.	Waste water generation in KLD	4.3 KLD	
e.	Treatment facility proposed and scheme of disposal of treated water	Mobile STP of 5 KLD proposed	
II.	<b>Operational Phase</b>		
a.	Total Requirement of Water in KLD	Fresh	139.8 KLD
		Recycled	71.07KLD
		Total	211KLD
b.	Source of water	BWSSB + Recycled water	
c.	Waste water generation in KLD	169 KLD	
d.	STP capacity	225 KLD	
e.	Technology employed for Treatment	MBR technology	
f.	Scheme of disposal of excess treated water if any	Reused in flushing ( 71KLD)& Gardening	
16	<b>Infrastructure for Rain water harvesting</b>		
a.	Capacity of sump tank to store Roof run off	225 KLD	
b.	No's of Ground water recharge pits	21	

17	Storm water management plan	600mm wide storm water drain all around the project Excess surface storm water runoff-170 cum Proposed surface storm water sump capacity-60cum Proposed Terrace water sump capacity-200cum
18	<b>WASTE MANAGEMENT</b>	
	<b>I. Construction Phase</b>	
a.	Quantity of Solid waste generation and mode of Disposal as per norms	20kg/day -Collected separately & handed over to Authorized recyclers
	<b>II. Operational Phase</b>	
a.	Quantity of Biodegradable waste generation and mode of Disposal as per norms	370.8Kg/day- we are proposing Organic waste converter of 400 Kg/day. The waste is converted to manure which will be used for gardening.
b.	Quantity of Non- Biodegradable waste generation and mode of Disposal as per norms	247.2Kg/day- Collected separately & handed over to Authorized recyclers
c.	Quantity of Hazardous Waste generation and mode of Disposal as per norms	NA
d.	Quantity of E waste generation and mode of Disposal as per norms	Since the project is residential, E -waste generation is minimal. Hence E -waste collection will be places as bin the basement for safe collection &will be disposed to authorized vendors.
19	<b>POWER</b>	
a.	Total Power Requirement - Operational Phase	1744 KVA
b.	Numbers of DG set and capacity in KVA for Standby Power Supply	2X 320 KVA + 1 x 380 KVA+1 x 500 KVA
c.	Details of Fuel used for DG Set	CNG/Diesel
d.	Energy conservation plan and Percentage of savings including plan for utilization of solar energy as per ECBC 2007	Total energy saving in% is 22.14% Solar - 2.58%
20	<b>PARKING</b>	
a.	Parking Requirement as per norms	Parking required-352 No. Provided-490 No
b.	Level of Service (LOS) of the	D - Fair

	connecting Roads as per the Traffic Study Report	
c.	Internal Road width (RoW)	8mtr
21	CER Activities Proposed	Rs. 139 lakhs
22	EMP	
	• Construction phase	55 lakhs
	• Operation Phase	300 lakhs

The subject was discussed in the SEAC meeting held on 13<sup>th</sup> October 2022. The Committee has recommended to SEIAA for issue of EC and the extract of the proceedings of the Committee meeting is as below:



The proposal is for construction of residential apartment building in an area earmarked for residential use as per RMP of BDA.

The committee during appraisal sought clarification for natural drains and foot kharab as per village map, sensitive zone as per RMP of BDA and provisions for harvesting rain water in the proposed area. The proponent informed the committee that there is a primary drain in northeastern side, for which buffer of 50mtrs from the center is proposed and as per BBMP storm water division letter dated 21.09.2021, the tertiary drain in west side do not attract any buffer and only the drain kharab area to be left as it is, in which no development activities to be proposed. For sensitive zone proponent informed that the proposed project area, had obtained sensitive zone clearance from BDA dated 22.09.2015. For harvesting rain water, the proponent has proposed 225cum capacity of tank/ sump for runoff from rooftop and an additional tank of capacity 370cum capacity for runoff from landscape and paved areas in addition to 21nos recharge pits within the project area. Further the committee informed the proponent to install smart metering for individual units for conservation of water and manage excess drainage water within the site area and also to look into the possibilities for providing additional entry/exit in the proposed project, for which the proponent agreed.

The proponent informed that they have made provisions to grow a total of 205 trees in the proposed project area and would provide charging facility for electrical vehicles in the proposed project area. The proponent has collected baseline data of air, water, soil and noise and all are within the permissible limits and committed to take precautionary measures during and after construction to maintain the environmental parameters within permissible limits and also agreed to comply with ECBC and NBC guidelines for the proposed construction and adhere to the by-laws stipulated by the governing authority for buffers and setbacks.

The committee noted that the baseline parameters are found to be within permissible limits and informed the proponent to leave buffers/setbacks as per zoning

Drafted by 

regulations and to harvest maximum rainwater in the proposed project area. The committee after discussion decided to recommend the proposal to SEIAA for issue of EC.

The Authority perused the proposal and took note of the recommendation of SEAC.

*The Authority after discussion decided to clear the proposal for issue of Environmental Clearance subject to following:*

1. *The project proponent shall rework and resubmit wastewater generation considering 90% of water consumption as against 80% considered now.*
2. *The project proponent shall submit a detailed scheme for Sewage Treatment Plant (STP) with BNR system.*
3. *The project proponent shall submit scheme for treatment of harvested rain water and revised water balance considering utilization of harvested rain water for domestic purpose.*
4. *The project proponent shall furnish Notarized undertaking that he shall maintain Buffer zone as per bylaw and compliance to provisions of CDP.*
5. *The project proponent shall leave the buffer from the lake /drain as per the RCDP 2015 as directed by Supreme Court order CIVIL APPEAL NO. 5016 OF 2016 dated 5th March 2019.*
6. *If the distance of nearest Protected Area (National Park/ Sanctuary/Bio sphere reserve/ migratory corridor) is within 10 KM, a certificate from the Chief Wild Life Warden (CWLW) along with his recommendation, else a certificate from the proponent that the proposed site is more than 10 KM away from any Protection Authority (PA) (National Park/ Sanctuary/Bio sphere reserve/ migratory corridor) shall be submitted.*
7. *The PP shall submit CER in Specific Physical Terms with time bound action plan.*
8. *The project proponent shall ensure that tree planting/afforestation measures proposed in the EMP shall be strictly complied and an undertaking to this effect shall be submitted.*
9. *The PP shall explore the possibility of installing smart meter for water conservation.*
10. *The PP Shall look into the possibilities for providing additional entry/exit in the proposed project*

***Additional Condition:***

1. *Assured water supply, commensurate with the ultimate occupancy envisaged in the project, shall be ensured before commencement of the project.*



2. 25% of parking space shall have charging facility to enable charging of electric vehicles.
3. The PP shall strictly adhere to the local Planning Authority Bye-Laws.

**226.1.2. High-rise Residential Project - "Yamuna Sky City" Project at Kulai Village, Mangalore Taluk, Dakshina Kannada District by M/s.Yamuna Homes and Designs Pvt. Ltd. - Online Proposal No.SIA/KA/MIS/286578/2022 (SEIAA 110 CON 2022)**


M/s Yamuna Homes and Designs Private Limited have proposed for construction of Proposed High-rise Residential Project - "Yamuna Sky City" Project on a plot area of 14,596.12 Sq.m. The total built up area is 97,765.57 Sq.m. The proposed project consists of 293 units Single Tower of Ground + 60 Floors + Terrace. Total water consumption is 378 KLD (Fresh water + Recycled water). The total wastewater generated is 234 KLD. The project proponent has proposed to construct Sewage Treatment plant with capacity of 330 KLD. The project cost is Rs. 230.00 Crores.

Details of the project are as follows:

Sl. No	PARTICULARS	INFORMATION
1	Name & Address of the Project Proponent	Name: Mr. Purushotham Shetty(Owner) Address: Yamuna Homes and Designs Private Limited Nalapad Building, 1 <sup>st</sup> Floor, Kadri Temple Road, Mallikatte, Mangalore Taluk, Dakshina Kannada - 575002
2	Name & Location of the Project	Name:Proposed High-rise Residential Project - "Yamuna Sky City" Location:At Sy. Nos. 27/17A, 27/16, 27/17B, 27/19C, 27/19A, 27/19B, 27/18, 28/2, 28/3, 28/4, 28/5, 28/6, 28/7, 28/8 of Kulai Village, Mangalore, Dakshina Kannada
3	Type of Development	
a.	Residential Apartment / Villas / Row Houses / Vertical Development / Office / IT/ ITES/ Mall/ Hotel/ Hospital /other	Residential Buildings. Category 8(a) Building and Construction Projects as per EIA Notification, 2006
b.	Residential Township/ Area Development Projects	Not applicable

Sl. No	PARTICULARS	INFORMATION
4	New/ Expansion/ Modification/ Renewal	New
5	Water Bodies/ Nalas in the vicinity of project site	NA
6	Plot Area (Sqm)	14,596.12 Sq.m
7	Built Up area (Sqm)	97,765.57 Sq.m
8	FAR <ul style="list-style-type: none"> <li>• Permissible</li> <li>• Proposed</li> </ul>	5.50(Permissible FAR 2.5, Premium FAR 1.5, TDR 1.5)(Premium FAR and TDR to be purchased) 4.88
9	Building Configuration [ Number of Blocks / Towers / Wings etc., with Numbers of Basements and Upper Floors]	Single Tower of Ground + 60 Floors + Terrace
10	Number of units/plots in case of Construction/ Residential Township/ Area Development Projects	293 units
11	Height Clearance	AAI NoC Dated:01.07.2022
12	Project Cost (Rs. In Crores)	Rs. 230 Cr.
13	Disposal of Demolition waster and or Excavated earth	No construction of basement is involved in proposed High rise Buildings; the additional earth excavated for footing if any will be used forlevelling of site and internal road construction.
14	Details of Land Use (Sqm)	
a.	Ground Coverage Area	6,844.83 Sq.m
b.	Kharab Land	--
c.	Total Green belt on Mother Earth for projects under 8(a) of the schedule of the EIA notification, 2006	3,000 Sq.m
d.	Internal Roads	2,871.29 Sq.m
e.	Paved area	
f.	Others Specify	Civic Amenities: 1,880.00
g.	Parks and Open space in case of Residential Township/ Area Development Projects	NA







Sl. No	PARTICULARS	INFORMATION	
h.	Total	14,596.12Sq.m	
15	WATER		
I.	Construction Phase		
a.	Source of water	Open well available at Site	
b.	Quantity of water for Construction in KLD	Approx.75 during peak construction	
c.	Quantity of water for Domestic Purposes in KLD	11.3KLD	
d.	Wastewater generation in KLD	9.0KLD	
e.	Treatment facility proposed and scheme of disposal of treated water	STP at site and reuse of treated water for flushing, horticulture and miscellaneous washing.	
II.	Operational Phase		
a.	Total Requirement of Water in KLD	Fresh	184KLD
		Recycled	193 KLD
		Total	378 KLD
b.	Source of water	Mangalore City Corporation (MCC) Supply	
c.	Wastewater generation in KLD	234 KLD	
d.	STP capacity	330KLD	
e.	Technology employed for Treatment	SBR Technology	
f.	Scheme of disposal of excess treated water if any	UGD line of MCC available at Site	
16	Infrastructure for Rain water harvesting		
a.	Capacity of sump tank to store Roof run off	120cum tank for roof top rain water harvesting	
b.	No's of Ground water recharge pits	3 Nos. of RWH wells	
17	Storm water management plan	<p>Major construction activities will be after monsoon period. Water accumulated on the soil dump will be locally drained in the perimeter drain using small capacity pumps after particulate settlement.</p> <p>All potential contaminants such as lime, paints, whitewashes, shuttering lining, grease, oil, solvents, etc. will be decanted/ handled on the impervious PCC floor of the warehouse. The warehouse will be closed type with no chance of rainwater meeting the material.</p> <p>Runoff water to be collected in tank of capacity</p>	

Sl. No	PARTICULARS	INFORMATION
		40cum and excess to be harvested in 3no of RWH wells
18	<b>WASTE MANAGEMENT</b>	
	<b>I. Construction Phase</b>	
a.	Quantity of Solid waste generation and mode of Disposal as per norms	<p>30 kg/day</p> <ul style="list-style-type: none"> <li>▪ Domestic Waste – Biodegradable waste will be composted and rest shall be sent to MSW site.</li> <li>▪ Construction waste - will be segregated and reused at site for internal road construction.</li> <li>▪ Plastic, paper, tins, containers etc. - will be sold to recyclers.</li> </ul> <p>Proper facility for temporary storage at a designated area for construction wastes will be made at Project site.</p>
	<b>II. Operational Phase</b>	
a.	Quantity of Biodegradable waste generation and mode of Disposal as per norms	409kg/day - After segregation, biodegradable waste shall be composted in an Organic Waste Converter (OWC) and will be used as manure at the Project site.
b.	Quantity of Non- Biodegradable waste generation and mode of Disposal as per norms	<p>327kg/day - Recyclable waste shall be sold to recyclers.</p> <p>82 kg/day of Non-biodegradable waste. Send to Common Solid Waste Management Facility</p>
c.	Quantity of Hazardous Waste generation and mode of Disposal as per norms	Negligible. Used oil from the DG sumps (occasional) shall be sold to registered waste oil recyclers.
d.	Quantity of E waste generation and mode of Disposal as per norms	Negligible. E waste will be stored at a designated place and sold to registered recyclers.
19	<b>POWER</b>	
a.	Total Power Requirement - Operational Phase	4,920KW from MESCOM
b.	Numbers of DG set and capacity in KVA for Standby Power Supply	2 DG SETS of 1,850 KVA each
c.	Details of Fuel used for DG Set	HSD - 740 l/hr

Sl. No	PARTICULARS	INFORMATION
d.	Energy conservation plan and Percentage of savings including plan for utilization of solar energy and compliance to Karnataka ECBC guidelines	<ul style="list-style-type: none"> <li>▪ Sound design of each flat for maximum natural ventilation and illumination</li> <li>▪ Use of better specification illuminators, activity specific luminaries, LED illuminators.</li> <li>▪ 2.7% of total power requirement shall be met through solar panel installations.</li> <li>▪ Lighting controllers like dimmer and occupancy sensors are also proposed to conserve energy during non-occupancy.</li> <li>▪ Energy efficient motors and transformers, LEDs, Solar lights, solar water heaters etc. will be used.</li> <li>▪ Approx. 24% of Energy saving through solar installations and usage of LED, energy efficient motors, fixtures etc.</li> </ul>
20	<b>PARKING</b>	
a.	Parking Requirement as per norms	569 ECS
b.	Level of Service (LOS) of the connecting Roads as per the Traffic Study Report	C & D
c.	Internal Road width (RoW)	5.50 m to 8 m
21	CER Activities	For Construction of additional two class room with infrastructure to Govt. Primary School, Baikampady village, construction of six toilets and drinking water facility to GHPS, Chitrapura village and Plantation and maintenance of plantation on the median on NH 66 for a length of 1.5kms (Baikampdy junction to Honnakatte junction)
22	EMP <ul style="list-style-type: none"> <li>• Construction phase</li> <li>• Operation Phase</li> </ul>	Construction Phase Cost.Rs. :188Lakhs Operation Phase Capital cost Rs. : 525 Lakhs Operational cost Rs. : 158Lakhs

The subject was discussed in the SEAC meeting held on 13<sup>th</sup> October 2022. The Committee has recommended to SEIAA for issue of EC and the extract of the proceedings of the Committee meeting is as below:

The proposal is for construction of Residential high rise building in an area which is earmarked for residential use as per Mangalore City Corporation.

The committee during appraisal sought clarification with respect to distance from sea and CRZ clearance, provisions for harvesting rain water in the proposed area and provisions for biogas plant. The proponent informed the committee that the proposed project is at a distance of 240mtrs from shoreline and CRZ clearance is obtained from KSCZMA, dated 23.08.2022. For harvesting rain water, the proponent had proposed 120cumstorage tank for runoff from rooftop and an additional tank of 40cumcapacity for runoff from landscape and paved areas in addition to 3nos recharge pits are proposed within the project area and agreed to install biogas plant in the proposed project. Further the committee informed the proponent to install smart metering for individual units for conservation of water and to look into the possibilities of installing desalination plant, for which the proponent agreed.


The proponent informed to grow 190 trees in the project site area. The proponent has collected baseline data of air, water, soil and noise and all are within the permissible limits. The proponent committed to take precautionary measures during and after construction to maintain the environmental parameters within permissible limits in the proposed project and agreed to comply with the ECBC and NBC guidelines for the proposed construction and adhere to the by-laws stipulated by the governing authority for buffers and setbacks.

The committee noted that the baseline parameters are found to be within permissible limits and informed the proponent to leave buffers/setbacks as per zoning regulations and harvest maximum rainwater in the proposed project area. The committee after discussion decided to recommend the proposal to SEIAA for issue of EC.

The Authority perused the proposal and took note of the recommendation of SEAC.

*The Authority after discussion decided to clear the proposal for issue of Environmental Clearance subject to following:*

1. *The PP shall submit proposal for chemical free disinfection in the STP.*
2. *If the distance of nearest Protected Area (National Park/ Sanctuary/Bio sphere reserve/ migratory corridor) is within 10 KM, a certificate from the Chief Wild Life Warden (CWLW) along with his recommendation, else a certificate from the proponent that the*



*proposed site is more than 10 KM away from any Protection Authority (PA) (National Park/ Sanctuary/Bio sphere reserve/ migratory corridor) shall be submitted.*

3. *The PP shall submit CER in Specific Physical Terms with time bound action plan.*
4. *The project proponent shall ensure that tree planting/afforestation measures proposed in the EMP shall be strictly complied and an undertaking to this effect shall be submitted.*
5. *The project proponent shall submit scheme for treatment of harvested rain water and revised water balance considering utilization of harvested rain water for domestic purpose]*
6. *The PP shall explore the possibility of installing smart meter for water conservation.*

**Additional Condition:**


1. *Assured water supply, commensurate with the ultimate occupancy envisaged in the project, shall be ensured before commencement of the project.*
2. *25% of parking space shall have charging facility to enable charging of electric vehicles.*
3. *The PP shall strictly adhere to the local Planning Authority Bye-Laws.*
4. *The PP shall strictly adhere to the Conditions imposed by CRZ.*


**226.1.3. Residential Apartment Building Project at Padavu Vilage, Manglore Taluk, Dakshina Kannada District by M/s. Northern Sky Properties Pvt. Ltd. & Others - Online Proposal No.SIA/KA/MIS/273932/2022 (SEIAA 66 CON 2022)**

M/s Northern Sky Properties Pvt. Ltd have proposed for construction of Residential Apartment Project on a plot area of 6,061.60sqm. The total built up area is 41,283.66sqm. The proposed project consists of 155 units in Single Tower of Basement + Lower Ground + Upper Ground + 35 Floors + Terrace Floor + Upper Terrace Floor. Total water consumption is 153 KLD (Fresh water + Recycled water). The total wastewater generated is 117.36 KLD. The project proponent has proposed to construct Sewage Treatment plant with capacity of 130 KLD. The project cost is Rs. 59.00 Crores.

Details of the project are as follows:

Sl.No	PARTICULARS	INFORMATION
1	Name & Address of the Project Proponent	Name: Northern Sky Properties Pvt. Ltd. Mr. Dheeraj Amin (Managing Director and Authorized Signatory)

Drafted by 

1B

Sl.No	PARTICULARS	INFORMATION
		Address: 1 <sup>st</sup> Floor, J V Building, Opp. Govt. College, Hampankatta, Mangaluru-575001
2	Name & Location of the Project	Name: Proposed Residential Apartment Building - 'Excelsa' Location: Sy.no. 60/5A1A1(P) - As per RTC 60/5A1AP4-P1, Sy.no. 60/5A1A1(P) - As per RTC 60/5A1AP & 60/5A1AP11, Sy.no. 60/5A1A1(P) - As per RTC 60/5A1AP8, Sy.no. 60/5A1A1(P) - As per RTC 60/5A1AP7, Sy.no. 60/5A1A1(P) - As per RTC 60/5A1P5, Sy.no. 60/5A1A1(P) - As per RTC 60/5A1AP9, Sy.no. 60/5B1P (P) - As per RTC 60/5B1P2, Sy.no. 60/5B1P (P) - As per RTC 60/5B1P2 & Sy.no. 60-5B1
3	Type of Development	
a.	Residential Apartment / Villas / Row Houses / Vertical Development / Office / IT/ ITES/ Mall/ Hotel/ Hospital /other	Residential Apartment Category 8(a) Building and Construction Projects as per EIA Notification, 2006
b.	Residential Township/ Area Development Projects	Not applicable
4	New/ Expansion/ Modification/ Renewal	New
5	Water Bodies/ Nalas in the vicinity of project site	NA
6	Plot Area (Sqm)	6,061.60sqm
7	Built Up area (Sqm)	41,283.66sqm
8	FAR <ul style="list-style-type: none"> <li>• Permissible</li> <li>• Proposed</li> </ul>	<ul style="list-style-type: none"> <li>• 5.90(2.5 permissible FAR, 0.4 Amalgamation FAR, 1.5 premium FAR, 1.5 TDR)(premium FAR and TDR to be purchased)</li> </ul>


14

Sl.No	PARTICULARS	INFORMATION
		• 4.68
9	Building Configuration [ Number of Blocks / Towers / Wings etc., with Numbers of Basements and Upper Floors]	Single Tower of Basement + Lower Ground + Upper Ground + 35 Floors + Terrace Floor + Upper Terrace Floor
10	Number of units/plots in case of Construction/ Residential Township/ Area Development Projects	155
11	Height Clearance	As per CCZM Mangalore Permissible Height: 150 m and Proposed Height: 113.75 m
12	Project Cost (Rs. In Crores)	Rs. 59 Cr.
13	Disposal of Demolition waster and or Excavated earth	Earthwork will involve excavation of 3596.00 Cu.m for the construction of basement. Total excavated material of 4512.50 Cu.m (Including demolition waste) will be utilized for leveling of site and construction of roads within the boundary.
14	Details of Land Use (Sq.m)	
a.	Ground Coverage Area	835.65Sq.m
b.	Kharab Land	--
c.	Total Green belt on Mother Earth for projects under 8(a) of the schedule of the EIA notification, 2006	711.68Sq.m
d.	Internal Roads	3,571.22Sq.m
e.	Paved area	
f.	Others Specify	Area Left for Road Widening: 175.41 (2.89%) Area for Civic amenities and Public Utilities: 767.64 (12.66%)
g.	Parks and Open space in case of Residential Township/ Area Development Projects	NA
h.	Total	6,061.60Sq.m
15	WATER	
I.	Construction Phase	
a.	Source of water	Open well available at site

Sl.No	PARTICULARS	INFORMATION	
b.	Quantity of water for Construction in KLD	24	
c.	Quantity of water for Domestic Purposes in KLD	6KLD	
d.	Wastewater generation in KLD	4.7KLD	
e.	Treatment facility proposed and scheme of disposal of treated water	UGD line of MCC after treatment	
II. Operational Phase			
a.	Total Requirement of Water in KLD	Fresh	92KLD
		Recycled	61KLD
		Total	153KLD
b.	Source of water	Mangalore City Corporation (MCC) Supply	
c.	Wastewater generation in KLD	117.36KLD	
d.	STP capacity	130KLD	
e.	Technology employed for Treatment	SBR Technology	
f.	Scheme of disposal of excess treated water if any	UGD line of MCC available at Site	
16	Infrastructure for Rain water harvesting		
a.	Capacity of sump tank to store Roof run off	67Cu.m	
b.	No's of Ground water recharge pits	25Nos. of RWH Pits	
17	Storm water management plan	<p>To avoid the loss of soil during monsoon, major construction activities will be avoided during rainy season. Water accumulated on the soil dump will be locally drained in the perimeter drain using small capacity pumps after particulate settlement.</p> <p>All potential contaminants such as lime, paints, whitewashes, shuttering lining, grease, oil, solvents, etc. will be decanted/handled on the impervious PCC floor of the construction the warehouse. The warehouse will be closed type with no chance of rainwater meeting the material.</p> <p>Runoff water to be collected in tanks of 40cum capacity and excess to be harvested in 25no. of pits.</p>	
18	WASTE MANAGEMENT		



Sl.No	PARTICULARS	INFORMATION
I.	Construction Phase	
a.	Quantity of Solid waste generation and mode of Disposal as per norms	<ul style="list-style-type: none"> <li>▪ Domestic Waste (13 kg/day) - Biodegradable waste will be composted and rest shall be sent to MSW site.</li> <li>▪ Construction &amp; Demolition Waste - 1651 MT shall be segregated and stored in designated areas of the Project site. The concrete and cement mortar wastes shall be processed in-situ and reused in site as per the provisions of C&amp;D Waste Management Byelaws of MCC. The untreatable C&amp;D Waste shall be transported to the centralized C&amp;D Waste processing yard of MCC, through the authorized vendors of MCC. The inert shall be disposed to landfill sites approved by MCC.</li> <li>▪ Plastic waste - to be sold to recyclers.</li> </ul>
II.	Operational Phase	
a.	Quantity of Biodegradable waste generation and mode of Disposal as per norms	173.75kg/day - After segregation, biodegradable waste shall be composted in an Organic Waste Converter (OWC) and will be used as manure at the Project site
b.	Quantity of Non- Biodegradable waste generation and mode of Disposal as per norms	<p>90.89kg/day - Recyclable waste shall be sold to recyclers. Non-biodegradable will be sent to Common Solid Waste Management Facility.</p> <p>5.21 kg/day - Send to Common Solid Waste Management Facility</p> <p>48.26 kg/day - Recyclable waste shall be sold to recyclers</p>
c.	Quantity of Hazardous Waste generation and mode of Disposal as per norms	Used oil from the DG sumps (occasional) shall be sold to registered waste oil recyclers.
d.	Quantity of E waste generation and mode of Disposal as per norms	3.64 kg/day. E waste will be stored at a designated place and sold to registered recyclers.
19	POWER	
a.	Total Power Requirement -	475kW from MESCOM

Sl.No	PARTICULARS	INFORMATION
	Operational Phase	
b.	Numbers of DG set and capacity in KVA for Standby Power Supply	A DG set of 400 kVA + A DG set of 320 kVA
c.	Details of Fuel used for DG Set	HSD - 155 l/hr
d.	Energy conservation plan and Percentage of savings including plan for utilization of solar energy and compliance to Karnataka ECBC guidelines	<ul style="list-style-type: none"> <li>▪ Applied for IGBC Green building certification. Building construction as per IGBC Green Homes Requirements.</li> <li>▪ Use of better specification illuminators, activity specific luminaries, LED illuminators and solar lights as far as practicable.</li> <li>▪ Energy efficient motors and transformers will be used.</li> <li>▪ 21.4% of Energy saving by using Solar and LED equipment.</li> </ul>
20	PARKING	
a.	Parking Requirement as per norms	257 ECS + 43 Two Wheelers
b.	Level of Service (LOS) of the connecting Roads as per the Traffic Study Report	C & D
c.	Internal Road width (RoW)	6 m
21	CER Activities	Installation of Solar Panels and Sanitary Facilities for Padavu Govt. School Plantation and Maintenance, Avenue Plantation for a stretch of 1 km from Clock tower to KMC, Mangalore for 5 years per month
22	EMP <ul style="list-style-type: none"> <li>• Construction phase</li> <li>• Operation Phase</li> </ul>	Construction Phase Cost Rs. :72Lakhs Operation Phase Capital cost Rs. : 327 Lakhs Operational cost Rs. : 97Lakhs

The subject was discussed in the SEAC meeting held on 13<sup>th</sup> October 2022. The Committee has recommended to SEIAA for issue of EC and the extract of the proceedings of the Committee meeting is as below:

The proposal is for construction of Residential high rise building in an area which is earmarked for mixed use as per Mangalore City Corporation.

The committee during appraisal sought provisions for harvesting rain water in the proposed area. The proponent informed the committee that for harvesting rain water, they have proposed 67cum storage tank for runoff from rooftop and an additional tank of 40cum capacity for runoff from landscape and paved areas in addition to 25nos recharge pits are proposed within the project site area. Further the committee informed the proponent to install smart metering for individual units for conservation of water, for which the proponent agreed.

The proponent informed to grow total of 95 trees in the project site area. The proponent has collected baseline data of air, water, soil and noise and all are within the permissible limits. The proponent committed to take precautionary measures during and after construction to maintain the environmental parameters within permissible limits in the proposed project and agreed to comply with the ECBC and NBC guidelines for the proposed construction and adhere to the by-laws stipulated by the governing authority for buffers and setbacks.

The committee noted that the baseline parameters are found to be within permissible limits and informed the proponent to leave buffers/setbacks as per zoning regulations and harvest maximum rainwater in the proposed project area. The committee after discussion decided to recommend the proposal to SEIAA for issue of EC.

The Authority perused the proposal and took note of the recommendation of SEAC.

*The Authority after discussion decided to clear the proposal for issue of Environmental Clearance subject to following:*

1. *If the distance of nearest Protected Area (National Park/ Sanctuary/Bio sphere reserve/ migratory corridor) is within 10 KM, a certificate from the Chief Wild Life Warden (CWLW) along with his recommendation, else a certificate from the proponent that the proposed site is more than 10 KM away from any Protection Authority (PA) (National Park/ Sanctuary/Bio sphere reserve/ migratory corridor) shall be submitted.*
2. *The PP shall submit CER in Specific Physical Terms with time bound action plan.*
3. *The project proponent shall ensure that tree planting/afforestation measures proposed in the EMP shall be strictly complied and an undertaking to this effect shall be submitted.*
4. *The PP shall explore the possibility of installing smart meter for water conservation.*

**Additional Condition:**

1. Assured water supply, commensurate with the ultimate occupancy envisaged in the project, shall be ensured before commencement of the project.
2. 25% of parking space shall have charging facility to enable charging of electric vehicles.
3. The PP shall strictly adhere to the local Planning Authority Bye-Laws.

**Mining Projects:**

**226.1.4. Building Stone Quarry Project at Bukkasagara Village, Hosapete Taluk, Vijayanagara District (6-00 Acres) by M/s. Bukkasagara Vaddammadevi Bhovi Vaddara Kallukutikara Sangha - Online Proposal No.SIA/KA/MIN/400490/2022 (SEIAA 217 MIN 2022)**

M/s. Bukkasagara Vaddammadevi Bhovi have applied for Environmental clearance from SEIAA for quarrying of Building Stone Quarry Project at Sy. No. 240 of Bukkasagara Village, Hosapete Taluk, Vijayanagara District (6-00 Acres).

Details of the project are as follows:

Sl.No	PARTICULARS	INFORMATION															
1	Name & Address of the Projects Proponent	M/s. Bukkasagara Vaddammadevi Bhovi Vaddara Kallukutikara Sangha															
2	Name & Location of the Project	Building Stone Quarry Project at Sy. No. 240 of Bukkasagara Village, Hosapete Taluk, Vijayanagara District (6-00 Acres)															
		<table border="1"> <tr> <td>A</td> <td>N 15° 21' 21.83480"</td> <td>E 76° 30' 57.44190"</td> </tr> <tr> <td>B</td> <td>N 15° 21' 22.35937"</td> <td>E 76° 31' 02.09017"</td> </tr> <tr> <td>C</td> <td>N 15° 21' 25.17375"</td> <td>E 76° 31' 05.83846"</td> </tr> <tr> <td>D</td> <td>N 15° 21' 19.68045"</td> <td>E 76° 31' 05.24554"</td> </tr> <tr> <td>E</td> <td>N 15° 21' 19.14080"</td> <td>E 76° 30' 57.90329"</td> </tr> </table>	A	N 15° 21' 21.83480"	E 76° 30' 57.44190"	B	N 15° 21' 22.35937"	E 76° 31' 02.09017"	C	N 15° 21' 25.17375"	E 76° 31' 05.83846"	D	N 15° 21' 19.68045"	E 76° 31' 05.24554"	E	N 15° 21' 19.14080"	E 76° 30' 57.90329"
A	N 15° 21' 21.83480"	E 76° 30' 57.44190"															
B	N 15° 21' 22.35937"	E 76° 31' 02.09017"															
C	N 15° 21' 25.17375"	E 76° 31' 05.83846"															
D	N 15° 21' 19.68045"	E 76° 31' 05.24554"															
E	N 15° 21' 19.14080"	E 76° 30' 57.90329"															
3	Type Of Mineral	Building Stone Quarry															
4	New / Expansion / Modification / Renewal	New															
5	Type of Land [Forest, Government Revenue, Gomal, Private / Patta, Other]	Government															
6	Area in Acres	6-00 Acres															
7	Annual Production (Metric	25,000 Tones/annum (including waste)															

	Ton / Cum) Per Annum	
8	Project Cost (Rs. In Crores)	Rs. 0.487 Crores (Rs. 487 Lakhs)
9	Proved Quantity of mine/ Quarry- Cu.m / Ton	8,00,812 Tonnes (including waste)
10	Permitted Quantity Per Annum - Cu.m / Ton	25,000 Tones/annum (including waste)
11	<b>CER Activities:</b>	
	Year	Combined Corporate Environmental Responsibility (CER) Activities
	1st	Providing solar power panels at GHPS school at Bukkasagara village
	2nd	Conducting E-waste drive campaigns in GHPS school at Bukkasagara village
	3rd	The proponent proposes to distribute nursery plants at GHPS school at Bukkasagara village
	4th	Rain water harvesting pits at GHPS school at Bukkasagara village
	5th	Health camp in GHPS school at Bukkasagara village
12	EMP Budget	Rs. 1.47 Crores (Capital Cost) & 47.04 Lakhs (Recurring cost)
13	Forest NOC	03.05.2021
14	Quarry plan	31.03.2022
15	Cluster certificate	06.04.2022
16	Revenue NOC	06.08.2021
17	Notification	18.11.2021
18	JIR	29.06.2020
19	Public Hearing	09.09.2022
20	Lol	29.01.2022

The subject was discussed in the SEAC meeting held on 13<sup>th</sup> October 2022. The Committee has recommended to SEIAA for issue of EC and the extract of the proceedings of the Committee meeting is as below:

The proposal is for new Building Stone quarry with manual method of mining. As per the cluster the project was categorized as B1 and combined ToR was issued by SEIAA on 25.07.2022 for file no's SEIAA 217 MIN 2022 along with SEIAA 214 MIN 2022, SEIAA 215 MIN 2022, SEIAA 216 MIN 2022 and SEIAA 213 MIN 2022 and combined Public Hearing was conducted on 09.09.2022.

There is an existing cart track road to a length of 500 meters connecting lease area to the all weather black topped road and the committee informed that the quarrying operation should be commenced after strengthening the approach road to the quarry & the road connecting to the crusher as per standard norms & should grow trees all along the approach road during the first year of operation and also informed the proponent to

comply with the observations/requests in Public Hearing, for which the proponent agreed.

The proponent informed the committee that they had carried out combined EMP and EIA for the ToR issued and had also submitted an undertaking for a combined production of 1,25,000 TPA and to implement the combined EMP in coordination with all the five leases. Further the committee informed the proponent, to implement wildlife conservation plan after getting it approved from competent authority for which the proponent agreed.

The proponent has collected baseline data of air, water, soil and noise and all are within the permissible limits. The proponent informed that all mitigative measures will be taken to ensure that the parameters will be maintained within the permissible limits.

The committee noted that the baseline parameters are found to be within permissible limits and the committee as per the approved quarry plan, recommended the proposal for proved mineable reserve of 8,00,812 tones (including waste) and estimated the life of mine to be co-terminus with the lease period. The committee after discussion decided to recommend the proposal to SEIAA with a condition to implement the combined EMP in coordination with all the leases as per combined ToR, as it is a cumulative responsibility of all the leases to strictly implement EMP, to issue Environmental Clearance for an annual production of 25,000tones/Annum(including waste).

The Authority perused the proposal and took note of the recommendation of SEAC.

*The Authority after discussion decided to clear the proposal for issue of Environmental Clearance subject to following:*

1. *Safety measures proposed shall be submitted.*
2. *A time bound action plan for implementation of proposed CER activities as a part of EMP shall be furnished.*

**Additional Conditions:**

1. *Dust suppression measures have to be strictly followed.*
2. *The PP shall implement the combined EMP in coordination with all the leases.*

**226.1.5. Building Stone Quarry Project at Bukkasagara Village, Hosapete Taluk, Vijayanagara District (8-00 Acres) by M/s.Bovivaddara Kallukutikara**



**Sangha - Online Proposal No.SIA/KA/MIN/400644/2022 (SEIAA 216 MIN 2022)**

M/s. Bovivaddara Kallukutikara Sangha have applied for Environmental clearance from SEIAA for quarrying of Building Stone Project at Sy. No. 240 of Bukkasagara Village, Hosapet Taluk, Vijayanagara District (8-00 Acres)

Details of the project are as follows:

Sl.No	PARTICULARS	INFORMATION															
1	Name & Address of the Projects Proponent	M/s.Bovivaddara Kallukutikara Sangha															
2	Name & Location of the Project	Building Stone Quarry Project at Sy. No. 240 of Bukkasagara Village, Hosapete Taluk, Vijayanagara District (8-00 Acres)															
		<table border="1"> <tr> <td>A</td> <td>N 15° 21' 25.1738"</td> <td>E 76° 31' 05.8385"</td> </tr> <tr> <td>B</td> <td>N 15° 21' 26.4759"</td> <td>E 76° 31' 07.3572"</td> </tr> <tr> <td>C</td> <td>N 15° 21' 26.5911"</td> <td>E 76° 31' 11.6632"</td> </tr> <tr> <td>D</td> <td>N 15° 21' 20.7900"</td> <td>E 76° 31' 11.2149"</td> </tr> <tr> <td>E</td> <td>N 15° 21' 19.6005"</td> <td>E 76° 31' 05.2455"</td> </tr> </table>	A	N 15° 21' 25.1738"	E 76° 31' 05.8385"	B	N 15° 21' 26.4759"	E 76° 31' 07.3572"	C	N 15° 21' 26.5911"	E 76° 31' 11.6632"	D	N 15° 21' 20.7900"	E 76° 31' 11.2149"	E	N 15° 21' 19.6005"	E 76° 31' 05.2455"
A	N 15° 21' 25.1738"	E 76° 31' 05.8385"															
B	N 15° 21' 26.4759"	E 76° 31' 07.3572"															
C	N 15° 21' 26.5911"	E 76° 31' 11.6632"															
D	N 15° 21' 20.7900"	E 76° 31' 11.2149"															
E	N 15° 21' 19.6005"	E 76° 31' 05.2455"															
3	Type Of Mineral	Building Stone Quarry															
4	New / Expansion / Modification / Renewal	New															
5	Type of Land [Forest, Government Revenue, Gomal, Private / Patta, Other]	Government															
6	Area in Acres	8-00 Acres															
7	Annual Production (Metric Ton / Cum) Per Annum	25,000 Tones/annum (including waste)															
8	Project Cost (Rs. In Crores)	Rs. 0.487 Crores (Rs. 487 Lakhs)															
9	Proved Quantity of mine/ Quarry- Cu.m / Ton	10,60,208 Tonnes (including waste)															
10	Permitted Quantity Per Annum - Cu.m / Ton	25,000 Tones/annum (including waste)															
11	<b>CER Activities:</b>																


	Year	Combined Corporate Environmental Responsibility (CER) Activities
	1st	Providing solar power panels at GHPS school at Bukkasagara village
	2nd	Conducting E-waste drive campaigns in GHPS school at Bukkasagara village
	3rd	The proponent proposes to distribute nursery plants at GHPS school at Bukkasagara village
	4th	Rain water harvesting pits at GHPS school at Bukkasagara village
	5th	Health camp in GHPS school at Bukkasagara village
12	EMP Budget	Rs. 1.47 Crores (Capital Cost) & 47.04 Lakhs (Recurring cost)
13	Forest NOC	03.05.2021
14	Quarry plan	31.03.2022
15	Cluster certificate	06.04.2022
16	Revenue NOC	06.08.2021
17	Notification	18.11.2021
18	JIR	29.06.2020
19	Public Hearing	09.09.2022
20	LoI	29.01.2022

The subject was discussed in the SEAC meeting held on 13<sup>th</sup> October 2022. The Committee has recommended to SEIAA for issue of EC and the extract of the proceedings of the Committee meeting is as below:

The proposal is for new Building Stone quarry with manual method of mining. As per the cluster the project was categorized as B1 and combined ToR was issued by SEIAA on 25.07.2022 for file no's SEIAA 216 MIN 2022 along with SEIAA 214 MIN 2022, SEIAA 215 MIN 2022, SEIAA 213 MIN 2022 and SEIAA 217 MIN 2022 and combined Public Hearing was conducted on 09.09.2022.

There is an existing cart track road to a length of 500 meters connecting lease area to the all weather black topped road and the committee informed that the quarrying operation should be commenced after strengthening the approach road to the quarry & the road connecting to the crusher as per standard norms & should grow trees all along the approach road during the first year of operation and also informed the proponent to comply with the observations/requests in Public Hearing, for which the proponent agreed.

The proponent informed the committee that they had carried out combined EMP and EIA for the ToR issued and had also submitted an undertaking for a combined production of 1,25,000 TPA and to implement the combined EMP in coordination with all the five leases. Further the committee informed the proponent, to implement wildlife conservation plan after getting it approved from competent authority for which the proponent agreed.





The proponent has collected baseline data of air, water, soil and noise and all are within the permissible limits. The proponent informed that all mitigative measures will be taken to ensure that the parameters will be maintained within the permissible limits.

The committee noted that the baseline parameters are found to be within permissible limits and the committee as per the approved quarry plan, recommended the proposal for proved mineable reserve of 10,60,208 tones (including waste) and estimated the life of mine to be co-terminus with the lease period. The committee after discussion decided to recommend the proposal to SEIAA with a condition to implement the combined EMP in coordination with all the leases as per combined ToR, as it is a cumulative responsibility of all the leases to strictly implement EMP, to issue Environmental Clearance for an annual production of 25,000 tones/Annum(including waste).

The Authority perused the proposal and took note of the recommendation of SEAC.

*The Authority after discussion decided to clear the proposal for issue of Environmental Clearance subject to following:*

- 1. Safety measures proposed shall be submitted.*
- 2. A time bound action plan for implementation of proposed CER activities as a part of EMP shall be furnished.*

**Additional Conditions:**

- 1. Dust suppression measures have to be strictly followed.*
- 2. The PP shall implement the combined EMP in coordination with all the leases.*

**226.1.6. Building Stone Quarry Project at Bukkasagara Village, Hosapete Taluk, Vijayanagara District (8-50 Acres) by M/s.Shree Siddarameshwara Hardhika Hindulida Vargagala Kallukutikara Sangha - Online Proposal No.SIA/KA/MIN/400627/2022 (SEIAA 214 MIN 2022)**



M/s.Shree Siddarameshwara Hardhika Hindulida Vargagala Kallukutikara Sangha have applied for Environmental clearance from SEIAA for quarrying of Building Stone in Govt Land at Bukkasagara Village, Hosapete Taluk, Vijayanagara District (8-50 Acres).

Details of the project are as follows:

Sl.N o	PARTICULARS	INFORMATION
	Name & Address of the Projects Proponent	M/s.Shree Siddarameshwara Hardhika Hindulida Vargagala Kallukutikara Sangha
3	Type Of Mineral	Building Stone Quarry
4	New / Expansion / Modification / Renewal	New
5	Type of Land [Forest, Government Revenue, Gomal, Private / Patta, Other]	Government
6	Area in Acres	8-50 Acres
7	Annual Production (Metric Ton / Cum) Per Annum	25,000 Tones/ annum (including waste)
8	Project Cost (Rs. In Crores)	Rs. 0.487 Crores (Rs. 487 Lakhs)
9	Proved Quantity of mine/ Quarry- Cu.m / Ton	12,04,329 Tonnes (including waste)
10	Permitted Quantity Per Annum - Cu.m / Ton	25,000 Tones/ annum (including waste)
11	<b>CER Activities:</b>	
	Year	Combined Corporate Environmental Responsibility (CER) Activities
	1st	Providing solar power panels at GHPS school at Bukkasagara village
	2nd	Conducting E-waste drive campaigns in GHPS school at Bukkasagara village
	3rd	The proponent proposes to distribute nursery plants at GHPS school at Bukkasagara village
	4th	Rain water harvesting pits at GHPS school at Bukkasagara village
	5th	Health camp in GHPS school at Bukkasagara village
12	EMP Budget	Rs. 1.47 Crores (Capital Cost) & 47.04 Lakhs (Recurring cost)
13	Forest NOC	03.05.2021
14	Quarry plan	31.03.2022
15	Cluster certificate	06.04.2022
16	Revenue NOC	06.08.2021
17	Notification	18.11.2021
18	JIR	29.06.2020
19	Public Hearing	09.09.2022
20	LoI	29.01.2022

The subject was discussed in the SEAC meeting held on 13<sup>th</sup> October 2022. The Committee has recommended to SEIAA for issue of EC and the extract of the proceedings of the Committee meeting is as below:

Drafted by 

The proposal is for new Building Stone quarry with manual method of mining. As per the cluster the project was categorized as B1 and combined ToR was issued by SEIAA on 25.07.2022 for file no's SEIAA 214 MIN 2022 along with SEIAA 213 MIN 2022, SEIAA 215 MIN 2022, SEIAA 216 MIN 2022 and SEIAA 217 MIN 2022 and combined Public Hearing was conducted on 09.09.2022.

There is an existing cart track road to a length of 500 meters connecting lease area to the all weather black topped road and the committee informed that the quarrying operation should be commenced after strengthening the approach road to the quarry & the road connecting to the crusher as per standard norms & should grow trees all along the approach road during the first year of operation and also informed the proponent to comply with the observations/requests in Public Hearing, for which the proponent agreed.

The proponent informed the committee that they had carried out combined EMP and EIA for the ToR issued and had also submitted an undertaking for a combined production of 1,25,000TPA and to implement the combined EMP in coordination with all the five leases. Further the committee informed the proponent, to implement wildlife conservation plan after getting it approved from competent authority for which the proponent agreed.


The proponent has collected baseline data of air, water, soil and noise and all are within the permissible limits. The proponent informed that all mitigative measures will be taken to ensure that the parameters will be maintained within the permissible limits.

The committee noted that the baseline parameters are found to be within permissible limits and the committee as per the approved quarry plan, recommended the proposal for proved mineable reserve of 12,04,329 tones (including waste) and estimated the life of mine to be co-terminus with the lease period. The committee after discussion decided to recommend the proposal to SEIAA with a condition to implement the combined EMP in coordination with all the leases as per combined ToR, as it is a cumulative responsibility of all the leases to strictly implement EMP, to issue Environmental Clearance for an annual production of 25,000 tonnes/Annum (including waste).

The Authority perused the proposal and took note of the recommendation of SEAC.

*The Authority after discussion decided to clear the proposal for issue of Environmental Clearance subject to following:*

1. *Safety measures proposed shall be submitted.*
2. *A time bound action plan for implementation of proposed CER activities as a part of EMP shall be furnished.*



**Additional Conditions:**

1. *Dust suppression measures have to be strictly followed.*
2. *The PP shall implement the combined EMP in coordination with all the leases.*

**226.1.7. Building Stone Quarry Project at Bukkasagara Village, Hosapete Taluk, Vijayanagara District (5-50 Acres) by M/s.Karisiddeshwara Hardhika Hindulida Vargagala Kallukutikara Sangha - Online Proposal No.SIA/KA/MIN/400618/2022 (SEIAA 213 MIN 2022)**

M/s. Karisiddeshwara Hardhika Hindulida Vargagala Kallukutikara Sangha have applied for Environmental clearance from SEIAA for quarrying of Building Stone Project at Sy. N.o 240 of Bukkasagara Village, Hosapete Taluk, Vijayanagara District (5-50 Acres)

Details of the project are as follows:

Sl.No	PARTICULARS	INFORMATION																					
1	Name & Address of the Projects Proponent	M/s.Karisiddeshwara Hardhika Hindulida Vargagala Kallukutikara Sangha																					
2	Name & Location of the Project	Building Stone Quarry Project at Sy. N.o 240 of Bukkasagara Village, Hosapete Taluk, Vijayanagara District (5-50 Acres)																					
		<table border="1"> <tr> <td>A</td> <td>N 15° 21' 38.2442"</td> <td>E 76° 31' 11.2917"</td> </tr> <tr> <td>B</td> <td>N 15° 21' 22.3594"</td> <td>E 76° 31' 14.8668"</td> </tr> <tr> <td>C</td> <td>N 15° 21' 32.6769"</td> <td>E 76° 31' 14.0437"</td> </tr> <tr> <td>D</td> <td>N 15° 21' 33.7341"</td> <td>E 76° 31' 10.6102"</td> </tr> <tr> <td>E</td> <td>N 15° 21' 33.3902"</td> <td>E 76° 31' 08.1765"</td> </tr> <tr> <td>F</td> <td>N 15° 21' 35.6987"</td> <td>E 76° 31' 08.4723"</td> </tr> <tr> <td>G</td> <td>N 15° 21' 36.7559"</td> <td>E 76° 31' 11.0102"</td> </tr> </table>	A	N 15° 21' 38.2442"	E 76° 31' 11.2917"	B	N 15° 21' 22.3594"	E 76° 31' 14.8668"	C	N 15° 21' 32.6769"	E 76° 31' 14.0437"	D	N 15° 21' 33.7341"	E 76° 31' 10.6102"	E	N 15° 21' 33.3902"	E 76° 31' 08.1765"	F	N 15° 21' 35.6987"	E 76° 31' 08.4723"	G	N 15° 21' 36.7559"	E 76° 31' 11.0102"
A	N 15° 21' 38.2442"	E 76° 31' 11.2917"																					
B	N 15° 21' 22.3594"	E 76° 31' 14.8668"																					
C	N 15° 21' 32.6769"	E 76° 31' 14.0437"																					
D	N 15° 21' 33.7341"	E 76° 31' 10.6102"																					
E	N 15° 21' 33.3902"	E 76° 31' 08.1765"																					
F	N 15° 21' 35.6987"	E 76° 31' 08.4723"																					
G	N 15° 21' 36.7559"	E 76° 31' 11.0102"																					
3	Type Of Mineral	Building Stone Quarry																					
4	New / Expansion / Modification / Renewal	New																					
5	Type of Land [Forest, Government Revenue, Gomal, Private / Patta, Other]	Government																					
6	Area in Acres	5-50 Acres																					
7	Annual Production (Metric	25,000 Tones/ annum (including waste)																					

Drafted by 



28 

	<b>Ton / Cum) Per Annum</b>	
8	Project Cost (Rs. In Crores)	Rs. 0.487 Crores (Rs. 487 Lakhs)
9	Proved Quantity of mine/ Quarry- Cu.m / Ton	8,41,341 Tonnes (including waste)
10	Permitted Quantity Per Annum - Cu.m / Ton	25,000 Tones/ annum (including waste)
11	<b>CER Activities:</b>	
	<b>Year</b>	<b>Combined Corporate Environmental Responsibility (CER) Activities</b>
	1st	Providing solar power panels at GHPS school at Bukkasagara village
	2nd	Conducting E-waste drive campaigns in GHPS school at Bukkasagara village
	3rd	The proponent proposes to distribute nursery plants at GHPS school at Bukkasagara village
	4th	Rain water harvesting pits at GHPS school at Bukkasagara village
	5th	Health camp in GHPS school at Bukkasagara village
12	EMP Budget	Rs. 1.47 Crores (Capital Cost) & 47.04 Lakhs (Recurring cost)
13	Forest NOC	03.05.2021
14	Quarry plan	31.03.2022
15	Cluster certificate	06.04.2022
16	Revenue NOC	06.08.2021
17	Notification	18.11.2021
18	JIR	29.06.2020
19	Public Hearing	09.09.2022
20	LoI	29.01.2022

The subject was discussed in the SEAC meeting held on 13<sup>th</sup> October 2022. The Committee has recommended to SEIAA for issue of EC and the extract of the proceedings of the Committee meeting is as below:

The proposal is for new Building Stone quarry with manual method of mining. As per the cluster the project was categorized as B1 and combined ToR was issued by SEIAA on 25.07.2022 for file no's SEIAA 213 MIN 2022 along with SEIAA 214 MIN 2022, SEIAA 215 MIN 2022, SEIAA 216 MIN 2022 and SEIAA 217 MIN 2022 and combined Public Hearing was conducted on 09.09.2022.

There is an existing cart track road to a length of 500 meters connecting lease area to the all weather black topped road and the committee informed that the quarrying operation should be commenced after strengthening the approach road to the quarry & the road connecting to the crusher as per standard norms & should grow trees all along the approach road during the first year of operation and also informed the proponent to

comply with the observations/requests in Public Hearing, for which the proponent agreed.

The proponent informed the committee that they had carried out combined EMP and EIA for the ToR issued and had also submitted an undertaking for a combined production of 1,25,000TPA and to implement the combined EMP in coordination with all the five leases. Further the committee informed the proponent, to implement wildlife conservation plan after getting it approved from competent authority for which the proponent agreed.

The proponent has collected baseline data of air, water, soil and noise and all are within the permissible limits. The proponent informed that all mitigative measures will be taken to ensure that the parameters will be maintained within the permissible limits.

The committee noted that the baseline parameters are found to be within permissible limits and the committee as per the approved quarry plan, recommended the proposal for proved mineable reserve of 8,41,341 tones (including waste) and estimated the life of mine to be co-terminus with the lease period. The committee after discussion decided to recommend the proposal to SEIAA with a condition to implement the combined EMP in coordination with all the leases as per combined ToR, as it is a cumulative responsibility of all the leases to strictly implement EMP, to issue Environmental Clearance for an annual production of 25,000 tones/Annum (including waste).

The Authority perused the proposal and took note of the recommendation of SEAC.


*The Authority after discussion decided to clear the proposal for issue of Environmental Clearance subject to following:*

- 1. Safety measures proposed shall be submitted.*
- 2. A time bound action plan for implementation of proposed CER activities as a part of EMP shall be furnished.*

**Additional Conditions:**

- 1. Dust suppression measures have to be strictly followed.*
- 2. The PP shall implement the combined EMP in coordination with all the leases.*

**226.1.8. Building Stone Quarry Project at Bukkasagara Village, Hosapete Taluk, Vijayanagara District (7-50 Acres) by M/s. Shree Veerabhadreshwara**



30

**Kallukutikara Sangha - Online Proposal No.SIA/KA/MIN/402405/2022  
(SEIAA 215 MIN 2022)**

M/s. Shree Veerabhadreshwara Kallukutikara Sangha have applied for Environmental clearance from SEIAA for quarrying of Building Stone Project at Sy. No. 240 of Bukkasagara Village, Hosapete Taluk, Vijayanagara District (7-50 Acres)

Details of the project are as follows:

SL.N o	PARTICULARS	INFORMATION												
1	Name & Address of the Projects Proponent	M/s. Shree Veerabhadreshwara Kallukutikara Sangha												
2	Name & Location of the Project	Building Stone Quarry Project at Sy. No. 240 of Bukkasagara Village, Hosapete Taluk, Vijayanagara District (7-50 Acres)												
		<table border="1"> <tr> <td>A</td> <td>N 15° 21' 39.5639"</td> <td>E 76° 31' 19.3848"</td> </tr> <tr> <td>B</td> <td>N 15° 21' 38.7993"</td> <td>E 76° 31' 22.6225"</td> </tr> <tr> <td>C</td> <td>N 15° 21' 29.8210"</td> <td>E 76° 31' 23.3187"</td> </tr> <tr> <td>D</td> <td>N 15° 21' 31.1840"</td> <td>E 76° 31' 18.8921"</td> </tr> </table>	A	N 15° 21' 39.5639"	E 76° 31' 19.3848"	B	N 15° 21' 38.7993"	E 76° 31' 22.6225"	C	N 15° 21' 29.8210"	E 76° 31' 23.3187"	D	N 15° 21' 31.1840"	E 76° 31' 18.8921"
A	N 15° 21' 39.5639"	E 76° 31' 19.3848"												
B	N 15° 21' 38.7993"	E 76° 31' 22.6225"												
C	N 15° 21' 29.8210"	E 76° 31' 23.3187"												
D	N 15° 21' 31.1840"	E 76° 31' 18.8921"												
3	Type Of Mineral	Building Stone Quarry												
4	New / Expansion / Modification / Renewal	New												
5	Type of Land [Forest, Government Revenue, Gomal, Private / Patta, Other]	Government												
6	Area in Acres	7-50 Acres												
7	Annual Production (Metric Ton / Cum) Per Annum	25,000 Tones/ annum (including waste)												
8	Project Cost (Rs. In Crores)	Rs. 0.487 Crores (Rs. 487 Lakhs)												
9	Proved Quantity of mine/ Quarry- Cu.m / Ton	8,56,336 Tones (including waste)												
10	Permitted Quantity Per Annum - Cu.m / Ton	25,000 Tones/ annum (including waste)												
11	CER Activities:													


Year	Combined Corporate Environmental Responsibility (CER) Activities	
1st	Providing solar power panels at GHPS school at Bukkasagara village	
2nd	Conducting E-waste drive campaigns in GHPS school at Bukkasagara village	
3rd	The proponent proposes to distribute nursery plants at GHPS school at Bukkasagara village	
4th	Rain water harvesting pits at GHPS school at Bukkasagara village	
5th	Health camp in GHPS school at Bukkasagara village	
12	EMP Budget	Rs. 1.47 Crores (Capital Cost) & 47.04 Lakhs (Recurring cost)
13	Forest NOC	03.05.2021
14	Quarry plan	31.03.2022
15	Cluster certificate	06.04.2022
16	Revenue NOC	06.08.2021
17	Notification	18.11.2021
18	JIR	29.06.2020
19	Public Hearing	09.09.2022
20	LoI	29.01.2022

The subject was discussed in the SEAC meeting held on 13<sup>th</sup> October 2022. The Committee has recommended to SEIAA for issue of EC and the extract of the proceedings of the Committee meeting is as below:

The proposal is for new Building Stone quarry with manual method of mining. As per the cluster the project was categorized as B1 and combined ToR was issued by SEIAA on 25.07.2022 for file no's SEIAA 215 MIN 2022 along with SEIAA 213 MIN 2022, SEIAA 214 MIN 2022, SEIAA 216 MIN 2022 and SEIAA 217 MIN 2022 and combined Public Hearing was conducted on 09.09.2022.

There is an existing cart track road to a length of 500 meters connecting lease area to the all weather black topped road and the committee informed that the quarrying operation should be commenced after strengthening the approach road to the quarry & the road connecting to the crusher as per standard norms & should grow trees all along the approach road during the first year of operation and also informed the proponent to comply with the observations/requests in Public Hearing, for which the proponent agreed.

The proponent informed the committee that they had carried out combined EMP and EIA for the ToR issued and had also submitted an undertaking for a combined production of 1,25,000TPA and to implement the combined EMP in coordination with all the five leases. Further the committee informed the proponent, to implement wildlife conservation plan after getting it approved from competent authority for which the proponent agreed.





The proponent has collected baseline data of air, water, soil and noise and all are within the permissible limits. The proponent informed that all mitigative measures will be taken to ensure that the parameters will be maintained within the permissible limits.

The committee noted that the baseline parameters are found to be within permissible limits and the committee as per the approved quarry plan, recommended the proposal for proved mineable reserve of 8,56,336 tones (including waste) and estimated the life of mine to be co-terminus with the lease period. The committee after discussion decided to recommend the proposal to SEIAA with a condition to implement the combined EMP in coordination with all the leases as per combined ToR, as it is a cumulative responsibility of all the leases to strictly implement EMP, to issue Environmental Clearance for an annual production of 25,000 tones/Annum (including waste).

The Authority perused the proposal and took note of the recommendation of SEAC.

*The Authority after discussion decided to clear the proposal for issue of Environmental Clearance subject to following:*

1. *Safety measures proposed shall be submitted.*
2. *A time bound action plan for implementation of proposed CER activities as a part of EMP shall be furnished.*

**Additional Conditions:**



1. *Dust suppression measures have to be strictly followed.*
2. *The PP shall implement the combined EMP in coordination with all the leases.*

**226.1.9. "Firozabad-2 Sand Block Project at Firozabad Village, Kalburgi Taluk, Kalburgi District (12-00 Acres) by M/s. Hutti Gold Mines Co. Ltd. - Online Proposal No.SIA/KA/MIN/289182/2022 (SEIAA 101 MIN 2022)**

M/s. The Hutti Gold Mines Co. Ltd. have applied for Environmental clearance from SEIAA for quarrying of "Firozabad-2 Sand Block Project at Sy. Nos. 47 & 48 of Firozabad Village, Kalburgi Taluk, Kalburgi District (12-00 Acres)

Details of the project are as follows:

Sl.No.	PARTICULARS	INFORMATION
1	Name & Address of the Projects Proponent	M/s. The Hutti Gold Mines Co. Ltd.

2	Name & Location of the Project	"Firozabad-2 Sand Block Project at Sy. Nos. 47 & 48 of Firozabad Village, Kalburgi Taluk, Kalburgi District (12-00 Acres)	
		Latitude	Longitude
		N 17°05' 13.4"	E 76°45' 54.6"
		N 17°05' 11.8"	E 76°45' 52.9"
		N 17°05' 24.6"	E 76°45' 46.5"
		N 17°05' 33.3"	E 76°45' 47.1"
		N 17°05' 34.8"	E 76°45' 47.8"
		N 17°05' 33.5"	E 76°45' 49.8"
		N 17°05' 32.6"	E 76°45' 49.4"
N 17°05' 25.1"	E 76°45' 48.9"		
3	Type Of Mineral	Sand Block	
4	New / Expansion / Modification / Renewal	New	
5	Type of Land [Forest, Government Revenue, Gomal, Private / Patta, Other]	Government Land	
6	Area in Acres	12-00 Acres	
7	Annual Production (Metric Ton / Cum) Per Annum	69,397 Tons/ Annum (including waste)	
8	Project Cost (Rs. In Crores)	Rs. 1.82 Crores (Rs. 182 Lakhs)	
9	Proved Quantity of mine/ Quarry- Cu.m / Ton	69,397 Tons (including waste)	
10	Permitted Quantity Per Annum - Cu.m / Ton	62,457 Tons/ Annum (excluding waste)	
11	<b>CER Activities:</b>		
	Year	Corporate Environmental Responsibility (CER)	
	1 <sup>st</sup>	Providing solar power panels to GHPS school at Firozabad village	
	2 <sup>nd</sup>	Scientific support and awareness to local farmers to increase yield of crop and fodder	
	3 <sup>rd</sup>	Rain water harvesting pits in GHPS school at Firozabad village	
	4 <sup>th</sup>	Plantation in GHPS school at Firozabad village	
5 <sup>th</sup>	Health camp in GHPS school at Firozabad village		
12	EMP Budget	Rs. 15.47 Lakhs (Capital Cost) & Rs. 7.80 Lakhs (Recurring cost)	
13	Forest NOC	15.12.2021	
14	Quarry plan	11.11.2020	

Drafted by     

      
34

15	Cluster Certificate	16.08.2022
16	Notification	05.08.2020
17	DTF	31.07.2020
18	Irrigation NoC	15.12.2021

The subject was discussed in the SEAC meeting held on 13<sup>th</sup> October 2022. The Committee has recommended to SEIAA for issue of EC and the extract of the proceedings of the Committee meeting is as below:

The proposal is for River Bed Sand Mining. As per the cluster sketch there is no other lease in a radius of 500mtr from the said lease and the area of the said lease is 12-00 Acres and hence the project is categorized as B2.



There is an existing cart track road to a length of 1206 meters connecting the lease area to the all-weather black topped road and the committee informed that the mining operation should be commenced after cement concreting the approach road as per standard norms and the committee informed the proponent to grow trees all along the approach road and in the banks of the river, to strictly implement bund protection works, dust mitigation measures and not to use any machinery for sand mining and also not to carry out in-stream mining and the proponent agreed for all. Proponent informed the committee that they had obtained DMG approved replenishment report for the proposed sand quarry considering the catchment area and rain fall details.

The proponent has collected baseline data of air, water, soil and noise and all are within the permissible limits. The proponent informed that all mitigative measures will be taken to ensure that the parameters will be maintained within the permissible limits. In the proposed project, the proponent agreed to follow the conditions stipulated in sustainable sand mining guidelines 2016 and Enforcement & Monitoring guidelines 2020. Further Committee informed the proponent, to implement wildlife conservation plan after getting it approved by competent authority and to comply with the observations/requests in the Public Hearing, for which the proponent agreed.

The committee noted that the baseline parameters are found to be within permissible limits and the committee by considering the proved mineable reserve of 69,397Tonnes per annum (including waste) as per the approved quarry plan, after discussion decided to recommend the proposal to SEIAA for issue of Environmental Clearance for an annual production of 69,397 Tones/ Annum (including waste) for 5 years, after due replenishment every year and with a condition to abide by the Sustainable sand mining guidelines 2016 and Enforcement & Monitoring Guidelines 2020.

The Authority perused the proposal and took note of the recommendation of SEAC.

Drafted by 

**The Authority after discussion decided to clear the proposal for issue of Environmental Clearance subject to following:**

1. *If the distance of nearest Protected Area (National Park/ Sanctuary/Bio sphere reserve/ migratory corridor) is within 10 KM, a certificate from the Chief Wild Life Warden (CWLW) along with his recommendation, else a certificate from the proponent that the proposed site is more than 10 KM away from any Protection Authority (PA) (National Park/ Sanctuary/Bio sphere reserve/ migratory corridor).*
2. *Safety measures proposed shall be submitted.*
3. *A time bound action plan for implementation of proposed CER activities as a part of EMP shall be furnished.*

**Additional Conditions:**

1. *Dust suppression measures have to be strictly followed.*
2. *The PP shall utilize the permission as per the Sand policy of the GoK Notification No. CI 343 MMN 2019 (Part 7) dated 01.12.2021.*
3. *In case the replenishment is lower than the approved rate of production, then the mining activity / production levels shall be decreased / stopped accordingly till the replenishment is completed.*
4. *The proponent shall stabilize the river bank with waste materials like pebbles and planting the khus grass and suitable plant species.*

**226.1.10. Black Granite Quarry Project at Kajikallahalli Village, Kolar Taluk, Kolar District (0-30 Acres) (Q.L.NO: 010/95-96) by Sri Usman Shareef - Online Proposal No.SIA/KA/MIN/290825/2022 (SEIAA 381 MIN 2022)**

Sri Usman Shareef have applied for Environmental clearance from SEIAA for quarrying of Black Granite Project at Sy. No.37 of Kajikallahalli Village, Kolar Taluk, Kolar District (0-30 Acres) (Q.L.NO: 010/95-96)

Details of the project are as follows:


Sl.No.	PARTICULARS	INFORMATION
1	Name & Address of the Projects Proponent	Sri Usman Shareef
2	Name & Location of the Project	Black Granite Quarry Project at Sy. No.37 of Kajikallahalli Village, Kolar Taluk, Kolar District (0-30 Acres) (Q.L.NO: 010/95-96)

		C. P	Latitude	Longitude
		A	N 13° 6' 38.96"	E 78° 00' 15.04"
		B	N 13° 6' 37.08"	E 78° 00' 12.31"
		C	N 13° 6' 37.91"	E 78° 00' 11.54"
		D	N 13° 6' 39.06"	E 78° 00' 12.75"
3	Type Of Mineral	Black Granite Quarry		
4	New / Expansion / Modification / Renewal	Renewal		
5	Type of Land [Forest, Government Revenue, Gomal, Private / Patta, Other]	Government		
6	Area in Acres	0-30 Acres		
7	Annual Production (Metric Ton / Cum) Per Annum	4625cum for first year (including waste) 4250cum for second year (including waste) 3875cum for third year(including waste) 3500cum for fourth year(including waste)		
8	Project Cost (Rs. In Crores)	Rs. 0.30 Crores (Rs. 30 Lakhs)		
9	Proved Quantity of mine/ Quarry- Cu.m / Ton	21,300 Cum (including waste)		
10	Permitted Quantity Per Annum - Cu.m / Ton	1156cum for first year(excluding waste) 1062cum for second year (excluding waste) 969cum for third year (excluding waste) 875cum for fourth year (excluding waste)		
11	<b>CER Activities:</b> Propose to take up additional plantation of 300 No. locally suitable trees, on both sides of the approach road from quarry location to Kajikallahalli and near public places.			
12	EMP Budget	Rs. 10.30 Lakhs (Capital Cost) & Rs. 2.38Lakhs (Recurring cost)		
13	Forest NOC	06.01.2015		
14	Quarry plan	08.08.2022		
15	Cluster Certificate	08.08.2022		
16	Revenue	01.06.2016		
17	JIR	18.05.2015		

The subject was discussed in the SEAC meeting held on 13<sup>th</sup> October 2022. The Committee has recommended to SEIAA for issue of EC and the extract of the proceedings of the Committee meeting is as below:

The committee initially noted the complaint received through email (parisaraarakshanaavedike@gmail.com) on 13<sup>th</sup> October 2022 for the present proposal

Drafted by kei

and the committee at the time of appraisal sought point wise clarification for the following observations from the project Proponent and Consultant,

- *Lease book cover page which is uploaded has no sign from Department of Mines and geology and looks like someone has typed it in a page and are trying to give misinformation.*

The proponent informed that, the lease was executed in the year 1996, for five years. The cover page of the lease book during granting of lease is hand written by DMG and submitted a copy of entire lease book with details of lease holder name, lease date, village Sy no. etc.

- *In audit report dispatch is less than production so the details of excess production done and the whereabouts of those blocks needs to surveyed using drone and volume must be estimated. So, we kindly request you to consider the above objections and do the needful*

The proponent informed that, as per production and dispatch report(audit report) issued by DMG, total production carried out during the lease period 1995-96 to 2000-01 is 47.338cum and quantity dispatched is 19.31cum and the remaining balance of about 28cum is at the quarry site.

The committee accepted the clarification given by proponent and appraised the project.

The proposal is for renewal of the earlier lease granted on 01.02.1996. As per the cluster sketch there is no other lease within 500 meter radius from the present lease and the total area of the present lease is 0-30 Acres and hence the project is categorized as B2 and submitted DMG approved audit report till 2021-22 dated 13.09.2022.

There is an existing cart track road to a length of 650 meters connecting lease area to the all weather black topped road and the committee informed that the quarrying operation should be commenced after strengthening the approach road to the quarry and road leading to crusher as per standard norms & should grow trees all along the approach road during the first year of operation, for which the proponent agreed.

The proponent has collected baseline data of air, water, soil and noise and all are within the permissible limits. The proponent informed that all mitigative measures will be taken to ensure that the parameters will be maintained within the permissible limits.

The committee noted that the baseline parameters are found to be within permissible limits and the committee by considering the proved mineable reserve of 21,300 Cum (including waste) as per the approved quarry plan, estimated the life of the mine as 4 years. The committee after discussion decided to recommend the proposal to SEIAA for issue of Environmental Clearance for an annual production of 4,625cum for first year (including waste), 4,250cum for second year (including waste), 3,875cum for third year(including waste) and 3,500cum for fourth year (including waste).



The Authority perused the proposal and took note of the recommendation of SEAC.

*The Authority after discussion decided to clear the proposal for issue of Environmental Clearance subject to following:*

1. *If the distance of nearest Protected Area (National Park/ Sanctuary/Bio sphere reserve/ migratory corridor) is within 10 KM, a certificate from the Chief Wild Life Warden (CWLW) along with his recommendation, else a certificate from the proponent that the proposed site is more than 10 KM away from any Protection Authority (PA) (National Park/ Sanctuary/Bio sphere reserve/ migratory corridor).*
2. *Safety measures proposed shall be submitted.*
3. *A time bound action plan for implementation of proposed CER activities as a part of EMP shall be furnished.*
4. *Since there is substantial quantity of generation of waste from the quarry activity, all due precautions with respect to environment management aspects of waste dump shall be observed.*

**Additional Conditions:**


*Dust suppression measures have to be strictly followed.*

**226.1.11. Building Stone Quarry Project at Telasangh Village, Athani Taluk, & Belagavi District (8-00 Acres) by M/s. Ravi Infrabuild Projects Pvt. Ltd. - Online Proposal No. SIA/KA/MIN/284360/2022 (SEIAA 390 MIN 2022)**


M/s. Ravi Infrabuild Projects Pvt. Ltd. have applied for Environmental clearance from SEIAA for Building Stone Quarry Project at Sy Nos.709/1,709/2,709/3 of Telasangh Village, Athani Taluk, & Belagavi District


Details of the project are as follows:

Sl.No	PARTICULARS	INFORMATION
1	Name & Address of the Projects Proponent	M/s. Ravi Infrabuild Projects Pvt. Ltd.
2	Name & Location of the Project	Building Stone Quarry Project at Sy Nos.709/1,709/2,709/3 of Telasangh Village, Athani Taluk, & Belagavi District (8-00 Acres)

		<b>A</b>	N 16° 46' 15.7987" E75° 18' 33.8995"
		<b>B</b>	N 16° 46' 26.1006" E75° 18' 32.3992"
		<b>C</b>	N 16° 46' 18.3001" E75° 18' 39.9991"
		<b>D</b>	N 16° 46' 17.6989" E75° 18' 37.7002"
		<b>E</b>	N 16° 46' 16.3001" E75° 18' 37.9995"
		<b>TBM1</b>	N 16° 46' 20.2925" E75° 18' 33.2937"
		<b>TBM2</b>	N 16° 46' 26.2375" E75° 18' 32.5565"
3	Type Of Mineral	Building Stone Quarry	
4	New / Expansion / Modification / Renewal	New	
5	Type of Land [Forest, Government Revenue, Gomal, Private / Patta, Other]	Patta	
6	Area in Acres	8-00 Acres	
7	Annual Production (Metric Ton / Cum) Per Annum	7,00,000Tones (Recovery) + 36,842.1 Tones (Waste) for 1 <sup>st</sup> Year & 9,00,000 Tones (Recovery) + 47,368.42 Tones (Waste) for 2 <sup>nd</sup> Year.	
8	Project Cost (Rs. In Crores)	Rs. 2.00 Crores (Rs. 200 Lakhs)	
9	Proved Quantity of mine/ Quarry- Cu.m / Ton	17,05,263 Tonnes (including waste)	
10	Permitted Quantity Per Annum - Cu.m / Ton	7,00,000 Tones (Recovery) for 1 <sup>st</sup> Year & 9,00,000 Tones (Recovery) + for 2 <sup>nd</sup> Year.	
11	<b>CER Activities: Construction of additional room to near by Govt. School.</b>		
	Year	Corporate Environmental Responsibility (CER)	
	1st	Plantations, Watering and Maintainance on both sides of Algal kere or nala	
	2nd	Plantations, Watering and Maintainance on both sides of Algal kere or nala Check Dam	
12	EMP Budget	Rs. 23.40 Lakhs (Capital Cost) &13.10 Lakhs (Recurring cost)	
13	Forest NOC	18.06.2022	

Drafted by 



14	Quarry plan	25.08.2022
15	Cluster certificate	26.08.2022
16	Revenue NOC	27.05.2022
17	Notification	17.08.2022

The subject was discussed in the SEAC meeting held on 13<sup>th</sup> October 2022. The Committee has recommended to SEIAA for issue of EC and the extract of the proceedings of the Committee meeting is as below:

The committee initially noted the complaint received through email (parisaraarakshanaavedike@gmail.com) on 13<sup>th</sup> October 2022 for the present proposal and the committee at the time of appraisal sought clarification for the following observation from the project Proponent and Consultant,

- *There is a nala inside the site if we consider village map and proper buffer is not left as we can see from the conceptual plan that there are benches provided in the area where nala is flowing. In production plan the nala is shown but buffer is not given.*

The proponent informed that, as per village map the nala portion is left as it is and in the approved mining plan, quantity is calculated leaving the nala portion. Further the informed that as per revenue records only A-Kharab is present in proposed site area and during land conversion, D.C had converted the A-kharab portion to industrial stone mining, hence as per revenue records there is no B-Kharab area in the proposed site area.

The committee accepted the clarification given by proponent and appraised the project.

As per the cluster sketch there is no other lease in a radius of 500mtr from the said lease and the area of the said lease is 8-00 Acres and hence the project is categorized as B2.

There is an existing cart track road to a length of 400 meters connecting lease area to the all weather black topped road and the committee informed that the quarrying operation should be commenced after asphaltting the approach road to the quarry and road leading to crusher as per IRC standard norms & should grow trees all along the approach road during the first year of operation, for which the proponent agreed.

The proponent has collected baseline data of air, water, soil and noise and all are within the permissible limits. The proponent informed that all mitigative measures will be taken to ensure that the parameters will be maintained within the permissible limits.

The committee noted that the baseline parameters are found to be within permissible limits and the committee as per the approved quarry plan, recommended the proposal for proved mineable reserve of 17,05,263 Tons (including waste) and estimated the life of the quarry as 2 years. The committee after discussion decided to recommend

the proposal to SEIAA for issue of Environmental Clearance for an annual production of 7,00,000 Tones (Recovery) + 36,842.1 Tones (Waste) for 1<sup>st</sup> Year & 9,00,000 Tones (Recovery) + 47,368.42 Tones (Waste) for 2<sup>nd</sup> Year.

The Authority perused the proposal and took note of the recommendation of SEAC. Further, the Authority noted the complaint received through email (parisaraarakshanaavedike@gmail.com) on 26<sup>th</sup> October 2022. The details are as follows:

01	There is a nala inside the site if we consider village map and proper buffer is not left as we can see from the conceptual plan that there are benches provided in the area where nala is flowing. In production plan the nala is shown but buffer is not given.	The Same matter has been examined by the SEAC and after examination they have recommended the proposal.
02	In the Joint Inspection report it is mentioned that 2 guntas must be left as non-blasting zone and remaining 7 acres 38 guntas must be considered for blasting but this is not indicated in the mining plan and there is no mention of this in the mining plan. Revised mining plan must be prepared and uploaded considering the Joint Inspection report and must be approved and uploaded before issuing environmental clearance.	The copy of the e-mail was served on 27 <sup>th</sup> October 2022 to the project Consultant, for which the Consultant on 27 <sup>th</sup> October 2022, submitted replies to the complaint received. The consultant informed that quarry plan has been prepared as per the joint inspection report. Accordingly, out of 8-00 Acres, 7 acres 38 guntas considered for blasting and 2 guntas area will be used for non-blasting. Further, the same information is furnished in the last para of introduction and the same is uploaded in PARIVESH portal.

The Authority perused the proposal and took note of the recommendation of SEAC.

The Authority after discussion decided to clear the proposal for issue of Environmental Clearance subject to following:

1. If the distance of nearest Protected Area (National Park/ Sanctuary/Bio sphere reserve/ migratory corridor) is within 10 KM, a certificate from the Chief Wild Life Warden (CWLW) along with his recommendation, else a certificate from the proponent that the proposed site is more than 10 KM away from any Protection Authority (PA) (National Park/ Sanctuary/Bio sphere reserve/ migratory corridor).

2. Safety measures proposed shall be submitted.
3. A time bound action plan for implementation of proposed CER activities as a part of EMP shall be furnished.

**Additional Conditions:**



*Dust suppression measures have to be strictly followed.*

**226.1.12. Grey Granite Quarry Project at Vyasandihal Village, Maski Taluk, Raichur District (4-00 Acres) by Sri Ramanna - Online Proposal No.SIA/KA/MIN/291333/2022 (SEIAA 393 MIN 2022)**

Sri Ramanna have applied for Environmental clearance from SEIAA for Grey Granite Quarry Project at Sy. No. 69 of Vyasandihal Village, Maski Taluk, Raichur District (4-00 Acres)

Details of the project are as follows:

Sl.No.	PARTICULARS	INFORMATION																					
1	Name & Address of the Projects Proponent	Sri Ramanna																					
2	Name & Location of the Project	Grey Granite Quarry Project at Sy. No. 69 of Vyasandihal Village, Maski Taluk, Raichur District (4-00 Acres) <table border="1" style="margin-left: 20px;"> <thead> <tr> <th colspan="3">Co-Ordinates in hddd°mm.mmm'</th> </tr> <tr> <th colspan="3">Datum: WGS 84</th> </tr> <tr> <th></th> <th>Latitude</th> <th>Longitude</th> </tr> </thead> <tbody> <tr> <td>A</td> <td>N15° 58' 36.90"</td> <td>E76° 27' 49.90"</td> </tr> <tr> <td>B</td> <td>N15° 58' 38.10"</td> <td>E76° 27' 44.90"</td> </tr> <tr> <td>C</td> <td>N15° 58' 41.20"</td> <td>E76° 27' 46.60"</td> </tr> <tr> <td>D</td> <td>N15° 58' 40.40"</td> <td>E76° 27' 51.20"</td> </tr> </tbody> </table>	Co-Ordinates in hddd°mm.mmm'			Datum: WGS 84				Latitude	Longitude	A	N15° 58' 36.90"	E76° 27' 49.90"	B	N15° 58' 38.10"	E76° 27' 44.90"	C	N15° 58' 41.20"	E76° 27' 46.60"	D	N15° 58' 40.40"	E76° 27' 51.20"
Co-Ordinates in hddd°mm.mmm'																							
Datum: WGS 84																							
	Latitude	Longitude																					
A	N15° 58' 36.90"	E76° 27' 49.90"																					
B	N15° 58' 38.10"	E76° 27' 44.90"																					
C	N15° 58' 41.20"	E76° 27' 46.60"																					
D	N15° 58' 40.40"	E76° 27' 51.20"																					
3	Type Of Mineral	Grey Granite Quarry																					
4	New / Expansion / Modification / Renewal	New																					
5	Type of Land [Forest, Government Revenue, Gomal, Private / Patta, Other]	Patta																					
6	Area in Acres	4-00 Acres																					

7	Annual Production (Metric Ton / Cum) Per Annum	5,000 Cum/annum (including waste)				
8	Project Cost (Rs. In Crores)	Rs. 0.82 Crores (Rs. 82 Lakhs)				
9	Proved Quantity of mine/Quarry- Cu.m / Ton	1,72,000 Cum (including waste)				
10	Permitted Quantity Per Annum - Cu.m / Ton	1,500 Cum/annum (Recovery), 1,000 Cum/annum (Khandas) and 2,250 Cum/annum (Building Stone),				
11	<b>CER Activities: To provide rain water harvesting structure in M</b> <table border="1"> <thead> <tr> <th>Year</th> <th>Corporate Environmental Responsibility (CER)</th> </tr> </thead> <tbody> <tr> <td>1<sup>st</sup> to 5<sup>th</sup> year</td> <td>Plantation of side of approach road and SH. 2000 Nos Watering and Maintenance ever year</td> </tr> </tbody> </table>		Year	Corporate Environmental Responsibility (CER)	1 <sup>st</sup> to 5 <sup>th</sup> year	Plantation of side of approach road and SH. 2000 Nos Watering and Maintenance ever year
Year	Corporate Environmental Responsibility (CER)					
1 <sup>st</sup> to 5 <sup>th</sup> year	Plantation of side of approach road and SH. 2000 Nos Watering and Maintenance ever year					
12	EMP Budget	Rs. 28.13 Lakhs (Capital Cost) & Rs. 16.68 lakhs (Recurring cost)				
13	Forest NOC	16.11.2016				
14	Quarry plan	30.08.2022				
15	Cluster Certificate	30.08.2022				
16	Revenue	21.04.2017				
17	DTF	21.06.2021				

The subject was discussed in the SEAC meeting held on 13th October 2022. The Committee has recommended to SEIAA for issue of EC and the extract of the proceedings of the Committee meeting is as below:

As per the cluster sketch there are 02 leases including the present lease within 500 meter radius from this lease out of which 01 lease is exempted from cluster as the lease was granted prior to 09.09.2013 and the total area of the present lease is 4-00 Acres and hence the project is categorized as B2.

There is an existing cart track road to a length of 820 meters connecting lease area to the all weather black topped road and the committee informed that the quarrying operation should be commenced after asphaltting the approach road to the quarry as per IRC standard norms and should grow trees all along the approach road during the first year of operation, for which the proponent agreed.

The proponent has collected baseline data of air, water, soil and noise and all are within the permissible limits. The proponent informed that all mitigative measures will be taken to ensure that the parameters will be maintained within the permissible limits.

The committee noted that the baseline parameters are found to be within permissible limits and the committee as per the approved quarry plan, recommended the proposal for proved mineable reserve of 1,72,000 Cum (including waste) and

estimated the life of mine to be co-terminus with the lease period. The committee after discussion decided to recommend the proposal to SEIAA for issue of Environmental Clearance for an annual production of 5,000 Cum/Annum (including waste), i.e, 1,500 Cum/annum (Recovery), 1,000 Cum/annum (Kandas) and 2,250 Cum/annum (Building Stone), 250 Cum/annum (waste)

The Authority perused the proposal and took note of the recommendation of SEAC.

**The Authority after discussion decided to clear the proposal for issue of Environmental Clearance subject to following:**

1. *If the distance of nearest Protected Area (National Park/ Sanctuary/Bio sphere reserve/ migratory corridor) is within 10 KM, a certificate from the Chief Wild Life Warden (CWLW) along with his recommendation, else a certificate from the proponent that the proposed site is more than 10 KM away from any Protection Authority (PA) (National Park/ Sanctuary/Bio sphere reserve/ migratory corridor).*
2. *Safety measures proposed shall be submitted.*
3. *A time bound action plan for implementation of proposed CER activities as a part of EMP shall be furnished.*
4. *Since there is substantial quantity of generation of waste from the quarry activity, all due precautions with respect to environment management aspects of waste dump shall be observed.*

**Additional Conditions:**

*Dust suppression measures have to be strictly followed.*

**226.1.13. Building Stone Quarry Project at Arakere Village, Arasikere Taluk & Hassan District (3-00 Acres) by Sri Gnanamurthy - Online Proposal No.SIA/KA/MIN/291012/2022 (SEIAA 385 MIN 2022)**

Sri Gnanamurthy have applied for Environmental clearance from SEIAA for Building Stone Quarry Project at Sy. No. 180 (Part) of Arakere Village, Arasikere Taluk & Hassan District (3-00 Acres)

Details of the project are as follows:

SLN o	PARTICULARS	INFORMATION
1	Name & Address of the Projects Proponent	Sri Gnanamurthy

Drafted by ken

2	Name & Location of the Project	Building Stone Quarry Project at Sy. No. 180 (Part) of Arakere Village, Arasikere Taluk & Hassan District (3-00 Acres)	
		P. No.	Latitude
		A	N 13° 21' 16.5"
		B	N 13° 21' 18.1"
		C	N 13° 21' 14.9"
		D	N 13° 21' 13.3"
		Longitude	
			E 76° 08' 03.4"
			E 76° 08' 06.3"
			E 76° 08' 08.5"
			E 76° 08' 05.6"
3	Type Of Mineral	Building Stone Quarry	
4	New / Expansion / Modification / Renewal	New	
5	Type of Land [Forest, Government Revenue, Gomal, Private / Patta, Other]	Government	
6	Area in Acres	3-00 Acres	
7	Annual Production (Metric Ton / Cum) Per Annum	1,02,065 Tones/annum (Recovery), 2,083 Tones/annum (Waste) & 63,484 Tones - Graval for 1 <sup>st</sup> Year.	
8	Project Cost (Rs. In Crores)	Rs. 0.30 Crores (Rs. 30 Lakhs)	
9	Proved Quantity of mine/ Quarry- Cu.m / Ton	7,16,018 Tones (including waste)	
10	Permitted Quantity Per Annum - Cu.m / Ton	1,02,065 Tones/annum (Recovery), 2,083 Tones/annum (Waste) & 63,484 Tones - Graval for 1 <sup>st</sup> Year.	
11	CER Activities: Propose to takeup additional plantation of 300 No. locally suitable trees, on both sides of the approach road from quarry location to Arakere and near public places.		
12	EMP Budget	Rs. 18.50 Lakhs (Capital Cost) & 4.66 Lakhs (Recurring cost)	
13	Forest NOC	28.09.2015	
14	Quarry plan	12.08.2022	
15	Cluster certificate	12.08.2022	
16	Revenue NOC	08.07.2016	
17	Notification	29.07.2022	

The subject was discussed in the SEAC meeting held on 13<sup>th</sup> October 2022. The Committee has recommended to SEIAA for issue of EC and the extract of the proceedings of the Committee meeting is as below:

The committee initially noted the complaint received through email (parisaraarakshanaavedike@gmail.com) on 13<sup>th</sup> October 2022 for the present proposal

Drafted by kei

and the committee at the time of appraisal sought clarification for the following observation from the project Proponent and Consultant,

*• If we go through the google image of the site there is a household and poultry farm within 150m from the site. If mining is allowed with blasting and other operations the people living in the household and the livelihood of the poultry farm works will be effected.*

The proponent informed that, a poultry farm is at a distance of about 258mtr on the west side and a nonfunctioning brick manufacturing unit, owned by him at a distance of 180mtr in northern side.

The committee accepted the clarification given by proponent and appraised the project.

As per the cluster sketch there are 12 leases including the present lease within 500 meter radius from this lease out of which 11 leases are exempted from cluster as the EC was granted prior to 15.01.2016 and the total area of the present lease is 3-00 Acres and hence the project is categorized as B2.

There is an existing cart track road to a length of 360 meters connecting lease area to the all weather black topped road and the committee informed that the quarrying operation should be commenced after asphaltting the approach road to the quarry and road leading to crusher as per IRC standard norms & should grow trees all along the approach road during the first year of operation, for which the proponent agreed.

The proponent has collected baseline data of air, water, soil and noise and all are within the permissible limits. The proponent informed that all mitigative measures will be taken to ensure that the parameters will be maintained within the permissible limits.

The committee noted that the baseline parameters are found to be within permissible limits and the committee as per the approved quarry plan, recommended the proposal for proved mineable reserve of 7,16,018 Tones(including waste) and estimated the life of the quarry as 7 years. The committee after discussion decided to recommend the proposal to SEIAA for issue of Environmental Clearance for an annual production of 1,02,065 Tones/annum (Recovery), 2,083 Tones/ annum (Waste) & 63,484 Tones(Gravel)for 1<sup>st</sup> Year.

The Authority perused the proposal and took note of the recommendation of SEAC. Further, the Authority noted the complaint received through email (parisaraarakshanaavedike@gmail.com) on 26<sup>th</sup> October 2022. The details are as follows;

*• If we go through the google image of the site there is a household and poultry farm within 150m from the site. If mining is allowed with blasting and other operations the people living in the household and the livelihood of the poultry farm works will be effected.*

- *If at all the brick manufacturing unit is 150m towards north 200m buffer must still be given from the site as blasting is involved and hence the mining plan and other details must be revised and uploaded.*

The same issues have been examined by the SEAC and after examination they have recommended the proposal. The Authority decided to accept the proceedings of SEAC.

*The Authority after discussion decided to clear the proposal for issue of Environmental Clearance subject to following:*

1. *If the distance of nearest Protected Area (National Park/ Sanctuary/Bio sphere reserve/ migratory corridor) is within 10 KM, a certificate from the Chief Wild Life Warden (CWLW) along with his recommendation, else a certificate from the proponent that the proposed site is more than 10 KM away from any Protection Authority (PA) (National Park/ Sanctuary/Bio sphere reserve/ migratory corridor).*
2. *Safety measures proposed shall be submitted.*
3. *A time bound action plan for implementation of proposed CER activities as a part of EMP shall be furnished.*

**Additional Conditions:**


*Dust suppression measures have to be strictly followed.*

**226.1.14. Building Stone Quarry Project at Bagewadi Village, Belagavi Taluk & District (4-00 Acres) by Sri Uday Shivakumar - Online Proposal No.SIA/KA/MIN/290845/2022 (SEIAA 382 MIN 2022)**

Sri Uday Shivakumar have applied for Environmental clearance from SEIAA for Building Stone Quarry Project at Sy. No. 369/\*/1 of Bagewadi Village, Belagavi Taluk & District (4-00 Acres)

Details of the project are as follows:

Sl.No	PARTICULARS	INFORMATION
1	Name & Address of the Projects Proponent	Sri Uday Shivakumar
2	Name & Location of the Project	Building Stone Quarry Project at Sy. No. 369/*/1 of Bagewadi Village, Belagavi Taluk & District (4-00 Acres)



		P. No.	Latitude	Longitude
		A	N 15° 46' 58.1042"	E 74° 36' 25.5013"
		B	N 15° 47' 00.7993"	E 74° 36' 25.4003"
		C	N 15° 47' 04.9993"	E 74° 36' 28.8999"
		D	N 15° 47' 04.0002"	E 74° 36' 29.8005"
		E	N 15° 46' 58.0001"	E 74° 36' 27.8999"
3	Type Of Mineral	Building Stone Quarry		
4	New / Expansion / Modification / Renewal	New		
5	Type of Land [Forest, Government Revenue, Gomal, Private / Patta, Other]	Patta		
6	Area in Acres	4-00 Acres		
7	Annual Production (Metric Ton / Cum) Per Annum	1,33,870 Tonnes/ Annum (Recovery), 2,732 Tones/annum(waste), 12,720 Tonnes/annum (Murram)		
8	Project Cost (Rs. In Crores)	Rs. 0.40 Crores (Rs. 40 Lakhs)		
9	Proved Quantity of mine/ Quarry- Cu.m / Ton	6,83,011 Tonnes (including waste)		
10	Permitted Quantity Per Annum - Cu.m / Ton	1,33,870 Tonnes/Annum (Recovery), 2,732 Tones/annum(waste) and 12,720 Tonnes(Murram) during first year.		
11	<b>CER Activities:</b>  Propose to takeup additional plantation of 600 No. locally suitable trees, on both sides of the approach road from quarry location to Bagewadi and near public places.			
12	EMP Budget	Rs. 20.75 Lakhs (Capital Cost) & 5.43 Lakhs (Recurring cost)		
13	Forest NOC	08.03.2022		
14	Quarry plan	22.07.2022		
15	Cluster certificate	22.07.2022		
16	Revenue NOC	09.02.2022		
17	Notification	12.05.2022		

The subject was discussed in the SEAC meeting held on 13<sup>th</sup> October 2022. The Committee has recommended to SEIAA for issue of EC and the extract of the proceedings of the Committee meeting is as below:

As per the cluster sketch there is no other lease in a radius of 500mtr from the said lease and the area of the said lease is 4-00 Acres and hence the project is categorized as B2.

There is an existing cart track road to a length of 750 meters connecting lease area to the all weather black topped road and the committee informed that the quarrying operation should be commenced after asphaltting the approach road to the quarry and road leading to crusher as per IRC standard norms & should grow trees all along the approach road during the first year of operation, for which the proponent agreed.

The proponent has collected baseline data of air, water, soil and noise and all are within the permissible limits. The proponent informed that all mitigative measures will be taken to ensure that the parameters will be maintained within the permissible limits.

The committee noted that the baseline parameters are found to be within permissible limits and the committee as per the approved quarry plan, recommended the proposal for proved mineable reserve of 6,83,011 Tones(including waste) and estimated the life of the quarry as 5 years. The committee after discussion decided to recommend the proposal to SEIAA for issue of Environmental Clearance for an annual production of 1,33,870 Tones/Annum (Recovery), 2,732 Tones/annum(waste) and 12,720 Tones (Murram) for first year.


The Authority perused the proposal and took note of the recommendation of SEAC.

*The Authority after discussion decided to clear the proposal for issue of Environmental Clearance subject to following:*

- 1. If the distance of nearest Protected Area (National Park/ Sanctuary/Bio sphere reserve/ migratory corridor) is within 10 KM, a certificate from the Chief Wild Life Warden (CWLW) along with his recommendation, else a certificate from the proponent that the proposed site is more than 10 KM away from any Protection Authority (PA) (National Park/ Sanctuary/Bio sphere reserve/ migratory corridor).*
- 2. Safety measures proposed shall be submitted.*
- 3. A time bound action plan for implementation of proposed CER activities as a part of EMP shall be furnished.*

**Additional Conditions:**

*Dust suppression measures have to be strictly followed.*





**226.1.15. Building Stone Quarry Project at Siddapura Village, Chitradurga Taluk & District (5-24 Acres) by Sri Sujay S Malige - Online Proposal No.SIA/KA/MIN/290787/2022 (SEIAA 380 MIN 2022)**

Sri Sujay S Malige have applied for Environmental clearance from SEIAA for Building Stone Quarry Project at Sy. Nos. 67/1 & 67/4 of Siddapura Village, Chitradurga Taluk & District (5-24 Acres)

Details of the project are as follows:

Sl.No	PARTICULARS	INFORMATION																		
1	Name & Address of the Projects Proponent	Sri Sujay S Malige																		
2	Name & Location of the Project	Building Stone Quarry Project at Sy. Nos. 67/1 & 67/4 of Siddapura Village, Chitradurga Taluk & District (5-24 Acres) <table border="1" style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th>P. No.</th> <th>Latitude</th> <th>Longitude</th> </tr> </thead> <tbody> <tr> <td>A</td> <td>N 14° 13' 51.5836"</td> <td>E 76° 20' 35.0534"</td> </tr> <tr> <td>B</td> <td>N 14° 13' 49.6486"</td> <td>E 76° 20' 42.2620"</td> </tr> <tr> <td>C</td> <td>N 14° 13' 46.4087"</td> <td>E 76° 20' 41.1490"</td> </tr> <tr> <td>D</td> <td>N 14° 13' 48.2860"</td> <td>E 76° 20' 34.1520"</td> </tr> <tr> <td>E</td> <td>N 14° 13' 49.5769"</td> <td>E 76° 20' 34.8321"</td> </tr> </tbody> </table>	P. No.	Latitude	Longitude	A	N 14° 13' 51.5836"	E 76° 20' 35.0534"	B	N 14° 13' 49.6486"	E 76° 20' 42.2620"	C	N 14° 13' 46.4087"	E 76° 20' 41.1490"	D	N 14° 13' 48.2860"	E 76° 20' 34.1520"	E	N 14° 13' 49.5769"	E 76° 20' 34.8321"
P. No.	Latitude	Longitude																		
A	N 14° 13' 51.5836"	E 76° 20' 35.0534"																		
B	N 14° 13' 49.6486"	E 76° 20' 42.2620"																		
C	N 14° 13' 46.4087"	E 76° 20' 41.1490"																		
D	N 14° 13' 48.2860"	E 76° 20' 34.1520"																		
E	N 14° 13' 49.5769"	E 76° 20' 34.8321"																		
3	Type Of Mineral	Building Stone Quarry																		
4	New / Expansion / Modification / Renewal	New																		
5	Type of Land [Forest, Government Revenue, Gomal, Private / Patta, Other]	Patta																		
6	Area in Acres	5-24 Acres																		
7	Annual Production (Metric Ton / Cum) Per Annum	1,25,530 Tones/ Annum (including waste) - I year 1,18,718 Tones/ Annum (including waste) - II year 1,11,906 Tones/ Annum (including waste) - III year 1,05,094 Tones/ Annum (including waste) - IV year 98,282 Tones/ Annum (including waste) - V year																		
8	Project Cost (Rs. In Crores)	Rs. 0.45 Crores (Rs. 45 Lakhs)																		
9	Proved Quantity of mine/ Quarry- Cu.m / Ton	10,99,359 Tones (including waste)																		

10	Permitted Quantity Per Annum - Cu.m / Ton	1,19,254 Tones/ Annum (excluding waste) - I year 1,12,782 Tones/ Annum (excluding waste) - II year 1,06,310 Tones/ Annum (excluding waste) - III year 99,840 Tones/ Annum (excluding waste) - IV year 93,368 Tones/ Annum (excluding waste) - V year
11	<b>CER Activities:</b> Propose to take up additional plantation of 1000 No. locally suitable trees, on both sides of the approach road from quarry location to Siddapura and near public places.	
12	EMP Budget	Rs. 20.05 Lakhs (Capital Cost) & 5.93 Lakhs (Recurring cost)
13	Forest NOC	05.07.2022 & 27.05.2022
14	Quarry plan	12.08.2022
15	Cluster certificate	13.09.2022
16	Revenue NOC	04.05.2022
17	Notification	12.07.2022

The subject was discussed in the SEAC meeting held on 13<sup>th</sup> October 2022. The Committee has recommended to SEIAA for issue of EC and the extract of the proceedings of the Committee meeting is as below:

The committee initially noted the complaint received through email (parisaraarakshanaavedike@gmail.com) on 13<sup>th</sup> October 2022 for the present proposal and the committee at the time of appraisal sought point wise clarification for the following observations from the project Proponent and Consultant,

• In the land conversion order schedule, it is written that towards south of Sy. No. 67/4 there is school area and also if we go through google image there is households within 85mtr from the site towards east.

The proponent informed that, as per land conversion order schedule, land in the southern side is mentioned as school area, but presently there is no existing school building. However, in the eastern side there are few unused and abandoned industrial sheds at a distance of 102 mtrs from the project site and for the past few years no human activities is observed.

The committee accepted the clarification given by proponent and appraised the project. As per the cluster sketch there are 03 leases including the present lease within 500 meter radius from this lease out of which 01 lease is exempted from cluster as the EC was granted prior to 15.01.2016 and the total area of the remaining leases including the present lease is 5-24 Acres and hence the project is categorized as B2.

There is an existing cart track road to a length of 300 meters connecting lease area to the all weather black topped road and the committee informed that the quarrying operation should be commenced after asphaltting the approach road to the quarry and road leading to crusher as per IRC standard norms & should grow trees all along the approach road during the first year of operation, for which the proponent agreed.

The proponent has collected baseline data of air, water, soil and noise and all are within the permissible limits. The proponent informed that all mitigative measures will be taken to ensure that the parameters will be maintained within the permissible limits.

The committee noted that the baseline parameters are found to be within permissible limits and the committee as per the approved quarry plan, recommended the proposal for proved mineable reserve of 10,99,359 Tones(including waste) and estimated the life of the quarry as 10 years. The committee after discussion decided to recommend the proposal to SEIAA for issue of Environmental Clearance for an annual production of 1,25,530 Tones/ Annum (including waste) - I year, 1,18,718 Tones/ Annum (including waste) - II year, 1,11,906 Tones/ Annum (including waste) - III year, 1,05,094 Tones/ Annum (including waste) - IV year and 98,282 Tones/ Annum (including waste) - V year.


The Authority perused the proposal and took note of the recommendation of SEAC. Further, the Authority noted the complaint received through email (parisaraarakshanaavedike@gmail.com) on 26<sup>th</sup> October 2022. The details are as follows;

- *In the land conversion order schedule it is written that towards south of Sy no 67/4 there is school area and also if we go through google image there is households within 85 m from the site towards east.*
- *If at all said industrial sheds which is 85m towards is unused it does not mean the owner of the shed will not use it again and hence as it is an industrial shed there will be damage to the shed due to the blasting activities done by the proponent in his mining site. Buffer of 200m must be left from the site.*

*The Authority perused the documents and decided to refer the file back to SEAC to reexamine the proposal in the light of the complaints received and take appropriate decision after seeking necessary clarification on their recommendation with substantiating documents on the above points.*

**226.1.16. Grey Granite Quarry Project at Killarahatti Village, Lingasugur Taluk, Raichur District (4-20 Acres) by Sri Shivakumar S/o Sanganagerowda Patil - Online Proposal No.SIA/KA/MIN/291361/2022 (SEIAA 392 MIN 2022)**

Drafted by keid

Sri Shivakumar S/o Sanganagowda Patil have applied for Environmental clearance from SEIAA for Grey Granite Quarry Project at Sy. No. 96/\*/2 of Killarahatti Village, Lingasugur Taluk, Raichur District (4-20 Acres)

Details of the project are as follows:

Sl.No.	PARTICULARS	INFORMATION																								
1	Name & Address of the Projects Proponent	Sri Shivakumar S/oSanganagowda Patil																								
2	Name & Location of the Project	Grey Granite Quarry Project at Sy. No. 96/*/2 of Killarahatti Village, Lingasugur Taluk, Raichur District (4-20 Acres) <table border="1" style="margin-left: auto; margin-right: auto;"> <thead> <tr> <th colspan="3">Co-Ordinates in hddd°mm.mmm'</th> </tr> <tr> <th colspan="3">Datum: WGS 84</th> </tr> <tr> <th></th> <th>Latitude</th> <th>Longitude</th> </tr> </thead> <tbody> <tr> <td>O</td> <td>N16° 02' 45.55"</td> <td>E76° 21' 48.84"</td> </tr> <tr> <td>A</td> <td>N16° 02' 43.70"</td> <td>E76° 21' 47.50"</td> </tr> <tr> <td>B</td> <td>N16° 02' 45.88"</td> <td>E76° 21' 43.55"</td> </tr> <tr> <td>C</td> <td>N16° 02' 41.04"</td> <td>E76° 21' 42.25"</td> </tr> <tr> <td>D</td> <td>N16° 02' 39.38"</td> <td>E76° 21' 45.93"</td> </tr> </tbody> </table>	Co-Ordinates in hddd°mm.mmm'			Datum: WGS 84				Latitude	Longitude	O	N16° 02' 45.55"	E76° 21' 48.84"	A	N16° 02' 43.70"	E76° 21' 47.50"	B	N16° 02' 45.88"	E76° 21' 43.55"	C	N16° 02' 41.04"	E76° 21' 42.25"	D	N16° 02' 39.38"	E76° 21' 45.93"
Co-Ordinates in hddd°mm.mmm'																										
Datum: WGS 84																										
	Latitude	Longitude																								
O	N16° 02' 45.55"	E76° 21' 48.84"																								
A	N16° 02' 43.70"	E76° 21' 47.50"																								
B	N16° 02' 45.88"	E76° 21' 43.55"																								
C	N16° 02' 41.04"	E76° 21' 42.25"																								
D	N16° 02' 39.38"	E76° 21' 45.93"																								
3	Type Of Mineral	Grey Granite Quarry																								
4	New / Expansion / Modification / Renewal	New																								
5	Type of Land [Forest, Government Revenue, Gomal, Private / Patta, Other]	Patta																								
6	Area in Acres	4-20 Acres																								
7	Annual Production (Metric Ton / Cum) Per Annum	2,610 Cum/annum (Recovery), 1,740 Cum/annum (Kandas), 2,610 Cum/annum (Building Stone), 1,740 Cum/annum (waste)																								
8	Project Cost (Rs. In Crores)	Rs. 2.90 Crores (Rs. 290 Lakhs)																								
9	Proved Quantity of mine/ Quarry- Cu.m / Ton	2,94,000 Cum (including waste)																								
10	Permitted Quantity Per Annum - Cu.m / Ton	2,610 Cum/annum (Recovery), 1,740 Cum/annum (Kandas) and 2,610 Cum/annum (Building Stone)																								
11	CER Activities:																									

	Year	Corporate Environmental Responsibility (CER)
	1 <sup>st</sup> to 5 <sup>th</sup> year	Plantation of side of approach road 1000 Nos Watering and Maintenance ever year Check Dam
12	EMP Budget	Rs. 24.06 Lakhs (Capital Cost) & Rs. 7.85Lakhs (Recurring cost)
13	Forest NOC	13.11.2017
14	Quarry plan	06.05.2022
15	Cluster Certificate	30.08.2022
16	Revenue	26.09.2018
17	DTF	21.06.2021

The subject was discussed in the SEAC meeting held on 13<sup>th</sup> October 2022. The Committee has recommended to SEIAA for issue of EC and the extract of the proceedings of the Committee meeting is as below:

As per the cluster sketch there are 02 leases including the present lease within 500 meter radius from this lease out of which 01 lease is exempted from cluster as the lease was granted prior to 09.09.2013 and the total area of the present lease is 4.5 Acres and hence the project is categorized as B2.


There is an existing cart track road to a length of 625 meters connecting lease area to the all weather black topped road and the committee informed that the quarrying operation should be commenced after asphaltting the approach road to the quarry as per IRC standard norms and should grow trees all along the approach road during the first year of operation, for which the proponent agreed.

The proponent has collected baseline data of air, water, soil and noise and all are within the permissible limits. The proponent informed that all mitigative measures will be taken to ensure that the parameters will be maintained within the permissible limits.

The committee noted that the baseline parameters are found to be within permissible limits and the committee as per the approved quarry plan, recommended the proposal for proved mineable reserve of 2,94,000 Cum (including waste) and estimated the life of mine to be co-terminus with the lease period. The committee after discussion decided to recommend the proposal to SEIAA for issue of Environmental Clearance for an annual production of 8,700cum/annum (including waste), i.e 2,610 Cum/annum (Recovery), 1,740 Cum/annum (Khandas) and 2,610 Cum/annum (Building Stone), 1,740 Cum/annum (waste).

The Authority perused the proposal and took note of the recommendation of SEAC.

Drafted by 

**The Authority after discussion decided to clear the proposal for issue of Environmental Clearance subject to following:**

1. If the distance of nearest Protected Area (National Park/ Sanctuary/Bio sphere reserve/ migratory corridor) is within 10 KM, a certificate from the Chief Wild Life Warden (CWLW) along with his recommendation, else a certificate from the proponent that the proposed site is more than 10 KM away from any Protection Authority (PA) (National Park/ Sanctuary/Bio sphere reserve/ migratory corridor).
2. Safety measures proposed shall be submitted.
3. A time bound action plan for implementation of proposed CER activities as a part of EMP shall be furnished.
4. Since there is substantial quantity of generation of waste from the quarry activity, all due precautions with respect to environment management aspects of waste dump shall be observed.

**Additional Conditions:**


*Dust suppression measures have to be strictly followed.*

**226.1.17. Building Stone Quarry Project at Belur Village, Talikoti Taluk, Vijayapura District (4-00 Acres) (1.61 Ha) by Sri Motilal L. Chavan - Online Proposal No.SIA/KA/MIN/208254/2021 (SEIAA 317 MIN 2021)**

Sri Motilal L. Chavan have applied for Environmental clearance from SEIAA for quarrying of Building Stone Quarry Project at Sy.Nos. 23/15, 16, 17, 18, 19, 20, 21, 22, 23 & 24 of Belur Village, Talikoti Taluk, Vijayapura District (4-00 Acres) (1.61 Ha).

Details of the project are as follows:

Sl.No	PARTICULARS	INFORMATION										
1	Name & Address of the Projects Proponent	Sri Motilal L. Chavan										
2	Name & Location of the Project	Building Stone Quarry Project at Sy.Nos. 23/15, 16, 17, 18, 19, 20, 21, 22, 23 & 24 of Belur Village, Talikoti Taluk, Vijayapura District (4-00 Acres) (1.61 Ha)										
		<table border="1"> <thead> <tr> <th>Latitude</th> <th>Longitude</th> </tr> </thead> <tbody> <tr> <td>N 16°30'32.48"</td> <td>E 76°23'44.44"</td> </tr> <tr> <td>N 16°30'32.80"</td> <td>E 76°23'49.75"</td> </tr> <tr> <td>N 16°30'29.03"</td> <td>E 76°23'43.02"</td> </tr> <tr> <td>N 16°30'29.22"</td> <td>E 76°23'48.08"</td> </tr> </tbody> </table>	Latitude	Longitude	N 16°30'32.48"	E 76°23'44.44"	N 16°30'32.80"	E 76°23'49.75"	N 16°30'29.03"	E 76°23'43.02"	N 16°30'29.22"	E 76°23'48.08"
Latitude	Longitude											
N 16°30'32.48"	E 76°23'44.44"											
N 16°30'32.80"	E 76°23'49.75"											
N 16°30'29.03"	E 76°23'43.02"											
N 16°30'29.22"	E 76°23'48.08"											



3	Type Of Mineral	Building Stone Quarry
4	New / Expansion / Modification / Renewal	New
5	Type of Land [Forest, Government Revenue, Gomal, Private / Patta, Other]	Patta
6	Area in Acres	4-00 Acres
7	Annual Production (Metric Ton / Cum) Per Annum	52,061 Cum/annum (including waste)
8	Project Cost (Rs. In Crores)	Rs. 0.35 Crores (Rs. 35 Lakhs)
9	Proved Quantity of mine/ Quarry- Cu.m / Ton	5,24,394 Cum (including waste)
10	Permitted Quantity Per Annum - Cu.m / Ton	47,328 Cum/annum(excluding waste)
11	<b>CER Activities:</b> To provide infrastructure facilities to near by Govt. School in Belur village and to grow additional of 1500 trees all along the approach road to the mining area.	
12	EMP Budget	Rs. 13.89Lakhs (Capital Cost) & Rs. 3.00Lakhs (Recurring cost)
13	Forest NOC	04.02.2021
14	Quarry plan	17.02.2021
15	Cluster certificate	17.02.2021
16	Revenue	20.01.2021
17	Conversion Order	15.07.2021
18	Notification	15.03.2021

The subject was discussed in the SEAC meeting held on 13<sup>th</sup> October 2022. The Committee has recommended to SEIAA for issue of EC and the extract of the proceedings of the Committee meeting is as below:

The committee initially noted the complaint received through email (parisaraarakshanaavedike@gmail.com) on 13<sup>th</sup> October 2022 for the present proposal and the committee at the time of appraisal sought point wise clarification for the following observations from the project Proponent and Consultant,

Drafted by ka

57

- *site is worked after 2015 as may be seen from google images and also it looks like the applicant has already setup crusher towards west and some transportation activities area taking place.*

The proponent informed that, mining activity was illegally carried out in the proposed area and DMG has issued notice imposing penalty of Rs. 50,000, dated 13.01.2021. The penalty amount was remitted to DMG on 16.03.2021. (Challan Ref. no. CR0321085300395031)

The committee accepted the clarification given by proponent and appraised the project. The proposal was initially considered in 272<sup>nd</sup> SEAC meeting and the committee had deferred the project, as there was a nala as per the village map in the proposed project area.

The proponent in the present meeting informed that as per Tahsildar letter dated 27.06.2022 and as per RTC of the proposed survey numbers, there is no nala and B-Kharab. The committee accepted the clarification and appraised the project.

As per the cluster sketch there is no other lease in a radius of 500mtr from the said lease and the area of the said lease is 4-00 Acres and hence the project is categorized as B2.

There is an existing cart track road to a length of 660 meters connecting lease area to the all weather black topped road and the committee informed that the quarrying operation should be commenced after asphaltting the approach road to the quarry and road leading to crusher as per IRC standard norms & should grow trees all along the approach road during the first year of operation, for which the proponent agreed.

The proponent has collected baseline data of air, water, soil and noise and all are within the permissible limits. The proponent informed that all mitigative measures will be taken to ensure that the parameters will be maintained within the permissible limits.

The committee noted that the baseline parameters are found to be within permissible limits and the committee as per the approved quarry plan, recommended the proposal for proved mineable reserve of 5,24,394 Tones(including waste) and estimated the life of the quarry as 10 years. The committee after discussion decided to recommend the proposal to SEIAA for issue of Environmental Clearance for an annual production of 52,061 Cum/annum(including waste).

The Authority perused the proposal and took note of the recommendation of SEAC.

*The Authority after discussion decided to clear the proposal for issue of Environmental Clearance subject to following:*

1. *If the distance of nearest Protected Area (National Park/ Sanctuary/Bio sphere reserve/ migratory corridor) is within 10 KM, a certificate from the Chief Wild Life*

Warden (CWLW) along with his recommendation, else a certificate from the proponent that the proposed site is more than 10 KM away from any Protection Authority (PA) (National Park/ Sanctuary/Bio sphere reserve/ migratory corridor).

2. Safety measures proposed shall be submitted.
3. A time bound action plan for implementation of proposed CER activities as a part of EMP shall be furnished.

**Additional Conditions:**



*Dust suppression measures have to be strictly followed.*

**226.1.18. Building Stone Quarry Project at Nitte Village, Karkala Taluk, Udupi District (1-50 Acres) (QL No. 365) by Sri Naveen Chandra Jain - Online Proposal No.SIA/KA/MIN/273695/2022 (SEIAA 243 MIN 2022)**

Sri Naveen Chandra Jain have applied for Environmental clearance from SEIAA for Building Stone Quarry Project Sy. No. 361/P1, Nitte Village, Karkala Taluk, Udupi District (1-50 Acres) (QL No. 365)

Details of the project are as follows:

Sl.No	PARTICULARS	INFORMATION										
1	Name & Address of the Projects Proponent	Sri Naveen Chandra Jain										
2	Name & Location of the Project	Building Stone Quarry Project Sy. No. 361/P1, Nitte Village, Karkala Taluk, Udupi District (1-50 Acres) (QL No. 365)										
		<table border="1"> <thead> <tr> <th>Latitude</th> <th>Longitude</th> </tr> </thead> <tbody> <tr> <td>N 13° 10' 02.3"</td> <td>E 74° 57' 23.4"</td> </tr> <tr> <td>N 13° 10' 05.6"</td> <td>E 74° 57' 23.4"</td> </tr> <tr> <td>N 13° 10' 05.7"</td> <td>E 74° 57' 25.4"</td> </tr> <tr> <td>N 13° 10' 02.4"</td> <td>E 74° 57' 25.4"</td> </tr> </tbody> </table>	Latitude	Longitude	N 13° 10' 02.3"	E 74° 57' 23.4"	N 13° 10' 05.6"	E 74° 57' 23.4"	N 13° 10' 05.7"	E 74° 57' 25.4"	N 13° 10' 02.4"	E 74° 57' 25.4"
Latitude	Longitude											
N 13° 10' 02.3"	E 74° 57' 23.4"											
N 13° 10' 05.6"	E 74° 57' 23.4"											
N 13° 10' 05.7"	E 74° 57' 25.4"											
N 13° 10' 02.4"	E 74° 57' 25.4"											
3	Type Of Mineral	Building Stone Quarry										
4	New / Expansion / Modification / Renewal	Expansion										
5	Type of Land [Forest, Government Revenue, Gomal, Private / Patta, Other]	Government										
6	Area in Acres	1-50 Acres										
7	Annual Production (Metric	2,58,332 Tones/ Annum (including waste)										

	Ton / Cum) Per Annum	
8	Project Cost (Rs. In Crores)	Rs. 0.87 Crores (Rs. 87.18 Lakhs)
9	Proved Quantity of mine/ Quarry- Cu.m / Ton	2,58,332 Tones (including waste)
10	Permitted Quantity Per Annum - Cu.m / Ton	2,35,294 Tones/ Annum (excluding waste)
11	<b>CER Activities:</b>	
	Year	Corporate Environmental Responsibility (CER)
	1 <sup>st</sup>	Providing solar power panels, Rainwater harvesting pits and Health camps to GHPS school at Nitte village
12	EMP Budget	Rs. 33.92 lakhs (Capital Cost) & Rs. 9.22 lakhs (Recurring cost)
13	Forest NOC	09.03.2012
14	Quarry plan	16.05.2022
15	Cluster certificate	17.05.2022
16	DTF	13.06.2013
17	Audit Report	17.05.2022

The subject was discussed in the SEAC meeting held on 13<sup>th</sup> October 2022. The Committee has recommended to SEIAA for issue of EC and the extract of the proceedings of the Committee meeting is as below:

The proposal was earlier considered in 282<sup>nd</sup> SEAC meeting and the committee had deferred the project as the committee observed that as per Forest NoC dated 09.03.2012, the survey number of the proposed project area was not clear regarding, whether the proposed project area is within the deemed forest area or out of the deemed forest area.

In the present meeting the proponent had submitted reply letter under RTI Act, from forest department dated 28.09.2022, informing that as per the G.O dated 05.05.2022, the proposed Sy. No. 361/P1 of Karkala Taluk, Nitte village is not included in the Deemed forests list. The committee accepted the reply and appraised the project.

The proposal is for expansion, where in earlier EC was issued by SEIAA on 10.03.2015 and the lease was granted on 03.02.2022. The proponent had submitted certified compliance report from KSPCB dated 20.06.2022 and audit report certified by DMG dated 17.05.2022.

There is an existing cart track road to a length of 648 meters connecting lease area to the all weather black topped road and the committee informed that the quarrying operation should be commenced after asphaltting the approach road to the quarry & the road connecting to the crusher as per IRC (Indian Road Congress) standard norms before

carrying out the expansion quantity & should grow trees all along the approach road during the first year of operation, for which the proponent agreed.

The proponent has collected baseline data of air, water, soil and noise and all are within the permissible limits. The proponent informed that all mitigative measures will be taken to ensure that the parameters will be maintained within the permissible limits.

The committee noted that the baseline parameters are found to be within permissible limits and the committee by considering the proved mineable reserve of 2,58,332 Tones (including waste) as per the approved quarry plan, the committee estimated the life of the mine to be 1 year. The committee after discussion decided to recommend the proposal to SEIAA for issue of Environmental Clearance for an annual production of 2,58,332 Tones/ Annum (including waste).

The Authority perused the proposal and took note of the recommendation of SEAC.

*The Authority after discussion decided to clear the proposal for issue of Environmental Clearance subject to following:*

- 1. If the distance of nearest Protected Area (National Park/ Sanctuary/Bio sphere reserve/ migratory corridor) is within 10 KM, a certificate from the Chief Wild Life Warden (CWLW) along with his recommendation, else a certificate from the proponent that the proposed site is more than 10 KM away from any Protection Authority (PA) (National Park/ Sanctuary/Bio sphere reserve/ migratory corridor).*
- 2. Safety measures proposed shall be submitted.*
- 3. A time bound action plan for implementation of proposed CER activities as a part of EMP shall be furnished.*

**Additional Conditions:**

*Dust suppression measures have to be strictly followed.*

**226.1.19. Building Stone Quarry Project at Motakadahalli Village, Hosakote Taluk, Bangalore Rural District (3-20 Acres) by M/s. Vishwa Vinayaka Build-Tech - Online Proposal No.SIA/KA/MIN/236492/2021 (SEIAA 592 MIN 2021) : Expansion**

M/s. Vishwa Vinayaka Build-Tech have applied for Environmental clearance from SEIAA for Building Stone Quarry Project at Sy No. 39 of Motakadahalli Village, Hosakote Taluk, Bangalore Rural District (3-20 Acres)

Details of the project are as follows:

Sl.No.	PARTICULARS	INFORMATION																		
1	Name & Address of the Projects Proponent	M/s. Vishwa Vinayaka Build-Tech																		
2	Name & Location of the Project	Building Stone Quarry Project at Sy No. 39 of Motakadahalli Village, Hosakote Taluk, Bangalore Rural District (3-20 Acres)																		
		<table border="1"> <thead> <tr> <th>P. No.</th> <th>Latitude</th> <th>Longitude</th> </tr> </thead> <tbody> <tr> <td>A</td> <td>N 13°10'44.7"</td> <td>E 77°53'41.9"</td> </tr> <tr> <td>B</td> <td>N 13°10'48.0"</td> <td>E 77°53'43.3"</td> </tr> <tr> <td>C</td> <td>N 13°10'50.7"</td> <td>E 77°53'40.3"</td> </tr> <tr> <td>D</td> <td>N 13°10'50.4"</td> <td>E 77°53'39.6"</td> </tr> <tr> <td>E</td> <td>N 13°10'47.2"</td> <td>E 77°53'38.9"</td> </tr> </tbody> </table>	P. No.	Latitude	Longitude	A	N 13°10'44.7"	E 77°53'41.9"	B	N 13°10'48.0"	E 77°53'43.3"	C	N 13°10'50.7"	E 77°53'40.3"	D	N 13°10'50.4"	E 77°53'39.6"	E	N 13°10'47.2"	E 77°53'38.9"
P. No.	Latitude	Longitude																		
A	N 13°10'44.7"	E 77°53'41.9"																		
B	N 13°10'48.0"	E 77°53'43.3"																		
C	N 13°10'50.7"	E 77°53'40.3"																		
D	N 13°10'50.4"	E 77°53'39.6"																		
E	N 13°10'47.2"	E 77°53'38.9"																		
3	Type Of Mineral	Building Stone Quarry																		
4	New / Expansion / Modification / Renewal	Expansion																		
5	Type of Land [Forest, Government Revenue, Gomal, Private / Patta, Other]	Government																		
6	Area in Acres	3-20 Acres																		
7	Annual Production (Metric Ton / Cum) Per Annum	2,55,097 Tonnes/ Annum (including waste)																		
8	Project Cost (Rs. In Crores)	Rs. 0.40 Crores (Rs. 40 Lakhs)																		
9	Proved Quantity of mine/ Quarry- Cu.m / Ton	12,79,235 Tonnes (including waste)																		
10	Permitted Quantity Per Annum - Cu.m / Ton	2,49,995 Tonnes/ Annum (excluding waste)																		
11	<b>CER Activities:</b> Propose to grow additionally 500 No. locally suitable trees, on both sides of the approach road from quarry location to Motakadahalli and near public places.																			

	To Construct additional class room, compound wall and to provide drinking water facilities to nearby Govt. school.	
12	EMP Budget	Rs. 16.25 Lakhs (Capital Cost) & 3.90 Lakhs (Recurring cost)
13	Forest NOC	28.09.2015
14	Quarry plan	23.07.2021
15	Cluster certificate	30.08.2021
16	CCR from KSPCB	29.03.2022
17	Audit Report	19.07.2021

The subject was discussed in the SEAC meeting held on 13<sup>th</sup> October 2022. The Committee has recommended to SEIAA for issue of EC and the extract of the proceedings of the Committee meeting is as below:

The proposal was earlier considered in 282<sup>nd</sup> SEAC meeting and as the proponent was absent the committee had deferred the project.

In the present meeting, the committee noted that the proposal is for expansion, for which EC was earlier issued by SEIAA on 24.09.2015. The proponent submitted audit report till 2021-22 certified by DMG and CCR from KSPCB dated 29.03.2022.



There is an existing cart track road to a length of 800 meters connecting lease area to the all weather black topped road and the committee informed that the proposed expansion in quantity should be commenced after asphaltting the approach road to the quarry and the road connecting to the crusher as per IRC standard norms and should grow trees all along the approach road and to comply with the observations of KSPCB in the CCR, for which the proponent agreed.

The proponent has collected baseline data of air, water, soil and noise and all are within the permissible limits. The proponent informed that all mitigative measures will be taken to ensure that the parameters will be maintained within the permissible limits.

The committee noted that the baseline parameters are found to be within permissible limits and the committee as per the approved quarry plan, recommended the proposal for proved mineable reserve of 12,79,235 tones (including waste) and estimated the life of mine to be 5 years. The committee after discussion decided to recommend the proposal to SEIAA for issue of Environmental Clearance for an annual production of 2,55,097 tones/Annum (including waste).

The Authority perused the proposal and took note of the recommendation of SEAC.

Drafted by 

**The Authority after discussion decided to clear the proposal for issue of Environmental Clearance subject to following:**

1. If the distance of nearest Protected Area (National Park/ Sanctuary/Bio sphere reserve/ migratory corridor) is within 10 KM, a certificate from the Chief Wild Life Warden (CWLW) along with his recommendation, else a certificate from the proponent that the proposed site is more than 10 KM away from any Protection Authority (PA) (National Park/ Sanctuary/Bio sphere reserve/ migratory corridor).
2. Safety measures proposed shall be submitted.
3. A time bound action plan for implementation of proposed CER activities as a part of EMP shall be furnished.

**Additional Conditions:**


*Dust suppression measures have to be strictly followed.*

**226.1.20. Building Stone Quarry Project at Chokkasandra Village, Hosakote Taluk, Bangalore rural (1-18 Acres) by M/s. Vishwa Vinayaka Build-Tech - Online Proposal No.SIA/KA/MIN/236963/2021 (SEIAA 595 MIN 2021) : Expansion**

M/s. Vishwa Vinayaka Build-Tech have applied for Environmental clearance from SEIAA for Building Stone Quarry Project at Sy. No. 23 of Chokkasandra Village, Hosakote Taluk, Bangalore Rural (1-18 Acres)

Details of the project are as follows:

Sl.No	PARTICULARS	INFORMATION																					
1	Name & Address of the Projects Proponent	M/s. Vishwa Vinayaka Build-Tech																					
2	Name & Location of the Project	Building Stone Quarry Project at Sy. No. 23 of Chokkasandra Village, Hosakote Taluk, Bangalore Rural (1-18 Acres) <table border="1" style="margin-left: 20px;"> <thead> <tr> <th>P. No.</th> <th>Latitude</th> <th>Longitude</th> </tr> </thead> <tbody> <tr> <td>A</td> <td>N 13°11'06.3"</td> <td>E 77°54'34.3"</td> </tr> <tr> <td>B</td> <td>N 13°11'04.3"</td> <td>E 77°54'35.0"</td> </tr> <tr> <td>C</td> <td>N 13°11'03.2"</td> <td>E 77°54'31.5"</td> </tr> <tr> <td>D</td> <td>N 13°11'04.7"</td> <td>E 77°54'31.2"</td> </tr> <tr> <td>E</td> <td>N 13°11'04.5"</td> <td>E 77°54'31.7"</td> </tr> <tr> <td>F</td> <td>N 13°11'05.3"</td> <td>E 77°54'32.3"</td> </tr> </tbody> </table>	P. No.	Latitude	Longitude	A	N 13°11'06.3"	E 77°54'34.3"	B	N 13°11'04.3"	E 77°54'35.0"	C	N 13°11'03.2"	E 77°54'31.5"	D	N 13°11'04.7"	E 77°54'31.2"	E	N 13°11'04.5"	E 77°54'31.7"	F	N 13°11'05.3"	E 77°54'32.3"
P. No.	Latitude	Longitude																					
A	N 13°11'06.3"	E 77°54'34.3"																					
B	N 13°11'04.3"	E 77°54'35.0"																					
C	N 13°11'03.2"	E 77°54'31.5"																					
D	N 13°11'04.7"	E 77°54'31.2"																					
E	N 13°11'04.5"	E 77°54'31.7"																					
F	N 13°11'05.3"	E 77°54'32.3"																					
3	Type Of Mineral	Building Stone Quarry																					



4	New / Expansion / Modification / Renewal	Expansion
5	Type of Land [Forest, Government Revenue, Gomal, Private / Patta, Other]	Government
6	Area in Acres	1-18 Acres
7	Annual Production (Metric Ton / Cum) Per Annum	81,635 Tones/ Annum (including waste)
8	Project Cost (Rs. In Crores)	Rs. 0.25 Crores (Rs. 25 Lakhs)
9	Proved Quantity of mine/ Quarry- Cu.m / Ton	4,08,702 Tones (including waste)
10	Permitted Quantity Per Annum - Cu.m / Ton	80,002Tones/ Annum (excluding waste)
11	CER Activities: Propose to grow additionally 500 No. locally suitable trees, on both sides of the approach road from quarry location to Motakadahalli and near public places. To Construct additional class room, compound wall and to provide drinking water facilities to nearby Govt. school.	
12	EMP Budget	Rs. 13.62 Lakhs (Capital Cost) & 3.02 Lakhs (Recurring cost)
13	Forest NOC	10.04.2015
14	Quarry plan	23.07.2021
15	Cluster certificate	23.08.2021
16	CCR from KSPCB	29.03.2022
17	Audit Report	19.07.2022


The subject was discussed in the SEAC meeting held on 13<sup>th</sup> October 2022. The Committee has recommended to SEIAA for issue of EC and the extract of the proceedings of the Committee meeting is as below:

The proposal was earlier considered in 282<sup>nd</sup> SEAC meeting and as the proponent was absent the committee had deferred the project.

In the present meeting, the committee noted that the proposal is for expansion, for which EC was earlier issued by SEIAA on 28.12.2015. The proponent submitted audit report till 2021-22 certified by DMG and CCR from KSPCB dated 29.03.2022.

There is an existing cart track road to a length of 500 meters connecting lease area to the all weather black topped road and the committee informed that the proposed expansion in quantity should be commenced after asphaltting the approach road to the

Drafted by 

quarry and the road connecting to the crusher as per IRC standard norms and should grow trees all along the approach road and to comply with the observations of KSPCB in the CCR, for which the proponent agreed.

The proponent has collected baseline data of air, water, soil and noise and all are within the permissible limits. The proponent informed that all mitigative measures will be taken to ensure that the parameters will be maintained within the permissible limits.

The committee noted that the baseline parameters are found to be within permissible limits and the committee as per the approved quarry plan, recommended the proposal for proved mineable reserve of 4,08,702 tones (including waste) and estimated the life of mine to be 5years. The committee after discussion decided to recommend the proposal to SEIAA for issue of Environmental Clearance for an annual production of 81,635 tones/Annum(including waste).

The Authority perused the proposal and took note of the recommendation of SEAC.

*The Authority after discussion decided to clear the proposal for issue of Environmental Clearance subject to following:*


- 1. If the distance of nearest Protected Area (National Park/ Sanctuary/Bio sphere reserve/ migratory corridor) is within 10 KM, a certificate from the Chief Wild Life Warden (CWLW) along with his recommendation, else a certificate from the proponent that the proposed site is more than 10 KM away from any Protection Authority (PA) (National Park/ Sanctuary/Bio sphere reserve/ migratory corridor).*
- 2. Safety measures proposed shall be submitted.*
- 3. A time bound action plan for implementation of proposed CER activities as a part of EMP shall be furnished.*

**Additional Conditions:**

*Dust suppression measures have to be strictly followed.*

**226.1.21. Building Stone Quarry Project at Motakadahalli Village, Hosakote Taluk, Bangalore Rural District (1-20 Acres) by M/s. Vishwa Vinayaka Build-Tech - Online Proposal No.SIA/KA/MIN/237074/2021 (SEIAA 596 MIN 2021) : Expansion**

M/s. Vishwa Vinayaka Build-Tech have applied for Environmental clearance from SEIAA for Building Stone Quarry Project at Sy. No. 23 of Chokkasandra Village, Hosakote Taluk, Bangalore Rural (1-20 Acres)



Details of the project are as follows:

Sl.No	PARTICULARS	INFORMATION																		
1	Name & Address of the Projects Proponent	M/s. Vishwa Vinayaka Build-Tech																		
2	Name & Location of the Project	Building Stone Quarry Project at Sy. No. 23 of Chokkasandra Village, Hosakote Taluk, Bangalore Rural (1-20 Acres)																		
		<table border="1"> <thead> <tr> <th>P.No.</th> <th>Latitude</th> <th>Longitude</th> </tr> </thead> <tbody> <tr> <td>A</td> <td>N 13°10'35.6"</td> <td>E 77°53'45.5"</td> </tr> <tr> <td>B</td> <td>N 13°10'36.6"</td> <td>E 77°53'44.3"</td> </tr> <tr> <td>C</td> <td>N 13°10'39.6"</td> <td>E 77°53'42.9"</td> </tr> <tr> <td>D</td> <td>N 13°10'40.0"</td> <td>E 77°53'43.3"</td> </tr> <tr> <td>F</td> <td>N 13°10'37.2"</td> <td>E 77°53'45.8"</td> </tr> </tbody> </table>	P.No.	Latitude	Longitude	A	N 13°10'35.6"	E 77°53'45.5"	B	N 13°10'36.6"	E 77°53'44.3"	C	N 13°10'39.6"	E 77°53'42.9"	D	N 13°10'40.0"	E 77°53'43.3"	F	N 13°10'37.2"	E 77°53'45.8"
P.No.	Latitude	Longitude																		
A	N 13°10'35.6"	E 77°53'45.5"																		
B	N 13°10'36.6"	E 77°53'44.3"																		
C	N 13°10'39.6"	E 77°53'42.9"																		
D	N 13°10'40.0"	E 77°53'43.3"																		
F	N 13°10'37.2"	E 77°53'45.8"																		
3	Type Of Mineral	Building Stone Quarry																		
4	New / Expansion / Modification / Renewal	Expansion																		
5	Type of Land [Forest, Government Revenue, Gomal, Private / Patta, Other]	Government																		
6	Area in Acres	1-20 Acres																		
7	Annual Production (Metric Ton / Cum) Per Annum	77,690 Tonnes/ Annum (including waste)																		
8	Project Cost (Rs. In Crores)	Rs. 0.25 Crores (Rs. 25 Lakhs)																		
9	Proved Quantity of mine/ Quarry- Cu.m / Ton	3,89,372 Tonnes (including waste)																		
10	Permitted Quantity Per Annum - Cu.m / Ton	76,136 Tonnes/ Annum (excluding waste)																		
11	<b>CER Activities:</b> Propose to grow additionally 500 No. locally suitable trees, on both sides of the approach road from quarry location to Motakadahalli and near public places.To Construct additional class room, compound wall and to provide drinking water facilities to nearby Govt. school.																			
12	EMP Budget	Rs. 10.87 Lakhs (Capital Cost) & 2.37 Lakhs (Recurring cost)																		
13	Forest NOC	10.04.2015																		
14	Quarry plan	23.07.2021																		
15	Cluster	23.08.2021																		

	certificate	
16	CCR from KSPCB	29.03.2022
17	Audit Report	19.07.2022

The subject was discussed in the SEAC meeting held on 13<sup>th</sup> October 2022. The Committee has recommended to SEIAA for issue of EC and the extract of the proceedings of the Committee meeting is as below:

The proposal was earlier considered in 282<sup>nd</sup> SEAC meeting and as the proponent was absent the committee had deferred the project.

In the present meeting, the committee noted that the proposal is for expansion, for which EC was earlier issued by SEIAA on 24.09.2015. The proponent submitted audit report till 2021-22 certified by DMG and CCR from KSPCB dated 29.03.2022.

There is an existing cart track road to a length of 850 meters connecting lease area to the all weather black topped road and the committee informed that the proposed expansion in quantity should be commenced after asphaltting the approach road to the quarry and the road connecting to the crusher as per IRC standard norms and should grow trees all along the approach road and to comply with the observations of KSPCB in the CCR, for which the proponent agreed.

The proponent has collected baseline data of air, water, soil and noise and all are within the permissible limits. The proponent informed that all mitigative measures will be taken to ensure that the parameters will be maintained within the permissible limits.

The committee noted that the baseline parameters are found to be within permissible limits and the committee as per the approved quarry plan, recommended the proposal for proved mineable reserve of 3,89,372 tones (including waste) and estimated the life of mine to be 5years. The committee after discussion decided to recommend the proposal to SEIAA for issue of Environmental Clearance for an annual production of 77,690 tones/ Annum(including waste).

The Authority perused the proposal and took note of the recommendation of SEAC.

*The Authority after discussion decided to clear the proposal for issue of Environmental Clearance subject to following:*

1. *If the distance of nearest Protected Area (National Park/ Sanctuary/Bio sphere reserve/ migratory corridor) is within 10 KM, a certificate from the Chief Wild Life Warden (CWLW) along with his recommendation, else a certificate from the proponent that the proposed site is more than 10 KM away from any Protection Authority (PA) (National Park/ Sanctuary/Bio sphere reserve/ migratory corridor).*




2. *Safety measures proposed shall be submitted.*
3. *A time bound action plan for implementation of proposed CER activities as a part of EMP shall be furnished.*

**Additional Conditions:**

*Dust suppression measures have to be strictly followed.*

**226.1.22. Building Stone Quarry Project at Motakadahalli Village, Hosakote Taluk, Bangalore Rural District (7-00 Acres) by M/s. Vishwa Vinayaka Build-Tech - Online Proposal No.SIA/KA/MIN/237104/2021 (SEIAA 597 MIN 2021)**

M/s. Vishwa Vinayaka Build-Tech have applied for Environmental clearance from SEIAA for Building Stone Quarry Project at Sy No. 39 of Motakadahalli Village, Hosakote Taluk, Bangalore Rural District (7-00 Acres)

Details of the project are as follows:

Sl.No	PARTICULARS	INFORMATION															
1	Name & Address of the Projects Proponent	M/s. Vishwa Vinayaka Build-Tech															
2	Name & Location of the Project	Building Stone Quarry Project at Sy No. 39 of Motakadahalli Village, Hosakote Taluk, Bangalore Rural District (7-00 Acres)															
		<table border="1"> <thead> <tr> <th>P.No.</th> <th>Latitude</th> <th>Longitude</th> </tr> </thead> <tbody> <tr> <td>A</td> <td>N 13°10'37.8"</td> <td>E 77°53'37.6"</td> </tr> <tr> <td>B</td> <td>N 13°10'39.9"</td> <td>E 77°53'29.8"</td> </tr> <tr> <td>C</td> <td>N 13°10'43.4"</td> <td>E 77°53'31.0"</td> </tr> <tr> <td>D</td> <td>N 13°10'41.6"</td> <td>E 77°53'38.5"</td> </tr> </tbody> </table>	P.No.	Latitude	Longitude	A	N 13°10'37.8"	E 77°53'37.6"	B	N 13°10'39.9"	E 77°53'29.8"	C	N 13°10'43.4"	E 77°53'31.0"	D	N 13°10'41.6"	E 77°53'38.5"
P.No.	Latitude	Longitude															
A	N 13°10'37.8"	E 77°53'37.6"															
B	N 13°10'39.9"	E 77°53'29.8"															
C	N 13°10'43.4"	E 77°53'31.0"															
D	N 13°10'41.6"	E 77°53'38.5"															
3	Type Of Mineral	Building Stone Quarry															
4	New / Expansion / Modification / Renewal	Expansion															
5	Type of Land [Forest, Government Revenue, Gomal, Private / Patta, Other]	Government															
6	Area in Acres	7-00 Acres															
7	Annual Production (Metric Ton / Cum) Per Annum	5,02,593 Tonnes/ Annum (including waste)															

8	Project Cost (Rs. In Crores)	Rs. 0.70 Crores (Rs. 70 Lakhs)
9	Proved Quantity of mine/ Quarry- Cu.m / Ton	25,15,069 Tonnes (including waste)
10	Permitted Quantity Per Annum - Cu.m / Ton	4,92,541 Tonnes/ Annum (excluding waste)
11	<b>CER Activities:</b> Propose to grow additionally 500 No. locally suitable trees, on both sides of the approach road from quarry location to Motakadahalli and near public places. To Construct additional class room, compound wall and to provide drinking water facilities to nearby Govt. school	
12	EMP Budget	Rs. 19.95 Lakhs (Capital Cost) & 5.05 Lakhs (Recurring cost)
13	Forest NOC	25.03.2015
14	Quarry plan	23.07.2021
15	Cluster certificate	30.08.2021
16	CCR from KSPCB	29.03.2022

The subject was discussed in the SEAC meeting held on 13<sup>th</sup> October 2022. The Committee has recommended to SEIAA for issue of EC and the extract of the proceedings of the Committee meeting is as below:

The proposal was earlier considered in 282<sup>nd</sup> SEAC meeting and as the proponent was absent the committee had deferred the project.

In the present meeting, the committee noted that the proposal is for expansion, for which EC was earlier issued by SEIAA on 16.11.2015. The proponent submitted audit report till 2021-22 certified by DMG dated 19.07.2022 and CCR from KSPCB dated 29.03.2022.

There is an existing cart track road to a length of 800 meters connecting lease area to the all weather black topped road and the committee informed that the proposed expansion in quantity should be commenced after asphaltting the approach road to the quarry and the road connecting to the crusher as per IRC standard norms and should grow trees all along the approach road and to comply with the observations of KSPCB in the CCR, for which the proponent agreed.

The proponent has collected baseline data of air, water, soil and noise and all are within the permissible limits. The proponent informed that all mitigative measures will be taken to ensure that the parameters will be maintained within the permissible limits.

The committee noted that the baseline parameters are found to be within permissible limits and as per the approved quarry plan, recommended the proposal for proved mineable reserve of 25,15,069 tones (including waste) and estimated the life of

mine to be 5years. The committee after discussion decided to recommend the proposal to SEIAA for issue of Environmental Clearance for an annual production of 5,02,593 tones/Annum(including waste).

The Authority perused the proposal and took note of the recommendation of SEAC.

*The Authority after discussion decided to clear the proposal for issue of Environmental Clearance subject to following:*

1. *If the distance of nearest Protected Area (National Park/ Sanctuary/Bio sphere reserve/ migratory corridor) is within 10 KM, a certificate from the Chief Wild Life Warden (CWLW) along with his recommendation, else a certificate from the proponent that the proposed site is more than 10 KM away from any Protection Authority (PA) (National Park/ Sanctuary/Bio sphere reserve/ migratory corridor).*
2. *Safety measures proposed shall be submitted.*
3. *A time bound action plan for implementation of proposed CER activities as a part of EMP shall be furnished.*

**Additional Conditions:**

*Dust suppression measures have to be strictly followed.*


**226.1.23. Building Stone Quarry Project at Guguttahalli Village, Hosakote Taluk, Bangalore Rural District (4-00 Acres) by M/s. Dilip Buildcon Limited - Online Proposal No.SIA/KA/MIN/400530/2022 (SEIAA 397 MIN 2022)**

M/s. Dilip Buildcon Limited have applied for Environmental clearance from SEIAA for Building Stone Quarry Project at Sy. No. 31 of Guguttahalli Village, Hosakote Taluk, Bangalore Rural District (4-00 Acres).

Details of the project are as follows:

Sl.N o	PARTICULARS	INFORMATION
1	Name & Address of the Projects Proponent	M/s. Dilip Buildcon Limited
2	Name & Location of the Project	Building Stone Quarry Project at Sy. No. 31 of Guguttahalli Village, Hosakote Taluk, Bangalore Rural District (4-00 Acres)
3	Type Of Mineral	Building Stone Quarry

Drafted by 

4	New / Expansion / Modification / Renewal	New
5	Type of Land [Forest, Government Revenue, Gomal, Private / Patta, Other]	Government
6	Area in Acres	4-00 Acres
7	Annual Production (Metric Ton / Cum) Per Annum	2,04,082 Tones/ Annum (including waste) - I year 5,10,204 Tones/ Annum (including waste) - II year
8	Project Cost (Rs. In Crores)	Rs. 1.32 Crores (Rs. 132 Lakhs)
9	Proved Quantity of mine/ Quarry- Cu.m / Ton	15,01,012 Tones (including waste)
10	Permitted Quantity Per Annum - Cu.m / Ton	2,00,000 Tones/ Annum (excluding waste) - I year 5,00,000 Tones/ Annum (excluding waste) - II year
11	<b>CER Activities:</b>	
	<b>Year</b>	<b>Corporate Environmental Responsibility (CER)</b>
	1st	Providing solar power panels to the GLPS school at Guguttahalli Village
	2nd	Rain water harvesting pits and Health camp in GLPS school at Guguttahalli Village
12	EMP Budget	Rs. 23.36 lakhs (Capital Cost) & Rs. 11.62 lakhs (Recurring cost)
13	Forest NOC	02.09.2021
14	Quarry plan	05.09.2022
15	Cluster certificate	06.09.2022
16	Revenue	25.08.2021

The subject was discussed in the SEAC meeting held on 13<sup>th</sup> October 2022. The Committee has recommended to SEIAA for issue of EC and the extract of the proceedings of the Committee meeting is as below:

As per the cluster sketch there are 06 leases including the present lease within 500 meter radius from this lease out of which 05 lease is exempted from cluster as the lease was granted prior to 09.09.2013 and the total area of the present lease is 4-00 Acres and hence the project is categorized as B2.

There is an existing cart track road to a length of 170 meters connecting lease area to the all weather black topped road and the committee informed that the quarrying



operation should be commenced after asphaltting the approach road to the quarry and road leading to crusher as per IRC standard norms & should grow trees all along the approach road during the first year of operation, for which the proponent agreed.

The proponent has collected baseline data of air, water, soil and noise and all are within the permissible limits. The proponent informed that all mitigative measures will be taken to ensure that the parameters will be maintained within the permissible limits.

The committee noted that the baseline parameters are found to be within permissible limits and the committee as per the approved quarry plan, recommended the proposal for proved mineable reserve of 15,01,012 Tons (including waste) and estimated the life of the quarry as 2 years. The committee after discussion decided to recommend the proposal to SEIAA for issue of Environmental Clearance for an annual production of 2,04,082 Tones/ Annum (including waste) for I year and 5,10,204 Tones/ Annum (including waste) for II year.

The Authority perused the proposal and took note of the recommendation of SEAC.

*The Authority after discussion decided to clear the proposal for issue of Environmental Clearance subject to following:*


- 1. If the distance of nearest Protected Area (National Park/ Sanctuary/Bio sphere reserve/ migratory corridor) is within 10 KM, a certificate from the Chief Wild Life Warden (CWLW) along with his recommendation, else a certificate from the proponent that the proposed site is more than 10 KM away from any Protection Authority (PA) (National Park/ Sanctuary/Bio sphere reserve/ migratory corridor).*
- 2. Safety measures proposed shall be submitted.*
- 3. A time bound action plan for implementation of proposed CER activities as a part of EMP shall be furnished.*

**Additional Conditions:**

*Dust suppression measures have to be strictly followed.*

**Industry Projects:**

**226.1.24. Expansion Of Sugar Plant Capacity From 10,000 Tcd To 12,000 Tcd Along With Existing Cogeneration Plant Of 60 Mw/hr at Saundatti village & Yadrav village falling under the revenue limits of Raibag Taluku, Belagavi District by M/s. Shivashakti Sugar Limited - Online Proposal No.SIA/KA/IND2/402735/2022 (SEIAA 25 IND 2022) : Expansion.**





M/s. Shivashakti Sugars Limited have applied for Environmental clearance from SEIAA for "Expansion of Sugar Plant capacity from 10,000 TCD to 12,000 TCD along with existing Cogeneration plant of 60 MW<sub>hr</sub>" at Survey Nos. 177 (Part), 178/1A, 178/1B & 178/2 of Saundatti village & Survey Nos. 5/1, 6/1A, 6/1B, 6/2A, 6/2B, 7/2, 95/2, 95/3, 98/1A, 98/1B-1, 98/1C, 98/2, 99/1, 99/2, 99/3 & 99/4 & parts of Yadrav village, Raibag Taluk, Belagavi district, Karnataka.

Details of the project are as follows:


S. No	PARTICULARS	INFORMATION
1.	Name & Address of the Project Proponent	Dr. Prabhakar B. Kore CTS No. 4094/1B1 & CTS No. 4094/1B2, 2nd Floor, Adarsha Central Mall, College Road, Belagavi, Karnataka. Pin: 590 001.
2.	Name & Location of the Project	M/s. Shivashakti Sugars Limited Survey Nos. 177 (Part), 178/1A, 178/1B & 178/2 of Saundatti village & Survey Nos. 5/1, 6/1A, 6/1B, 6/2A, 6/2B, 7/2, 95/2, 95/3, 98/1A, 98/1B-1, 98/1C, 98/2, 99/1, 99/2, 99/3 & 99/4 & parts of Yadrav village, Raibag Taluk, Belagavi district, Karnataka
3.	Co-ordinates of the Project Site	16°31'40.03"N, 74°43'25.27"E
4.	Type of Development as per schedule of EIA Notification, 2006 with relevant serial number	Category 5 (j) "Sugar Industry" as per schedule of EIA Notification, 2006. "Expansion of Sugar Plant capacity from 10,000 TCD to 12,000 TCD along with existing Cogeneration plant of 60 MW <sub>hr</sub> "
5.	New/ Expansion/ Modification/ Product mix change	Expansion

6. Location and Environment Sensitivity	
Particulars	Details
Nearest Highway	NH-160- 5.23 Km (NW)
Nearest Railway station	Raybag (Raibag) Station - 9.75 km (SE)
Nearest Airport	Kolhapur airport - 47.63 km (NW) Belagavi airport - 73.48 km (S)
Nearest Water body	Arka Halla - 2.59 km (SW) Krishna River - 3.63 kms (NW) Peeranakodi Lake - 4.6 km (SW) Hulyal Keri - 5.54 km (SE) Raybag Rajwada Keri - 7.41 km (SE)
Nearest Village	Soundattiwadi - 30 m (NW) Yadrav - 248 m (SE)

		Kachkawadi - 1.8 km (E) Saundatti - 2.03 km (NW) Nava Diggewadi - 2.04 km (NE) Nandikurli - 3.05 kms (SW) Nasalapur- 3.16 kms (W)						
	Nearest Town/City	Belagavi - 78.0 kms (SW)						
	Seismic Zone	Seismic zone-II as per IS-1893 (Part-1) - 2002						
	Interstate boundary	Karnataka-Maharashtra Interstate boundary - 9.6 km (NW)						
7.	Plot Area (Acre)	97.15 Acres						
8.	Ground Coverage Area	72,434 sqm						
9.	Component of developments	Sugar Plant with capacity 12,000 TCD and cogeneration plant of 60 MWHr						
10.	Project cost (Rs. In Crores)	Total - 476.58 Crores(Existing - 227.28 Crores & Proposed - 249.30 Crores)						
11.	Details of Land Use (Acre)							
	<b>Sl. No</b>	<b>Land Use</b>	<b>Area in sqm</b>					
	a.	Ground Coverage Area	72,434					
	b.	Greenbelt Area	1,29,951					
	c.	Parking	97,618					
	d.	Road	82,500					
	e.	Open Space	10730.4					
		<b>Total</b>	<b>393233.4</b>					
12.	Raw material with quantity and their source							
	<b>Sl No</b>	<b>Raw Material</b>	<b>Unit</b>	<b>Quantity in MT/day</b>		<b>Source</b>	<b>Mode of Transportat ion</b>	
				<b>Existing</b>	<b>Proposed</b>	<b>Total</b>		
	1	Sugar Cane	TPD	10000	2000	12000	Agricultural Fields	Tractors/Trucks/Bullock Carts
	2	Lime	TPM	560 to 600	112 to 120	672 to 720	Local Market	By Trucks
	3	Caustic Soda Flakes	TPM	12 to 14	2.4 to 2.8	14.4 to 16.8	Local Market	By Trucks
	4	Sodium Hydro Sulphite	TPM	0.9 to 1	0.18 to 0.2	1.08 to 1.2	Local Market	By Trucks
	5	Bleaching	TP	0.3 to 4	0.06 to	0.36	Local	By Trucks


		Powder	M		0.8	to 4.5	Market	
	6	Boiler Chemicals (Antiscale nts)	TP M	Boiler Chemical s (Antiscale nts)	TPM	3 to 4	Local Market	By Trucks
	7	Lubricants	KL/ M	Lubricant s	KL/M	10 to 12	Local Market	By Trucks
13.	Mode of transportation of Raw material and storage facility		Transportation is through trucks, Tractors and Bullock Carts. It will be stored in godowns					
14.	Power Requirement		Total - 18 MWhr Existing - 15 MWhr Proposed - 3 MWhr					
15.	WATER							
I	During Construction Phase							
a.	Source of water		Recycled water from the industry					
b.	Quantity of water for Construction in KLD		100 KLD					
c.	Quantity of water for Domestic Purpose in KLD		5.0 KLD					
d.	Wastewater generation in KLD		4.25 KLD					
e.	Treatment facility proposed and scheme of disposal of treated water		Domestic sewage will be sent to septic tank followed by soak pit.					
II	During Construction Phase							
a.	Source of water		Intake point of Krishna River through Karnataka Neeravari Nigam Limited					
b.	Total Requirement of Water in KLD		Total				6298 KLD	
			Fresh				718 KLD	
			Recycled				5580 KLD	
c.	Requirement of water for industrial purpose / production in KLD		Total				6258 KLD	
			Fresh				676 KLD	
			Recycled				5582 KLD	
d.	Requirement of water		Total				40 KLD	





	for domestic purpose in KLD	Fresh	40 KLD		
		Recycled	-		
e.	Wastewater generation in KLD	Industrial	1460 KLD		
		Domestic	34 KLD		
		Total	1494 KLD		
f.	ETP/ STP capacity	ETP	1500 KLD		
		STP	50 KLD		
16.	Infrastructure for Rainwater harvesting	Collection tank - 500 cum and storage tank of 6000 cum			
17.	Storm water management plan	The storm water will be collected in collection tank of 500 cum along with rooftop rainwater and it will be stored in storage tank of 6000 cum. The water will be used for irrigation and washing in the plant			
18.	Air Pollution				
a.	Sources of Air pollution				
	Sl. No.	Stack attached to	Type of Fuel	Height (in m)	Air pollution control system
	1	Boiler - 120 TPH	Bagass e	90 m AGL	Electrostatic Precipitator
	2	Boiler - 85 TPH	Bagass e		
	3	Boiler - 130 TPH	Bagass e	92 m AGL	Electrostatic Precipitator
	4	DG Set - 625 KVA	HSD	6 m ARL	Acoustic Enclosures
	5	DG Set - 625 KVA	HSD	6 m ARL	Acoustic Enclosures
	6	DG Set - 500 KVA	HSD	6 m ARL	Acoustic Enclosures
b.	Composition of Emissions				
	S. No.	Source of Emission	Constituents to be controlled		
	1.	Boiler - 120 TPH	PM, SO <sub>2</sub> , NO <sub>x</sub>		
	2.	Boiler - 85 TPH	PM, SO <sub>2</sub> , NO <sub>x</sub>		
	3.	Boiler - 130 TPH	PM, SO <sub>2</sub> , NO <sub>x</sub>		
	4.	DG Set - 625 KVA	PM, SO <sub>2</sub> , NO <sub>x</sub>		
	5.	DG Set - 625 KVA	PM, SO <sub>2</sub> , NO <sub>x</sub>		
	6.	DG Set - 500 KVA	PM, SO <sub>2</sub> , NO <sub>x</sub>		
19.	Noise Pollution				
a.	Sources of Noise pollution	DG Sets (2X625 KVA & 1X500 KVA)			
b.	Expected levels of	75 db(A)			

		Noise pollution in (dba)						
20.	EMP							
S. No.	Description	Amount in lakhs						
		Existing		Proposed		Total		
		Investment cost	Maintenance cost	Investment cost	Maintenance cost	Investment cost	Maintenance cost	
1	Pollution Control equipment such as Electrostatic Precipitator, Dust collection silos, acoustic enclosure, etc.	400	20.78	-	-	400	20.78	
2	Effluent Treatment Plant - 1500 KLD & proposed Sewage Treatment Plant - 50 KLD	150	10	200	20	350	30	
3	Rainwater Harvesting system	80	2	50	2	130	4	
4	Green Belt Development	5	10	3	2	8	12	
5	Occupational health and safety	30	10	5	3	35	13	
6	Storm water drains and fire management	50	5	-	-	50	5	
8	Corporate Environmental Responsibility	-	-	30	-	30	-	
9	Environment management Cell	20	4.01	10	10	30	14.01	
	<b>TOTAL</b>	<b>735</b>	<b>61.79</b>	<b>298</b>	<b>37</b>	<b>1033</b>	<b>98.79</b>	
21.	CER Activities	<p><b>Proposed Action Plan</b></p> <p>Development of greenbelt along the banks of Arka Halla by providing 4000 tree species</p> <p>Distribution of essential supplies and providing basic amenities to the Government Primary School, Yadrav</p>						

The subject was discussed in the SEAC meeting held on 13<sup>th</sup> October 2022. The Committee has recommended to SEIAA for issue of EC and the extract of the proceedings of the Committee meeting is as below:

Drafted by 

The proposal is for expansion in production of existing sugar plant capacity from 10,000TCD to 12,000TCD. The proponent informed the committee that the earlier EC was issued by SEIAA on 14.03.2017 for expansion sugar plant capacity from 4,800TCD to 10,000TCD and cogeneration plant from 15MWhr to 60MWhr and now the proposal is for expansion of production capacity to 12,000TCD, as per O.M issued by MoEF&CC dated 11.04.2022. Proponent informed the committee that based on the said O.M, they had proposed for expansion of 20percent in production capacity within the existing premises and had submitted EIA/EMP report as per standard ToR and Certified Compliance Report for earlier EC from MoEF&CC dated 24.08.2022. Proponent further informed that as per that O.M, for the proposed expansion of 20percent in production capacity within the existing premises, requirement of fresh public hearing is not needed, as public hearing has already been conducted on 12.08.2016 and was considered by SEIAA while issuing EC.

The committee initially sought clarifications for non-compliance for EC conditions in the CCR issued by MoEF&CC on 24.08.2022 and approval letter from sugar Commissioner for proposed expansion. The proponent submitted clarification for the non-compliance in CCR and informed as below,


1. With respect to installation of Online Continuous Emission Monitoring Systems (OCEMS) at co-gen stacks, proponent had submitted an undertaking to MoEF&CC on 23.07.2022 for installing OCEMS and informed that purchase order has already been placed to the vendor waiting for the installation.
2. With respect to CSR activities, proponent informed that CSR activities worth 4.21Cr is implemented and due to covid lock down and restrictions they were not able to completely implement 11Cr. The proponent submitted a copy of time bound action plan and activities till the year 2026 submitted to Regional Office of MoEF&CC on 23.07.2022.

The proponent further submitted approval letter from Commissioner for Cane Development and Director of Sugar, dated 28.06.2022, for expansion from 10,000TCD to 18,000TCD.

The committee accepted the clarification and appraised the project. The committee informed the proponent to comply with the observations in CCR for earlier EC issued by MoEF&CC, for which the proponent agreed.

The proponent has collected baseline data for air, water, soil and noise and all parameters are found to be within permissible limits. The proponent informed that all mitigative measures will be taken up to ensure that the parameters are maintained within permissible limits.

The committee noted that the baseline parameters are found to be within permissible limits and informed the proponent to carry out additional plantation and

incorporate all mitigative measures in the proposed project area. The committee after discussion decided to recommend the proposal to SEIAA for issue of EC with condition to strictly comply with the non-compliances mentioned in the certified compliance report of MoEF&CC.

The Authority perused the proposal and took note of the recommendation of SEAC. The Authority after detailed discussion decide to clear the proposal with a condition to comply non-compliances mentioned in the certified compliance report of MoEF&CC.

*The Authority after discussion decided to clear the proposal for issue of Environmental Clearance subject to following:*

1. *If the distance of nearest Protected Area (National Park/ Sanctuary/Bio sphere reserve/ migratory corridor) is within 10 KM, a certificate from the Chief Wild Life Warden (CWLW) along with his recommendation, else a certificate from the proponent that the proposed site is more than 10 KM away from any Protection Authority (PA) (National Park/ Sanctuary/Bio sphere reserve/ migratory corridor).*
2. *A time bound action plan for implementation of proposed CER activities as a part of EMP shall be furnished.*
3. *The PP shall install Online Continuous Emission Monitoring Systems (OCEMS) at co-gen stacks.*
4. *The PP shall implement the CSR activities as directed by the MoEF&CC.*

**Additional Condition:**

1. *The proponent shall carryout analysis and record the characteristics of the USB digester sludge for its microbial activity on annual basis to correlate its performance and assess its efficiency.*
2. *The project proponent shall undertake a bench scale study for extraction of wax from press mud and later on use the findings of the bench scale study for pilot plant adaptation.*

**226.1.25. Establishment of Sugarcane crushing plant with installed capacity of 1500 TCD (Operating Capacity 1290 TCD) To Produce 55 KLPD Capacity Ethanol/ Rectified Spirit/ Extra Neutral Alcohol Based on "C"/"B" Heavy Molasses/ Sugarcane Juice/ Syrup at Holkunda, Taluka Kamalapur and District Kalaburagi by M/s. King Rudra Sugars Ltd. - Online Proposal No.SIA/KA/IND2/47993/2019 (SEIAA 01 IND 2020).**

M/s. King Rudra Sugars Limited have applied for Environmental clearance from SEIAA for Establishment of Sugarcane crushing plant with installed capacity Of 1500 TCD (Operating Capacity 1290 TCD) To Produce 55 KLPD Capacity Ethanol/Rectified






Spirit/Extra Neutral Alcohol Based On "C"/"B" Heavy Molasses/Sugarcane Juice/Syrup At Holkunda, Taluka and District Kalaburagi, Karnataka.

Details of the project are as follows:


Sl. No	PARTICULARS	INFORMATION
	Name & Address of the Project Proponent	Mr.Shivaraj Rudrashetty Patil, (Chairman & Managing Director) Address: A/p #1124/17A, Opp. V. G. Women's College, Aiwan-E-Shahi, Kalaburagi-585102, Karnataka
	Name & Location of the Project	Establishment of Sugarcane crushing plant with installed capacity Of 1500 TCD (Operating Capacity 1290 TCD) To Produce 55 KLPD Capacity Ethanol/Rectified Spirit/Extra Neutral Alcohol Based On "C"/"B" Heavy Molasses/Sugarcane Juice/Syrup. At Holkunda, Taluka and District Kalaburagi, Karnataka, by King Rudra Sugars Limited.
	Co-ordinates of the Project Site	Longitude 76°58'6.79"E Latitude 17°30'39.37"N
	Type of Development as per schedule of EIA Notification, 2006 with relevant serial number	The project falls under schedule 5(g) and 5(j) and Category-B1 of the EIA Notification 2006.
	New/ Expansion/ Modification/ Product mix change	New
	Environment Sensitivity	Location: Latitude: 17°30'39.37 "N Longitude: 76°58'6.79" E
		Nearest Village: Holkunda : 2 km in NE
		Nearest town / City: Kalaburagi : 25 km in SW
		Nearest National Highway: NH 218 (Hubballi) : 3 Km in NW

		Highway:	to Vijapura):		
		Nearest Railway Station:	a. Kalaburagi	: 26 km in SW	
			b. Mahagaon	: 05 km in W	
		Nearest Airport:	Kalaburagi	: 24 km in SSW	
		Nearest Water Body:	Bennithora Reservoir	: 4 km in S	
		Seismicity:	Seismic Zone III		
7	Plot Area (Acre)	3.88 Acres (17.7599 Ha)			
8	Built Up area (Sqm)	Proposed built up area for sugar , co-gen and distillery unit along with ETP/STP of 25000 m <sup>2</sup>			
9	Component of developments	NA			
10	Project cost (Rs. In crores)	150 Crores			
11	Details of Land Use (Acre)				
	Ground Coverage Area	4.32 Acres (17500 sq. m)			
	b. Internal Road	2.47 Acres(10000 sq. m)			
	c. Cane Yard	6.92 Acres (28000 sq. m)			
	d. C type quarters, Bank, Canteen	0.62 Acres( 2500 sq. m including bagasse yard)			
	e. Green belt and R&D	14.48 Acres (58610 sq. m)			
	f. Open Land	13.09 Acres (52989 sq. m)			
	g. B,E,F Quarters	--			
	h. Pump house	1.98 Acres( 8000 sq. m , ETP/STP and water reservoir)			
	i. Total	43.88 Acres (177599 sq. m)			
2	Raw material with quantity and their source				
	Sr. No	Raw material	Source	Quantity (TPD)	
				Method of transport	
	1	Sugar Cane crushing capacity sugarcane for Ethanol production	Local area	3500 1500	By trucks, tractors & bullock carts

2	Fuel (1*90 TPH boiler)		
	Bagasse	Own Sugar Unit	864
	Distillery Unit		
	'C' Molasses Or 'B' Heavy Molasses Or Sugar Juice Or Sugar Syrup	Own Sugar Unit	04 Or 67 Or 46 Or 78
	Through Closed Pipeline/Tanker/ Conv.		
Fuel (for 1*15 TPH boiler)			
	Bagasse	Own industry	44
	Conveyor		
3	Mode of transportation of Raw material and storage facility	Raw materials will be received by road ways only. Dedicated storage facility will be provided.	
4	Power Requirement	Unit	Power requirement (MW)
		Sugar Unit	4.0
		Co-generation Power Plant	1.5
		Distillery Unit	1.5
Own 14.5 MW generation Po			
22 TPH incine			
5	ATER		
Construction Phase			
	Source of water	ug well	
	Quantity of water for Construction in KLD		
	Quantity of water for Domestic Purpose in KLD		
	Wastewater generation in KLD		
	Treatment facility proposed and scheme of disposal of treated water	Septic tank followed by soak pit and treated effluent shall be used for tree plantation.	
Operational Phase			
	Source of water	ug well and tertiary treated effluent being recycled	
	Total Requirement of Water in KLD	Fresh	8
		Recycled	97
		Total	05
c.	Requirement of water for industrial purpose / production in KLD	Fresh	458
		Recycled	4297

			<b>Total</b>	<b>4755</b>			
d.	<b>Requirement of water for domestic purpose in KLD</b>		<b>Fresh</b>	<b>50</b>			
			<b>Recycled</b>	<b>--</b>			
			<b>Total</b>	<b>50</b>			
e.	<b>Wastewater generation in KLD</b>		<b>Industrial effluent</b>	<b>1880</b>			
			<b>Domestic sewage</b>	<b>0</b>			
			<b>Total</b>	<b>1880</b>			
	<b>TP/ STP capacity</b>		<p>Sugar and Co-generation ETP - 560 KLD, Sugar CPU - 800 KLD, Distillery CPU - 600 KLD and STP - 40 KLD Shall be Provided.</p> <p>Spentwash treatment: Incineration boiler which is being amended to MEE and dryer.</p>				
6	<b>Infrastructure for Rain water harvesting</b>		<p>Rainwater is collected from rooftop surface area of buildings and total annual Rainwater Harvesting Potential of the industry is 5246.87 m<sup>3</sup> per year. This shall be utilized for gardening/greenbelt development/ground water recharge through well.</p>				
7	<b>Storm water management plan</b>		<p>Separate drains of minimum 0.45m*0.60 m are provided for the collection and disposal of storm water from the industry premises</p>				
8	<b>Air Pollution</b>						
a.	<b>Source Air pollutio</b>	<b>S. No</b>	<b>Types of Fuel</b>	<b>Height in meter</b>	<b>APC System</b>	<b>Remark</b>	

		1	1*90 TPH Boiler	Sugar & Cogeneration Division	Bagasse	70	ESP	ESP shall be provided APC equipment
		2	*15 TPH boiler	Distillery Division	Bagasse			
		Composition of Emissions		M, SO <sub>2</sub> , NO <sub>x</sub>				
9	Noise Pollution							
	Sources of Noise pollution			The major sources of noise pollution sources are turbines, Steam exhausts, Vibrator, Cane Cutters, compressors and DG sets etc.				
	Expected levels of Noise pollution in db			Shall be maintained within the limits prescribed in KSPCB consent.				
10	EMP Construction phase operation Phase.			Capital Cost: 18.85 Cr Curring Cost: 2.28 Cr.				
11	ER Activities			5 Crores				



The subject was discussed in the SEAC meeting held on 29<sup>th</sup> July 2022. The Committee has recommended to SEIAA for issue of EC and the extract of the proceedings of the Committee meeting is as below:

Background of the project: ToR was issued by SEIAA on 14.05.2020 for establishing sugarcane crushing plant with capacity of 1500TCD (operating capacity 1290TCD) to produce 55KLPD Ethanol based on sugarcane juice/syrup on anaerobic digester followed by MEE and incineration and Corrigendum to ToR was issued by SEIAA on 26.08.2020 for addition of Rectified Spirit (RS)/Extra Neutral Alcohol (ENA)-55KLD with a total of three products namely Ethanol, Rectified Spirit and Extra Neutral Alcohol(ENA) and for one product at a time.

Raw materials used are Sugarcane juice/Syrup, "C"/"B" Heavy Molasses and Spentwash treatment through incineration. Public hearing was conducted on 09.11.2021 atHolkunda Village, Kamlapur Tehsil, Kalaburgi District wherein 51nos of people attended public hearing.

The proposal was initially considered in 277<sup>th</sup> SEAC meeting. The committee had deferred the appraisal as the committee observed that there were Archeological/Historical places situated nearby for which the proponent needed to submit NOC from Archeological Dept.

The proposal was again considered in 280<sup>th</sup> SEAC Meeting. The proponent had submitted the clarification from Archeological Department and informed the committee

that as per the clarification given by Archeological Dept. the limit of the prohibited area from the protected monuments is 300mtrs and the proposed site area is at a distance of 2.1km from the said monument and hence does not require NoC from Archeological Dept. The committee further sought details regarding source of water for the proposed project and permission from Directorate of Sugars, for which the proponent informed, that the water for the proposed project is sourced through pipe lines from around 3kms which would be laid in farmers land. The committee opined that as the source of water is 3km away from the project site, it was necessary to have site visit to the project area so as to evaluate the socio economic and environment impact of the proposed project.

The committee after discussion decided to defer the project appraisal to have site visit. The sub-committee had inspected the site on 11<sup>th</sup> and 12<sup>th</sup> of July 2022 in the chairmanship on Shri Nanda Kishore, Member, SEAC and had submitted site inspection report, for which the proponent has to comply/reply for the observations of the sub-committee.

In the present meeting the proponent had submitted point wise compliance for the site inspection observations,

1. *Source of water is in the form of well in Proponent field. MOU should be made between Pvt. Ltd. company and Land owner for the continuous supply of water unconditionally with a clause that if proponent resigns company he should supply water till the alternate arrangements. Copy of MoU should be submitted.*

The proponent had submitted MoU and Undertaking for the supply of well water for the industrial and domestic use of the proposed project at 508cum per day, even if the Industry is sold to any other party.

2. *Land documents of the field where well is located should be submitted along with clear pictures of well*

The proponent submitted land documents (RTC) of the well area and a site photograph of the same.

3. *Industrial layout plan clearly demarking all the provisions should be submitted*

The proponent submitted the industrial layout plan clearly demarking all the provisions.

4. *There is no proper road and facilities, hence clear plan should be submitted*

The proponent submitted the layout plan and undertaking to improve approach road.

5. *Around proposed site active agricultural practice is on, industrial activity may effect adversely on agriculture practice*

The proponent informed that all the pollution control measures such as ETP, PC shall be taken by the industry by adopting zero liquid discharge.

6. *Details of Yeast and enzymes used for process should be given.*

The proponent informed that *Saccharomyces cerevisiae* shall be the yeast propagated in its own laboratory.

7. *Details on solar energy for the plant need to be submitted.*

The proponent informed that Solar Energy panel shall be provided in the roof of the admin building and go-down. All the street lights shall be LED backed by Solar energy.

8. *Pvt. Ltd. incorporation certificate need to submitted, since there were lot of negative complaints by villagers during our inspection.*

The proponent submitted the incorporation certificate dated 11.09.2020

9. *As the approaching road is not good, it is to be strengthened so as to avoid the eruption of the dust.*

The proponent submitted undertaking to develop approach road as per standards.

10. *Underneath of the plain land proposed for the erection the sugar factory plenty of stones are hidden.*

*Suitable proposal should be given to manage that huge amount of stones.*

11. *Care must be taken not to destroy the biodiversity of the area from where water is drawn to the project.*

The proponent informed that they would strictly follow the pollution control norms, so that there will be no effect on the biodiversity.

12. *The total water required for the project will be drawn from a distance of 3 km 12) (approximately) from an open well. The Sub-Committee members visited the open well site.*

The proponent agreed.

13. *The Sub-Committee members observed that Bahamani Tombs of Holkunda Village is almost more than 2 kms away from Project site.*

The proponent agreed.

The committee after discussion accepted the compliance/replies submitted by the proponent and decided to recommend the proposal to SEIAA for issue of Environmental clearance with condition to, 1. Obtain CGWA permission for using Ground Water, 2. To obtain consent from respective land owners for installing pipe, 3. To widen and

strengthen the approach road as per standard norms, 4. To strictly provide minimum 33% of green belt area on natural earth and 5. To comply with the public hearing requests of the public.

The Authority perused the proposal and took note of the recommendation of SEAC. The Authority perused the documents and it is observed that proposed water source is from openwell which is located at a distance of 3 KM and it is also observed that there is no permanent water source / approach road for the said project. Since the proposed project is water intense industry, any dependency on open well source may not be reliable. Therefore, the authority is of opinion that the project authorities shall explore the possibility of other sources of water for the proposed project.

After detailed discussion it is also opined that it is better to seek clarification / opinion of the Sugar Commissioner with regard to feasibility of the project.

*Therefore, the Authority after discussion decided to refer the proposal to SEAC for reappraisal and also directed to get opinion of Sugar Commissioner with regard to feasibility of the project mainly with respect to the availability and feasibility of a sustainable water resource required to operate and maintain the industry.*

The subject was discussed in the SEAC meeting held on 13<sup>th</sup> October 2022. The Committee has recommended to SEIAA for issue of EC and the extract of the proceedings of the Committee meeting is as below:

The proposal was earlier considered in 284<sup>th</sup> SEAC meeting and the proceedings of 284<sup>th</sup> SEAC meeting is as follows,

*"The proposal was considered in 280<sup>th</sup> SEAC Meeting and the committee had recommended the proposal to SEIAA for issued of EC. SEIAA in its 222<sup>nd</sup> meeting had referred back the proposal to SEAC for reappraisal informing that,*

*"The Authority perused the proposal and took note of the recommendation of SEAC. The Authority perused the documents and it is observed that proposed water source is from open well which is located at a distance of 3 KM and it is also observed that there is no permanent water source / approach road for the said project. Since the proposed project is water intense industry, any dependency on open well source may not be reliable. Therefore, the authority is of opinion that the project authorities shall explore the possibility of other sources of water for the proposed project."*

*"Therefore, the Authority after discussion decided to refer the proposal to SEAC for reappraisal and also directed to get opinion of Sugar Commissioner with regard to feasibility of the project mainly with respect to the availability and feasibility of a sustainable water resource required to operate and maintain the industry."*

The proponent in the present meeting had carried out hydrogeological survey of the proposed area and informed the committee that as per Sugar Commissioner letter dated 13.09.2022, feasibility of project based on the availability of water ~~does not~~





*pertain to Sugar Directorate and informed to get opinion of water resource department for availability of water.*

*The committee noted the reply given by the proponent. The committee after discussion and deliberation decided to defer the project and informed the proponent to get NoC from KGWA for the feasibility of project with respect to availability of sustainable water source in order to operate and maintain the industry."*

In the present meeting, the proponent informed that they had obtained permission for drilling well for extraction of groundwater for Industrial / Commercial / Entertainment use from Karnataka Ground Water Authority letter dated 10.10.2022 and the committee noted that KGWA has permitted to extract 508 cum/day of water for 365 days (not exceeding 185420 cum per year) of groundwater through four borewells and one dug well.

In view of the letter from Karnataka Ground Water Authority permitting to extract ground water to meet their water requirement, the committee after discussion and deliberation reiterated its earlier decision taken in 280<sup>th</sup> SEAC meeting and recommended the proposal to SEIAA for further necessary action.


The Authority perused the proposal and took note of the recommendation of SEAC.

*The Authority after discussion decided to clear the proposal for issue of Environmental Clearance subject to following:*

- 1. If the distance of nearest Protected Area (National Park/ Sanctuary/Bio sphere reserve/ migratory corridor) is within 10 KM, a certificate from the Chief Wild Life Warden (CWLW) along with his recommendation, else a certificate from the proponent that the proposed site is more than 10 KM away from any Protection Authority (PA) (National Park/ Sanctuary/Bio sphere reserve/ migratory corridor).*
- 2. A time bound action plan for implementation of proposed CER activities as a part of EMP shall be furnished.*

**Additional Condition:**

- 1. The proponent shall carryout analysis and record the characteristics of the USB digester sludge for its microbial activity on annual basis to correlate its performance and assess its efficiency.*
- 2. The project proponent shall undertake a bench scale study for extraction of wax from press mud and later on use the findings of the bench scale study for pilot plant adaptation.*



**226.2. Recommended for Review:**

**226.2.1. Proposed 60 KLPD (Juice/ Syrup based) distillery, 6 TPD Bio CNG, 20 TPD fertilizer powder, 42 TPD CO<sub>2</sub>, captive Power generation of 3 KW/hr at Sy. Nos. 106/2 (P), 106/3,109/1& 109/3 of Alagawadi Village, Raybag Taluk, Belagavi District by M/s. Askins Biofuels Pvt. Ltd. - Online Proposal No.SIA/KA/IND2/48888/2019 (SEIAA 47 IND 2019)**

Environmental Clearance has been issued letter No. SEIAA47 IND 2019 dated 28.08.2020 for Establishment of Proposed 60 KLPD (Juice/ Syrup based) distillery, 6 TPD Bio CNG, 20 TPD fertilizer powder, 42 TPD CO<sub>2</sub>, captive Power generation of 3 MW/hr at Sy No. 106/2 (P), 106/3, 109/1 & 109/3 Alagawadi Village, Raybag Taluk, Belagavi District by M/s Askins Biofuels Pvt. Ltd., 150/6, Vidya Nagar, Gokak Road, Harugeri, Raybag Taluk, Belagavi District, Karnataka, 591220.


M/s Alagawadi Bireshwara Sugars Pvt. Ltd., vide letter dated 13.12.2021 and 21.02.2022 requesting this Authority to restraining of EC No. SEIAA 47 IND 2019 dated 28.08.2020 issued to M/s Askins Biofuels Pvt. Ltd.,

M/s Alagawadi Bireshwara Sugars Pvt. Ltd., have stated that M/s Askins Biofuels Pvt. Ltd., is located just their unit with in a radius of 1 KM. As per the Sugar Cane (Control) Order, 1966, a minimum distance of 15 Kms Radious must be there between two sugar units where Sugar Cane Crushing activities will be taken up.

Further, stated that M/s Alagawadi Bireshwara Sugars Pvt. Ltd., is having valid IEM for establishment of Sugar plant whereas M/s Askins Biofuels Pvt. Ltd., does not have any valid IEM or any distance certificate which is mandatory to go for Sugar Cane Crushing to produce Sugar Cane Juice/Syrup to use the same as raw material/Feed Stock for Distillery Unit.

Further stated that the Ministry of the Consumer Affairs, Food and public Distribution made clarification regarding production of ethanol from Sugar Cane Juice/Syrup by standalone distilleries vide F No.4/1/2018- (BP&E) (Part) dated 13.01.2022 statin that only Sugar mills can produce Sugar Juice/Syrup required for Ethanol production and Khandasari units are not allowed to produce sugar Juice/Syrup.

In this regard, Commissioner for cane Development and Director of Sugar Wrote a letter to SEIAA stating that M/s Askins Bio Fuels Pvt. Ltd, is not eligible to utilize Sugarcane Juice-Syrup for production of ethanol and requested to cancel the EC SEIAA 47 IND 2019 dated 28.08.2020 issued to M/s Askins Biofuels Pvt. Ltd.,



In this regard, M/s Alagawadi Bireshwara Sugars Pvt. Ltd., requested to Withdraw the EC issued vide SEIAA 47 IND 2019 dated 28.08.2020 to M/s Askins Biofuels Pvt. Ltd.,

*The Authority perused the request made as above and felt that it is essential to make a proper assessment of facts to place on record. Under these circumstances the Authority decided to refer the matter to SEAC to go through the facts of the case and the complaint received comprehensively and submit the factual report as early as possible.*

Environmental Clearance has been issued vide letter No. SEIAA47 IND 2019 dated 28.08.2020 for Establishment of Proposed 60 KLPD (Juice/ Syrup based) distillery, 6 TPD Bio CNG, 20 TPD fertilizer powder, 42 TPD CO<sub>2</sub>, captive Power generation of 3 MW/hr at Sy No. 106/2 (P), 106/3, 109/1 & 109/3 Alagawadi Village, Raybag Taluk, Belagavi District by M/s Askins Biofuels Pvt. Ltd., 150/6, Vidya Nagar, Gokak Road, Harugeri, Raybag Taluk, Belagavi District, Karnataka, 591220.


SEIAA has made the following observations.

"M/s. Alagawadi Bireshwara Sugars Pvt. Ltd. vide letter dated 13.12.2021 and 21.02.2022 requesting this Authority to restraining of EC No. SEIAA 47 IND 2019 dated 28.08.2020 issued to M/s Askins Biofuels Pvt. Ltd.

M/s. Alagawadi Bireshwara Sugars Pvt. Ltd. have stated that M/s Askins Biofuels Pvt. Ltd., is located just their unit within a radius of 1 KM. As per the Sugar Cane (Control) Order, 1966, a minimum distance of 15 Kms radius must be therebetween two sugar units where Sugar Cane Crushing activities will be taken up.

Further, stated that M/s. Alagawadi Bireshwara Sugars Pvt. Ltd. is having valid IEM for establishment of Sugar plant whereas M/s. Askins Biofuels Pvt. Ltd., does not have any valid IEM or any distance certificate which is mandatory to go for Sugar Cane Crushing to produce Sugar Cane Juice/Syrup to use the same as raw material/Feed Stock for Distillery Unit.

Further stated that the Ministry of the Consumer Affairs, Food and public Distribution made clarification regarding production of ethanol from Sugar Cane Juice/Syrup by standalone distilleries vide F No.4/1/2018- (BP&E) (Part) dated 13.01.2022 stating that only Sugar mills can produce Sugar Juice/Syrup required for Ethanol production and Khandasari units are not allowed to produce sugar Juice/Syrup.



In this regard, Commissioner for cane Development and Director of Sugar Wrote a letter to SEIAA stating that M/s. Askins Bio Fuels Pvt. Ltd., is not eligible to utilize Sugarcane Juice-Syrup for production of ethanol and requested to cancel the EC SEIAA 47 IND 2019 dated 28.08.2020 issued to M/s. Askins Biofuels Pvt. Ltd.,

In this regard, M/s. Alagawadi Bireswara Sugars Pvt. Ltd. requested to Withdraw the EC issued vide SEIAA 47 IND 2019 dated 28.08.2020 to M/s. Askins Biofuels Pvt. Ltd.,

The Authority perused the request made as above and felt that it is essential to make a proper assessment of facts to place on record. Under these circumstances the Authority decided to refer the matter to SEAC to go through the facts of the case and the complaints received comprehensively and submit the factual report as early as possible."

The Committee also noted the letters of 03/01/2022 & 11/02/2022 written by Commissioner for Cane Development and Director of Sugar, GoK and addressed respectively to Chief Director of Sugar, GoI and to Chief Environmental Officer, KSPCB. In the said letter Commissioner informed about violation of Section 2(c)6A of Sugar Amendment Order, 2018 and asking KSPCB to cancel the CFE issued to M/s Askins Biofuel Pvt. Ltd.

During appraisal the proponent informed that the project proposal will not come under sugar industry category and requested the committee to give some more time to submit the justification for the same.

The committee considered the request made by proponent and decided to defer the proposal till the submission of the clarification by the proponent.

**Background:** Proceedings of 276<sup>th</sup> SEAC Meeting Held on 12<sup>th</sup>& 13<sup>th</sup> April 2022 is reproduces below.

*"Environmental Clearance has been issued vide letter No. SEIAA47 IND 2019 dated 28.08.2020 for Establishment of Proposed 60 KLPD (Juice/ Syrup based) distillery, 6 TPD Bio CNG, 20 TPD fertilizer powder, 42 TPD CO<sub>2</sub>, captive Power generation of 3 MW/hr at Sy No. 106/2 (P), 106/3, 109/1 & 109/3 of Alagawadi Village, Raybag Taluk, Belagavi District by M/s Askins Biofuels Pvt. Ltd., 150/6, Vidya Nagar, Gokak Road, Harugeri, Raybag Taluk, Belagavi District, Karnataka, 591220.*



*SEIAA has made the following observations.*

*"M/s. Alagawadi Bireshwara Sugars Pvt. Ltd. vide letter dated 13.12.2021 and 21.02.2022 requesting this Authority to restraining of EC No. SEIAA 47 IND 2019 dated 28.08.2020 issued to M/s. Askins Biofuels Pvt. Ltd.*

*M/s. Alagawadi Bireshwara Sugars Pvt. Ltd. have stated that M/s Askins Biofuels Pvt. Ltd., is located just their unit within a radius of 1 KM. As per the Sugar Cane (Control) Order, 1966, a minimum distance of 15 Kms radius must be therebetween two sugar units where Sugar Cane Crushing activities will be taken up.*

*Further, stated that M/s. Alagawadi Bireshwara Sugars Pvt. Ltd. is having valid IEM for establishment of Sugar plant whereas M/s. Askins Biofuels Pvt. Ltd., does not have any valid IEM or any distance certificate which is mandatory to go for Sugar Cane Crushing to produce Sugar Cane Juice/Syrup to use the same as raw material/Feed Stock for Distillery Unit.*

*Further stated that the Ministry of the Consumer Affairs, Food and public Distribution made clarification regarding production of ethanol from Sugar Cane Juice/Syrup by standalone distilleries vide F No.4/1/2018- (BP&E) (Part) dated 13.01.2022 stating that only Sugar mills can produce Sugar Juice/Syrup required for Ethanol production and Khandasari units are not allowed to produce sugar Juice/Syrup.*

*In this regard, Commissioner for cane Development and Director of Sugar Wrote a letter to SEIAA stating that M/s. Askins Bio Fuels Pvt. Ltd., is not eligible to utilize Sugarcane Juice-Syrup for production of ethanol and requested to cancel the EC SEIAA 47 IND 2019 dated 28.08.2020 issued to M/s. Askins Biofuels Pvt. Ltd.,*

*In this regard, M/s. Alagawadi Bireshwara Sugars Pvt. Ltd. requested to Withdraw the EC issued vide SEIAA 47 IND 2019 dated 28.08.2020 to M/s. Askins Biofuels Pvt. Ltd.,*

*The Authority perused the request made as above and felt that it is essential to make a proper assessment of facts to place on record. Under these circumstances the Authority decided to refer the matter to SEAC to go through the facts of the case and the complaints received comprehensively and submit the factual report as early as possible."*

*The Committee also noted the letters of 03/01/2022 & 11/02/2022 written by Commissioner for Cane Development and Director of Sugar, GoK and addressed respectively to Chief Director of Sugar, Gol and to Chief Environmental Officer, KSPCB.*

*In the said letter Commissioner informed about violation of Section 2(c)6A of Sugar Amendment Order, 2018 and asking KSPCB to cancel the CFE issued to M/s Askins Biofuel Pvt. Ltd.*

*During appraisal the proponent informed that the project proposal will not come under sugar industry category and requested the committee to give some more time to submit the justification for the same.*

*The committee considered the request made by proponent and decided to defer the proposal till the submission of the clarification by the proponent."*

The proposal was considered in the present meeting based on the Orders of Commissioner for Cane Development and Director of Sugar dated 25.07.2022 and request letter of M/s Alagawadi Bireshwar Sugars Pvt. Ltd.

For the present meeting M/s. Askins Biofuels Pvt. Ltd. had sent letter dated 12.10.2022, requesting to consider this subject in next SEAC meeting.

The committee in the present meeting considered the subject based on the Orders of Commissioner for Cane Development and Director of Sugar dated 25.07.2022, where in it is mentioned that,

*The Member Secretary, State Level Environment Impact Assessment Authority (SEIAA) is requested as under,*

*M/s. Askin Bio Fuels private Limited is not eligible to utilize the sugarcane juice/syrup for production of Ethanol. There is no provision to issue Environment Clearance (EC) by considering the parameters viz. Sugarcane juice/ syrup to M/s Askins Bio Fuels Pvt. Ltd. Hence in view of this the EC issued may be reviewed.*

The committee noted that M/s. Askins Biofuels Pvt. Ltd. has obtained EC from SEIAA on 28.08.2020 for establishment of 60KLPD (Juice / Syrup based) distillery, where the raw material is sugarcane juice, but as per Orders of Commissioner for Cane Development and Director of Sugar dated 25.07.2022, it appears that M/s. Askins Biofuels Pvt. Ltd. is not eligible to use sugarcane juice /syrup for production of ethanol. In the above context the committee after discussion and deliberation decided to withdraw the EC issued to M/s. Askins Biofuels Pvt. Ltd. and decided to recommend the proposal to SEIAA for further necessary action.

*The Authority perused the proceedings and it was observed that the decision has been taken in the absence of the project proponent. The Authority therefore decided to refer the file back to SEAC and directed SEAC to provide an opportunity to the project proponent to explain their position in the matter.*

**226.3 Additional Agenda (With the Permission of Chair)**

**(Miscellaneous Projects):**

**226.3.1. Request for transfer of Environmental Clearance granted to Sri. Basavarajaiah. B, for quarrying of Building Stone at Sy. No. 59 (P) of Sulivara Village, Bangalore South Taluk, Bangalore Urban District by DEIAA Bengaluru Urban District over an extent of 1-36 acres in favour of M/s Sri. Saraswathi Stone Crusher - (SEIAA 08 MISC 2022).**

Environmental Clearance has been issued by DEIAA, Bengaluru Urban District vide letter No. DEIAA/BNGU/ /2016-17 dated 23.09.2017 for quarrying of Building Stone at Sy. No. 59 (P) of Sulivara Village, Bangalore South Taluk, Bangalore Urban District to Sri. Basavarajaiah. B.


M/s Sri. Saraswathi Stone Crusher vide letter dated 18.02.2022 have requested for transfer of EC granted to Sri. Basavarajaiah. B. in favour of M/s Sri. Saraswathi Stone Crusher as quarry lease has been transferred to M/s Sri. Saraswathi Stone Crusher through the Dept of Mines and Geology.

The Letter has been addressed to District Commissioner, Bengaluru Urban District on 28.02.2022 to Procure Original File. Accordingly, Original file has been issued by this office on 17.10.2022.

*The Authority perused the request made by M/s Sri. Saraswathi Stone Crusher and decided to transfer the EC in favour M/s Sri. Saraswathi Stone Crusher subject to the following conditions*

- i. *The applicant shall furnish Notarised affidavit of M/s Sri. Saraswathi Stone Crusher relinquishing his claim (duly witnessed by Authorized Signatory of Sri. Basavarajaiah. B.)*
- ii. *Notarised Copy of EC.*
- iii. *Notarised Copy of Form-T.*

Drafted by 



**226.3.2. Request for transfer of Environmental Clearance granted to Sri. R Raghavendra for quarrying of Building Stone / M-Sand in Sy No, 29 (P), Huluvnahalli Village, Bangalore South Taluk, Bangalore Urban District, Karnataka in favor of M/s Cheluva Narayanaswamy Stone Crusher & Manufacturing Sand Unit. (SEIAA 39 MISC 2022).**

Environmental Clearance has been issued to this project by DEIAA Bengaluru Urban District vide letter No. DEIAA/BNGU/2016-17 dated 23.09.2017 for quarrying of Building Stone / M-Sand in Sy No, 29 (P), Huluvnahalli Village, Bangalore South Taluk, Bangalore Urban District, Karnataka to Sri. R Raghavendra.

M/s Cheluva Narayanaswamy Stone Crusher & Manufacturing Sand Unit vide letter dated 30.06.2022 have requested for transfer of EC granted to Sri. R Raghavendra. In favour of M/s Cheluva Narayanaswamy Stone Crusher & Manufacturing Sand Unit as the quarry lease has been transferred to M/s Cheluva Narayanaswamy Stone Crusher & Manufacturing Sand Unit through the Dept. of Mines and Geology.

The Letter has been addressed to District Commissioner, Bengaluru Urban District on 04.07.2022 to Procure Original File. Accordingly, Original file has been issued by this office on 17.10.2022.

*The Authority perused the request made by M/s Cheluva Narayanaswamy Stone Crusher & Manufacturing Sand Unit and decided to transfer the EC in favour M/s Cheluva Narayanaswamy Stone Crusher & Manufacturing Sand Unit subject to the following conditions*

- i. The applicant shall furnish Notarised affidavit of M/s Cheluva Narayanaswamy Stone Crusher & Manufacturing Sand Unit relinquishing his claim (duly witnessed by Authorized Signatory of Sri. R Raghavendra)*
- ii. Notarised Copy of EC.*
- iii. Notarised Copy of Form-T.*

**226.3.3. Request for transfer of Environmental Clearance granted to Sri. D S Manjunatha for quarrying of Building Stone/ M-Sand at Sy No. 130 of Dodderi Village & Sy No. 129 of Chikkanahalli Village, Bangalore South Taluk & Bangalore Urban District by DEIAA Bengaluru Urban District in total extent of land 2-00 Acres in favor of Smt Asha G S. (SEIAA 31 MISC 2022).**

Environmental Clearance has been issued to this project by DEIAA Bengaluru Urban District vide letter No. DEIAA/BNGU/2016-17 dated 07.12.2018 for quarrying of



Building Stone/ M-Sand at Sy No. 130 of Dodderi Village & Sy No. 129 of Chikkanahalli Village, Bangalore South Taluk & Bangalore Urban District to Sri. D S Manjunatha.

Smt Asha G S. (Legal heir), W/o. Late. Sri. D S Manjunatha vide letter dated 09.05.2022 have informed that her husband Sri. D S Manjunathadied on 18.04.2021 and therefore The Department of Mines and Geology vide order dated 07.06.2021 have held Smt Asha G S. as the legal heir for continuing the quarrying business of Sri. Manjunatha Granites due to his demise. Smt Asha G S., W/o. Late. Sri. D S Manjunatha have requested this Authority for transfer of Environment Clearance dated 07.12.2018 granted by DEIAA, Bengaluru Urban District in favour of her husband Sri. D S Manjunatha to her name to facilitate continuing the quarry business.

The Letter has been addressed to District Commissioner, Bengaluru Urban District on 25.05.2022 to Procure Original File. Accordingly, Original file has been issued by this office on 17.10.2022.

*The Authority after discussion decided to transfer the EC dated 07.12.2018 in favour of Smt Asha G S. (Legal heir), W/o. Late. Sri. D S Manjunatha subject to the following conditions*



1. Notorized Copy of EC
2. Notorized copy of the Death certificate of Late Sri. D S Manjunatha.

**226.3.4. Request for transfer of Environmental Clearance granted to Sri. C H Selvaraj for Quarrying of Grey Granite at Sy. No. 9 in Gudshihalli Village, Chikkaballapura Taluk & District in favor of Sri. Manjunatha Granites. - SEIAA 290 MIN 2019.**

Environmental Clearance has been issued to this roject vide letter No. SEIAA 290 MIN 2019 dated 13.08.2019 for quarrying of Grey Granite at Sy. No. 9 in Gudshihalli Village, Chikkaballapura Taluk & District to Sri. C H Selvaraj.

Sri. Manjunatha Granites vide letter dated 15.08.2022 requested for transfer of EC granted to Sri. C H Selvaraj in favour of Sri. Manjunatha Granites as the quarry lease has been transferred to Sri. Manjunatha Granites through the Dept. of Mines and Geology.

*The Authority perused the request made by Sri. Manjunatha Granites and decided to transfer the EC in favour Sri. Manjunatha Granites subject to the following conditions*



- i. *The applicant shall furnish Notarised affidavit of Sri. Manjunatha Granites relinquishing his claim (duly witnessed by Authorized Signatory of Sri. C H Selvaraj)*
- ii. *Notarised Copy of EC.*
- iii. *Notarised Copy of Form-T.*

**226.3.5. Request for transfer of Environmental Clearance granted to M/s Jubilee Granites India Pvt, Ltd and subsequently transfer to M/s Nandini Stone Impex for quarrying of Black Granite at Sy No.335/1, 336/1, 336/2,337 & 339/1 Of Terakanambi Village, Gundlupet Taluk, Chamarajanagara District in favour of Sri. Kamleshkumar G Patel S/o Sri. Gopaldas Chhagan Bhai Kundaliya - SEIAA 16 MIN 2015.**


Environmental Clearance has been issued to this project vide letter No SEIAA 16 MIN 2015 for quarrying of Black Granite at Sy No.335/1, 336/1, 336/2,337 & 339/1 Of Terakanambi Village, Gundlupet Taluk, Chamarajanagara District to M/s Jubilee Granites India Pvt, Ltd and subsequently transfer to M/s Nandini Stone Impex on 22.08.2022.

Now, M/s Nandini Stone Impex vide letter dated 21.10.2022 requested for transfer of EC in favour of Sri. Kamleshkumar G Patel S/o Sri. Gopaldas Chhagan Bhai Kundaliya as the quarry lease has been transferred to Sri. Kamleshkumar G Patel S/o Sri. Gopaldas Chhagan Bhai Kundaliya through the Dept. of Mines and Geology.

*The Authority perused the request made by M/s Nandini Stone Impex and decided to transfer the EC in favour Sri. Kamleshkumar G Patel S/o Sri. Gopaldas Chhagan Bhai Kundaliya subject to the following conditions*

- i. *The applicant shall furnish Notarised affidavit of Sri. Kamleshkumar G Patel S/o Sri. Gopaldas Chhagan Bhai Kundaliya relinquishing his claim (duly witnessed by Authorized Signatory of M/s Nandini Stone Impex)*
- ii. *Notarised Copy of EC.*
- iii. *Notarised Copy of Form-T.*

**226.3.6. Proposed Development of commercial Building "Prestige Tech Zone" At Sy. No's. 30/2, 31, 32/1, 32/2, 36/1, 38, 39/1, 39/2, 39/3, 40/1, 40/2, 40/3 of Kundalahalli village, K.R. Puram Hobli, Bangalore East Taluk, Bangalore**



**by M/s. Prestige Office ventures - SEIAA 51 CON 2020 - Request for issue Corrigendum to ToR.**

Terms of Reference letter has been issued to this project vide letter No. SEIAA 51 CON 2020 dated 17.04.2020 for Proposed Development of commercial Building "Prestige Tech Zone" At Sy. No's 30/2, 31, 32/1, 32/2, 36/1, 38, 39/1, 39/2, 39/3, 40/1, 40/2, 40/3 of Kundalahalli village, K.R. Puram Hobli, Bangalore East Taluk, Bangalore to M/s. Prestige Office ventures.

The Project proponent vide letter dated 09.09.2022 have requested this Authority for issue amendment to ToR due to change in plan plot area has been reduced from 84,765.78 Sqm to 75,120.67 Sqm and BUA reduced from 2,38,083.92 Sqm to 2,36,436.73 Sqm. The Building configuration has been changed from 5 Blocks having 3B+G+6UF and 3 amenity buildings with 2B+G+1F to Building 1,2,3 & 4 having 2 B + G + 6 UF.


*The Authority perused the request made by the proponent and verified the documents, after discussion decided to issue corrigendum to ToR as requested by the project proponent.*



**226.3.7. Construction of mall project called "Mantri Mall" at Municipal No. 5 & 5/1, Koramangala Village, Bangalore South, Bangalore by M/s. Mantri Habitats Pvt. Ltd. - SEIAA 171 CON 2011 - Request for issue corrigendum to EC.**

Environmental Clearance has been issued to this project vide letter No. SEIAA 171 CON 2021 dated 17.05.2012 for Construction of mall project called "Mantri Mall" at Municipal No. 5 & 5/1, Koramangala Village, Bangalore South, Bangalore to M/s. Mantri Habitats Pvt. Ltd.

The Project proponent vide letter dated 27.10.2022 request for issue amendment to EC dated 17.05.2012 as change in plan BUA has been increased from 42,711.93 Sqm to 44,104.55 Sqm and no change in building configuration only changing usage of 4<sup>th</sup> 5<sup>th</sup> & 6<sup>th</sup> Floor from Multiplex to Office purpose.

*The Authority perused the request made by the proponent and verified the documents, after discussion decided to issue corrigendum to EC as requested by the project proponent.*

Drafted by 




**226.3.8. Payment of legal Charges to Shri D Nagaraj Advocate - regarding.**


Shri D Nagaraj Advocate of the Authority have submitted a letter dated 29.03.2022 and 17.05.2022 along with detail of the case attended, professional charges, appearance charges and the travelling charges that need to be reimbursed. He has claimed Rs.25,000/-, Rs.25000/- and Rs,25,000/- towards the professional charges of the cases pertaining to the W. P No. 15525/2021, W. P No. 6650/2020 and W. P No. 1547/2022 filed before Hon'ble Court. The total amount claimed by Shri D Nagaraj Advocate is Rs. 75,000/-

The Authority perused the above details and decided to accord approval for payment of legal charges as mentioned above to the advocate, Shri D Nagaraj

Meeting concluded with thanks to the Chair.

  
(Dr. K. R. Sree Harsha)  
Chairman,  
SEIAA, Karnataka

  
(K. N. Shivalinge Gowda)  
Member,  
SEIAA, Karnataka

  
(Vijay Mohan Raj V, IFS)  
Member Secretary,  
SEIAA, Karnataka