Cement Corporation of India Limited

(A Government of India Enterprise)

Tandur Cement Factory, CCI Tandur 501 158, VKB District (TS) CIN U74899DL1965GOI004322 An ISO 9001:2008 Certified Email:miningccitandur@gmail.com

Fax no: 08411 247243

To,

Date: 07.05.2019

The Director -IA.II (M) Ministry of Environment & Forests and Climate change Indira Paryavaran Bhawan, Jor Bagh Road, Aliganj New Delhi- 110003

Sub: Karigatta Limestone Mine (ML No. 1880, ML Area 68.91 Ha) with Limestone production capacity of 1.0 Million Tonnes per annum at Villages - Sedam & Madkal, Tehsil - Sedam, District - Kalaburgi (Karnataka) by M/s Cement Corporation of India Limited - Observation reply submission Reg

Ref: MoEF File no. J-11015/113/2018-IA.II (M), Acceptance letter for TOR Application Dtd. 09.10.2018, Re-consideration of TOR Proposals Dtd. 25/03/2019 Agenda Item No. - 2.10

Respected Sir,

This is reference to the aforesaid project & reference matter; we would like to inform your goodself that we have submitted aforesaid proposal on 31th Aug, 2018 as per MoEF&CC Notification Dtd on 06th April, 2018.

We are herewith submitting the reply of the observation raised in 3rd EAC (Non Coal Mining) meeting held on 25th March, 2019 w.r.t our above said project. In response to the same, we are herewith submitting necessary documents for your kind consideration.

We request your good selves to kindly consider our request and issue us TOR at the earliest.

Thanking you

Yours faithfully

For Cement Corporation of India Limited;

CC: Members of EAC (Non Coal Mining)

Point-wise reply to the queries raised during 3rd EAC meeting (Non-Coal Mining) held on 25th March 2019 w.r.t. Terms of Reference with respect to Environmental Clearance for our proposed project "Karigatta Limestone Mine" ML No. 1880 of M/s Cement Corporation of India Limited at Villages – Sedam & Madkal, Tehsil - Sedam, District – Kalaburgi (Karnataka)

Point (i)		Certificate from State Mines and Geology Department that there		
Poply:	no mining activity after the 1998-1999. Cortificate from State Mines and Coolegy Department regarding			
Reply	Certificate from State Mines and Geology Department regarding i			
	mining activity after the 1998-1999. Copy of same is enclosed			
	Annexure –I.			
oint (ii)	mine site transporta Committee State Mine	ed that there are other min and there will be a signification of minerals, excavation e noted that the PP needs as and Geology Department to and this mine and their distance	cant cumulative effect durand waste dumping. Thus, to submit the certificate function that how many mine lease	
Reply		ine lease, around this and t		
	State Mines and Geology Department is enclosed as Annexure –II			
	S. No.	Details of Other Mine Leas		
		Around the Proposed Min	•	
	1.	Kesoram Cement Industries	Nearby 3 Km appro	
anly	of this samproject co		needs to submit the cor	
eply	of this samproject co	me project proponent. PP ordinates. es of Mine site (ML No. 1880):	needs to submit the cor	
eply	of this samproject co	me project proponent. PP ordinates. es of Mine site (ML No. 1880): ars Latitude (N)	needs to submit the cor	
eply	of this samproject co Coordinat Pill	me project proponent. PP ordinates. es of Mine site (ML No. 1880): ars Latitude (N) 17° 9'15.20"N	Longitude (E) 77°20'42.40"E	
eply	of this sai project co Coordinat	me project proponent. PP ordinates. es of Mine site (ML No. 1880): ars Latitude (N) 17° 9'15.20"N 2 17° 9'11.20"N	Longitude (E) 77°20'42.40"E 77°20'42.80"E	
eply	of this sai	me project proponent. PP ordinates. es of Mine site (ML No. 1880): ars Latitude (N) 17° 9'15.20"N 2 17° 9'11.20"N 3 17° 9'11.60"N	Longitude (E) 77°20'42.40"E 77°20'42.80"E 77°20'46.80"E	
eply	of this samproject co Coordinat Pill 2	me project proponent. PP ordinates. es of Mine site (ML No. 1880): ars Latitude (N) 17° 9'15.20"N 2 17° 9'11.20"N 3 17° 9'11.60"N 4 17° 9'13.20"N	Longitude (E) 77°20'42.40"E 77°20'46.80"E 77°20'49.30"E	
eply	of this samproject co Coordinat	me project proponent. PP ordinates. es of Mine site (ML No. 1880): ars Latitude (N) 17° 9'15.20"N 2 17° 9'11.20"N 3 17° 9'11.60"N 4 17° 9'13.20"N 5 17° 9'10.70"N	Longitude (E) 77°20'42.40"E 77°20'42.80"E 77°20'46.80"E 77°20'49.30"E 77°20'53.20"E	
eply	of this samproject co Coordinat Pillo 3	me project proponent. PP ordinates. es of Mine site (ML No. 1880): ars Latitude (N) 17° 9'15.20"N 2 17° 9'11.20"N 3 17° 9'11.60"N 4 17° 9'13.20"N 5 17° 9'10.70"N 6 17° 9'7.90"N	Longitude (E) 77°20'42.40"E 77°20'42.80"E 77°20'46.80"E 77°20'49.30"E 77°20'53.20"E 77°20'52.10"E	
eply	of this sai	me project proponent. PP ordinates. es of Mine site (ML No. 1880): ars Latitude (N) 17° 9'15.20"N 2 17° 9'11.20"N 3 17° 9'11.60"N 4 17° 9'13.20"N 5 17° 9'10.70"N 6 17° 9'7.90"N 7 17° 9'6.30"N	Longitude (E) 77°20'42.40"E 77°20'42.80"E 77°20'46.80"E 77°20'49.30"E 77°20'53.20"E 77°20'52.10"E 77°20'54.90"E	
eply	of this sai	me project proponent. PP ordinates. es of Mine site (ML No. 1880): ars Latitude (N) 17° 9'15.20"N 2 17° 9'11.20"N 3 17° 9'11.60"N 4 17° 9'13.20"N 5 17° 9'10.70"N 6 17° 9'7.90"N 7 17° 9'6.30"N 8 17° 8'57.00"N	Longitude (E) 77°20'42.40"E 77°20'42.80"E 77°20'46.80"E 77°20'49.30"E 77°20'53.20"E 77°20'53.20"E 77°20'54.90"E 77°20'53.20"E	
eply	of this sai	me project proponent. PP ordinates. es of Mine site (ML No. 1880): ars Latitude (N) 17° 9'15.20"N 17° 9'11.20"N 17° 9'11.60"N 17° 9'13.20"N 17° 9'10.70"N 17° 9'7.90"N 17° 9'6.30"N 17° 8'57.00"N	Longitude (E) 77°20'42.40"E 77°20'42.80"E 77°20'46.80"E 77°20'49.30"E 77°20'53.20"E 77°20'52.10"E 77°20'54.90"E	
eply	of this sai	me project proponent. PP ordinates. es of Mine site (ML No. 1880): ars Latitude (N) 17° 9'15.20"N 2 17° 9'11.20"N 3 17° 9'11.60"N 4 17° 9'13.20"N 5 17° 9'10.70"N 6 17° 9'7.90"N 7 17° 9'6.30"N 8 17° 8'57.00"N 9 17° 8'59.20"N 0 17° 9'2.10"N	Longitude (E) 77°20'42.40"E 77°20'42.80"E 77°20'46.80"E 77°20'49.30"E 77°20'53.20"E 77°20'53.20"E 77°20'54.90"E 77°20'54.90"E 77°20'53.20"E 77°20'45.10"E	
eply	of this sai project co Coordinat Pilli 3 4 5 6 7 1 1	me project proponent. PP ordinates. es of Mine site (ML No. 1880): ars Latitude (N) 17° 9'15.20"N 2 17° 9'11.20"N 3 17° 9'11.60"N 4 17° 9'13.20"N 5 17° 9'10.70"N 6 17° 9'7.90"N 7 17° 9'6.30"N 8 17° 8'57.00"N 9 17° 8'59.20"N 0 17° 9'2.10"N	Longitude (E) 77°20'42.40"E 77°20'42.80"E 77°20'49.30"E 77°20'53.20"E 77°20'53.20"E 77°20'54.90"E 77°20'54.90"E 77°20'45.10"E 77°20'45.10"E 77°20'45.10"E	
eply	of this sai project co Coordinat Pilli 2 3 4 5 6 7 1 1 1	me project proponent. PP ordinates. es of Mine site (ML No. 1880): ars Latitude (N) 17° 9'15.20"N 2 17° 9'11.20"N 3 17° 9'11.60"N 4 17° 9'13.20"N 5 17° 9'10.70"N 6 17° 9'7.90"N 7 17° 9'6.30"N 8 17° 8'57.00"N 9 17° 8'59.20"N 0 17° 9'2.10"N 1 17° 9'2.80"N	Longitude (E) 77°20'42.40"E 77°20'42.80"E 77°20'46.80"E 77°20'49.30"E 77°20'53.20"E 77°20'53.20"E 77°20'54.90"E 77°20'53.20"E 77°20'45.10"E 77°20'45.10"E 77°20'34.30"E 77°20'31.40"E	
eply	of this samproject co Coordinat Pilli 3 4 5 6 7 1 1 1 1	me project proponent. PP ordinates. es of Mine site (ML No. 1880): ars Latitude (N) 17° 9'15.20"N 2 17° 9'11.20"N 3 17° 9'11.60"N 4 17° 9'13.20"N 5 17° 9'10.70"N 6 17° 9'6.30"N 7 17° 8'57.00"N 9 17° 8'59.20"N 0 17° 9'2.80"N 17° 9'4.60"N	Longitude (E) 77°20'42.40"E 77°20'42.80"E 77°20'46.80"E 77°20'49.30"E 77°20'53.20"E 77°20'53.20"E 77°20'54.90"E 77°20'54.90"E 77°20'45.10"E 77°20'45.10"E 77°20'31.40"E 77°20'28.20"E	
eply	of this samproject co Coordinat Pilli 3 4 5 6 7 1 1 1 1 1	me project proponent. PP ordinates. es of Mine site (ML No. 1880): ars Latitude (N) 17° 9'15.20"N 17° 9'11.20"N 17° 9'11.60"N 17° 9'10.70"N 17° 9'6.30"N 17° 9'6.30"N 17° 9'6.30"N 17° 9'5.20"N 17° 9'2.10"N 17° 9'2.80"N 17° 9'4.60"N 17° 9'8.00"N	Longitude (E) 77°20'42.40"E 77°20'42.80"E 77°20'46.80"E 77°20'49.30"E 77°20'53.20"E 77°20'52.10"E 77°20'54.90"E 77°20'54.90"E 77°20'45.10"E 77°20'34.30"E 77°20'34.30"E 77°20'34.30"E 77°20'28.20"E 77°20'28.20"E	
eply	of this samproject co Coordinat Pill 2 3 4 5 1 1 1 1 1 1	me project proponent. PP ordinates. es of Mine site (ML No. 1880): ars Latitude (N) 17° 9'15.20"N 17° 9'11.20"N 17° 9'11.60"N 17° 9'13.20"N 17° 9'10.70"N 17° 9'6.30"N 17° 9'6.30"N 17° 9'6.30"N 17° 9'2.10"N 17° 9'2.10"N 17° 9'2.80"N 17° 9'8.00"N 17° 9'8.00"N	Longitude (E) 77°20'42.40"E 77°20'42.80"E 77°20'46.80"E 77°20'49.30"E 77°20'53.20"E 77°20'53.20"E 77°20'54.90"E 77°20'53.20"E 77°20'45.10"E 77°20'45.10"E 77°20'34.30"E 77°20'34.30"E 77°20'34.30"E 77°20'31.40"E 77°20'28.20"E 77°20'28.20"E 77°20'24.70"E 77°20'23.90"E	
eply	of this samproject co Coordinat Pilli 3 4 5 6 7 1 1 1 1 1 1 1	me project proponent. PP ordinates. es of Mine site (ML No. 1880): ars Latitude (N) 17° 9'15.20"N 17° 9'11.20"N 17° 9'11.60"N 17° 9'13.20"N 17° 9'10.70"N 17° 9'6.30"N 17° 8'57.00"N 17° 8'59.20"N 17° 9'2.10"N 17° 9'2.80"N 17° 9'4.60"N 17° 9'8.00"N 17° 9'8.00"N 17° 9'10.70"N	Longitude (E) 77°20'42.40"E 77°20'42.80"E 77°20'46.80"E 77°20'49.30"E 77°20'53.20"E 77°20'53.20"E 77°20'53.20"E 77°20'54.90"E 77°20'53.20"E 77°20'45.10"E 77°20'45.10"E 77°20'31.40"E 77°20'31.40"E 77°20'28.20"E 77°20'24.70"E 77°20'23.90"E 77°20'19.00"E	
eply	of this samproject co Coordinat Pilli 3 3 4 5 1 1 1 1 1 1 1 1 1	me project proponent. PP ordinates. es of Mine site (ML No. 1880): ars Latitude (N) 17° 9'15.20"N 2 17° 9'11.20"N 3 17° 9'13.20"N 5 17° 9'10.70"N 6 17° 9'6.30"N 7 17° 8'57.00"N 17° 8'59.20"N 17° 9'2.10"N 17° 9'2.80"N 17° 9'4.60"N 17° 9'8.00"N 4 17° 9'10.70"N 5 17° 9'10.70"N 6 17° 9'10.70"N	Longitude (E) 77°20'42.40"E 77°20'42.80"E 77°20'44.80"E 77°20'49.30"E 77°20'53.20"E 77°20'53.20"E 77°20'54.90"E 77°20'54.90"E 77°20'34.30"E 77°20'31.40"E 77°20'28.20"E 77°20'28.20"E 77°20'29.390"E 77°20'19.00"E	
eply	of this samproject co Coordinat Pilli 3 3 4 5 1 1 1 1 1 1 1 1 1	me project proponent. PP ordinates. es of Mine site (ML No. 1880): ars Latitude (N) 17° 9'15.20"N 2 17° 9'11.20"N 3 17° 9'11.60"N 4 17° 9'13.20"N 5 17° 9'10.70"N 6 17° 9'6.30"N 8 17° 8'57.00"N 9 17° 8'59.20"N 0 17° 9'2.10"N 1 17° 9'2.80"N 2 17° 9'4.60"N 3 17° 9'8.00"N 4 17° 9'10.70"N 5 17° 9'12.90"N 6 17° 9'14.90"N 7 17° 9'14.90"N 8 17° 9'9.80"N	Longitude (E) 77°20'42.40"E 77°20'42.80"E 77°20'46.80"E 77°20'49.30"E 77°20'53.20"E 77°20'53.20"E 77°20'53.20"E 77°20'53.20"E 77°20'53.20"E 77°20'45.10"E 77°20'34.30"E 77°20'31.40"E 77°20'24.70"E 77°20'24.70"E 77°20'19.00"E 77°20'19.00"E 77°20'13.20"E	

21	17° 9'19.60"N	77°19'57.00''E
22	17° 9'22.10"N	77°19'56.40"E
23	17° 9'23.50"N	77°19'57.70"E
24	17° 9'22.10"N	77°20'13.10"E
25	17° 9'19.30"N	77°20'13.20"E
26	17° 9'19.60"N	77°20'16.70"E
27	17° 9'20.00"N	77°20'17.90"E
28	17° 9'19.80"N	77°20'23.70"E
29	17° 9'16.90"N	77°20'24.00"E
30	17° 9'17.20"N	77°20'26.90"E
31	17° 9'16.90"N	77°20'29.70"E
32	17° 9'16.30"N	77°20'32.20"E
33	17° 9'15.60"N	77°20'33.70"E
34	17° 9'17.70"N	77°20'34.00''E
35	17° 9'15.90"N	77°20'38.40"E



ಕರ್ನಾಟಕ ಸರಕಾರ

ಉಪ ನಿರ್ದೇಶಕರ ಕಛೇರಿ, ಗಣಿ ಮತ್ತು ಭೂ ವಿಜ್ಞಾನ ಇಲಾಖೆ, ವಿಕಾಸ ಸೌಧ, 3ನೇ ಮಹಡಿ, ರೂಂ ನಂ. 27, ಕಲಬುರಗಿ. Office of the Deputy Director, Dept. of Mines & Geology, Vikasa Soudha, IIIrd Floor, Room No.

27, Kalaburagi, Ph. Fax: No. 08472-222637 E-mail: dddmgglb@gmail.com

ಸಂಖ್ಯೆ: ಗಭೂಇ/ಉನಿಕ/ಗಗು/2019–20/

ದಿನಾಂಕಃ 26.04.2019

ಗೆ,

Cement Corporation of India Limitted, Kurkunta, Tq: Sedam, Dist: Kalaburagi.

ಮಾನ್ಯರೇ,

ವಿಷಯ:

ಗಣಿ ಗುತ್ತಿಗೆ ಸಂ.1339, 1880 ಮತ್ತು 2015 ಗಳಿಗೆ ಸಂಬಂಧಿಸಿದಂತೆ

ಮಾಹಿತಿ ನೀಡುವ ಕುರಿತು.

384

ಉಲ್ಲೇಖ:

ತಮ್ಮ ಪತ್ರ ಸಂ. 06/6101(KKO-MINING LEASE/2019,

dated 25.04.2019.

ಮೇಲ್ಕಂಡ ವಿಷಯ ಹಾಗೂ ಉಲ್ಲೇಖಕ್ಕೆ ಸಂಬಂಧಿಸಿದಂತೆ, ತಾವು ಕೇಳಿರುವ ಮಾಹಿತಿಯಂತೆ ಈ ಕೆಳಗಿನಂತಿರುತ್ತದೆ.

- 1. ಸದರಿ ಗಣಿ ಗುತ್ತಿಗೆ ಪ್ರದೇಶಗಳಲ್ಲಿ 1998–1999 ರ ನಂತರ ಯಾವುದೇ ಗಣಿಗಾರಿಕೆ ಚಟುವಟಿಕೆ ನಡೆದಿರುವುದಿಲ್ಲವೆಂದು ದೃಢೀಕರಿಸಿದೆ.
- 2. ಸದರಿ ಗಣಿ ಗುತ್ತಿಗೆಗಳ ಹತ್ತಿರ್ರದಲ್ಲಿ ಮೆ:ಕೇಸೋರಾಮ ಇಂಡಸ್ಟ್ರೀಸ್, ಸೇಡಂ ಕಂಪನಿ ಇರುತ್ತದೆ ಎಂದು ದೃಢೀಕರಿಸಿದೆ.

ತಮ್ಮ ವಿಶ್ವಾಸಿ,

ಗಣಿ ಮತ್ತು ಭೂ ವಿಜ್ಞಾನ ಇಲಾಖೆ, ಕಲಬುರಗಿ.