

GUJARAT POLLUTION CONTROL BOARD

Regional Office, Kutch (East),

Room No. 215-216, Second Floor, Kandla Port Trust

Administrative Building, Sector-08, Gandhidham, Kutch - 370 201

Website: www.gpcb.gov.in



PUBLIC HEARING PROCEEDING

It is hereby informed that as per the Ministry of Environment, Forests and Climate Change Government of India, New Delhi vide its Notification No. S. O. 1533 dated 14th September, 2006 and subsequent amendment thereon, Public Hearing has been scheduled for **M/s. Welspun Steel Ltd., for installation of 3.0 MTPA Integrated Steel Plant; at Village – Varsamceti, Ta : Anjar, Dist : Kutch (Gujarat), which is covered under "Category-A" as mentioned in their request application.**

A copy of the draft Environment Impact Assessment Report and the Executive Summary of draft Environmental Impact Assessment Report in English and Gujarati were sent to the following authorities or offices to make it available for inspection to the public during normal office hours, till the Public Hearing is over.

1. The District Collector Office, Bhuj Dist. Kutch,
2. District Development Office, Bhuj Dist. Kutch,
3. District Industry Centre, Bhuj Dist. Kutch,
4. Taluka Development Office, Anjar, Dist.: Kutch,
5. The Chief Conservator of Forests, Ministry of Environment & Forests,
Govt. of India, Regional Office (West Zone), Kendriya Paryavaran Bhavan, E – 5, Area Colony, Link Road – 3, Ravishankar Colony, BHOPAL – 462 016.
6. Regional Office, Kutch (East), Room No. 215-216, Second Floor, Kandla Port Trust Administrative Building, Sector-08, Gandhidham, – 370 201

Executive Summary of draft Environmental Impact Assessment Report in Gujarati were also circulated to affected gram Panchayat/Taluka Panchayat/ Nagarpalika for wide publication.

Other concerned persons having plausible stake in the environmental aspects were requested to send their response in writing to the concerned regulatory authorities. They were requested to send their comments to the regulatory authority.

The Public Hearing was conducted on 14/09/2016 at 11:00 hours at Rotary Bhavan, Opp. P.G.V.C.L. Office, Bus Stand Road, Anjar, Dist: Kutch, (Gujarat). An advertisement was published in Gujarati Daily – "Kutch Mitra" Kutch edition, dated 10/08/2016 & English Daily – "The Times of India", Kutch edition dated 10/08/2016.

Shri I.R.Vala, (G.A.S.), Resident Additional Collector and Additional District Magistrate, Kutch supervised and presided over the entire public hearing proceedings.

A statement showing participants present during the Public Hearing is enclosed herewith as **Annexure – A.**

A statement showing salient points highlighting issues raised by the participants and responses by the representative of the applicant during the Public Hearing in English language is enclosed as **Annexure B** and in Gujarati language is enclosed as **Annexure B1.**

GUJARAT POLLUTION CONTROL BOARD

Regional Office, Kutch (East),

Room No. 215-216, Second Floor, Kandla Port Trust

Administrative Building, Sector-08, Gandhidham, Kutch – 370 201


Website: www.gpcb.gov.in




Statements showing response and comments received in written, with respect to aforesaid public notice regarding public hearing, before and during the public hearing are enclosed as **Annexure-C-Q-1 to C-Q-38** and reply given by project proponent with respect to the response and comments received in written before and during the public hearing are enclosed as **Annexure D-A-1 to D-A-38** respectively.

Place:

Rotary Bhavan,
Anjar,
Dist: Kutch
Date: 14/09/2016


K.B. Chaudhari
Regional Officer
and
as a representative of the
Member Secretary, GPCB


H.R. Vala (G.A.S)
Additional District Magistrate
and
as a representative of
District Magistrate & Collector,
Bhuj -Kutch

- Encl:** 1. Annexure A, B, B1, C-Q-1 to C-Q-38 and D-A-1 to D-A-38 as above
2. Video CD/DVD of Public Hearing,
3. CD of Public Hearing Proceedings.

GUJARAT POLLUTION CONTROL BOARD

Regional Office, Kutch (East)

Room No. 215-216, Second Floor, Kandla Port Trust,

Administrative Building, Sector-08, Gandhidham-370201

Phone No. (02836)230828, E-mail- rogpcb.eastkutch@gmail.com, Website: www.gpcb.gov.in



ANNEXURE – A

A statement showing participants present during the public hearing

As per the Ministry of Environment, Forests and Climate Change Government of India, New Delhi, vide its notification no. S.O.1533(E) dated 14/09/2006 and its subsequent amendment S.O.3067(E) dated 1st December 2009, Public Hearing was fixed for **M/s. Welspun Steel Ltd**, for Proposed installation of 3.0 MTPA Integrated Steel Plant located at Village – Veramedi, Ta : Anjar, Dist : Kutch (Gujarat), covered under category "A".

The statement showing Participants present during public Hearing held on 14/09/2016 at 11:00 a.m. at Rotary Bhavan, Opp. P.G.V.C.L. Office, Bus Stand Road, Anjar, Dist: Kutch, (Gujarat), is as under:

ભારત સરકારના વન, પર્યાવરણ અને જળવાયુ પરિવર્તન મંત્રાલય, નવી દિલ્હીના જાહેરનામા ક્રમાંક :એસ.ઓ. ૧૫૩૩ તા. ૧૪-૦૯-૨૦૦૬ અને તેના પછીના સુધારા ક્રમાંક એસ.ઓ. ૩૦૬૭ (ઇ) તા. ૦૧-૧૨-૨૦૦૯ અનુસંધાને મેસર્સ. વેલ્સ્પન સ્ટીલ લિમીટેડ; ગામ : વરસામેડી, તા. અંજાર, જિ. કચ્છ, (ગુજરાત) ખાતે ઇન્ટીગ્રેટેડ સ્ટીલ- ૩.૦ એમટીપીએ ના સૂચિત પ્લાન્ટ સ્થાપન અંગેની પરીયોજના કેટેગરી "એ" માં આવરી લેવાયેલ છે, જે અનુસંધાનમાં લોક સુનાવણી રાખવામાં આવેલ છે.

તા. ૧૪/૦૯/૨૦૧૬ ના રોજ સવારે ૧૧:૦૦ કલાકે રોટરી ભવન, પી.જી.વી.સી.એલ. કચેરીની સામે, બસ સ્ટેશન રોડ, અંજાર, જિ. કચ્છ, (ગુજરાત) ખાતે યોજાયેલ લોક સુનાવણી દરમિયાન હાજર રહેલાં લોકોની યાદી નીચે મુજબ છે.

Sr.No. ક્રમાંક	Name and Address નામ અને સરનામું	Signature OR Thumb Impression સહી અથવા અંગુઠાનું નિશાન
1	Tishwar B. Jethwani	
2	Devendrasingh Vagh	
3	Sanjay M. Darda	
4	Harant. R. Shah	
5	G.A.S. Soni, n25	

Sr.No. ક્રમાંક	Name and Address નામ અને સરનામું	Signature OR Thumb Impression સહી અથવા અંગુઠાનું નિશાન
6	કપાળાવ પનાહાલાવ રજાકી.	
7	દામી કુમાર રાવ	
8	Khangarot Deshraj Singh for Khengar Inter C. Group property	
9	Deepak Lalmani Sec: Inter Dist. Congress	
10	બીરમ ગુપ્તા રાવ	
11	દિનેશ ભટ્ટાચાર્ય 5552	
12	જગાધારા	
13	મુન્દરા બે. રાવ	
14	વિલ્લભ લા. રાવ માણવસપાસા	
15	સામરા રાવ	
16	Gollubhi B. P. 'U. Thirumalai'	
17	ચવાદી રાવ	
18	રામી પંડિતારાવ - સદ્યપદનામ	
19	રામી રાવ કચેરી	
20	રામી રાવ રાવ	

GUJARAT POLLUTION CONTROL BOARD



Regional Office, Kutch (East)

Room No. 215-216, Second Floor, Kandla Port Trust,

Administrative Building, Sector-08, Gandhidham-370201

Phone No. (02836)230828, E-mail- rogpcb.eastkutch@gmail.com, Website: www.gpcb.gov.in

ભારત સરકારના વન, પર્યાવરણ અને જળ અને વાયુ પરિવર્તન મંત્રાલય, નવી દિલ્હીના જાહેરનામા ક્રમાંક :એસ.ઓ. ૧૫૩૩ તા. ૧૪-૦૯-૨૦૦૬ અને તેના પછીના સુધારા ક્રમાંક એસ.ઓ. ૩૦૬૭ (ઇ) તા. ૦૧-૧૨-૨૦૦૯ અનુસંધાને મેસર્સ. વેલ્સ્પન સ્ટીલ લિમિટેડ; ગામ : વરસામેડી, તા. અંજાર, જિ. કચ્છ, (ગુજરાત) ખાતે ઇન્ટીગ્રેટેડ સ્ટીલ- ૩.૦ એમ.ટી.પી.એ.ના સૂચિત પ્લાન્ટ સ્થાપન અંગેની પરીયોજના કેટેગરી "એ" માં આવરી લેવાયેલ છે, જે અનુસંધાનમાં લોક સુનાવણી રાખવામાં આવેલ છે.

તા. ૧૪/૦૯/૨૦૧૬ ના રોજ સવારે ૧૧:૦૦ કલાકે રોટરી ભવન, પી.જી.વી.સી.એલ. કચેરીની સામે, બસ સ્ટેશન રોડ, અંજાર, જિ. કચ્છ, (ગુજરાત) ખાતે યોજાયેલ લોક સુનાવણી દરમિયાન હાજર રહેલાં લોકોની યાદી નીચે મુજબ છે.

Sr.No. ક્રમાંક	Name and Address નામ અને સરનામું	Signature OR Thumb Impression સહી અથવા અંગુઠાનું નિશાન
21	ભાગીદાર અમરજીવ ખાતરીયા,	કે.જી.જી.
22	મરત દલામાઈ કુટુંબ -	મરત દલામાઈ.
23	અનિરુદ્ધ. બી. રાવચોર	અનિરુદ્ધ. બી. રાવચોર
24	પરમવંત. K. રાવચોર	પરમવંત.
25	રાજેશ તેજ ખાતરીયા,	રાજેશ તેજ.
26	રવાડાના ખાતરીયા	રવાડાના
27	રાંભુ માટેવા ખાતરીયા	રાંભુ માટેવા
28	સામજી વાલા ખાતરીયા	સામજી વાલા
29	મુકેશ ખાતરીયા	મુકેશ
30	દીર્ઘ સુભાષ મહેશભાઈ	દીર્ઘ સુભાષ મહેશભાઈ

3

Sr.No. ક્રમાંક	Name and Address નામ અને સરનામું	Signature OR Thumb Impression સહી અથવા અંગુઠાનું નિશાન
31	હિન્દુ ભાવેરા હોશરભાઇ કોડક	Bh. Lakshmi
32	હિન્દુ બિરજેન મંદારાજ ગોંડલીયા	Bhongondaliya
33	હિન્દુ દરીલાલ સામાભાઇ	દરીલાલ સામા
34	હિન્દુ રામીત કેશવભાઈ કડકર	Ram. K.
35	હિન્દુ તાલેરા પાનાળી પાલખામી	B. P.
36	હિન્દુ રાણી વરીભાઈ રાણાવરભાઈ	R. V.
37	માગપર રોડે સવાં	M. S.
38	વિરજ મધુ રાજભાઈ (મોલેકેટ) વરમાભેડી	M. R.
39	રાણી મણિભાઈ સામા વરમાભેડી	M. V.
40	રાણી રાણી ભાના ભાઈ વરમાભેડી	R. V.
41	રાણી રાજરા ભાઈ પચાણ વરમાભેડી	R. P.
42	પચાણ મળ રાણી	P. M.
43	કા. કા. વાળ (તરત-પાણ)	K. V.
44	રાણી દાનજી રાણી	R. D.
45	રાજકુમાર ભરા રાજભાઈ	R. B.

GUJARAT POLLUTION CONTROL BOARD



Regional Office, Kutch (East)






Room No. 215-216, Second Floor, Kandla Port Trust,
Administrative Building, Sector-08, Gandhidham-370201

Phone No. (02836)230828, E-mail- rogpcb.eastkutch@gmail.com, Website: www.gpcb.gov.in











ભારત સરકારના વન, પર્યાવરણ અને જળ અને વાયુ પરિવર્તન મંત્રાલય, નવી દિલ્હીના જાહેરનામા ક્રમાંક :એસ.ઓ. ૧૫૩૩ તા. ૧૪-૦૯-૨૦૦૬ અને તેના પછીના સુધારા ક્રમાંક એસ.ઓ. ૩૦૬૭ (ઇ) તા. ૦૧-૧૨-૨૦૦૯ અનુસંધાને મેસર્સ. વેલ્ફેન સ્ટીલ લિમિટેડ; ગામ : વરસામેડી, તા. અંજાર, જિ. કચ્છ, (ગુજરાત) ખાતે ઇન્ટીગ્રેટેડ સ્ટીલ- ૩.૦ એમ.ટી.પી.એ.ના સૂચિત પ્લાન્ટ સ્થાપન અંગેની પરીચોજના કેટેગરી "એ" માં આવરી લેવાયેલ છે, જે અનુસંધાનમાં લોક સુનાવણી રાખવામાં આવેલ છે.









તા. ૧૪/૦૯/૨૦૧૬ ના રોજ સવારે ૧૧:૦૦ કલાકે રોટરી ભવન, પી.જી.વી.સી.એલ. કચેરીની સામે, બસ સ્ટેશન રોડ, અંજાર, જિ. કચ્છ, (ગુજરાત) ખાતે યોજાયેલ લોક સુનાવણી દરમિયાન હાજર રહેલાં લોકોની યાદી નીચે મુજબ છે.

Sr.No. ક્રમાંક	Name and Address નામ અને સરનામું	Signature OR Thumb Impression સહી અથવા અંગુઠાનું નિશાન
46	પ્રદીપ ભગવત લેલ ગાદિયન	લી. રોમ. રા.
47	En. Grishma Jethia	Grishma
48	Lata Khetana	Lata
49	Bhojwani Priyanka	Priyanka
50	Ritu Thakker	Ritu
51	Jethwa Mini	Mini
52	જિજ્ઞાસુ	જિજ્ઞાસુ
53	Usha T. Acharya	Usha
54	મણીબેન બવન મોડી	D. A. Modi
55	કમ્બુબેન મોડી	કમ્બુબેન મોડી

Sr.No. ક્રમાંક	Name and Address નામ અને સરનામું	Signature OR Thumb Impression સહી અથવા અંગુઠાનું નિશાન
56	સા. રાજેશભાઈ ભગત સા. રાજેશભાઈ વરસામેડી	S.A. Bhagat
57	ભારતી બેન જે. રુપારેલ વરસામેડી.	Bhushan R. S
58	નિમાવત યુગાસા પિયુરુશાન વરસામેડી	P. J. S
59	નિતાબેન રાજેશભાઈ વરસામેડી	નિતા લતા
60	દેવલ બેન રામ લાદ વરસામેડી	દેવલ
61	કંચન બેન રાજાભાઈ વરસામેડી	કંચન
62	BHAVNA. RUPAREL	K
63	મનુષીબેન રાજેશભાઈ વરસામેડી	Jagdish
64	રુડી બેન રાજેશભાઈ વરસામેડી	
65	કાશીબેન રાજેશભાઈ વરસામેડી	
66	કુંવરબેન રુપારેલ	કુંવરબેન
67	કુંવરભાઈ રાજેશભાઈ	
68	લીલાબેન	V. S. A.
69	રમિ ત્રિવેદી	
70	વિજય રમિ ત્રિવેદી	

Administrative Building, Sector-08, Gandhidham-370201
Phone No. (02836)230828, E-mail- rogpcb.eastkutch@gmail.com, Website: www.gpcb.gov.in

Sr.No. ક્રમાંક	Name and Address નામ અને સરનામું	Signature OR Thumb Impression સહી અથવા અંગુઠાનું નિશાન
92	મણિકા જી. ડોશી. ગુપ્ત. સુભાષી મ. શેરણી સુભાષી મ. શેરણી ગાંધી મુલ્કા - શોભિકા રાવળ આલેક્ષા	
92	દાનજી નારાયણ વીરેકીરણ ગાય મુખ્ય સંસ્કૃત જ્ઞાપાલકા. અંગ્રા	
93	પ્રવીણા ભાઈ જેરામભાઈ પટેલ ખેડુળ. અંગ્રા	
94	રશ્મિભા. એ. પંડ્યા - જેસી રામોરડ ઉદયભા	
75	સુરશી ભાઈરા જેરાભાઈ	
76	Sumir Shah	
77	Prakash Patel	
78	M. H. Mahalki	
79	Mihir T. Kargad Gandhidham.	
80	મનજી મેનાભાઈ આર્પી ગામ - ભીમલકા ના. અંગ્રા	

Sr.No. ક્રમાંક	Name and Address નામ અને સરનામું	Signature OR Thumb Impression સહી અથવા અંગુઠાનું નિશાન
81	વલ્લભ ભાઈ ભાઈભાઈ ફુલે પસીયા ગામ પાસે સરખેય	 V. B. B. Bhule
82	Kinjal J. Budhbhatti (Anjuna)	
83	Amit H. Chavhan (Anjuna)	
84	Dashruth K. Khundekya (Anjuna)	
85	Labhsankar M. Subud (Anjuna)	
86	Deepak B. Sureshwar (Anjuna)	
87	દિગ્ગજી આમીનમીયા આમી - અંકીય પુર્વ કોચરંચી આમી	
88	Narayanbhai A. Chavhan (Anjuna)	
89	સાવડા મહેશ શંકરભાઈ (અંકીય કોચરંચી) મહેશભાઈ	
90	Hantilal A. Patel	
91	Rajesh A. Kapadi (Avis)	
92	Rajesh R. Anis	
93	વિરમ ગોવા	
94	વિરમ કોવા	
95	મહેશ શંકરભાઈ (અંકીય કોચરંચી)	

GUJARAT POLLUTION CONTROL BOARD

Regional Office, Kutch (East)

Room No. 215-216, Second Floor, Kandla Port Trust,

Administrative Building, Sector-08, Gandhidham-370201














Phone No. (02836)230828, E-mail- rogpcb.eastkutch@gmail.com, Website: www.gpcb.gov.in



ભારત સરકારના વન, પર્યાવરણ અને જળ અને વાયુ પરિવર્તન મંત્રાલય, નવી દિલ્હીના જાહેરનામા ક્રમાંક :એસ.ઓ. ૧૫૩૩ તા. ૧૪-૦૯-૨૦૦૬ અને તેના પછીના સુધારા ક્રમાંક એસ.ઓ. ૩૦૬૭ (ઇ) તા. ૦૧-૧૨-૨૦૦૯ અનુસંધાને મેસર્સ. વેલ્સપન સ્ટીલ લિમિટેડ; ગામ : વરસામેડી, તા. અંજાર, જિ. કચ્છ, (ગુજરાત) ખાતે ઇન્ટીગ્રેટેડ સ્ટીલ- ૩.૦ એમ.ટી.પી.એ.ના સૂચિત પ્લાન્ટ સ્થાપન અંગેની પરીયોજના કેટેગરી "એ" માં આવરી લેવાયેલ છે, જે અનુસંધાનમાં લોક સુનાવણી રાખવામાં આવેલ છે.

તા. ૧૪/૦૯/૨૦૧૬ ના રોજ સવારે ૧૧:૦૦ કલાકે રોટરી ભવન, પી.જી.વી.સી.એલ. કચેરીની સામે, બસ સ્ટેશન રોડ, અંજાર, જિ. કચ્છ, (ગુજરાત) ખાતે યોજાયેલ લોક સુનાવણી દરમિયાન હાજર રહેલાં લોકોની યાદી નીચે મુજબ છે.

Sr.No. ક્રમાંક	Name and Address નામ અને સરનામું	Signature OR Thumb Impression સહી અથવા અંગુઠાનું નિશાન
૧૬	શાંતિબેન રઝુપાર	
૧૭	રત્નાબેન મારાજ	
૧૮	ડાંગર ડાંગર વાંસજીભાઈ વરસામેડી	ડાંગર વાંસજીભાઈ
૧૯	હરી વસા ડાંગર વરસામેડી	હરી વસા ડાંગર
૧૦૦	હરી મેમા ડાંગર 	HMD
૧૦૧	ડાંગર જંપેશ 	ડાંગર જંપેશ
૧૦૨	રૂડા ભાઈ નારાગભાઈ વરસામેડી	
૧૦૩	મયાવર ભાઈ હિરાભાઈ વરસામેડી	
૧૦૪	કમલેશ્વર કુમાર વરસામેડી	
૧૦૫	શામળા ભાઈ રંગારી વરસામેડી	

Sr.No. ક્રમાંક	Name and Address નામ અને સરનામું	Signature OR Thumb Impression સહી અથવા અંગુઠાનું નિશાન
106	વિરમલાલ કાળાભાઈ રણાઈ વરસામંડી	
107	દિગભાઈ ખેંગાર ગામ-મીંદીયાવા	
108	ખંગારભાઈ રણાઈ ગામ - વરસામંડી	
109	રેણભાઈ રણાઈ ગામ - વરસામંડી	
110	સોનભાઈ રાણા ગામ - વરસામંડી	
111	પ્રભુભાઈ રણાઈ ગામ - વરસામંડી	
112	ભુશામભાઈ રણાઈ ગામ - વરસામંડી	
113	Viram Puth ADUPUR.	
114	Jemul bly bhugibh Miharam	
115	સદેવચંદ્ર વસામંડી	
116	Sumer Singh Varsameedi	
117	સોનભાઈ રણાઈ ગામ - કારંલી, તા. - વાવ	
118	Deep Hazarembh Miharam	
119	રામ પ્રવેશ કુશવાર ગામ - વરસામંડી	રામપ્રવેશ
120	રામજી કાળજી મેરંડ ગામ - મીંદીયા	રામજી કાળજી

GUJARAT POLLUTION CONTROL BOARD



Regional Office, Kutch (East)

Room No. 215-216, Second Floor, Kandla Port Trust,

Administrative Building, Sector-08, Gandhidham-370201

Phone No. (02836)230828, E-mail- rogpcb.eastkutch@gmail.com, Website: www.gpcb.gov.in

ભારત સરકારના વન, પર્યાવરણ અને જળ અને વાયુ પ્રતિવર્તન મંત્રાલય, નવી દિલ્હીના જાહેરનામા ક્રમાંક :એસ.ઓ. ૧૫૩૩ તા. ૧૪-૦૯-૨૦૦૬ અને તેના પછીના સુધારા ક્રમાંક એસ.ઓ. ૩૦૬૭ (ઇ) તા. ૦૧-૧૨-૨૦૦૯ અનુસંધાને મેસર્સ. વેલ્સ્પન સ્ટીલ લિમિટેડ; ગામ : વરસામેડી, તા. અંજાર, જિ. કચ્છ, (ગુજરાત) ખાતે ઇન્ડીગ્રેટેડ સ્ટીલ- ૩.૦ એમ.ટી.પી.એ.ના સૂચિત પ્લાન્ટ સ્થાપન અંગેની પરીયોજના કેટેગરી "એ" માં આવરી લેવાયેલ છે, જે અનુસંધાનમાં લોક સુનાવણી રાખવામાં આવેલ છે.

તા. ૧૪/૦૯/૨૦૧૬ ના રોજ સવારે ૧૧:૦૦ કલાકે રોટરી ભવન, પી.જી.વી.સી.એલ. કચેરીની સામે, બસ સ્ટેશન રોડ, અંજાર, જિ. કચ્છ, (ગુજરાત) ખાતે યોજાયેલ લોક સુનાવણી દરમિયાન હાજર રહેલાં લોકોની યાદી નીચે મુજબ છે.

Sr.No. ક્રમાંક	Name and Address નામ અને સરનામું	Signature OR Thumb Impression સહી અથવા અંગુઠાનું નિશાન
121	ડી લા	ડી લા
122	Hotel Chaurha - Anja	Hilanka
123	રીંગલ ચૌહાણ	Rinkya
124	A.m.	A.m.
125	JIB	JIB
126	શિતાબેન ગાયર	શિતાબેન ગાયર
127	રૂપા	રૂપા
128	રૂપાબેન	રૂપાબેન
129	નાતા	નાતા
130	Rajeshwar Singh	Rajeshwar Singh

Sr.No. ક્રમાંક	Name and Address નામ અને સરનામું	Signature OR Thumb Impression સહી અથવા અંગુઠાનું નિશાન
131	હુંબલ રવજી મેઠા	રવજી મેઠા
132	હુંબલ રવજી મેઠા	Thumb
133	આદિત્ય વાંમનજી	આદિત્ય વાંમનજી
134	matheshwarji Bhangji multibhai	matheshwarji Bhangji multibhai
135	Rakesh B. Vaghayev	Rakesh B. Vaghayev
136	મિત્તલ રામજી સર	મિત્તલ રામજી સર
137	સરજી રામજી સર	સરજી રામજી સર
138	Deepak Sharma	D.A.SL
139	AHIR BRIJ	AHIR BRIJ
140	Kripal sing zale	Kripal sing zale
141	Rajaw Vora	Rajaw Vora
142	SSDHARTH VORA	SSDHARTH VORA
143	SHAMBHU . R MARAND	SHAMBHU . R MARAND
144	UMESH K. Aliji	UMESH K. Aliji
145	Kaushik. V. Vora	K.V.Vora

GUJARAT POLLUTION CONTROL BOARD

Regional Office, Kutch (East)

Room No. 215-216, Second Floor, Kandla Port Trust,
Administrative Building, Sector-08, Gandhidham-370201

Phone No. (02836)230828, E-mail- rogpcb.eastkutch@gmail.com, Website: www.gpcb.gov.in



ભારત સરકારના વન, પર્યાવરણ અને જળ અને વાયુ પરિવર્તન મંત્રાલય, નવી દિલ્હીના જાહેરનામા ક્રમાંક :એસ.ઓ. ૧૫૩૩ તા. ૧૪-૦૯-૨૦૦૬ અને તેના પછીના સુધારા ક્રમાંક એસ.ઓ. ૩૦૬૭ (ઇ) તા. ૦૧-૧૨-૨૦૦૯ અનુસંધાને મેસર્સ. વેલ્ફન સ્ટીલ લિમિટેડ; ગામ : વરસામેડી, તા. અંજાર, જિ. કચ્છ, (ગુજરાત) ખાતે ઇન્ટીગ્રેટેડ સ્ટીલ- ૩.૦ એમ.ટી.પી.એ.ના સૂચિત પ્લાન્ટ સ્થાપન અંગેની પરિયોજના કેટેગરી "એ" માં આવરી લેવાયેલ છે, જે અનુસંધાનમાં લોક સુનાવણી રાખવામાં આવેલ છે.

તા. ૧૪/૦૯/૨૦૧૬ ના રોજ સવારે ૧૧:૦૦ કલાકે રોટરી ભવન, પી.જી.વી.સી.એલ. કચેરીની સામે, બસ સ્ટેશન રોડ, અંજાર, જિ. કચ્છ, (ગુજરાત) ખાતે યોજાયેલ લોક સુનાવણી દરમિયાન હાજર રહેલાં લોકોની યાદી નીચે મુજબ છે.

Sr.No. ક્રમાંક	Name and Address નામ અને સરનામું	Signature OR Thumb Impression સહી અથવા અંગુઠાનું નિશાન
146	રમેશભાઈ ખટમાર ગામ:- ગાંધીરામ ભાટપર	રમેશભાઈ ખટમાર
147	લાલજીભાઈ મહેશ્વરી ગામ:- અંજાર	લાલજીભાઈ મહેશ્વરી
148	ખજીરામ ગામળ ભારત	
149	ગામ:- અંજાર મહેશભાઈ રમેશભાઈ મહેશ્વરી	મહેશભાઈ
150	કાલુરામ મુંડવાલ ગામ:- વરસામેડી	કાલુરામ મુંડવાલ
151	દિગ્ગજીભાઈ ચીપારી ગામ:- અંજાર	દિગ્ગજીભાઈ ચીપારી
152	વેળાઈ ડાકરસાઈ ખરમાર ગામ:- વરસામેડી	ખરમાર ડી. સી
153	વેળાઈ ડાકરસાઈ ગામ:- વરસામેડી	ડાકરસાઈભાઈ
154	વેળાઈ પુત્રભાઈ ગામ:- વરસામેડી	પુત્રભાઈ
155	લાલજીભાઈ લાલજી દેસાઈ ગામ:- અંજારભાઈ	લાલજીભાઈ

Sr.No. ક્રમાંક	Name and Address નામ અને સરનામું	Signature OR Thumb Impression સહી અથવા અંગુઠાનું નિશાન
156	ઝપાગા રમેશ નારણ અંતરજી	
157	રાવલ મહેન્દ્ર લવજીભાઈ સેઘવર	
158	દિયેશ રમેશચંદ્ર પંડ્યા - અમીર	
159	મહેશ રૂચ. સુવિદી - અંબ	
160	ફિરોઝ ચાવડા ગામ: વરસામેડી	
161	મહાદેવભાઈ રાવ ગામ: ભાવપુરા	
162	મુખેશ શંકરભાઈ સેઘવર ગામ: લેકખેડવર	
163	શંભુ શાલા કોમીયા ગામ: આપાપર	
164	અશોક ગામળ આપા ગામ: આપાપર	
165	કુમલ રામલ આ ગામ: ભાગાંસર	
166	ઝરૂ અમલ નાથગામાઈ ગામ: ભીમાપર	
167	દિયેશ રમણાલા શરદીય. અમલ	
168	અશોક મહેન્દ્રભાઈ શરદીય	
169	રમણ રામલાઈ ભાગાંસર	
170	મહેશ પદમાર - અમદાવાદ	

GUJARAT POLLUTION CONTROL BOARD

Regional Office, Kutch (East)

Room No. 215-216, Second Floor, Kandla Port Trust,

Administrative Building, Sector-08, Gandhidham-370201
















Phone No. (02836)230828, E-mail- rogpcb.eastkutch@gmail.com, Website: www.gpcb.gov.in



ભારત સરકારના વન, પર્યાવરણ અને જળ અને વાયુ પરિવર્તન મંત્રાલય, નવી દિલ્હીના જાહેરનામા ક્રમાંક :એસ.ઓ. ૧૫૩૩ તા. ૧૪-૦૯-૨૦૦૬ અને તેના પછીના સુધારા ક્રમાંક એસ.ઓ. ૩૦૬૭ (ઇ) તા. ૦૧-૧૨-૨૦૦૯ અનુસંધાને મેસર્સ. વેલ્સ્પન સ્ટીલ લિમીટેડ; ગામ : વરસામેડી, તા. અંજાર, જિ. કચ્છ, (ગુજરાત) ખાતે ઇન્ટીગ્રેટેડ સ્ટીલ- ૩.૦ એમ.ટી.પી.એ.ના સૂચિત પ્લાન્ટ સ્થાપન અંગેની પરીયોજના કેટેગરી "એ" માં આવરી લેવાયેલ છે, જે અનુસંધાનમાં લોક સુનાવણી રાખવામાં આવેલ છે.

તા. ૧૪/૦૯/૨૦૧૬ ના રોજ સવારે ૧૧:૦૦ કલાકે રોટરી ભવન, પી.જી.વી.સી.એલ. કચેરીની સામે, બસ સ્ટેશન રોડ, અંજાર, જિ. કચ્છ, (ગુજરાત) ખાતે યોજાયેલ લોક સુનાવણી દરમિયાન હાજર રહેલાં લોકોની યાદી નીચે મુજબ છે.

Sr.No. ક્રમાંક	Name and Address નામ અને સરનામું	Signature OR Thumb Impression સહી અથવા અંગુઠાનું નિશાન
171	શામલ શાસ્ત્રી	
172	શામલ શાસ્ત્રી	
173	શામલ શાસ્ત્રી	
174	જોષી વસંત	
175	ડા. શામલ શાસ્ત્રી	
176	શામલ શાસ્ત્રી	
177	વિકાસ પટેલ	
178	પરેશભાઈ પટેલ	
179	શામલ	
180	શામલ શાસ્ત્રી	

Sr.No. ક્રમાંક	Name and Address નામ અને સરનામું	Signature OR Thumb Impression સહી અથવા અંગુઠાનું નિશાન
181	Ramesh Babar	
182	Baiwant Bhai	
183	Arjun R mota vi: lakhada - Anwar	
184	Dhigela Bhai	
185	શામળ રૂ	
186	જયકુમારજી	
187	માદા ભીખા (અંતરજા)	
188	અમા વામડા	
189	જયંત ઉશોરભાઈ ટીડ.	
190	Junah. Ashokk/ Muki (Adipra)	
191	Vijay Bhomushadi Obheerum studio Anwar	
192	દુબ્બલ ભંડો 11 રાંધ રજા 12	
193	કિશોરજી	
194	દામોદરજી	
195	રૂપા પદમ સિંઘ	

GUJARAT POLLUTION CONTROL BOARD

Regional Office, Kutch (East)

Room No. 215-216, Second Floor, Kandla Port Trust,
Administrative Building, Sector-08, Gandhidham-370201








Phone No. (02836)230828, E-mail- rogpcb.eastkutch@gmail.com, Website: www.gpcb.gov.in



ભારત સરકારના વન, પર્યાવરણ અને જળ અને વાયુ પરિવર્તન મંત્રાલય, નવી દિલ્હીના જાહેરનામા ક્રમાંક :એસ.ઓ. ૧૫૩૩ તા. ૧૪-૦૯-૨૦૦૬ અને તેના પછીના સુધારા ક્રમાંક એસ.ઓ. ૩૦૬૭ (ઇ) તા. ૦૧-૧૨-૨૦૦૯ અનુસંધાને મેસર્સ. વેલ્સપન સ્ટીલ લિમિટેડ; ગામ : વરસામેડી, તા. અંજાર, જિ. કચ્છ, (ગુજરાત) ખાતે ઇન્ટીગ્રેટેડ સ્ટીલ- ૩.૦ એમ.ટી.પી.એ.ના સૂચિત પ્લાન્ટ સ્થાપન અંગેની પરીયોજના કેટેગરી "એ" માં આવરી લેવાયેલ છે, જે અનુસંધાનમાં લોક સુનાવણી રાખવામાં આવેલ છે.

તા. ૧૪/૦૯/૨૦૧૬ ના રોજ સવારે ૧૧:૦૦ કલાકે રોટરી ભવન, પી.જી.વી.સી.એલ. કચેરીની સામે, બસ સ્ટેશન રોડ, અંજાર, જિ. કચ્છ, (ગુજરાત) ખાતે યોજાયેલ લોક સુનાવણી દરમિયાન હાજર રહેલાં લોકોની યાદી નીચે મુજબ છે.

Sr.No. ક્રમાંક	Name and Address નામ અને સરનામું	Signature OR Thumb Impression સહી અથવા અંગુઠાનું નિશાન
196	કામળાબાઈ વિદ્યાભાઈ ગારા ગામ :- સેતાપર.	
197	કામળાબાઈ એ. પાઠા ઇરગારી ગામ નામતવાડા વરસામેડી	
198	વિદ્યાભાઈ રામચંદ્ર ગામ :- અંજાર	
199	Binterson Samy rana Binterson Amjara	
200	Harvet Punwatsing Biray bhai Amjara	
201	Jayeshbhai Adipure	
202	Sherni Sankh Jadeva Varsameli	
203	Pramodra Kumar rana Amjara	
204	ચંચલ ગોંડા અંજાર	
205	NIRMAL KUMAR DAS Amjara	

Sr.No. ક્રમાંક	Name and Address નામ અને સરનામું	Signature OR Thumb Impression સહી અથવા અંગુઠાનું નિશાન
206	Samdeep 11030 Anjar	Samdeep 11030
207	Limba N. Rebeki Vassumedi	
208	Selvan Sam Raj Ruteesh - Vassumedi	SS. Ruteesh
209	લેરશીભાઈ રામાભાઈ પટનાર ગામ:- ગાંધીયામ બડોડ	
210	દેવશીભાઈ હરીભાઈ પટનાર ગામ:- ગાંધીયામ બડોડ	
211	સિંભુભાઈ ગોરીલ ગામ:- ગાંધીયામ બડોડ	
212	રજાશીભાઈ સીલંડી ગામ:- ગાંધીયામ બડોડ	રજાશી ભાઈ
213	રજાશીભાઈ વાઝીલ ગામ:- ગાંધીયામ બડોડ	
214	રજાશીભાઈ વાઝીલ ગામ:- ગાંધીયામ બડોડ	
215	દેવશીભાઈ મનભુભાઈ ભારી ગામ:- ગાંધીયામ	દેવશીભાઈ
216	ગોગાભાઈ પટનાર ગામ:- ગાંધીયામ	
217	દેવશીભાઈ ભારી ગામ:- મેયપર	દેવશી
218	ફેલાશીભાઈ ગોરવાની ગામ:- રાંધા	
219	મેયુરી દેશી ભાવર ગામ:- રાંધા	મેયુરી દેશી ભાવર
220	મોર હીભન ગામ:- ગાંધીયામ બડોડ	

GUJARAT POLLUTION CONTROL BOARD

Regional Office, Kutch (East)

Room No. 215-216, Second Floor, Kandla Port Trust,
Administrative Building, Sector-08, Gandhidham-370201
















Phone No. (02836)230828, E-mail- rogpcb.eastkutch@gmail.com, Website: www.gpcb.gov.in



ભારત સરકારના વન, પર્યાવરણ અને જળ અને વાયુ પરિવર્તન મંત્રાલય, નવી દિલ્હીના જાહેરનામા ક્રમાંક :એસ.ઓ. ૧૫૩૩ તા. ૧૪-૦૯-૨૦૦૬ અને તેના પછીના સુધારા ક્રમાંક એસ.ઓ. ૩૦૬૭ (ઇ) તા. ૦૧-૧૨-૨૦૦૯ અનુસંધાને મેસર્સ. વેલ્સપન સ્ટીલ લિમિટેડ; ગામ : વરસામેડી, તા. અંજાર, જિ. કચ્છ, (ગુજરાત) ખાતે ઇન્ટીગ્રેટેડ સ્ટીલ- ૩.૦ એમ.ટી.પી.એ.ના સૂચિત પ્લાન્ટ સ્થાપન અંગેની પરિયોજના કેટેગરી "એ" માં આવરી લેવાયેલ છે, જે અનુસંધાનમાં લોક સુનાવણી રાખવામાં આવેલ છે.

તા. ૧૪/૦૯/૨૦૧૬ ના રોજ સવારે ૧૧:૦૦ કલાકે રોટરી ભવન, પી.જી.વી.સી.એલ. કચેરીની સામે, બસ સ્ટેશન રોડ, અંજાર, જિ. કચ્છ, (ગુજરાત) ખાતે યોજાયેલ લોક સુનાવણી દરમિયાન હાજર રહેલાં લોકોની યાદી નીચે મુજબ છે.

Sr.No. ક્રમાંક	Name and Address નામ અને સરનામું	Signature OR Thumb Impression સહી અથવા અંગુઠાનું નિશાન
221	હિંદ વેના નવદાણ મહિવાડા	[Signature]
222	અંબેદકર આર મહેધરી	[Signature]
223	ભાગુ વા. રાજાની	[Signature]
224	રજાની સજ્જા વંશી	[Signature]
225	રજાની ભાણુ મહેધરી	[Signature]
226	રજાની વસંત વસંત પાલ	[Signature]
227	રજાની મોહન વાગા	[Signature]
228	રજાની મહેસૂર ના/વા	[Signature]
229	રજાની સાંજગ કરસન	[Signature]

Sr.No. ક્રમાંક	Name and Address નામ અને સરનામું	Signature OR Thumb Impression સહી અથવા અંગુઠાનું નિશાન
230	મહાદેવ વેલજી ભાઈ આરીર ગામ-જીડાપમવાડોયા તા-અંબાર ૬૨૬૦	
231	ગોપાલ શિલાભાઈ આરીર (હિપ અમ્બેય) ગામ-મીસાપમવાડોયા તા-અંબાર ૬૨૬૦	
232	જનક દિનેશ ભોમજી ભાઈ આરીર સતાર તા-અંબાર	
233	રવિચંદ્ર શિવાભાઈ ભવા. ગામ-વરસામેડી તા-અંબાર ૬૨૬૦	
234	રજારી શામજી ભાઈ પાળ ભાઈ ગામ-અંબાર	
235	રજારી રાડગાભાઈ સોમ ગામ-વરસામેડી તા-અંબાર	
236	ભોમજી રાજદાસ પિસાભાઈ ગામ-વરસામેડી તા-અંબાર	
237	પાદોદા કિશોર શિંડ નરુજી અંબાર	
238	રજારી જગદીશ કોળાભાઈ ગામ-વરસામેડી તા-અંબાર	
239	રજારી રૂચી ભાઈ મલા અંબાર	
240	રજારી ભાઈ ભવા. અંબાર	
241	રજારી ભાઈ ભવા. અંબાર	
242	મનુજી રેમજી. S.N. 262 વરસામેડી -	
243	ચેતન. જી. રાવ. ભયપર તા-અંબાર - ૬૨૬૦	
244	રજારી ભવા. અંબાર	

GUJARAT POLLUTION CONTROL BOARD

Regional Office, Kutch (East)

Room No. 215-216, Second Floor, Kandla Port Trust,
Administrative Building, Sector-08, Gandhidham-370201



Phone No. (02836)230828, E-mail- rogpcb.eastkutch@gmail.com, Website: www.gpcb.gov.in



ભારત સરકારના વન, પર્યાવરણ અને જળ અને વાયુ પરિવર્તન મંત્રાલય, નવી દિલ્હીના જાહેરનામા ક્રમાંક :એસ.ઓ. ૧૫૩૩ તા. ૧૪-૦૯-૨૦૦૬ અને તેના પછીના સુધારા ક્રમાંક એસ.ઓ. ૩૦૬૭ (ઇ) તા. ૦૧-૧૨-૨૦૦૯ અનુસંધાને મેસર્સ. વેલ્સ્પન સ્ટીલ લિમિટેડ; ગામ : વરસામેડી, તા. અંજાર, જિ. કચ્છ, (ગુજરાત) ખાતે ઇન્ડીગ્રેટેડ સ્ટીલ- ૩.૦ એમ.ટી.પી.એ.ના સૂચિત પ્લાન્ટ સ્થાપન અંગેની પરીયોજના કેટેગરી "એ" માં આવરી લેવાયેલ છે, જે અનુસંધાનમાં લોક સુનાવણી રાખવામાં આવેલ છે.

તા. ૧૪/૦૯/૨૦૧૬ ના રોજ સવારે ૧૧:૦૦ કલાકે રોટરી ભવન, પી.જી.વી.સી.એલ. કચેરીની સામે, બસ સ્ટેશન રોડ, અંજાર, જિ. કચ્છ, (ગુજરાત) ખાતે યોજાયેલ લોક સુનાવણી દરમિયાન હાજર રહેલાં લોકોની યાદી નીચે મુજબ છે.

Sr.No. ક્રમાંક	Name and Address નામ અને સરનામું	Signature OR Thumb Impression સહી અથવા અંગુઠાનું નિશાન
245	ભાસ્કર બેનાર્જી માલ વરસામેડી	
246	ભાસ્કર બેનાર્જી માલ વરસામેડી	
247	કુંવર જીનકર મરફી વરસામેડી	
248	કરખુબેન પાઠી માલ વરસામેડી	
249	રામકુલબેન વાઘલેખરી સરપંચ શીન્ડુ ગ્રા ગામ	રામકુલબેન વા
250	જયકુબેન વરસામેડી	
251	ભાસ્કર બેનાર્જી માલ વરસામેડી	
252	મિલકા બેનાર્જી માલ વરસામેડી	
253	પરમા બેનાર્જી માલ વરસામેડી	

Sr.No. ક્રમાંક	Name and Address નામ અને સરનામું	Signature OR Thumb Impression સહી અથવા અંગુઠાનું નિશાન
	↓ લીક્ષ્મણકપડી, ગાડીનું ↓	
254	મોહબાઈ વરસાનોડો	
255	રબારીકરજી બેગ વરસાનોડો	
256	આફોર દેવજી બેગ વરસાનોડો	
257	આફોર આફોર બેગ વરસાનોડો	
258	આફોર રતી બેગ વરસાનોડો	
259	મિયાબાઈ બેગ વરસાનોડો	
260	પાપાઈ/બેગ વરસાનોડો	
261	બેગ વરસાનોડો	
262	દેવબાઈ અધુભાઈ/બેગ વરસાનોડો	
263	ગાડી, 5222 બેગ વરસાનોડો	રબારીકરજી બેગ વરસાનોડો
264	આભા ભાઈ/બેગ વરસાનોડો	
265	ડાંગર દેવજી મહાદેવભાઈ	DM

GUJARAT POLLUTION CONTROL BOARD



Regional Office, Kutch (East)

Room No. 215-216, Second Floor, Kandla Port Trust,

Administrative Building, Sector-08, Gandhidham-370201

Phone No. (02836)230828, E-mail- rogpcb.eastkutch@gmail.com, Website: www.gpcb.gov.in

ભારત સરકારના વન, પર્યાવરણ અને જળ અને વાયુ પરિવર્તન મંત્રાલય, નવી દિલ્હીના જાહેરનામા ક્રમાંક :એસ.ઓ. ૧૫૩૩ તા. ૧૪-૦૯-૨૦૦૬ અને તેના પછીના સુધારા ક્રમાંક એસ.ઓ. ૩૦૬૭ (ઇ) તા. ૦૧-૧૨-૨૦૦૯ અનુસંધાને મેસર્સ. વેલ્સપન સ્ટીલ લિમીટેડ; ગામ : વરસામેડી, તા. અંજાર, જિ. કચ્છ, (ગુજરાત) ખાતે ઇન્ટીગ્રેટેડ સ્ટીલ- ૩.૦ એમ.ટી.પી.એ.ના સૂચિત પ્લાન્ટ સ્થાપન અંગેની પરિયોજના કેટેગરી "એ" માં આવરી લેવાયેલ છે, જે અનુસંધાનમાં લોક સુનાવણી રાખવામાં આવેલ છે.

તા. ૧૪/૦૯/૨૦૧૬ ના રોજ સવારે ૧૧:૦૦ કલાકે રોટરી ભવન, પી.જી.વી.સી.એલ. કચેરીની સામે, બસ સ્ટેશન રોડ, અંજાર, જિ. કચ્છ, (ગુજરાત) ખાતે યોજાયેલ લોક સુનાવણી દરમિયાન હાજર રહેલાં લોકોની યાદી નીચે મુજબ છે.

Sr.No. ક્રમાંક	Name and Address નામ અને સરનામું	Signature OR Thumb Impression સહી અથવા અંગુઠાનું નિશાન
266	કચ્છીય રાજા પાલ - ગામ: તાલુકો	
267	વડા તાલુકાના તાલુકા - રાજી	તા. રાજી
268	રમેશ રાજા સિંહ ગામ: તાલુકો	
269	શ્રીરમ શામળ (કિડકા)	shrikesh
270	Sanjay Dada	
271	Amish Madhur - Anjar	
272	Devendra Jha	
273	meherb Loda ગામ: Kadar	
274	Danveerjiya Inwadi village. Sitarval	
275	Danguljiya Dharmendra village: Sitarval	

[illegible]

GUJARAT POLLUTION CONTROL BOARD

Regional Office, Kutch (East),

Room No. 215-216, Second Floor, Kandla Port Trust

Administrative Building, Sector-08, Gandhidham, Kutch – 370 201

Website: www.gpcb.gov.in



Annexure –B (ENGLISH)

A Statement showing issues raised by the participants and responses by the representative of the applicant during the Public Hearing

As per the Ministry of Environment, Forests and Climate Change Government of India, New Delhi, vide its notification no. S.O.1533 (E) dated 14/09/2006 and its subsequent amendment thereon, Environmental Public Hearing has been scheduled for **M/s. Welspun Steel Ltd.**, for Proposed 3.0 MTPA Integrated Steel Plant, at Village – Varsamedi, Ta : Anjar, Dist : Kutch (Gujarat). which is covered under CATEGORY “A” as mentioned in their request application. The Environmental Public Hearing is conducted on dated 14/09/2016 at 11.00 am at Rotary Bhavan, Opp. P.G.V.C.L. Office, Bus Stand Road Anjar, Dist.: Kutch(Gujarat).

Shri I.R. Vala(G.A.S.), Additional District Magistrate and Residential Additional District Collector, representative of District Magistrate and Collector Bhuj, Kutch supervised and presided over the entire public hearing proceedings.

Shri K.B. Chaudhari, Regional Officer, Kutch(East), Gujarat Pollution Control Board, as a Representative of the Member Secretary, Gujarat Pollution Control Board welcomed all people present in the Public Hearing and with due permission of the Additional District Magistrate initiated the procedure of the hearing. He outlined the various provisions of the Notification and briefed the procedural details for conducting this public hearing including actions taken by GPCB for wide publicity of this public hearing and the advertisement given earlier in the local daily newspapers. He announced that as per the provision of notification, only locally affected persons will be allowed to represent in the public hearing while others having plausible stake holders may give their representation in writing which would be included in the proceedings.

With the due permission of the Additional District Magistrate, he then invited the project proponent to give their introduction and to make the presentation of their proposed project in Local Gujarati Language.

Thereafter presentation in Gujarati language was given by Shri B.H. Kumbhani, as a technical representative of proposed project covering introduction of the company, project profile, places, features, planning and process route of production, major production facilities, consumption of raw materials, requirement of utilities, present environment status and Environmental Management System, green belt development, existing financial and social condition and CSR activities carried out by company.

After the presentation by the project proponent, Regional Officer, Gujarat Pollution Control Board with the due permission of the Additional District Magistrate, opened the forum for representations/ suggestions/ objections from the local affected people.

The issues/ suggestions/ objections/ opinions raised by the participants and responses by the representative of the project during the Public Hearing are as under:

GUJARAT POLLUTION CONTROL BOARD

Regional Office, Kutch (East),

Room No. 215-216, Second Floor, Kandla Port Trust

Administrative Building, Sector-08, Gandhidham, Kutch – 370 201

Website: www.gpcb.gov.in



Sr. No.	Name and Address	Points Represented	Chronological Reply from the Project Proponent
1	Shri Karshanbahi Rabari Vill : Kharapasvariya Ta : Anjar, Dist : Kutch	<ul style="list-style-type: none"> • He presented that we don't have any objection against the project proposed by company. • Further stated that separate sitting arrangement for media should be done. • He further asked that whether any person from information department is present in this Public Hearing or not? • He further informed that company has been established and employment has been generated due to it, so we don't oppose proposed project. • He further asked that, whether company's officer and sarpanch of gram panchayat follows law and order or not? • Further informed that summary of the project has been submitted on dated 19 to 20. It should be submitted within 30 days or not? So, both the officers present, reply for the same. • Further he stated that proper action shall be taken after hearing representations of public and we do not oppose the project personally. • Further informed that, company should recognize general citizens to ministers as their important persons. • It is request to include villages other than affected villages out of the 10 km radius under CSR scheme. 	<ul style="list-style-type: none"> • Additional District Magistrate informed that every questions will be accepted in written and same will be replied in written. We will not make any decision here. Reply of the questions will be given by project proponent and same will be recorded in minutes then after will be forwarded to government and copy of the same can be viewed. We have been appointed by government for taking proper decision in interest of public so proper reply of each query will be given by project proponent. We have arranged sitting facility and screen outside. All proceedings of Public Hearing can be viewed from there and if they have any question they can represent himself coming here which will be included in minutes. Public Hearing will be concluded after hearing everybody. • Regional officer stated that, as per EIA notification 2006 we have to circulate draft EIA report and summary in Gujarati

GUJARAT POLLUTION CONTROL BOARD

Regional Office, Kutch (East),
Room No. 215-216, Second Floor, Kandla Port Trust
Administrative Building, Sector-08, Gandhidham, Kutch – 370 201
Website: www.gpcb.gov.in



Sr. No.	Name and Address	Points Represented	Chronological Reply from the Project Proponent
2	<p>Shri Mahesh Sambhubhai Chavada Vill :Molvadar Ta : Anjar, Dist : Kutch</p>	<ul style="list-style-type: none"> • He represented that this company has given employment to us. 15,000 employees and 10,000 to 11,000 contract based employees are employed in this company. • If 2 to 3 persons from a family are employed then about 1 lakh people are employed by company. • My village has not taken financial help of single rupee but I have planted 1100 trees and I am caring them like my child. • He further informed that, these type of industries should be encouraged. • My Molvadar village has got full support from the company and I hope will get same in future. • Lakhs of people are getting employment by this company. If company faces difficulty in acquiring land then I assure to company on behalf of Molvadar village to give village land free of cost. • Company has planted 9 lakh trees and water is not misused by company and treatment and 	<p>and English language with soft copy at 6 offices/places and copy of the same is kept available there, we have published in newspaper for the same before 30 days. Public notice is to be published before 30 days as per EIA notification, 2006 which is done by GPCB.</p> <ul style="list-style-type: none"> • Company's representative thanked for welcoming proposed project.

GUJARAT POLLUTION CONTROL BOARD

Regional Office, Kutch (East),

Room No. 215-216, Second Floor, Kandla Port Trust

Administrative Building, Sector-08, Gandhidham, Kutch – 370 201

Website: www.gpcb.gov.in



Sr. No.	Name and Address	Points Represented	Chronological Reply from the Project Proponent
		<p>recycling of water is done properly.</p> <ul style="list-style-type: none"> I am residing in Molvadar village since 10 to 11 years. 100% sanitary units has been constructed in our village by company for which we are thanking grateful to company. Due to holes in ozone layer environment is getting affected to protect it company has planted more trees. Before 25 days a women from Varshamedi Village meet an accident and company under social responsibility compensated her by 1 lakh rupee cheque. During accident of Rajendra Prasad company has paid 5 lakh rupees for his medical treatment. 	
3	Shri. Prakash Raval Ta : Anjar, Dist : Kutch	<ul style="list-style-type: none"> He represented that, I am living in Anjar Taluka since 37 years. Welspun company has provided primary education facility in Anjar, Kutch which is honorable. I hope that more and more teachers shall be provided for education so that education level increases. 	<ul style="list-style-type: none"> Company's representative replied that action have been taken to improve education in all villages. Para-teachers and smart class have been started. We are working with co-ordination of the related government department from this year for providing education to children's with new techniques which will be started first in Anjar and then after other places of Kutch.

GUJARAT POLLUTION CONTROL BOARD

Regional Office, Kutch (East),
Room No. 215-216, Second Floor, Kandla Port Trust
Administrative Building, Sector-08, Gandhidham, Kutch - 370 201
Website: www.gpcb.gov.in



Sr. No.	Name and Address	Points Represented	Chronological Reply from the Project Proponent
4	Shri Atamaram B. Gamot Vice president of Congress- Anjar Taluka, Ta : Anjar, Dist : Kutch	<ul style="list-style-type: none"> • He represented that, Welspun company has laid 3 km pipeline to the sea, whether permission for the same has been taken or not? • He asked that can we get the copy of the same? • Company have filled and covered the ponds on which animals and human life is depended which is against the order of Hon'ble Gujarat High Court which should be noticed. 	<ul style="list-style-type: none"> • Company's representative stated that permission from Ministry of Forest and Environment, Climate Change of central government has been obtained and after that only we have started the work. • Company's representative replied that copy of the permission has been uploaded on internet. • Additional District Magistrate stated that, present the matter related to new proposed project only. Other matters can be discussed in the related forum and you will be replied for the same.
5	Shri Dineshbhai Shamjibhai Mata Ex-Sarpanch, Anjar, Anjar Taluka Congress- Mahamantri Vill : Satapar Ta : Anjar, Dist : Kutch	<ul style="list-style-type: none"> • He represented that Welspun company have carried out many good activates under CSR. Under which Sanitary units has been constructed in all villages and which are running very well. 100% sanitary units have been constructed in our village by company and we are thankful for same. • R.O. system plant has been installed and environment related work has been carried out. Moreover, 700-800 trees have been planted and have helped the school by providing para-teachers in education. 	<ul style="list-style-type: none"> • Company's representative replied that, the employment to the local people in proposed project will be given as per the government norms and whatever is to be done for the environment will be done as per government norms. 33 % green belt will be developed and for that we will carry out maximum plantation and other required work.

GUJARAT POLLUTION CONTROL BOARD

Regional Office, Kutch (East),

Room No. 215-216, Second Floor, Kandla Port Trust

Administrative Building, Sector-08, Gandhidham, Kutch – 370 301

Website: www.gpcb.gov.in



Sr. No.	Name and Address	Points Represented	Chronological Reply from the Project Proponent
		<ul style="list-style-type: none"> Steel plant is to be established which is good and we thank them for same. In company 15-16 thousand workers are working out of which 4-5 thousand workers are local people and 11 thousand workers are outsiders. Rainfall is less as compare to previous year. Women's and farmers are unemployed and it is rule of company not to employee person aged above 30 to 35 years. This rule should be changed and women's having aged about 35 to 50 years to be employed so that they could be employed. Widow women who don't have livelihood should also be employed. Problems of the farmers should be identified by wandering village to village. More and more trees have been planted in villages; I hope that plantation will be done after installation of steel plant. Company should give salary to those who give water to the plant after plantation as Gram Panchayat doesn't have such adequate fund. It is my request that more para-teachers should be engaged. Work should be carried that environment doesn't get effected and provide more and more employment. 	
6	Shri Dashrathsinh Nathusinh Khangaroth Gandhidham, Dist : Kutch	<ul style="list-style-type: none"> He represented that, does company actually carry out the work related to development which is stated on paper. Whether any provision has been 	<ul style="list-style-type: none"> Company's representative replied that we have purchased land so we are not responsible for same but as a

GUJARAT POLLUTION CONTROL BOARD

Regional Office, Kutch (East),

Room No. 215-216, Second Floor, Kandla Port Trust

Administrative Building, Sector-08, Gandhidham, Kutch – 370 201

Website: www.gpcb.gov.in



Sr. No.	Name and Address	Points Represented	Chronological Reply from the Project Proponent
		<p>made by company for those whose land has been acquired and livelihood of their descendents are dependent on it? What will be done by the company for same?</p> <ul style="list-style-type: none"> It is decided to spend 2.5% of the project cost for CSR activates, will that be actually spent? Before 3.5 years company has allotted 5.5 crore for Constructing monuments of earthquake deceased but till date it is not utilized. In company there are 70% outsider employs and 30 % local employs. He asked, Whether ratio of 80:20 of outsider and local employee respectively will be maintained as per norms by company? 	<p>social responsibility we will provide employment to the local public and that tradition will go on.</p> <ul style="list-style-type: none"> We assure that CSR work will be carried out as per tradition and as per government norms and 2.5 % of project cost will be spent for same. Audit is carried out by concerned government department and employment ratio is fixed according to it and in future same will be followed strictly.
7	Shri Labhubhai Ta : Anjar, Dist : Kutch.	<p>Sumbhal</p> <ul style="list-style-type: none"> He asked that, What was the level of ozone when Welspun company was established and level at recent time? He asked that when plate and coil plant was shut the people were released, What is the condition of those people at present? And if in future this 	<ul style="list-style-type: none"> Company's Representative replied that, ozone level is less than NAAQS standard. Recently ozone level is 35 and there will not be any adverse effect on ozone by the establishment of steel plant. Company's representative replied that, this is not related to this proposed plant.

GUJARAT POLLUTION CONTROL BOARD

Regional Office, Kutch (East),

Room No. 215-216, Second Floor, Kandla Port Trust

Administrative Building, Sector-08, Gandhidham, Kutch – 370 201

Website: www.gpcb.gov.in



Sr. No.	Name and Address	Points Represented	Chronological Reply from the Project Proponent
		<p>plant will shut down where will you provide employment to the people?</p> <ul style="list-style-type: none"> Assure us in written that workers will not be released from this new proposed plant. 	<ul style="list-style-type: none"> Company's representative stated that, we give appointment letter to workers according to terms and conditions. Additional District Magistrate stated that, event of relieving employees by the employer can be considered as a futuristic event. Hence, he requested to ask questions related to environment.
8	Shri Dharamveer Ayachi, Vill : Molvadar Ta : Anjar, Dist : Kutch	<ul style="list-style-type: none"> He asked that, can you disclose the survey number of the land on which proposed plant is to be established? 	<ul style="list-style-type: none"> Company's representative replied that, answers to your question will be provided in written according to lay-out plan and these lands are of company's ownership. Additional District Magistrate informed to company's representative that, after the competition of Environmental Public Hearing reply should be given to applicant by company about survey numbers on which proposed plant is to be installed.

GUJARAT POLLUTION CONTROL BOARD

Regional Office, Kutch (East),

Room No. 215-216, Second Floor, Kandla Port Trust

Administrative Building, Sector-08, Gandhidham, Kutch – 370 201

Website: www.gpcb.gov.in



Sr. No.	Name and Address	Points Represented	Chronological Reply from the Project Proponent
9	Shri Dipen Pandya Ta : Anjar, Dist : Kutch	<ul style="list-style-type: none"> • He represented that, company carries out the work by following environmental norms and rules and regulation of government. Company is operating since 12 to 15 years. Company workers are residing here due to which there is development of Anjar. • Welspun company has carried out many activities for the villages but has not done anything for Anjar City. Company has not been able to maintain even two circles of their city. • Company has planted many trees in Anjar and if the work is carried out with the people of Anjar and other agencies together then there will be good development. • We don't have any objection against the upcoming project but carry out the work by keeping awareness of environment into mind. 	<ul style="list-style-type: none"> • Company's representative stated that, they will provide survey numbers in writing after Public Hearing proceedings. • Company's representative replied that, we will carry out the required activities within 10 km radius as per norms.
10	Shri Rajesh Mata Vill : Satapara Ta : Anjar, Dist : Kutch.	<ul style="list-style-type: none"> • He represented that how much liter of water are going to be consumed in proposed plant and how much temperature will increase in our village, due to same which types of crops can not be farmed by us and in how much km radius will be its 	<ul style="list-style-type: none"> • Company's representative replied that, cooling tower will cool down the hot air and gas emitted from stake will have normal temperature. It will

GUJARAT POLLUTION CONTROL BOARD

Regional Office, Kutch (East),

Room No. 2/5-216, Second Floor, Kandla Port Trust

Administrative Building, Sector-08, Gandhidham, Kutch - 370 201

Website: www.gpcb.gov.in



Sr. No.	Name and Address	Points Represented	Chronological Reply from the Project Proponent
		<p>affected?</p> <ul style="list-style-type: none"> You will provide employment in proposed project but your company is established since 2001 and today 2016 is going on so what is done by company till date? There are not more than 10 % of the local people employed in every plant. 	<p>not have any effect on outside temperature. Hot water will also not be released; hot water will be reused again after cooling by cooling tower. The plant is designed as per Zero discharge concept. We will consume 10.4 MGD water which is not more and is as per European norms.</p> <ul style="list-style-type: none"> There are total 18000 employs and they are as per norms.
11	Shri Maheshwari Premji. Tal.: Anjar, Dist.: Kutch.	<ul style="list-style-type: none"> He represented that, it is required to give public notice for Environmental Public Hearing before 30 days and same was given in Kutch Mitra in which survey number was not mentioned. Legally it is mandatory to mention survey number so that it can be identified that whether nearby land are agricultural or residential? 	<ul style="list-style-type: none"> Company's representative stated that, answers to your question will be provided in written according to revenue map. Survey number is not necessary for environmental clearance. Survey number will be shared with you in written.
12	Shri Kinjal Buddhapatti, Tal.: Anjar, Dist.: Kutch.	<ul style="list-style-type: none"> He represented that; I want to know that what are the provisions in favor of Environment? 	<ul style="list-style-type: none"> Company's representative replied that, to prevent the air pollution (1) there will be electrostatic precipitator, (2) Bag filter will be affixed and to burn unused gases NO_x burner will be installed in all stakes due to which

GUJARAT POLLUTION CONTROL BOARD

Regional Office, Kutch (East),

Room No. 215-216, Second Floor, Kandla Port Trust

Administrative Building, Sector-08, Gandhidham, Kutch – 370 201

Website: www.gpcb.gov.in



Sr. No.	Name and Address	Points Represented	Chronological Reply from the Project Proponent
		<ul style="list-style-type: none"> He further asked that what activities are planned for Anjar under CSR? 	<p>there will be no adverse effect to environment.</p> <ul style="list-style-type: none"> Company's representative stated that proper action will also be taken for same in future.
13	Shri Haribhai Veera Hindu Vill.: Mitha Pasvariya, Tal.: Anjar, Dist.: Kutch	<ul style="list-style-type: none"> He asked that, what has been done by company for development of women under proposed plant of company? 	<ul style="list-style-type: none"> Company's representative relied that, company focuses more on women empowerment. Women and girls shall get more opportunities. At present 15% women are working in our company. Moreover in our proposed project 20% to 25% capable women will be employed.
14	Shri Hindu Bhavesh Kotak, Tal.: Anjar, Dist.: Kutch.	<ul style="list-style-type: none"> He asked about employment opportunities for handicapped people? 	<ul style="list-style-type: none"> Company's representative replied that, in this company first time it has happened that around 200 handicapped people are working at safe place and are working relatively good. In proposed project they will be employed where they can work and there will be no harm to them.
15	Shri Naran Arjan, Vill.: Ajapar, Tal.: Anjar,	<ul style="list-style-type: none"> He represented that, the upcoming project is by Welspun Company and more and more 	<ul style="list-style-type: none"> Company's representative replied that, we plant around

GUJARAT POLLUTION CONTROL BOARD

Regional Office, Kutch (East),

Room No. 215-216, Second Floor, Kandla Port Trust

Administrative Building, Sector-08, Gandhidham, Kutch - 370 201

Website: www.gpcb.gov.in



Sr. No.	Name and Address	Points Represented	Chronological Reply from the Project Proponent
	Dist.: Kutch,	<p>plantation is being done by company. Then after Gram Panchayat do not have sufficient grant for taking care of plant, so I request to provide such fund from CSR activities by the company to take proper care of plants. Moreover plantation has been done in our village, R.O. plant has also been installed from which people use to drink water, Para-teacher has been appointed in education and Welspun company has also helped in medical segment.</p> <ul style="list-style-type: none"> Due to upcoming project value of agricultural land have been increased. So on behalf of myself and my village I am appreciating this project. 	<p>1 lakh trees in villages and in our plant every year. Trees are also planted in schools and villages and will be planted in future so that upcoming successor gets benefit of same.</p>
16	Shri Mahesh Sumbhal, Vill.: Lakhapar, Tal.: Anjar, Dist.: Kutch.	<ul style="list-style-type: none"> He represented that, I am heartily welcoming this proposed project of company. I hope that all people get benefit from this project and shall be benefited in future also. 	<ul style="list-style-type: none"> Company's representative replied that, all people will get benefit of this plant surely.
17	Shri Shah Hemant Rajnikant, Tal.: Anjar, Dist.: Kutch.	<ul style="list-style-type: none"> He represented that; by establishment of this plant STP plant will also be in operation. MoU with Anjar Nagarpalika will be done as per MoU done with Gandhidham Nagarplaika so there will be increase in revenue of Nagarpalika. I am congratulating company. After completion of STP plant drainage water can be given by Nagarpalika through pipeline. Every time during the occasion of "Shala Pravetoshav" and during the lack of teachers Welspun company has stand with us and provided full 	<ul style="list-style-type: none"> Company's representative replied that, STP plant will be in full fledged operation within October 2016 to December 2016.

GUJARAT POLLUTION CONTROL BOARD

Regional Office, Kutch (East),

Room No. 215-216, Second Floor, Kandla Port Trust

Administrative Building, Sector-08, Gandhidham, Kutch – 370 201

Website: www.gpcb.gov.in



Sr. No.	Name and Address	Points Represented	Chronological Reply from the Project Proponent
18	Smt. Bhavna Ruparel, Vill.: Meghpar Borichi, Tal.: Anjar, Dist.: Kutch.	<p>support, for that I am congratulating company on behalf of nagarpalika</p> <ul style="list-style-type: none"> She represented that, company is since 2001. Company has carried many activities. Many peoples of my society are working in it. Company has planted many trees for protecting environment and due to such plantation temperature has been decreased. It is my expectation that more and more trees to be planted by the company so that there will be no harm to environment and we don't have any objection against proposed project of company. We are welcoming this proposed project. Women are given employment due to which awareness in women having increased. I hope that more and more employment shall be generated. 	<ul style="list-style-type: none"> Company's representative replied that, we will enhance activities which are carried out by us. So, more and more trees will be planted and more employment will be provided to women.
19	Shri Dhanjibhai Sorathiya, Tal.: Anjar, Dist.: Kutch.	<ul style="list-style-type: none"> He represented that, whenever new company is being established, public notification is published. And due to publication of notification there is conflict between company and farmers and issue of land acquisition arises but in this proposed plant there is no issue of land acquisition. There are possibilities of occurrence of incidents like blast in boiler or other accidents, for that company should think about it and should install superior quality machineries. So that incidence shall not occur. 	<ul style="list-style-type: none"> Company's representative replied that, activities will be carried out keeping your suggestion in mind.

GUJARAT POLLUTION CONTROL BOARD

Regional Office, Kutch (East),

Room No. 215-216, Second Floor, Kandla Port Trust

Administrative Building, Sector-08, Gandhidham, Kutch – 370 201

Website: www.gpcb.gov.in



Sr. No.	Name and Address	Points Represented	Chronological Reply from the Project Proponent
		<ul style="list-style-type: none"> This proposed plant is considered Asia's top plant. Its production capacity is 3 million ton. This is not a small company so machinery's should be installed in such a way that there should be no harm to people. 70 % to 80 % of the local people should be employed which is their right. Company should pay water bill of Anjar Nagarpalika. Company's people are residing here in Anjar and buses of company are running in this area. There is heavy traffic in morning and evening time near the railway crossing. For that provide necessary contribution and do the needful for the same by consulting other companies. It is responsibility of the company. We don't have any objection if proposed project is established. Company has not acquired any land. 	
20	Shri Keshav Rabari, Vill.: Varsamedi, Tal. : Anjar, Dist. : Kutch	<ul style="list-style-type: none"> He represented that, Due to the establishment of Welspun company 120 "Rickshaw" owners are earning. Hence, we do not have any objection from the upcoming plant. 	<ul style="list-style-type: none"> Company's representative replied that, activities will be carried out considering your suggestions.
21	Mrs. Ushaben Acharya, Tal. : Anjar, Dist. : Kutch	<ul style="list-style-type: none"> She represented that, widow and unsupportive women should be given more benefits and unemployed should be given employment. Welspun company shall grow and develop and all the livelihood shall be benefited. 	<ul style="list-style-type: none"> Company's representative replied that more employment will be provided and more employment will be given to unsupportive women.

GUJARAT POLLUTION CONTROL BOARD

Regional Office, Kutch (East),

Room No. 215-216, Second Floor, Kandla Port Trust

Administrative Building, Sector-08, Gandhidham, Kutch - 370 201

Website: www.gpcb.gov.in



Sr. No.	Name and Address	Points Represented	Chronological Reply from the Project Proponent
22	Ms. Grishma, Civil Engineer Tal. : Anjar, Dist. : Kutch	<ul style="list-style-type: none"> She represented that, employment has been increased due to establishment of company. State highway has been converted to national highway in this area. Companies are providing employment to college students of outside areas, so it is request to provide placement to local college students and more employment should be provided to girls. 	<ul style="list-style-type: none"> Company's representative replied that there will be placement of local students and till 2020, more than 30% of women will be employed in our plant.
23	Shri Shambhubhai Ahir, Vill. : Varsamedi, Tal. : Anjar, Dist. : Kutch	<ul style="list-style-type: none"> He represented that, company should give contract to local people. 	<ul style="list-style-type: none"> Company's representative replied that, activities will be carried out considering your suggestions.
24	Mrs. Shobhana Patel, Tal. : Anjar, Dist. : Kutch	<ul style="list-style-type: none"> She asked that, whether there will be effect on water of Varsamedi village due to this steel plant? There is no good hospital facility in our Anjar city. 	<ul style="list-style-type: none"> Company's representative replied that, there will be no effect on present condition of water quality. Company's representative replied that, we are doing effort for the same and will be available in future.
25	Shri Manoj Visariya, Vill. : Sinogra, Tal. : Anjar, Dist. : Kutch	<ul style="list-style-type: none"> He represented that, more employment should be provided to the people of Kutch. 	<ul style="list-style-type: none"> Company's representative replied that, more and more employment will be given to local people as per government norms.
26	Shri Ambabhai Rabari, Vill. : Varsamedi, Tal. : Anjar, Dist. : Kutch	<ul style="list-style-type: none"> He heartily welcome the proposed project. 	<ul style="list-style-type: none"> Company's representative thanked him for his welcoming.

GUJARAT POLLUTION CONTROL BOARD

Regional Office, Kutch (East),

Room No. 215-216, Second Floor, Kandla Port Trust

Administrative Building, Sector-08, Gandhidham, Kutch – 370 201

Website: www.gpcb.gov.in



Sr. No.	Name and Address	Points Represented	Chronological Reply from the Project Proponent
27	Shri Shambhubhai Ahir, Vill.: Varsamedi, Tal.: Anjar, Dist.: Kutch	<ul style="list-style-type: none"> He represented that, company is not aware in which survey numbers plant is being installed? And at what distance from resident company will operate? And what damages will occur to village due to proposed project? 	<ul style="list-style-type: none"> Company's representative replied that, our proposed plant will be 0.5 km away from the residential area. There will be no effect to environment outside of company.
28	Shri Mahesh Sumbal, Vill.: Lakhapar, Tal.: Anjar, Dist.: Kutch	<ul style="list-style-type: none"> He represented that, what are provisions for upgradation of Jesal-Toral Samadhi temple? 	<ul style="list-style-type: none"> Company's representative replied that, submit your question in writing and reply will be given to you in writing.
29	Shri Anvar Traya, Gandhidham, Dist.: Kutch	<ul style="list-style-type: none"> He asked that, at what distance proposed project is established from Sang river? How much km away plant can be installed? Whether proposed plant can be installed near river at such mentioned distance? Whether construction has been carried out in the proposed plant? 	<ul style="list-style-type: none"> Company's representative replied that, proposed project is approx 0.5 km away from Sang river and near the power plant. Company's representative replied that, proposed plant can be installed 0.5 km away. Company's representative replied that, it can be installed near river at above said distance. Company's representative replied that, no construction has been carried out for the proposed project.
30	Shri Arajanbhai Khatriya, Tal.: Anjar, Dist.: Kutch	<ul style="list-style-type: none"> He represented that, company has to take care of environment and have to look after affected villages. 	<ul style="list-style-type: none"> Company's representative thanked him for his suggestion and stated that

GUJARAT POLLUTION CONTROL BOARD

Regional Office, Kutch (East).

Room No. 215-216, Second Floor, Kandla Port Trust.

Administrative Building, Sector-08, Gandhidham, Kutch - 370 201

Website: www.gpcb.gov.in



Sr. No.	Name and Address	Points Represented	Chronological Reply from the Project Proponent
		<ul style="list-style-type: none"> Company is carrying out activities in health and education sector and should carry out activity in agriculture sector also. In Mundra Taluka farmers who are interested in drip irrigation are given 50% subsidiary by Adani company. This company should also help in such a way to farmers of Anjar taluka. Such efforts should be made so that local people get employment. It is requested that blood bank in Anjar shall start. Company should carry out such activities which are of public needs. So that company shall get support of people. when issue of local people arise you are always supportive and we have faith that you will be supportive in future also. 	<p>whatever activity is required to be carried for CSR will be carried out with consent of all.</p>
31	Shri Manjibhai Memabhai Ahir, Vill. : Bhimasar, Tal. : Anjar, Dist. : Kutch	<ul style="list-style-type: none"> He represented that, Welspun company is aware about environment. Narmada canal is passing nearby Welspun company its work is in progress. This project is related to environment and government has taken approach to plant trees on it, which is passing nearby this proposed project. So company should focus on the same and do necessary plantation on Narmada canal. We have many benefits by this project and don't have any loss, so we all are welcoming this 	<ul style="list-style-type: none"> Company's representative replied that, activities will be carried out considering your suggestions.

GUJARAT POLLUTION CONTROL BOARD

Regional Office, Kutch (East),

Room No. 215-216, Second Floor, Kandla Port Trust

Administrative Building, Sector-08, Gandhidham, Kutch – 370 201

Website: www.gpcb.gov.in



Sr. No.	Name and Address	Points Represented	Chronological Reply from the Project Proponent
		<p>proposed project unanimously. Company will provide more employment than it is providing currently.</p> <ul style="list-style-type: none"> Company has given presentation in local language and in such way that people can understand. Advocate named Bhavulbhai Vyas has contributed 25 lakh rupees for blood bank. So company should also contribute for the same. We all people of this area are welcoming proposed project. 	
32	Shri Amit Chauhan, Tal. : Anjar, Dist. : Kutch	<ul style="list-style-type: none"> He represented that, what activity will be carried out by the company for skill development in present and future? 	<ul style="list-style-type: none"> Company representative replied that company is going to establish an institute for skill development. In which training will be given to local people in textile and other sector and which is expected to start operating within next year.
33	Shri Sanjay Davda, Tal. : Anjar, Dist. : Kutch	<ul style="list-style-type: none"> He represented that, Weispun company established in Anjar and due to which surrounding areas have been developed. Company always resolves any kind of issues as early as possible. Skilled worker required to the company are not available from local area. So company gives employment to the outsiders and local people think that company doesn't provide 	<ul style="list-style-type: none"> Company's representative replied that, activities will be carried out considering your suggestions.

GUJARAT POLLUTION CONTROL BOARD

Regional Office, Kutch (East),

Room No. 215-216, Second Floor, Kandla Port Trust

Administrative Building, Sector-08, Gandhidham, Kutch – 370 201

Website: www.gpcb.gov.in



Sr. No.	Name and Address	Points Represented	Chronological Reply from the Project Proponent
		<p>employment to local people. Company should organize such required training program for the local people so that they can do a work as per the objective of company and they get employment in company. So that more and more local people get employment.</p> <ul style="list-style-type: none"> It is our request that Anjar city should also get benefit of social activities carried out under CSR activity. 	
34	Shri Rajeshbhai Kapadi, Tal. : Anjar, Dist. : Kutch	<ul style="list-style-type: none"> He represented that, there will be development by the proposed project of the company. In what way and from where the electricity consumed by the proposed project will be supplied? You have mentioned greed power plant and captive power plant so whether they are existing power plant or new power plant? From the existing power plant of company environmental pollution occurs and company is going to installed new power plant. 	<ul style="list-style-type: none"> Company's representative replied that, all the waste heat will be used for electricity generation. For recovery of waste heat two turbine of 100 megawatt will be installed from which 200 megawatt electricity will be generated and other required electricity will not be purchased from outside. Company's representative replied that, electricity generated from blast gas is a new power plant and that is included in the total project cost. Company's representative replied that, this is not a coal base power plant. But during the process of plant whatever hot air will

GUJARAT POLLUTION CONTROL BOARD

Regional Office, Kutch (East),

Room No. 215-216, Second Floor, Kandla Port Trust

Administrative Building, Sector-08, Gandhidham, Kutch - 370 201

Website: www.gpcb.gov.in



Sr. No.	Name and Address	Points Represented	Chronological Reply from the Project Proponent
		<ul style="list-style-type: none"> My land is beside company's proposed project. So can company can give me assurance that there will be no adverse effect to my land due to this proposed project? 	<p>be generated which will be used for electricity generation from turbine. So electricity will be generated from its heat, So electricity will not be purchased from the outside.</p> <ul style="list-style-type: none"> Company's representative replied that, we will assure you in writing that there will be no adverse effect to your land due to our proposed plant.
35	Shri Karshanbahi Rabari Vill : Kharapasvariya Ta : Anjar, Dist : Kutch	<ul style="list-style-type: none"> He represented that, in this area accident occurs frequently. Due to such accident sometimes people from Gujarat and outside of Gujarat are affected. There is no facility of cold storage at any place in Anjar to store the dead body after post-mortem so we hope support for the same from company. 	<ul style="list-style-type: none"> Company's representative replied that, activities will be carried out considering your suggestions.
36	Kumari Ritu Thakkar, Gandhidham, Dist : Kutch	<ul style="list-style-type: none"> She asked that, what provisions have been done by the company for the disposal of solid waste generated from every plant? Is there any provision for recycling in the company? 	<ul style="list-style-type: none"> Company's representative assured that, 85% of the blast furnace slag will be used in captive cement plant for that it will be converted into granular form. And remaining 15% will be used for the land filling and road construction activities. Company's representative replied that, 100% of scales, sludge, scrape and

GUJARAT POLLUTION CONTROL BOARD

Regional Office, Kutch (East),
Room No. 215-216, Second Floor, Kandla Port Trust
Administrative Building, Sector-08, Gandhidham, Kutch – 370 201
Website: www.gpcb.gov.in



Sr. No.	Name and Address	Points Represented	Chronological Reply from the Project Proponent
			<p>finer will be recycled in plant. So no material will be disposed outside of the plant.</p>
37	Shri Bharatbahi Shah, Ta : Anjar, Dist : Kutch	<ul style="list-style-type: none"> He represented that, this company is our family. All the development activities carried out by company in Anjar city and villages are proper. Company should conduct meeting with 2-3 representatives of villages ones in every 3 to 4 months for discussion on development of hospital, road and other development activities and company should resolve their issues. If there is any difficulty to the company, we are in support of company. Company should carry out activities considering our suggestion. Blood bank has been started in Anjar city before 2 months and it is our request to company to support us in all activity. 	<ul style="list-style-type: none"> Company's representative replied that, company will think about blood bank and will also carry out activity for same.
38	Shri Hiralal yadav, Vill : Varsamedi, Ta : Anjar, Dist : Kutch	<ul style="list-style-type: none"> He represented that, I am working in the company since 11 years and around 3 month before daughter of my brother met with an accident at that time company has given a cheque of rupees 1 lakh to me and I am also satisfied with all the amenities provided by company in village. Company should help us financially for paying the bill which is paid by us such as house rent, water, electricity and other bills and should also help to nearby villages. 	<ul style="list-style-type: none"> Company's representative replied that, considering your suggestion required action will be taken by company.

GUJARAT POLLUTION CONTROL BOARD

Regional Office, Kutch (East),

Room No. 215-216, Second Floor, Kandla Port Trust

Administrative Building, Sector-08, Gandhidham, Kutch - 370 201

Website: www.gpcb.gov.in



Sr. No.	Name and Address	Points Represented	Chronological Reply from the Project Proponent
		<ul style="list-style-type: none">If employment is given to the village women in the village by the company then their family will progress.	

Regional Officer, Gujarat Pollution Control Board informed to presented people that, before Environmental Public Hearing 7 written representation has been received from (1) Shri Swami Vivekanand Yuvak Mandal, Bhuj-Kutch, (2) President- Lok Adhikhar Sangathan, Vill.: Khara Pasvariya, Tal.: Anjar, Dist.: Kutch, (3) Shri Jitendrakumar Babalbhai Patel, Ankleshwar, (4) Shri Maheshbhai Parmar, Paryavaran Mitra, Ahmedabad, (5) Shri Anwar Ayub Traya, Gandhidham, Bhuj-Kutch, (6) Shri Maheshbhai Pandya, Paryavarn Mitra, Ahmedabad and (7) Shri Vishram Ramji Sorathiya, Anjar. Questions raised in these written representation and reply given by project proponent in writing will be included in this proceedings.

Regional Officer, Gujarat Pollution Control Board informed to local affected people present in Public Hearing to raise their objection or suggestion if any, but no objections or suggestion were received.

Then after, Regional Officer, Gujarat Pollution Control Board summarized the entire proceedings of Environmental Public Hearing to people present.

Shri I.R. Valaigasi, Additional District Magistrate, Kutch stated that today's Public Hearing is conducted as per the provision of EIA notification and procedure mentioned in it. In which weight was given on protection of environment, local employment as well as on social and educational responsibility by present local villagers and reply of environmental related question has been given by company's representative which has been recorded. Proceedings of this Public Hearing will be forwarded to the related department of Government of India for further procedure.

Finally with due permission of Additional District Magistrate, Regional Officer, Gujarat Pollution Control board concluded Public Hearing with expressing thanks.

Place:

Rotary Bhavan,
Anjar,
Dist: Kutch
Date: 14/09/2016


K.B. Chaudhari

Regional Officer
and
as a representative of the
Member Secretary, GPCB


I.R. Valaigasi (G.A.S.)

Additional District Magistrate
and
as a representative of
District Magistrate & Collector,
Bhuj -Kutch

GUJARAT POLLUTION CONTROL BOARD

Regional Office, Kutch (East),

Room No. 215-216, Second Floor, Kandla Port Trust

Administrative Building, Sector-08, Gandhidham, Kutch – 370 201

Website: www.gpcb.gov.in



એનેક્સર-બી-૧ ગુજરાતી

પર્યાવરણીય લોક સુનાવણી દરમિયાન હાજર રહેલ લોકો દ્વારા રજૂ કરવામાં આવેલ મુદ્દાઓ અને
અરજદારના પ્રતિનિધિ દ્વારા આપવામાં આવેલ જવાબ

ભારત સરકારના વન, પર્યાવરણ અને જળવાયુ પરિવર્તન મંત્રાલય, નવી દિલ્હીના જાહેરનામા ક્રમાંક : એસ.ઓ. ૧૫૩૩ તા. ૧૪-૦૬-૨૦૦૬ અને તેના પછીના સુધારા અન્વયે કેટેગરી “એ” માં આવરી લેવાયેલ મેસર્સ વેલસ્પન સ્ટીલ લિમીટેડ; ગામ : વરસામેડી, તા. અંજાર, જિ. કચ્છ, ગુજરાત ખાતે ઇન્ટીગ્રેટેડ સ્ટીલ ૩.૦ મિલીયન મેટ્રિક ટન પ્રતિવર્ષ(એમટીપીએ)ના સૂચિત પ્લાન્ટ સ્થાપન અંગેની પરીયોજના અનુસંધાને પર્યાવરણીય લોક સુનાવણી તા. ૧૪/૦૬/૨૦૧૬ નાં રોજ ૧૧:૦૦ કલાકે રોટરી ભવન, અંજાર ખાતે યોજવામાં આવેલ છે.

સમગ્ર પર્યાવરણીય લોક સુનાવણીની કાર્યવાહી અધિક જિલ્લા મેજિસ્ટ્રેટશ્રી અને નિવાસી અધિક જિલ્લા કલેક્ટરશ્રી, શ્રી આઇ.આર.વાળા(જી.એ.એસ.) પ્રતિનિધિ જિલ્લા મેજિસ્ટ્રેટશ્રી અને કલેક્ટરશ્રી, ભુજ-કચ્છની સીધી દેખરેખ તથા અધ્યક્ષપણા હેઠળ યોજવામાં આવેલ.

શ્રી. કે.બી. ચૌધરી, પ્રાદેશિક અધિકારી, કચ્છ(પૂર્વ), ગુજરાત પ્રદુષણ નિયંત્રણ બોર્ડ તથા સભ્ય સચિવશ્રી, ગુજરાત પ્રદુષણ નિયંત્રણ બોર્ડનાં પ્રતિનિધિએ પર્યાવરણીય લોક સુનાવણીમાં ઉપસ્થિત સૌને આવકાર્યા, તેઓએ ઇ.આઇ.એ. નોટીફિકેશન ૨૦૦૬ અંતર્ગત વિવિધ જોગવાઈઓ અને લોકસુનાવણીની પ્રક્રિયા બાબતે સંક્ષિપ્તમાં માહિતી આપી, તેમણે પર્યાવરણીય લોક સુનાવણીની બહોળી પ્રસિધ્ધિ અંગે ગુજરાત પ્રદુષણ નિયંત્રણ બોર્ડ દ્વારા કરેલ કાર્યવાહીની મ.હિતી આપી અને સ્થાનિક દૈનિક વર્તમાન પત્રોમાં આપેલ જાહેર ખબર વિશે જણાવેલ. તેમણે એ પણ જણાવ્યું કે નોટીફિકેશનની જોગવાઈઓ અનુસાર સ્થાનિક અસરગ્રસ્ત લોકો આ પર્યાવરણીય લોક સુનાવણી માં મૌખિક રજૂઆત કરી શકશે જ્યારે અન્ય વ્યાજબી હિત ધરાવતા વ્યક્તિઓ તેઓની રજૂઆત લેખિતમાં કરી શકશે જેનો કાર્યસુચિમાં સમાવેશ કરવામાં આવશે.

ત્યારબાદ અધિક જિલ્લા મેજિસ્ટ્રેટશ્રીની પરવાનગીથી તેઓએ ઉદ્યોગના પ્રતિનિધિને સ્થાનિક ગુજરાતી ભાષામાં તેમની સૂચિત પરીયોજના બાબતોનું પ્રેઝેન્ટેશન રજૂ કરવા માટે જણાવ્યું.

GUJARAT POLLUTION CONTROL BOARD

Regional Office, Kutch (East),

Room No. 215-216, Second Floor, Kandla Port Trust

Administrative Building, Sector-08, Gandhidham, Kutch – 370 201

Website: www.gpcb.gov.in



ત્યારબાદ ઉદ્યોગના તકનીકી પ્રતિનિધિ શ્રી બી.એચ. કુંભાણી દ્વારા કંપનીનો પરીચય, પ્રોજેક્ટની રૂપરેખા, સ્થળ, વિશેષતાઓ, ઉત્પાદનનું આયોજન તથા માર્ગ, મુખ્ય ઉત્પાદન સુવિધાઓ, કાચા માલનાં વપરાશ, ટુટીલીટીની જરૂરીયાત, હાલની પર્યાવરણ પરીસ્થિતિ તથા પર્યાવરણ પ્રબંધક પ્રોજેક્ટલ, ગ્રીન બેલ્ટ વિકાસ, હયાત આર્થિક સામાજિક સ્થિતિ તથા એકમ દ્વારા થતી સી.એસ.આર. પ્રવૃત્તિઓ વિગેરેનું ગુજરાતી ભાષામાં પ્રેઝન્ટેશન આપવામાં આવ્યું.

પ્રોજેક્ટના પ્રતિનિધિ દ્વારા પ્રેઝન્ટેશન પૂર્ણ થયા બાદ પ્રાદેશિક અધિકારીશ્રી, કચ્છ(પૂર્વ), ગુજરાત પ્રદુષણ નિયંત્રણ બોર્ડ દ્વારા અધિક જિલ્લા મેજિસ્ટ્રેટશ્રીની મંજૂરીથી સ્થાનિક અસરગ્રસ્ત લોકોની રજુઆતો/વંધા/સુચનો રજુ કરવા માટે મંચ ખુલ્લો મુકવામાં આવેલ.

પર્યાવરણીય લોક સુનાવણી દરમિયાન હાજર રહેલ લોકો દ્વારા પૂછવામાં આવેલ પ્રશ્નો તેમજ અરજદારના પ્રતિનિધિ દ્વારા આપવામાં આવેલ જવાબો નીચે મુજબ છે.

ક્રમ	નામ અને સરનામું	રજુ કરવામાં આવેલ મુદ્દાઓ	ઉદ્યોગના પ્રતિનિધિ દ્વારા આપવામાં આવેલ જવાબ
૧	શ્રી કરશનભાઈ રબારી, ગામ : ખારા પસવારીયા, તા. : અંજાર, જિ. કચ્છ	<ul style="list-style-type: none">તેઓએ રજુઆત કરતા જણાવેલ કે, આ કંપની પ્રોજેક્ટનો અમને વિરોધ નથી.તેમણે વધુમાં જણાવ્યું કે, પત્રકાર માટે અલગ બેસવાની વ્યવસ્થા કરવામાં આવે.તેમણે વધુમાં પૂછ્યું કે, માહિતી આત્માંથી કોઈ આ પર્યાવરણીય લોક સુનાવણીમાં આવેલ છે કે કેમ? તે જણાવો.તેમણે વધુમાં જણાવ્યું કે, કંપની આવી છે, રોજગારી પણ મળી છે અને મળશે. તેથી	<ul style="list-style-type: none">અધિક જિલ્લા મેજિસ્ટ્રેટશ્રી એ જણાવ્યું કે, દરેકનાં પ્રશ્નોનો લેખિત લઈ લેશું અને તેનો લેખિતમાં જવાબ આપવામાં આવશે. અહિં નિર્ણય કરવાનો નથી. પ્રોજેક્ટ પ્રોપોઝલ પ્રશ્નોનો અહિં જવાબ આપશે અને તેનો મિનીટ્સમાં સમાવેશ કરવામાં આવશે. ત્યારબાદ તે સરકારમાં જમા કરવામાં આવશે. તેમજ તેની કોપી પણ જોઈ શકાશે. અમને સરકાર દ્વારા પ્રજાનાં

GUJARAT POLLUTION CONTROL BOARD

Regional Office, Kutch (East),
Room No. 215-216, Second Floor, Kandla Port Trust
Administrative Building, Sector-08, Gandhidham, Kutch - 370 201
Website: www.gpcb.gov.in



		<p>તેનો વિરોધ નથી.</p> <ul style="list-style-type: none"> તેમણે વધુમાં પૂછ્યું કે, કંપની અધિકારી, ગ્રામ પંચાયત સરપંચ કાયદો વ્યવસ્થાને માને છે કે કેમ? તેમણે વધુમાં જણાવ્યું કે, ગ્રામ પંચાયતમાં સદર પ્રોજેક્ટની સમરી ૧૯ થી ૨૦ તારીખે આપી છે તો એ ૩૦ દિવસની અંદર આપવાની હોય છે કે કેમ? તો તે અંગે આપ બંને સાહેબશ્રીઓ પ્રત્યુત્તર આપો. તેમણે વધુમાં જણાવ્યું કે, લોકોની રજુઆતો સાંભળી તે માટે યોગ્ય કાર્યવાહી કરવામાં આવે અને અમારો વ્યક્તિગત વિરોધ નથી. તેમણે વધુમાં જણાવ્યું કે, કંપનીએ નાના નાના નાગરિકોથી લઈ મીનીસ્ટર સુધીનાં બધા વ્યક્તિને પોતાના વ્યક્તિ માનવા જોઈએ. તેમણે વધુમાં જણાવ્યું કે, જ્યારે સી.એસ.આર. પ્રવૃત્તિમાં ગામો લેવાની વાત આવે ત્યારે 	<p>હિતમાં યોગ્ય નિર્ણય કરવા માટે અહિં મોકલવામાં આવેલ છે. તેથી તમારા પ્રશ્નોનો અહીં યોગ્ય જવાબ પ્રોજેક્ટ પ્રપોનેન્ટ દ્વારા આપવામાં આવશે. બહાર પણ આપણે બેઠક વ્યવસ્થા કરી છે અને સ્કીન પણ મુકેલ છે. લોક સુનાવણીની બધી કાર્યવાહી ત્યાં જોઈ શકાશે તેમજ જો તેમને પ્રશ્ન હશે તો અંદર આવી રજુઆત કરી શકે છે અને તેને મીનીટસમાં લઈ લેશું. બધાને સાંભળ્યા બાદ જ લોક સુનાવણી પૂર્ણ કરીશું.</p> <ul style="list-style-type: none"> પ્રાદેશિક અધિકારીશ્રીએ જણાવ્યું કે, ઇ.આઇ.એ. નોટીફિકેશન ૨૦૦૬ પ્રમાણે જે ૬ (ઇ) ઓફીસ/રજીસ્ટ્રાર અમારે ડ્રાફ્ટ ઇ.આઇ.એ. રીપોર્ટ તથા તેના ગુજરાતી તેમજ અંગ્રેજી ભાષાનાં સારાંશની નકલ
--	--	--	---

GUJARAT POLLUTION CONTROL BOARD



Regional Office, Kutch (East),
Room No. 215-216, Second Floor, Kandla Port Trust
Administrative Building, Sector-08, Gandhidham, Kutch - 370 201
Website: www.gpcb.gov.in

		૧૦ કિ.મી. નાં અસરગ્રસ્ત વિસ્તાર સિવાયનાં ગામડાંનો પણ સમાવેશ કરે તેવી વિનંતી છે.	સોફ્ટકોપી સાથે રજુ કરવાની હોય છે. તેની અમે ૩૦ દિવસ પહેલાં છાપામાં જાહેરાત આપીને કરેલ છે. ઇ.આઇ.એ. નોટીફિકેશન પ્રમાણે ૩૦ દિવસ પહેલાં જાહેરાત આપવાની હોય છે અને તે તંત્રએ આપેલ છે.
૨	શ્રી મહેશ શંભુભાઈ ચાવડા, ગામ : મોળવદર, તા. : અંજાર, જિ. કચ્છ	<ul style="list-style-type: none"> તેમણે રજુઆત કરતા જણાવ્યું કે, આ કંપનીએ અમને રોજગારી પુરી પાડી છે. કંપનીમાં ૧૫ હજાર કામદારો અને ૧૦ થી ૧૧ હજાર કોન્ટેન્ટ બેઝનાં લોકો રોજગારી લે છે. તેમણે વધુમાં જણાવ્યું કે, એક પરિવારનાં બે થી ત્રણ લોકો રોજગારી લેતા હોય તો ૧ લાખ લોકોને રોજગારી કંપની આપે છે. તેમણે વધુમાં જણાવ્યું કે, મારા ગામે કંપની પાસેથી એક પણ રૂપિયાની સહાય લીધી નથી પરંતુ મેં ૧૧૦૦ ઝાડનું વાવેતર કર્યું છે અને તેને બાળકની જેમ જતન કરેલ છે. તેમણે વધુમાં જણાવ્યું કે, આવા ઉદ્યોગને પ્રોત્સાહન આપવું જોઈએ. 	<ul style="list-style-type: none"> કંપની પ્રતિનિધિએ સુચિત પરિયોજનાને આલોકારવા બદલ તેઓનો આભાર વ્યક્ત કર્યો.

GUJARAT POLLUTION CONTROL BOARD

Regional Office, Kutch (East),

Room No. 215-216, Second Floor, Kandla Port Trust

Administrative Building, Sector-08, Gandhidham, Kutch - 370 201

Website: www.gpcb.gov.in



	<ul style="list-style-type: none">• તેમણે વધુમાં જણાવ્યું કે, અમારા મોળવદર ગામને કંપનીનો સહકાર મળ્યો છે અને મળતો રહે તેવી આપેક્ષા રાખું છું.• તેમણે વધુમાં જણાવ્યું કે, કંપની દ્વારા લાખો લોકોને રોજગારી મળે છે. જમીન સંપાદન કરવામાં જો કોઈ મુશ્કેલી પડે તો મોળવદર ગામની જમીન મફત કંપનીને આપીશું. તેવી મોળવદર ગામ વતી ખાત્રી આપું છું.• તેમણે વધુમાં જણાવ્યું કે, કંપનીએ ૯ લાખ વૃક્ષોનું વાવેતર કરેલ છે અને કંપની દ્વારા પાણીનો દુરુપયોગ થતો નથી તેથી રીસાયકલીંગ સારી રીતે કરવામાં આવે છે.• તેમણે વધુમાં જણાવ્યું કે, હું ૧૦ થી ૧૧ વર્ષથી મોળવદર ગામમાં રહું છું. અમારા ગામ આજે ૧૦૦ ટકા શૌચાલય બનાવવામાં આવેલ છે. તે કંપની દ્વારા બનાવી આપવામાં આવેલ છે. તે બદલ કંપનીનો હું આભાર માનું છું.• તેમણે વધુમાં જણાવ્યું કે, ઓઝોનનું ૫૬ તુટી જવાથી પર્યાવરણને નુકશાન થાય છે	
--	---	--

GUJARAT POLLUTION CONTROL BOARD

Regional Office, Kutch (East),

Room No. 215-216, Second Floor, Kandla Port Trust

Administrative Building, Sector-08, Gandhidham, Kutch - 370 201

Website: www.gpcb.gov.in



		<p>અને તેથી કંપની દ્વારા વધુ વૃક્ષો વાવવામાં આવેલ છે.</p> <ul style="list-style-type: none"> તેમણે વધુમાં જણાવ્યું કે, ૨૫ દિવસ પહેલાં વરસામેડી ગામની એક યુવતીનું અકસ્માત થયું. કંપની દ્વારા સામાજિક જવાબદારીરૂપે ૧ લાખનો એક આપવામાં આવેલ. તેમજ રાજેન્દ્ર પ્રસાદનું અકસ્માત થયેલ તેની સારવાર માટે રૂપિયા ૫ લાખનું બીલ કંપનીએ ભરપાઈ કરેલ છે. 	
૩	શ્રી પ્રકાશ રાવલ, તા. : અંજાર, જિ. કચ્છ	<ul style="list-style-type: none"> તેમણે રજુઆત કરતા જણાવ્યું કે, અંજાર તાલુકામાં ૩૭ વર્ષથી રહુ છું. વેલસ્પન કંપનીએ કચ્છ-અંજારમાં પ્રાથમિક શિક્ષણની સુવિધા પુરી પાડી છે. તે સરાહનીય છે. હજુ વધુને વધુ શિક્ષકો પુરા પાડવામાં આવે અને લોકોનું શિક્ષણનું સ્તર ઊંચુ આવે. તેવી આશા રાખું છું. 	<ul style="list-style-type: none"> કંપની પ્રતિનિધિએ જણાવ્યું કે, બધા ગામમાં શિક્ષણ માટે પગલા લેવામાં આવેલ છે. પેરાશિક્ષક, સ્માર્ટ ક્લાસ ચાલુ કરેલ છે. આ વર્ષથી નવા પ્રયોગોથી બાળકોને કંઈ રીતે શિક્ષણ આપવું તે માટે સરકારશ્રીનાં સંલગ્ન વિભાગ સાથે મળી કામ કરીએ છીએ. જેની શરૂઆત પહેલાં અંજારમાં અને ત્યારબાદ કચ્છમાં અન્ય જગ્યાએ કરવામાં આવશે.
૪	શ્રી આત્મારામ બી. ગામોટ, અંજાર તાલુકો કોંગ્રેસ	<ul style="list-style-type: none"> તેમણે રજુઆત કરતા જણાવ્યું કે, વેલસ્પન કંપની દ્વારા દરીયા સુધી ૩ કિ.મી.ની 	<ul style="list-style-type: none"> કંપની પ્રતિનિધિએ જણાવ્યું કે, કેન્દ્ર સરકારનાં વન અને પર્યાવરણ,

GUJARAT POLLUTION CONTROL BOARD

Regional Office, Kutch (East),
Room No. 215-216, Second Floor, Kandla Port Trust
Administrative Building, Sector-08, Gandhidham, Kutch - 370 201
Website: www.gpcb.gov.in



	<p>ઉપપ્રમુખ, તા. : અંજાર, જિ. કચ્છ</p>	<p>પાઇપલાઇન નાખવામાં આવેલ છે. તો તેની મંજૂરી લેવામાં આવેલ છે કે કેમ? તે જણાવો.</p> <ul style="list-style-type: none"> તેમણે વધુમાં જણાવ્યું કે, તેની કોપી અમને મળશે? તેમણે વધુમાં જણાવ્યું કે, મોટા તળાવો જેના પર પશુ અને માનવ જીવન નિર્ભર છે. તેને પુરાણ કરી દબાણ કરી દેવામાં આવેલ છે. જે નામદાર ગુજરાત હાઇકોર્ટનાં ચુકાદા વિરુદ્ધનું કામ આ કંપનીએ કરેલ છે. જે ધ્યાને લેવા વિનંતી છે. 	<p>જળવાયુ મંત્રાલય વિભાગમાંથી મંજૂરી લીધેલ છે. ત્યારબાદ કામ કરવામાં આવેલ છે.</p> <ul style="list-style-type: none"> કંપની પ્રતિનિધિએ જણાવ્યું કે, તેની કોપી ઇન્ટરનેટ ઉપર મુકવામાં આવેલ છે. અધ્યક્ષશ્રીએ જણાવ્યું કે, નવા પ્લાન્ટને લગતી રજુઆત કરી શકો છો. અન્ય બાબત અલગ ફોરમમાં ચર્ચા કરી શકશો અને તેનો પ્રત્યુત્તર તમને મળશે.
૫	<p>શ્રી દિનેશભાઈ શામજીભાઈ માતા, માજી સરપંચ અંજાર, મહામંત્રી અંજાર તાલુકો કોંગ્રેસ, ગામ : સતાપર તા. : અંજાર, જિ. કચ્છ</p>	<ul style="list-style-type: none"> તેમણે રજુઆત કરતા જણાવ્યું કે, વેલસ્પન કંપનીએ સી.એસ.આર. અંતર્ગત ઘણી સારી કામગીરી કરી છે. જેની અંદર તમામ ગામડામાં શૌચાલયની કામગીરી કરી છે અને સારી રીતે ચાલુ છે. અમારા ગામમાં કંપનીએ ૧૦૦ ટકા શૌચાલય બનાવી આપ્યાં છે. તે બદલ કંપનીનો આભાર માનું છું. તેમણે વધુમાં જણાવ્યું કે, આર.ઓ. સીસ્ટમ પ્લાન્ટ ને પર્યાવરણ વિષયક કામ કરેલ 	<ul style="list-style-type: none"> કંપની પ્રતિનિધિએ જણાવ્યું કે, નવા પ્લાન્ટમાં સરકારનાં નોમ્સ પ્રમાણે સ્થાનિક લોકોને રોજગારી આપીશું. તેમજ પર્યાવરણ માટે જે કંઈ કરવાનું હશે તે સરકારનાં નોમ્સ પ્રમાણે કરીશું. ૩૩ ટકા ગ્રીનબેલ્ટ વિકસાવવામાં આવશે અને તે માટે અમે વૃક્ષો વાવીશું અને કાર્ય કરીશું.

GUJARAT POLLUTION CONTROL BOARD

Regional Office, Kutch (East),

Room No. 215-216, Second Floor, Kandla Port Trust

Administrative Building, Sector-08, Gandhidham, Kutch - 370 201

Website: www.gpcb.gov.in



		<p>છે. તેમજ ૭૦૦ થી ૮૦૦ વૃક્ષો પણ વાવેલ છે. શિક્ષણની અંદર પેરાશિક્ષક મુકી સ્કૂલમાં સારી મદદ કરી છે.</p> <ul style="list-style-type: none">• તેમણે વધુમાં જણાવ્યું કે, સ્ટીલ પ્લાન્ટ આવી રહ્યો છે. તે સારી બાબત છે. તે બદલ કંપનીનો આભાર માનું છું.• તેમણે વધુમાં જણાવ્યું કે, કંપનીમાં હાલ ૧૫ થી ૧૬ હજાર કામદારો કામ કરે છે. જેમાં ૪ થી ૫ હજાર સ્થાનિક લોકો છે અને બાકીનાં ૧૧ હજાર બહારનાં લોકો છે.• તેમણે વધુમાં જણાવ્યું કે, ગયા વર્ષનાં પ્રમાણમાં વરસાદ ઓછો થયો છે. બહેનો અને ખેડૂતો બેરોજગાર છે અને કંપનીનો નિયમ એવો છે કે ૩૦ થી ૩૫ વર્ષ ઉપરની વ્યક્તિને કામે ન લેવા. તેથી આ નિયમ બદલી નવો નિયમ ઘડી ૩૫ થી ૫૦ વર્ષની બહેનોને કામે લેવામાં આવે. જથી તેમની રોજગારી ચાલુ થાય. વિધવા બહેનોને રોજગારી મળે કે જેને ખાવા-પીવાનાં ફાંજ છે.• તેમણે વધુમાં જણાવ્યું કે, ખેડૂતોનાં પ્રશ્નો ગામે ગામ ફરીને જોવામાં આવે અને	
--	--	--	--

GUJARAT POLLUTION CONTROL BOARD

Regional Office, Kutch (East),

Room No. 215-216, Second Floor, Kandla Port Trust

Administrative Building, Sector-08, Gandhidham, Kutch – 370 201

Website: www.gpcb.gov.in



		<p>વધુને વધુ વૃક્ષારોપણ ગામે ગામે કરવામાં આવેલ છે અને સ્ટીલ પ્લાન્ટ આવ્યા પછી પણ કરવામાં આવશે તેવી મારી આશા છે. તેમજ વૃક્ષારોપણ બાદ વૃક્ષોને જે પાણી પીવડાવે છે તેને કંપની પગાર આપે કારણ કે ગ્રામ પંચાયતો પાસે એટલું ભંડોળ નથી.</p> <ul style="list-style-type: none"> તેમણે વધુમાં જણાવ્યું કે, પેરા શિક્ષકો વધુ રાખો, પર્યાવરણને નુકશાન ન થાય તેવું કાર્ય કરો અને વધુને વધુ રોજગારી આપો તેવી મારી નમ્ર વિનંતી છે. 	
ક	શ્રી દશરથસિંહ નથુસિંહ ભંગારોત, ગાંધીધામ, જિ. કચ્છ	<ul style="list-style-type: none"> તેમણે રજુઆત કરતા જણાવ્યું કે, વિકાસ માટે કંપની જે કાગળમાં કહે છે તે હકીકતમાં કરે છે ખરા? તેમણે વધુમાં પૂછ્યું કે, જે લોકોની જમીન સંપાદન કરવામાં આવેલ છે અને જેની આવનાર પેઢી જમીન પર નિર્ભર છે તેના માટે કંપનીએ કંઈ વિચાર્યું છે? તે માટે કંપની શું કરશે? તેમણે વધુમાં પૂછ્યું કે, સી.એસ.આર. માટે પ્રોજેક્ટનાં ર.પ ટકા ખર્ચવાનું નક્કી કરેલ 	<ul style="list-style-type: none"> કંપની પ્રતિનિધિએ જણાવ્યું કે, અમે જમીન લેવાણે લીધેલ છે તેથી તે અંગેની જવાબદારી અમારી નથી. પરંતુ સામાજિક જવાબદારીથી સ્થાનિક લોકોને રોજગારી આપીશું અને આ પરંપરા ચાલતી રહેશે. કંપની પ્રતિનિધિએ જણાવ્યું કે, સી.એસ.આર. પ્રવૃત્તિ

GUJARAT POLLUTION CONTROL BOARD

Regional Office, Kutch (East),
Room No. 215-216, Second Floor, Kandla Port Trust
Administrative Building, Sector-08, Gandhidham, Kutch – 370 201
Website: www.gpcb.gov.in



		<p>છે. તે ઝરેખર ખર્ચવામાં આવશે? વેલસ્પન કંપની દ્વારા સાડા ૩ વર્ષ પહેલા ભુકંપમાં મૃત્યુ પામેલ બાળકોનું સ્મારક બનાવવા માટે ૫.૫ કરોડ રૂપિયા ફાળવવામાં આવેલ. પરંતુ આજ સુધી તેનો ઉપયોગ કરવામાં આવેલ નથી.</p> <ul style="list-style-type: none"> તેમણે વધુમાં જણાવ્યું કે, કંપનીમાં ૭૦ ટકા બહારનાં અને ૩૦ ટકા સ્થાનિક લોકો છે. તો નિયમોનુસાર ૮૦/૨૦ સ્થાનિક લોકોનો રેશિયો જાળવાશે કે કેમ? તેમ પૂછપરછ કરેલ. 	<p>માટે પરંપરાગત અને સરકારનાં નોમ્સ મુજબ કામ કરીશું અને નવા પ્લાન્ટમાં તે માટે ૨.૫ ટકા ખર્ચ કરીશું. તેની ખાત્રી આપું છું</p> <ul style="list-style-type: none"> કંપની પ્રતિનિધિએ જણાવ્યું કે, સરકાર દ્વારા ઓડીટ કરવામાં આવે તે મુજબ જ રોજગારીનો રેશિયો રાખવામાં આવે છે. અને ભવિષ્યમાં તે મુજબ જ રાખવામાં આવશે.
૭	શ્રી સુંબળ લાસુભાઈ. ત. : અંજાર, જિ. કચ્છ	<ul style="list-style-type: none"> તેમણે રજૂઆત કરતા જણાવ્યું કે, વેલસ્પન કંપનીની સ્થાપના થઈ ત્યારે ઓઝોનનું સ્તર શું હતું અને હાલ શું છે. તે જણાવો. તેમણે વધુમાં પૂછ્યું કે, પ્લેટ એન્ડ કોઇલ પ્લાન્ટ બંધ થયો ત્યારે લોકોને છોડી મુકવામાં આવેલ તો તે લોકોની સ્થિતિ અત્યારે શું છે? અને ભવિષ્યમાં 	<ul style="list-style-type: none"> કંપની પ્રતિનિધિએ જણાવ્યું કે, ઓઝોનનું સ્તર એનએચક્યુએસ કાયદાનાં પ્રમાણ કરતા ઘણું ઓછું છે. ઓઝોનનું પ્રમાણ અત્યારે ૩૫ છે અને સ્ટીલ પ્લાન્ટ લગાડવાથી ઓઝોનને કંઈ અસર નહીં થાય. કંપની પ્રતિનિધિએ જણાવ્યું કે, આ નવા પ્લાન્ટને રીલેટેડ નથી.

GUJARAT POLLUTION CONTROL BOARD

Regional Office, Kutch (East),

Room No. 215-216, Second Floor, Kandla Port Trust

Administrative Building, Sector-08, Gandhidham, Kutch – 370 201

Website: www.gpcb.gov.in



		<p>આ પ્લાન્ટ બંધ થાય તો તમે લોકોને રોજગારી ક્યાં આપશો?</p> <ul style="list-style-type: none"> તેમણે વધુમાં જણાવ્યું કે, નવા પ્લાન્ટમાં કામદારોને છોડી મુકવામાં આવશે નહીં તેની લેખિતમાં બાંહેધરી આપો. 	<ul style="list-style-type: none"> કંપની પ્રતિનિધિએ જણાવ્યું કે, અમે કાનદારોને અપોઇન્ટમેન્ટ લેટર ટર્મ્સ અને કન્ડીસન પ્રમાણે આપવામાં આવશે. અધિક જિલ્લા મેજિસ્ટ્રેટશ્રી દ્વારા જણાવવામાં આવેલ કે, સુચિત એકમમાંથી કામદારોને છુટા કરવાની બાબત સવિચ્છલક્ષી ગણાવ. આપશ્રીને પર્યાવરણલક્ષી કોઈ પ્રશ્ન હોય તો રજુ કરો.
૮	શ્રી ધરમવીર અયાચી, ગામ : મોળવદર, તા. : અંજાર, જિ. કચ્છ	<ul style="list-style-type: none"> તેમણે રજુઆત કરતા જણાવ્યું કે, શું તમે જણાવી શકશો કે ક્યાં ક્યાં સર્વે નંબર ઉપર તમે તમારો પ્લાન્ટ ઉભો કરવાનાં છો? 	<ul style="list-style-type: none"> કંપની પ્રતિનિધિએ જણાવ્યું કે, લે આઉટ પ્લાન જોઇને તમારા પ્રશ્નો લેખિતમાં જવાબ તમને જણાવવામાં આવશે. તેમજ આ જમીન કંપનીની માલિકીની જ છે. અધિક જિલ્લા મેજિસ્ટ્રેટશ્રી એ કંપનીનાં પ્રતિનિધિને જણાવ્યું કે,

GUJARAT POLLUTION CONTROL BOARD

Regional Office, Kutch (East),
Room No. 215-216, Second Floor, Kandla Port Trust
Administrative Building, Sector-08, Gandhidham, Kutch - 370 201
Website: www.gpcb.gov.in



			<p>અરજદારને પર્યાવરણીય લોક સુનાવણી બાદ લેખિતમાં જવાબ આપવામાં આવે કે કયાં કયાં સર્વે નંબરમાં સુચિત પ્લાન્ટ આવનાર છે.</p> <ul style="list-style-type: none"> કંપની પ્રતિનિધિએ જણાવ્યું કે, અમે લોક સુનાવણી બાદ લેખિતમાં સર્વે નંબર આપી દઇશું.
૯	શ્રી દિપેન પંડ્યા, તા. : અંજાર, જિ. કચ્છ	<ul style="list-style-type: none"> તેમણે રજુઆત કરતા જણાવ્યું કે, કંપની પર્યાવરણનાં નિયમ અને સરકારનાં ધારા ધોરણ મુજબ કાર્ય કરે છે. કંપની ૧૨ થી ૧૫ વર્ષથી કામ કરે છે. કંપનીનાં કામદારો અહીં રહે છે અને તેથી અંજારનો વિકાસ થાય છે. તેમણે વધુમાં જણાવ્યું કે, વેલસ્પન કંપનીએ ગામડા માટે ઘણું કામ કરેલ છે પરંતુ અંજાર શહેર માટે કંઈ કામ કરેલ નથી. અંજારનાં બે સર્કલની પણ જાળવણી કરી શકી નથી. તેમણે વધુમાં જણાવ્યું કે, કંપનીએ અંજારમાં ઘણાં વૃક્ષો વાવેલ છે. તેમજ અંજારનાં લોકોને કે અન્ય સંસ્થાઓને 	<ul style="list-style-type: none"> કંપની પ્રતિનિધિએ જણાવ્યું કે, ૧૦ કિ.મી. વિસ્તારમાં નોમ્સ પ્રમાણે જે કરવાનું હશે તે અમે કરીશું.

GUJARAT POLLUTION CONTROL BOARD

Regional Office, Kutch (East),

Room No. 215-216, Second Floor, Kandla Port Trust

Administrative Building, Sector-08, Gandhidham, Kutch - 370 201

Website: www.gpcb.gov.in



		<p>સાથે લઇ કામ કરવામાં આવે તો સારો વિકાસ થઇ શકશે.</p> <ul style="list-style-type: none"> તેમણે વધુમાં જણાવ્યું કે, પ્રોજેક્ટ આવવાથી અમને કંઇ વાંધો નથી પણ પર્યાવરણની જાગૃતિને ધ્યાને લઇ કાર્ય કરે. 	
૧૦	શ્રી રાજેશ માતા, ગામ : સતાપર, તા. : અંજાર, જિ. કચ્છ	<ul style="list-style-type: none"> તેમણે રજુઆત કરતા જણાવ્યું કે, આ પ્લાન્ટ આવી રહ્યો છે તેમાં તમે કેટલા લીટર પાણી કન્ટ્રીયુમ કરશો અને કેટલા ડી.ગ્રી તાપમાન અમારા ગામમાં વધશે અને તેના લીધે અમે કયા કયા પાક નહીં લઇ શકીએ. તેમજ કેટલા કિ.મી. ત્રિજ્યામાં તેની અસર થશે. 	<ul style="list-style-type: none"> કંપની પ્રતિનિધિએ જણાવ્યું કે, કુલિંગ ટાવર ગરમ હવાને ઠંડી કરશે અને સ્ટેકમાંથી ગેસ નીકળશે તેનું તાપમાન સામાન્ય રહેશે. તેની બહારનાં તાપમાનમાં કંઇ અસર નહીં થાય. ગરમ પાણી પણ નહિ નીકળે તે કુલિંગ ટાવરમાં પાણી ઠંડુ થઇ ફરી ઉપયોગમાં લેવામાં આવશે. પ્લાન્ટને ઝીંકો ડીસ્યાર્જમાં પ્લાન્ટ કરવામાં આવેલ છે. અમે ૧૦.૪ એમ.જી.ડી. પાણી કન્ટ્રીયુમ કરીશું. તે વધારે નથી. આ યુરોપીયન નોર્મ્સ પ્રમાણે છે.
		<ul style="list-style-type: none"> તેમણે વધુમાં પૂછ્યું કે, નવા પ્લાન્ટમાં રોજગારી આપવાના છો. પરંતુ તમારી કંપની ૨૦૦૧ થી આવી છે અને આજે ૨૦૧૬ ચાલે છે તો અત્યાર 	<ul style="list-style-type: none"> કંપની પ્રતિનિધિએ જણાવ્યું કે, કુલ ૧૮૦૦૦ કામદારો છે. જે નોર્મ્સ પ્રમાણે જ છે.

GUJARAT POLLUTION CONTROL BOARD

Regional Office, Kutch (East),

Room No. 215-216, Second Floor, Kandla Port Trust

Administrative Building, Sector-08, Gandhidham, Kutch - 370 201

Website: www.gpcb.gov.in



		સુધી કંપનીએ શું કર્યું છે. દરેક પ્લાન્ટમાં ૧૦ ટકાથી વધુ સ્થાનિક લોકો નથી.	
૧૧	શ્રી મહેશ્વરી પ્રેમજી, તા. : અંજાર, જિ. કચ્છ	<ul style="list-style-type: none"> તેમણે રજુઆત કરતાં જણાવ્યું કે, કોઇપણ પર્યાવરણીય લોક સુનાવણી યોજવા માટે ૩૦ દિવસ પહેલાં નોટીસ આપવી પડે અને કચ્છ મિત્રમાં તે આપેલ છે. તો તેમાં સર્વે નંબરનો ઉલ્લેખ કરવામાં આવેલ નથી. તેમણે વધુમાં જણાવ્યું કે, કાચદા પ્રમાણે તમામ સર્વે નંબર જણાવવું તે જરૂરી છે. જેથી જાણ થાય કે આજુબાજુ ખેતીની જમીન છે કે રહેણાંકની જમીન છે. 	<ul style="list-style-type: none"> કંપની પ્રતિનિધિએ જણાવ્યું કે, અમે રેવન્યુ મેપમાં જોઇને તમને લેખિતમાં જણાવી આપશું. પર્યાવરણ મંજૂરી માટે સર્વે નંબર જરૂરી નથી. તેમજ તમને લેખિતમાં તમામ સર્વે નંબર જણાવવામાં આવશે.
૧૨	શ્રી કિંજલ બુધ્ધપટ્ટી, તા. : અંજાર, જિ. કચ્છ	<ul style="list-style-type: none"> તેમણે રજુઆત કરતાં જણાવ્યું કે, પર્યાવરણનાં હિતમાં શું શું આયોજન છે. તે મારે જાણવું છે. 	<ul style="list-style-type: none"> કંપની પ્રતિનિધિએ જણાવ્યું કે, હવાનું પ્રદૂષણ રોકવા માટે (૧)ઇલેક્ટ્રોસ્ટેટીક પ્રેસીપીટેટર રાખવામાં આવશે, (૨) બેગ ફીલ્ટર લગાડવામાં આવશે અને નકામા ગેસ બાળવા માટે એનર્જીએક્સ બર્નર બધી સ્ટેકમાં રાખવામાં આવશે. જેથી પર્યાવરણને કંઇ નુકશાન

GUJARAT POLLUTION CONTROL BOARD

Regional Office, Kutch (East),
Room No. 215-216, Second Floor, Kandla Port Trust
Administrative Building, Sector-08, Gandhidham, Kutch – 370 201
Website: www.gpcb.gov.in



		<ul style="list-style-type: none"> તેમણે વધુમાં પૂછ્યું કે, સી.એસ.આર. પ્રવૃત્તિમાં અંજાર માટે શું આયોજન કરવામાં આવશે. તે જણાવો 	<p>થવાનું નથી.</p> <ul style="list-style-type: none"> કંપની પ્રતિનિધિએ જણાવ્યું કે, સવિષ્યમાં તેના માટે પણ યોગ્ય કાર્ય કરીશું.
૧૩	શ્રી હરિભાઈ વીરા હિન્દુ, ગામ : મીઠા પસવારીયા, તા. : અંજાર, જિ. કચ્છ	<ul style="list-style-type: none"> તેમણે રજુઆત કરતા જણાવ્યું કે, આ કંપનીનાં નવા પ્લાન્ટમાં મહીલા વિકાસ માટે કંપનીએ શું કર્યું છે? 	<ul style="list-style-type: none"> કંપની પ્રતિનિધિએ જણાવ્યું કે, કંપની દ્વારા મહીલા સશક્તિકરણ ઉપર વધારે જોર આપવામાં આવે છે. મહીલા અને બાળાઓને વધુ તકો મળે અને અમારી કંપનીમાં અત્યારે ૧૫ ટકા મહીલા કામ કરે છે. તેમજ અમારા નવા પ્લાન્ટમાં ૨૦ થી ૨૫ ટકા જેટલી વધુ સક્ષમ મહીલાઓ હશે તેને કામ પર રાખવામાં આવશે.
૧૪	શ્રી હિન્દુ ભાવેશ કોટક, તા. : અંજાર, જિ. કચ્છ	<ul style="list-style-type: none"> તેમણે રજુઆત કરતા જણાવ્યું કે, વિકલાંગો માટે રોજગારીની શું તક છે? 	<ul style="list-style-type: none"> કંપની પ્રતિનિધિએ જણાવ્યું કે, આ કંપનીમાં પહેલીવાર એટું બનેલ છે કે કંપનીનાં હયાત પ્લાન્ટમાં ૨૦૦ વિકલાંગ જોબમ રહિત જગ્યાએ કામ કરે છે અને ઘણું ચાર કામ કરે છે. નવા પ્લાન્ટમાં તેમને અનુરૂપ

GUJARAT POLLUTION CONTROL BOARD

Regional Office, Kutch (East),
Room No. 215-216, Second Floor, Kandla Port Trust
Administrative Building, Sector-08, Gandhidham, Kutch - 370 201
Website: www.gpcb.gov.in



			કામ આપવામાં આવશે અને તેમને કંઈ જ નુકશાન નહીં થાય.
૧૫	શ્રી નારણ અરજણ, ગામ : અજાપર, તા. : અંજાર, જિ. કચ્છ	<ul style="list-style-type: none"> તેમણે રજૂઆત કરતા જણાવ્યું કે, વેલસ્પન કંપની દ્વારા પ્રોજેક્ટ આવે છે અને જે વૃક્ષારોપણ થાય છે તેમાં વધુને વધુ વૃક્ષારોપણ થઈ રહ્યું છે. ત્યારબાદ ભવિષ્યમાં તેની સાર-સંભાળ માટે ગ્રામ પંચાયત પાસે ગ્રાન્ટ હોતી નથી. તેથી કંપીનનાં સી.એસ.આર.માંથી તે માટે ગ્રાન્ટ ફાળવવામાં આવે તેવી મારી વિનંતી છે. તેમજ અમારા ગામમાં વૃક્ષારોપણ થયું છે. આર.ઓ. પ્લાન્ટ પણ લગાડવામાં આવેલ છે જેમાંથી લોકો પાણી પીવે છે, શિક્ષણમાં પેશશિક્ષક આપેલ છે અને મેડીકલ સ્ટરે પણ વેલસ્પને મદદ કરી છે. તેમણે વધુમાં જણાવ્યું કે, જે નવો પ્રોજેક્ટ ખેતીની જમીનનો ભાવ પણ વધી ગયો છે. હું મારા તરફથી અને મારા ગામ વતી આવકારું છું. 	<ul style="list-style-type: none"> કંપની પ્રતિનિધિએ જણાવ્યું કે, અમે ગામડામાં તથા અમારા પ્લાન્ટમાં આશરે ૧ લાખ વૃક્ષો દર વર્ષે વાવીએ છીએ. ગામડામાં તેમજ સ્કુલોમાં પણ વૃક્ષો વાવેલ છે અને વાવશુ જેથી આવનારી પેઢીને તેનો લાભ મળી શકે.
૧૬	શ્રી મહેશ સુંબળ, ગામ : લાખાપર, તા. : અંજાર,	<ul style="list-style-type: none"> તેમણે રજૂઆત કરતા જણાવ્યું કે, આ કંપનીનાં પ્લાન્ટને હું હૃદયપૂર્વક આવકારું છું. આ 	<ul style="list-style-type: none"> કંપની પ્રતિનિધિએ જણાવ્યું કે, આ પ્લાન્ટનો લાભ ચોક્કસ બધા

GUJARAT POLLUTION CONTROL BOARD

Regional Office, Kutch (East),
Room No. 215-216, Second Floor, Kandla Port Trust
Administrative Building, Sector-08, Gandhidham, Kutch - 370 201
Website: www.gpcb.gov.in



જિ. કચ્છ	પ્લાન્ટથી બધા લોકોને લાભ મળે અને લાભ મળતા રહે તેવી મારી આશા છે.	લોકોને મળશે.
૧૭ શ્રી શાહ હેમંત રજનીકાંત, તા. : અંજાર, જિ. કચ્છ	<ul style="list-style-type: none"> તેમણે રજુઆત કરતા જણાવ્યું કે, કંપનીનો આ પ્લાન્ટ આવવાથી એસ.ટી.પી. પ્લાન્ટ ચાલુ થઈ જશે. ગાંધીધામ નગરપાલિકાનું એમ.ઓ.યુ. થયું છે તેવું જ અંજાર નગરપાલિકાનું થશે એટલે નગરપાલિકાની આવકનો સ્ત્રોત વધવાનો છે. કંપનીને શુલેઝા પાઠવું છું. એસ.ટી.પી. પ્લાન્ટ ચાલુ થઈ જાય તો નગરપાલિકાને પાછપલાઈનથી ટ્રેનેજનું પાણી આપવાનું છે તે આપી શકીએ. નગરપાલિકા વતી અભિનંદન આપુ છું કે દરેક વખતે શાળા પ્રવેશોત્સવ હોય કે અન્ય શિક્ષકોની ઘટ હોય તે ઘટમાં પણ વેલસ્પન કંપની અમારી સાથે ઉભી રહી છે. 	<ul style="list-style-type: none"> કંપની પ્રતિનિધિએ જણાવ્યું કે, એસ.ટી.પી. પ્લાન્ટ ઓક્ટોબર ૨૦૧૬ થી ડીસેમ્બર ૨૦૧૬ સુધીમાં સંપૂર્ણપણે કાર્યરત થઈ જશે.
૧૮ શ્રીમતી ભાવના રૂપારેલ, ગામ : મેઘપર બોરીચી, તા. : અંજાર, જિ. કચ્છ	<ul style="list-style-type: none"> તેમણે રજુઆત કરતા જણાવ્યું કે, કંપની વર્ષ ૨૦૦૧ થી આવેલ છે. કંપનીએ ઘણા બધા કામ કર્યા છે. અમારી સોસાયટીનાં ઘણા બધા લોકો તેમાં કામ કરે છે. કંપનીએ ઘણા બધા વૃક્ષોનું રોપણ 	<ul style="list-style-type: none"> કંપની પ્રતિનિધિએ જણાવ્યું કે, જે કામ અમે કરી રહ્યા છીએ તેને વધારીશું. તેમજ વધુને વધુ વૃક્ષો વાવવામાં આવશે અને સ્ત્રીઓને વધુ રોજગારી આપીશું.

GUJARAT POLLUTION CONTROL BOARD

Regional Office, Kutch (East),
Room No. 215-216, Second Floor, Kandla Port Trust
Administrative Building, Sector-08, Gandhidham, Kutch – 370 201
Website: www.gpcb.gov.in



		<p>પર્યાવરણ માટે કરેલ છે. વૃક્ષોનાં કારણે ગરમીનું તાપમાન ઘટે છે, મારી એવી અપેક્ષા છે કે વધારેને વધારે વૃક્ષો રોપવામાં આવે જેથી પર્યાવરણને નુકશાન ન થાય અને કંપનીનાં નવા પ્લાન્ટ માટે અમારે કોઈ વિરોધ નથી. અમે તેનું સ્વાગત કરીએ છીએ.</p> <ul style="list-style-type: none"> તેમણે વધુમાં જણાવ્યું કે, સ્ત્રીઓને રોજગારી આપી છે જેથી તેમનામાં જાગૃત્તા આવી છે અને વધુને વધુ રોજગારી મળે તેવી આશા રાખુ છું. 	
૧૯	શ્રી ધનજીભાઈ સોરઠીયા તા. : અંજ.ર, જિ. કચ્છ	<ul style="list-style-type: none"> તેમણે રજુઆત કરતા જણાવ્યું કે, કંપની નવી બને એટલે જાહેરનામું બહાર પાડવામાં આવે અને જાહેરનામું બહાર પાડવામાં આવે એટલે કંપની બેડુતો સાથે સંઘર્ષમાં આવે અને જમીન સંપાદનનો પ્રશ્ન ઉભો થાય પરંતુ આ પ્લાન્ટમાં જમીન સંપાદનનો પ્રશ્ન રહેતો નથી. તેમણે વધુમાં જણાવ્યું કે, કંપનીમાં બોઇલર ફાટી જાય કે અકસ્માત થઈ જાય તેવા ઘણા પ્રસંગ બનતા હોય છે. તેના માટે કંપનીએ વિચારવું જોઈએ અને સારી ટેકનોલોજીની 	<ul style="list-style-type: none"> કંપની પ્રતિનિધિએ જણાવ્યું કે, આપના સુચનો ધ્યાને રાખીને કાર્ય કરવામાં આવશે.

GUJARAT POLLUTION CONTROL BOARD

Regional Office, Kutch (East),

Room: No. 215-216, Second Floor, Kandla Port Trust

Administrative Building, Sector-08, Gandhinagar, Kutch - 370 201

Website: www.gpcb.gov.in



	<p>મશીનરી નાંખવી જોઇએ. જેથી અકસ્માત ઓછા થાય.</p> <ul style="list-style-type: none">• તેમણે વધુમાં જણાવ્યું કે, એશિયાનો પહેલા નંબરનો પ્લાન્ટ બને તેવી વાત છે. ૩ મિલીયન ટન તેનું ઉત્પાદન છે. આ નાની કંપની નથી એટલે લોકોને ટેકનિકલી ઓછું નુકશાન થાય તેને ધ્યાને લઇ મશીનરી મુકવી જોઇએ.• તેમણે વધુમાં જણાવ્યું કે, ૭૦ થી ૮૦ ટકા સ્થાનિક લોકોને રોજગારીમાં રાખવા જોઇએ. જે તેમનો ફક છે.• તેમણે વધુમાં જણાવ્યું કે, અંજાર નગરપાલિકાનું પાણીનું બીલ કંપનીએ ભરવું જોઇએ તથા અંજાર વિસ્તારમાંથી કંપનીની બસો ચાલે છે. કંપનીનાં લોકો અહીયા રહે છે. ફાટક પાસે ઘણું ટ્રાફીક સવાર-સંજ હોય છે. તો તે માટે કામ કરવા યોગદાન આપો અને બીજી કંપનીઓ સાથે બેઠક કરી તેના માટે યોગ્ય કાર્ય કરો. તે કંપનીની જવાબદારી છે.• તેમણે વધુમાં જણાવ્યું કે, કંપની આવે તો કંઇ વાંધો નથી. તેણે જમીન સંપાદન કરેલ નથી.	
--	---	--

GUJARAT POLLUTION CONTROL BOARD

Regional Office, Kutch (East),
Room No. 215-216, Second Floor, Kandla Port Trust
Administrative Building, Sector-08, Gandhidham, Kutch - 370 301
Website: www.gpcb.gov.in



૨૦	શ્રી કેશવ રબારી, ગામ : વરસામેડી, તા. : અંજાર, જિ. કચ્છ	તેમણે રજુઆત કરતા જણાવ્યું કે, વેલસ્પન કંપની આવ્યા પછી ૧૨૦ છકડાઓને રોજગારી મળે છે. તેથી કંપની આવે તો અમને કંઈ વાંધો નથી.	કંપની પ્રતિનિધિએ જણાવ્યું કે, આપના સુચનનોને ધ્યાને રાખી કાર્ય કરવામાં આવશે.
૨૧	શ્રીમતી ઉષાબેન આચાર્ય, તા. : અંજાર, જિ. કચ્છ	<ul style="list-style-type: none"> તેમણે રજુઆત કરતા જણાવ્યું કે, કંપની દ્વારા વિધવા અને નિરાધાર બહેનોને અતિશય લાભ આપવામાં આવે અને બેરોજગારને રોજગારી આપવામાં આવે. વેલસ્પન કંપની આગળ વધતી રહે અને બધાનું સારું થાય. 	<ul style="list-style-type: none"> કંપની પ્રતિનિધિએ જણાવ્યું કે, વધુ રોજગારી આપવામાં આવશે અને તેમાં નિરાધાર બહેનોને પણ વધુ રોજગારી આપવામાં આવશે.
૨૨	કુમારી ગ્રીષ્મા, સીનીલ એન્જીનીયર, અંજાર, જિ. કચ્છ	<ul style="list-style-type: none"> તેમણે રજુઆત કરતા જણાવ્યું કે, કંપની આવવાથી એમ્પલોયમેન્ટ વધ્યું છે. આ વિસ્તારમાં સ્ટેટ હાઇવેનું નેશનલ હાઇવેમાં રૂપાંતર થયું છે. તેમણે વધુમાં જણાવ્યું કે, કંપનીમાં બહારની કોલેજવાળાને લે છે તેથી અહીંની કોલેજનાં વિદ્યાર્થીને વધુ પ્લેસમેન્ટ મળે અને છોકરીઓને વધુ રોજગારી મળે તેવી વિનંતી છે. 	<ul style="list-style-type: none"> કંપની પ્રતિનિધિએ જણાવ્યું કે, સ્થાનિક વિદ્યાર્થીને પ્લેસમેન્ટ આપવામાં આવશે અને ૨૦૨૦ સુધીમાં અમારા પ્લાન્ટમાં ૩૦ ટકા મહિલા કામ કરશે.
૨૩	શ્રી હંભુભાઈ આહીર, ગામ : વરસામેડી, તા. : અંજાર, જિ. કચ્છ	<ul style="list-style-type: none"> તેમણે રજુઆત કરતા જણાવ્યું કે, કંપનીમાં સ્થાનિક લોકોને કોન્ટ્રાક્ટ આપવા જોઈએ. 	<ul style="list-style-type: none"> કંપની પ્રતિનિધિએ જણાવ્યું કે, તમારા સુચનને ધ્યાને લઈ કાર્ય કરવામાં આવશે.

GUJARAT POLLUTION CONTROL BOARD

Regional Office, Kutch (East),

Room: No. 215-216, Second Floor, Kandla Port Trust

Administrative Building, Sector-08, Gandhidham, Kutch - 370 201

Website: www.gpcb.gov.in



૨૪	શ્રીમતી શોભના પટેલ, તા. : અંજાર, જિ. કચ્છ	<ul style="list-style-type: none"> તેમણે રજુઆત કરતા જણાવ્યું કે, સ્ટીલ પ્લાન્ટ આવવાથી વરસામેડી ગામનાં પાણીમાં ફરક પડશે? તેમણે વધુમાં જણાવ્યું કે, અમારા અંજાર શહેરમાં કોઈ સારી હોસ્પિટલ નથી. 	<ul style="list-style-type: none"> કંપની પ્રતિનિધિએ જણાવ્યું કે, વર્તમાનમાં જે સ્થિતિ છે તેમાં કોઈ ફરક પડશે નહીં. કંપની પ્રતિનિધિએ જણાવ્યું કે, તે માટે અમારો પ્રયાસ ચાલુ છે અને ભવિષ્યમાં થઈ જશે.
૨૫	શ્રી મનોજલાલ વીસરીયા, ગામ : સીનોગ્રા, તા. : અંજાર, જિ. કચ્છ	<ul style="list-style-type: none"> તેમણે રજુઆત કરતા જણાવ્યું કે, કચ્છમાં ઊંકરાઓને વધુ રોજગારી મળે. 	<ul style="list-style-type: none"> કંપની પ્રતિનિધિએ જણાવ્યું કે, સરકારનાં નોમ્સ મુજબ વધુને વધુ સ્થાનિક લોકોને રોજગારી આપવામાં આવશે.
૨૬	શ્રી આંબાભાઈ રબારી, ગામ : વરસામેડી, તા. : અંજાર, જિ. કચ્છ	<ul style="list-style-type: none"> તેમણે રજુઆત કરતા જણાવ્યું કે, કંપનીને હૃદયપૂર્વક આવકારીએ છીએ. 	<ul style="list-style-type: none"> કંપની પ્રતિનિધિએ તેઓનો આભાર વ્યક્ત કર્યો.
૨૭	શ્રી શંભુભાઈ આહીર, ગામ : વરસામેડી, તા. : અંજાર, જિ. કચ્છ	<ul style="list-style-type: none"> તેમણે રજુઆત કરતા જણાવ્યું કે, કંપનીને બબર નથી કે કયા સર્વે નંબરમાં પ્લાન્ટ આવવાનો છે. તેમજ રહેણાંક વિસ્તારથી કેટલા કિ.મી.નાં અંતરેથી પ્લાન્ટ ચાલુ થશે અને ગામને તેનાથી શું નુકશાન થશે. 	<ul style="list-style-type: none"> કંપની પ્રતિનિધિએ જણાવ્યું કે, અમારો પ્લાન્ટ રહેણાંક વિસ્તારથી અડધો કિ.મી. દુર હશે. અમારી ફેક્ટરીની બહાર પર્યાવરણને કોઈ અસર નહીં થાય.
૨૮	શ્રી મહેશ સુંબળ, ગામ : લાખાપર, તા. : અંજાર,	<ul style="list-style-type: none"> તેમણે રજુઆત કરતા જણાવ્યું કે, જેસલ-તોરલની સમાધિનાં મંદિર વિશે શું વિકાસનું 	<ul style="list-style-type: none"> કંપની પ્રતિનિધિએ જણાવ્યું કે, તમારા પ્રશ્નને લેખિતમાં આપી

GUJARAT POLLUTION CONTROL BOARD

Regional Office, Kutch (East),
Room No. 215-216, Second Floor, Kandla Port Trust
Administrative Building, Sector-08, Gandhidham, Kutch - 370 201
Website: www.gpcb.gov.in



	જિ. કચ્છ	આયોજન છે.	દો તેનો જવાબ લેખિતમાં આપવામાં આવશે.
૨૯	શ્રી અનવર ત્રાયા, ગાંધીધામ, જિ. કચ્છ	<ul style="list-style-type: none"> તેમણે રજુઆત કરતા જણાવ્યું કે, કંપનીનો આ પ્લાન્ટ સાંગ નદીથી કેટલા કિ.મી.નાં અંતરે આવશે. તેમણે વધુમાં જણાવ્યું કે, કેટલા કિ.મી દુર પ્લાન્ટ બની શકશે? તેમણે વધુમાં જણાવ્યું કે, નદીથી આટલા નજીક બની શકશે? તેમણે વધુમાં જણાવ્યું કે, આવનાર પ્લાન્ટમાં કોઈ બાંધકામ થયેલ છે? 	<ul style="list-style-type: none"> કંપની પ્રતિનિધિએ જણાવ્યું કે, સાંગ નદીથી અડધો કિ.મી. અંતરે આવેલ છે અને પાવર પ્લાન્ટની નજીક છે. કંપની પ્રતિનિધિએ જણાવ્યું કે, અડધો કિ.મી. દુર બની શકશે. કંપની પ્રતિનિધિએ જણાવ્યું કે, નદીથી એટલા નજીક બની શકે છે. કંપની પ્રતિનિધિએ જણાવ્યું કે, આવનાર પ્લાન્ટ માટે કોઈ બાંધકામ થયેલ નથી.
૩૦	શ્રી અરજણભાઈ ખટારીયા, તા. : અંજાર, જિ. કચ્છ	<ul style="list-style-type: none"> તેમણે રજુઆત કરતા જણાવ્યું કે, કંપનીએ પર્યાવરણનું જતન કરવું પડશે અને અસરગ્રસ્ત ગામડાંનું ધ્યાન રાખવું પડશે. તેમણે વધુમાં જણાવ્યું કે, કંપની આરોગ્ય ક્ષેત્રે અને શિક્ષણ ક્ષેત્રે કામગીરી કરી રહી છે ત્યારે ખેતી ક્ષેત્રે પણ કામગીરી કરવામાં આવે. અદાણી કંપની, મુંદ્રા તાલુકામાં ડ્રીપ ઇરીગેશન ઇચ્છુક બેડુતોને 	<ul style="list-style-type: none"> કંપની પ્રતિનિધિએ જણાવ્યું કે, તમારા સુચન બદલ આભાર અને સી.એસ.આર. માટે જે કાર્ય કરવાનાં છે તે બધાની સર્વસંમતિથી કરીશું.

GUJARAT POLLUTION CONTROL BOARD

Regional Office, Kutch (East),

Room No. 215-216, Second Floor, Kandla Port Trust

Administrative Building, Sector-08, Gandhidham, Kutch 370 201

Website: www.gpcb.gov.in



		<p>૫૦ ટકા જેટલી સબસીડી આપવામાં આવે છે. તો અંજાર તાલુકાના બેડુતો માટે કંપની દ્વારા આ પ્રકારની જ મદદ કરવામાં આવે.</p> <ul style="list-style-type: none"> તેમણે વધુમાં જણાવ્યું કે, સ્થાનિક લોકોને રોજગારી મળે તેવા પ્રયત્નો કરવામાં આવે. તેમણે વધુમાં જણાવ્યું કે, અંજારમાં બલ્ક બેન્ક શરૂ થાય તેવી વિનંતી છે. તેમણે વધુમાં જણાવ્યું કે, કંપની દ્વારા લોક ઉપયોગી કાર્ય કરવામાં આવે તેથી લોકોનો સાથ કંપનીને મળી રહેશે. સ્થાનિક લોકોનો પ્રશ્ન આવે, ત્યારે પણ તમે પ્રયત્નશીલ રહો જ છો. હજુ પ્રયત્નશીલ રહેશો તેનો અમને વિશ્વાસ છે. 	
૩૧	શ્રી મનજીભાઈ મેમાલાઈ આહીર, ગામ : ભીમાસર, તા. : અંજાર, જિ. કચ્છ	<ul style="list-style-type: none"> તેમણે રજુઆત કરતા જણાવ્યું કે, વેલસ્પન કંપની પર્યાવરણ બાબતે ઘણી જાગૃત છે. વેલસ્પન કંપનીની બાજુમાંથી નર્મદા કેનાલ પસાર થઈ રહી છે અને તેનું કામ પણ ચાલુ છે. આ પર્યાવરણને લગતો પ્રોજેક્ટ છે અને સરકાર દ્વારા તેના ઉપર વૃક્ષારોપણ કરવાનું કામ ઉપાડ્યું છે. તે કંપનીનાં 	<ul style="list-style-type: none"> કંપની પ્રતિનિધિએ જણાવ્યું કે, તમારા સુચનને ધ્યાને લઈ કાર્ય કરીશું.

GUJARAT POLLUTION CONTROL BOARD

Regional Office, Kutch (East),

Room No. 215-216, Second Floor, Kandla Port Trust

Administrative Building, Sector-08, Gandhidham, Kutch - 370 201

Website: www.gpcb.gov.in



	<p>પ્રોજેક્ટનો બાજુમાંથી પસાર થાય છે. તેથી તેના ઉપર કંપની ધ્યાન આપી જરૂરી વૃક્ષારોપણ નર્મદા કેનાલ ઉપર કરે.</p> <ul style="list-style-type: none">• તેમણે વધુમાં જણાવ્યું કે, કંપનીનાં આ પ્રોજેક્ટથી અમને ઘણો બધો લાભ થવાનો છે અને નુકશાન કંઈ થવાનું નથી. તેથી અમે સર્વાનુમતે પ્રોજેક્ટને આવકારીએ છીએ. કંપની દ્વારા અત્યારે જે રોજગારી આપવામાં આવે છે તેનાથી વધારે રોજગારી આપવામાં આવશે.• તેમણે વધુમાં જણાવ્યું કે, કંપની દ્વારા પ્રેઝિન્ટેશન સ્થાનિક ભાષામાં અને લોકો સમજી શકે તે રીતે આપવામાં આવેલ છે.• તેમણે વધુમાં જણાવ્યું કે, એક એડવોકેટ ભવુલભાઈ વ્યાસ દ્વારા બલ્ડ બેન્ક દ્વારા રૂપિયા આપવામાં આવેલ છે. તો કંપની દ્વારા પણ બલ્ડ બેન્કમાં હિસ્સો આપવામાં આવે.• તેમણે વધુમાં જણાવ્યું કે, કંપનીનાં આ પ્રોજેક્ટને આ વિસ્તારનાં અમે બધા લોકો આવકારીએ છીએ.	
--	---	--

GUJARAT POLLUTION CONTROL BOARD

Regional Office, Kutch (East),
Room No. 215-216, Second Floor, Kandla Port Trust
Administrative Building, Sector-08, Gandhidham, Kutch - 370 201
Website: www.gpcb.gov.in



32	શ્રી અમીત ચૌહાણ, તા. : અંજાર, જિ. કચ્છ	<ul style="list-style-type: none"> તેમણે રજૂઆત કરતા જણાવ્યું કે, કંપની તરફથી અત્યારે કે ભવિષ્યમાં સ્કીલ ડેવલોપમેન્ટ શું કાર્ય કરવામાં આવશે? 	<ul style="list-style-type: none"> કંપની પ્રતિનિધિએ જણાવ્યું કે, કંપની દ્વારા સ્કીલ ડેવલોપમેન્ટ માટે એક સંસ્થા બનાવવામાં આવનાર છે. તેમાં સ્થાનિક લોકોને ટ્રેનિંગ અને બીજા ક્ષેત્રોમાં પણ ટ્રેનિંગ આપવામાં આવશે. તેમજ અમને આશા છે કે આવતા વર્ષ સુધીમાં આ સંસ્થા ચાલુ થઈ જશે.
33	શ્રી સંજય દાવડા, તા. : અંજાર, જિ. કચ્છ	<ul style="list-style-type: none"> તેમણે રજૂઆત કરતા જણાવ્યું કે, વેલસ્પન કંપની અંજારમાં આવી તેના લીધે આજુબાજુના વિસ્તારનો વિકાસ થયો છે. કંપની દ્વારા કોઈપણ પ્રકારનાં પ્રશ્નોનો ઝડપી ઉકેલ લાવી દેવામાં આવે છે. તેમણે વધુમાં જણાવ્યું કે, કંપનીને જે સક્ષમતાનાં કામદારો જોઈએ છે તે અહીં સ્થાનિક વિસ્તારમાંથી મળતા નથી. તેથી કંપની બહારનાં કામદારોને કામ પર રાખે છે અને સ્થાનિક લોકોને એમ લાગે છે કે કંપની સ્થાનિક લોકોને રોજગારી આપતી નથી. તેથી સ્થાનિક લોકોને રોજગારી મળી શકે તે માટે 	<ul style="list-style-type: none"> કંપની પ્રતિનિધિએ જણાવ્યું કે, તમારા સુચનને ધ્યાને લઈ કાર્ય કરવામાં આવશે.

GUJARAT POLLUTION CONTROL BOARD

Regional Office, Kutch (East),
Room No. 215-216, Second Floor, Kandla Port Trust
Administrative Building, Sector-08, Gandhidham, Kutch - 370 201
Website: www.gpcb.gov.in



		<p>કંપનીનાં ઉદ્દેશો પ્રમાણે સ્થાનિક લોકો કામ કરી શકે તે રીતે તેઓને તૈયાર કરી શકાય તેવું આયોજન કંપનીએ કરવું જોઈએ. જેથી સ્થાનિક લોકોને વધુને વધુ રોજગારી આપી શકાય.</p> <ul style="list-style-type: none"> તેમણે વધુમાં જણાવ્યું કે, કંપની સી.એસ.આર. પ્રવૃત્તિમાં સામાજિક કાર્ય કરતી હોય છે તેનો લાભ અંજાર શહેરને પણ મળે તેવી અમારી વિનંતી છે. 	
૩૪	શ્રી રાજેશભાઈ કાપડી, તા. : અંજાર, જિ. કચ્છ	<ul style="list-style-type: none"> તેમણે રજુઆત કરતા જણાવ્યું કે, કંપની દ્વારા જે પ્રોજેક્ટ આવશે તેનાંથી વિકાસ પણ થશે. પરંતુ કંપની દ્વારા જે પાવરનો ઉપયોગ કરવામાં આવશે તે કયાં માધ્યમથી અને કયાંથી કરવામાં આવશે. તેમણે વધુમાં પૂછ્યું કે, તમે દર્શાવેલ છે કે ગ્રીડ પાવર પ્લાન્ટ તેમજ કેપ્ટીવ પાવર પ્લાન્ટ તો તે નવું છે કે અત્યારે છે તે? 	<ul style="list-style-type: none"> કંપની પ્રતિનિધિએ જણાવ્યું કે, પ્રોજેક્ટની જેટલી પણ વેસ્ટ હીટ છે તેનો પાવર ઉત્પન્ન કરવામાં કામ આવશે. વેસ્ટ હીટ રીકવરી માટે ૧૦૦ મેગાવોટનાં બે ટરબાઇન લગાડવામાં આવશે. તેથી ૨૦૦ મેગાવોટ પાવર તેમાંથી ઉત્પન્ન થશે અને બહારથી વધારાનો પાવર ખરીદવામાં આવશે નહીં. કંપની પ્રતિનિધિએ જણાવ્યું કે, તે બ્લાસ્ટ ગેસથી જે પાવર ઉત્પન્ન થશે તે નવો પાવર

GUJARAT POLLUTION CONTROL BOARD

Regional Office, Kutch (East),
Room No. 215-216, Second Floor, Kandla Port Trust
Administrative Building, Sector-08, Gandhidham, Kutch - 370 201
Website: www.gpcb.gov.in



		<ul style="list-style-type: none"> તેમણે વધુમાં જણાવ્યું કે, કંપનીનાં અત્યારનાં પાવર પ્લાન્ટથી પર્યાવરણનું પ્રદૂષણ થાય છે અને કંપની હવે નવો પાવર પ્લાન્ટ સ્થાપવા જઇ રહી છે. તેમણે વધુમાં પૂછ્યું કે, કંપનીનાં પ્રોજેક્ટની બાજુમાં મારી જમીન આવેલ છે અને પ્રોજેક્ટના કારણે મારી જમીનને કોઇ નકારાત્મક અસર નહીં થાય તેવી ખાત્રી કંપની આપશે? 	<p>પ્લાન્ટ છે અને તેનો પ્રોજેક્ટનાં કુલ ખર્ચમાં સમાવેશ કરવામાં આવેલ છે.</p> <ul style="list-style-type: none"> કંપની પ્રતિનિધિએ જણાવ્યું કે, આ કોઇ કોલ બેઝ પાવર પ્લાન્ટ નથી. પરંતુ પ્રોજેક્ટની પ્રક્રિયા દરમિયાન જે ગરમ હવા નીકળશે તેનો ઉપયોગ કરી દરબાઇનમાંથી પાવર ઉત્પન્ન કરવામાં આવશે. તેથી તેની ગરમીથી પાવર ઉત્પન્ન થશે એટલે બહારથી પાવર ખરીદવામાં આવશે નહીં. કંપની પ્રતિનિધિએ જણાવ્યું કે, અમે તમને લેખિતમાં આપશું કે કંપનીનાં આ પ્રોજેક્ટથી તમારી જમીનને કોઇ નકારાત્મક અસર નહીં થાય.
૩૫	શ્રી કરશનભ.ઇ રબારી ગામ : ખારા પસવારીયા તા. : અંજાર જિ. કચ્છ	<ul style="list-style-type: none"> તેમણે રજૂઆત કરતા જણાવ્યું કે, અહીંનાં વિસ્તારમાં અવાર-નવાર અકસ્માતનાં બનાવ બનતા હોય છે જેમાં ગુજરાતનાં કે ગુજરાત 	<ul style="list-style-type: none"> કંપની પ્રતિનિધિએ જણાવ્યું કે, તમારા સુચનને ધ્યાને લઇ જરૂરી તમામ કાર્ય કરવામાં આવશે.

GUJARAT POLLUTION CONTROL BOARD

Regional Office, Kutch (East),
Room No. 215-216, Second Floor, Kandla Port Trust
Administrative Building, Sector-08, Gandhidham, Kutch – 370 201
Website: www.gpcb.gov.in



		બહારનાં લોકો પણ ભોગ બનતા હોય છે. અંજારમાં કોઇપણ સ્થળે પોસ્ટ મોર્ટમ પછી ડેડ બોડીને રાખવા માટે કોઇ પ્રકારનાં કોલ્ડ સ્ટોરેજની વ્યવસ્થા નથી. કંપની તે માટે સહકાર આપે તેવી આશા રાખુ છું.	
૩૬	શ્રી રીતુ કક્કર ગાંધીધામ અંજાર જિ. કચ્છ	<ul style="list-style-type: none"> તેમણે રજુઆત કરતા જણાવ્યું કે, દરેક પ્લાન્ટમાં જે સોલીડ વેસ્ટ ઉત્પન્ન થાય છે. તેના નિકાલ માટે કંપની દ્વારા શું આયોજન કરવામાં આવેલ છે? તેમણે વધુમાં પૂછ્યું કે, કંપનીમાં રીસાયકલીંગ માટેનું કોઇ આયોજન છે? 	<ul style="list-style-type: none"> કંપની પ્રતિનિધિએ જણાવ્યું કે, ૮૫ ટકા બ્લાસ્ટ ફરનેશ સ્લેગ કેપ્ટીવ સીમેન્ટ પ્લાન્ટમાં વાપરવામાં આવશે અને તે માટે દાણાદાર કરવામાં આવશે તેમજ બાકીના ૧૫ ટકા જમીન પુરાણ અને રોડ બાંધકામ માટે ઉપયોગ કરવામાં આવશે. જેની ખાત્રી આપીએ છીએ. કંપની પ્રતિનિધિએ જણાવ્યું કે, ૧૦૦ ટકા સ્કેલ્સ, સ્લજ, સ્કેપ અને ફાઇન્સ પ્લાન્ટમાં જ રીસાયકલ કરવામાં આવશે એટલે પ્લાન્ટની બહાર કોઇ મટીરીયલ છોડવામાં આવશે નહીં.

GUJARAT POLLUTION CONTROL BOARD

Regional Office, Kutch (East),

Room No. 215-216, Second Floor, Kandla Port Trust

Administrative Building, Sector-08, Gandhidham, Kutch: 370 201

Website: www.gpcb.gov.in



૩૭	શ્રી ભરતભાઈ શાહ અંજાર જિ. કચ્છ	<ul style="list-style-type: none"> તેમણે રજુઆત કરતા જણાવ્યું કે, આ કંપની અમારો પરીવાર છે. કંપનીએ અંજાર શહેરને અને ગ્રામ્ય વિસ્તારને લગતા જે કંઈ વિકાસને લગતા કામ કરે છે તે યોગ્ય છે. પરંતુ ૩ કે ૪ મહીનામાં કંપની દ્વારા ગ્રામ્ય વિસ્તારનાં બે કે ત્રણ મુખ્ય વ્યક્તિને બોલાવી હોસ્પિટલ, રોડ-રસ્તા વગેરેનાં વિકાસની ચર્ચા કરે અને કંપની દ્વારા તેઓનાં પ્રશ્નો નિકાલ કરવામાં આવે તેમજ કંપનીને કંઈ પણ મુશ્કેલી હોય તો અમે કંપનીની સાથે છીએ. કંપની દ્વારા અમારા સુચનોને ધ્યાને લઈ કાર્ય કરવામાં આવે. તેમણે વધુમાં જણાવ્યું કે, અંજાર શહેરમાં ૨ મહીના પહેલા બ્લડ બેન્ક શરૂ કરવામાં આવેલ છે અને કોઈ પણ કાર્યમાં કંપની અમારી સાથે રહે તેવી અમારી વિનંતી છે. 	<ul style="list-style-type: none"> કંપની પ્રતિનિધિએ જણાવ્યું કે, કંપની દ્વારા બ્લડ બેન્ક માટે વિચાર કરવામાં આવશે અને તે માટે કાર્ય પણ કરવામાં આવશે.
૩૮	શ્રી હિરાલાલ યાદવ, ગામ : વરસામેડી, તા. : અંજાર, જિ. કચ્છ	<ul style="list-style-type: none"> તેમણે રજુઆત કરતા જણાવ્યું કે, હું ૧૧ વર્ષથી કંપનીમાં કાર્ય કરું છું, અને લગભગ ત્રણ મહીના પહેલા મારા ભાઈની છોકરીનું અકસ્માત થયેલ હતું. ત્યારે કંપનીએ મને ૧ લાખનો ચેક આપેલ. તેમજ કંપની દ્વારા, 	<ul style="list-style-type: none"> કંપની પ્રતિનિધિએ જણાવ્યું કે, તમારા સુચનને ધ્યાને લઈ કંપની દ્વારા ઘટતી કાર્યવાહી કરવામાં આવશે.

GUJARAT POLLUTION CONTROL BOARD

Regional Office, Kutch (East),

Room No. 215-216, Second Floor, Kandla Port Trust

Administrative Building, Sector-08, Gardhidham, Kutch - 370 201

Website: www.gpcb.gov.in



		<p>અહીં ગામડામાં જે સુવિધાઓ આપવામાં આવેલ તેનાથી હું સંતુષ્ટ છું.</p> <ul style="list-style-type: none">તેમણે વધુમાં જણાવ્યું કે, અમારા ગામમાં મકાન, પાણી અને અન્ય બીલ ભરીએ છીએ તેમાં કંપની અમને કંઈક મદદ કરે અને આજુબાજુનાં ગામને પણ મદદ કરે.તેમણે વધુમાં જણાવ્યું કે, મહીલાઓને ગામમાં કંપની તરફથી રોજગારી આપવામાં આવશે તો તેઓનો પરિવાર આગળ આવશે	
--	--	---	--

પ્રાદેશિક અધિકારી(કચ્છ-પૂર્વ), ગુજરાત પ્રદુષણ નિયંત્રણ બોર્ડ દ્વારા ઉપસ્થિત જનસમુદાયને જણાવેલ કે પર્યાવરણીય લોક સુનાવણી અગાઉ અન્ય વ્યાજબી હિત ધરાવતા કુલ સાત (૭) વ્યક્તિ જેમાં (૧) શ્રી સ્વામી વિવેકાનંદ યુવક મંડળ, ભુજ-કચ્છ, (૨) પ્રમુખશ્રી, લોક અધિકાર સંગઠન, ગામ : ખારા પસવાડીયા તા. અંજાર, જી. કચ્છ, (૩) શ્રી જીતેન્દ્રકુમાર બબલભાઈ પટેલ, અંકલેશ્વર, (૪) શ્રી મહેશભાઈ પરમાર, પર્યાવરણ મિત્ર, અમદાવાદ, (૫) શ્રી અનવર અયુબ ત્રાયા, ગાંધીધામ, ભુજ-કચ્છ, (૬) શ્રી મહેશભાઈ પંડયા, પર્યાવરણ મિત્ર, અમદાવાદ, (૭) શ્રી વિશ્રામ રામજી સોરઠીયા, અંજાર તરફથી લેખિતમાં રજુઆત મળેલ છે. આ લેખિતમાં કરેલ રજુઆતોના પ્રશ્નો તથા પ્રોજેક્ટ પ્રપોઝન્ટ તરફથી આપવામાં આવેલ લેખિતમાં જવાબોની આજની પ્રોસેડિંગમાં સમાવેશ કરવામાં આવશે.

પ્રાદેશિક અધિકારી(કચ્છ પૂર્વ), ગુજરાત પ્રદુષણ નિયંત્રણ બોર્ડ દ્વારા ઉપસ્થિત સ્થાનિક અસરગ્રસ્તોને અન્ય કોઈ રજુઆત હોય તો તે કરવા માટે વારંવાર જણાવવામાં આવેલ પરંતુ અન્ય કોઈ રજુઆત મળેલ ન હતી.

GUJARAT POLLUTION CONTROL BOARD

Regional Office, Kutch (East),

Room No. 215-216, Second Floor, Kandla Port Trust

Administrative Building, Sector-08, Gandhidham, Kutch - 370 201

Website: www.gpcb.gov.in



પ્રાદેશિક અધિકારી(કચ્છ પૂર્વ), ગુજરાત પ્રદુષણ નિયંત્રણ બોર્ડ દ્વારા પર્યાવરણીય લોક સુનાવણી ની સમગ્ર કાર્યવાહીનો સારાંશ ઉપસ્થિત જનસમુદાયને જણાવવામાં આવેલ.

શ્રી આઇ.આર.વાળા(જી.એ.એસ), અધિક જીલ્લા મેજિસ્ટ્રેટશ્રી, કચ્છ એ જણાવ્યું કે. ઇ.આઇ.એ. નોટીફિકેશનની જોગવાઈઓ મુજબ અને તેમાં દર્શાવેલ પ્રક્રિયાને અનુસરીને આજની લોક સુનાવણી રાખવામાં આવેલ છે. જેનાં ઉપસ્થિત સ્થાનિક ગ્રામજનો તરફથી પર્યાવરણીય સુરક્ષા, સ્થાનિક રોજગારી તેમજ સામાજિક અને શૈક્ષણિક જવાબદારી પર ભાર મુકવામાં આવેલ છે અને કંપનીનાં પ્રતિનિધિ દ્વારા પર્યાવરણને લગતા પ્રશ્નોનાં જવાબ આપવામાં આવેલ છે જેને નોંધવામાં આવેલ છે. આ લોક સુનાવણીની કાર્યવાહીની નોંધ ભારત સરકારનાં સંબંધિત વિભાગને આગળની કાર્યવાહી અર્થે મોકલવામાં આવશે.

પ્રાદેશિક અધિકારી, ગુજરાત પ્રદુષણ નિયંત્રણ બોર્ડ દ્વારા અંતમાં પર્યાવરણીય લોક સુનાવણીને અધિક જીલ્લા મેજિસ્ટ્રેટશ્રી ની પૂર્વ મંજૂરી મેળવી આભાર સહ સમાપ્ત જાહેર કરવામાં આવેલ.

સ્થળ: રોટરી ભવન,

અંજાર,

જિ. કચ્છ

તા. ૧૪/૦૯/૨૦૧૬

કે.વી. ચૌધરી

પ્રાદેશિક અધિકારી ,

અને

સહય સચિવશ્રી

ગુજરાત પ્રદુષણ નિયંત્રણ બોર્ડના

પ્રતિનિધિ

આઇ.આર. વાળા(જી.એ.એસ.)

અધિક જિલ્લા મેજિસ્ટ્રેટશ્રી

અને

જીલ્લા મેજિસ્ટ્રેટશ્રી તથા જીલ્લા

કલેક્ટરશ્રી, લુજ-કચ્છ નાં પ્રતિનિધિ

GUJARAT POLLUTION CONTROL BOARD

Regional Office, Kutch (East),

Room No. 215-216, Second Floor, Kandla Port Trust

Administrative Building, Sector-08, Gandhidham, Kutch – 370 201

Website: www.gpcb.gov.in



Annexure-C

A statement showing response and comments received in written, with respect to aforesaid public notice regarding public hearing, before and during the public hearing.

Sr No	Comments received in writing from Concerned Persons	Annexure
1	Shree Swami Vivekanand Yuvak Mandal, Bhuj-Kutch	C-Q-1
2	Lok Adhikar Sangathan Kutch, Kharapasvariya, Ta. Anjar	C-Q-2
3	Shri Jitendrakumar Babalbhai Patel, Ankleshwar	C-Q-3
4	Shri Maheshbhai Parmar, Paryavaran Mitra, Ahmedabad	C-Q-4
5	Shri Anwar Ayyub Traiya, Gandhidham, Bhuj-Kutch	C-Q-5
6	Shri Maheshbhai Pandya, Paryavaran Mitra, Ahmedabad	C-Q-6
7	Shri Vishram Ramji Sorathiya, Vill: Anjar	C-Q-7
8	Shri Karshanbhai Rabari, Kharapasvariya, Ta. Anjar	C-Q-8
9	Shri Atmaram Gamot, Bhimasar, Ta. Anjar	C-Q-9
10	Shri Shankar Chavda, varsamedi, Ta. Anjar	C-Q-10
11	Smt. Kashiben Rajput, Anjar	C-Q-11
12	Shri Maheshbhai Maraj, Lkhapat	C-Q-12
13	Shri Madeva Maytra, Sapeda	C-Q-13
14	Smt. Kunverben Rabari, Varshamedi, Ta. Anjar	C-Q-14
15	Smt. Kunverben Hethvadiya, Varshamedi, Ta. Anjar	C-Q-15
16	Shri Naveen Jharu, Bhuj-Kutch	C-Q-16
17	Shri Rameshwariben Ahir, Gandhidham	C-Q-17

GUJARAT POLLUTION CONTROL BOARD

Regional Office, Kutch (East),

Room No. 215-216, Second Floor, Kandla Port Trust

Administrative Building, Sector-08, Gandhidham, Kutch – 370 201

Website: www.gpcb.gov.in



Sr No	Comments received in writing from Concerned Persons	Annexure
18	Shri Ramesh Jiva Ajana,Varshamedi, Ta. Anjar	C-Q-18
19	Shri Ramesh Jiva Ajana,Kharapasavariya ,Ta. Anjar	C-Q-19
20	Shri Arjan Ahir,Ambapar	C-Q-20
21	Shri Sambhu Humble,Varshamedi, Ta. Anjar	C-Q-21
22	Shri Gopal Rabari,Kharapasavariya ,Ta. Anjar	C-Q-22
23	Shri Jesabhai Ajana,Varshamedi, Ta. Anjar	C-Q-23
24	Shri Lakhabhai Rabari,Kharapasavariya ,Ta. Anjar	C-Q-24
25	Shri Jivakana Rabari,Varshamedi, Ta. Anjar	C-Q-25
26	Shri Jesang Agariya,Antarjal	C-Q-26
27	Shri Narendra Notani,Adipur	C-Q-27
28	Shri Jaydeep vaak,Adipur	C-Q-28
29	Shri Rameshchandra Solanki, Ta. Anjar	C-Q-29
30	Shri Mihir Kangad,Gandhidham	C-Q-30
31	Shri Karsanbhai Rabari,Meghpar borichi	C-Q-31
32	Shri Brij Ahir,Adipur	C-Q-32
33	Shri Vinod pababhai Chaiya,Adipur	C-Q-33
34	Shri M. H. Makati,Gandhidham	C-Q-34
35	Sarpanch Shree Gram Panchayat,Padana	C-Q-35
36	Sarpanch Shree Gram Panchayat,Nani chirai	C-Q-36

GUJARAT POLLUTION CONTROL BOARD

Regional Office, Kutch (East),

Room No. 215-216, Second Floor, Kandla Port Trust

Administrative Building, Sector-08, Gandhidham, Kutch – 370 201

Website: www.gpcb.gov.in



Sr No	Comments received in writing from Concerned Persons	Annexure
37	Shri Mukeshbahi Ahir, Sarpanch, Antarjal	C-Q-37
38	<u>Unnamed</u>	C-Q-38

Gujarati to English Translation

Shri Swami Vivekanand Yuvak Mandal

Head Office : Flat No. 1, 1st Floor, Haridarshan Building, opp. Commerce Collage, Near Jay Nagar,
Bhuj-Kutch

To,
Member Secretary,
Gujarat Pollution Control Board,
Gandhinagar-Gujarat

Subject: To suspend the Proposed Environmental Public Hearing of M/s. Welspun Steel Ltd.
Varshamedi, Tal. Anjar till the resolution of the representation raised by us.

Respected Sir,

It is to inform you on the above mentioned subject that, public notice has been published in the daily local news paper "Kutch Mitra" by your department for conducting Environmental Public Hearing of M/s. Welspun Steel Ltd. Varshamedi, Tal. Anjar-Kutch. We have given applications many times against the violation of the environmental norms and misconduct by the operating unit of M/s. Welspun Steel Ltd. Varshamedi but till today we didn't received any satisfactory answer of our any application. So we are strictly opposing the proceedings carried out by you for the installation of the proposed plant of the M/s. Welspun Steel Ltd. Varshamedi and we are requesting to you to suspend the proposed Environmental Public Hearing as our earlier application against the company are not resolved.

For this purpose on the following points we have given application earlier, so it request to you to take a proper decision considering those points.

1. M/s. Welspun Steel Ltd. Varshamedi has violated the environmental norms openly, for which they have been given notice during checking of the company by your department which we have obtained through RTI which proves that company is not serious about the environmental norms. (Annexure-1)
2. This company has taken many lakes of Varshamedi Simtad under its custody and blocked the natural flow of water and the way to go to them are also been blocked which is unlawful for the local people and animals and is also dangerous for the surrounding environment. (Annexure-2)
3. Company had purchased nearby lands from private owner and had constructed a big lake for industrial purpose; canals have been blocked and connected to this lake for collection of water. By obstructing the natural flow of water company has cheated with local people and wild life and done environmental offence. (Annexure-3)
4. This company is spreading massive pollution, chemical waters of the plant are released directly to the open areas without any treatment as per norms due to which such situation are created which will result into suffer to the local people and wild life at present and in future. Company is also not disposing hazardous waste properly which is serious matter. Company have not developed green belt as per norms and during installation of the plant company has destroyed

lots of green trees without permission of the related authority which has resulted in the loss to the environment against which application has been given but no action has been taken yet. 17 companies has been set up by the merger/demerger of the Welspun during it establishment, so as per rules whether EC for all have been taken or not? Whether each company have developed separate green belt or not? This is also an issue for investigation. (Annexure-4)

5. When any industry establishes then there is a hope to the local residents of the employment. But this company has done against it by making unemployed to the small farmers who are farming from drainage line because drain line water are connected direct to the company from tanker of nagarpalika through pipeline and are used in plant. Company is making farmer unemployed. (Annexure-5)
6. Company has been also given notice for polluting environment from Central Pollution Control Board. Warning is also given to the company to give clarification for the same or else closure notice will be given to company by this it can be determined that in what extent company is spreading pollution. (Annexure-6)
7. As per the norms of the earlier EC if company is not able to complete its operation within decided time then to increase time of EC is unconstitutional. To extend the time of the company for completing its operation is violation of the environmental norms. This is eminent matter so this company comes under suspicion. (Annexure-7)
8. Along with this company has done other misconduct also such as land obtained for the establishment of the company is in unconstitutional way which issue was many time headline of the newspaper. Conduct of the company not proper and it has neglected its rules and regulation and even shareholders of the company are also not allowed to visit the unit. (Annexure-8)

Moreover company has done other misconduct such as during merger/demerger has was to pay transfer fee which is not paid by the company. Company has also not considered notice give by Human Right and company has not given reply of the notice till today given by us through our advocate.

Company has always in issue due to publication of its environmental misconduct act in news paper. So considering all above issues it is request to you.

S/d

8. Going against just activities, Gujarat Pollution Control Board has not organized the Public Hearing in the local region or nearby region of project, but at the head office of taluka biasing only towards the Company, and with ill intentions of affected people not being able to voice their opinions and instructions damaging the wellbeing of the people. It is mentioned in the EIA guidelines that such Public Hearings should be organized as near as possible to the project region, but the affected people are denied to represent their opinions by organizing the Public Hearing at the head office of the taluka.

- We respectfully demand the following for the proceedings,
 1. If the Government believes in justice and wellbeing of the people, then this unjust proceedings should be immediately stopped and the Public Hearing be postponed.
 2. Legal actions should be taken against Gujarat Pollution Control Board for taking up such unjust activities.
 3. For maintaining the rights to voice our opinions and freedom of speech, and to assure that the law is implemented and respected, we request you to postpone the announced Public Hearing so that we may get enough time. The Public Hearing should be organized in local nearby region.

If the Government is unable to fulfill these demands and the Public Hearing is not postponed then it will be believed that the Government endorses injustice and damaging activities.

We request you to let us know about the proceedings from your end.

With expectation of proceedings.

s/d-
President
Lok Adhikar Sangathan, Kutch
Village: Kharapasvariya, Taluka: Anjaar (Kutch)

s/d-
Vice-President
Lok Adhikar Sangathan, Kutch
Village: Kharapasvariya, Taluka: Anjaar (Kutch)

s/d-
Lok Adhikar Sangathan, Kutch
Village: Kharapasvariya, Taluka: Anjaar (Kutch)

3. The Company has already started construction and work for the project without getting environmental permission. It is important that we know and understand that this is mentioned in the project information, and be investigated. By not providing the information of project in the allotted time, we were devoid of presenting our opinions and instructions regarding it. We request you to postpone the Public Hearing for this project.
4. The Company has installed a pipeline from the region of project to the sea which is 35 to 40 Km long pipe for disposing industrial waste water generated by the Company. Are they getting CRZ authority and environmental approval for the same? Is it considered in the project study report? The answers to these questions are important to know and understand. However, the information for the project was not provided in the allotted time denying us the information regarding it. Because of which we are unable to present our opinions and instructions. Thus, we request you to postpone the Public Hearing.
5. Three State roads fall in the region for the Company's project which are to be kept accessible and kept safe due to Collector's order; however, the Company has occupied them and access is denied. Have they mentioned any situation regarding this in the project proposal? It is important to know and understand that this is a breach of Collector's order, and it is very grave scenario. However, the information about the project has not been provided in the allotted time, and we did not get enough time to investigate or understand the project. Thus, we request you to postpone the Public Hearing.
6. The Company has destroyed three lakes in this region which act as lifeline. According to orders of Vadi Court of Gujarat (Sailesh Shah V. State of Gujarat), all the natural sources of water are to be preserved which has been neglected and disrespected. It is public right and freedom of speech to know if these points have been included in the study report, and to present opinions and instructions. However, the information about the project has not been provided in the allotted time. Thus, we have been kept away from knowing and understanding them, so we request you to postpone this Public Hearing so that we may get enough time to investigate and understand them respecting these circumstances in a lawful manner.
7. Public Hearings were announced to be scheduled on 08-01-2016 and 09-01-2016 in Mahisagar and Aravalli districts of Gujarat by Gujarat Pollution Control Board for a project on TCDF site of The Green Environmental Service Co-Op Society Ltd.; however, the Gram Panchayats and people of affected region were not provided information regarding the project in the allotted time, so the Chairpersons of both the Public Hearings had ordered postponement of the Public Hearings because of disrespect to the EIA guidelines. This project also has the same situation, so we request you to postpone the Public Hearing.

2

Gujarati to English Translation

President : Karsan R. Rabari
Lok Adhikar Sangathan Kutch
Village: Varsamedi,
Ta. Anjar
Date: 14/09/2016

To,
Chairman and Collector,
Bhuj (Kutch)
Collector office,
Environmental Public Hearing Committee,

Subject: Regarding the postponement of Public Hearing scheduled on 14-09-2016 for a project of M/s. Welspun Steel Pvt. Ltd. company in Varsamedi, Ta. Anjar.

Respected Sir,

I would like to draw your attention regarding the above mentioned subject that M/s. Welspun Steel Ltd. company is located at Varsamedi, Taluka - Anjar. A Public Hearing for a project of the same company has been announced under your presidency. We would like to draw your attention to the following points which are legally abusive, so we request postponement of the Public Hearing with your approval.

1. According to Indian Government EIA guidelines, any project that requires organization of a Public Hearing for environmental approval is required to present information regarding the project to the people of affected region and the Gram Panchayat at least 30 days prior to the Public Hearing; however, the information about the project has not been provided in the allotted time. Thus, we did not get enough time to investigate or understand the project.
2. There have been two accidents in the Company recently due to which there were two deaths breaching Human Rights. The understanding of this is important, and we request to present opinions and instructions regarding it. Thus, it is needed for us to know about the project so that proper steps are taken for safety. However, due to not receiving information about the project in the allotted time, we were denied of it. Thus, this Public Hearing should be postponed, and enough time to be provided to understand the information of this project.

Hindi To English Translation

Patel Jitendrakumar Babalbhai
A-4, Gajanan Park,
Behind R.B.L. School,
GIDC, Ankleshwar,
Dist.: Bharuch- 393002.
Date:- 05/09/2016.

To,
Member Secretary,
Gujarat Pollution Board,
Gandhinagar.

Respected Sir,

Environmental Public Hearing is going to be conducted on 14th September of Welspun Steel Ltd. at Varshamadi, Tehsil: Anjar, Dist.: Kutch. We have following issues and suggestion for same.

1. Your plant in Dahej PCPIR is stopped due to no order for product. What will be the status of selling of product of proposed plant?
2. Whether workers working in Dahej PCPIR plant which is stopped will be transferred to proposed plant or not? What parameters will be there for them?
3. In your existing plant any such accident occurred due to which there is death of any person? If happened then given detail of same.
4. Which disease is likely to affect due to working in your company for long period?
5. From where will you bring coals which will be used in your plant? What provisions have been done to prevent pollution during its transportation?
6. How many percent of green belt are developed in your company in recent time? Which plants are there and in what number?
7. How peoples are employed in your existing company? How many are permanent in that? How many local employs are there?
8. Which test will you take in pre-medical? Why?
9. We expect that solar energy and renewable energy to be used as much as possible in your company.
10. We expect to include authorized NABET certificate of environment consultant. Which certificate is shown earlier is not proper certificate.

I expect to give reply in hindi.

Jitendrakumar Babalbhai Patel
Ankleshwar
Mob.: 9998980519

Gujarati To English Translation

Ref.: PM/MA/2715/201633

Date: 7th September 2016

To,

District Collector,

Dist.-Kutch,

Bhuj.

Subject: For Environmental Public Hearing Conducted by GPCB on 14-09-2016 at Anjar (Kutch)

Ref.: Applicant Karsan R. Rabari (President- Lok Adhikar Sangathan, Kutch) and others representation of 06-09-2016.

Respected Sir,

As per representation received here on above mentioned subject and reference Environmental Public Hearing is conducted by Gujarat Pollution Control Board, Gandhinagar for project of M/s. Welspun Steel Ltd. at Varshamadi, Tal. Anjar, Dist. Kutch which is not organized as per EIA notification.

As per EIA notification S.O. 1533 of dated 14th September, 2006 of government of India under Para 3.0 Notice of Public Hearing in sub-para 3.1 at least 30 days to be given for representation for project in Environmental Public Hearing and the guidelines of the notification has not been followed and time as per guideline is not given.

It is demand that, considering the representation proper steps to be taken so that legal matters should not be violated.

It is request to intimate us regarding action taken by you.

Thanking You,

(Mahesh Parmar)

Copy Sent:

1. Member Secretary, GPCB, Gandhinagar.
2. To applicant for intimation.

Annexure: With this representation of applicant is annexed.

Gujarati to English Translation

Dare: 9-9-2016

To,
The Collector,
Chairman, District Environmental Hearing Committee,
Kutch

Sub: Representation in the Environmental Public Hearing of Welspun Steel Ltd. at Anjar.
Respected Sir,

Please take the reply of our following pollution related issues in the Environmental Public Hearing of Welspun Industries Ltd. at Anjar. Due to air pollution our health is affected heavily so it is request to take step to control air pollution.

1. Give detail of construction done without permission in the new expansion plant shown in EIA report of this project.
2. Give detail of distance between Sang River and proposed plant. How much distance is required legally to be between them? And if such norm is not fulfilled then this project cannot be permitted at this place.
3. We demand to change the place of proposed project which is located nearer to Sang River. If proposed project is permitted at proposed place then it will be equivalent to spoil the river. This information is not disclosed in EIA report so we demand to disclose same and project to be rejected.
4. Disclose the distance between Welspun Company and new irrigation canal. And mention it with true information in EIA report.
5. Give information regarding monthly production of main product for last 2 years from existing plant.
6. Give detail of technology to be used for kvetching gases released from kook oven plant and show us record showing working capacity of such technology.
7. Give detail of latest technology to be used for kvetching in proposed plant and what will its effect on air pollution?
8. Give full detail of dry kvetching, its result and its working capacity and name of the company certifying this technology?
9. Disclose the level of sulfur and ash in kook and coal to be used in company and give report of laboratory with its primary production place.
10. As per mentioned in EIA report ESP technology will be used to control air particle under work zone, so it must be disclosed that of what capacity and at which place it will be installed.
11. Give excepted figure of production of sulfur and de-sulfur from the unit in a month.
12. What will be height of company's chimney? Whether it will be proper?
13. Give statics of continuous monitoring of VOC parameter from existing chimney for last 2 years.
14. Disclose the steps taken for controlling VOC from existing chimney.
15. Give monitoring result of poison level in kook oven gas from DPR.
16. What step will be taken to control yellow gases released during charging? Give its detail. Pollution in this area is increasing due to these yellow gases and due to which there will be difficulty in breathing and health will be in danger, so local people are opposing this project. It is request to reject this project.
17. Give information regarding ESP with the company and places where it is installed with its working capacity.
18. Disclose level of slug released per unit in whole project. Where slug will be installed? In the absence of the slung facility this unit should not be permitted.

19. Give monitoring result of slug released from kook oven plant. Whether it comes under the definition of hazardous waste? Give evidence for the same.
20. Where will all types of slug will be stored? From the map it seems that there is lack of place.
21. MOU has been not done with Cement Company for re-use of slug which is violation of ToR.
22. Give information relating whether any other costly metals will be recovered or not? And pollution due to it.
23. How the TAR released from bhathi will be disposed? Give its monitoring result. Whether it will be under hazardous waste?
24. Give detailed information of steps to be taken for reducing level of sulfur oxide.
25. Disclose steps to be taken to control fly ash coming out of lime/kelseling plant.
26. It is our request to control the air pollution spreading heavily from the existing plant.
27. Give figure for last 2 years of online stake monitoring.
28. Which online stake monitoring result has been disclosed on the front of company gate for public?
29. Air quality figure mentioned on page no.3-35 of EIA report are doubtful. SO₂ are same at four places which is mentioned 20. Figure of CO comes under the multiple of 100 in whole report, PM₁₀ is in range of 103 at four places and at other two places it is about 105 in dry region of Kutch which is doubtful. We demand that these figures should be monitored again. So till monitoring of these figures this project should not be permitted.
30. In De-fenolization plant cyanide process will be done after activated slug process. Disclose process to dispose cynide contained waste after above process.
31. Give detail of technology to be used for purification of water filtering ammonia, finolic compound and cynide and its supplier and working capacity.
32. Give information of technology controlling TDS to reduce water pollution. There is no link between CETP figure and level of TDS, so give importance to the issue.
33. In picture showing the use of water in the place of water per day, water per hour is mentioned which is difficult to understand. So it is our demand that water to be used and released in MLD per day should be mentioned.
34. Give information regarding quantity of hazardous waste produced from upcoming project and its disposal.
35. Whether TOC meter is kept online or not? If kept then give detail regarding pollution reduced as per its data. And how TOC data has been determined in reference to water pollution? And what conclusion has been obtained with figure from the TOC data?
36. Give details with figure of program done and name of village regarding CSR activity done by company in last 2 years.
37. How many people are habitants in company's Anjar Township.
38. Where the municipal solid waste are disposed emerging from company? Give detail of permission obtained for same.
39. Disclose the data of waste emerging from township of the company, permission obtained and cost for same. If waste are disposed to the Municipal Corporation then disclose permission and cost for same.
40. Give detail of capacity of STP plant for treatment of liquid waste released from the company's township and permission of GPCB for same.
41. Red waters are released by Welspun Company in Sang River which are polluting river's water then why action is not taken by company to prevent it? Give copy of the notice given by GPCB for the same and disclose steps taken for the same in the public.
42. Why company has not taken water sample from any boring beside Sang River? Due to the polluted water of Sang River underground water of this area is also affected which is not disclosed in this report. So we demand to monitor underground water of this area and if found polluted then action to be taken against the company.

43. Company has mentioned in Page no. – 3-25 of EIA report that Sang river is polluted (COD 100 to 375) and reason for pollution are small industries who release waste water, so name of those industries should be disclosed. Welspun company is using name of other small industries to defend himself of his wrong is not proper. So we demand inquiry to be conducted for pollution of Sang River due to red water.
44. Company has not taken water sample from the Sang River where Welspun company release its water because company itself releases red water there so company and agency who prepared EIA report should give explanation for same.
45. How much MLD water is used and released by the existing company? Give its detail in MLD. And also give clear figure of water to be used in proposed project and polluted water to be released.
46. Give copy of permission obtained for water department of Gujarat Government for more water requirement.
47. Give the information regarding status of 33 % of the trees planted within company and information of number of trees planted within the company.
- 48.
49. Give information regarding number of accidents occurred in the Welspun Company within last 3 years.
50. Disclose summary prepared by company for following rules and regulation of CREP given by CPCB and give papers disclosing status of its plan.

Proper action to be taken on the following issues and demand presented by us and it is our presentment that this kook oven plant and steel plant which is spreading pollution heavily should not be permitted.

Thanking you

Yours faithfully

	Name	Mobile	Sign
1	Anwar Ayub Traya	9909525001	
2	Haankasam Suleman Traya	9825662470	
3	Aavad Bin Umar	9408348452	

Ref: PM/MP/2718/2016

Date: 12/09/2016

Annexure - C-G-6

To,
Member Secretary
Gujarat Pollution Control Board
Gandhinagar

Sub: Environmental Public Hearing of M/s. Welspun Steel Limited, at Village:
Versamedi, Tehsil: Anjar, Dist: Kutch to be held on 14th September 2016.

Sir,

We have studied the draft EIA report of the above-mentioned project. Following are our observation/comments/questions regarding project and draft EIA report.

1. What is the status of NOC application to GPCB for this project?
2. When was environmental clearance for this project in Form I applied?
3. How the required land for the project is acquired? Was it a government or private land?
4. What was the previous land use of the land for proposed project? For what purpose has industry has obtained NA permission for the land? Please provide the document.
5. What types of precautions will be taken for storage and transportation of hazardous material and waste?
6. Please justify domestic water requirement for existing and proposed expansion project.
7. Please provide unit-wise details of ETP with dimensions of the ETP units of this project.
8. Please give exact dates of monitoring of each samples of surface water / ground water, soil, ambient air and noise monitoring.
9. As per EIA report, the study area lies in Zone V, which is referred as Very High Damage Risk Zone, but there is no mention of complying to "IS 1893(Part 4):2005 'Criteria for Earthquake Resistant Design of Structures: Part 4 Industrial Structures Including Stack Like Structures' by the industry. Please justify.
10. Whether industry is planning for residential colony for the employs of the proposed project? If yes please provide the details.
11. Are there any roads which are going to get blocked or closed due to the proposed project?
12. EIA mentions that there is "Water Pollution of Sang River, Churwa River and Tapar Dam Reservoir". So what are the factors that are causing water pollution in these water bodies?
13. As per the EIA report, 2.0% by built-up land and 0.5% of the total project area is occupied by water body. So please clarify which types of water bodies are present in the project area.
14. Is there any cost-benefit analysis carried out for proposed project's benefits vs loss of ecosystem including flora, fauna and vegetation?
15. As per EIA report, about 85% sold out as granulated slag for captive cement manufacturing; balance 15% as dry slag would be used for land reclamation and road construction. Please provide agreement / MOU with cement manufacturer to whom BF Slag will be sent.
16. Please give detail list of people who will be responsible for implementation of EMP?
17. What is the socio-economic developmental activities industry has done as a part of CSR activity for the existing unit till now and what is the future plan for CSR activity for proposed project.
18. How many local people will get employment through this proposed project?

Yours truly,

Mahesh Pandya

CC: 1. . Collector, Kutchto
2.Regional officer, GPCB – Kutch (East)

Gujarati To English Translation

Vishram Ramji Sarothiya,
Kapdi Vadi Vidi Road,
Anjar, Kutch – 370110
Date: 06/09/2016

To,
Sabhya Sachiv,
Gujarat Pollution Control Board,
Paryavaran Bhavan, Sector 10 A,
Gandhinagar 382017

Subject: With reference to Environmental Public Hearing of M/s- Welspun Steel Ltd., Village: Varsamedi, Taluka: Anjar, District: Kutch.

Reference: The public declaim published in Dainik Kutchmitra on 10/08/2016.

Respected Sir,

With respect to the above mentioned subject and reference, I would like to inform you that you have organized a Public Hearing on 14-09-2016 for the suggested project of Integrated Steel – 3.0 million ton/year of M/s- Welspun Steel Ltd., Village: Varsamedi, Taluka: Anjar, District: Kutch based on their application, because of which kindly accept our application of objection with the below mentioned points for the installation of the mentioned plant.

1. We are small scale farmers, and farming is earns our daily bread. Our farming land is located in Varsamedi, Taluka: Anjar, District: Kutch.
2. Our farming land is located very close to the Captive Power Plant of M/s- Welspun Group. Due to which we have to suffer huge damages.
3. The coal and coal powder used in the Captive Power Plant of M/s- Welspun Group of Companies has destroyed our farming land for eternity. The coal powder regularly flying to our farming land due to the open stashes of coal in coal yard, and from the conveyer belt of the plant has made our farming land unproductive forever. Moreover, the dust coming out of the Plant's furnace flies to the farming land which has made impossible for us to work. This coal powder flies on our farms throughout the year which can be viewed at the location.
4. According to the public declaim and Environmental Impact Assessment – EIA, M/s- Welspun Steel Ltd wants to install the suggested plant of Integrated Steel – 3.0 million ton/year in Village: Varsamedi, Ta. Anjar, Dist. Kutch. To achieve production of 3.0 million ton raw steel, raw materials like iron ore, coal, limestone, dolomite, etc will be used in huge amount which will spread pollution at a great degree and damage our farming land which will and is having a huge impact on our daily bread.

5. The electricity requirement for this plant would be fulfilled by Captive Power Plant and grid power supply system. A captive power plant which is located near our farming land is currently causing us damages in large scale, for which you are not undertaking any legal actions, and you are talking about installation of another plant?
6. Thus, we request you to take steps to stop this plant which is spreading pollution on a large scale, and then have a discussion on this subject. We have informed your court and other courts of Gujarat Pollution Control Board again and again on dates 04/11/2014, 24/12/2014, 10/04/2015, 18/01/2016, and 01/06/2016 through letters along with proofs, but neither any legal proceeding have begun by your court and any other courts, nor have we received any response.
7. Why are no steps taken by your court and any other court till date? You are not taking any actions to stop the spread of pollution in present, and you are talking about spreading pollution in future and degrade the current condition further.
8. Thus we request you to undertake legal proceeding for the current condition and stop pollution. If it is not done, then you and M/s- Welspun Group will be responsible for the mental, physical, and economic damages caused to us.
9. Thus, I hope that you would take strict steps in favour of the farmers, and put a stop to pollution forever, and make sure that such conditions are not recreated in future.

Yours Faithfully,

Shri Vishram Ramji Sarothiya,
Farmer – R. Survey no. 627/1
and 627/2, Varsamedi Sim,
Anjar, Kutch 370110

J-15012/29/2010-IA-II (M)
Government of India
Ministry of Environment & Forests

Tel no. 24363973
Paryavaran Bhavan,
C.G.O. Complex, Lodi Road,
New Delhi-110003

Dated: 19th April, 2010

OFFICE MEMORANDUM

Sub: Procedure for conduct of public hearing by the State / Union Territory Pollution Control Boards/Committees (SPCBs / UTPCCs) under the Environment Impact Assessment (EIA) Notification, 2006- Instructions regarding.

The Environment Impact Assessment (EIA) Notification, 2006 issued by the Ministry of Environment & Forests provides for public hearing to address the concerns of local affected persons and others who have plausible stake in the environment impacts of the project. Public hearing is one of the mandatory requirements for category 'A' or category 'B' projects listed in the schedule of the EIA Notification, 2006, requiring prior environmental clearance. A structured Public Consultation process has been put in place for conducting public hearing. Detailed procedure has been laid for conduct of public hearing by the State Pollution Control Boards to arrange in a systematic, time bound and transparent manner ensuring widest possible public participation. Further, EIA Notification amended on 1st December, 2009 has proscribed an elaborate procedure by replacing the earlier Appendix -IV regarding the procedure for conduct of public hearing.

2.0 The Hon'ble High Court of Delhi in Writ Petition (Civil) No. 9340/2009 & CM Appeal Nos. 7127/ 2009, 12496/2009 filed by Utkarsh Mandal and Others in its order dated 26th November, 2009 made the following observations with respect to conduct of public hearing by the State Pollution Control Board:

- (i) While on this aspect this court would like to make observations. We find from the notice of the public hearing in the present case that as many as six public hearings were scheduled in regard to projects (including that of the Respondent No. 3) by the Goa SPCB on the same date and time and at the same venue. It is a matter of concern that the requirement of public hearing under the EIA Notification has been taken so lightly by the MoEF. This needs immediate correction.
- (ii) If the hearing has to have adequate publicity then the notices would have to be repeated and spread over a period of ten days so that as many people as possible are made aware of such public hearing.
- (iii) Secondly, the Executive Summary which is required to be commented by the participants of the public hearing has to be made available at least 30 days prior of the date of the public hearing.


- (iv) Thirdly, there is no question of scheduling several hearings relating to different projects at the same date, time and venue. This can possibly result in avoidable chaos at such hearings. It also reduces the whole exercise to empty formality. We expect the MoEF to immediately issue necessary instructions in this regard so that public hearings in terms of Notification dated 14th September, 2006 take place with the seriousness which they deserve.

3.0 The observations made by the Hon'ble High Court of Delhi has been considered in the Ministry. The Ministry has been issuing various executive instructions relating to public hearing from time to time. The EIA Notification amended on 1st December, 2009 has prescribed an elaborate procedure for conducting public hearing. The requisite document for conduct of public hearing being made available 30 days prior to the date of public hearing is covered under the EIA Notification and for compliance by the concerned State Pollution Control Boards.

4.0 In light of the observations made by the Hon'ble Delhi High Court in its order dated 26.11.2009, all the State / Union Territory Pollution Control Boards/Committees (SPCBs/UTPCCs) are being instructed to comply with the following instructions:

- i. The State / Union Territory Pollution Control Boards/Committees (SPCBs/UTPCCs) shall clearly mention in the proceedings of the public hearing as to how adequate publicity was given to inform the local public about the public hearing and in regard to date, place and time of public hearing. Further, in the public hearing report, it shall be certified that process followed for public hearing was adequate.
- ii. The public hearings pertaining to different projects shall not be held at same venue at the same date and time. A sufficient gap of time shall be provided between different public hearings, if these are scheduled to be held on the same date and the same venue.

4.0 This issues with the approval of the Competent Authority.


(Dr. S.K. Aggarwal)
Director

To

- 1 Chairpersons / Member Secretaries of SPCBs / UTPCCs
- 2 Chairpersons / Members Secretaries of all the SEIAAs/SEACs
- 3 All the Officers of IA Division

Copy to:

1. PS to MEF
2. PPS to Secretary (E&F)
3. PPS to AS (JMM)
4. Advisor (NB)
5. Website, MoEF
6. Guard File

Gujarati to English Translation

Karshanbhai Rabari
Village: Kharapasvaria
Date: 14/09/2016

To,
Chairman and Collector,
Environmental Public Hearing Committee,
Welspun Steel Ltd.,
Varsamedi,
Ta. Anjar, Dist. Kutch

Subject:

Respected Chairman,

For lawful representation in front of you, I would like to respectfully demand that, whenever legal matters are not complied with then according to Notice of Public hearing Section-3.3 of Appendix-IV-3 of EIA notifications S.O. No. 1533, August-2015 of Indian Government's Forest and Environmental Ministry, You are empowered to postpone the advertised Public Hearing organized by Member Secretary, Gujarat Pollution Control Board. In view of above, by exercising the powers vested with you regarding the cancellation/postponement of scheduled Public Hearing of M/s Welspun Steel Ltd., you are kindly requested to cancel/postpone the scheduled Public Hearing as per provisions laid down under EIA notifications 2006 as the responsibility to do so lies with you.

1. According to Section -6.1 of Appendix IV of EIA notifications -2006 (S.O. No.-) of Indian Government, the details about the project were not made available at the local places at least 30 days prior to the Public Hearing.
2. According to paragraph iii of Office Memorandum J-15012/2g/2010-IA-II(M) of Forest and Environmental Ministry of Indian Government, the operation summary of the project is to be made available to local place at least 30 days prior to the Public Hearing which has not been complied with (A copy of office memorandum has been included).
3. According to the clause (a) of paragraph 7(i) III stage (3) public consultation(ii) of EIA notifications S.O. No. 1533, August - 2015, Public Hearing is supposed to be organized at the project site or any nearby location; however, it is disrespected and not been complied with, and has been organized at the taluka head office.

Thus, the legal matters have been disrespected in this Public Hearing, so it is a request that today's Environmental Public Hearing for the project of M/s Welspun Steel Ltd. on 14/09/2016 be postponed and be announced again, and legal steps be taken against the responsible officer Member Secretary, Gujarat Pollution Control Board - Gandhinagar for just implementation of law.

With request of decision of implementation of law.

S/d

6

Gujarati to English Translation

Atmaram B Gamot,
Village: Bhimasar,
Ta. Anjar
Date: 14/09/2016

To,
Chairman and District Collector,
Environmental Public Hearing Committee,
M/s Welspun Steel Ltd.,
Varsamedi, Ta. Anjar,
Dist. Kutch

Subject: With respect to the Environmental Public Hearing dated 14/09/2016 for M/s- Welspun Steel Ltd. located at Anjar taluka.

Respected Sir,

With respect to the above mentioned subject kindly consider my representation below, and include clarification in the Minutes and send me a copy of the Minutes.

1. There were three large lakes located in the region on which lives of animals and people of three to four nearby villages were dependent. The Company has leveled and destroyed these lakes, and illegally occupied it beyond their boundaries which has insulted and disrespected the verdict of Gujarat High Court for Sailesh Shah vs State of Gujarat. Moreover, this serious issue has not been included in the EIA investigation report.
2. Three state highways pass through the Company's region which have been occupied and closed illegally which is a serious action of prohibiting human requirements, and which has striped us of the right to walk on these roads.
3. The order of respected Collector has been insulted and disrespected with respect to the land given to the Company, and the instructions/conditions according to the order have not been complied with.

Gujarati to English Translation

I, Rudiben Myajarbhai Chavda living in village Varsamedi, would like to state that due to arrival of Welspun Company our area has seen major progress. I was devastated when my husband had passed away. We welcome this project. Due to the arrival of this project, many people will be benefitted, and will increase employment opportunities. The arrival of such new plants is like a blessing to families like us which are without a man.

R.H.P. of Rudiben Myajar

s/d-

Son: Shankar Myajar Chavda

(2)

Gujarati to English Translation

We used to live in Chitrod village, Ta. Rapat; however, due to difficulties to earn daily bread, we had shifted to Anjar 18 years ago. Due to the destructive earthquake of 2001 in Kutch, our house was destroyed. We were shocked and very upset. We somehow made it through 1-2 years with the help of government. After the arrival of Welspun Company in Varsamedi village of ta. Anjar, my husband got a job as a driver and he started with a salary of 4000 a month which has now increased to 15000 a month. Due to the arrival of this company, we got employment, and due to plantation of lakhs of trees by the Company in the Company vicinity, this area seems like a beautiful forest. Due to the arrival of this Company, this area has seen major progress, and greenery. Now the Company wants to install a new plant, and I welcome it.

R.H.P. of Kashiben Satish Rajput

s/d-

D: Bharat Suja Rajput

(2)

Gujarati to English Translation

Maheshbhai Mansukhlal Maraj

Village: Lakhapat

We are votaries at the local village temple. We used to offer prayers at the village temple, and we still do. After offering prayers, we had to sit idle all day as we had nothing to do. When Welspun company arrived, we went there and demanded employment then Company helped the women of our village with sewing machines due to which I learnt to sew clothes for other women of the village. Today, I earn 3000 to 4000 rupees a month. The company also planted trees around the temple. Today the temple and the area around it looks beautifully green. Due to the arrival of this company, people from outside of the village came in to stay in the village which increased the population which also increased the income of the temple due to which we can today work in the village to maintain religious goodwill. The religious faith of the people of the village has also increased due to the happiness. The Welspun Company is willing to install a new steel plant which causes us immense pleasure. Us all villagers welcome it.

Gujarati to English Translation

I was born in Sapeda village of Kutch. We and our elders are also farmers. We used to farm with the help of rain water. However, due to less rainfall in Kutch, in whichever year we had less rainfall, we had to travel to Saurashtra for livelihood and work as laborers there for that year. After the earthquake, due to the arrival of the companies we got business, and due to the plantation of trees by the company, there has been an increase in rainfall in Kutch. There will be even more benefits by arrival of new plants of such companies. Us, the villagers of Sapeda, applaud the arrival of this company.

L.H.P of Madeva Duda Myatra,

s/d-

D: Dangar Badhabhai Ladubhai

Gujarati to English Translation

Rabari Kunverben Kanabhai

Rabari samaj has been a wandering community for years. We were living outside of Gujarat for years. I was concerned when the Maldhani samaj would develop. Due to the arrival of such huge company in our region in Kutch, us people have progressed and we can educate our sons and daughters. This Welspun company has built its own school in which our and nearby villagers' children have started to study. Their future seems bright to us. The Welspun Company has carried out development work of 3.5 crores in our village. More than 1000 people of our village have gained employment. This company is ready to install a new plant. I welcome it.

R.H.P. of Kunverben Kana

s/d-

D: Rajesh Mema Dangar

૧૪

Gujarati to English Translation

Kunverben Gagubhai Hethvadiya

I was devastated for years due to the death of my husband. That is when I got employment in Welspun and I was able to support education of my son. Thousands of other people of our village like me have also got employment because of Welspun. If this new company arrives then there will be even more benefit. Villagers of nearby villages and I welcome this project.

Kunverben Gagu Hethvadiya

s/d-

Gujarati to English Translation

Date: 14/09/2016

Subject: With respect to the Public Hearing for M/s- Welspun India Ltd.

Due to the arrival of Welspun India company in Anjar-Kutch, there has been economic, social and educational development of Kutch. Moreover, if Welspun Steel Ltd. is commissioned according to the rules and regulation of government, then we have no objection.

s/d-

Naveenbhai Naranbhai Jharu

Operational Chairman

Kutch District Panchayat

Gujarati to English Translation

Date: 14/09/2016

Subject: About the Public Hearing for Welspun Steel India Ltd. company.

- ❖ There has been industrial development of Kutch on a large scale because of Welspun Steel India Ltd. Company.
- ❖ There have been many employment opportunities in Kutch because of Welspun Steel India Ltd. Company.
- ❖ Welspun Steel India Ltd. company has also played a major role in educational activities by fulfilling requirements.
- ❖ We welcome the new steel plant of Welspun India Ltd. which will be beneficial to the people of Kutch area.

s/d-

Rameshwariben Samjibhai Ahir

Gujarati to English Translation

Ramesh Jiva Ajana

Vill: Varsamedi,

Ta.: Anjar,

Dist.: Kutch

Date: 14/09/2016

To,
Chairman,
Environmental Public Hearing Committee,
Welspun Steel Ltd.,
Dist. Kutch

Subject: For Environmental Public Hearing of Welspun Steel Ltd.- Kutch on dated 14/09/2016.

Respected Sir,

With respect to above mentioned subject give clarification of the below mentioned representation and include them in minutes, send the copy of same to me.

1. Give year wise details of excise duty paid by the Welspun Steel company at Vill.: Varsamedi, Tal.: Anjar, Dist.: Kutch for last 3 years to the government.
2. Give monthly details of electricity consumed by your company since last 3 years.
3. Provide us monthly details of electricity bill paid by your company in last 3 years.

S/d

Gujarati To English Translation

Ramesh Jiva Ajana

Vill: Khara pasvariya ,

Date: 14/09/2016

To,
Chairman,
Environmental Public Hearing Committee,
Welspun Steel Ltd.,
Dist. Kutch

Subject: For Environmental Public Hearing of Welspun Steel Ltd.- Kutch on dated 14/09/2016.

Respected Sir,

With respect to above mentioned subject give clarification of the below mentioned representation and include them in minutes, send the copy of same to me.

1. Give year wise details of excise duty paid by the Welspun Steel company at Vill.: Varsamedi, Tal.: Anjar, Dist.: Kutch for last 3 years to the government.
2. Give monthly details of electricity consumed by your company since last 3 years.
3. Provide us monthly details of electricity bill paid by your company in last 3 years.

S/d

Gujarati to English Translation

Aarjan K. Ahir,
Village: Ambapur,
Ta. Anjar
Date: 14/09/2016

To,
Chairman and District Collector,
Environmental Public Hearing Committee,
M/s Welspun Steel Ltd.,
Varsamedi, Ta. Anjar,
Dist. Kutch

Subject: With respect to the Environmental Public Hearing dated 14/09/2016 for M/s- Welspun Steel Ltd. located at Anjar taluka.

Respected Sir,

With respect to the above mentioned subject kindly consider my representation below, and include clarification in the Minutes and send me a copy of the Minutes.

1. There were three large lakes located in the region on which lives of animals and people of three to four nearby villages were dependent. The Company has leveled and destroyed these lakes, and illegally occupied it beyond their boundaries which has insulted and disrespected the verdict of Gujarat High Court for Sailesh Shah vs State of Gujarat. Moreover, this serious issue has not been included in the EIA investigation report.
2. Three state highways pass through the Company's region which have been occupied and closed illegally which is a serious action of prohibiting human requirements, and which has striped us of the right to walk on these roads.

The order of respected Collector has been insulted and disrespected with respect to the land given to the Company, and the instructions/conditions according to the order have not been complied with.

Gujarati To English Translation

Shambhubhai Valabhai

Sumbhal,

Vill: Varsamedi,

Ta.: Anjar,

Dist.: Kutch

Date: 14/09/2016

To,
District collector and Chairman,
Environmental Public Hearing Committee,
Welspun Steel Ltd.,
Dist.: Kutch

Subject: For Environmental Public Hearing of Welspun Steel Ltd.- Kutch on dated 14/09/2016.

Respected Sir,

With respect to above mentioned subject give clarification of the below mentioned representation and include them in minutes, send the copy of same to me.

1. For your proposed project there will be consumption of 4 crore and 73 lakh litter water, so from where and in what way you will get the water?
2. Whose permission has been obtained for use of this water? Provide us a copy of the permission and copy of document submitted along with application for support of application of obtaining permission.
3. How much industrial waste water per day will be released from the proposed project? And whether provision for release for the same has been made?
4. What is the per month cost for operation of ETP plant of proposed project?
5. How much waters are consumed in the existing plant per day? Provide us copy of the permission for the same and detail that from where these waters are being taken?
6. How much industrial waste water per day are released from the exiting industry? Where and in what mode these waters are released?
7. What is the capacity of ETP plant per day for treatment of industries waste water? And give us the detail of cost per month for the operation of ETP plant?
8. Provide us details of the number and location of ponds in study area of proposed plant?

S/d

Gujarati To English Translation

Gopal Radha Rabari

Vill: Khara pasvariya,

Ta.: Anjar,

Dist.: Kutch

Date: 14/09/2016

To,
District collector and Chairman,
Environmental Public Hearing Committee,
Welspun Steel Ltd.,
Dist.: Kutch

Subject: For Environmental Public Hearing of Welspun Steel Ltd.- Kutch on dated 14/09/2016.

Respected Sir,

With respect to above mentioned subject give clarification of the below mentioned representation and include them in minutes, send the copy of same to me.

1. For your proposed project there will be consumption of 4 crore and 73 lakh litter water, so from where and in what way you will get the water?
2. Whose permission has been obtained for use of this water? Provide us a copy of the permission and copy of document submitted along with application for support of application of obtaining permission.
3. How much industrial waste water per day will be released from the proposed project? And whether provision for release for the same has been made?
4. What is the per month cost for operation of ETP plant of proposed project?
5. How much waters are consumed in the existing plant per day? Provide us copy of the permission for the same and detail that from where these waters are being taken?
6. How much industrial waste water per day are released from the exiting industry? Where and in what mode these waters are released?
7. What is the capacity of ETP plant per day for treatment of industries waste water? And give us the detail of cost per month for the operation of ETP plant?
8. Provide us details of the number and location of ponds in study area of proposed plant?

S/d

Gujarati to English Translation

Jesa Naaran Ajana
Village: Varsamedi,
Ta. Anjar
Date: 14/09/2016

To,
Chairman and Collector,
Bhuj (Kutch)
Collector office,
Environmental Public Hearing Committee,

Subject: Regarding the postponement of Public Hearing scheduled on 14-09-2016 for a project of M/s. Wellspun Steel Pvt. Ltd. company in Varsamedi, Taluko - Anjar.

Respected Sir,

I would like to draw your attention regarding the above mentioned subject that M/s. Wellspun Steel Ltd. company is located at Varsamedi, Taluka - Anjar. A Public Hearing for a project of the same company has been announced under your presidency. We would like to draw your attention to the following points which are legally abusive, so we request postponement of the Public Hearing with your approval.

1. According to Indian Government EIA guidelines, any project that requires organization of a Public Hearing for environmental approval is required to present information regarding the project to the people of affected region and the Gram Panchayat at least 30 days prior to the Public Hearing; however, the information about the project has not been provided in the allotted time. Thus, we did not get enough time to investigate or understand the project.
2. There have been two accidents in the Company recently due to which there were two deaths breaching Human Rights. The understanding of this is important, and we request to present opinions and instructions regarding it. Thus, it is needed for us to know about the project so that proper steps are taken for safety. However, due to not receiving information about the project in the allotted time, we were denied of it. Thus, this Public Hearing should be postponed, and enough time to be provided to understand the information of this project.
3. The Company has already started construction and work for the project without getting environmental permission. It is important that we know and understand that this is

mentioned in the project information, and be investigated. By not providing the information of project in the allotted time, we were devoid of presenting our opinions and instructions regarding it. We request you to postpone the Public Hearing for this project.

4. The Company has installed a pipeline from the region of project to the sea which is 35 to 40 Km long pipe for disposing industrial waste water generated by the Company. Are they getting CRZ authority and environmental approval for the same? Is it considered in the project study report? The answers to these questions are important to know and understand. However, the information for the project was not provided in the allotted time denying us the information regarding it. Because of which we are unable to present our opinions and instructions. Thus, we request you to postpone the Public Hearing.
5. Three State roads fall in the region for the Company's project which are to be kept accessible and kept safe due to Collector's order; however, the Company has occupied them and access is denied. Have they mentioned any situation regarding this in the project proposal? It is important to know and understand that this is a breach of Collector's order, and it is very grave scenario. However, the information about the project has not been provided in the allotted time, and we did not get enough time to investigate or understand the project. Thus, we request you to postpone the Public Hearing.
6. The Company has destroyed three lakes in this region which act as lifeline. According to orders of Vadi Court of Gujarat (Sailesh Shah V. State of Gujarat), all the natural sources of water are to be preserved which has been neglected and disrespected. It is public right and freedom of speech to know if these points have been included in the study report, and to present opinions and instructions. However, the information about the project has not been provided in the allotted time. Thus, we have been kept away from knowing and understanding them, so we request you to postpone this Public Hearing so that we may get enough time to investigate and understand them respecting these circumstances in a lawful manner.
7. Public Hearings were announced to be scheduled on 08-01-2016 and 09-01-2016 in Mahisagar and Aravalli districts of Gujarat by Gujarat Pollution Control Board for a project on TCDF site of The Green Environmental Service Co-Op Society Ltd.; however, the Gram Panchayats and people of affected region were not provided information regarding the project in the allotted time, so the Chairpersons of both the Public Hearings had ordered postponement of the Public Hearings because of disrespect to the EIA guidelines. This project also has the same situation, so we request you to postpone the Public Hearing.
8. Going against just activities, Gujarat Pollution Control Board has not organized the Public Hearing in the local region or nearby region of project, but at the head office of

taluka biasing only towards the Company, and with ill intentions of affected people not being able to voice their opinions and instructions damaging the wellbeing of the people. It is mentioned in the EIA guidelines that such Public Hearings should be organized as near as possible to the project region, but the affected people are denied to represent their opinions by organizing the Public Hearing at the head office of the taluka.

- We respectfully demand the following for the proceedings,
 1. If the Government believes in justice and wellbeing of the people, then this unjust proceedings should be immediately stopped and the Public Hearing be postponed.
 2. Legal actions should be taken against Gujarat Pollution Control Board for taking up such unjust activities.
 3. For maintaining the rights to voice our opinions and freedom of speech, and to assure that the law is implemented and respected, we request you to postpone the announced Public Hearing so that we may get enough time. The Public Hearing should be organized in local nearby region.

If the Government is unable to fulfill these demands and the Public Hearing is not postponed then it will be believed that the Government endorses injustice and damaging activities.

We request you to let us know about the proceedings from your end.

With expectation of proceedings.

s/d-

Gujarati to English Translation

Lakhabhai Suja Rabari
Village: Khara Pasavariya,
Ta. Anjar
Date: 14/09/2016

To,
Chairman and Collector,
Bhuj (Kutch)
Collector office,
Environmental Public Hearing Committee,

Subject: Regarding the postponement of Public Hearing scheduled on 14-09-2016 for a project of M/s. Wellspun Steel Pvt. Ltd. company in Versamedi, Taluko - Anjar.

Respected Sir,

I would like to draw your attention regarding the above mentioned subject that M/s. Wellspun Steel Ltd. company is located at Versamedi, Taluka - Anjar. A Public Hearing for a project of the same company has been announced under your presidency. We would like to draw your attention to the following points which are legally abusive, so we request postponement of the Public Hearing with your approval.

1. According to Indian Government EIA guidelines, any project that requires organization of a Public Hearing for environmental approval is required to present information regarding the project to the people of affected region and the Gram Panchayat at least 30 days prior to the Public Hearing; however, the information about the project has not been provided in the allotted time. Thus, we did not get enough time to investigate or understand the project.
2. There have been two accidents in the Company recently due to which there were two deaths breaching Human Rights. The understanding of this is important, and we request to present opinions and instructions regarding it. Thus, it is needed for us to know about the project so that proper steps are taken for safety. However, due to not receiving information about the project in the allotted time, we were denied of it. Thus, this Public Hearing should be postponed, and enough time to be provided to understand the information of this project.
3. The Company has already started construction and work for the project without getting environmental permission. It is important that we know and understand that this is

mentioned in the project information, and be investigated. By not providing the information of project in the allotted time, we were devoid of presenting our opinions and instructions regarding it. We request you to postpone the Public Hearing for this project.

4. The Company has installed a pipeline from the region of project to the sea which is 35 to 40 Km long pipe for disposing industrial waste water generated by the Company. Are they getting CRZ authority and environmental approval for the same? Is it considered in the project study report? The answers to these questions are important to know and understand. However, the information for the project was not provided in the allotted time denying us the information regarding it. Because of which we are unable to present our opinions and instructions. Thus, we request you to postpone the Public Hearing.
5. Three State roads fall in the region for the Company's project which are to be kept accessible and kept safe due to Collector's order; however, the Company has occupied them and access is denied. Have they mentioned any situation regarding this in the project proposal? It is important to know and understand that this is a breach of Collector's order, and it is very grave scenario. However, the information about the project has not been provided in the allotted time, and we did not get enough time to investigate or understand the project. Thus, we request you to postpone the Public Hearing.
6. The Company has destroyed three lakes in this region which act as lifeline. According to orders of Vadi Court of Gujarat (Sailesh Shah V. State of Gujarat), all the natural sources of water are to be preserved which has been neglected and disrespected. It is public right and freedom of speech to know if these points have been included in the study report, and to present opinions and instructions. However, the information about the project has not been provided in the allotted time. Thus, we have been kept away from knowing and understanding them, so we request you to postpone this Public Hearing so that we may get enough time to investigate and understand them respecting these circumstances in a lawful manner.
7. Public Hearings were announced to be scheduled on 08-01-2016 and 09-01-2016 in Mahisagar and Aravalli districts of Gujarat by Gujarat Pollution Control Board for a project on TCDF site of The Green Environmental Service Co-Op Society Ltd.; however, the Gram Panchayats and people of affected region were not provided information regarding the project in the allotted time, so the Chairpersons of both the Public Hearings had ordered postponement of the Public Hearings because of disrespect to the EIA guidelines. This project also has the same situation, so we request you to postpone the Public Hearing.
8. Going against just activities, Gujarat Pollution Control Board has not organized the Public Hearing in the local region or nearby region of project, but at the head office of

taluka biasing only towards the Company, and with ill intentions of affected people not being able to voice their opinions and instructions damaging the wellbeing of the people. It is mentioned in the EIA guidelines that such Public Hearings should be organized as near as possible to the project region, but the affected people are denied to represent their opinions by organizing the Public Hearing at the head office of the taluka.

- We respectfully demand the following for the proceedings,
 1. If the Government believes in justice and wellbeing of the people, then this unjust proceedings should be immediately stopped and the Public Hearing be postponed.
 2. Legal actions should be taken against Gujarat Pollution Control Board for taking up such unjust activities.
 3. For maintaining the rights to voice our opinions and freedom of speech, and to assure that the law is implemented and respected, we request you to postpone the announced Public Hearing so that we may get enough time. The Public Hearing should be organized in local nearby region.

If the Government is unable to fulfill these demands and the Public Hearing is not postponed then it will be believed that the Government endorses injustice and damaging activities.

We request you to let us know about the proceedings from your end.

With expectation of proceedings.

s/d-

Gujarati to English Translation

Jivabhai Kanabhai Rabari
Village: Varsamedi,
Ta. Anjar
Date: 14/09/2016

To,
Chairman and Collector,
Environmental Public Hearing Committee,
Welspun Steel Ltd., Varsamedi,
Ta. Anjar,
Dist. Kutch

Subject:

Respected Chairman,

For lawful representation in front of you, I would like to respectfully demand that, whenever legal matters are not complied with then according to Notice of Public hearing Section-3.3 of Appendix-IV-3 of EIA notifications S.O. No. 1533, August-2015 of Indian Government's Forest and Environmental Ministry, You are empowered to postpone the advertised Public Hearing organized by Member Secretary, Gujarat Pollution Control Board. In view of above, by exercising the powers vested with you regarding the cancellation/postponement of scheduled Public Hearing of M/s Welspun Steel Ltd., you are kindly requested to cancel/postpone the scheduled Public Hearing as per provisions laid down under EIA notifications 2006 as the responsibility to do so lies with you.

1. According to Section -6.1 of Appendix IV of EIA notifications -2006 (S.O. No.-) of Indian Government, the details about the project were not made available at the local places at least 30 days prior to the Public Hearing.
2. According to paragraph iii of Office Memorandum J-15012/2g/2010-IA-II(M) of Forest and Environmental Ministry of Indian Government, the operation summary of the project is to be made available to local place at least 30 days prior to the Public Hearing which has not been complied with (A copy of office memorandum has been included).
3. According to the clause (a) of paragraph 7(i) III stage (3) public consultation(ii) of EIA notifications S.O. No. 1533, August - 2015, Public Hearing is supposed to be organized at the project site or any nearby location; however, it is disrespected and not been complied with, and has been organized at the taluka head office.

Thus, the legal matters have been disrespected in this Public Hearing, so it is a request that today's Environmental Public Hearing for the project of M/s Welspun Steel Ltd. on 14/09/2016 be postponed and be announced again, and legal steps be taken against the responsible officer Member Secretary, Gujarat Pollution Control Board - Gandhinagar for just implementation of law.

With request of decision of implementation of law.

Gujarati to English Translation

Devji Jesang Agariya,

Antarjal

Date: 14/09/2016

Subject: Regarding Public Hearing for Welspun Steel India Ltd. Company.

Due to the establishment of Welspun Steel India Ltd., the prices of land have relatively increased than it used to be before any industrial setup in the area. New housing schemes have been developed. People have started to settle down here which has helped the local farmers economically.

According to government regulations, Welspun Steel India Ltd, the company set up a steel plant does no objection by us.

S/d

Gujarati To English Translation

Date: 14/09/2016

Subject: Public Hearing of Welspun Steel India, Anjar on dated 14/09/2016.

We have received professional and financial benefits due to Welspun plant in Anjar.
There will be our support to the Welspun company for their proposed plant.

Jaydeep Vank
380/2, 3/B
Adipur(Kutch)
Mo. 8401770111

Gujarati To English Translation

Date: 14/09/2016

I am Rameshchandra A. Solanki, residing at Anjar, aged : 68, Occupation: retired KPT

Subject: For Public Hearing of Welspun company.

I am born at Anjar city and since the Welspun Steel India Ltd. company has been established it has changed the model of Kutch. It has constructed circles and roads in city and our many people have been employed. Transportation business has also increased.

Further it is to stated that there will be a benefit to the people from the proposed project of Welspun Steel India Ltd. company. We doesn't have any objection for establishing such industries which can be considered a center of public interest.

S/d

Gujarati To English Translation

Date: 14/09/2016

Subject: For Public Hearing of Welspun Steel India.

I am Karsan Bhura Rabari, residing at Meghapar Borichi, Ta.: Anjar. I am born in Anjar. Good activities are carried out by Welspun Steel India Ltd. Company in Kutch. Many unemployed persons of our village have been employed and Welspun India Ltd. Company is livelihood of many families of our village.

Hence I am not raising any objection against Welspun Steel India company.

S/d

(Karashan B. Rabari)

Gujarati To English Translation

Date: 14/09/2016

Subject: For Public Hearing of Welspun India Ltd.

I am Vinodbhai Palabhai Chiya, residing at Adipur. Opportunity of employment has been generated in the transportation sector due to establishment of Welspun India Ltd. Company.

We doesn't have any objection if new project of Welspun India Ltd. establish as per the norms of government.

Vinod Pala Chaiya

Resident of Adipur,

Occupation: Transportation,

Mo: 949879551729

Gujarati To English Translation

Shri Padana Gram Panchayt Kacheri
At post: Padana, Ta.: Gndhidham, Dist.: Kutch

Date: 14/09/2016

To,
Welspun Steel India Ltd.,
Vill.: Vasamedi,
Ta.: Anjar,

Subject: For Public Hearing of new project.

It is to state for public hearing that this Welspun India Ltd. have changed model of Anjar city and have resolve the issues of employment of nearby villages. There is a development of small businesses and employment in it.

It is request to proposed project of Welspun steel Ltd. company to be helpful to affected people as much as possible and meeting should be conducted with gram panchayat for the proper utilization of CSR for development. Drainage line of village should be connected with the plan of drainage line of company and water should be reused after treatment and recycling. We are in support of company.

S/d

Sarpanchshri
Shri Padana Gram Panchayat,
Padana

Gujarati To English Translation

Shri Nani Chirai Gram Panchayat
Nandgam, Ta.: Bhachau-Kutch

Date: 14/09/2016

Subject: For Public Hearing of Welspun Steel India Ltd.

We all know that after earthquake, Welspun Steel India Ltd. has been established in Kutch and have changed the model of Kutch. Peoples residing in nearby villages are getting employment due to Welspun Steel India Ltd. Company. There is a huge development of transportation sector due to Welspun Steel India Company.

We don't have any objection against Welspun Steel India Ltd. Company if they would like to help Kutch by installing new plant as per the norms of government.

S/d
Sarpanch
Nani Chirai Gram Panchayat

Gujarati To English Translation

Shri Antarjal Gram Panchayt Kacheri
At & Po.: Antarjal, Ta.: Gandhidham, Dist.: Kutch


Date: 14/09/2016

Subject: For Public Hearing of Welspun Steel India Ltd.

Due to the Welspun Steel India Ltd. Company many people of our village are getting employment. So there is financial, social and educational development of our company. I Mukesh K. Ahir, Sarpanchshri Antarjal on behalf of my village is welcoming the proposed project of Welspun India Ltd. Company and we are in support of company.

Ta.: Gandhidham-Kutch

S/d
Sarpanch
Antarjal Gram Panchayt Kacheri



Gujarati To English Translation

Date: 14/09/2016

To,
Chairman,
Environmental Public Hearing Committee,
Welspun Steel Ltd.,
Dist. Kutch

Subject: For Environmental Public Hearing of Welspun Steel Ltd.- Kutch on dated 14/09/2016.

Respected Sir,

With respect to above mentioned subject give clarification of the below mentioned representation and include them in minutes, send the copy of same to me.

1. Give year wise details of excise duty paid by the Welspun Steel company at Vill.: Varsamedi, Tal.: Anjar, Dist.: Kutch for last 3 years to the government.
2. Give monthly details of electricity consumed by your company since last 3 years.
3. Provide us monthly details of electricity bill paid by your company in last 3 years.

S/d

GUJARAT POLLUTION CONTROL BOARD

Regional Office, Kutch (East),

Room No. 215-216, Second Floor, Kandla Port Trust

Administrative Building, Sector-08, Gandhidham, Kutch – 370 201

Website: www.gpcb.gov.in



Annexure-D

A statement showing reply given by project proponent with respect to the response and comments received in written before and during the public hearing.

Sr No	Comments received in writing from Concerned Persons	Annexure
1	Shree Swami Vivekanand Yuvak Mandal,Bhuj-Kutch	D-A-1
2	Lok Adhikar Sangathan Kutch,Kharapasvariya, Ta. Anjar	D-A -2
3	Shri Jitendrakumar Babalbhai Patel, Ankleshwar	D-A -3
4	Shri Maheshbhai Parmar, Paryavaran Mitra, Ahmedabad	D-A -4
5	Shri Anwar Ayyub Traiya,Gandhidham,Bhuj-Kutch	D-A -5
6	Shri Maheshbhai Pandya, Paryavaran Mitra, Ahmedabad	D-A -6
7	Shri Vishram Ramji Sorathiya, Vill: Anjar	D-A -7
8	Shri Karshanbhai Rabari,Kharapasvariya,Ta.Anjar	D-A -8
9	Shri Atmaram Gamot,Bhimasar,Ta. Anjar	D-A -9
10	Shri Shankar Chavda,varsamedi,Ta. Anjar	D-A -10
11	Smt. Kashiben Rajput,Anjar	D-A -11
12	Shri Maheshbhai Maraj,Lkhapat	D-A -12
13	Shri Madeva Maytra,Sapeda	D-A -13
14	Smt. Kunverben Rabari,Varshamedi,Ta. Anjar	D-A -14
15	Smt. Kunverben Hethvadiya,Varshamedi,Ta. Anjar	D-A -15
16	Shri Naveen Jharu,Bhuj-Kutch	D-A -16
17	Shri Rameshwariben Ahir,Gandhidham	D-A -17

GUJARAT POLLUTION CONTROL BOARD

Regional Office, Kutch (East),

Room No. 215-216, Second Floor, Kandla Port Trust

Administrative Building, Sector-08, Gandhidham, Kutch – 370 201

Website: www.gpcb.gov.in



Sr No	Comments received in writing from Concerned Persons	Annexure
18	Shri Ramesh Jiva Ajana,Varshamedi, Ta. Anjar	D-A -18
19	Shri Ramesh Jiva Ajana,Kharapasavariya ,Ta. Anjar	D-A -19
20	Shri Arjan Ahir,Ambapar	D-A -20
21	Shri Sambhu Humble,Varshamedi, Ta. Anjar	D-A -21
22	Shri Gopal Rabari,Kharapasavariya ,Ta. Anjar	D-A -22
23	Shri Jesabhai Ajana,Varshamedi, Ta. Anjar	D-A -23
24	Shri Lakhabhai Rabari,Kharapasavariya ,Ta. Anjar	D-A -24
25	Shri Jivakana Rabari,Varshamedi, Ta. Anjar	D-A -25
26	Shri Jesang Agariya,Antarjal	D-A -26
27	Shri Narendra Notani,Adipur	D-A -27
28	Shri Jaydeep vaak,Adipur	D-A -28
29	Shri Rameshchandra Solanki, Ta. Anjar	D-A -29
30	Shri Mihir Kangad,Gandhidham	D-A -30
31	Shri Karsanbhai Rabari,Meghpar borichi	D-A -31
32	Shri Brij Ahir,Adipur	D-A -32
33	Shri Vinod pababhai Chaiya,Adipur	D-A -33
34	Shri M. H. Makati,Gandhidham	D-A -34
35	Sarpanch Shree Gram Panchayat,Padana	D-A -35
36	Sarpanch Shree Gram Panchayat,Nani chirai	D-A -36

GUJARAT POLLUTION CONTROL BOARD

Regional Office, Kutch (East),

Room No. 215-216, Second Floor, Kandla Port Trust

Administrative Building, Sector-08, Gandhidham, Kutch – 370 201

Website: www.gpcb.gov.in



Sr No	Comments received in writing from Concerned Persons	Annexure
37	Shri Mukeshbahi Ahir, Sarpanch, Antarjal	D-A -37
38	<u>Unnamed</u>	D-A -38

બેનેફર -ડી-એ-૧

તા. ૧૪/૦૯/૨૦૧૬

પ્રતિશ્રી,

શ્રી સ્વામી વિવેકાનંદ યુવક મંડળ,

ફ્લેટ નં. ૧, પહેલા માળે, હરીદર્શન બિલ્ડીંગ,

કેમર્સ કોલેજની સામે, જય નગરની બાજુમાં,

ભુજ - ૬૨૪

વિષય : તા. ૧૪/૦૯/૨૦૧૬ ના રોજ આપના દ્વારા લેખિતમાં મળેલ રજુઆતના સંદર્ભે સ્વિકૃતિ જવાબ.

માનનીયશ્રી,


૧. આ અમારો સુચિત પ્રોજેક્ટ છે. આ પ્રોજેક્ટ માટે કોઇપણ પ્રકારની પ્રવૃત્તિ શરૂ કરવામાં આવેલ નથી અને જરૂરી મંજૂરી મેળવ્યા બાદ જ પ્રોજેક્ટની કામગીરી શરૂ કરવામાં જેની નોંધ લેવી.
૨. આ પ્રોજેક્ટ જે વિસ્તારમાં આવનાર છે તે વિસ્તારમાં કોઇપણ પ્રકારના જાહેર તળાવો આવેલ નથી.
૩. આ પ્રોજેક્ટ જે વિસ્તારમાં આવનાર છે તે વિસ્તારની જમીનો હાલમાં ખુલ્લી અને યથાવત સ્થિતિમાં જાળવી રાખેલ છે, તેમાં કોઇપણ જાતના તળાવ બનાવેલ નથી.
૪. સુચિત એકમ એ 'ઝીરો ફીસ્યાર્જ' ના શિઘાંત પર કામ કરશે, તેથી આ પ્રોજેક્ટમાંથી કોઇપણ પ્રકારના પ્રદુષિત પાણીનો નિકાલ એકમની બહાર કરવામાં આવશે નહીં. આ એકમમાંથી જે કોઇ જેઝામી ધન કચરો નીકળશે તેને પ્રદુષણ નિયંત્રણ બોર્ડના ધારાધોરણ મુજબ નિકાલ કરવામાં આવશે તેમજ કંપની દ્વારા મોટા પ્રમાણમાં ગ્રીનબેલ્ટનો વિકાસ કરવામાં આવશે.
૫. સુચિત એકમ એ 'ઝીરો ફીસ્યાર્જ' ના શિઘાંત પર કામ કરશે, તેથી આ પ્રોજેક્ટમાંથી કોઇપણ પ્રકારના પ્રદુષિત પાણીનો નિકાલ એકમની બહાર કરવામાં આવશે નહીં.
૬. આ અમારો સુચિત પ્રોજેક્ટ છે. જેથી પ્રદુષણ નિયંત્રણ બોર્ડ દ્વારા કોઇ નોટીસ મળવાનો પ્રશ્ન ઉદ્ભવેલ નથી.
૭. અમારા સુચિત પ્રોજેક્ટને જે પર્યાવરણી મંજૂરી મળશે તેમાં મળેલી શરતોનું સંપૂર્ણપણે પાલન કરવાનું આવશે.
૮. આ સુચિત પ્રોજેક્ટ માટે જે જમીનનો ઉપયોગ કરવામાં આવનાર છે તે જમીનો સરકારશ્રીના નિયમો અનુસાર ખાનગી જમીન માલિકો પાસેથી ખરીદ કરેલ છે.

આમ ઉપર મુજબની વિગત આપશ્રીને પાઠવીએ છીએ જે આપને વિદિત થાય.

આભાર સહ

આપનો વિશ્વાસુ

વતી. વેલસ્પન સ્ટીલ લિમિટેડ,



(અધિકૃત સહિકર્તા)

Annexure D-A-1

Date: 14/09/2016

To,

Shree Swami Vivekanand Yuvak Mandal,
Flat No. 1, First Floor, Haridarshan Building,
Opp. Commerce College,
Near Jaynagar,
Bhuj-Kutch

**Subject: Detailed answer with respect to the received written representation by you on
14/09/2016.**


Respected Sir,

1. This is our proposed project. No activities have been started related to this project, project activities will be carried out after getting necessary permission.
2. There are no public lakes located in the area where the project is to be established.
3. The land of the area where this proposed project will be established has been kept open and as it is. There is no pond constructed under this area.
4. The proposed unit will work on the principle of "Zero Discharge" due to which there will be no release of polluted water from the unit. The disposal of hazardous solid waste generated from the unit will be disposed according to rules and regulations of Gujarat Pollution Control Board. Moreover, the company will undertake greenbelt development on a large scale.
5. The proposed unit will work on the principle of "Zero Discharge" due to which there will be no disposal of polluted water from the unit.
6. This is our proposed project, thus there is no question of receiving any notice from the Pollution Control Board.
7. The terms and condition subject to which permission obtained will be completely fulfilled.
8. The land which will be used for the proposed project has been purchased from private land owners according to the rules and regulations of government.

Thus, we send the above mentioned details for your information.

Thanking you,

Yours Faithfully,

For, Welspun Steel Ltd.

(Authorized Signatory)

એનેક્ષર -ડી-એ-૨

તા. ૧૪/૦૮/૨૦૧૬

પ્રતિશ્રી,
લોક અધિકાર સંગઠન કચ્છ,
ગામ: ખારાપસવારીયા,
તા. અંજાર,
જિ. કચ્છ- ૩૭૦ ૧૧૦

વિષય : તા. ૧૪/૦૮/૨૦૧૬ ના રોજ આપના દ્વારા લેખિતમાં મળેલ રજુઆતના સંદર્ભે વિસ્તૃત જવાબ.

માનનીયશ્રી,

૧. ઇ.આઇ.એ. જાહેરનામા ૨૦૦૬ની જોગવાઈ મુજબ પર્યાવરણીય લોક સુનાવણીના ૩૦ દિવસ અગાઉ લાગતા વળગતા સ્થાનિક અસરગ્રસ્ત લોકોના ધ્યાન દોરવા સદર લોક સુનાવણી દરમિયાન હાજર રહેવા અથવા તેઓની ટીકા-ટીપ્પણી લેખિતમાં મોકલવા ગુજરાત પ્રદુષણ નિયંત્રણ બોર્ડ દ્વારા તા. ૧૦/૦૮/૨૦૧૬ નાં રોજ દૈનિક સમાચાર પત્રો "કચ્છ મિત્ર" અને ધ ટાઈમ્સ ઓફ ઇન્ડિયા" જાહેર સુચના પ્રસિદ્ધિ કરી જનતાને જાણ કરેલ છે. જે બિડાણ-૧ તરીકે સામેલ છે. સદર પરીયોજનાના પર્યાવરણલક્ષી અસરનાં આંકલન અહેવાલ અને તેના ગુજરાતી તેમજ અંગ્રેજી ભાષામાં સારાંશ અહેવાલની નકલ બિડાણ -૨ માં દર્શાવેલ ઓથોરીટી/કાર્યાલયોમાં તે ક્રમકાજના દિવસ દરમિયાન લોક સુનાવણીના દિન સુધી નિહાળવા તા. ૮/૦૮/૨૦૧૬ નાં રોજ મોકલેલ છે. વધુમાં સદર લોક સુનાવણીની બહોળી પ્રસિધ્ધ અર્થે અસરગ્રસ્ત ગ્રામ પંચાયત/તાલુકા પંચાયત/નગરપાલિકા માં પણ પર્યાવરણ અસરનાં આંકલન અહેવાલના ગુજરાતી સારાંશ બિડાણ-૩ માં દર્શાવ્યાં પ્રમાણે મોકલવામાં આવેલ છે.
૨. આ અમારો સુચિત પ્રોજેક્ટ છે. આ પ્રોજેક્ટ માટે કોઇપણ પ્રકારની પ્રવૃત્તિ શરૂ કરવામાં આવેલ નથી, તેથી અકસ્માતનો કોઇ પ્રશ્ન ઉપસ્થિત થતો નથી.
૩. આ અમારો સુચિત પ્રોજેક્ટ છે, આ પ્રોજેક્ટ માટે કોઇપણ પ્રકારની બાંધકામને લગતી કામગીરી શરૂ કરવામાં આવેલ નથી, અને પર્યાવરણીય સંમતિ મળેથી જ શરૂ કરવામાં આવશે.
૪. સુચિત એકમ એ "ઝીરો ડિસ્ટર્બન્સ" ના સિદ્ધાંત પર કામ કરશે. તેથી આ પ્રોજેક્ટમાંથી કોઇપણ પ્રકારના પ્રદુષિત પાણીનો નિકાલ એકમની બહાર કરવામાં આવશે નહીં. જે ૩૫ થી ૪૦ કિ.મી. લાંબી પાઇપલાઇન નાંખવાનો જે પ્રોજેક્ટ કરેલ છે તે પ્રોજેક્ટ અગત્રા ગૃપના અન્ય એકમનો છે અને તેના માટે જરૂરી મંજૂરીઓ મેળવેલ છે.
૫. આ પ્રોજેક્ટ જે વિસ્તારમાં આવનાર છે તે વિસ્તારની જમીનો હાલમાં ખુલ્લી અને યથાવત સ્થિતિમાં જાળવી રાખેલ છે, તેથી દબાણનો કોઇ પ્રશ્ન ઉપસ્થિત થતો નથી.
૬. આ પ્રોજેક્ટ જે વિસ્તારમાં આવનાર છે તે વિસ્તારમાં કોઇપણ પ્રકારના જાહેર તળાવો આવેલ નથી.
૭. પર્યાવરણીય લોક સુનાવણીનો કાર્યક્રમ જિલ્લા કલેક્ટરશ્રીના અધ્યાક્ષ સ્થાને યોજવામાં આવે છે. સદર પર્યાવરણીય લોક સુનાવણીની કાર્યવાહી ઇ.આઇ.એ. જાહેરનામા -૨૦૦૬ની જોગવાઈ મુજબ હાથ ધરેલ છે.


૮. ઇ.આઇ.એ. જાહેરનામા -૨૦૦૬ની જોગવાઈ મુજબ પર્યાવરણીય લોક સુનાવણી ખરીદોજનાના સ્થળ કે તેની નિકટની જગ્યાએ યોજવાનો હોય છે. પર્યાવરણીય લોક સુનાવણી માટે નક્કી કરાયેલ સ્થળ રોટરી ભવન હોલ. પી.જી.વી.સી.એલ. કચેરીની સામે, બસ સ્ટેશન રોડ, અંજાર. કચ્છ ખાતે રાખવામાં આવેલ, જે સ્થળ સદર એકમથી ૪.૫ કી.મી.નાં અંતરે આવેલ છે. જે તાલુકા મથક છે. વધુમાં જણાવવાનું કે હાલ વરસાદની સિઝન હોવાથી ખુલ્લી જગ્યામાં લોક સુનાવણીનું આયોજન કરવામાં આવે તો મુશ્કેલી ઉભી થઈ શકે તેમ હોવાથી તેમજ પરીવહનની સુવિધા ઝડપથી મળી રહે તે હેતુથી ઉપર મુજબના સ્થળની પસંદગી કરવામાં આવેલ હતી અને તે અંગે ગુ.પ્ર.નિ. બોર્ડ, પ્રાદેશિક કચેરી કચ્છ-પુર્વ ને લેખિતમાં વિનંતી પણ કરેલ હતી.

આમ ઉપર મુજબની વિગત આપશીને પાઠવીએ છીએ જે આપને વિદિત થાય.

આભાર સહ

આપનો વિશ્વાસુ

વતી. વેલરૂપન સ્ટીલ લિમીટેડ,



(અધિકૃત સહિકર્તા)

Annexure D-A-2

Date: 14/09/2016

To,

Lok Adhikar Sangathan Kutch,

Village: Kharapasvariya,

Taluka: Anjar,

District: Kutch

Subject: Detailed answer with respect to the received written representation by you on**14/09/2016.**

Respected Sir,

1. According to the EIA notifications 2006, an advertisement was published in local daily newspaper before in "Kutch Mitra" and "The Time of India" on 10/08/2016 which is required to be published before 30 days of the date of Environmental Public Hearing so that people can know about it get prepared and present in Environmental Public Hearing with their objections and suggestions which is annexed as Annexure-1. Report of project related environmental study and copy of summary report in Gujarati and English language are made available to the authorities /offices mentioned in Annexure-2 on 08/08/2016 till the date of Public Hearing on any working day. Moreover, for wide publication of above said Public Hearing, Gujarati summary report of environmental study report were sent to affected Gram Panchayat/Taluka Panchayat/Nagarpalika as mentioned in Annexure-3.
2. This is our proposed project. No activity has been carried out for this project so question of accident doesn't arise.
3. This is our proposed project. No construction activity has been carried out. For this project and will be carried out only after obtaining environment clearance.
4. The proposed unit will work on the principle of "Zero Discharge" due to which polluted water will not be released from the unit. The project of installation of 35 to 40 Km long pipeline is a project of other unit of our group and required permission has been taken for the same.


5. The land of the area where this project will be established has been kept open and as it is. Thus, no question related to acquire doesn't arise.
6. There are no public lakes located in the area where the project will be established.
7. The Environmental Public Hearing has been organized under the chairmanship of District Collector. The Public Hearing has been carried out according to the guidelines of EIA notifications 2006.
8. As per the guidelines of FIA notification 2006 environmental public hearing is to be organized at proposed project or other near places. Environmental public hearing was decided to organized at Rotary Bhavan Hall, Opp. P.G.V.C.L. Office, Bus Stand Road, Anjar, Kutch which is 4.5 km far away from the proposed plant and it is taluka head office. In addition due to the monsoon season there was difficulty to organize public hearing in open at proposed site and transportation facility was easily available for decided place so above mentioned place was fixed for public hearing and request was done in written to the Gujarat Pollution Control Board for the same.

Thus, we send the above mentioned details for your information.

Thanking you,

Yours Faithfully,

For, Welspun Steel Ltd.



(Authorized Signatory)

એનેક્સર -ડી-એ-૩

તા. ૧૪/૦૯/૨૦૧૬

પ્રતિશ્રી,

જીતેન્દ્રભાઈ બબલભાઈ પટેલ

એ-૪, ગજાનંદપાર્ક, સોસાયટી,

આર.બી.એલ.સ્કુલની પાછળ,

જી.આઈ.ડી.સી., અંકલેશ્વર,

જિ. ભરૂચ - ૩૯૩ ૦૦૨

વિષય : તા. ૧૪/૦૯/૨૦૧૬ ના રોજ આપના દ્વારા લેખિતમાં મળેલ રજુઆતના સંદર્ભે વિસ્તૃત જવાબ.

માનનીયશ્રી,


૧. અપના દ્વારા જે પ્રશ્ન પુછવામાં આવેલ છે તે આ સુચિત પ્રોજેક્ટ સાથે સંલગ્ન નથી.
૨. અપના દ્વારા જે પ્રશ્ન પુછવામાં આવેલ છે તે આ સુચિત પ્રોજેક્ટ સાથે સંલગ્ન નથી.
૩. આ અમારો સુચિત પ્રોજેક્ટ છે. આ પ્રોજેક્ટ માટે કોઇપણ પ્રકારની પ્રવૃત્તિ શરૂ કરવામાં આવેલ નથી. તેથી ઉત્પાદનનો કોઇ પ્રશ્ન ઉપસ્થિત થતો નથી.
૪. આ અમારા સુચિત પ્રોજેક્ટ આવનાર છે તેમાં કામ કરતાં કામદારોની આરોગ્યની નિયમિત તપાસ કરવામાં આવશે.
૫. એકમ માટે જરૂરી કોલસાને આયાત કરવામાં આવશે, કોલસાના પરીવહન દ્વારા થનાર પ્રદુષણ રોકવા માટે પર્યાવરણીય વ્યવસ્થાપન યોજનામાં દર્શાવેલ પગલાં લેવામાં આવશે.
૬. એકમના કુલ ૩૩% વિસ્તારને સ્થાનિક આબોહવા પ્રમાણે ગ્રીનબેલ્ટનો વિકાસ કરવામાં આવશે.
૭. આ અમારો સુચિત પ્રોજેક્ટ છે, જરૂરી કામદારોની નિમણુંક નિયમોનુસાર કરવામાં આવશે.
૮. આ અમારો સુચિત પ્રોજેક્ટ છે, કામદારોની નિમણુંક સમયે નિયમોનુસાર જરૂરી આરોગ્ય તપાસ કરવામાં આવશે.
૯. સુચિત એકમમાં સોલાર ઉર્જાનો મહત્તમ ઉપયોગ કરવામાં આવશે.
૧૦. જે એન્વાયરમેન્ટ કન્સલ્ટન્ટ રાખવામાં આવેલ છે તે NABET માન્ય કન્સલ્ટન્ટ છે, જે અંગેના પ્રમાણપત્રની નકલ ડ્રાફ્ટ ઇ.આઇ.એ. રીપોર્ટમાં સમાલ કરેલ છે.

આમ ઉપર મુજબની વિગત આપશ્રીને પાઠવીએ છીએ જે આપને વિદિત થાય.

આભાર સહ

આપનો વિશ્વાસુ

વતી. વેલસ્પન સ્ટીલ લિમીટેડ,



(અધિકૃત સહિકર્તા)

Annexure D-A-3

Date: 14/09/2016

To,

Patel Jitendrakumar Babalbhai
A-4, Gajanan Park,
Behind R.B.L. School,
GIDC, Ankleshwar,
Dist.:- Bharuch- 393002.

Subject: Detailed answers with respect to the received written representation by you on 14/09/2016.

Answers with respect to the received written representation by you on 14/09/2016 are as follows:


1. Not related with the proposed project as the project is coming up in Anjar.
2. Not related with the proposed project.
3. The plant is not yet commissioned.
4. No such diseases foreseen due to the operation of the proposed steel plant.
5. Procurement of raw material details are given in EIA report.
6. 33% of the total area will be developed as green cover. Details of the same are provided in EIA report.
7. The plant has not yet been commissioned.
8. General medical test will be done for the employees joining the Company.
9. Company is committed to use solar energy as much as possible.
10. The consultant is NABET approved. The certificate is attached in the EIA report.

Thus, we send the above mentioned details for your information.

Thanking you,

Yours Faithfully,

For, Welspun Steel Ltd.



(Authorized Signatory)

એજેક્સર -ડી-એ-૪

તા. ૧૪/૦૮/૨૦૧૬

પ્રતિશ્રી,
મહેશ પરમાર,
પર્યાવરણ મિત્ર,
અમદાવાદ

વિષય : તા. ૧૪/૦૮/૨૦૧૬ ના રોજ આપના દ્વારા લેખિતમાં મળેલ રજૂઆતના સંદર્ભે વિસ્તૃત જવાબ.


માનનીયશ્રી,

ઉ.આઇ.એ. જાહેરનામા ૨૦૦૬ની જોગવાઈ મુજબ પર્યાવરણીય લોક સુનાવણીના ૩૦ દિવસ અગાઉ લાગતા વળગતા સ્થાનિક અસરગ્રસ્ત લોકોના ધ્યાન દોરવા સદર લોક સુનાવણી દરમિયાન હાજર રહેવા અથવા તેઓની ટીકા-ટીપ્પણી લેખિતમાં મોકલવા ગુજરાત પ્રદુષણ નિયંત્રણ બોર્ડ દ્વારા તા. ૧૦/૦૮/૨૦૧૬ નાં રોજ દૈનિક સમાચાર પત્રો "કચ્છ મિત્ર" અને ધ ટાઈમ્સ ઓફ ઇન્ડિયા" જાહેર સુચના પ્રસિધ્ધિ કરી જનતાને જાણ કરેલ છે, જે બિડાણ-૧ તરીકે સામેલ છે. સદર પરિયોજનાના પર્યાવરણલક્ષી અસરનાં આંકલન અહેવાલ અને તેના ગુજરાતી સેમજ અંગ્રેજી ભાષામાં સારાશ અહેવાલની નકલ બિડાણ-૨ માં દર્શાવેલ ઓથોરીટી/કાર્યાલયોમાં તે કામકાજનાં દિવસ દરમિયાન લોક સુનાવણીના દિન સુધી નિહાળવા તા. ૮/૦૮/૨૦૧૬ નાં રોજ મોકલેલ છે. વધુમાં સદર લોક સુનાવણીની બહોળી પ્રસિધ્ધ અર્થે અસરગ્રસ્ત ગ્રામ પંચાયત/તાલુકા પંચાયત/નગરપાલિકા માં પણ પર્યાવરણ અસરનાં આંકલન અહેવાલના ગુજરાતી સારાંશ બિડાણ-૩ માં દર્શાવ્યાં પ્રમાણે મોકલવામાં આવેલ છે.

આમ ઉપર મુજબની વિગત આપશ્રીને પાઠવીએ છીએ જે આપને વિદિત થાવ.

આભાર સહ

આપનો વિશ્વાસુ
વતી. વેલસ્પન સ્ટીલ લિમીટેડ,



(અધિકૃત સહિકર્તા)

Annexure D-A-4

Date: 14/09/2016

To,

Mahesh Parmar - Paryavaran Mitra,
Ahmedabad

Subject: Answers with respect to the received written representation by you on 14/09/2016.

Respected Sir,


According to the EIA notifications 2006, an advertisement was published in local daily newspaper before in "Kutch Mitra" and "The Time of India" on 10/08/2016 which is required to be published before 30 days of the date of Environmental Public Hearing so that people can know about it get prepared and present in Environmental Public Hearing with their objections and suggestions which is annexed as Annexure-1. Report of project related environmental study and copy of summary report in Gujarati and English language are made available to the authorities/offices mentioned in Annexure-2 on 08/08/2016 till the date of Public Hearing on any working day. Moreover, for wide publication of above said Public Hearing, Gujarati summary report of environmental study report were sent to affected Gram Panchayat/Taluka Panchayat/Nagarpalika as mentioned in Annexure-3.

Thus, we send the above mentioned details for your information.

Thanking you,

Yours Faithfully,

For, Welspun Steel Ltd.



(Authorized Signatory)

એનેક્સર -ડી-એ-૫

તા. ૧૪/૦૯/૨૦૧૬

પ્રતિશ્રી,

અનવર અયુબ ત્રાયા,

એસ.આર.સી. શોપ નં-૫૪,

બજા માર્કેટ, ગાંધીધામ,

જિ. ભુજ - ૬૨૨૭.

મો. ૯૯૦૯૫ ૨૫૦૦૧

વિષય : તા. ૧૪/૦૯/૨૦૧૬ ના રોજ આપના દ્વારા લેખિતમાં મળેલ રજૂઆતના સંદર્ભે વિસ્તૃત જવાબ.

માનનીયશ્રી,

૧. આ અમારો સુચિત પ્રોજેક્ટ છે, આ પ્રોજેક્ટ માટે કોઇપણ પ્રકારની બાંધકામને લગતી કામગીરી શરૂ કરવામાં આવેલ નથી, અને પર્યાવરણીય સંમતિ મળ્યાથી જ શરૂ કરવામાં આવશે.
૨. સુચિત પ્રોજેક્ટથી સાંગ નદી આશરે ૫૦૦ મીટરનાં અંતરે આવેલ છે. સુચિત પ્રોજેક્ટની બાંધકામની કામગીરી નિયમોનુસાર હાથ ધરવામાં આવશે.
૩. સુચિત પ્રોજેક્ટથી સાંગ નદી આશરે ૫૦૦ મીટરનાં અંતરે આવેલ છે. સુચિત પ્રોજેક્ટની બાંધકામની કામગીરી નિયમોનુસાર હાથ ધરવામાં આવશે.
૪. સુચિત પ્રોજેક્ટથી હરીગેશન કેનાલ આશરે ૨.૫ કી.મી.નાં અંતરે આવેલ છે. સુચિત પ્રોજેક્ટની બાંધકામની કામગીરી નિયમોનુસાર હાથ ધરવામાં આવશે.
૫. આ અમારો સુચિત પ્રોજેક્ટ છે, આ પ્રોજેક્ટ માટે કોઇપણ પ્રકારની પ્રવૃત્તિ શરૂ કરવામાં આવેલ નથી, તેથી ઉત્પાદનનો કોઇ પ્રશ્ન ઉપસ્થિત થતો નથી.
૬. કોક ડ્રાય ફ્લેચીંગ પદ્ધતિ કાલની ઉપલબ્ધ શ્રેષ્ઠ તકનીકમાની એક છે. જે વન, પર્યાવરણ અને જળવાયુ પરિવર્તન મંત્રાલય, ભારત સરકાર, નવી દિલ્હીના જાહેરનામાંની જોગવાઈ અનુસાર છે.
૭. આ પ્રશ્નની માહિતી ડ્રાફ્ટ ઇ.આઇ.એ. રીપોર્ટમાં આવરી લીધેલ છે.
૮. આ પ્રશ્નની માહિતી ડ્રાફ્ટ ઇ.આઇ.એ. રીપોર્ટમાં આવરી લીધેલ છે. જે વન, પર્યાવરણ અને જળવાયુ પરિવર્તન મંત્રાલય, ભારત સરકાર, નવી દિલ્હીના જાહેરનામાંની જોગવાઈ અનુસાર છે.
૯. કોલસા અને કોકમાં સલ્ફરનું પ્રમાણ આશરે ૦.૬% જેટલું રહેશે.
૧૦. સુચિત એકમમાં આવનાર ચીમની સાથે ઇ.એસ.પી. લગાડવામાં આવશે. જેનો હેતુ ફ્યુજીટીવ એમીશનને અટકાવવા થશે નહીં.

૧૧. આશરે ૧૭૦ ટન/માસ જેટલો સલ્ફર ડી સલ્ફર પ્લાન્ટમાંથી ઉત્પાદન થશે.
૧૨. બાંધકામ પુર્વે તકનીકી ધોરણ અન્વયે ઉંચાઈ નક્કી કરી ચીમનીનું બાંધકામ કરવામાં આવશે. જેની સક્ષમ સત્તાધિકાર પાસેથી પુર્વ મંજૂરી મેળવવામાં આવશે.
૧૩. આ અમારો સુચિત પ્રોજેક્ટ છે. આ પ્રોજેક્ટ માટે કોઇપણ પ્રકારની પ્રવૃત્તિ શરૂ કરવામાં આવેલ નથી, તેથી વી.ઓ.સી. ડેટા ઉપલબ્ધ નથી.
૧૪. કોક ઓવન બેટરીમાંથી નીકળતા વી.ઓ.સી. ના નિતંત્રણ માટે હાઇ પ્રેશર લીકર એસ્પીરેશન સીસ્ટમ (HPA) લગાડવામાં આવશે.
૧૫. આ અમારો સુચિત પ્રોજેક્ટ છે. આ પ્રોજેક્ટ માટે કોઇપણ પ્રકારની પ્રવૃત્તિ શરૂ કરવામાં આવેલ નથી, તેથી કોક ઓવન ઝેસના ઝેરી પાનાનાં ડેટા ઉપલબ્ધ નથી.
૧૬. કોક ઓવન બેટરીમાં કોલ ચાર્જીંગ વખતે કોઇપણ પ્રકારના પીળા ધુમાડા એકમમાંથી નીકળશે નહીં.
૧૭. આ અમારો સુચિત પ્રોજેક્ટ છે. આ પ્રોજેક્ટ માટે આવનાર ઇ.એસ.પી.ની તમામ માહિતી ફાઇટ ઇ.આઇ.એ. રીપોર્ટમાં આવરી લીધેલ છે.
૧૮. એકમમાંથી ઉત્પન્ન થતાં બ્લાસ્ટ ફરનેશ સ્લેગ સીમેન્ટ પ્લાન્ટમાં; મેટલ રીકવરી બાદ બ્લાસ્ટ ઓક્સિજન ફરનેશમાંથી ઉત્પન્ન થતા સ્લેગને સીન્ટર પ્લાન્ટમાં તથા અન્યને સોઇલ કંડીશનર, રેલ્વે બેરેક, રોડ બનાવવા તથા અન્યને એકમમાં રીસાઇકલ કરવામાં આવશે.
૧૯. આ અમારો સુચિત પ્રોજેક્ટ છે. આ પ્રોજેક્ટ માટે કોઇપણ પ્રકારની પ્રવૃત્તિ શરૂ કરવામાં આવેલ નથી, તેથી સ્લેગનાં ડેટા ઉપલબ્ધ નથી.
૨૦. એકમમાંથી ઉત્પન્ન થતાં બ્લાસ્ટ ફરનેશ સ્લેગ સીમેન્ટ પ્લાન્ટમાં; મેટલ રીકવરી બાદ બ્લાસ્ટ ઓક્સિજન ફરનેશમાંથી ઉત્પન્ન થતા સ્લેગને સીન્ટર પ્લાન્ટમાં તથા અન્યને સોઇલ કંડીશનર, રેલ્વે બેરેક, રોડ બનાવવા તથા અન્યને એકમમાં રીસાઇકલ કરવામાં આવશે.
૨૧. સુચિત એકમની સાથે સ્લેગના વપરાશ માટે કેપ્ટીવ સીમેન્ટ પ્લાન્ટની સ્થાપના કરવામાં આવશે.
૨૨. અન્ય કોઈ કિંમતી ધાતુઓની રીકવરી કરવામાં આવશે નહીં.
૨૩. એકમમાં ઉત્પન્ન થતા ટારનો ઉપયોગ કોલ ઓવન બેટરીમાં ઉપયોગ કરવામાં આવશે.
૨૪. કોક ઓવન ગેસમાંથી સલ્ફરની રીકવરી કરવામાં આવશે.
૨૫. લાગુ પડતું નથી.
૨૬. લાગુ પડતું નથી.
૨૭. લાગુ પડતું નથી.

૨૮. લાગુ પડતું નથી.

૨૯. ડ્રાફ્ટ ઇ.આઇ.એ. રીપોર્ટમાં રજુ કરેલ આંકડાઓ કે જે NABL માન્ય એજન્સી દ્વારા રજુ કરેલ છે તે સાચા છે.

૩૦. એકમમાં ઉત્પન્ન થતા બી.ઓ.ડી. પ્લાન્ટ સ્લજનો કોલ ઓવન બેટરીમાં ઉપયોગ કરવામાં આવશે.

૩૧. માંગેલ માહિતી ડ્રાફ્ટ ઇ.આઇ.એ. રીપોર્ટમાં રજુ કરેલ છે.

૩૨. માંગેલ માહિતી ડ્રાફ્ટ ઇ.આઇ.એ. રીપોર્ટમાં રજુ કરેલ છે.

૩૩. સુચિત એકમ ઝીરો ડીસ્ચાર્જ રીતે ડીઝાઇન કરેલ છે. વધારાની માંગેલ માહિતી ડ્રાફ્ટ ઇ.આઇ.એ. રીપોર્ટમાં રજુ કરેલ છે.

૩૪. માંગેલ માહિતી ડ્રાફ્ટ ઇ.આઇ.એ. રીપોર્ટમાં સોલીડ વેસ્ટ મેનેજમેન્ટ અંતર્ગત રજુ કરેલ છે.

૩૫. બી.ઓ.ડી.ના આઉટલેટ ઉપર મુકવામાં આવશે.

૩૬. માંગેલ માહિતી ડ્રાફ્ટ ઇ.આઇ.એ. રીપોર્ટમાં રજુ કરેલ છે.

૩૭. અંજારમાં આવેલ વેલસ્પન ગ્રુપની ઠાઉનશીપમાં અંદાજે ૮૦૦ લોકો વસવાટ કરે છે.

૩૮. સુચિત એકમ દ્વારા ફેરી ધન કચરાનાં નિકાલ માટે કંપોસ્ટીંગ પ્લાન્ટ લગાડવામાં આવશે.

૩૯. સુચિત પ્રોજેક્ટને લાગુ પડતું નથી.

૪૦. એકમ દ્વારા ૩૦ એમ.એલ.ડી. ક્ષમતાના એસ.ટી.પી. પ્લાન્ટ માટે જરૂરી પર્યાવરણીય મંજૂરી મેળવેલ છે.

૪૧. સુચિત પ્રોજેક્ટને લાગુ પડતું નથી.

૪૨. ભુગર્ભ જળની ગુણવત્તા એકંદરે સારી છે. ભુગર્ભ જળને ડીસિન્ફેક્શન કરી માનવ વપરાશ માટે સાફ છે.

૪૩. સુચિત એકમને સંલગ્ન નથી, કોઇપણ પ્રકારનું પાણી સુચિત એકમની બહાર છોડવામાં આવશે નહીં.

૪૪. લાગુ પડતું નથી.

૪૫. સુચિત એકમ ૪૭ એમ.એલ.ડી. ઝીરો ડીસ્ચાર્જ સાથેની પાણીની જરૂરીયાત રહેશે.

૪૬. સુચિત એકમ માટે લગભગ તરફથી વધારાના પાણીની જરૂરીયાત રહેશે નહીં.

૪૭. માંગેલ માહિતી ડ્રાફ્ટ ઇ.આઇ.એ. રીપોર્ટમાં ગ્રીનબેસ્ટ ડેવલોપમેન્ટ પ્લાન અંતર્ગત રજુ કરેલ છે.

૪૮. આ અમારો સુચિત પ્રોજેક્ટ છે, જેથી અદાલતની કાર્યવાહી ચાલવાનો કોઇ પ્રશ્ન ઉપસ્થિત રહેતી નથી.

૪૯. આ અમારો સુચિત પ્રોજેક્ટ છે. આ પ્રોજેક્ટ માટે કોઇપણ પ્રકારની પ્રવૃત્તિ શરૂ કરવામાં આવેલ નથી.


પ૦. સુચિત એકમની ડીઝાઇનમાં સી.પી.સી.બી.ની CREP ગાઇડલાઇનનો સમાવેશ કરેલ છે. તથા તે અન્વયેની તમામ કામગીરી ફાઇલ ધરવામાં આવશે.

આમ ઉપર મુજબની વિગત આપશ્રીને પાઠવીએ છીએ જે આપને વિદિત થાય.

આભાર સહ

આપનો વિશ્વાસુ

વતી. વેલસ્પન સ્ટીલ લિમીટેડ,


(અધિકૃત સહિકર્તા)

Annexure D-A-5

Date: 14/09/2016

To,

Anwar Ayub Traya, Haankasam Suleman Traya, Aavad Bin Umar,
 SRC Shop No. 54,
 Khanna Market,
 Gandhidham,
 Dist. Bhuj-Kutch

Subject: Answers with respect to the received written representation by you on 14/09/2016.

Answers with respect to the received written representation by you on 14/09/2016 are as follows:

1. No construction activity will be done without getting an EC.
2. Sangh River is approximately 500 meters from the main plant.
3. The proposed project will not pollute the Sangh River as it is conceptualized based on zero discharge concept.
4. Distance between irrigation canal and proposed project is approximately 2.5 Km.
5. Since the project has not yet been commissioned, the monthly production of the product does not arise.
6. Coke dry quenching is the most latest available technology, and MOEFCC issued a notification for incorporation of CDQ for coke oven battery.
7. The details are given in the EIA report.
8. The details are given in the EIA report, and this is as per MOEFCC notification.
9. Sulphur content of coal and coke will be 0.6%.
10. ESP will be installed in the stack, but not to control fugitive emission.
11. Production of Sulphur and de-Sulphur from the unit in a month will be 170 ton/month.
12. It is a technical requirement and will be calculated during detailed engineering. Approval from competent authority will be taken before construction.
13. The plant is not yet installed and therefore VOC monitoring data disclosure is not relevant.
14. To control the VOC emission from coke oven battery, High Pressure liquor aspiration system (HPLA) will be installed.
15. The coke oven plant is not yet installed.
16. No yellow gas will be released during charging of coal into coke oven battery.
17. All this information is available in EIA report under air pollution control system and details of emission to air.
18. BF slag will be used for cement making, BOF slag after metal recovery partly will be used in sinter plant, and rest will be used as soil conditioner, railway barracks, road making, etc. All other solid waste will be recycled within the plant.
19. Not applicable at this stage.
20. Please see the reply of question no. 18.


21. Company will install a captive cement plant.
22. No costly metal will be recovered.
23. Tar will be used within the plant as a charge mix of coke oven battery.
24. Recovery of Sulphur from coke oven gas.
25. Not applicable.
26. Not applicable.
27. Not applicable.
28. Not applicable for this proposed project.
29. All values are authentic and data generated by NABL approved agency.
30. BOD plant sludge will be used as a charge mix of coke oven battery.
31. Information is available in EIA report with treatment scheme.
32. Information is available in EIA report with detailed scheme.
33. Plant is designed on zero discharge concept, micro water balance with table is available in the report.
34. Information is provided in the EIA report under solid waste management.
35. It will be installed at the outlet of BOD.
36. Information is available in the EIA report.
37. There are approx. 800 people are habitants in our Anjar Township.
38. Company will install a composting plant to manage municipal solid waste.
39. Not applicable for the proposed project.
40. Company has already obtained environment clearance for the proposed STP of 30 MLD capacity.
41. Not connected with the proposed project.
42. Ground water quality has been analyzed and found good for human consumption after disinfection.
43. Not related to the proposed project. Company has assured that no water will be discharged outside the plant premises.
44. Not applicable.
45. The proposed will use around 47 MLD with zero discharge.
46. No additional water allocation is required for the project.
47. Details of the plantation are available in the EIA report under green belt development plan.
48. This is our proposed project. No activities have been carried out for this proposed project. Hence, no question for court matter.
49. Not applicable for the project as construction operation has not yet started.
50. The plant will be designed taking into consideration of CREP guidelines.

Thus, we send the above mentioned details for your information.

Thanking you,

Yours Faithfully,

For, Welspun Steel Ltd.



(Authorized Signatory)

Annexure D-A-6

Date: 14/09/2016

To,
Mahesh Pandya,
Paryavaran Mitra,
 Ahmedabad

Subject: Detailed answers with respect to the received written representation by you on 14/09/2016.

Answers with respect to the received written representation by you on 14/09/2016 are as follows:

1. Not yet applied. It will be applied after getting environmental clearance.
2. Online Form IA was uploaded on MOEF website on 1st October, 2015.
3. No land acquisition for the proposed project; however, earlier land acquired was private.
4. NA permission is under process. The land used will be for industrial purpose.
5. Details are given in the EIA report (June 16).
6. Domestic water requirement for proposed expansion is 20 m³/hr.
7. Dimensions of ETP will be finalized during detailed engineering.
8. The monitoring period was from December 15 to March 16.
9. We will comply with all rules and regulation.
10. Construction of residential colony for employees will be decided at a later stage.
11. No public road will be blocked or closed during the project.
12. Not related with the project. There will be no discharge from the proposed steel plant.
13. Plant water reservoir is present in the project area.
14. There will be no loss of flora, fauna, and vegetation from the proposed project.
15. MOU will be signed within due course of time.
16. Company will form an in-house EHS (Environmental Health and Safety) team to implement EMP.

17. Details regarding the socio-economic development are given in the EIA report.


18. Local employment will be given as per the government policy.

Thus, we send the above mentioned details for your information.

Thanking you,

Yours Faithfully,

For, Welspun Steel Ltd.

A handwritten signature in black ink, appearing to read 'Atul Kishan', written over a horizontal line.

(Authorized Signatory)

Annexure D-A-6

Date: 14/09/2016

To,
Mahesh Pandya,
Paryavaran Mitra,
 Ahmedabad

Subject: Detailed answers with respect to the received written representation by you on 14/09/2016.

Answers with respect to the received written representation by you on 14/09/2016 are as follows:

1. Not yet applied. It will be applied after getting environmental clearance.
2. Online Form IA was uploaded on MOEF website on 1st October, 2015.
3. No land acquisition for the proposed project; however, earlier land acquired was private.
4. NA permission is under process. The land used will be for industrial purpose.
5. Details are given in the EIA report (June 16).
6. Domestic water requirement for proposed expansion is 20 m³/hr.
7. Dimensions of ETP will be finalized during detailed engineering.
8. The monitoring period was from December 15 to March 16.
9. We will comply with all rules and regulation.
10. Construction of residential colony for employees will be decided at a later stage.
11. No public road will be blocked or closed during the project.
12. Not related with the project. There will be no discharge from the proposed steel plant.
13. Plant water reservoir is present in the project area.
14. There will be no loss of flora, fauna, and vegetation from the proposed project.
15. MOU will be signed within due course of time.
16. Company will form an in-house LHS (Environmental Health and Safety) team to implement EMP.

17. Details regarding the socio-economic development are given in the EIA report.


18. Local employment will be given as per the government policy.

Thus, we send the above mentioned details for your information.

Thanking you,

Yours Faithfully,

For, Welspun Steel Ltd.

A handwritten signature in black ink, appearing to read "Steve Koodin", written over a horizontal line.

(Authorized Signatory)

એનેક્સર -ડી-એ-૭

તા. ૧૪/૦૯/૨૦૧૬

પ્રતિશ્રી,
વિશ્રામ રામજી સોરઠીયા,
કાપડી વાડી, વીડી રોડ.
કોમર્સ કોલેજની સામે, જય નગરની બાજુમાં.
ભુજ - ૬૨૬૭.

વિષય : તા. ૧૪/૦૯/૨૦૧૬ ના રોજ આપના દ્વારા લેખિતમાં મળેલ રજૂઆતના સંદર્ભે વિસ્તૃત જવાબ.

માનનીયશ્રી,


૧. તમારી રજૂઆતની નોંધ લેવામાં આવી છે.
૨. આપનો આ સવાલ સુચિત પ્રોજેક્ટ સાથે સંલગ્ન નથી જેની નોંધ લેવી.
૩. આપનો આ સવાલ સુચિત પ્રોજેક્ટ સાથે સંલગ્ન નથી. અને વધુમાં જણાવવાનું અમારા જ ગ્રુપના અન્ય એકમ પાવર પ્લાન્ટ દ્વારા પ્રદુષણને અટકાવવા માટે યોગ્ય પગલાં લેવા આવેલ છે.
૪. અમારા સુચિત પ્લાન્ટ દ્વારા પ્રદુષણને અટકાવવા માટે નીચે મુજબના સાધનો લગાવવામાં આવશે જેનાથી કોઇપણ પ્રકારનું પ્રદુષણ થશે નહીં. ૧). કલર્ડ કન્વેયરબેલ્ટ. ૨). સ્પીન્કલર સીસ્ટમ, ૩). ડ્રાયકોગ સીસ્ટમ, ૪). હવા પ્રદુષણ નિયંત્રણ માટે બેગ ફિલ્ટર સાથેની રજકણ નિયંત્રણ પદ્ધતિ તથા ઇ.એસ.પી.ની વ્યવસ્થા કરવામાં આવશે. જેથી પ્રદુષણ ફેલાવાનો કોઇ પ્રશ્ન રહેશે નહિ.
૫. સુચિત પ્રોજેક્ટની વીજળીની જરૂરીયાત એકમમાં કોક ઓવન બેટરી, બ્લાસ્ટ ફર્નેશમાંથી ઉદ્ભવતા નકામા ગેસની મદદથી વેસ્ટ ઈ.ટ રીકવરી બોઇલર મારફતે વીજળી ઉત્પન્ન કરવામાં આવશે. આથી સુચિત પ્રોજેક્ટ માટે બહારથી કે હયાત અન્ય પાવર પ્લાન્ટમાંથી વીજળી મેળવવાનો પ્રશ્ન ઉપસ્થિત રહેતો નથી.
૬. આપનો આ સવાલ સુચિત પ્રોજેક્ટ સાથે સંલગ્ન નથી જેની નોંધ લેવી અને વધુમાં જણાવવાનું કે હયાત પાવર પ્લાન્ટમાં પ્રદુષણ નિયંત્રણ બોર્ડ દ્વારા નિયંત્રિત વિઝીટ કરેલ છે અને તેમના દ્વારા અપાવેલ તમામ સુચનોનું કંપની દ્વારા પાલન કરવામાં આવેલ છે.
૭. આપનો આ સવાલ સુચિત પ્રોજેક્ટ સાથે સંલગ્ન નથી જેની નોંધ લેવી.
૮. આપનો આ સવાલ સુચિત પ્રોજેક્ટ સાથે સંલગ્ન નથી જેની નોંધ લેવી અને તમારી રજૂઆતની અમારા દ્વારા નોંધ લેવામાં આવી છે.
૯. તમારી રજૂઆતની અમારા દ્વારા નોંધ લેવામાં આવી છે.

આમ ઉપર મુજબની વિગત આપશ્રીને પાઠવીએ છીએ જે આપને વિદિત થાય.

આભાર સહ

આપનો વિશ્વાસુ

વતી. વેલસ્પન સ્ટીલ લિમીટેડ.


(અધિકૃત સહિકર્તા)

Annexure D-A-7

Date: 14/09/2016

To,
Vishram Ramji Sarothiya,
 Kapdi Vadi, Vidi Road,
 Anjar, Kutch - 370110

Subject: Detailed answers with respect to the received written representation by you on 14/09/2016.

Answers with respect to the received written representation by you on 14/09/2016 are as follows:

1. Your representation has been noted.
2. It should be noted that this question of yours is not related with the proposed project.
3. This question of yours is not related with the proposed project; moreover, I would like to inform you that suitable steps are taken to contain pollution by our other unit power plant.
4. To contain the pollution by our proposed plant, following instruments will be installed due to which there will be no pollution of any kind: 1) Covered Conveyer Belt, 2) Sprinkler System, 3) Dry Fogging System, 4) For air pollution control, Bag Filter with particle control process and ESP will be arranged. Thus, there will be no question of spreading pollution.
5. The electricity requirement for the proposed project will be fulfilled by the electricity produced from the Waste Heat Recovery Boiler using the fuel gases byproduct of Coke Oven Battery and Blast Furnace. Thus, there is no question of procuring electricity for the proposed project from outside or any other present power plant.
6. It should be noted that this question of yours is not related with the proposed project. Moreover, I would like to inform you that Pollution Control Board has regularly visited the current power plant, and the company has complied with all of the instructions given by them.
7. It should be noted that this question of yours is not related with the proposed project.
8. It should be noted that this question of yours is not related with the proposed project, and we have noted your representation.
9. Your representation has been noted by us.

Thus, we send the above mentioned details for your information.

Thanking you,
 Yours Faithfully,

For, Welspun Steel Ltd.


 (Authorized Signatory)

એનેક્સર -ડી-એ-૮

તા. ૧૪/૦૮/૨૦૧૬

પ્રતિશ્રી,
કરશનભાઈ રબારી,
ગામ: ખારાપસવારીયા
તા. અંજાર,
જિ. કચ્છ

વિષય : તા. ૧૪/૦૮/૨૦૧૬ ના રોજ આપના દ્વારા લેખિતમાં મળેલ રજુઆતના સંદર્ભે વિસ્તૃત જવાબ.

માનનીયશ્રી,

૧. ઇ.આઇ.એ. જાહેરનામા ૨૦૦૬ની જોગવાઈ મુજબ પર્યાવરણીય લોક સુનાવણીના ૩૦ દિવસ અગાઉ લાગતા વળગતા સ્થાનિક અસરગ્રસ્ત લોકોના ધ્યાન દોરવા સદર લોક સુનાવણી દરમિયાન ફાજર રહેવા અથવા તેઓની ટીકા-ટીપ્પણી લેખિતમાં મોકલવા ગુજરાત પ્રદુષણ નિયંત્રણ બોર્ડ દ્વારા તા. ૧૦/૦૮/૨૦૧૬ નાં રોજ દૈનિક સમાચાર પત્રો "કચ્છ મિત્ર" અને ધ ટાઈમ્સ ઓફ ઇન્ડીયા" જાહેર સુચના પ્રસિધ્ધિ કરી જનતાને જાણ કરેલ છે. જે બિડાણ-૧ તરીકે સામેલ છે. સદર પરીયોજનાના પર્યાવરણલક્ષી અસરનાં આંકલન અહેવાલ અને તેના ગુજરાતી તેમજ અંગ્રેજી ભાષામાં સારાશ અહેવાલની નકલ બિડાણ -૨ માં દર્શાવેલ ઓથોરીટી/કાર્યાલયોમાં તે કામકાજનાં દિવસ દરમિયાન લોક સુનાવણીના દિન સુધી નિહાળવા તા. ૮/૦૮/૨૦૧૬ નાં રોજ મોકલેલ છે. વધુમાં સદર લોક સુનાવણીની બહેલી પ્રસિધ્ધ અર્થે અસરગ્રસ્ત ગામ પંચાયત/તાલુકા પંચાયત/નગરપાલિકા માં પણ પર્યાવરણ અસરનાં આંકલન અહેવાલના ગુજરાતી સારાંશ બિડાણ-૩ માં દર્શાવ્યાં પ્રમાણે મોકલવામાં આવેલ છે.
૨. ઇ.આઇ.એ. જાહેરનામા ૨૦૦૬ની જોગવાઈ મુજબ પર્યાવરણીય લોક સુનાવણીના ૩૦ દિવસ અગાઉ લાગતા વળગતા સ્થાનિક અસરગ્રસ્ત લોકોના ધ્યાન દોરવા સદર લોક સુનાવણી દરમિયાન ફાજર રહેવા અથવા તેઓની ટીકા ટીપ્પણી લેખિતમાં મોકલવા ગુજરાત પ્રદુષણ નિયંત્રણ બોર્ડ દ્વારા તા. ૧૦/૦૮/૨૦૧૬ નાં રોજ દૈનિક સમાચાર પત્રો "કચ્છ મિત્ર" અને ધ ટાઈમ્સ ઓફ ઇન્ડીયા" જાહેર સુચના પ્રસિધ્ધિ કરી જનતાને જાણ કરેલ છે. જે બિડાણ-૧ તરીકે સામેલ છે. સદર પરીયોજનાના પર્યાવરણલક્ષી અસરનાં આંકલન અહેવાલ અને તેના ગુજરાતી તેમજ અંગ્રેજી ભાષામાં સારાશ અહેવાલની નકલ બિડાણ -૨ માં દર્શાવેલ ઓથોરીટી/કાર્યાલયોમાં તે કામકાજનાં દિવસ દરમિયાન લોક સુનાવણીના દિન સુધી નિહાળવા તા. ૮/૦૮/૨૦૧૬ નાં રોજ મોકલેલ છે. વધુમાં સદર લોક સુનાવણીની બહેલી પ્રસિધ્ધ અર્થે અસરગ્રસ્ત ગામ પંચાયત/તાલુકા પંચાયત/નગરપાલિકા માં પણ પર્યાવરણ અસરનાં આંકલન અહેવાલના ગુજરાતી સારાંશ બિડાણ-૩ માં દર્શાવ્યાં પ્રમાણે મોકલવામાં આવેલ છે.
૩. ઇ.આઇ.એ. જાહેરનામા -૨૦૦૬ની જોગવાઈ મુજબ પર્યાવરણીય લોક સુનાવણી પરીયોજનાના સ્થળ કે તેની નિકટની જગ્યાએ રોજવાનો હોય છે, પર્યાવરણીય લોક સુનાવણી માટે નક્કી કરાયેલ સ્થળ રોટરી ભવન હોલ, પી.જી.વી.સી.એલ. કચેરીની સામે. બસ સ્ટેશન રોડ, અંજાર, કચ્છ ખાતે રાખવામાં આવેલ. જે સ્થળ સદર એકમથી ૪.૫ કી.મી.નાં અંતરે આવેલ છે. જે તાલુકા મથક છે. વધુમાં જણાવવાનું કે હાલ


વરસાદની સિઝન હોવાથી ખુલ્લી જગ્યામાં લોક સુનાવણીનું આયોજન કરવામાં આવે તો મુશ્કેલી ઉભી થઈ શકે તેમ હોવાથી તેમજ પરિવહનની સુવિધા ઝડપથી મળી રહે તે હેતુથી ઉપર મુજબના સ્થાનની પસંદગી કરવામાં આવેલ હતી અને તે અંગે ગુ.પ્ર.નિ. બોર્ડ, પ્રાદેશિક કચેરી કચ્છ-પુર્વ ને લેખિતમાં વિનંતી પણ કરેલ હતી.

આમ ઉપર મુજબની વિગત આપશ્રીને પાઠવીએ છીએ જે આપને વિદિત થાય.

આભાર સહ

આપનો વિશ્વાસુ

વતી. વેલસ્પન સ્ટીલ લિમીટેડ,



(અધિકૃત સહિકર્તા)

Annexure D-A-8

Date: 14/09/2016

To,
 Karshanbhai Rabari,
 Village: Kharapasvariya,
 Taluka: Anjar,
 District: Kutch

Subject: Detailed answer with respect to the received written representation by you on 14/09/2016.

Respected Sir,

1. According to the EIA notifications 2006, an advertisement was published in local daily newspaper before in "Kutch Mitra" and "The Time of India" on 10/08/2016 which is required to be published before 30 days of the date of Environmental Public Hearing so that people can know about it get prepared and present in Environmental Public Hearing with their objections and suggestions which is annexed as Annexure-1. Report of project related environmental study and copy of summary report in Gujarati and English language are made available to the authorities /offices mentioned in Annexure-2 on 08/08/2016 till the date of Public Hearing on any working day. Moreover, for wide publication of above said Public Hearing, Gujarati summary report of environmental study report were sent to affected Gram Panchayat/Taluka Panchayat/Nagarpalika as mentioned in Annexure-3.
2. According to the EIA notifications 2006, an advertisement was published in local daily newspaper before in "Kutch Mitra" and "The Time of India" on 10/08/2016 which is required to be published before 30 days of the date of Environmental Public Hearing so that people can know about it get prepared and present in Environmental Public Hearing with their objections and suggestions which is annexed as Annexure-1. Report of project related environmental study and copy of summary report in Gujarati and English language are made available to the authorities /offices mentioned in Annexure-2 on 08/08/2016 till the date of Public Hearing on any working day. Moreover, for wide publication of above said Public Hearing, Gujarati summary report of environmental study report were sent to affected Gram Panchayat/Taluka Panchayat/Nagarpalika as mentioned in Annexure-3.


3. As per the guidelines of EIA notification 2006 environmental public hearing is to be organized at proposed project or other near places. Environmental public hearing was decided to organized at Rotary Bhavan Hall, Opp. P.G.V.C.L. Office, Bus Stand Road, Anjar, Kutch which is 4.5 km far away from the proposed plant and it is taluka head office. In addition due to the monsoon season there was difficulty to organize public hearing in open at proposed site and transportation facility was easily available for decided place so above mentioned place was fixed for public hearing and request was done in written to the Gujarat Pollution Control Board for the same.

Thus, we send the above mentioned details for your information.

Thanking you,

Yours Faithfully,

For, Welspun Steel Ltd.


(Authorized Signatory)

એનેક્સર - ડી.એ-૯

તા. ૧૪/૦૯/૨૦૧૬

પ્રતિશ્રી,

આત્માશમ બી. ગામોટ,

ગામ: ભીમાસર,

તા. અંજાર,

જિ. કચ્છ

વિષય : તા. ૧૪/૦૯/૨૦૧૬ ના રોજ આપના દ્વારા લેખિતમાં મળેલ રજુઆતના સંદર્ભે વિસ્તૃત જવાબ.

માનનીયશ્રી,


૧. આ પ્રોજેક્ટ જે વિસ્તારમાં આવનાર છે તે વિસ્તારમાં કોઇપણ પ્રકારના જાહેર તળાવો આવેલ નથી.
૨. આ પ્રોજેક્ટ જે વિસ્તારમાં આવનાર છે તે વિસ્તારની જમીનો હાલમાં ખુલ્લી અને યથાવત સ્થિતિમાં જાળવી રાખેલ છે. તેથી દબાણનો કોઇ પ્રકાર ઉપસ્થિત થતો નથી.
૩. આ સુચિત પ્રોજેક્ટ માટે જે જમીનનો ઉપયોગ કરવામાં આવનાર છે તે જમીનો સરકારશ્રીના બિંચમો અનુસાર ખાનગી જમીન માલિકો પાસેથી ખરીદ કરેલ છે.

આમ ઉપર મુજબની વિગત આપશ્રીને પાઠવ્યો છું,એ જે આપને વિદિત થાય.

આભાર સહ

આપનો વિશ્વાસુ

વતી. વેલસ્પન સ્ટીલ લિમીટેડ.



(અધિકૃત સહિકર્તા)

Annexure D-A-9

Date: 14/09/2016

To,
Atmaram B Gamot,
Village: Bhimasar,
Taluka: Anjar,
District: Kutch

Subject: Detailed answer with respect to the received written representation by you on 14/09/2016.

Respected Sir,


1. There are no public lakes located in the area where the project will be commissioned.
2. The land of the area where this project will be commissioned has been kept open and as it is. Thus, there is no question of any encroachment of land.
3. The land which will be used for the proposed project has been purchased from private land owners according to the rules and regulations of government.

Thus, we send the above mentioned details for your information.

Thanking you,

Yours Faithfully,

For, Welspun Steel Ltd.


(Authorized Signatory)

એનેક્સર -ડી-એ-૧૦

તા. ૧૪/૦૯/૨૦૧૬

પ્રતિશ્રી,

રૂડીબેન મ્યાજરભાઈ ચાવડા,

ગામ: વરસામેડી,

તા. અંજાર,

જિ. કચ્છ

વિષય : તા. ૧૪/૦૯/૨૦૧૬ ના રોજ આપના દ્વારા લેખિતમાં મળેલ રજુઆતના સંદર્ભે જવાબ.

માનનીયશ્રી,


આપશ્રી દ્વારા કંપની પરત્વે હકારાત્મક વલણ દાખવવા બદલ અમે કંપની વતી આપશ્રીનો આભાર વ્યક્ત કરીએ છીએ.

આમ ઉપર મુજબની વિગત આપશ્રીને પાઠવીએ છીએ જે આપને વિદિત થાય

આભાર સહ

આપનો વિશ્વાસુ

વતી. વેલસ્પન સ્ટીલ લિમીટેડ.



(અધિકૃત સહિકર્તા)

Annexure D-A-10

Date: 14/09/2016

To,

Rudiben Myajarbhai Chavda,

Village: Varsamedi,

Taluka: Anjar,

District: Kutch

Subject: Answer with respect to the received written representation by you on 14/09/2016.

Respected Sir,


I would like to show gratitude on behalf of the company for your display of supportive attitude towards the company.

Thus, we send the above mentioned details for your information.

Thanking you,

Yours Faithfully,

For, Welspun Steel Ltd.



(Authorized Signatory)

એનેક્સર -ડી-એ-૧૧

તા. ૧૪/૦૯/૨૦૧૬

પ્રતિશ્રી,
કાશીબેન રાજપુત,
ગામ: અંજાર,
તા. અંજાર,
જિ. ડચ્છ

વિષય : તા. ૧૪/૦૯/૨૦૧૬ ના રોજ આપના દ્વારા લેખિતમાં મળેલ રજુઆતનાં સંદર્ભે જવાબ.


માનનીયશ્રી,

આપશ્રી દ્વારા કંપની પરત્વે હકારાત્મક વલણ દાખવવા બદલ અમો કંપની વતી આપશ્રીનો આભાર વ્યક્ત કરીએ છીએ.

આમ ઉપર મુજબની વિગત આપશ્રીને પાઠવીએ છીએ જે આપને વિદિત થાય.

આભાર સહ

આપનો વિશ્વાસુ
વતી. વેલસ્પન સ્ટીલ લિમીટેડ.


(અધિકૃત સહિકર્તા)

Annexure D-A-11

Date: 14/09/2016

To,
Kashiben Rajput,
Village: Anjar,
Taluka: Anjar,
District: Kutch

Subject: Answer with respect to the received written representation by you on 14/09/2016.

Respected Sir,


I would like to show gratitude on behalf of the company for your display of supportive attitude towards the company.

Thus, we send the above mentioned details for your information.

Thanking you,

Yours Faithfully,

For, Welspun Steel Ltd.



(Authorized Signatory)

એનેક્સર -ડી-એ-૧૨

તા. ૧૪/૦૯/૨૦૧૬

પ્રતિશ્રી,

મહેશભાઈ મનસુખલાલ મારાજ,

ગ્રામ: લાખાપર,

તા. અંજાર,

જિ. કચ્છ

વિષય : તા. ૧૪/૦૯/૨૦૧૬ ના રોજ આપના દ્વારા લેખિતમાં મળેલ રજુઆતના સંદર્ભે જવાબ.

માનનીયશ્રી,


આપશ્રી દ્વારા કંપની પરત્વે ફકારાત્મક વલણ દાખવવા બદલ અમો કંપની વતી આપશ્રીનો આભાર વ્યક્ત કરીએ છીએ.

આમ ઉપર મુજબની વિગત આપશ્રીને પાઠવીએ છીએ જે આપને વિદિત થાય.

આભાર સહ

આપનો વિશ્વાસુ

વતી. વેલસ્પન સ્ટીલ લિમીટેડ,



(અધિકૃત સહકર્તા)

Annexure D-A-12

Date: 14.09.2016

To,

Maheshbhai Mansukhlal Maraj,

Village: Lakhapar,

Taluka: Anjar,

District: Kutch

Subject: Answer with respect to the received written representation by you on 14/09/2016.

Respected Sir,


I would like to show gratitude on behalf of the company for your display of supportive attitude towards the company.

Thus, we send the above mentioned details for your information.

Thanking you,

Yours Faithfully,

For, Welspun Steel Ltd.



(Authorized Signatory)

એનેક્સર -ડી-એ-૧૩

તા. ૧૪/૦૯/૨૦૧૬

પ્રતિશ્રી,
માદેવા કુદા મ્યાત્રા,
ગામ: સાપેડા,
તા. અંજાર,
જિ. કચ્છ

વિષય : તા. ૧૪/૦૯/૨૦૧૬ ના રોજ આપના દ્વારા લેખિતમાં મળેલ રજુઆતના સંદર્ભે જવાબ.


માનનીયશ્રી,

આપશ્રી દ્વારા કંપની પરત્વે ફકારાત્મક વલણ દાખવવા બદલ અમો કંપની વતી આપશ્રીનો આભાર વ્યક્ત કરીએ છીએ.

આમ ઉપર મુજબની વિગત આપશ્રીને પાઠવીએ છીએ જે આપને વિદિત થાય.

આભાર સહ

આપનો વિશ્વાસુ
વતી. વેલસ્પન સ્ટીલ લિમીટેડ,


(અધિકૃત સહિકર્તા)

Annexure D-A-13

Date: 14/09/2016

To,

Madeva Duda Myatra,

Village: Sopeda,

Taluka: Anjar,

District: Kutch

Subject: Answer with respect to the received written representation by you on 14/09/2016.

Respected Sir,


I would like to show gratitude on behalf of the company for your display of supportive attitude towards the company.

Thus, we send the above mentioned details for your information.

Thanking you,

Yours Faithfully,

For, Welspun Steel Ltd.



(Authorized Signatory)

એનેક્સર -ડી-એ-૧૪

તા. ૧૪/૦૯/૨૦૧૬

પ્રતિશ્રી,

કુંવરબેન કાનાભાઈ રબારી,

ગામઃ વરસ.મેડી,

તા. અંજાર,

જિ. કચ્છ

વિષય : તા. ૧૪/૦૯/૨૦૧૬ ના રોજ આપના દ્વારા લેખિતમાં મળેલ રજુઆતના સંદર્ભે જવાબ.

માનનીયશ્રી,


આપશ્રી દ્વારા કંપની પરત્વે ઠકારાત્મક વલણ દાખવવા બદલ અમો કંપની વતી આપશ્રીનો આભાર વ્યક્ત કરીએ છીએ.

આમ ઉપર મુજબની વિગત અ.પશ્રીને પાઠવીએ છીએ જે આપને વિદિત થાય.

આભાર સહ

આપનો વિશ્વાસુ

વતી. વેલસ્પન સ્ટીલ લિમીટેડ,



(અધિકૃત સહિકર્તા)

Annexure D-A-14

Date: 14/09/2016

To,
Kunverben Kanabhai Rabari,
Village: Varsamedi,
Taluka: Anjar,
District: Kutch

Subject: Answer with respect to the received written representation by you on 14/09/2016.

Respected Sir,


I would like to show gratitude on behalf of the company for your display of supportive attitude towards the company.

Thus, we send the above mentioned details for your information.

Thanking you,

Yours Faithfully,

For, Welspun Steel Ltd.


(Authorized Signatory)

એનેક્સર -ડી-એ-૧૫

તા. ૧૪/૦૮/૨૦૧૬

પ્રતિશ્રી,
કુંવરબેન ગગુભાઈ હેઠવાડીયા,
ગામ: વરસામેડી,
તા. અંજાર,
જિ. કચ્છ

વિષય : તા. ૧૪/૦૮/૨૦૧૬ ના રોજ આપના દ્વારા લેખિતમાં મળેલ રજુઆતના સંદર્ભે જવાબ.


માનનીયશ્રી,

આપશ્રી દ્વારા કંપની પરત્વે હકારાત્મક વલણ દાખવવા બદલ અમે કંપની વતી આપશ્રીનો આભાર વ્યક્ત કરીએ છીએ.

આમ ઉપર મુજબની વિગત આપશ્રીને પાઠવીએ છીએ જે આપને વિદિત થાય.

આભાર સહ

આપનો વિશ્વાસુ
વતી. વેલસ્પન સ્ટીલ લિમીટેડ,



(અધિકૃત સહિકર્તા)

Annexure D-A-15

Date: 14/09/2016

To,

Kunverben Gagubhai Hethvadiya,

Village: Varsamedi,

Taluka: Anjar,

District: Kutch

Subject: Answer with respect to the received written representation by you on 14/09/2016.

Respected Sir,


I would like to show gratitude on behalf of the company for your display of supportive attitude towards the company.

Thus, we send the above mentioned details for your information.

Thanking you,

Yours Faithfully,

For, Welspun Steel Ltd.



(Authorized Signatory)

એનેક્સર -ડી-એ-૧૬

તા. ૧૪/૦૯/૨૦૧૬

પ્રતિશ્રી.

નવીનભાઈ નારણભાઈ ઝરૂ.

(કારોબારી ચેરમેન - જિલ્લા પંચાયત મુજ-કચ્છ)

જિ. કચ્છ

વિષય : તા. ૧૪/૦૯/૨૦૧૬ ના રોજ આપના દ્વારા લેખિતમાં મળેલ રજુઆતના સંદર્ભે જવાબ.

માનનીયશ્રી.


આપશ્રી દ્વારા કંપની પરત્વે હકારાત્મક વલણ દર્શાવવા બદલ અમો કંપની વતી આપશ્રીનો આભાર વ્યક્ત કરીએ છીએ.

આમ ઉપર મુજબની વિગત આપશ્રીને પાઠવીએ છીએ જે આપને વિદિત થાય.

આભાર સહ

આપનો વિશ્વાસુ

વતી વેલસ્પન સ્ટીલ લિમીટેડ.



(અધિકૃત સહિકર્તા)

Annexure D-A-16

Date: 14/09/2016

To,

Naveenbhai Narayanbhai Jharu,

(Operational Chairman - District Panchayat Bhuj-Kutch)

District: Kutch

Subject: Answer with respect to the received written representation by you on 14/09/2016.

Respected Sir,


I would like to show gratitude on behalf of the company for your display of supportive attitude towards the company.

Thus, we send the above mentioned details for your information.

Thanking you,

Yours Faithfully,

For, Welspun Steel Ltd.



(Authorized Signatory)

એનેક્ષર -ડી-એ-૧૭

તા. ૧૪/૦૯/૨૦૧૬

પ્રતિશ્રી,
રામેશરીબેન સામજીભાઈ આહિર,
(સભ્ય જિલ્લા પંચાયત ભુજ-કચ્છ)
ગાંધીધામ, જિ. કચ્છ

વિષય : તા. ૧૪/૦૯/૨૦૧૬ ના રોજ આપના દ્વારા લેખિતમાં મળેલ રજૂઆતના સંદર્ભે જવાબ.


માનનીયશ્રી,

આપશ્રી દ્વારા કંપની પરત્વે હકારાત્મક વલણ દાખવવા બદલ અમો કંપની વતી આપશ્રીનો આભાર વ્યક્ત કરીએ છીએ.

આમ ઉપર મુજબની વિગત આપશ્રીને પાઠવીએ છીએ જે આપને વિદિત થાય.

આભાર સહ

આપનો વિશ્વાસુ
વતી. વેલસ્પન સ્ટીલ લિમીટેડ,


(અધિકૃત સહિકર્તા)

Annexure D-A-17

Date: 14/09/2016

To,

Rameshwariben Samjibhai Ahir,

(Member, District Panchayat Bhuj-Kutch)

Gandhidham, District: Kutch

Subject: Answer with respect to the received written representation by you on 14/09/2016.

Respected Sir,


I would like to show gratitude on behalf of the company for your display of supportive attitude towards the company.

Thus, we send the above mentioned details for your information.

Thanking you,

Yours Faithfully,

For, Welspun Steel Ltd.



(Authorized Signatory)

એનેક્સર -ડી-એ-૧૮

તા. ૧૪/૦૮/૨૦૧૬

પ્રતિશ્રી,
રમેશભાઈ જીવાભાઈ અજાણ,
ગામ: વરસામેડી,
તા. અંજાર,
જિ. કચ્છ


વિષય : તા. ૧૪/૦૮/૨૦૧૬ ના રોજ આપના દ્વારા લેખિતમાં મળેલ રજુઆતના સંદર્ભે વિસ્તૃત જવાબ.

માનનીયશ્રી,

૧. આ અમારો સુચિત પ્રોજેક્ટ છે. આ પ્રોજેક્ટ માટે કોઇપણ પ્રકારની પ્રવૃત્તિ શરૂ કરવામાં આવેલ નથી.
 ૨. આ અમારો સુચિત પ્રોજેક્ટ છે. આ પ્રોજેક્ટ માટે કોઇપણ પ્રકારની પ્રવૃત્તિ શરૂ કરવામાં આવેલ નથી.
 ૩. આ અમારો સુચિત પ્રોજેક્ટ છે. આ પ્રોજેક્ટ માટે કોઇપણ પ્રકારની પ્રવૃત્તિ શરૂ કરવામાં આવેલ નથી.
- આમ ઉપર મુજબની વિગત આપશ્રીને પાઠવીએ છીએ જે આપને વિદિત થાય.

આભાર સહ

આપનો વિશ્વાસુ
વતી. વેલસ્પન સ્ટીલ લિમિટેડ.


(અધિકૃત સહિકર્તા)

Annexure D-A-18

Date: 14/09/2016

To,
Rameshbhai Jivabhai Ajana,
Village: Varsamedi,
Taluka: Anjar,
District: Kutch

Subject: Detailed answer with respect to the received written representation by you on 14/09/2016.

Respected Sir,


1. This is our proposed project. No activities have been carried out for this proposed project.
2. This is our proposed project. No activities have been carried out for this proposed project.
3. This is our proposed project. No activities have been carried out for this proposed project.

Thus, we send the above mentioned details for your information.

Thanking you,

Yours Faithfully,

For, Welspun Steel Ltd.


(Authorized Signatory)

એનેક્સર -ડી.એ.૧૯

તા. ૧૪/૦૯/૨૦૧૬

પ્રતિશ્રી,
રમેશભાઈ જીવાભાઈ અજ્જણ,
ગામ: ખારાપસવારીયા,
ત.. અંજાર,
જિ. કચ્છ

વિષય : તા. ૧૪/૦૯/૨૦૧૬ ના રોજ આપના દ્વારા લેખિતમાં મળેલ રજુઆતના સંદર્ભે વિસ્તૃત જવાબ.


માનનીયશ્રી,

૧. આ અમારો સુચિત પ્રોજેક્ટ છે, આ પ્રોજેક્ટ માટે કોઇપણ પ્રકારની પ્રવૃત્તિ શરૂ કરવામાં આવેલ નથી.
૨. આ અમારો સુચિત પ્રોજેક્ટ છે. આ પ્રોજેક્ટ માટે કોઇપણ પ્રકારની પ્રવૃત્તિ શરૂ કરવામાં આવેલ નથી.
૩. આ અમારો સુચિત પ્રોજેક્ટ છે. આ પ્રોજેક્ટ માટે કોઇપણ પ્રકારની પ્રવૃત્તિ શરૂ કરવામાં આવેલ નથી.

આમ ઉપર મુજબની વિગત આપશ્રીને પાઠવીએ છીએ જે આપને વિદિત થાય.

આભાર સહ

આપનો વિશ્વાસુ
વતી. વેલસ્પન સ્ટીલ લિમિટેડ,


(અધિકૃત સહિકર્તા)

Annexure D-A-19

Date: 14/09/2016

To,

Rameshbhai Jivabhai Ajana,

Village: Kharapasvariya,

Taluka: Anjar,

District: Kutch

Subject: Detailed answer with respect to the received written representation by you on 14/09/2016.

Respected Sir,


1. This is our proposed project. No activities have been carried out for this proposed project.
2. This is our proposed project. No activities have been carried out for this proposed project.
3. This is our proposed project. No activities have been carried out for this proposed project.

Thus, we send the above mentioned details for your information.

Thanking you,

Yours Faithfully,

For, Welspun Steel Ltd.



(Authorized Signatory)

એનેક્સર -ડી-એ-૨૦

તા. ૧૪/૦૯/૨૦૧૬

પ્રતિશ્રી,
અરજદાર કે. આહીર,
ગામ: આંબાપર,
તા. અંજાર,
જિ. કચ્છ

વિષય : તા. ૧૪/૦૯/૨૦૧૬ ના રોજ આપના દ્વારા લેખિતમાં મળેલ રજૂઆતના સંદર્ભે વિસ્તૃત જવાબ.


માનનીયશ્રી,

૧. આ પ્રોજેક્ટ જે વિસ્તારમાં આવનાર છે તે વિસ્તારમાં કોઇપણ પ્રકારના જાહેર તળાવો આવેલ નથી.
૨. આ પ્રોજેક્ટ જે વિસ્તારમાં આવનાર છે તે વિસ્તારની જમીનો હાલમાં ખુલ્લી અને યથાવત સ્થિતિમાં જાળવી રાખેલ છે, તેથી દબાણનો કોઇ પ્રકાર ઉપસ્થિત થતો નથી.
૩. આ સુચિત પ્રોજેક્ટ માટે જે જમીનનો ઉપયોગ કરવામાં આવનાર છે તે જમીનો સરકારશ્રીના નિયમો અનુસાર ખાનગી જમીન માલિકો પાસેથી ખરીદ કરેલ છે.

આમ ઉપર મુજબની વિગત આપશ્રીને પાઠવીએ છીએ જે આપને વિદિત થાય.

આભાર સહ

આપનો વિશ્વાસુ
વતી, વેલસ્પન સ્ટીલ લિમીટેડ,


(અધિકૃત સહિકર્તા)

Annexure D-A-20

Date: 14/09/2016

To,

Aarjan K. Ahir,

Village: Ambapur,

Taluka: Anjar,

District: Kutch

Subject: Detailed answer with respect to the received written representation by you on 14/09/2016.

Respected Sir,


1. There are no public lakes located in the area where the project will be commissioned.
2. The land of the area where this project will be commissioned has been kept open and as it is. Thus, there is no question of any encroachment of land.
3. The land which will be used for the proposed project has been purchased from private land owners according to the rules and regulations of government.

Thus, we send the above mentioned details for your information.

Thanking you,

Yours Faithfully,

For, Welspun Steel Ltd.



(Authorized Signatory)

એનેક્સર -ડી-એ-૨૧

તા. ૧૪/૦૯/૨૦૧૬

પ્રતિશ્રી,

શંસુભાઈ વાલાભાઈ હુમળ,

ગામ: વરસામેડી,

તા. અંજાર,

જિ. કચ્છ

વિષય : તા. ૧૪/૦૯/૨૦૧૬ ના રોજ આપના દ્વારા લેખિતમાં મળેલ રજુઆતના સંદર્ભે વિસ્તૃત જવાબ.

માનનીયશ્રી,

૧. આ સુચિત પ્રોજેક્ટ છે. ગુજરાત વોટર ઇન્ફ્રાસ્ટ્રક્ચર લિમિટેડ, પાસેથી વધારાનું કોઇ પાણી લેવામાં આવશે નહીં અને જે પાણીની જરૂરીયાત છે તે સુચિત સીવેજ ટ્રીટમેન્ટ પ્લાન્ટ (એસ.ટી.પી.) માંથી મેળવવામાં આવશે.
૨. આ પ્રોજેક્ટ માટે બહારથી કોઇ પાણી વપરાશ માટે લેવામાં આવશે નહીં જેથી મંજૂરીની જરૂરીયાત રહેતી નથી.
૩. સુચિત એકમ એ "ઝીરો ડિસ્ચાર્જ" ના સિધ્ધાંત પર કામ કરશે. તેથી આ પ્રોજેક્ટમાંથી કોઇપણ પ્રકારના પ્રદુષિત પાણીનો નિકાલ એકમની બહાર કરવામાં આવશે નહીં.
૪. આવનાર સુચિત પ્લાન્ટમાં જે ઇ.ટી.પી. પ્લાન્ટ લગાવવામાં આવશે તેનો ઓપરેશન અને મેન્ટેનન્સ માટેનો પ્રતિ માસનો ખર્ચ લગભગ રૂ. ૪૦ લાખ જેટલો રહેશે.
૫. આ અમારો સુચિત પ્રોજેક્ટ છે. આ પ્રોજેક્ટ માટે કોઇપણ પ્રકારની બાંધકામને લગતો કામગીરી શરૂ કરવામાં આવેલ નથી, અને પર્યાવરણીય સંગતિ મળ્યેથી જ શરૂ કરવામાં આવશે. અને ઉત્પાદન શરૂ થયા બાદ મહત્તમ પાણીનો વપરાશ ૧૦.૪ એમ.જી.ડી. જેટલો રહેશે.
૬. સુચિત એકમ એ "ઝીરો ડિસ્ચાર્જ" ના સિધ્ધાંત પર કામ કરશે. તેથી આ પ્રોજેક્ટમાંથી કોઇપણ પ્રકારના પ્રદુષિત પાણીનો નિકાલ એકમની બહાર કરવામાં આવશે નહીં.
૭. આ અમારો સુચિત પ્રોજેક્ટ છે અને આ એકમમાં આવનાર ઇ.ટી.પી. ની ક્ષમતા નીચે મુજબ છે.
 - ૧). બી.ઓ.ડી. પ્લાન્ટ -- ૮૦ થી ૧૦૦ ક્યુબીક મીટર/કલાક, ૨). ઇ.ટી.પી. પ્લાન્ટ -- ૧૮૦ થી ૨૦૦ ક્યુબીક મીટર/કલાક અને ૪). સી.ઈ.ટી.પી. પ્લાન્ટમાં -- ૪૫૦ થી ૫૦૦ ક્યુબીક મીટર/કલાક. આવનાર સુચિત ઇ.ટી.પી. પ્લાન્ટનો ઓપરેશન અને મેન્ટેનન્સ માટેનો પ્રતિ માસનો ખર્ચ લગભગ રૂ. ૪૦ લાખ જેટલો રહેશે.


૮. આ સુચિત પ્રોજેક્ટ વિસ્તારમાં કોઇપણ પ્રકારના જાહેર તળાવો અ.વેલ નથી.

આમ ઉપર મુજબની વિગત અ.પશ્રીને પાઠવીએ છીએ જે આપને વિદિત થાય.

આભાર સહ

આપનો વિશ્વાસુ

વતી. વેલસ્પન સ્ટીલ લિમીટેડ.



(અધિકૃત સહિકર્તા)

Annexure D-A-21

Date: 14/09/2016

To,
Shambhubhai Vahlabhai Humbar,
 Village: Varsamedi,
 Taluka: Anjar,
 District: Kutch

Subject: Detailed answer with respect to the received written representation by you on 14/09/2016.

Respected Sir,


1. This is proposed project. Required Water will be taken from proposed sewage treatment plant (STP) , so no additional water will be required to be taken from GWIL.
2. No water from outside will be used for this project; therefore there is no requirement for approval.
3. The proposed project will work on the principle of "Zero Discharge" due to which there will be no released of polluted water from the unit.
4. Total cost of the ETP plant which will be installed will be of approximately 40 lakh per month as its operating and maintaining cost.
5. This is our proposed project. No construction activity has been carried out for this project and will be carried out only after approval and maximum 10.4 MGD water will be consumed during production presses.
6. The proposed unit will work on the principle of "Zero Discharge" due to which polluted water will not be released from the unit.
7. This is our proposed project and the capacity of upcoming ETP in proposed plant is as follow.
 (1) B.O.D plant – 80 to 100 cubic meter/hour, (2) ETP plant – 180 to 200 cubic meter/hour and
 (4) C.E.T.P. plant – 450 to 500 cubic meter/hour. Total cost of the ETP plant which will be installed will be of approximately 40 lakh per month as its operating and maintaining cost.
8. No public lakes are there in the proposed project area.

Thus, we send the above mentioned details for your information.

Thanking you,

Yours Faithfully,

For, Welspun Steel Ltd.



(Authorized Signatory)

એનેક્સર -ડી-એ-૨૨

તા. ૧૪/૦૯/૨૦૧૬

પ્રતિશ્રી,

ગોપાલભાઈ રાધા રબારી,

ગ્રામ: વરસામેડી,

તા. અંજાર,

જિ. કચ્છ

વિષય : તા. ૧૪/૦૯/૨૦૧૬ ના રોજ આપના દ્વારા લેખિતમાં મળેલ રજુઆતના સંદર્ભે વિસ્તૃત જવાબ.

માનનીયશ્રી,

૧. આ સુચિત પ્રોજેક્ટ છે, ગુજરાત વોટર ઇન્ફ્રાસ્ટ્રક્ચર લિમિટેડ, પાસેથી વધારાનું કોઇ પાણી લેવામાં આવશે નહીં અને જે પાણીની જરૂરીયાત છે તે સુચિત સીવેજ ટ્રીટમેન્ટ પ્લાન્ટ (એસ.ટી.પી.) માંથી મેળવવામાં આવશે.
૨. આ પ્રોજેક્ટ માટે બહારથી કોઇ પાણી વપરાશ માટે લેવામાં આવશે નહીં જેથી મંજૂરીની જરૂરીયાત રહેતી નથી.
૩. સુચિત એકમ એ "ઝીરો ડિસ્ચાર્જ" ના સિદ્ધાંત પર કામ કરશે, તેથી આ પ્રોજેક્ટમાંથી કોઇપણ પ્રકારના પ્રદુષિત પાણીનો નિકાલ એકમની બહાર કરવામાં આવશે નહીં.
૪. આવનાર સુચિત પ્લાન્ટમાં જે ઇ.ટી.પી. પ્લાન્ટ લગાવવામાં આવશે તેનો ઓપરેશન અને મેન્ટેનન્સ માટેનો પ્રતિ માસનો ખર્ચ લગભગ રૂ. ૪૦ લાખ જેટલો રહેશે.
૫. આ અમારો સુચિત પ્રોજેક્ટ છે, આ પ્રોજેક્ટ માટે કોઇપણ પ્રકારની બાંધકામને લગતી કામગીરી શરૂ કરવામાં આવેલ નથી, અને પર્યાવરણીય સંમતિ મળ્યેથી જ શરૂ કરવામાં આવશે, અને ઉત્પાદન શરૂ થયે બાદ મહત્તમ પાણીનો વપરાશ ૧૦.૪ એમ.જી.ડી. જેટલો રહેશે.
૬. સુચિત એકમ એ "ઝીરો ડિસ્ચાર્જ" ના સિદ્ધાંત પર કામ કરશે, તેથી આ પ્રોજેક્ટમાંથી કોઇપણ પ્રકારના પ્રદુષિત પાણીનો નિકાલ એકમની બહાર કરવામાં આવશે નહીં.
૭. આ અમારો સુચિત પ્રોજેક્ટ છે અને આ એકમમાં આવનાર ઇ.ટી.પી. ની ક્ષમતા નીચે મુજબ છે.
 - ૧). બી.ઓ.ડી. પ્લાન્ટ - ૮૦ થી ૧૦૦ ક્યુબીક મીટર/કલાક, ૨). ઇ.ટી.પી. પ્લાન્ટ - ૧૮૦ થી ૨૦૦ ક્યુબીક મીટર/કલાક અને ૪). સી.ઈ.ટી.પી. પ્લાન્ટમાં - ૪૫૦ થી ૫૦૦ ક્યુબીક મીટર/કલાક. આવનાર સુચિત ઇ.ટી.પી. પ્લાન્ટનો ઓપરેશન અને મેન્ટેનન્સ માટેનો પ્રતિ માસનો ખર્ચ લગભગ રૂ. ૪૦ લાખ જેટલો રહેશે.


૮. આ મુચિત પ્રોજેક્ટ વિસ્તારમાં કોઈપણ પ્રકારના જાહેર તળાવો આવેલં નથી.

આમ ઉપર મુજબની વિગત આપશ્રીને પાઠવીએ છીએ જે આપને વિદિત થાય.

આભાર સહ

આપનો વિશ્વાસુ

વતી, વેલસ્પન સ્ટીલ લિમીટેડ,



(અધિકૃત સહિકર્તા)

Annexure D-A-22

Date: 14/09/2016

To,
Gopalbhai Radha Rabari,
 Village: Kharapasvariya,
 Taluka: Anjar,
 District: Kutch

Subject: Detailed answer with respect to the received written representation by you on 14/09/2016.

Respected Sir,


1. This is proposed project. Required Water will be taken from proposed sewage treatment plant (STP), so no additional water will be required to be taken from GWIL.
2. No water from outside will be used for this project; therefore there is no requirement for approval.
3. The proposed project will work on the principle of "Zero Discharge" due to which there will be no released of polluted water from the unit.
4. Total cost of the ETP plant which will be installed will be of approximately 40 lakh per month as its operating and maintaining cost.
5. This is our proposed project. No construction activity has been carried out for this project and will be carried out only after approval and maximum 10.4 MGD water will be consumed during production presses.
6. The proposed unit will work on the principle of "Zero Discharge" due to which polluted water will not be released from the unit.
7. This is our proposed project and the capacity of upcoming ETP in proposed plant is as follow.
 (1) B.O.D plant – 80 to 100 cubic meter/hour, (2) ETP plant – 180 to 200 cubic meter/hour and
 (4) C.E.T.P. plant – 450 to 500 cubic meter/hour. Total cost of the ETP plant which will be installed will be of approximately 40 lakh per month as its operating and maintaining cost.
8. No public lakes are there in the proposed project area.

Thus, we send the above mentioned details for your information.

Thanking you,

Yours Faithfully,

For, Welspun Steel Ltd.



(Authorized Signatory)

એનેક્ષર -ડી-એ-૨૩

તા. ૧૪/૦૮/૨૦૧૬

પ્રતિશ્રી,

જેસાલાઈ નારણલાઈ અજાણા,

ગ્રામ: વરસામેડી,

તા. અંજાર,

જિ. કચ્છ

વિષય : તા. ૧૪/૦૮/૨૦૧૬ ના રોજ આપના દ્વારા લેખિતમાં મળેલ રજુઆતના સંદર્ભે વિસ્તૃત જવાબ.

માનનીયશ્રી,

૧. ઇ.આઇ.એ. જાહેરનામા ૨૦૦૬ની જોગવાઈ મુજબ પર્યાવરણીય લોક સુનાવણીના ૩૦ દિવસ અગાઉ લાગતા વળગતા સ્થાનિક અસરગ્રસ્ત લોકોના ધ્યાન દોરવા સદર લોક સુનાવણી દરમિયાન હાજર રહેવા બધાવા તેઓની ટીકા-ટીપ્પણી લેખિતમાં મોકલવા ગુજરાત પ્રદુષણ નિયંત્રણ બોર્ડ દ્વારા તા. ૧૦/૦૮/૨૦૧૬ ના રોજ દૈનિક સમાચાર પત્રો "કચ્છ મિત્ર" અને ધ ટાઈમ્સ ઓફ ઇન્ડિયા" જાહેર સુચના પ્રસિધ્ધિ કરી જનતાને જાણ કરેલ છે. જે બિડાણ-૧ તરીકે સામેલ છે. સદર પરીયોજનાના પર્યાવરણલક્ષી અસરનાં આંકલન અહેવાલ અને તેના ગુજરાતી તેમજ અંગ્રેજી ભાષામાં સારાંશ અહેવાલની નકલ બિડાણ-૨ માં દર્શાવેલ ઓશોરીટી/કાર્યાલયોમાં તે ક્રમકાજનાં દિવસ દરમિયાન લોક સુનાવણીના દિન સુધી નિહાળવા તા. ૮/૦૮/૨૦૧૬ ના રોજ મોકલેલ છે. વધુમાં સદર લોક સુનાવણીની બહોળી પ્રસિધ્ધિ અર્થે અસરગ્રસ્ત ગ્રામ પંચાયત/તાલુકા પંચાયત/નગરપાલિકા માં પણ પર્યાવરણ અસરનાં આંકલન અહેવાલના ગુજરાતી સારાંશ બિડાણ-૩ માં દર્શાવ્યાં પ્રમાણે મોકલવામાં આવેલ છે.
૨. આ અમારો સુચિત પ્રોજેક્ટ છે. આ પ્રોજેક્ટ માટે કોઇપણ પ્રકારની પ્રવૃત્તિ શરૂ કરવામાં આવેલ નથી. તેથી અકસ્માતનો કોઇ પ્રશ્ન ઉપસ્થિત થતો નથી.
૩. આ અમારો સુચિત પ્રોજેક્ટ છે. આ પ્રોજેક્ટ માટે કોઇપણ પ્રકારની બાંધકામને લગતી કામગીરી શરૂ કરવામાં આવેલ નથી, અને પર્યાવરણીય સંમતિ મળ્યેથી જ શરૂ કરવામાં આવશે.
૪. સુચિત એકમ એ "ઝીરો ડીસ્ચાર્જ" ના સિધ્ધાંત પર કામ કરશે, તેથી આ પ્રોજેક્ટમાંથી કોઇપણ પ્રકારના પ્રદુષિત પાણીનો નિકાલ એકમની બહાર કરવામાં આવશે નહીં. જે ૩૫ થી ૪૦ કિ.મી. લાંબી પાઇપલાઇન નાંખવાનો જે પ્રોજેક્ટ કરેલ છે તે પ્રોજેક્ટ અમારા ગૃપના અન્ય એકમનો છે અને તેના માટે જરૂરી મંજૂરીઓ મેળવેલ છે.
૫. આ પ્રોજેક્ટ જે વિસ્તારમાં આવેલ છે તે વિસ્તારની જમીનો હાલમાં ખુલ્લી અને વધાવત સ્થિતિમાં જાળવી રાખેલ છે. તેથી દબાણનો કોઇ પ્રશ્ન ઉપસ્થિત થતો નથી.


૬. આ પ્રોજેક્ટ જે વિસ્તારમાં આવનાર છે તે વિસ્તારમાં કોઇપણ પ્રકારના જાહેર તળાવો આવેલ નથી.
૭. પર્યાવરણીય લોક સુનાવણીને કાર્યક્રમ જિલ્લા કલેક્ટરશ્રીના અધ્યક્ષ સ્થાને યોજવામાં આવે છે. સદર પર્યાવરણીય લોક સુનાવણીની કાર્યવાહી ઇ.આઇ.એ. જાહેરનામા -૨૦૦૬ની જોગવાઈ મુજબ હાથ ધરેલ છે.
૮. ઇ.આઇ.એ. જાહેરનામા -૨૦૦૬ની જોગવાઈ મુજબ પર્યાવરણીય લોક સુનાવણી પરીયોજનાના સ્થળ કે તેની નિકટની જગ્યાએ યોજવાનો હોય છે, પર્યાવરણીય લોક સુનાવણી માટે નક્કી કરાયેલ સ્થળ રોટરી ભવન હોલ, પી.જી.વી.સી.એલ. કચેરીની સામે, બસ સ્ટેશન રોડ, અંજર, કચ્છ ખાતે સમવામાં આવેલ, જે સ્થળ સદર એકમથી ૪.૫ કી.મી.નાં અંતરે આવેલ છે. જે તાલુકા મથક છે. વધુમાં જણાવવાનું કે હાલ વરસાદની સિઝન હોવાથી ખુલ્લી જગ્યામાં લોક સુનાવણીનું આયોજન કરવામાં આવે તો મુશ્કેલી ઉભી થઈ શકે તેમ હોવાથી તેમજ ખરીવહનની સુવિધા, ઝડપથી મળી રહે તે હેતુથી ઉપર મુજબના સ્થળની પસંદગી કરવામાં આવેલ હતી અને તે અંગે ગુ.પ્ર.નિ. બોર્ડ, પ્રાદેશિક કચેરી કચ્છ-પુર્વ ને લેખિતમાં વિનંતી પણ કરેલ હતી.

આમ ઉપર મુજબની વિગત આપશ્રીને પાઠવીએ છીએ જે આપને વિદિત થાય.

આભાર રાહ

આપનો વિશ્વાસુ

વતી. વેલસ્પન સ્ટીલ લિમીટેડ,


(અધિકૃત સહિકર્તા)

Annexure D-A-23

Date: 14/09/2016

To,

Jesabhai Naranbhai Ajana,

Village: Varsamedi,

Taluka: Anjar,

District: Kutch

Subject: Detailed answer with respect to the received written representation by you on 14/09/2016.

Respected Sir,

1. According to the EIA notifications 2006, an advertisement was published in local daily newspaper before in "Kutch Mitra" and "The Time of India" on 10/08/2016 which is required to be published before 30 days of the date of Environmental Public Hearing so that people can know about it get prepared and present in Environmental Public Hearing with their objections and suggestions which is annexed as Annexure-1. Report of project related environmental study and copy of summary report in Gujarati and English language are made available to the authorities /offices mentioned in Annexure-2 on 08/08/2016 till the date of Public Hearing on any working day. Moreover, for wide publication of above said Public Hearing, Gujarati summary report of environmental study report were sent to affected Gram Panchayat/Taluka Panchayat/Nagarpalika as mentioned in Annexure-3.
2. This is our proposed project. No activity has been carried out for this project so question of accident doesn't arise.
3. This is our proposed project. No construction activity has been carried out. For this project and will be carried out only after obtaining environment clearance.
4. The proposed unit will work on the principle of "Zero Discharge" due to which polluted water will not be released from the unit. The project of installation of 35 to 40 Km long pipeline is a project of other unit of our group and required permission has been for the same.

5. The land of the area where this project will be established has been kept open and as it is. Thus, no question related to acquire doesn't arise.
6. There are no public lakes located in the area where the project will be established.
7. The Environmental Public Hearing has been organized under the chairmanship of District Collector. The Public Hearing has been carried out according to the guidelines of EIA notifications 2006.
8. As per the guidelines of EIA notification 2006 environmental public hearing is to be organized at proposed project or other near places. Environmental public hearing was decided to organized at Rotary Bhavan Hall, Opp. P.G.V.C.L. Office, Bus Stand Road, Anjar, Kutch which is 4.5 km far away from the proposed plant and it is taluka head office. In addition due to the monsoon season there was difficulty to organize public hearing in open at proposed site and transportation facility was easily available for decided place so above mentioned place was fixed for public hearing and request was done in written to the Gujarat Pollution Control Board for the same.

Thus, we send the above mentioned details for your information.

Thanking you,

Yours Faithfully,

For, Welspun Steel Ltd.



(Authorized Signatory)

એનેક્ષર -ડી.એ-૨૪

તા. ૧૪/૦૮/૨૦૧૬

પ્રતિશ્રી,
લાખાભાઇ સુજાભાઇ રબારી,
ગ્રામ: ખારાપસવારીયા,
તા. અંજાર,
જિ કચ્છ

વિષય : તા. ૧૪/૦૮/૨૦૧૬ ના રોજ આપના દ્વારા દેખિતમાં મળેલ રજુઆતના સંદર્ભે વિસ્તૃત જવાબ.

માનનીયશ્રી,

૧. ઇ.આઇ.એ. જાહેરન.મા ૨૦૦૬ની જોગવાઈ મુજબ પર્યાવરણીય લોક સુનાવણીના ૩૦ દિવસ અગાઉ લાગતા વળગતા સ્થાનિક અસરગ્રસ્ત લોકોના ધ્યાન દોરવા સદર લોક સુનાવણી દરમિયાન હાજર રહેવા અથવા તેઓની ટીકા-ટીપ્પણી લેખિતમાં મોકલવા ગુજરાત પ્રદુષણ નિયંત્રણ બોર્ડ દ્વારા તા. ૧૦/૦૮/૨૦૧૬ નાં રોજ દૈનિક સમાચાર પત્રે. "કચ્છ મિત્ર" અને ધ ટાઈમ્સ ઓફ ઇન્ડિયા" જાહેર સુચના પ્રસિદ્ધિ કરી જનતાને જાણ કરેલ છે. જે બિડાણ-૧ તરીકે સામેલ છે. સદર પરીયોજનાના પર્યાવરણલક્ષી અસરનાં આંકલન અહેવાલ અને તેના ગુજરાતી તેમજ અંગ્રેજી ભાષામાં સારાંશ અહેવાલની નકલ બિડાણ -૨ માં દર્શાવેલ ઓશોરીટી/કાર્યાલયોમાં તે કામકાજનાં દિવસ દરમિયાન લોક સુનાવણીના દિન મુધી નિહાળવા તા. ૮/૦૮/૨૦૧૬ નાં રોજ મોકલેલ છે. વધુમાં સદર લોક સુનાવણીની બહોળી પ્રસિધ્ધ અર્થે અસરગ્રસ્ત ગ્રામ પંચાયત/તાલુકા પંચાયત/નગરપાલિકા માં પણ પર્યાવરણ અસરનાં આંકલન અહેવાલના ગુજરાતી સારાંશ બિડાણ-૩ માં દર્શાવ્યાં પ્રમાણે મોકલવામાં આવેલ છે.
૨. આ અમારો સુચિત પ્રોજેક્ટ છે. આ પ્રોજેક્ટ માટે કોઇપણ પ્રકારની પ્રવૃત્તિ શરૂ કરવામાં આવેલ નથી, તેથી અકસ્માતનો કોઇ પ્રશ્ન ઉપસ્થિત થતો નથી.
૩. આ અમારો સુચિત પ્રોજેક્ટ છે. આ પ્રોજેક્ટ માટે કોઇપણ પ્રકારની બાંધકામને લગતી ક્રમગીરી શરૂ કરવામાં આવેલ નથી. અને પર્યાવરણીય સંમતિ મળ્યેથી જ શરૂ કરવામાં આવશે.
૪. સુચિત એકમ એ "ઝીરો ડીસ્ચાર્જ" ના સિદ્ધાંત પર કામ કરશે, તેથી આ પ્રોજેક્ટમાંથી કોઇપણ પ્રકારના પ્રદુષિત પાણીનો નિકાલ એકમની બહાર કરવામાં આવશે નહીં. જે ૩૫ થી ૪૦ કિ.મી. લાંબી પાઇપલાઇન નાંખવાનો જે પ્રોજેક્ટ કરેલ છે તે પ્રોજેક્ટ અમારા ગ્રુપના અન્ય એકમનો છે અને તેના માટે જરૂરી મંજૂરીઓ મેળવેલ છે.
૫. આ પ્રોજેક્ટ જે વિસ્તારમાં આવનાર છે તે વિસ્તારની જમીનો હાલમાં ખુલ્લી અને યથાવત સ્થિતિમાં જાળવી રાખેલ છે, તેથી દબાણનો કોઇ પ્રશ્ન ઉપસ્થિત થતો નથી.


- ક. આ પ્રોજેક્ટ જે વિસ્તારમાં આવનાર છે તે વિસ્તારમાં કોઇપણ પ્રકારના જાહેર તળાવો આવેલ નથી.
- ઙ. પર્યાવરણીય લોક સુનાવણીનો કાર્યક્રમ જિલ્લા કલેક્ટરશ્રીના અધ્યક્ષ સ્થાને યોજવામાં આવે છે. સદર પર્યાવરણીય લોક સુનાવણીની કાર્યવાહી ઇ.આઇ.એ. જાહેરનામા -૨૦૦૬ની જોગવાઈ મુજબ હાથ ધરેલ છે.
- ચ. ઇ.આઇ.એ. જાહેરનામા -૨૦૦૬ની જોગવાઈ મુજબ પર્યાવરણીય લોક સુનાવણી પરીયોજનાના સ્થળ કે તેની નિકટની જગ્યાએ યોજવાનો હોય છે, પર્યાવરણીય લોક સુનાવણી માટે નક્કી કરાયેલ સ્થળ રોટરી ભવન હોલ, પી.જી.વી.સી.એલ. કચેરીની સામે, બસ સ્ટેશન રોડ, અંજાર, કચ્છ ખાતે રાખવામાં આવેલ, જે સ્થળ સદર એકમથી ૪.૫ કી.મી.નાં અંતરે આવેલ છે. જે તાલુકા મથક છે. વધુમાં જણાવવાનું કે હાલ વરસાદની સિઝન હોવાથી ખુલ્લી જગ્યામાં લોક સુનાવણીનું આયોજન કરવામાં આવે તો મુશ્કેલી ઉભી થઇ શકે તેમ હોવાથી તેમજ પરીવહનની સુવિધા ઝડપથી મળી રહે તે હેતુથી ઉપર મુજબના સ્થળની પસંદગી કરવામાં આવેલ હતી અને તે અંગે ગુ.પ્ર.જિ. બોર્ડ, પ્રાદેશિક કચેરી કચ્છ-પુર્વ ને લેખિતમાં વિનંતી પણ કરેલ હતી.

આમ ઉપર મુજબની વિગત આપશ્રીને પાઠવીએ છીએ જે આપને વિદિત થાય.

આભાર સહ

આપનો વિશ્વાસુ

વતી. વેલસ્પન સ્ટીલ લિમીટેડ,


(અધિકૃત સહિકર્તા)

Annexure D-A-24

Date: 14/09/2016

To,

Lakhabhai Sujabhai Rabari,

Village: Kharavaspariya,

Taluka: Anjar,

District: Kutch

Subject: Detailed answer with respect to the received written representation by you on 14/09/2016.

Respected Sir,

1. According to the EIA notifications 2006, an advertisement was published in local daily newspaper before in "Kutch Mitra" and "The Time of India" on 10/08/2016 which is required to be published before 30 days of the date of Environmental Public Hearing so that people can know about it get prepared and present in Environmental Public Hearing with their objections and suggestions which is annexed as Annexure-1. Report of project related environmental study and copy of summary report in Gujarati and English language are made available to the authorities/offices mentioned in Annexure-2 on 08/08/2016 till the date of Public Hearing on any working day. Moreover, for wide publication of above said Public Hearing, Gujarati summary report of environmental study report were sent to affected Gram Panchayat/Taluka Panchayat/Nagarpalika as mentioned in Annexure-3.
2. This is our proposed project. No activity has been carried out for this project so question of accident doesn't arise.
3. This is our proposed project. No construction activity has been carried out. For this project and will be carried out only after obtaining environment clearance.
4. The proposed unit will work on the principle of "Zero Discharge" due to which polluted water will not be released from the unit. The project of installation of 35 to 40 Km long pipeline is a project of other unit of our group and required permission has been for the same.


5. The land of the area where this project will be established has been kept open and as it is. Thus, no question related to acquire doesn't arise.
6. There are no public lakes located in the area where the project will be established.
7. The Environmental Public Hearing has been organized under the chairmanship of District Collector. The Public Hearing has been carried out according to the guidelines of EIA notifications 2006.
8. As per the guidelines of EIA notification 2006 environmental public hearing is to be organized at proposed project or other near places. Environmental public hearing was decided to organized at Rotary Bhavan Hall, Opp. P.G.V.C.L. Office, Bus Stand Road, Anjar, Kutch which is 4.5 km far away from the proposed plant and it is taluka head office. In addition due to the monsoon season there was difficulty to organize public hearing in open at proposed site and transportation facility was easily available for decided place so above mentioned place was fixed for public hearing and request was done in written to the Gujarat Pollution Control Board for the same.

Thus, we send the above mentioned details for your information.

Thanking you,

Yours Faithfully,

For, Welspun Steel Ltd.



(Authorized Signatory)

એનેક્સર -ડી-એ-૨૫

તા. ૧૪/૦૮/૨૦૧૬

પ્રતિશ્રી,

જીવાભાઈ કાનાભાઈ રબારી,

ગામ: વરસામેડી.

તા. અંજાર,

જિ. કચ્છ

વિષય : તા. ૧૪/૦૮/૨૦૧૬ ના રોજ આપના દ્વારા લેખિતમાં મળેલ રજુઆતના સંદર્ભે વિસ્તૃત જવાબ.

માનનીયશ્રી,

૧. ઇ.આઇ.એ. જાહેરનામા ૨૦૦૬ની જોગવાઈ મુજબ પર્યાવરણીય લોક સુનાવણીના ૩૦ દિવસ અગાઉ લાગતા વળગતા સ્થાનિક અસરગ્રસ્ત લોકોના ધ્યાન દોરવા સદર લોક સુનાવણી દરમિયાન હાજર રહેવા અથવા તેઓની ટીકા-ટીપ્પણી લેખિતમાં મોકલવા ગુજરાત પ્રદુષણ નિયંત્રણ બોર્ડ દ્વારા તા. ૧૦/૦૮/૨૦૧૬ નાં રોજ દૈનિક સમાચાર પત્રો "કચ્છ મિત્ર" અને ધ ટાઈમ્સ ઓફ ઇન્ડીયા" જાહેર સુચના પ્રસિદ્ધિ કરી જનતાને જાણ કરેલ છે. જે બિડાણ-૧ તરીકે સામેલ છે. સદર પરીચોજનાના પર્યાવરણલક્ષી અસરનાં આંકલન અહેવાલ અને તેના ગુજરાતી, તેમજ અંગ્રેજી ભાષામાં સારાંશ અહેવાલની નકલ બિડાણ -૨ માં દર્શાવેલ ઓથોરીટી/કાર્યાલયોમાં તે કામકાજનાં દિવસ દરમિયાન લોક સુનાવણીના દિન સુધી નિહાળવા તા. ૮/૦૮/૨૦૧૬ નાં રોજ મોકલેલ છે. વધુમાં સદર લોક સુનાવણીની બહોળી પ્રસિદ્ધ અર્થે અસરગ્રસ્ત ગ્રામ પંચાયત/તાલુકા પંચાયત/નગરપાલિકા માં પણ પર્યાવરણ અસરનાં આંકલન અહેવાલના ગુજરાતી સારાંશ બિડાણ-૩ માં દર્શાવ્યાં પ્રમાણે મોકલવામાં આવેલ છે.

૨. ઇ.આઇ.એ. જાહેરનામા ૨૦૦૬ની જોગવાઈ મુજબ પર્યાવરણીય લોક સુનાવણીના ૩૦ દિવસ અગાઉ લાગતા વળગતા સ્થાનિક અસરગ્રસ્ત લોકોના ધ્યાન દોરવા સદર લોક સુનાવણી દરમિયાન હાજર રહેવા અથવા તેઓની ટીકા-ટીપ્પણી લેખિતમાં મોકલવા ગુજરાત પ્રદુષણ નિયંત્રણ બોર્ડ દ્વારા તા. ૧૦/૦૮/૨૦૧૬ નાં રોજ દૈનિક સમાચાર પત્રો "કચ્છ મિત્ર" અને ધ ટાઈમ્સ ઓફ ઇન્ડીયા" જાહેર સુચના પ્રસિદ્ધિ કરી જનતાને જાણ કરેલ છે. જે બિડાણ-૧ તરીકે સામેલ છે. સદર પરીચોજનાના પર્યાવરણલક્ષી અસરનાં આંકલન અહેવાલ અને તેના ગુજરાતી તેમજ અંગ્રેજી ભાષામાં સારાંશ અહેવાલની નકલ બિડાણ -૨ માં દર્શાવેલ ઓથોરીટી/કાર્યાલયોમાં તે કામકાજનાં દિવસ દરમિયાન લોક સુનાવણીના દિન સુધી નિહાળવા તા. ૮/૦૮/૨૦૧૬ નાં રોજ મોકલેલ છે. વધુમાં સદર લોક સુનાવણીની બહોળી પ્રસિદ્ધ અર્થે અસરગ્રસ્ત ગ્રામ પંચાયત/તાલુકા પંચાયત/નગરપાલિકા માં પણ પર્યાવરણ અસરનાં આંકલન અહેવાલના ગુજરાતી સારાંશ બિડાણ-૩ માં દર્શાવ્યાં પ્રમાણે મોકલવામાં આવેલ છે.


૩. ઇ.આઇ.એ. જાહેરનામા -૨૦૦૬ની જોગવાઈ મુજબ પર્યાવરણીય લોક સુનાવણી પરીયોજનાના સ્થળ કે તેની નિકટની જગ્યાએ યોજવાનો હોય છે, પર્યાવરણીય લોક સુનાવણી માટે નક્કી કરાયેલ સ્થળ રે.ટરી ભવન હોલ. પી.જી.વી.સી.એલ. કચેરીની સામે, બસ સ્ટેશન રોડ, અંજાર, કચ્છ ખાતે રાખવામાં આવેલ, જે સ્થળ સદર એકમથી ૪.૫ કી.મી.નાં અંતરે આવેલ છે. જે તાલુકા મથક છે. વધુમાં જણાવવાનું કે ફાલ વરસાદની સિઝન હોવાથી ખુલ્લી જગ્યામાં લોક સુનાવણીનું આયોજન કરવામાં આવે તો મુશ્કેલી ઉભી થઈ શકે તેમ હોવાથી તેમજ પરીવહનની સુવિધા ઝડપથી મળી રહે તે હેતુથી ઉપર મુજબના સ્થળની પસંદગી કરવામાં આવેલ, હતી અને તે અંગે ગુ.પ્ર.નિ. બોર્ડ, પ્રાદેશિક કચેરી કચ્છ-પુર્વ ને લેખિતમાં વિનંતી પણ કરેલ હતી.

આમ ઉપર મુજબની વિગત આપશ્રીને પાઠવીએ છીએ જે આપને વિદિત થાય.

આભાર સહ

આપનો વિશ્વાસુ

વતી. વેલરૂપન સ્ટીલ લિમીટેડ,


(આધિકૃત સહિકર્તા)

Annexure D-A-25

Date: 14/09/2016

To,

Jivabhai Kanabhai Rabari,

Village: Varsamedi,

Taluka: Anjar,

District: Kutch

Subject: Detailed answer with respect to the received written representation by you on 14/09/2016.

Respected Sir,

1. According to the EIA notifications 2006, an advertisement was published in local daily newspaper before in "Kutch Mitra" and "The Time of India" on 10/08/2016 which is required to be published before 30 days of the date of Environmental Public Hearing so that people can know about it get prepared and present in Environmental Public Hearing with their objections and suggestions which is annexed as Annexure-1. Report of project related environmental study and copy of summary report in Gujarati and English language are made available to the authorities /offices mentioned in Annexure-2 on 08/08/2016 till the date of Public Hearing on any working day. Moreover, for wide publication of above said Public Hearing, Gujarati summary report of environmental study report were sent to affected Gram Panchayat/Taluka Panchayat/Nagarpalika as mentioned in Annexure-3.
2. According to the EIA notifications 2006, an advertisement was published in local daily newspaper before in "Kutch Mitra" and "The Time of India" on 10/08/2016 which is required to be published before 30 days of the date of Environmental Public Hearing so that people can know about it get prepared and present in Environmental Public Hearing with their objections and suggestions which is annexed as Annexure-1. Report of project related environmental study and copy of summary report in Gujarati and English language are made available to the authorities /offices mentioned in Annexure-2 on 08/08/2016 till the date of Public Hearing on any working day. Moreover, for wide publication of above said Public Hearing, Gujarati summary report of environmental study report were sent to affected Gram Panchayat/Taluka Panchayat/Nagarpalika as mentioned in Annexure-3


3. As per the guidelines of EIA notification 2006 environmental public hearing is to be organized at proposed project or other near places. Environmental public hearing was decided to organized at Rotary Bhavan Hall, Opp. P.G.V.C.L. Office, Bus Stand Road, Anjar, Kutch which is 4.5 km far away from the proposed plant and it is taluka head office. In addition due to the monsoon season there was difficulty to organize public hearing in open at proposed site and transportation facility was easily available for decided place so above mentioned place was fixed for public hearing and request was done in written to the Gujarat Pollution Control Board for the same.

Thus, we send the above mentioned details for your information.

Thanking you,

Yours Faithfully,

For, Welspun Steel Ltd.



(Authorized Signatory)

ચેનેક્ષર ડી-એ-૨૬

તા. ૧૪/૦૯/૨૦૧૬

પ્રતિશ્રી,
 દેવજીભાઈ જેસંગભાઈ અગરીયા,
 ગામ: અંતજાળ,
 તા. ગાંધીધામ,
 જિ. કચ્છ

વિષય : તા. ૧૪/૦૯/૨૦૧૬ ના રોજ આપના દ્વારા લેખિતમાં મળેલ રજુઆતના સંદર્ભે જવાબ.


માનનીયશ્રી,

આપશ્રી દ્વાર. કંપની પરત્વે હકારાત્મક વલણ દાખવવા બદલ અમે કંપની વર્તી. આપશ્રીનો આભાર વ્યક્ત કરીએ છીએ.

આમ ઉપર મુજબની વિગત આપશ્રીને પાઠવીએ છીએ જે આપને વિદિત થાય.

આભાર સહ

આપનો વિશ્વાસુ
 વતી. વેલસ્પન સ્ટીલ લિમીટેડ,



(અધિકૃત સહિકર્તા)

Annexure D-A-26

Date: 14/09/2016

To,

Devjibhai Jesangbhai Agariya,

Village: Antajal,

Taluka: Gandhidham,

District: Kutch

Subject: Answer with respect to the received written representation by you on 14/09/2016.

Respected Sir,


I would like to show gratitude on behalf of the company for your display of supportive attitude towards the company.

Thus, we send the above mentioned details for your information.

Thanking you,

Yours Faithfully,

For, Welspun Steel Ltd.


(Authorized Signatory)

Annexure D-A-27

Date: 14/09/2016

To,
Narendra Notari,
Village: Adipur,
Taluka: Anjar,
District: Kutch

Subject: Answer with respect to the received written representation by you on 14/09/2016.

Respected Sir,


I would like to show gratitude on behalf of the company for your display of supportive attitude towards the company.

Thus, we send the above mentioned details for your information.

Thanking you,

Yours Faithfully,

For, Welspun Steel Ltd.



(Authorized Signatory)

એનેક્સર -ડી-એ-૨૮

તા. ૧૪/૦૮/૨૦૧૬

પ્રતિશ્રી,
જયદીપભાઈ વાંક,
ગ્રામ: આદિપુર,
તા. ગાંધીધામ,
જિ. કચ્છ

વિષય : તા. ૧૪/૦૮/૨૦૧૬ ના રોજ આપના દ્વારા લેખિતમાં મળેલ રજુઆતના સંદર્ભે જવાબ.


માનનીયશ્રી,

આપશ્રી દ્વારા કંપની પરત્વે હકારાત્મક વલણ દાખવવા બદલ અમો કંપની વતી આપશ્રીનો આભાર વ્યક્ત કરીએ છીએ.

આમ ઉપર મુજબની વિગત આપશ્રીને પાઠવીએ છીએ જે આપને વિદિત થાય.

આભાર સહ

આપનો વિશ્વાસુ
વતી. વેલસ્પન સ્ટીલ લિમીટેડ.


(અધિકૃત સહિકર્તા.)

Annexure D-A-28

Date: 14/09/2016

To,

Jaydeepbhai Vaank,

Village: Adipur,

Taluka: Gandhidham,

District: Kutch

Subject: Answer with respect to the received written representation by you on 14/09/2016.

Respected Sir,


I would like to show gratitude on behalf of the company for your display of supportive attitude towards the company.

Thus, we send the above mentioned details for your information.

Thanking you,

Yours Faithfully,

For, Welspun Steel Ltd.



(Authorized Signatory)

એનેક્સર -ડી-એ-૨૯

તા. ૧૪/૦૯/૨૦૧૬

પ્રતિશ્રી,
રમેશચન્દ્ર એ. સોલંકી,
ગામ: અંજાર,
તા. અંજાર,
જિ. કચ્છ

વિષય : તા. ૧૪/૦૯/૨૦૧૬ ના રોજ આપના દ્વારા લેખિતમાં મંગેલ રજુઆતના સંદર્ભે જવાબ.


માનનીયશ્રી,

આપશ્રી દ્વારા કંપની પરત્વે હક્કરાત્મક વલણ દાખવવા બદલ અમે કંપની વતી આપશ્રીનો આભાર વ્યક્ત કરીએ છીએ.

અમ ઉપર મુજબની વિગત આપશ્રીને પાઠવીએ છીએ જે આપને વિદિત થય.

આભાર સહ

આપનો વિશ્વાસુ
વતી, વેલસ્પન સ્ટીલ લિમીટેડ,



(અધિકૃત સહિકર્તા)

Annexure D-A-29

Date: 14/09/2016

To,

Rameshchandra A. Solanki,

Village: Anjar,

Taluka: Anjar,

District: Kutch

Subject: Answer with respect to the received written representation by you on 14/09/2016.

Respected Sir,


I would like to show gratitude on behalf of the company for your display of supportive attitude towards the company.

Thus, we send the above mentioned details for your information.

Thanking you,

Yours Faithfully,

For, Welspun Steel Ltd.



(Authorized Signatory)

Annexure D-A-30

Date: 14/09/2016

To,
Mihir Kangad,
Mihir & Co,
(Transport Company)
Gandhidham,
District: Kutch

Subject: Answer with respect to the received written representation by you on 14/09/2016.

Respected Sir,


I would like to show gratitude on behalf of the company for your display of supportive attitude towards the company.

Thus, we send the above mentioned details for your information.

Thanking you,

Yours Faithfully,

For, Welspun Steel Ltd.



(Authorized Signatory)

ચેનેક્ષર -ડી-એ-૩૧

તા. ૧૪/૦૯/૨૦૧૬

પ્રતિશ્રી,

કરશનભાઈ ભુરાભાઈ રબારી,

ગામ: મેઘપર બોરીયા,

તા. અંજાર,

જિ. કચ્છ

વિષય : તા. ૧૪/૦૯/૨૦૧૬ ના રોજ આપના દ્વારા લેખિતમાં મળેલ રજૂઆતના સંદર્ભે જવાબ.

મ.નર્ન.યશ્રી,


આપશ્રી દ્વારા કંપની પરત્વે હકારાત્મક વલણ દાખવવા બદલ અમે કંપની વતી આપશ્રીનો આભાર વ્યક્ત કરીએ છીએ.

આમ ઉપર મુજબની વિગત આપશ્રીને પાઠવીએ છીએ જે આપને વિદિત થાય.

આભાર સહ

આપનો વિશ્વાસુ

વતી. વેલસ્પન સ્ટીલ લિમીટેડ,



(અધિકૃત સહિકર્તા)

Annexure D-A-31

Date: 14/09/2016

To,

Karshanbhai Bhurabhai Rabari,

Village: Medhpar Borichi,

Taluka: Anjar,

District: Kutch

Subject: Answer with respect to the received written representation by you on 14/09/2016.

Respected Sir,


I would like to show gratitude on behalf of the company for your display of supportive attitude towards the company.

Thus, we send the above mentioned details for your information.

Thanking you,

Yours Faithfully,

For, Welspun Steel Ltd.



(Authorized Signatory)

Annexure D-A-32

Date: 14/09/2016

To,

Brij D. Ahir, Nishant D. Ahir,

167, 3/B,

Village: Adipur,

Taluka: Gandhidam,

District: Kutch

Subject: Answer with respect to the received written representation by you on 14/09/2016.

Respected Sir,


I would like to show gratitude on behalf of the company for your display of supportive attitude towards the company.

Thus, we send the above mentioned details for your information.

Thanking you,

Yours Faithfully,

For, Welspun Steel Ltd.



(Authorized Signatory)

એનેક્સર -ડી-એ-૩૩

તા. ૧૪/૦૯/૨૦૧૬

પ્રતિશ્રી,

વિનોદભાઈ પરબતભાઈ ચૈયા,

ગામ: આદિપુર,

તા. આંધીધામ,

જિ. કચ્છ

વિષય : તા. ૧૪/૦૯/૨૦૧૬ ના રોજ આપના દ્વારા લેખિતમાં મળેલ રજુઆતના સંદર્ભે જવાબ.

માનનીયશ્રી,


આપશ્રી દ્વારા કંપની પરત્વે હકાશત્મક વલણ દાખવવા બદલ અમો કંપની વતી આપશ્રીનો આભાર વ્યક્ત કરીએ છીએ.

આમ ઉપર મુજબની વિગત આપશ્રીને પાઠવીએ છીએ જે આપને વિદિત થાય.

આભાર સહ

આપનો વિશ્વાસુ

વતી, વેલસ્પન સ્ટીલ લિમીટેડ,


 (અધિકૃત સહિકર્તા)

Annexure D-A-33

Date: 14/09/2016

To,

Vinodbhai Parbatbhai Chaiya,

Village: Adipur,

Taluka: Gandhidham,

District: Kutch

Subject: Answer with respect to the received written representation by you on 14/09/2016.

Respected Sir,


I would like to show gratitude on behalf of the company for your display of supportive attitude towards the company.

Thus, we send the above mentioned details for your information.

Thanking you,

Yours Faithfully,

For, Welspun Steel Ltd.



(Authorized Signatory)

Annexure D-A-34

Date: 14/09/2016

To,
M. H. Makati,
(Retired XEN K.P.T.)
Plot No. D-38,
Ward: 9B,
Gandhidham,
District: Kutch

Subject: Answer with respect to the received written representation by you on 14/09/2016.

Respected Sir,


I would like to show gratitude on behalf of the company for your display of supportive attitude towards the company.

Thus, we send the above mentioned details for your information.

Thanking you,

Yours Faithfully,

For, Welspun Steel Ltd.


(Authorized Signatory)

એનેક્સર -ડી-એ-૩૫

તા. ૧૪/૦૯/૨૦૧૬

પ્રતિશ્રી,
 સરપંચશ્રી,
 પડાણા ગ્રામ પંચાયત કચેરી,
 ગામ: પડાણા,
 તા. ગાંધીધામ,
 જિ. કચ્છ

વિષય : તા. ૧૪/૦૯/૨૦૧૬ ના રોજ આપના દ્વારા લેખિતમાં મળેલ રજુઆતના સંદર્ભે જવાબ.


માનનીયશ્રી,

આપશ્રી દ્વારા કંપની પરત્વે હકાશત્મક વલણ દાખવવા બદલ અમો કંપની વતી આપશ્રીનો આભાર વ્યક્ત કરીએ છીએ.

આમ ઉપર મુજબની વિગત આપશ્રીને પાઠવીએ છીએ જે આપને વિદિત થાય.

આભાર સહ

આપનો વિશ્વાસુ
 વતી. વેલસ્પન સ્ટીલ લિમીટેડ.


 (અધિકૃત સહિકર્તા)

Annexure D-A-35

Date: 14/09/2016

To,

Sarpanch Shree,

Padana Gram Panchayat,

Village: Padana,

Taluka: Gandhidham,

District: Kutch

Subject: Answer with respect to the received written representation by you on 14/09/2016.

Respected Sir,


I would like to show gratitude on behalf of the company for your display of supportive attitude towards the company.

Thus, we send the above mentioned details for your information.

Thanking you,

Yours Faithfully,

For, Welspun Steel Ltd.



(Authorized Signatory)

એનેક્સર -ડી-એ-૩૬

તા. ૧૪/૦૯/૨૦૧૬

પ્રતિશ્રી,
સરપંચશ્રી,
નાની ચીરઈ ગ્રામ પંચાયત,
ગામ: નાની ચીરઈ,
તા. ભચાઉ,
જિ. કચ્છ

વિષય : તા. ૧૪/૦૯/૨૦૧૬ ના રોજ આપના દ્વારા લેખિતમાં મળેલ રજૂઆતના સંદર્ભે જવાબ.


માનનીયશ્રી,

આપશ્રી દ્વારા કંપની પરત્વે હકરાત્મક વલણ દાખવવા બદલ અમો કંપની વતી આપશ્રીનો આભાર વ્યક્ત કરીએ છીએ.

આમ ઉપર મુજબની વિગત આપશ્રીને પાઠવીએ છીએ જે આપને વિદિત થાય.

આભાર સહ

આપનો વિદ્યારુ
વતી. વેલસ્પન સ્ટીલ લિમીટેડ,


(અધિકૃત સહિસ્તર)

Annexure D-A-36

Date: 14/09/2016

To,

Sarpanch Shree,

Nani Chirai Gram Panchayat,

Village: Nani Chirai,

Taluka: Bhachau,

District: Kutch

Subject: Answer with respect to the received written representation by you on 14/09/2016.

Respected Sir,


I would like to show gratitude on behalf of the company for your display of supportive attitude towards the company.

Thus, we send the above mentioned details for your information.

Thanking you,

Yours Faithfully,

For, Welspun Steel Ltd.



(Authorized Signatory)

એનેક્સર -ડી-એ-૩૭

તા. ૧૪/૦૯/૨૦૧૬

પ્રતિશ્રી,
 સરપંચશ્રી, મુકેશભાઈ કે.આહિર,
 અંતરજાળ ગ્રામ પંચાયત કચેરી,
 ગામ: અંતરજાળ,
 તા. ગાંધીધામ,
 જિ. કચ્છ

વિષય : તા. ૧૪/૦૯/૨૦૧૬ ના રોજ આપના દ્વારા લેખિતમાં મળેલ રજુઆતના સંદર્ભે જવાબ.


માનનીયશ્રી,

આપશ્રી દ્વારા કંપની પરત્વે હકારાત્મક વલણ દાખવવા બદલ અમો કંપની વતી આપશ્રીનો આભાર વ્યક્ત કરીએ છીએ.

આમ ઉપર મુજબની વિગત આપશ્રીને પાઠવીએ છીએ જે આપને વિદિત થાય.

આભાર સહ

આપનો વિશ્વાસુ
 વતી. વેલસ્પન સ્ટીલ લિમિટેડ,


 (અધિકૃત સહિકર્તા)

Annexure D-A-37

Date: 14/09/2016

To,

Sarpanch Shree, Mukeshbhai K. Ahir,

Antarjal Gram Panchayat,

Village: Antarjal,

Taluka: Gandhidham,

District: Kutch

Subject: Answer with respect to the received written representation by you on 14/09/2016.

Respected Sir,


I would like to show gratitude on behalf of the company for your display of supportive attitude towards the company.

Thus, we send the above mentioned details for your information.

Thanking you,

Yours Faithfully,

For, Welspun Steel Ltd.



(Authorized Signatory)

એનેક્સર - ડી એ ૩૮

તા. ૧૪/૦૬/૨૦૧૬

પ્રતિશ્રી,

નામ વગરની અરજી, (રબારી)

જિ. કચ્છ

વિષય : તા. ૧૪/૦૬/૨૦૧૬ ના રોજ આપના દ્વારા લેખિતમાં મળેલ રજુઆતના સંદર્ભે જવાબ.

માનનીયશ્રી,


૧. આ અમારો સુચિત પ્રોજેક્ટ છે, આ પ્રોજેક્ટ માટે કોઇપણ પ્રકારની પ્રવૃત્તિ શરૂ કરવામાં આવેલ નથી.
૨. આ અમારો સુચિત પ્રોજેક્ટ છે, આ પ્રોજેક્ટ માટે કોઇપણ પ્રકારની પ્રવૃત્તિ શરૂ કરવામાં આવેલ નથી.
૩. આ અમારો સુચિત પ્રોજેક્ટ છે, આ પ્રોજેક્ટ માટે કોઇપણ પ્રકારની પ્રવૃત્તિ શરૂ કરવામાં આવેલ નથી.

આમ ઉપર મુજબની વિગત આપશ્રીને પાઠવીએ છીએ જે આપને વિદિત થાય.

આભાર સહ

આપનો વિશ્વાસુ

વતી, વેલસ્પન સ્ટીલ લિમીટેડ,



(અધિકૃત સહિકર્તા)

Annexure D-A-38

Date: 14/09/2016

To,

Unnamed Application (Rabari),

District: Kutch

Subject: Answer with respect to the received written representation by you on 14/09/2016.

Respected Sir,


1. This is our proposed project. No activities have been carried out for this proposed project.
2. This is our proposed project. No activities have been carried out for this proposed project.
3. This is our proposed project. No activities have been carried out for this proposed project.

Thus, we send the above mentioned details for your information.

Thanking you,

Yours Faithfully,

For, Welspun Steel Ltd.



(Authorized Signatory)