

Gujarat Pollution Control Board

Regional Office, Vadodara

GERI Compound, Race Course Road, Vadodara -390 007

Website: www.gpcb.gov.in



PUBLIC HEARING PROCEEDINGS

It is hereby informed that as per the Ministry of Environment and Forests & Climate Change, Government of India, New Delhi vide its Notification No. S.O. 1533 (E) dated 14th September, 2006 and its subsequent amendment S.O. 3067 (E) dated 1st December, 2009. Public Hearing was fixed for **M/s. Kalintis Healthcare Pvt. Ltd.** for Expansion of Existing API Manufacturing Unit (From 6450 kg/month to 15450 kg/month) Manufacturing Unit, in premises located at 52 A, Jarod- Samlaya Road, Vill: Gardhiya, P.O. Ta : Savli, Dist. Vadodara (Gujarat), which is covered under Category –‘A’ of Schedule 5(f).

A copy of the draft Environment Impact Assessment Report and the Executive Summary of Draft Environment Impact Assessment Report in English and Gujarati were send to the following authorities or offices to make it available for inspection to the public during normal office hours, till the Public Hearing is over.

1. The District Collector Office, Vadodara,
2. District Development Office, Vadodara,
3. District Industry Centre, Vadodara,
4. Taluka Development Office, Tal: Savli, Dist.: Vadodara,
5. The Chief Conservator of Forests,
Ministry of Environment, Forest & Climate Change, Govt. of India,
Regional Office (West Zone), Kendriya Paryavaran Bhavan,
E-5, Area Colony, Link Road-3, Ravisankar Colony, Bhopal - 462016.
6. Regional Office, Gujarat Pollution Control Board,
GERI Compound, Race Course Road, Vadodara-390 007.

Other concerned persons having plausible stake in environmental aspects were requested to send their responses in writing to the concerned regulatory authorities.

The Public Hearing was scheduled on **21/04/2017** at 11:30 hrs. at **Project site, Kalintis Healthcare Pvt. Ltd.** 52 A, Jarod- Samlaya Road, Vill: Gardhiya, P.O. Ta : Savli, Dist. Vadodara (Gujarat).

An advertisement was published in Gujarati in “Sandesh” Vadodara edition and in English “The Times of India” Ahmedabad-Vadodara edition dated 18/03/2017.

Shri M. J. Dave (G.A.S.), Resident Additional District Collector & Additional District Magistrate, Vadodara as a representative of District Collector and District Magistrate, Vadodara has presided over the entire Public Hearing process.

A statement showing participants present during the public hearing is enclosed herewith as **Annexure A**.

Gujarat Pollution Control Board

Regional Office, Vadodara

GERI Compound, Race Course Road, Vadodara -390 007

Website: www.gpcb.gov.in



A statement showing salient points highlighting issues raised by the participants and responses by the representative of the applicant during the public hearing in English language is enclosed as **Annexure B** and in Gujarati language is enclosed as **Annexure B1** respectively.

The copies of responses received in writing from other persons having plausible stake in the Environmental aspects and the replies by the applicant to the same are enclosed herewith as annexure – C-1 to C-3 and Annexure D-1 to D-3 respectively. Public notice for public hearing was published in local English and Gujarati language news papers is given in Annexure - E.

**Place: Gardhiya,
Ta : Savli
Dist.: Vadodara
Date: 21/04/2017**

C. A. Shah
Regional Officer, GPCB,
Vadodara,
As representative of the
Gujarat Pollution Control
Board

M. J. Dave (G.A.S.),
Resident Addl. District Collector and
Additional District Magistrate,
Vadodara as a representative of
District Collector and Dist.
Magistrate, Vadodara

- Encl: 1 Annexure A, B, B1, C-1 to C-3, D-1 to D-3 & E as above.
2 Video CD of public hearing
3 CD of Public Hearing Proceeding.

Gujarat Pollution Control Board

Regional Office, Vadodara

GERI Compound, Race Course Road, Vadodara -390 007

Website: www.gpcb.gov.in



ANNEXURE - A

A Statement showing participants present during the public hearing

As per the Ministry of Environment and Forests & Climate Change, Government of India, New Delhi vide its Notification No. S.O. 1533(E) dated 14th September, 2006 and its subsequent amendment S.O. 3067 (E) dated 1st December, 2009, Public Hearing was fixed for **M/s. Kalintis Healthcare Pvt. Ltd.** for Expansion of Existing API Manufacturing Unit (From 6450 kg/month to 15450 kg/month) Manufacturing Unit, in premises located at 52 A, Jarod- Samlaya Road, Vill: Gardhiya, P.O. Ta : Savli, Dist. Vadodara (Gujarat) which is covered under "Category-A".

The statement showing Participants present during Public Hearing held on 21-04-2017 at 11:30 hrs at project site of M/s. Kalintis Healthcare Pvt. Ltd., 52 A, Jarod- Samlaya Road, Vill: Gardhiya, P.O. Ta : Savli, Dist. Vadodara (Gujarat) is as under:

ભારત સરકારના પર્યાવરણ, વન અને જળવાયુ પરિવર્તન મંત્રાલય, નવી દિલ્હીના જાહેરનામા ક્રમાંક: એસ.ઓ. ૧૫૩૩(ઈ) તા. ૧૪-૦૯-૨૦૦૬ અને તેના પછીના સુધારા ક્રમાંક: એસ.ઓ. ૩૦૬૭(ઈ) તા. ૦૧-૧૨-૨૦૦૯ અનુસંધાને મેસર્સ કાલીન્ટીસ હેલ્થકેર પ્રાઇવેટ લિમિટેડ. ૫૨-એ, જરોદ-સમલાયા રોડ, ગામ: ગરધીયા પી.ઓ., તા. સાવલી, જિલ્લો : વડોદરા (ગુજરાત) ખાતે સુચિત એ.પી.આઇ. એકમ (૬,૪૫૦ કિલોગ્રામ/માસ થી ૧૫,૪૫૦ કિલોગ્રામ/માસ)નાં ઉત્પાદન માટેની પરિયોજના કેટેગરી "એ" માં આવરી લેવાયેલ છે, જે અનુસંધાનમાં લોક સુનાવણી રાખવામાં આવેલ છે.

સૂચિત પરિયોજના માટેની જાહેર લોકસુનાવણીનું આયોજન તા. ૨૧/૦૪/૨૦૧૭ નાં રોજ ૧૧: ૩૦ કલાકે, પ્રોજેક્ટ સ્થળ પર, મેસર્સ. કાલીન્ટીસ હેલ્થકેર પ્રાઇવેટ લિમિટેડ. ૫૨-એ, જરોદ-સમલાયા રોડ, ગામ: ગરધીયા પી.ઓ., તા. સાવલી, જિલ્લો : વડોદરા (ગુજરાત) ખાતે રાખવામાં આવેલ છે.

લોક સુનાવણી દરમિયાન હાજર રહેલાં લોકોની યાદી નીચે મુજબ છે.

Sr. No. ક્રમાંક	Name & Designation નામ અને હોદ્દો	Organization/Village સંસ્થા/ગામ	Signature સહી
1	પ્રમોદભાઈ. રા. પુજાર	ગરધીયા	
2	જશદેવ. ગોપાલ	ગરધીયા	મહેરા
3	સુરજભાઈ.	ગરધીયા	સાવલી
4	કુમલિકા. એમ. સોલંકી	ગરધીયા	સાવલી
5	વિમેશભાઈ કે પટેલ	સાવલી	સાવલી
6	દાદિક સાવલી પટેલ		મહેરા
7	પદ્મી સામીભાઈ મંગલમાલ	સાવલી	સાવલી

Gujarat Pollution Control Board

Regional Office, Vadodara
GERI Compound, Race Course Road, Vadodara -390 007
Website: www.gpcb.gov.in



Sr. No. ક્રમાંક	Name & Designation નામ અને હોદ્દો	Organization/Village સંસ્થા/ગામ	Signature સહી
૮	જાગૃતી સેનાના પકાલો	વડદા	જાગૃતી સેનાના પકાલો
૯	Namdev. M. Rutnod	haripur	(Signature)
૧૦	Rathum. H.	Vadela	(Signature)
૧૧	ગાંધીચાલ	વડદા	ગાંધીચાલ
૧૨	ફેડાદા	વડદા	ફેડાદા
૧૩	ચાંચા	વડદા	ચાંચા
૧૪	જેઠા	વડદા	જેઠા
૧૫	શંકર વિજય કુમાર શાંભી	ગાંધીચાલ	શંકર વિજય કુમાર શાંભી
૧૬	સોલંકી સુરેશભાઈ કલ્યાણ	ગાંધીચાલ	(Signature)
૧૭	પરમાર સુરેશભાઈ ડાયાભાઈ	ગાંધીચાલ	(Signature)
૧૮	સોલંકી/શિવ કુમાર પાનખર	ગાંધીચાલ	(Signature)
૧૯	સોલંકી/શિવ કુમાર પાનખર	ગાંધીચાલ	(Signature)
૨૦	સોલંકી/શિવ કુમાર પાનખર	ગાંધીચાલ	(Signature)
૨૧	જાગૃતી પકાલો	જાગૃતી	જાગૃતી
૨૨	ચાંચા/ચાંચા	ચાંચા	ચાંચા
૨૩	સોલંકી/શિવ કુમાર પાનખર	ગાંધીચાલ	સોલંકી/શિવ કુમાર પાનખર
૨૪	પરમાર સુરેશભાઈ ડાયાભાઈ	ગાંધીચાલ	SR Parma
૨૫	જાગૃતી પકાલો	જાગૃતી	(Signature)
૨૬	જાગૃતી પકાલો	જાગૃતી	જાગૃતી પકાલો

Gujarat Pollution Control Board

Regional Office, Vadodara

GERI Compound, Race Course Road, Vadodara - 390 007

Website: www.gpcb.gov.in



Sr. No. ક્રમાંક	Name & Designation નામ અને હોદ્દો	Organization/Village સંસ્થા/ગામ	Signature સહી
૨૭	ભાગલ/સિંહ ગરબી સેવિકા	ગરબી	TLR
૨૮	દરિયુજી મહેન્દ્રા એમ	જવોદ	મહેન્દ્રા એમ
૨૯	મુકેશ, સિંહ મહેન્દ્રા	ગરબી	મુકેશ
૩૦	Dharmesh Patel	Vadodara	patel
૩૧	Dharmesh m. Solanki	સાવલી	સોલંકી
૩૨	Jyoti Solanki	સાવલી	Jyoti
૩૩	સુવર્ણ દેવદાસ મુનિયાર	ગરબી	દેવદાસ
૩૪	Pavit N. Patel	ધાંતેજ	P. N. Patel
૩૫	Vijay N. Patel	ધાંતેજ	V
૩૬	Vijay d. dubey	જાગડ	V
૩૭	Renuk. T. Rij	બારાડ	R
૩૮	Rahul A. Horiyan	લોતારી	Rahul
૩૯	Vijit Rukholiya	Buradu	Vijit
૪૦	Vipin Patel	Vadodara	V
૪૧	Nikunj Doshi	Vadodara	N
૪૨	Pavitr Patel	Savali	Pavitr
૪૩	G. Lakshpath	Vadodara	G. Lakshpath
૪૪	K. Vaghela	Vadodara	K. Vaghela
૪૫	Kunal. Shah	Vadodara	Chah

Website: www.gpcb.gov.in

[illegible]

ANNEXURE – B (English)

A statement showing issues raised by the participants and responses by the representative of the applicant during the public hearing

It is hereby informed that as per the Ministry of Environment and Forests & Climate Change, Government of India, New Delhi vide its Notification No. S.O. 1533 dated 14th September, 2006 and its subsequent amendment S.O. 3067 (E) dated 1st December, 2009. Public Hearing has been fixed for **M/s. Kalintis Healthcare Pvt. Ltd.** for Expansion of Existing API Manufacturing Unit (From 6450 kg/month to 15450 kg/month) in premises located at 52 A, Jarod- Samlaya Road, Vill: Gardhiya, P.O. Ta : Savli, Dist. Vadodara (Gujarat), which is covered under Category-‘A’ of Schedule 5(f) on 21/04/2017 at 11.30 hrs.

Shri M.J.Dave (G.A.S.), Resident Additional District Collector & Additional District Magistrate, Vadodara as a representative of District Collector and District Magistrate, Vadodara has presided over the entire Public Hearing process.

Shri C.A. Shah, Regional officer, GPCB Vadodara welcomed all people present in the Public Hearing and with due permission of the Additional District Magistrate, Vadodara, initiated the procedure of the hearing. He outlined the various provisions of the Notification and briefed the procedural details for conducting this Public Hearing, including actions taken by GPCB for wide publicity of this Public Hearing. He mentioned the advertisement was given in English “The Times of India” and Gujarati in “Sandesh” dated 18/03/2017. He announced that as per the provision of Notification, locally affected persons will be allowed to represent in the Public Hearing while others having plausible stake holders may give their representation in writing which would be included in the proceedings.

He then put the Public Hearing open after due permission from the Additional District Magistrate, Vadodara. He invited the project proponent to give their introduction and to make the presentation of their project in Gujarati Language.

Representative of company **Shri Rasik Gondaliya (Chairman)** welcomed all present in Public Hearing and thereafter asked to technical representative to give detail about project.

Thereafter power point presentation in Gujarati Language covering introduction of company, product profile, technical information, details of the proposed project, Environmental Management System, its impact on the environment along with proposed mitigation measures and industry’s proposed activities regarding Corporate Social Responsibilities is presented by technical representative of project **Shri Nihar Doctor**.

After the presentation by the project proponent, Regional Officer, Gujarat Pollution Control Board, Vadodara with due permission of the Additional District Magistrate, Vadodara, Opened the forum for representations/ Suggestions/objections from the locally affected people.

The statement showing issues/suggestions/objections/opinion raised by participants during the Public hearing and responded to by representative of the project proponent during the public hearing is as under:

Sr. No.	Name and Address	Point Represented and/or written submission	Replies by Concerned Project Proponent	Replies given by Concerned Officer
1.	Shri Muljibhai Bhagatbhai Patel, Vill: Gardhiya, Ta. Savli, Dist. Vadodara.	<p>He asked that, from where company will bring 58,000 liter water which is going to be used by company? And if 32,000 liter polluted water will be released in drainage then it will not be Permitted.</p> <p>Company is going to use 58,000 liter water and out of it 32,000 liter water will be used after recycling, then from where the remaining water will be arranged by company?</p> <p>People collectively strongly opposed the proposal and demanded that permission shall not be granted.</p>	<p>The technical representative Shri Nihar Doctor on behalf of company informed that, 58,000 liter water which is going to be used by the company will be taken from ground water through bore well. For which permission of competent authority Central Ground Water Authority is required and plant will be in operation only after getting the permission. Application for the same has been done and only after getting such permission, water will be used.</p> <p>The technical representative Shri Nihar Doctor on behalf of company informed that, waste water emerging out from the plant will be treated by installing plant with MEE. So, no water will be released into drainage or outside of factory. waste water emerging out of the plant will be treated and reused in the plant due to this question of releasing water outside of factory and pollution doesn't arise.</p>	

2.	Shri Kamleshbhai Natubhai Patel, Vill: Gardhiya, Ta. Savli, Dist. Vadodara.	He asked that, why company have not disclosed river Vishvamiitri in EIA report?	The technical representative Shri Nihar Doctor on behalf of company informed that, in company's EIA report 10 km radius study areas are included and river Vishvamiitri doesn't come within it. After detailed deliberation, it was not considered in EIA report as it is not a major river.	
3.	Shri Hirenkumar Gopalbhai Patel, Member of Gardhiya Gram Panchayat, Vill: Gardhiya, Ta. Savli, Dist. Vadodara.	He represented that, notice of today's Public Hearing or information relating to Public Hearing is not given to Gardhiya Gram Panchayat or member of Gram Panchayat. He further represented that, village sarpanch was informed who is illiterate and member of gram panchayat was not informed. He further inquired to know when he will receive the report for the questions raised by him?		Regional Officer informed that, we have informed Gardhiya Gram Panchayat and sign of Savitaben Gopalbhai is also taken. Document containing sign was shown to them. Regional Officer replied that, after the finalization of the minutes of this Public Hearing, It will be made available on GPCB website and the copy of the same may also be obtained from GPCB office.
4.	Shri Jagdishbhai Gokalbhai Solanki, Vill: Gardhiya, Ta. Savli, Dist. Vadodara.	He represented that, 60,000 liter water will be used by company per day and if the same will be released in underground then there	The technical representative Shri Nihar Doctor on behalf of company informed that, permission is required to be obtained from CGWA	

	<p>will be adverse effect of same on bore well which are the source of agriculture.</p> <p>He further asked that, company have asked permission from panchayat for renovation and whether the place of installation of machineries is ready?</p> <p>Whether this Public Hearing is legal if place for machinery of company is prepared before Public Hearing?</p> <p>He further asked that, whether required permission have been taken for installation of new plant from District Panchayat?</p> <p>He further asked that, whether company will give in writing on bond about the responsibility for purification of 42,000 liter waste water at zero discharge emerging out from 60,000 liter water used</p>	<p>for 60,000 liter of water which is to be used by company and prior to giving permission all the matters are verified by CGWA and the same is subject to certain terms and conditions related to recharging of ground water.</p> <p>The technical representative Shri Nihar Doctor on behalf of company informed that, work for expansion of production of the company will be carried out at the existing project site and presently no work related to proposal has been carried out. Lay out plan showing location with regard to proposed expansion is also included in EIA report.</p> <p>The technical representative Shri Nihar Doctor on behalf of company assured that, company will carry out its work only after obtaining received permission required from respective authority.</p> <p>The technical representative Shri Nihar Doctor on behalf of company informed that, this is zero liquid discharge plant. There will be no discharge after the purification of emerging waste water and will be</p>	<p>Regional Officer informed that, to grant permission is not under the functional area of this platform. We have to only forward this proceeding.</p>
--	---	--	--

		<p>by company per day for chemical production?</p> <p>He further represented that, company has mentioned in its letter that land of this area is agricultural and agriculture of this is based on rain water. Whether you have any proof for the same? We have lake of around 900 to 1000 acre which was built by Sayajirao Gayakwad. There will be effect on our agriculture due to the chemical of this company so we are in oppose of company.</p> <p>He further represented by referring name of Padra, Nandesari that, people were in trust that they will get employment if company will establish in these areas. Red water is coming from the bore well which was for agriculture due to which agricultural crops of this area is damaging.</p> <p>Company will release their waste water into ground and bore well will damage. There will be adverse effect on the underground water used for agricultural. So we oppose company for production of chemical.</p>	<p>monitored by GPCB.</p> <p>The technical representative Shri Nihar Doctor on behalf of company informed that, information of crops mentioned in EIA report is of whole area but not of specific area and representative details have been mentioned.</p> <p>The technical representative Shri Nihar Doctor on behalf of company further informed that, this plant of company will be completely zero liquid discharge plant and we assure that there will be no possibility of entering of company's waste water in to ground water. It was further clarified that they do not have any plant in Padra & Nandesari and this one is the only plant in this area. It was again assure that company will follow the rules.</p>	
--	--	--	---	--

		<p>He further asked that, public hearing to be conducted by calling the peoples from the villages coming within 10 km radius of this plant. There will be effect on resident and crops of agriculture within 10 km radius of this chemical producing plant.</p> <p>He further represented that, government is advertising for saving water through attaching boards to villages. So if company will be in operation then there will be public movement against the same by following Gandhian Path. We are granting permission to company for production of any other product which will not affect our health, village, animals and agriculture</p> <p>Group of people opposed the company</p>	<p>The technical representative Shri Nihar Doctor on behalf of company informed that, 10 km study area has been considered according with the prescribed TOR. And therefore study has been carried out for 10 km and was nothing to do with its potentially to cause harm in this area.</p>	
5.	<p>Shri Hirenkumar Gopalbhai Patel, Member of Gardhiya Gram Panchayat, Vill: Gardhiya, Ta. Savli, Dist. Vadodara.</p>	<p>It was represented that they do not want this chemical industry in Gardhiya village and are ready to give in writing on latter head of gram panchayat. It was apprehended that industry will moreover adverse effect on their agricultural activities and therefore they</p>	<p>The technical representative Shri Nihar Doctor was clarified and committed that industrial use of 58000 liter per day will be treated through very costly treatment technologies and treated waste water will be recycle back and zero liquid discharge will be maintained nad therefore</p>	

		protest the proposal of industry, it was further apprehended that industry will utilize water which is meant for farming and therefore more adverse effect in form of water shortage.	there is no chance of damage to crop land & environment. It was reiterated that they will follow all the rules.	
6.	Shri Jagdishbhai Gokalbhai Solanki, Vill: Gardhiya, Ta. Savli, Dist. Vadodara.	He represented that, if company is going to discharge zero liquid then give us in writing as a bond for same.	Company's chairman Shri Rasik Gondaliya informed that, there is Apicore company in Vill. Dhobhi Kuva, Tal. Padara, Dist. Vadodara in which I am at the post of director and it is a zero liquid discharge plant. No water has been discharged out of the company till now which you can ensure visiting personally. He further informed that, after making their plant in operational, committee of 5 people can visit the plant anytime when at their will.	
7	Shri Hirenkumar Gopalbhai Patel, Member of Gardhiya Gram Panchayat, Vill: Gardhiya, Ta. Savli, Dist. Vadodara.	He represented that, company is saying that Vishwamitri river is small so it is not mentioned in EIA report, then this village is also small then why this village is considered in it. It was added that this river is caring agricultural need of thousand vigha land.	The technical representative Shri Nihar Doctor on behalf of company informed that, EIA report is prepared as per guidelines.	
8	Shri Jagdishbhai Gokalbhai Solanki, Vill: Gardhiya, Ta. Savli,	He asked that, company is committing for allotment of Rupees 30 lakhs for the development of villages	Shri Vijay Bhatt on behalf of the company informed that, after coming into existence in 2016 procuring old company as	

	Dist. Vadodara.	<p>then how much rupees are allotted for development of village Gardhiya by existing working company.</p> <p>He stated further that, it is suppose to give employment to 40 to 50% local persons in the company then it should be asked to company that how many workers are on permanent basis?</p> <p>He further stated that the company should start but chemicals should not be produced</p>	<p>CSR activity eye checkup of 2400 students of school of Jarod village has been carried out and from that spectacles were distributed by company to 147 students who had a power in their eyes. Trees plantation were also carried out in that school. In Garadhiya village construction of temple is in progress and cost of remaining construction is proposed to be borne by company. It was informed that water from the pond that is being overflowing during heavy rain from the village area can be utilized for ground water recharging and industry is proposing to provide rain water harvesting facility for the same.</p> <p>Shri Vijay Bhatt on behalf of company informed that, at present eight persons of Gardhiya village are working in company. Out of total employment 46% employment is provided to local persons and added that local people will be given priority for employment in future also.</p>	<p>Chairperson instructed that, provisions as per Government rules and regulations should be strictly followed by the company whether it is represented or not.</p>
--	-----------------	--	---	---

		<p>and we oppose the company rigorously.</p> <p>He further stated that, agriculture of this village is not based on rain water, and if wrong information is mentioned by company, then how can we believe that other information are true?</p>		
9.	Shri Hirenkumar Gopalbhai Patel, Vill: Gardhiya, Ta. Savli, Dist. Vadodara.	He represented that, we are opposing this company and demanded to give office copy of written representation to them after signature.		<p>Regional officer informed that, the copy to be given by you will be included in the proceeding.</p> <p>Chairperson informed that, submit your written representation and its office copy given you after signature on it. But after that no written representation was given.</p>
10.	Shri Rameshbhai Patel, Sarpanch Sakariya Gram Panchayat, Vill: Sakariya, Ta. Savli, Dist. Vadodara.	He represented that, my village is 8 km away from this project. Questions of Gardhiya village like pollution, ground water, Vishvamitri River and local employment should be resolved. And if company follows GPCB's rules and provide 80 to 85% local employment as per rule then we have no objection for expansion of this plant.		
11.	Shri Ghanshyambhai Patel,	He asked that, how will company use the water of the bore well of the	The technical representative Shri Nihar Doctor on behalf of	

	Vill: Gardhiya, Ta. Savli, Dist. Vadodara.	village which is of poor quality? And there is no drinking water in village then from where will company bring the same? And company's water is going to be entered into ground.	company informed that, we have conducted survey of the ground water of this region and this water will be withdrawn and used after treatment, if required through RO and whatever waste water will be generated in form of reject it will be again treated and will be reused.	
12.	Shri Hirenkumar Gopalbhai Patel, Vill: Gardhiya, Ta. Savli, Dist. Vadodara.	He represented that, provide us details of bores for which survey has been conducted by you. There are total 40 bore well in village out of that water of 2 bore wells are of good quality and of other bore wells are of poor quality.	The technical representative Shri Nihar Doctor on behalf of company informed that, details of the bore well of which water sample has been taken are mentioned in EIA report. Water sample has been taken from 10 bore wells. Copy of report has been circulated in gram panchayat and the same is available with us. You can see the same.	
13.	Shri Ghanshyambhai Patel, Vill: Gardhiya, Ta. Savli, Dist. Vadodara.	It was opinioned that product those are banned in America are being proposed to the manufactured in India here. We therefore strongly protest the proposal.	The technical representative Shri Nihar Doctor technically clarified that none of the products being manufactured and proposed are banned in India or in America.	
14.	Shri Santoshbhai Patel, Vill: Gardhiya, Ta. Savli, Dist. Vadodara.	He asked that, which chemical are to be produced here?	The technical representative Shri Nihar Doctor on behalf of company informed that, list of the product to be produced by this company is mentioned in EIA report and in presentation.	

			Company's chairman Shri Rasik Gondaliya informed that, chemical to be produced here will be used for production of medicinal drugs. No poisonous chemical is going to be produced here.	
--	--	--	---	--


The Regional Officer, Gujarat Pollution Control Board, Informed the Participants that, Three written representations from (1) Shri Mahesh Pandya, Paryavaran Mitra, Ahmedabad (2) Shri Jitendra Babalbhai Patel, Ankleshwar and (3) Shri Dharmesh Mistry, Bharuch (Annexure C-1 to C-3 respectively) has been received prior to conduct of the public hearing and its written reply from project proponent (Annexure D-1 to D-3) will be included in the minutes.


Regional Officer, GPCB repeatedly requested the local affected people who remained present for any other representation; however no additional representation/ query were raised.

Regional Officer, GPCB summarized the gist of the entire Public Hearing Proceeding to the Participants.

The Public Hearing was concluded with thanks to the Chairman.

Place: Gardhiya,
Ta : Savli,
Dist.: Vadodara
Date: 21/04/2017


C. A. Shah
Regional Officer, GPCB,
Vadodara,
As representative of the
Gujarat Pollution Control
Board


M. J. Dave (G.A.S)
Resident Addl. District Collector and
Additional District Magistrate,
Vadodara as a representative of
District Collector and Dist.
Magistrate, Vadodara

એનેક્ષર - બી ૧ (ગુજરાતી)

લોક સુનાવણી દરમિયાન હાજર લોકો દ્વારા રજૂ કરવામાં આવેલ મુદ્દાઓ અને અરજદારના પ્રતિનિધિ દ્વારા આપવામાં આવેલ જવાબ

ભારત સરકારના પર્યાવરણ, વન અને જળવાયુ પરિવર્તન મંત્રાલય, નવી દિલ્હીના જાહેરનામા ક્રમાંક: એસ.ઓ. ૧૫૩૩(ઈ) તા. ૧૪/૦૯/૨૦૦૬ અને તેના પછીના સુધારા ક્રમાંક: એસ.ઓ. ૩૦૬૭ (ઈ) તા. ૦૧/૧૨/૨૦૦૯ અનુસંધાને મેસર્સ કાલીન્દીસ હેલ્થકેર પ્રાઇવેટ લિમિટેડ. ૫૨-એ, જરોદ-સમલાયા રોડ, ગામ: ગરધીયા પી.ઓ., તા. સાવલી, જિલ્લો : વડોદરા (ગુજરાત) ખાતે સૂચિત એ.પી.આઇ. એકમ (૬,૪૫૦ કિલોગ્રામ/માસ થી ૧૫,૪૫૦ કિલોગ્રામ/માસ) ના વિસ્તરણ માટેની પરિયોજના કેટેગરી "એ" અંતર્ગત શીડ્યુલ ૫(એફ)માં આવરી લેવાયેલ છે. તેની લોક સુનાવણીનું આયોજન તા.૨૧/૦૪/૨૦૧૭ નાં રોજ ૧૧:૩૦ કલાકે, પ્રોજેક્ટ સાઈટ, ૫૨-એ, જરોદ-સમલાયા રોડ, ગામ: ગરધીયા પી.ઓ., તા. સાવલી, જિલ્લો : વડોદરા (ગુજરાત) ખાતે રાખવામાં આવેલ.

જિલ્લા કલેક્ટર અને જિલ્લા મેજિસ્ટ્રેટશ્રીના પ્રતિનિધિ તરીકે સમગ્ર લોક સુનાવણીની કાર્યવાહી શ્રી. એમ. જે. દવે (જી.એ.એસ.) અધિક જિલ્લા મેજિસ્ટ્રેટશ્રી અને નિવાસી અધિક જિલ્લા કલેક્ટર, વડોદરાની દેખરેખ તથા અધ્યક્ષપણા હેઠળ કરવામાં આવેલ.

ગુજરાત પ્રદુષણ નિયંત્રણ બોર્ડના શ્રી સી.એ.શાહ, પ્રાદેશિક અધિકારી, જી.પી.સી.બી, વડોદરાએ લોક સુનાવણીમાં ઉપસ્થિત સૌને આવકાર્યા અને અધિક જિલ્લા મેજિસ્ટ્રેટશ્રી, વડોદરાની પરવાનગીથી લોક સુનાવણીની કાર્યવાહી શરૂ કરેલ. તેઓએ ઇ.આઇ.એ. નોટીફિકેશન અંતર્ગત વિવિધ જોગવાઈઓ અને લોક સુનાવણી પ્રક્રિયા બાબતે સંક્ષીપ્ત માહિતી આપી. તેમણે લોક સુનાવણીની બહોળી પ્રસિધ્ધિ અંગે ગુજરાત પ્રદુષણ નિયંત્રણ બોર્ડ કરેલ કાર્યવાહી અંગે માહિતી આપી અને સ્થાનિક દૈનિક પત્ર અંગ્રેજીમાં 'ધ ટાઈમ્સ ઓફ ઇન્ડિયા' અને ગુજરાતી ભાષામાં 'સંદેશ' માં તા. ૧૮/૦૩/૨૦૧૭ ના રોજ આપવામાં આવેલ જાહેર ખબર વિષે જણાવેલ. તેમણે એ પણ જણાવ્યું કે, નોટીફિકેશનની જોગવાઈ પ્રમાણે સ્થાનિક અસરગ્રસ્ત લોકો, લોક સુનાવણીમાં મોખિક રજૂઆત કરી શકાશે જ્યારે અન્ય હિત ધરાવતા વ્યક્તિઓ તેઓની રજૂઆત લેખિતમાં કરી શકશે જેનો કાર્ય સૂચિમાં સમાવેશ કરવામાં આવશે.

ત્યારબાદ તેમણે અધિક જિલ્લા મેજિસ્ટ્રેટશ્રી, વડોદરાની પરવાનગીથી લોક સુનાવણીનો પ્રારંભ કર્યો. તેઓએ ઉદ્યોગના પ્રતિનિધિને તેમનો પરિચય આપીને સૂચિત પરિયોજના વિષે ગુજરાતી ભાષામાં માહિતી રજૂ કરવા માટે જણાવેલ.

ઉદ્યોગનાં પ્રતિનિધિશ્રી રસિક ગોંડલીયા (ચેરમેન) એ લોક સુનાવણીમાં હાજર તમામ લોકોને આવકાર્યા અને ત્યારબાદ તકનીકી પ્રતિનિધિશ્રીને પ્રોજેક્ટ અંગેની માહિતી આપવા જણાવ્યું.

ત્યારબાદ તકનીકી પ્રતિનિધિશ્રી નિહાર ડોકટર દ્વારા કંપનીનો પરિચય, પ્રોજેક્ટની રૂપરેખા, સૂચિત પ્રોજેક્ટની ટેકનીકલ માહિતી, સૂચિત પરિયોજનાથી પર્યાવરણ પર થનાર સંભવિત અસરો વિશે માહિતી, પર્યાવરણ વ્યવસ્થાપન પદ્ધતિ, તેની અસરો અને સૂચિત નિયંત્રણો ઉપાયો તથા સૂચિત સામાજિક વિકાસની જવાબદારીની પ્રવૃત્તિઓ વિષે ગુજરાતી ભાષામાં પ્રેઝન્ટેશન દર્શાવ્યું.

ઉધોગના પ્રતિનિધિ દ્વારા રજૂઆત પૂર્ણ થયા બાદ પ્રાદેશિક અધિકારીશ્રી, ગુજરાત પ્રદૂષણ નિયંત્રણ બોર્ડ, વડોદરા દ્વારા અધિક જીલ્લા મેજિસ્ટ્રેટશ્રીની પરવાનગીથી સ્થાનિક અસરગ્રસ્ત લોકોની રજૂઆતો/વાંધાઓ/સુચનો માટે મંચ ખુલ્લો મુકવામાં આવેલ.

લોક સુનાવણી દરમિયાન હાજર રહેલ લોકો દ્વારા રજૂ કરવામાં આવેલ પ્રશ્નો/વાંધા/સૂચનો/અભિપ્રાયો તેમજ રજૂ કરવામાં આવેલ રજૂઆતો તથા પરીયોજનાના પ્રતિનિધિ દ્વારા આપવામાં આવેલ પ્રત્યુત્તરો નીચે મુજબ છે:

ક્રમ	મુદ્દો રજૂ કરનારનું નામ અને સરનામું	રજૂઆત કરેલ મુદ્દાઓ	કંપનીનાં પ્રતિનિધિ દ્વારા અપાયેલ પ્રત્યુત્તર	સંબંધિત અધિકારી દ્વારા અપાયેલ પ્રત્યુત્તર
૧	શ્રી મૂળજીભાઈ ભગતભાઈ પટેલ, ગામ: ગરધીયા, તા. સાવલી, જી. વડોદરા	તેમણે રજૂઆત કરતા પૂછ્યું કે, કંપની દ્વારા ૫૮,૦૦૦ લીટર પાણી વાપરાવામાં આવશે તો તે ક્યાંથી લાવવામાં આવશે અને ૩૨,૦૦૦ લીટર દુષિત પાણી નીકળશે તે ગટરમાં જશે તે નહીં ચાલે. તેમજ કંપની ૫૮,૦૦૦ લીટર પાણી વાપરશે તેમાંથી ૩૨,૦૦૦ લીટર પાણી કંપની રીસાઇકલ કરીને વાપરશે તો બાકીનું પાણી ક્યાંથી લાવશે? લોકોએ સામુહિક રીતે ઉગ્રતાથી દરખાસ્તનો વિરોધ કર્યા અને પરવાનગી ન આપવી જોઈએ તેવી માંગણી કરી.	કંપની વતી તકનીકી પ્રતિનિધિશ્રી નિહાર ડોક્ટરે જણાવ્યું કે, કંપની દ્વારા જે ૫૮,૦૦૦ લીટર પાણી વાપરવામાં આવશે તે પાણી ભુગર્ભ જળ માંથી બોરવેલ દ્વારા લેવામાં આવશે. તેના માટે સક્ષમ સત્તાધિકારી સેન્ટ્રલ ગ્રાઉન્ડ વોટર ઓથોરીટી પાસેથી પરવાનગી લેવાની હોય છે અને પરવાનગી મળ્યા બાદ જ ઉધોગ ચાલુ કરવામાં આવશે. તે માટેની જરૂરી અરજીઓ કરી દીધેલ છે અને તે અરજીની મંજૂરી મળ્યા બાદ જ પાણીનો ઉપયોગ કરવામાં આવશે. કંપની વતી તકનીકી પ્રતિનિધિશ્રી નિહાર ડોક્ટરે વધુમાં જણાવ્યું કે, ઉધોગમાંથી નીકળનારા ગંદા પાણી માટે એમ.ઇ.ઇ. સહિતનાં પ્લાન્ટ નાંખીને ટ્રીટ કરવામાં આવશે. જેનાથી પાણીનો નિકાલ ગટર કે ફેક્ટરીની બહાર થશે નહીં.	

			પ્લાન્ટમાંથી જે ગંદુ પાણી નીકળશે તેને ટ્રીટમેન્ટ કરી તેને સંપૂર્ણપણે વપરાશમાં લેવામાં આવશે. જેથી પાણીને ફેક્ટરીની બહાર છોડવાનો કે પ્રદુષણનો થવાનો કોઈ પ્રશ્ન રહેશે નહીં.	
૨	શ્રી કમલેશભાઈ નટુભાઈ પટેલ, ગામ: ગરધીયા, તા. સાવલી, જી. વડોદરા	તેમણે રજુઆત કરતા પૂછ્યું કે, કંપનીએ ઇ.આઇ.એ. રીપોર્ટમાં વિશ્વામિત્રી નદીને કેમ દર્શાવેલ નથી.	કંપની વતી તકનીકી પ્રતિનિધિશ્રી નિહાર ડોક્ટરે જણાવ્યું કે, અમારા ઇ.આઇ.એ. રીપોર્ટમાં પ્લાન્ટથી ૧૦ કિ.મી.નાં અભ્યાસ વિસ્તારનો સમાવેશ થાય છે અને તે અભ્યાસ વિસ્તારમાં વિશ્વામિત્રી નદીનો સમાવેશ થતો નથી. વધુમાં આ બાબતે ચર્ચા થતા સ્પષ્ટતા કરતા જણાવવામાં આવ્યું કે, મેજર નદી ન હોવાને કારણે તેનો સમાવેશ કરવામાં આવેલ નથી.	
૩	શ્રી હિરેનકુમાર ગોપાલભાઈ પટેલ, ગરધીયા ગામ પંચાયત સભ્ય, ગામ: ગરધીયા, તા. સાવલી, જી. વડોદરા	તેમણે રજુઆત કરતા જણાવ્યું કે, કંપનીની આજની આ લોક સુનાવણી અંગેની અરજી કે નોટીસ ગરધીયા ગામ પંચાયતને કે પંચાયતનાં સભ્યને આપવામાં આવેલ નથી કે તે અંગેની જાણ કરવામાં આવેલ નથી. તેમણે વધુમાં જણાવ્યું કે, ગામનાં સરપંચ અભણ છે તેને જાણ કરી પરંતુ ગામ પંચાયતનાં સભ્યોને જાણ કરેલ નથી.		પ્રાદેશિક અધિકારીશ્રીએ જણાવ્યું કે, અમે ગરધીયા ગામ પંચાયતમાં જાણ કરેલ છે અને સવિતાબેન ગોપાલભાઈની સહી પણ લેવામાં આવેલ છે અને તે તેઓને પ્રત્યક્ષ બતાવવામાં આવેલ.

		તેમણે વધુમાં પૂછ્યું કે, જે પ્રશ્નોની નોંધ કરવામાં આવે છે તેનો જવાબ કયારે આપવામાં આવશે?		પ્રાદેશિક અધિકારીશ્રીએ જણાવ્યું કે, આ લોક સુનાવણીની મિનીટ્સ ફાઇનલ થયા બાદ તેને જી.પી.સી.બી ની વેબ સાઇટ ઉપર મુકવામાં આવશે અને તેની નકલ જી.પી.સી.બી. ઓફીસેથી પણ મેળવી શકાશે.
૪	શ્રી જગદિશભાઈ ગોકળભાઈ સોલંકી, ગામ: ગરધીયા, તા. સાવલી, જી. વડોદરા	તેમણે રજુઆત કરતા જણાવ્યું કે, કંપની જે ૬૦,૦૦૦ લીટર પાણી પ્રતિ દિવસ વાપરવાની છે તેનો નિકાલ ભુગર્ભમાં કરશે તો તેની આડઅસર આજુબાજુનાં ખેતીનાં બોરવેલ ઉપર થશે કે જે ખેતી માટેનાં સ્રોત છે.	કંપની વતી તકનીકી પ્રતિનિધિશ્રી નિહાર ડોક્ટરે જણાવ્યું કે, કંપની જે ૬૦,૦૦૦ લીટર પાણી વાપરવાની છે તેના માટે સી.જી.ડબલ્યુ.એ. પાસેથી પરવાનગી લેવાની હોય છે અને સી.જી.ડબલ્યુ.એ. પરવાનગી આપતા પહેલા બધી બાબતોની ચકાસણી કરે છે અને ભુગર્ભ જળનાં સંચય માટેની વિવિધ શરતોને આધિન હોય છે.	
		તેમણે વધુમાં પૂછ્યું કે, કંપનીએ રીનોવેશન માટે પંચાયત પાસેથી પરવાનગી માંગી છે અને કંપની જે મશીનરી ગોઠવવાની છે તે માટેની જગ્યા તૈયાર છે?	કંપની વતી તકનીકી પ્રતિનિધિશ્રી નિહાર ડોક્ટરે વધુમાં જણાવ્યું કે, કંપની દ્વારા જે ઉત્પાદન વધારવા માટે જે કંઈ કરવામાં આવશે તે હયાત કંપનીનાં પ્લાન્ટની જગ્યામાં કરવામાં આવશે અને અહિં પ્રપોઝલને લગતું કોઈપણ પ્રકારનું કામ અત્યારે કરવામાં આવેલ નથી. તે અંગેનો નકશો અમે ઇ.આઇ.એ. રીપોર્ટમાં પણ દર્શાવેલ છે.	
		કંપની લોક સુનાવણી કરતા પહેલા જો મશીનરી માટેની જગ્યા તૈયાર કરતી હોય તો શું આ લોક સુનાવણી કાયદેસર છે?		
		તેમણે વધુમાં પૂછ્યું કે, નવો પ્લાન્ટ ઉભો કરવા માટે	કંપની વતી તકનીકી પ્રતિનિધિશ્રી નિહાર ડોક્ટરે	

	<p>જીલ્લા પંચાયત પાસેથી જરૂરી પરવાનગી લીધેલ છે?</p>	<p>વધુમાં જણાવ્યું કે, જે કઇ સત્તાતંત્ર પાસેથી જરૂરી પરવાનગીઓ લેવાની હોય છે તે પરવાનગી લઇને કંપની દ્વારા કામ કરવામાં આવશે. તેની હું ખાત્રી આપું છું.</p>	
	<p>તેમણે વધુમાં પૂછ્યું કે, કંપની જે ૬૦,૦૦૦ લીટર પાણી કેમિકલ બનાવવા માટે ઉપયોગમાં લેવાની છે તેમાંથી ૪૨,૦૦૦ લીટર ગંદુ પાણી ઝીરો પર શુધ્ધીકરણ કરશે તો તે શુધ્ધીકરણ કરવાની જવાબદારી માટે કંપની બોન્ડ ઉપર લખાણ કરી આપશે?</p>	<p>કંપની વતી તકનીકી પ્રતિનિધિશ્રી નિહાર ડોકટરે વધુમાં જણાવ્યું કે, આ ઝીરો લીકવીડ ડીસ્ચાર્જ પ્લાન્ટ છે. અને ઉદભવનારા ગંદા પાણીનો શુધ્ધીકરણ બાદ કોઇ નિકાલ કરવામાં આવશે નહીં અને તેનું મોનીટરીંગ જી.પી.સી.બી. દ્વારા કરવામાં આવશે.</p>	<p>પ્રાદેશિક અધિકારીશ્રીએ જણાવ્યું કે, આ મંચનાં કાર્યક્ષેત્રમાં મંજૂરી આપવાની હોતી નથી. અમારે ફક્ત આ કાર્યવાહી આગળ મોકલવાની હોય છે.</p>
	<p>તેમણે વધુમાં જણાવ્યું કે, કંપનીએ તેના લેટરમાં લખેલ છે કે સદર વિસ્તાર ખેતીનો છે અને વરસાદી પાણીથી ખેતી થાય છે. તેના માટે તમારી પાસે શું પુરાવા છે? અમારી પાસે ૮૦૦ થી ૧૦૦૦ એકરનું તળાવ કે જે સયાજીરાવ ગાયકવાડે બનાવી આપેલ છે. કંપનીનાં કેમિકલથી અમારી ખેતીને નુકશાન થાય તેમ છે તેથી અમારો કંપની તરફે વિરોધ છે.</p>	<p>કંપની વતી તકનીકી પ્રતિનિધિશ્રી નિહાર ડોકટરે વધુમાં જણાવ્યું કે, કંપનીનાં ઇ.આઇ.એ. રીપોર્ટમાં દર્શાવેલ પાકની વિગત સમગ્ર વિસ્તારની છે. કોઇ ચોક્કસ વિસ્તારની નથી અને રીપ્રેઝન્ટેટીવ વિગતો દર્શાવેલ છે.</p>	
	<p>તેમણે પાદરા નંદેસરીનું નામ લેતાં જણાવ્યું કે, લોકોને વિશ્વાસ હતો કે કંપની અહિં આવશે તો</p>	<p>કંપની વતી તકનીકી પ્રતિનિધિશ્રી નિહાર ડોકટરે વધુમાં જણાવ્યું કે, કંપનીનો</p>	

	<p>આજુબાજુનાં ગામનાં લોકોને રોજગારી મળી રહેશે. તેમજ ખેતી માટેનાં જે બોરવેલ હતા તેમાંથી લાલ પાણી આવે છે. તેથી અહિંની ખેતીનો પાક ખરાબ થઇ ગયેલ છે.</p> <p>કંપની તેનું ગંદું પાણી ભુગર્ભમાં ઉતારશે અને બોરવેલ ખરાબ થશે. તેથી પીવા માટે અને ખેતી માટે જે ભુગર્ભ જળનો ઉપયોગ થાય છે તેના ઉપર આડઅસર થશે. કંપની કેમિકલ બનાવે તે માટે અમારો વિરોધ છે.</p> <p>તેમણે વધુમાં જણાવ્યું કે, ૧૦ કિ.મી.નાં વિસ્તારમાં જે ગામો આવે છે તે ગામોનાં લોકોને બોલાવીને લોક સુનાવણી કરવી જોઈએ. કંપની જે કેમિકલનું ઉત્પાદન કરવાની છે તેની ૧૦ કિ.મી. નાં વિસ્તારનાં નાગરીકો અને ખેતીનાં પાકો ઉપર નુકશાન પહોંચે તેમ છે.</p> <p>તેમણે વધુમાં જણાવ્યું કે, સરકારે ગામે ગામ બોર્ડ લગાડી પાણી બચાવવા માટે જાહેરાત કરી છે. તેથી જો કંપની ચાલુ કરવામાં આવશે તો ગાંધી ચીંધ્યા માર્ગે લોક આંદોલન કરવામાં આવશે.</p>	<p>આ પ્લાન્ટ સંપૂર્ણપણે ઝીરો લીકવીડ ડીસ્ટ્રાજ્ પ્લાન્ટ રહેશે અને અમે ખાત્રી આપીએ છીએ કે કંપનીનું ગંદું પાણી ભુગર્ભ જળમાં જવાની શક્યતા રહેશે નહીં. તેઓએ વધુમાં સ્પષ્ટતા કરતાં જણાવેલ કે તેઓનો પાદરા અને નંદેસરી ખાતે કોઇ પ્લાન્ટ નથી અને આ પણ આ વિસ્તારમાં એક માત્ર પ્લાન્ટ છે. કંપની દ્વારા કાયદાનું પાલન કરવામાં આવશે તેવી ફરીથી ખાત્રી આપવામાં આવી.</p> <p>કંપની વતી તકનીકી પ્રતિનિધિશ્રી નિહાર ડોક્ટરે જણાવ્યું કે, ૧૦ કિ.મી. નો અભ્યાસ વિસ્તાર નિયત થયેલ ટોર (ટર્મ્સ ઓફ રેફરન્સ) ને અનુલક્ષીને છે અને તેથી ૧૦ કિ.મી. નો અભ્યાસ કરવામાં આવેલ છે અને તેનો આટલા વિસ્તારમાં નુકશાન કરવાની ક્ષમતા ધરાવે છે તેમ નથી.</p>	
--	--	--	--

		<p>કંપનીએ બીજું કોઇ ઉત્પાદન કે જે અમારા સ્વાસ્થ્ય, ગામ, પશુ અને ખેતીને નુકશાન ન કરે તેવું હોય તો તે માટે અમે મંજૂરી આપીએ છીએ.</p> <p>કંપની વિરૂધ્ધ લોકો દ્વારા સામુહિક રોષ દર્શાવવામાં આવ્યો.</p>		
૫	<p>શ્રી હિરેનકુમાર ગોપાલભાઈ પટેલ,</p> <p>ગરધીયા ગામ પંચાયત સભ્ય,</p> <p>ગામ: ગરધીયા, તા. સાવલી, જી. વડોદરા</p>	<p>તેમણે રજુઆત કરતા જણાવ્યું કે, આ કેમિકલ કંપની અમારે ગરધીયા ગામમાં જોઈતી નથી. ગામના લેટર પેડ પર લખીને આપીએ છીએ કે કંપની આવવાથી અમારી ખેતીને આડઅસર થશે. જેથી અમે કંપનીનો વિરોધ કરીએ છીએ. તેમજ કંપની આવશે તો અમારા ગામનું જે પાણી ખેતી માટે છે તેનો ઉપયોગ કરશે તો ખેતી કંઈ રીતે થશે.</p>	<p>કંપની વતી તકનીકી પ્રતિનિધિશ્રી નિહાર ડોકટરે જણાવ્યું કે, આ ઝીરો લીકવીડ ડીસ્ટ્રાઈ પ્લાન્ટ છે. તેથી પાણી બહાર જવાનું નથી. કંપની જે ૫૮,૦૦૦ લીટર પાણી વાપરવાની છે તેને ખર્ચાળ પ્રક્રિયાથી ટ્રીટ કરી વાપરશે. જે ઘણું અઘરું છે પણ કરીશું. જેથી અનાજ, જમીન, પર્યાવરણને કોઈ આડઅસર થવાની નથી અને કંપની દ્વારા કાચદાનું પાલન કરવામાં આવશે.</p>	
૬	<p>શ્રી જગદિશભાઈ ગોકળભાઈ સોલંકી,</p> <p>ગામ: ગરધીયા, તા. સાવલી, જી. વડોદરા</p>	<p>તેમણે રજુઆત કરતા જણાવ્યું કે, કંપની ઝીરો લીકવીડ ડીસ્ટ્રાઈ કરવાની છે તો તે બાબતની બાંહેધરી બોર્ડનાં સ્વરૂપે લેખિતમાં આપો.</p>	<p>કંપનીનાં ચેરમેનશ્રી રસિક ગોંડલીયાએ જણાવ્યું કે, ધોબી કુવા ગામ, તા. પાદરા, જી. વડોદરામાં એપીકોર નામની કંપની છે. તેમાં હું ડાયરેક્ટર છું. તે ઝીરો લીકવીડ ડીસ્ટ્રાઈ છે. જેમાંથી આજ સુધી ક્યારેય પાણી કંપનીની બહાર આવેલ નથી. જે તમે પ્રત્યક્ષથી જોઈ શકો છો.</p> <p>વધુમાં જણાવ્યું કે, આ ઉદ્યોગ પણ ચાલુ થાય બાદ જ્યારે</p>	

			પણ ઇચ્છા હોય ત્યારે પાંચ માણસની સમિતિ બનાવીને આવી શકો છો.	
૭	શ્રી હિરેનકુમાર ગોપાલભાઈ પટેલ, ગરધીયા ગામ પંચાયત સભ્ય, ગામ: ગરધીયા, તા. સાવલી, જી. વડોદરા	તેમણે રજુઆત કરતા જણાવ્યું કે, કંપની કહે છે કે વિશ્વામિત્રી નદી નાની હોવાથી તેને ઇ.આઇ.એ. રીપોર્ટમાં દર્શાવેલ નથી તે જ રીતે આ ગામ પણ નાનું છે તો તેને કેમ લેવામાં આવેલ છે. આ નદી હજારો વિદ્યા પ્રેતીને પાણી આપે છે.	કંપની વતી તકનીકી પ્રતિનિધિશ્રી નિહાર ડોકટરે જણાવ્યું કે, ઇ.આઇ.એ. રીપોર્ટની કામગીરી ગાઇડ લાઇન મુજબ કરવામાં આવેલ છે.	
૮	શ્રી જગદિશભાઈ ગોકળભાઈ સોલંકી, ગામ: ગરધીયા, તા. સાવલી, જી. વડોદરા	તેમણે રજુઆત કરતા પૂછ્યું કે, કંપની કહે છે કે ૩૦ લાખ રૂપિયા ગામનાં વિકાસ માટે ફાળવીશું તો અત્યારે જે ફેક્ટરી ચાલે છે તેમાંથી ગરધીયા ગામનાં વિકાસ માટે કેટલા રૂપિયા ફાળવ્યા છે?	કંપની વતી શ્રી વિજય ભટ્ટે જણાવ્યું કે, સદર કંપની ૨૦૧૬ માં જુની કંપની ખરીદીને આવ્યા બાદ કંપની દ્વારા સી.એસ.આર. એક્ટીવીટી તરીકે જરોદ ગામની સ્કુલમાં ૨૪૦૦ વિદ્યાર્થીઓની આંખની તપાસ કરાવેલ અને તેમાંથી ૧૪૭ વિદ્યાર્થીઓ કે જેને નંબર હતા તેને કંપનીનાં ખર્ચે ચશ્મા બનાવી આપવામાં આવેલ. તેમજ તે સ્કુલમાં વૃક્ષારોપણ પણ કરવામાં આવેલ છે. ગરધીયા ગામમાં મંદિર બને છે તેના બાકીનાં બાંધકામનો ખર્ચ કંપની દ્વારા પુરો પાડવામાં પ્રસ્થાવિત છે. તેઓએ જણાવેલ કે, ગામના તળાવનું પાણી વધારે વરસાદ પડે ત્યારે ઉભરાયને બહાર જાય છે. તેનો ભુગર્ભજળના સંચય માટે વપરાશ થઇ શકે છે, જેથી કંપની દ્વારા રેઇન વોટર હાર્વેસ્ટીંગ પ્લાન્ટ નાંખવાનું આયોજન છે.	

		<p>તેમણે વધુમાં જણાવ્યું કે, કંપનીમાં ૪૦ થી ૫૦ ટકા સ્થાનિક માણસોને રોજગારી આપવાની હોય છે તો આ કંપનીને પુછવામાં આવે કે કેટલા કર્મચારી કાયમી ધોરણે છે?</p> <p>તેમણે વધુમાં જણાવ્યું કે, કંપની ચાલુ થાય પણ કેમિકલનું ઉત્પાદન થવું ન જોઈએ અને તે માટે અમારો કંપની તરફે સખત વિરોધ છે.</p> <p>તેમણે વધુમાં જણાવ્યું કે, આ ગામની ખેતી વરસાદી પાણીથી થતી નથી અને જો કંપનીએ તે માહિતી ખોટી દર્શાવેલ હોય તો બીજી માહિતીઓ સાચી હોય તે કઈ રીતે માની શકાય?</p>	<p>કંપની વતી શ્રી વિજય ભટ્ટે વધુમાં જણાવ્યું કે, હાલમાં ગરધીયા ગામમાંથી ૮ માણસો કંપનીમાં કામ કરે છે. કુલ રોજગારીમાંથી ૪૬ ટકા સ્થાનિક લોકોને રોજગારી આપવામાં આવેલ છે અને ભવિષ્યમાં પણ સ્થાનિક લોકોને રોજગારીમાં પ્રાધાન્ય આપશું.</p>	<p>અધ્યક્ષશ્રીએ સુચના આપતા જણાવ્યું કે, કંપની દ્વારા, રજુઆત કરવામાં આવે કે ન આવે પરંતુ સરકારી નિયમોનુસારની જોગવાઈઓનું ચુસ્તપણે પાલન કરવાનું રહેશે.</p>
૯	<p>શ્રી હિરેનકુમાર ગોપાલભાઈ પટેલ, ગરધીયા ગામ પંચાયત સભ્ય, ગામ: ગરધીયા, તા. સાવલી, જી. વડોદરા</p>	<p>તેમણે રજુઆત કરતા જણાવ્યું કે, અમારો આ કંપની તરફે વિરોધ છે તે લખાણની ઓફીસ કોપી ઉપર સહી કરીને અમને આપો.</p>		<p>પ્રાદેશિક અધિકારીશ્રીએ જણાવ્યું કે, તમે જે નકલ આપશો તેનો પ્રોસેડીંગમાં સમાવેશ કરવામાં આવશે.</p> <p>અધ્યક્ષશ્રીએ જણાવ્યું કે, તમારી લેખિત રજુઆત આપો તેની ઓફીસ કોપી ઉપર સહી કરીને તમને આપવામાં આવશે. પરંતુ ત્યારબાદ તેઓ દ્વારા કોઈ પત્ર આપવામાં આવેલ નહીં.</p>

૧૦	શ્રી રમેશભાઈ પટેલ, સરપંચ સાકરીયા ગામ પંચાયત, ગામ: સાકરીયા, તા. સાવલી, જી. વડોદરા	તેમણે રજુઆત કરતા જણાવ્યું કે, મારું ગામ અહિંથી ૮ કિ.મી. દુર આવેલ છે. ગરધીયા ગામનાં પ્રદુષણ, ભુગર્ભ જળ, વિશ્વામિત્રી નદી, સ્થાનિક રોજગારીનાં જે પ્રશ્નો છે તેનો નિકાલ આવે. તેમજ જી.પી.સી.બી. નાં નિયમ પ્રમાણે ચાલે અને નિયમ પ્રમાણે ૮૦ થી ૮૫ ટકા રોજગારી આપવામાં આવે તો આ પ્રસ્થાવિત ઉદ્યોગનું વિસ્તરણ આવે તો અમને વાંધો નથી.		
૧૧	શ્રી ઘનશ્યામભાઈ પટેલ, ગામ: ગરધીયા, તા. સાવલી, જી. વડોદરા	તેમણે રજુઆત કરતા પૂછ્યું કે, ગામનાં બોરવેલનું પાણી ખરાબ છે તો કંપની તેને કઈ રીતે વાપરશે? તેમજ ગામમાં પીવાનું પાણી નથી તો કંપની પાણી કયાંથી લાવશે? અને કંપનીનું પાણી ભુગર્ભમાં ઉતરવાનું જ છે.	કંપની વતી તકનીકી પ્રતિનિધિશ્રી નિહાર ડોકટરે જણાવ્યું કે, અમે આ વિસ્તારનાં ભુગર્ભ જળનું સર્વે કરેલ છે અને તે પાણી કાઢીને તેને ટ્રીટમેન્ટ કરી જરૂર હશે તો આર.ઓ. કરીને વાપરવામાં આવશે અને જે ગંદું પાણી નીકળશે તેને ફરીથી ટ્રીટમેન્ટ કરી ફરી વાપરવામાં આવશે.	
૧૨	શ્રી હિરેનકુમાર ગોપાલભાઈ પટેલ, ગરધીયા ગામ પંચાયત સભ્ય, ગામ: ગરધીયા, તા. સાવલી, જી. વડોદરા	તેમણે રજુઆત કરતા જણાવ્યું કે, તમે કયા કયા બોરનાં સર્વે કરેલ છે તેની વિગત આપો. ગામમાં કુલ ૪૦ બોરવેલ છે. તેમાંથી ફક્ત બે બોરવેલનાં પાણી સારા છે. બાકી બધાનું પાણી ખરાબ છે.	કંપની વતી તકનીકી પ્રતિનિધિશ્રી નિહાર ડોકટરે જણાવ્યું કે, તેની વિગતો ઇ.આઇ.એ. રીપોર્ટમાં આપવામાં આવેલ છે કે કઈ જગ્યાનાં પાણીનાં સેમ્પલ લેવામાં આવેલ છે. કુલ ૧૦ બોરવેલમાંથી પાણીનાં સેમ્પલ લેવામાં આવેલ છે. જે રીપોર્ટની કોપી ગ્રામ પંચાયતમાં આપવામાં આવેલ	

			છે અને અમારી પાસે પણ છે. જે તમે જોઈ શકો છો.	
૧૩	શ્રી ધનશ્યામભાઈ પટેલ, ગામ: ગરધીયા, તા. સાવલી, જી. વડોદરા	તેમણે રજુઆત કરતા જણાવ્યું કે, જે કોઈ ઉત્પાદન અમેરિકામાં પ્રતિબંધિત થયેલ છે. તેનું અહીં ભારતમાં ઉત્પાદન કરવામાં આવનાર છે. જેથી અમે આ દરખાસ્તનો સખત વિરોધ કરીએ છીએ.	કંપની વતી તકનીકી પ્રતિનિધિશ્રી નિહાર ડોક્ટરે જણાવ્યું કે, અમારું જે કંઈ ઉત્પાદન અને પ્રસ્થાવિત છે તેને ભારતમાં કે અમેરિકામાં પ્રતિબંધિત કરવામાં આવેલ નથી.	
૧૪	શ્રી સંતોષભાઈ પટેલ, ગામ: ગરધીયા, તા. સાવલી, જી. વડોદરા	તેમણે રજુઆત કરતા પૂછ્યું કે, તમે અહિં કયા કેમિકલ બનાવવાનાં છો?	કંપની વતી તકનીકી પ્રતિનિધિશ્રી નિહાર ડોક્ટરે જણાવ્યું કે, અમે અહિં જે કંઈ કેમિકલ બનાવવાનાં છીએ તેની લીસ્ટ ઇ.આઇ.એ. રીપોર્ટમાં તથા પ્રેઝન્ટેશનમાં આપવામાં આવેલ છે. કંપની ચેરમેનશ્રી રસિક ગોંડલીયાએ જણાવ્યું કે, અમે અહિં જે કેમિકલ બનાવવાનાં છીએ. તેનો ઉપયોગ ઔષધીય દવા બનાવવામાં કરવામાં આવશે. અહિં કોઈ ઝેરી કેમિકલ બનાવવાનાં નથી.	


શ્રી સી.એ.શાહ, પ્રાદેશિક અધિકારી, ગુજરાત પ્રદૂષણ નિયંત્રણ બોર્ડ ઉપસ્થિત જનસમુદાયને જણાવેલ કે, લોક સુનાવણી અગાઉ અન્ય હિત ધરાવતા વ્યક્તિઓ તરફથી ફોરમને કુલ ત્રણ (૩) લેખિત રજુઆતો મળેલ છે. જેમાં (૧) શ્રી. મહેશ પંડ્યા, પર્યાવરણ મિત્ર, અમદાવાદ, (૨) શ્રી જીતેન્દ્ર બબલભાઈ પટેલ, અંકલેશ્વર અને (૩) ધર્મેશ મિસ્ત્રી, ભરૂચ તરફથી મળેલ છે. જેને અનુક્રમે એનેક્સર સી-૧ થી સી-૩ તરીકે તેમજ પરીચોજનાના પ્રતિનિધિએ આપેલ જવાબ અનુક્રમે એનેક્સર ડી-૧ થી ડી-૩ તરીકે કાર્યસૂચિમાં બિડવામાં આવશે.


પ્રાદેશિક અધિકારી, ગુજરાત પ્રદૂષણ નિયંત્રણ બોર્ડ દ્વારા ઉપસ્થિત સ્થાનિક અસરગ્રસ્તોને અન્ય કોઈ રજુઆત હોય તો તે કરવા વારંવાર જણાવવામાં આવેલ પરંતુ અન્ય કોઈ રજુઆત મળેલ ન હતી.

પ્રાદેશિક અધિકારી, ગુજરાત પ્રદુષણ નિયંત્રણ બોર્ડ દ્વારા સમગ્ર લોક સુનાવણીની કાર્યવાહીનો સારાંશ ઉપસ્થિતિને જણાવવામાં આવેલ.

અંતમાં લોકસુનાવણીને અધ્યક્ષશ્રીની આભાર સહ સમાપ્ત જાહેર કરવામાં આવેલ.

સ્થળ: ગરધીયા,
તા. સાવલી,
જિલ્લો: વડોદરા
તારીખ: ૨૧/૦૪/૨૦૧૭


સી. એ. શાહ
પ્રાદેશિક અધિકારી, જી.પી.સી.બી.,
વડોદરા અને ગુજરાત પ્રદુષણ
નિયંત્રણ બોર્ડનાં પ્રતિનિધિ તરીકે


એમ. જે. દવે (જી.એ.એસ.),
નિવાસી અધિક જિલ્લા કલેક્ટર
અને અધિક જિલ્લા મેજિસ્ટ્રેટશ્રી,
વડોદરા,
જિલ્લા કલેક્ટર અને જિલ્લા
મેજિસ્ટ્રેટશ્રી વડોદરાના પ્રતિનિધિ
તરીકે

PARYAVARAN MITRA

(Regd No. E/20934/Ahmedabad)

502, Raj Avenue, Bhaikaka Nagar Road, Nr. Thaltej Cross Road, Thaltej, Ahmedabad - 380 059

Phone : (079) 26851321

Email : paryavaranimitra@yahoo.com Website : http://paryavaranimitra.org.in

Ref: PM/MP/EPHC/2780/2017

Date: 17/04/2017


To,
Member Secretary
Gujarat Pollution Control Board
Gandhinagar

Sub. : Environmental Public Hearing of M/s Kalintis Healthcare Pvt Ltd at 52A, Jarod-Samlaya Road, Village: Gardhiya, P.O. Taluka: Savli, Dist: Vadodarat to be scheduled on 19th April 2017.

Sir,

We have studied the draft EIA report of the above-mentioned project. Following are our observation/comments/questions regarding project and draft EIA report.

1. Whether company has been issued show cause notice / closure order / notice under water act 1974 or Air act 1981 or Environmental Protection Act 1986 since starting of existing unit? If yes then Please give copy. What remedies had been taken for restarting operations?
2. Whether company has valid consolidated consent and authorization of GPCB under various acts for its existing unit? Please give CCA and compliance report of consent and authorization.
3. How the required land for the project is acquired? Was it a government or private land?
4. Please give copy of the GPCB visit report and air / water / solid waste sample analysis report for the existing unit in last three years.
5. Whether unit has submitted Environmental Audit reports regularly to GPCB for existing plant?
6. EIA report indicates that the water requirement will be fulfilled by bore well. Has Project proponent take necessary permission from local village panchayat for digging the bore well? Please submit necessary document.
7. What types of precautions will be taken for storage and transportation of hazardous material and waste?
8. Please justify domestic water requirement for existing and proposed expansion.
9. Why baseline monitoring started even before approval of TOR?
10. Please give exact dates of ambient air quality, surface water, ground water, noise monitoring and soil quality monitoring.
11. Please provide details of each unit for Existing and Proposed ETP.
12. Please give name of authorized re-processor to whom used oil will be sold.



ARYAVARAN MITRA

(Regd No. E/20934/Ahmedabad)

502, Raj Avenue, Bhaikaka Nagar Road, Nr. Thaltej Cross Road, Thaltej, Ahmedabad - 380 059

Phone : (079) 26851321

Email : paryavarmitra@yahoo.com Website : <http://paryavarmitra.org.in>

13. Please give name of an authorized recycler to whom discarded containers / barrels / plastic will be sent.
14. What types of socio-economic development activities industry will take up as a part of CSR activity and what is the budget for CSR activity?
15. How much plantation has been done till date in the existing unit? What was the rate of survival of those plants?
16. How many local people are employed in the existing unit and how many local people will get employment through this proposed expansion?

Yours truly,



Mahesh Pandya

CC: 1. Collector, Vadodara
2. Regional officer, GPCB Vadodara

Gmail

COMPOSE

Inbox (1)
Starred
Important
Sent Mail
Drafts (22)
Co processing
detail of pli
Digital India Programme
Notes
Personal
PLI details 2016

[Sign into chat](#)

Google Talk will be
replaced with
Hangouts on June
26, 2017.

Tip: If you like the look
of Google Talk, try the
"darker" setting

Fwd: Kalintis Healthcare Pvt Ltd. public hearing related letter

P2 Branch

to me, R, scienofficer3-.

Sir
Please look in this matter
RVPATEL

Sent from my iPhone

Begin forwarded message:

From: JITENDRA PATEL <jitendrapatel16293@gmail.com>
Date: 18 April 2017 at 10:22:16 PM IST
To: gpcbpublichearing@gmail.com, "MINAXI UMESHCHANDRA SHAH(GoC
Cc: ms-gpcb@gujarat.gov.in
Subject: Kalintis Healthcare Pvt Ltd. public hearing related letter

Sir,

Please, find out attached sheet of KALINTIS HEALTHCARE PVT LTD public

Thanks With Regards,

Jitendra Patel
Mo:9998980519

C-2
पटेल जितेन्द्रकुमार बबलभाई
अ-४, गजाननपार्क सोसायटी,
आर.बी.एल स्कूलके पीछे,
जी.आइ.डी.सी., अंकलेश्वर
जिला-भरुच-३९३००२
दिनांक: २५/०३/२०१७

मेम्बर सेक्रेटरी,
गुजरात प्रदुषण नियंत्रण बोर्ड,
गांधीनगर

महोदयश्री,

दिनांक २१ अप्रिलको वडोदरा जिलेके सावली तहसिलके गरधियामें कालिन्टीस हेल्थकेर प्राईवेट लिमीटेड कंपनीकी पर्यावरण सार्वजनिक सुनवाई होनेवाली है। जिसमें हमारे निम्नलिखित प्रश्न और सुजाव है।

- १) आपने जो गुजराती सारांश दिया है, उसमें हर पेज पर एन्वायरमेंट कन्सल्टन्टका नाम नहीं लिखा है। वह नाम लिखा जाय वैसी अपेक्ष है।
- २) आपने आज तक कोर्पोरेट सोसीयल रिस्पोंसीबिलिटीमें आसपासके गांवमें कौनसे कार्य किये। उसके लिए कितना खर्च किया।
- ३) आपका अब तक निकला हुआ युज्ड ओइल किस रिसायकलरको दिया है?
- ४) बारिशका कन्यामिनेशवाला पानी प्लान्टके कम्पाउण्डके बहार न जाय उसके लिए आपने क्या सुविधा की है।
- ५) आपके प्लान्टमें अभी कितना प्रतिशत ग्रीनबेल्ट है? उसमें कौन कौनसे पेड है?
- ६) आपके प्लान्टमें ड्रमको डीकन्टामिनेटेड करनेकी सुविधा है?
- ७) आसपासके गांवके लोगोको आपातकालिन स्थितिमें क्या करना है, उसके लिए जानकारी दी है? कभी कोई कार्यक्रमका आयोजन किया है, अगर किया है तो फोटोग्राफ देना।
- ८) आपकी कंपनीको कभी पर्यावरणके नियमोको भंग करनेके तहत क्लोजर नोटीस या शोकोज नोटीस मिला है? अगर मिला है तो उसकी कोपी शामिल करना।
- ९) आपकी कंपनीमें कभी जानलेवा अकस्मात हुआ है, अगर हुआ हुआ है तो उसका विवरण देना।
- १०) आप बोइलरमें कौनसे फ्यूलका उपयोग करनेवाले है।
- ११) आपकी कंपनीके केमीकलके एन्टीडोटस क्या क्या है?
- १२) प्रिमेडीकल टेस्टमें आप कौनसे मेडीकल टेस्ट करवाओगे ओर क्यों?

१३) आप पब्लीक लायेबीलीटी इन्स्योरन्स लेनेवाले है, उसमें कौन कौनसे जोखिमको शामिल करनेवाले है?

यह खतका प्रत्युत्तर हिन्दीमें दिया जाय एसी अपेक्षा है।

जितेन्द्रकुमार बबलभाई पटेल

अंकलेम्बर

मो: 9998980519

From: GPCB Vadodara <gpcbvadodara@gmail.com>

Sent: 20 April 2017 13:43:31

To: Vijay; Shitalkumar K Thakkar

Subject: Regarding Public Hearing

Sir,

Pl find enclosed herewith representation received w.r to Environmental public hearing scheduled to be held on 21/04/17

For your information and necessary action please.

C.A Shah

Regional Officer

Vadodara

Regional Office

Gujarat Pollution Control Board

GERI Compound, Race Course Road,

Vadodara - 390 007.

Ph. No. (0265) 2354850


Fax No. (0265) 2339205

374
20-4-17

જાન્યુઆરી ૨૦૧૭

લોક નં. ૧૪, ૧૨ નં. ૧૩૩૦, નવો એલિટર,
માનવસર ક્ષેત્રી સર, ગુજરાત

મો : ૯૯૯૮૬૦૮૧૧૫



9-08-2019

પ્રતિ શ્રી,

૧. મેમ્બર સેક્રેટરી

ગુજરાત પ્રદૂષણ નિયંત્રણ બોર્ડ, સેક્ટર-૧૦ એ, ગાંધીનગર.

**વિષય : કેલીન્ટીસ હેલ્થકેર પ્રા. લિ. - ગરદીયા, તા.સાવલી, જિ.વડોદરાની
પર્યાવરણીય લોકસુનાવણીના વાંધા સુચનો.**

૧. કંપની કન્સલ્ટન્ટના QCI-NABET તરફથી એપ્રુવ કરેલા ફંક્શનલ એરિયા એક્સપર્ટના નામો તથા તેઓએ કયા કયા એરિયા માટે કામ કરેલ છે તેની વિગત, તેની સમયમર્યાદા તથા તેમના પોતાના સહી સિક્કા સાથે કોપી એમ.ઓ.એમ. મા લેવા વિનંતી.
૨. કંપની કન્સલ્ટન્ટના QCI-NABET તરફથી એપ્રુવ કરેલા ફંક્શનલ એરિયા એક્સપર્ટ કાયમી પગારદાર અધિકારી છે કે નહિ તેની વિગત.
૩. કંપની કન્સલ્ટન્ટના QCI-NABET તરફથી એપ્રુવ કરેલા ફંક્શનલ એરિયા એક્સપર્ટ જે બહારથી લીધા હોય તો તેઓ અને કન્સલ્ટન્ટ વચ્ચે થયેલા કરારની નકલ એમ.ઓ.એમ. માં લેવા વિનંતી.
૪. કંપની કન્સલ્ટન્ટના QCI-NABET તરફથી એપ્રુવ કરેલા ફંક્શનલ એરિયા એક્સપર્ટ જે બહારથી લીધા હોય તો તેઓએ પર્યાવરણીય લોકસુનાવણીના ઈ.આઈ.એ. રીપોર્ટ માટે કઈ કઈ કંપની માટે સહીઓ આપી છે અને કામ કર્યા છે તેની વિગત.
૫. કંપની કન્સલ્ટન્ટના QCI-NABET તરફથી એપ્રુવ કરેલા ફંક્શનલ એરિયા એક્સપર્ટ જે બહારથી લીધા હોય તો તેઓને કેટલી ફી ચુકવવામાં આવેલ છે તે જણાવશો.
૬. કન્સલ્ટન્ટની પર્યાવરણીય લોક સુનાવણી અને ના પ્રોજેક્ટ બાબતે શું જવાબદારી નક્કી કરવામાં આવેલ છે તેની વિગત.
૭. કંપનીએ કન્સલ્ટન્ટને આ પ્રોજેક્ટ માટે કેટલી ફી ચુકવેલ છે તેની વિગત તથા કંપની અને કન્સલ્ટન્ટ વચ્ચે થયેલ કરારની નકલો એમ.ઓ.એમ.માં મુકવી.
૮. કંપનીના કન્સલ્ટન્ટે ઈ.આઈ.એ. રીપોર્ટની અંદર જે ડોક્યુમેન્ટ એક્રેડિટેશન સર્ટીફિકેટ તરીકે આપવામાં આવેલ છે. તે આજની તારીખમાં વેલીડ હોય તો તેની ખરાઈ કરીને હાર્ડ કોપી પર જવાબદાર અધિકારી દ્વારા સહી સિક્કા કરી એમ.ઓ.એમ.માં લેવા વિનંતી.
૯. NABET - QCI નું વેલીડિટી ધરાવતું એક્રેડિટેશન સર્ટીફિકેટ એમ.ઓ.એમ. મા લેશો.
૧૦. ઈ.આઈ.એ. રીપોર્ટનું પ્રેઝન્ટેશન કરનાર વ્યક્તિનું નામ, હોદ્દો તથા સંસ્થાનું નામ, સરનામું જણાવવું તથા તેનું ઓળખપત્રની ઝેરોક્ષ નકલ એમ.ઓ.એમ.માં લેશો.
૧૧. કન્સલ્ટન્ટે કઈ કઈ કંપની માટે ડ્રાફ્ટ ઈ.આઈ.એ. રીપોર્ટ બનાવેલ છે તે કંપનીના નામની યાદી.
(તા.૦૧-૦૧-૨૦૧૫ થી તા.૨૬-૦૪-૨૦૧૭ સુધી)
૧૨. કંપનીના અન્ય એકમમાં ગુજરાત પ્રદૂષણ નિયંત્રણ બોર્ડ તરફથી આપવામાં આવેલ સોક્રોઝ નોટિસ તથા કલોઝર નોટિસ એમ.ઓ.એમ.માં મુકવી.

Seal to Board
19/4

અનુસંધાન પાન નં. ૨

(૨)

૧૩. કંપનીના ગુજરાત રાજ્ય બહાર એકમ આવેલ હોય અને તે એકમમાં પ્રદૂષણ નિયંત્રણ બોર્ડ સોકોજ નોટિસ તથા ક્લોઝર નોટિસ આપેલ હોય તો તેની નકલ એમ.ઓ.એમ.માં મુકવી.
૧૪. સુચિત એકમમાં પર્યાવરણ તથા મનુષ્યને નુકસાન કરનારા કયા કયા જોખમી કેમિકલ વાપરવામાં આવનાર છે તેના નામ જણાવશો તથા તે જોખમી કેમિકલથી પર્યાવરણને કયા પ્રકારનું નુકસાન થઈ શકે છે તે જણાવશો તથા મનુષ્યને કયા કયા પ્રકારના રોગ થઈ શકે છે તે જણાવશો.
૧૫. QCI-NABET નું પેમેન્ટ ચુકવાયેલ હોય તો તેની જમા રસીદની કોપી ઉપર સહી-સિક્કા કરી એમ.ઓ.એમ.માં લેશો.
૧૬. QCI-NABET ના નિયમ મુજબ કન્સલ્ટન્ટે લીધેલા બહારના હંગામી ફંક્શનલ એરિયા એક્ષર્ટ ૧ વર્ષ દરમ્યાન કેટલા EIA રીપોર્ટમાં નામ લખાવી સહી કરી શકે છે તેની વિગત જણાવશો.
૧૭. GIDC ની માંગણી મુજબ આજદિન સુધી કેટલા વૃક્ષો વાવ્યા છે જેની વિગત જણાવશો. વૃક્ષો વાવવા માટે પાણી ક્યાંથી મેળવેલ છે તે જણાવશો. પાણી વેચાતુ લીધું હોય તો તેના બીલ એમ.ઓ.એમ.માં લેશો. વાવવામાં આવેલ વૃક્ષોનો આજની તારીખ સાથેનો ડીઝીટલ ફોટોગ્રાફ્સ એમ.ઓ.એમ.માં લેશો.
૧૮. SLEAC તરફથી કંપનીને આપવામાં આવેલ TOR નું Compliance નો અમલ સત્ય હકીકત સાથે ૧૦૦ ટકા પૂર્ણ થયેલ છે કે નહીં તે જણાવશો.
૧૯. SLEAC તરફથી કંપનીને આપવામાં આવેલ TOR નું Compliance નો અમલ સત્ય હકીકત સાથે ૧૦૦ ટકા પૂર્ણ થયેલ હોય તો તેની ખાતરી કંપની લેખિતમાં આપે.
૨૦. લેન્ડલુઝર્સના નામ સરનામા એમ.ઓ.એમ. માં લેવા તથા જી.આઈ.ડી.સી.એ આપેલ લેન્ડલુઝર્સનું સર્ટીફિકેટ એમ.ઓ.એમ.માં મુકશો.
૨૧. કંપની શરૂ થયે તમામ કર્મચારીઓના નામ ગેટ બહાર નોટીસ બોર્ડ ઉપર પ્રસિદ્ધ કરવામાં આવે તેવું સૂચન છે. તથા ૮૫ ટકા સ્થાનિક લોકોને રોજગારી આપવામાં આવે.
૨૨. કંપની શરૂ થયાથી કંપનીના પાનોલી, અંકલેશ્વર તથા અન્ય વિસ્તારના એકમમાં બનેલ આગ અકસ્માત, ગેસ ગળતર તથા કંપની અકસ્માતમાં જો કોઈ કામદાર અથવા તો અન્ય વ્યક્તિનું મૃત્યુ થયું હોય તો તેના નામ, બનાવની વિગત, આપવામાં આવેલ વળતરના પુરાવા એમ.ઓ.એમ.માં મુકશો. ઔદ્યોગિક સલામતી અને સ્વાસ્થ્યની કચેરી તરફથી કંપનીને આપવામાં આવેલ ક્લોઝર નોટીસની નકલ, ૪૮ (૨) મુજબ આપવામાં આવેલ નોટિસ એમ.ઓ.એમ. માં મુકવા વિશેષ. તથા તે અંગે થયેલી કાર્યવાહીની તમામ નકલો એમ.ઓ.એમ.માં મુકશો. તેમજ કંપનીને થયેલ દંડની વિગત એમ.ઓ.એમ.માં લેશો.
૨૩. કંપની શરૂ થયાથી કંપનીના અંકલેશ્વર તથા અન્ય વિસ્તારના એકમને જી.પી.સી.બી. તરફથી ક્લોઝર નોટીસ આપવામાં આવેલ હોય તો કંપનીએ રીવોક કેવીરીતે મેળવ્યું તે જણાવશો. તથા રીવોક મેળવવા માટે કરેલ કાર્યવાહીના તમામ કાગળો એમ.ઓ.એમ.માં મુકશો.
૨૪. કન્સલ્ટન્ટે QCI-NABET નું એક્રેડિટેશન સર્ટીફિકેટ મેળવવા માટે કરેલી અરજી અને અરજી સાથે રજૂ કરેલ પુરાવાની નકલો એમ.ઓ.એમ.માં મુકશો.

ધર્મેશ મિસ્ત્રી

સહી

Date: 21/04/2017

To
Mahesh Pandya,
Paryavaran Mitra,
502, Raj Avenue, Bhaikakanagar road,
Thaltej, Ahmedabad - 380059

Sub. : Environmental Public Hearing of M/s Kalintis Healthcare Pvt Ltd at 52A, Jarod-Samlaya Road, Village: Gardhiya, P.O. Taluka: Savli, Dist: Vadodara to be scheduled on 19th April 2017.

Sir,

With reference to above subject matter and your mail dated 17/04/2017. Please find here below our reply with respect to your queries.

- 1. Kalintis Healthcare Pvt. Ltd. has not been issued any show cause notice /closure order/ notice.**
- 2. Yes, Company is having valid CCA up to 2019 and copy of CCA and its compliance is given in EIA in Annexure no.- XVI, XVII, XVIII.**
- 3. Kalintis Healthcare Pvt. Ltd. took over business from old Company. It was private none agricultural land.**
- 4. GPCB visit report is given in Annexure-I.**
- 5. Environment Audit report is not applicable to our unit as per Hon'ble High court order.**
- 6. Water requirement will be fulfilled by bore well. Necessary permission has been obtained from local village Panchayat, letter is given in Annexure-II.**
- 7. All necessary precautions will be taken for storage and transportation of hazardous material and waste which is given in draft EIA report section 7.2.3.2 page no. 7-8.**
- 8. Total domestic water requirement for the project is 5 KLD for 100 employees (Existing 50 and Proposed 50). Considering 50 liters water requirement per person.**
- 9. Considering expected monsoon and time taking process of authority TOR, it was decided to conduct baseline monitoring considering pre-monsoon period. For the selection of said monitoring period, details were communicated to MoEF&CC.**
- 10. Baseline monitoring for surface water, ground water, noise quality and soil quality was conducted on 19/04/2016, 20/04/2016 and 01/06/2016. While ambient air quality monitoring was conducted during 16/03/2016 to 15/06/2016 twice a week per location.**

KALINTIS HEALTH CARE PVT. LTD.

52A, Jarod-Samlaya Road, Gardhiya, P.O., Tal. Savli, Dist.
Vadodara - 391520, Gujarat. Phone: 02667 - 290770
CIN: U24110GJ2015PTC083791

11. Existing ETP consists following units:

Primary Treatment Tank, Settling Tank, Overflow tank, Sand filter tank, Charcoal filter, Holding Tank.

Proposed ETP consist following units:

Screen chamber, Equalization Tank, Oil and grease Trap, Neutralization Tank, Primary Settling Tank, Anoxic Tank, First stage Aeration Tank, First stage secondary settling tank, Second stage aeration tank, Second stage secondary settling tank, Intermediate Tank, Filter Foundation, Sludge pump, Sludge drying beds, Filter press shed, MCC panel cum operator room, Hazardous waste storage area, Blower shed. Details are given in section 2.9.1.1 and 2.9.1.2 on page no. 2-62 of EIA report.

12. Used oil will be sold to only authorized re-processor, one of them is M/s. R. K. Steel.

13. Discarded containers / barrels/plastic will be sold to only authorized recyclers, one of them is M/s. Rhythm Chemicals Pvt. Ltd.

14. Proposed CSR activities with budgetary provision is given in EIA report section 8.5 of chapter-8.

15. Total 2450 nos. of plantation has been done till date and survival rate of those plants was about 90%.

16. Total 23 local people are employed in the existing unit which is about to 46% of the total employment. For the proposed expansion project, company will prefer local peoples for the employment on their eligibility criteria.

Yours truly,

For, Kalintis Healthcare Pvt. Ltd.,
For Kalintis Healthcare Pvt. Ltd.


(Authorized Signatory) **Authorized Signatory**

Encl.: a/a

KALINTIS HEALTH CARE PVT. LTD.

52A, Jarod-Samlaya Road, Gardhiya, P.O., Tal. Savli, Dist.
Vadodara - 391520, Gujarat. Phone: 02667 - 290770
CIN: U24110GJ2015PTC083791

GPCB VISIT REPORT

ANALYSIS REPORT FOR
WATER / WASTE WATER SAMPLE

Sample No: 2286 - Analysis Completed: 13/04/2011

Chemicals & Products / LAB Inward : 9280

Gujarat Pollution Control Board, Vadodara
GERI Compound
Race Course Road
Vadodara - 390007
Tele: 0265-2354850

TEST REPORT

Test Report No. : 9280

Date: 15/04/2011

1. Name of the Customer : Kalatis Healthcare Pvt Ltd (Formerly Synth Services) - 22844
2. Address : 52/A, SAMLAYA ROAD, VILL-GARDHIYA, SAVLI TALUKA, VADODARA - DIST. JARED-391520, Taluka : Savli, District : Vadodara, GIDC : Not In Gidc
3. Nature of Sample : REP-Representative/Grab, (Insp Type : ROU-Routine Visit)
4. Sample Collected By : S.B. Parmar, DEE
5. Quantity of Sample Received :
6. Code No. of the Sample : 75059
7. Date & Time of Collection & Inwarding : 22/03/2011, (1410 to 1410) & 23/03/2011
8. Date of Start & Completion of Analysis : 23/03/2011 & 13/04/2011
9. Sampling Point : From final treated w/w holding cum disposal tank.
10. Flow Details (Remarks) : -
11. Mode of Disposal : On Land for gardening.
12. Ultimate Receiving Body : No generation of industrial wastewater
13. Temperature on Collection : 28 & pH Range on pH Strip : @ 7 to 8 on ph paper strip.
14. Carboys Nos for : 2 & Color & Appearance : Light Yellowish
15. Water Consumption & W.W.G (KLPD) : Ind : 0.900, Dom : 0.500 & Ind : 0.250, Dom : 0.500

Sr	Parameter	Unit	Test Method	Range of Testing	Result
1	Temperature	Centigrade	IS: 3025 (Part - 9) - 1984 (Reaffirmed 2006)	Ambient oC - 60 oC	28
2	pH	pH Units	4500 H+ B APHA Standard Methods 22nd ed. 2012	1 - 14 pH value As of	8.96
3	Colour	Pl.Co.Sc	2120 B APHA Standard Methods 22nd ed. 2012	2 - to 99 Hazen & 1-50	70
4	Total Dissolved Solids	mg/l	Gravimetric method. (2540 C APHA Standard Method	10 - 200000 mg/L	2082
5	Suspended Solids	mg/l	Gravimetric method. (2540 D APHA Standard Method	2 - 10000 mg/L	88
6	Ammonical Nitrogen	mg/l	1) Titrimetric method (4500 NH3 B & C APHA Standa	1 - 2000 mg/L	2.24
7	Percent Sodium	%Na	IS 11624-1986 (Reaffirmed 2009)	0.01 - 100%	88.76
8	Chloride	mg/l	Argentometric method. (4500 Cl ⁻ B APHA Standard M	1 - 50000 mg/l	559
9	Sulphate	mg/l	APHA (22nd ed) 4500 SO4 E	2-40 mg/l	417
10	Chemical Oxygen Demand	mg/l	APHA (22nd Edition)- 5220 B Open Reflux Method-2	5.0- 50000 mg/l	88.8
11	Oil & Grease	mg/l	Liquid - Liquid Partition Gravimetric method. (5520 B	01 - 1000 mg/l	4.8
12	B.O.D (3 Days 27oC)	mg/l	3 - Day BOD test. (IS 3025 (Part 44) 1993 Reaffirm	05-50000 mg/l	21

Laboratory Remarks : APPROVED By: 126-lab_126 Dt: 15/04/2011


L. K. Vandra, Lab Head

Field Observation :

Note :

1. * - These parameters are covered under the scope of NABL.
2. The results refer only to the tested samples and applicable parameters. Endorsement of products is neither inferred nor implied.
3. Samples will be destroyed after 10 days from the date of issue of test report unless otherwise specified.
4. This report is not to be reproduced wholly or in part or used in any advertising media without the permission of the Board in writing.
5. The Board is not responsible for the authenticity for the samples not collected by the Board's officials.
6. Total liability of our laboratory is limited to the invoiced amount. Any dispute arising out of this report is subject to Gujarat Jurisdiction only.
7. Permissible Limits: as per Schedule VI of EPA Rules, 1986 as amended by Second and Third amendment 1993 for Effluents
8. Physicochemical and microbiological parameters, Std Methods for Water and Waste Water- 22nd Edition by APHA.
9. Bioassay test (for toxicity) - IS: 6582 Part-2:2001; Reaffirmed 2007.

NOC FROM VILLAGE PANCHAYAT FOR BORE WELL



ગરધીયા ગ્રામ પંચાયત

મુ.પો.ગરધીયા, વાઘા સમલાસા,
તા.સાવલી, જિ.વડોદરા. પીન : ૩૯૧ ૫૨૦.



જા. નં. :

તા. ૧૭/૨/૨૦૧૭

પ્રતિ,

ફાઇનલ ટેન્ડર ફોર મુ.પો.ગરધીયા

પર મે. જરો દ સમલાસા રોડ

તા. સાવલી જિ. વડોદરા.

વેપારી શ્રી મે. સમલાસા ફેબ્રુઆરી -

પ્રમાણ સીમ માં જે બેરોલ બનાવવાની કોલ છે.

તે સર્વાઈ મળેલ છે. કેમ કે સમલાસા માટે. યાદગર જરૂરિયાત દીધે પંચાયતને કોલ પાસે પકારેલ છે.

પંચાયત તરફથી આપ મે. બેરોલ, તા. સાવલી, જિ. વડોદરા.

બનાવવા મજૂરી સમલાસામાં આપેલ છે.

ता. २१/०४/२०१७

प्रति

पटेल जीतेन्द्र कुमार बबलभाई,
ए-४, गजानन पार्क सोसाइटी,
बी/एच आर.बी.एल. स्कूल,
जी.आई.डी.सी. अंकलेश्वर,
डिस्ट्रिक्ट भरुच - ३९३ ००२

महोदय श्री,

मेसर्स कालिन्टीस हेल्थकेर प्रा. लि. की पर्यावरणीय लोक सुनवाई २१.०४.२०१७ को गाँव गरधिया, तालुका सावली, डिस्ट्रिक्ट वड़ोदरा में होनेवाली है। आपके प्रश्नों के उत्तर निम्नलिखित दिए गई है।

१. ध्यान में लिया गया। हम आपके मूल्यावन सुझाव का स्वागत करते हैं और हम इसे भविष्य में अमल में लेंगे।
२. कोर्पोरेट सोसियल रिस्पॉन्सिबिलिटी (सी.एस.आर.) के कार्यों की यादी निम्नलिखित दिए गई है।

क्रम	कार्य का स्वरूप	लामार्थी	राशी (₹.)	स्थिति
१	१४/०९/२०१६ को जरोड़ हाई स्कूल में नेत्र चेक अप शिविर और चश्मा का वितरण	२४०० छात्रों का निःशुल्क नेत्र चेक अप हुआ और १४७ प्रभावित छात्रों को चश्मा वितरण किया गया।	३६,७७०	पूर्ण
२	१४/०९/२०१६ को जरोड़ हाई स्कूल में वृक्षारोपण	जरोड़ हाई स्कूल में ७० वृक्षों का रोपण किया गया	३,७००	पूर्ण
३	गरधिया गाँव के मंदिरका निर्माण कार्य १-२ मास में किया जाएगा	गरधिया गाँव	१,५०,०००	प्रतिबद्ध

३. हमने अभी तक किसीभी तरह का यूज्ड ओइल डिस्पोस्ट किया नहीं है।
४. प्रोडक्शन और ट्रीटमेंट वाली जगह को पक्का बनाया जाएगा और वह जगह गारलेंड ड्रेनसे चैनल युक्त किया जाएगा के जहाँ गंदे पानी की जांच की जाएगी। और यदि पानी दूषित प्राप्त हुआ तो उसे ई.टी.पी. में ट्रीट किया जाएगा। इसतरह वर्षा जल का कोई दूषित पानी प्लान्ट के बाहर नहीं जाएगा।
५. अभी हमारे प्लान्ट में २,२०३ वृक्षारोपण किया हुआ है। जोकि ४०% से ज्यादा ग्रीनबेल्ट है। वृक्षों के नाम प्रशिष्ट-१ में दी गई है।
६. हमने ड्रम के दि-कन्टामिनेसन का प्रस्ताव रखा है।
७. हमारा प्लान्ट छोटा होनेके कारण और कोई आपातकालीन स्थिति या दुर्घटना से आसपास के क्षेत्रों के लिए कोई जोखिम होने की संभावना नहीं है।

KALINTIS HEALTH CARE PVT. LTD.


52A, Jarod-Samlaya Road, Gardhiya, P.O., Tal. Savli, Dist.
Vadodara - 391520, Gujarat. Phone: 02667 - 290770
CIN: U24110GJ2015PTC083791

८. कालिन्टीस हेल्थकेर प्रा. लि. को कोई करण दर्शक नोटिस / क्लोजर नोटिस / ऑर्डर मिली नहीं है।
९. हमारी कंपनी में एसी कोई दुर्घटना हुई नहीं है।
१०. हमारी कंपनी में एलदिओ /एफओ फ्यूल के तहत उपयोग में करनेवाले हैं।
११. हमारी कंपनी में उपयोग में आनेवाले केमिकल और उसके एन्तिदोत्स इआइए रिपोर्ट में दर्शाया गया है
१२. हर कर्मचारी का रोजगारी के वक्त और वार्षिक मेडिकल चेक अप नियमित रूप से किया जाएगा।
मेडिकल चेक अप की जानकारी और उसके मापदंड इआइए रिपोर्ट के खंड ६.२ पेज नं. ६-१ में दिया गया है।
१३. कंपनी पब्लिक लायबिलिटी इन्स्योरन्स अधिनियम, १९९१ में दर्शाए गए जोखामो मेसे कंपनीको लागु पड़नेवाले जोखामो के लिए पब्लिक लायबिलिटी इन्स्योरन्स लेंगे।

आभारसह ,

कालिन्टीस हेल्थकेर प्रा. लि.

For Kalintis Healthcare Pvt. Ltd.



Authorised Signatory

(अधिकृत हस्ताक्षरकर्ता)

KALINTIS HEALTH CARE PVT. LTD.

52A, Jarod-Samlaya Road, Gardhiya, P.O., Tal. Savli, Dist.

Vadodara - 391520, Gujarat. Phone: 02667 - 290770

CIN: U24110GJ2015PTC083791

वृक्षारोपण (प्लान्टेशन) विवरण

पेड़के नाम	वर्तमान संख्या	इस साल लगाए गए पेड़की संख्या
नीम	५५	२१
जामुन	५	०
चीकू	७	०
गुलम्होर	९	३
बबुल	५	०
सरगवा	१	०
वड	३	०
केसुड़ो	३	०
साग	१	०
अन्य	१३	०
सायकस रेवोल्टा	०	१५
लेन्टाना लाल और पीला	०	२३०
करन	०	११०
देशी लाल गुलाब	०	११०
युफोर्बिया गुलाबी	०	१००
लाल मेहेंदी	०	४००
उकड़ोरा रेड	०	१८
उकड़ोरा गुलाबी	०	१८
करन गुलाबी	०	५०
लाल करन	०	५०
युफोर्बिया मील्ली	०	२००
कोकोनेट	०	१५
विन्का मिक्स	०	२००
काईक्स पांडा	०	४२५
टीकोमा	०	२५
सिंगल अन्दानी	०	१०
पीलतूफार्म	०	३
कासिद	०	३
रेन्त्री	०	३
सप्तपरनी	०	३
कदम	०	४

कोन्टन ग्रास ग्रीन	०	१०
कोन्टन ग्रास लाल	०	१०
लोलीना	०	१०
नीम्बू	०	५
युफोर्बिया लाल	०	५०

તારીખ : ૨૧.૦૪.૨૦૧૭

પ્રતિ

પટેલ જીતેન્દ્રકુમાર બબલભાઈ
એ-૪, ગજાનન પાર્ક સોસાયટી,
આર.બી.એલ. સ્કુલની પાછળ,
જી.આઇ.ડી.સી. અંકલેશ્વર,
જીલ્લો : ભરૂચ - ૩૯૩ ૦૦૨

સાહેબશ્રી,

મેસર્સ કાલીન્ટીસ હેલ્થકેર પ્રા. લિ.ની પર્યાવરણીય લોક સુનાવણી તા.૨૧.૦૪.૨૦૧૭ ના રોજ ગરદીયા, તા : સાવલી, જીલ્લો : વડોદરા ખાતે યોજાનાર છે. તમારા પ્રશ્નોના જવાબો નીચે મુજબ છે.

૧. તમારા કિંમતી સુચનોની અમે નોંધ લઈએ છીએ અને આવકરીએ છીએ તેમજ તેમનો ભવિષ્યમાં અમલ કરીશું.
૨. કોર્પોરેટ સામાજિક જવાબદારીની પ્રવૃત્તિઓની વિગતો નીચે મુજબ છે.

ક્રમ	પ્રવૃત્તિનો પ્રકાર	લાભાર્થી	રકમ (રૂ.)	સ્થિતિ
૧	આંખની તપાસનો શિબિર અને જરોદ હાઇસ્કુલમાં તા.૧૪.૦૯.૨૦૧૬ ના રોજ ચશ્માનું વિતરણ	૨૪૦૦ વિદ્યાર્થીઓ માટે આંખની તપાસનો શિબિર અને અસરગ્રસ્ત વિદ્યાર્થીઓને ૧૪૭ ચશ્માનું વિતરણ	૩૬,૭૦૦	પૂર્ણ
૨	જરોદ હાઇસ્કુલમાં તા.૧૪.૦૯.૨૦૧૬ ના રોજ વૃક્ષારોપણ	જરોદ હાઇસ્કુલમાં ૭૦ વૃક્ષો રોપવામાં આવ્યા છે.	૩,૭૦૦	પૂર્ણ
૩	ગરદીયા ગામમાં મંદિરનું બાંધકામ ૧-૨ માસમાં પુરું કરવામાં આવશે. Temple civil completion work shall be done within 1 - 2 month at Gardhiya Village	ગરદીયા ગામ	૧,૫૦,૦૦૦	કટીબદ્ધ

૩. આ એકમમાં અમે અત્યાર સુધી કોઈ ચુગડા ઓઇલનો નિકાલ કરેલ નથી.
૪. ઉત્પાદન અને ટ્રીટમેન્ટને લગતી તમામ પ્રવૃત્તિઓ કોન્ક્રીટ વિસ્તારમાં કરવામાં આવશે અને આ વિસ્તારમાં ગારલેન્ડ ડ્રેઇનની જોગવાઈ કરવામાં આવશે, જેમાં દુષિત પાણીના મોનીટરીંગની વ્યવસ્થા કરવામાં આવશે. જે પાણી દુષિત હશે તો તેને ઘટીપીમાં ટ્રીટ કરવામાં આવશે. જેથી કોઈ દુષિત વરસાદી પાણી પ્લાન્ટની બહાર જશે નહીં.
૫. અમારા ગ્રીનબેલ્ટ વિસ્તારમાં ૨૨૦૩ વૃક્ષો રોપવામાં આવેલ છે. વૃક્ષોની ચાદી પરિશિષ્ટ-૧ માં આપવામાં આવેલ છે. હાલમાં ૪૦% થી વધુ વિસ્તારમાં ગ્રીનબેલ્ટ છે.
૬. અમે ડ્રમ્સના વિશુદ્ધિકરણની જોગવાઈ કરેલ છે.

૭. અમારું એકમ ખુબ જ નાનું છે અને કોઇપણ પ્રકારની કટોકટી કે અકસ્માતનું કોઇ જોખમ આસપાસના વિસ્તાર માટે હશે નહીં. તેમ છતાં અમે કટોકટી દરમ્યાન સાવધાની રાખવા માટે આસપાસના વિસ્તારમાં જાગૃતિ લાવીશું.
૮. કાલીન્ટીસ હેલ્થકેર પ્રા.લિ. ને કોઇ શો કોઝ નોટીસ/કલોઝર ઓર્ડર/નોટીસ મળેલ નથી.
૯. અમારી કંપનીમાં કોઇ અકસ્માત થયેલ નથી.
૧૦. અમારી કંપનીના બોઇલરમાં એલડીઓ/એફઓનો ઇંધણ તરીકે ઉપયોગ થાય છે.
૧૧. કંપનીમાં ઉપયોગમાં લેવાતાં કેમિકલ્સ અને તેના એન્ટીડોટ્સની વિગત ઇઆઇએ રીપોર્ટમાં આપેલ છે.
૧૨. બધાં કર્મચારીઓની નિયમિત તેમજ વાર્ષિક તબીબી તપાસ કરવામાં આવશે. તબીબી તપાસ અને તેનાં માપદંડોની માહિતી ઇઆઇએ રીપોર્ટના વિભાગ ૬.૨ ના પાના નં.૬-૧ પર આપેલ છે.
૧૩. એકમ પબ્લિક લાયબીલીટી ઇન્ચ્યુરન્સ ધારો, ૧૯૯૧ મુજબ તેને લાગુ પડતો તમામ જોખમો આવરી લેતો પબ્લિક લાયબીલીટી ઇન્ચ્યુરન્સ લેશે.

આભાર સહ

વતી, કાલીન્ટીસ હેલ્થકેર પ્રા. લિ.

અધિકૃત સહીકર્તા

(Hindi to English Translation)

Patel Jitendrakumar Babalbhai
A-4, Gajanan Park, Society,
B/h R.B.L. School,
G.I.D.C. Ankleshwar,
Dist. : Bharuch - 393 002

Date : 24.03.2017

To,
The Member Secretary
Gujarat Pollution Control Board,
Gandhinagar

Dear Sir,

Environmental Public Hearing of M/s Kalintis Healthcare Pvt. Ltd. is to be held on 21.04.2017 at Gardhiya, Ta: Savli, Dist. : Vadodara. Our queries and suggestion for the same are as below :

1. Name of environmental consultant is not mentioned on each page of the executive summary. We expect that you mention name of environmental consultant on each page.
2. Which activities have you carried out under Corporate Social Responsibilities in surrounding villages? How much expense have you incurred for the same?
3. To which recycler have you sent the used oiled generated so far?
4. Which are the provisions have you made for preventing contaminated rain water going outside the plant premises?
5. At present how many percentage of greenbelt do you have in your plant premises? Which tress do you have in your greenbelt?
6. Do your plant have facility of decontamination of drums?
7. Have you informed the people of surrounding villages about precautions to be taken in case of emergency? Have you conducted any programme for the same? If yes, give photographs.
8. Have your company been issued any closure notice or show cause notice for violating environmental rules? If yes, enclose the copy.
9. Had any fatal accident been happened in your company? If yes, give description.
10. Which fuel do you use in boiler?
11. What are the antidotes of your company's chemicals?
12. Which premedical tests will you carry out and why?
13. Will you take public liability insurance and which risks will you cover in the same?

**Patel JitendrakumarBabalbhai
Ankleshwar**

Cell : 99989 80519

(Hindi to English Translation)

Date: 21.04.2017

To
Patel Jitendrakumar Babalbhai,
A-4, Gajanan Park, Society,
B/h R.B.L. School,
G.I.D.C. Ankleshwar,
Dist.: Bharuch – 393 002

Dear Sir,

Environmental Public Hearing of M/s Kalintis Healthcare Pvt. Ltd. is to be held on 21.04.2017 at Gardhiya, Ta: Savli, Dist.: Vadodara. Here below are the replies with respect to your queries.

1. Name of environmental consultant is not mentioned on each page of the executive summary. We expect that you mention name of environmental consultant on each page.

Noted, we welcome your valuable suggestions and we will implement in future.

2. Which activities have you carried out under Corporate Social Responsibilities in surrounding villages? How much expense have you incurred for the same?

Corporate Social Responsibilities (CSR) activities details are given here below:

Sr. No.	Nature of Activity	Beneficiary	Amount (Rs.)	Status
1	Eye Check-up camp & distribution of spectacles in Jarod High School on 14/09/2016	Free Eye Check-up done for 2400 Students & distribution of 147 spectacles to the affected students	36,770	Done
2	Tree Plantation at Jarod High School on 14/09/2016	70 Trees has been planted in Jarod High School Premises	3,700	Done
3	Temple civil completion work shall be done within 1 - 2 month at Gardhiya Village	Gardhiya Village	1,50,000	Committed

3. To which recycler have you sent the used oiled generated so far?
We have not disposed any used oil so far in this unit.
4. Which are the provisions have you made for preventing contaminated rain water going outside the plant premises?
All production and treatment related activities area will be concreted and those areas will be channelized with garland drain where provision for monitoring of contaminated water will be made. If contaminated water found then it will be treated in ETP. Hence, no contaminated rain water will go outside the plant.
5. At present how many percentage of greenbelt do you have in your plant premises? Which trees do you have in your greenbelt?
At present 2203 nos. of plantation have been done in our greenbelt area. List of trees is given in Annexure-I. At present more than 40% area is in green belt.
6. Do your plant have facility of decontamination of drums?
We have made provision for decontamination of drums.
7. Have you informed the people of surrounding villages about precautions to be taken in case of emergency? Have you conducted any programme for the same? If yes, give photographs.

Our unit is very small unit and any emergency or accident is unlikely to have any risk for surrounding area. But we will make awareness in surrounding area for general precautions during any emergency in the surrounding area.

8. Have your company been issued any closure notice or show cause notice for violating environmental rules? If yes, enclose the copy.

Kalintis Healthcare Pvt. Ltd. has not been issued any show cause notice /closure order/ notice.

9. Had any fatal accident been happened in your company? If yes, give description.

No such accident occurred in our company.

10. Which fuel do you use in boiler?

LDO/FO is the fuel for the boiler in our company.

11. What are the antidotes of your company's chemicals?

All details of chemicals used in the company and their antidotes are mentioned in our EIA report.

12. Which premedical tests will you carry out and why?

Routine medical check-up of all employees shall be carried out during employment and also annually. Details of medical check-up and parameters of check-up mentioned in EIA report of section 6.2 on page no 6-1.

13. Will you take public liability insurance and which risks will you cover in the same?

The unit will obtain public liability insurance covering all risk as applicable to the unit as mentioned in public liability insurance Act, 1991.

Yours truly,

For, Kalintis Healthcare Pvt. Ltd.,

(Authorized Signatory)

તા. ૨૧.૦૪.૨૦૧૭

પ્રતિ,
 શ્રી ધર્મેશ મિસ્ત્રી
 બ્લોક નં.૧૪, ઘર નં.૧૩૪૦,
 નિર્મલ એપાર્ટમેન્ટ, મામલતદાર કચેરીની સામે,
 ભરૂચ

સાહેબશ્રી,

આપશ્રીના તા.૦૭.૦૪.૨૦૧૭ નાપત્રનો પ્રત્યુત્તર નીચે મુજબ છે.

૧. શદર ઇઆઇએ માટે નિમણુંક કરેલ એજન્સી QCI/NABET દ્વારા માન્ય કરાયેલ સંસ્થા છે. જેનું સર્ટીફિકેટ અને ઇઆઇએ ટીમની વિગતો ઇઆઇએમાં દર્શાવેલ છે.
૨. એજન્સી દ્વારા ઇનહાઉસ તેમજ એમપેનલ એક્સપર્ટસની મદદ ઇઆઇએ તૈયાર કરવા માટે લેવામાં આવે છે.
૩. એમપેનલ એક્સપર્ટસ QCI/NABETની માર્ગદર્શિકા પ્રમાણે એજન્સીની ટીમ માટે માન્ય થયેલ છે.
૪. કનસલટન્ટના વિવિધ ફંક્શનલ એક્સપર્ટ તેમના પોતાના QCI દ્વારા માન્ય કરેલ ફંક્શનલ એરીયામાં તેમની સેવા આપે છે. દરેક એક્સપર્ટના ફંક્શનલ એરીયા ઇઆઇએમાં દર્શાવેલ છે.
૫. QCI/NABET દ્વારા એજન્સીની ટીમ માટે માન્ય કરેલ ફંક્શનલ એરીયા એક્સપર્ટ એજન્સી દ્વારા નક્કી કરેલ ફી ચુકવવામાં આવેલ છે. જેણે જે-તે પ્રોજેક્ટમાં વિભાજિત કરવી શક્ય નથી.
૬. કંપની દ્વારા કનસલટન્ટને ઇઆઇએ સરકારના માર્ગદર્શિકા પ્રમાણે તૈયાર કરવાની જવાબદારી સોંપવામાં આવેલ છે.
૭. કંપનીએ કનસલટન્ટને ઇઆઇએ તૈયાર કરવાની જવાબદારી સોંપેલ છે. જેના વિવિધ કાર્ય માટે તેમજ ડેટા કલેક્શન અને રીપોર્ટ તૈયાર કરવા માટેની જરૂરી ફી એજન્સીની ચુકવવામાં આવેલ છે.
૮. QCI/NABETનું અક્રીડીટેશન સર્ટીફિકેટ ઇઆઇએમાં લગાવવામાં આવેલ છે, જેની કોઇપણ સક્ષમ સત્તા દ્વારા ખરાબ કરવાની જરૂર જણાય તો તે માટે એજન્સી તેમજ કંપની તૈયાર છે.
૯. QCI/NABETનું અક્રીડીટેશન સર્ટીફિકેટની નકલ જીપીસીબીમાં આપવામાં આવેલ છે, જેની નકલ આ સાથે બીડેલ છે.
૧૦. આપનું સુચન ધ્યાનમાં લેવામાં આવે છે.
૧૧. કનસલટન્ટ અવ્ય કઇ કંપની માટે ડ્રાફ્ટ ઇઆઇએ બનાવે છે તેની વિગતો કંપની પાસે નથી.
૧૨. આ કંપનીના કોઇ એકમને જીપીસીબી દ્વારા કોઇ શો કોઝ નોટીસ કે કલોઝર નોટીસ મળેલ નથી.
૧૩. આ કંપનીના રાજ્ય બહારના કોઇ એકમને પ્રદુષણ નિયંત્રણ બોર્ડ દ્વારા કોઇ શો કોઝ નોટીસ કે કલોઝર નોટીસ મળેલ નથી.
૧૪. કંપની દ્વારા વપરાશમાં લેવામાં આવનાર કેમિકલની વિગતો અને તેની પર્યાવરણ તેમજ મનુષ્ય પર અસરો ઇઆઇએ રીપોર્ટમાં વિગતે દર્શાવેલ છે.
૧૫. QCI/NABETનું અક્રીડીટેશન સર્ટીફિકેટ QCI ને ફી ચુકવ્યા બાદ જ આપવામાં આવે છે, જે સર્ટીફિકેટ ઇઆઇએ રીપોર્ટમાં સામેલ છે.


KALINTIS HEALTH CARE PVT. LTD.

52A, Jarod-Samlaya Road, Gardhiya, P.O., Tal. Savli, Dist.
 Vadodara - 391520, Gujarat. Phone: 02667 - 290770
 CIN: U24110GJ2015PTC083791

૧૬. કનસલટન્ટ દ્વારા કોઈ હંગામી એક્સપર્ટ સદર ઇઆઇએ રીપોર્ટ માટે રાજવામાં આવ્યા નથી તેમજ ઇઆઇએ રીપોર્ટ એજન્સી દ્વારા QCI/NABETની માર્ગદર્શિકા મુજબ એક વર્ષમાં રીપોર્ટની સંખ્યા સહીતના સર્વે નિયમોનું પાલન કરવામાં આવે છે.
૧૭. ૨૨૦૩ વૃક્ષો માટેનું પાણી વર્તમાન એકમના પાણી પુરવઠામાંથી લેવામાં આવશે. જેની વિગતો ઇઆઇએ રીપોર્ટમાં આપેલ છે.
૧૮. TOR Compliance ની વિગતો ઇઆઇએ રીપોર્ટમાં આપેલ છે.
૧૯. TOR Compliance ની વિગતો ઇઆઇએ રીપોર્ટમાં આપેલ છે.
૨૦. આ મુદ્દો કંપનીને લાગુ પડતો નથી.
૨૧. કંપનીમાં શક્ય હોય ત્યાં સુધી સ્થાનિક લોકોને રોજગારી આપવામાં આવશે.
૨૨. કંપનીમાં કોઈ અકસ્માત થયેલ નથી તેમજ કંપનીને કોઈ કલોઝર નોટીસ મળેલ નથી.
૨૩. કંપનીને કોઈ કલોઝર નોટીસ મળેલ નથી.
૨૪. QCI/NABETનું અફીડીટેશન સર્ટીફિકેટ ઇઆઇએ રીપોર્ટમાં સામેલ છે.

આભારસહ

વતી, કાલીન્ડીસ હેલ્થકેર પ્રા. લિ.
For Kalintis Healthcare Pvt. Ltd.



Authorised Signatory
(અધિકૃત સહીકર્તા)

KALINTIS HEALTH CARE PVT. LTD.

52A, Jarod-Samlaya Road, Gardhiya, P.O., Tal. Savli, Dist.
Vadodara - 391520, Gujarat. Phone: 02667 - 290770
CIN: U24110GJ2015PTC083791



National Accreditation Board for Education & Training



Quality Council of India

CERTIFICATE OF ACCREDITATION

M/s Envision Enviro Technologies Pvt. Ltd

2nd Floor, Shree Ram Complex, Above Bank of India, Near Kargil Chowk, Surat Dumas Road, Piprad,
Surat-395007, Gujarat

is hereby accorded accreditation under the QCI-NABET Scheme for Accreditation of EIA Consultant Organizations (Rev. 09, August 2011) for the following scope:

Sl.No.	Name of the Sector	Cat.
1	Mining of minerals (Open cast only)	A
2	Offshore and onshore oil and gas exploration, development & production	A
3	Metallurgical industries (ferrous & non-ferrous) - both primary and secondary	A
4	Cement plants	A
5	Pesticides industry and pesticide specific intermediates (including formulations)	A
6	Petro-chemical complexes (industries based on processing of petroleum fractions & natural gas and/or reforming to aromatics)	A
7	Petrochemical based processing (processes other than cracking & reformation and not covered under the complexes)	A
8	Synthetic organic chemicals industry (dyes & dye intermediates; bulk drugs and intermediates excluding drug formulations; synthetic rubbers; basic organic chemicals; other synthetic organic chemicals and chemical intermediates)	A
9	Distilleries	A
10	Oil & gas transportation pipeline (crude and refinery/ petrochemical products), passing through national parks/ sanctuaries/coral reefs/ecologically sensitive areas including LNG terminal	A
11	Common hazardous waste treatment, storage and disposal facilities (TSDFs)	A
12	Ports, harbours, jetties, marine terminals, break waters and dredging	A
13	Common effluent treatment plants (CETPs)	B
14	Building & large construction projects including shopping malls, multiplexes, commercial complexes, housing estates, hospitals, institutions	B
15	Townships and area development projects	B

Name of approved EIA Coordinators & Functional Area Experts are given in minutes of AC Meeting dated Jan 14, Jan 26, Feb 25, May 06 and Aug 19, 2015 posted on QCI website.

Accreditation to the above Sectors is subject to the EIA reports being prepared by the experts (EIA Coordinators & Functional Area Experts) mentioned in the above minutes and compliance to the Terms and Conditions of Accreditation.

Certificate No: NABET/EIA/1417/IA 003

Valid Up to: December 03, 2017

Rajit

Secretary General, QCI



(Please refer <http://nabet.qci.org.in/environment/> for latest status of accreditation)

Note

- Subject to continual compliance to NABET Scheme including Surveillance Assessment
- Updated status of accreditation available at www.qci.org every 5th of the month

(Gujarati to English Translation)

Block No.14, House No.1340, Nirmal Apt.,
Opp.Mamlatdar Office, Bharuch
Cell : 9998609115
Date : 07.04.2017

To,
Member Secretary,
Gujarat Pollution Control Board,
Sector -10 A,
Gandhinagar

Subject : Objection and suggestions regarding Environmental Public Hearing of Kalintis Healthcare Pvt. Ltd., Gardhiya, Ta : Savli, Dist. Vadodara.

1. It is requested to include in MOM name of approved functional area expert by QCI NABET and the details of areas for which they worked for its duration and their sign and stamp.
2. Details of whether the QCI NABET approved FAEs hired by the consultant of the company are permanent salaried officials or not.
3. It is requested to include in MOM the copy of agreement between the company and Functional Area Experts if the and Functional Area Experts are hired from outside.
4. If the QCI NABET approved and Functional Area Experts are hired from outside, give details of Environmental Public Hearing EIA Reports in they have signed and worked for.
5. If the QCI NABET approved and Functional Area Experts are hired from outside, give the details of fees they have been paid.
6. Details of responsibilities of consultant fixed for this Environmental Public Hearing and the project.
7. Include in the MOM copies of details of fees paid by the company to the consultant for this project and copy of agreement between the company and the consultant.
8. It is requested to include in MOM hard copy of valid accreditation certificate shown in the EIA Report duly sealed and signed by the competent authority.
9. It is requested to include valid NABET QCI Certificate in to MOM.
10. Include in MOM name and designation of presenter of EIA Report and name of institute and address and photo copy of ID proof.
11. List of companies for which consultant have prepared draft EIA report. (from 01.01.2015 to 26.04.2017)
12. Include in MOM copy of closure and show cause notice issued by Gujarat Control Pollution Board to other units of the company.
13. Include in MOM copy of closure and show cause notice issued by Pollution Control Board to other units of the company out side Gujarat, if any.
14. Give names of hazardous chemicals to be used in the proposed unit which are harmful for environment and humans. Mention type of loss caused to environment and type of diseases caused to humans.
15. Include in MOM signed and stamped copy of credit receipt of fees paid to QCI NABET.
16. Furnish detail of number of EIA reports that can be signed by temporary FAEs hired by the consultant in one year.

17. Mention details of trees planted as per demand of GIDC. Give details of water acquired for plantation of trees. Include in MOM bill of water if water is acquired from outside. Include in MOM latest photos of trees planted.
18. Whether compliance of TOR given by SLEAC has been implemented 100% with facts.
19. Give written guarantee if the compliance of TOR is implemented 100%.
20. Include in MOM name and address of land losers and certificate of land losers given by GIDC.
21. It is suggested to display name of all employees on notice board outside the company after starting of company and provide 85% employment to locals.
22. Include in MOM details of death of any worker or any other person due to fire, gas leakage or accident in any unit of the company located at Panoli, Ankleshwar or any other location. Include in MOM closure notice issued to company by office of Industrial Health and Safety according to 40(2) and copies of action taken for the same. Give details of fine imposed on the company as well.
23. Give details of how revocation obtained if the closure notice issued to the company's unit at Ankleshwar or at any other place from the date of the start of the company and give all the documents regarding revocation procedure.
24. Include in MOM application made by the consultant for obtaining QCI NABET accreditation certificate and copy of proofs furnished by the consultants for the same.

Dharmesh Mistry

(Gujarati to English Translation)

Date : 21.04.2017

To
Mr. Dharmesh Mistry
Block No.14, House No.1340,
Nirmal Apt., Opp. Mamlatdar Office,
Bharuch

Dear Sir,

Reply of your letter dated 07.04.2017 is as below:

1. Consultant appointed for the said EIA is approved by QCI/NABET whose certificate and detail of EIA team is mentioned in EIA report.
2. Consultant has hired In-house and Empanelled Experts to prepare EIA Report.
3. Empanelled experts of the consultant have been approved as per guidelines of QCI/NABET.
4. Functional Area Experts of the consultant work for their respective functional area approved by QCI/NABET. Functional Area of the experts has been mentioned in EIA Report.
5. Fees have been paid to the Functional Area Experts of the consultant approved by QCI/NABET for consultant's team. It cannot be divided for the each project.
6. Responsibility has been given to the consultant by the company to prepare EIA report as per guidelines of government.
7. Responsibility has been given to the consultant by the company to prepare EIA report. Fees have been paid to the consultant for various jobs, data collection and preparation of EIA report.
8. Certificate of QCI/NABET Accreditation has been included in EIA Report. Company and consultant are ready to attest the certificate with the competent authority, if necessary.
9. Copy of QCI/NABET Accreditation Certificate has been submitted to GPCB. Copy of the same is enclosed herewith.
10. Your suggestion is noted.
11. Company has no details of draft EIA reports prepared by the consultant for any other company.
12. No show cause notice or closure notice have been issued by GPCB to any unit of the company.
13. No show cause notice or closure notice have been issued by any Pollution Control Board to any unit of the company outside the state of Gujarat.
14. Details of chemicals to be used by the company and their impact on environment and humans have been described in EIA Report.
15. Accreditation Certificate is issued by QCI/NABET only after payment of necessary fees. Copy of the certificate has been included in the EIA Report.
16. No temporary experts have been hired for the said EIA Report and all the rules have been followed of QCI/NABET guideline including number of EIA reports in a year.
17. Water for 2203 trees is being obtained from supply of existing unit. Detail of the same is mentioned in the EIA Report.
18. Details of TOR compliance has been given in the EIA Report.
19. Details of TOR compliance has been given in the EIA Report.

- 20. This point is not applicable to the company.
 - 21. Local people will be employed in the company as far as possible.
 - 22. No accident has occurred in the company and no closure notice has been issued to the company as well.
 - 23. No closure notice has been issued to the company.
 - 24. Copy of QCI/NABET Accreditation Certificate has been included in the EIA Report
- Regards,

For, **Kalintis Healthcare Pvt. Ltd.**

AUTHORISED SIGNATORY

Annexure –E

A statement showing other relevant documents

Annexure No.	Annexure Details
1	Advertisement of the Public Hearing in Local Gujarati Newspaper.
2	Advertisement of the Public Hearing in Local English Newspaper.

સંદેશ

વડોદરા, અમદાવાદ, સુરત, રાજકોટ, ભાવનગર, બુધ અને મુંબઈ પ્રસિદ્ધ ચતુર્થ દિનિક

SATURDAY, 18-03-2017



ગુજરાત પ્રદુષણ નિયંત્રણ બોર્ડ

પર્યાવરણ ભવન, સેક્ટર ૧૦ એ, માંઘીનગર-૩૮૨૦૧૦
ફોન : ૨૬૬-૨૩૨ ૩૨૧૫૨ * ફેક્સ : ૦૭૯-૨૩૨૬૨૭૮૪
www.gpcb.gov.in

જાહેર સૂચના

ભારત સરકાર વન પર્યાવરણ અને જળ વાનુ પરીવર્તન મંત્રાલય, ભૂપી ટિલ્લીના જાહેરનામા ક્રમાંક: એસ.ઓ. ૧૫૩૩ તારીખ, ૧૪.૬.૨૦૦૬ અન્વયે જણાવવાનું કે, મેસર્સ કાલીન્દીસ હેલ્થકેર પ્રા.લી., પર એ, જરોદ-સમતાવા રોડ, ગામ, ગરથીયા પી.ઓ, તા. સાવલી, જિલ્લો: વડોદરા, દ્વારા સુધિત એપીઆઇ એકમ (૭૪૫૦ કિલોગ્રામ/માસ થી ૧૫૪૫૦ કિલોગ્રામ/માસ)ના ઉત્પાદન માટેની પર્યાવરણ (પ્રોજેક્ટ) કેટેગરી "એ" અંતર્ગત તેઓની અરજી અન્વયે પર્યાવરણીય લોકસુનાવણી આયોજીત કરવામાં આવેલ છે.

લોકસુનાવણીની પ્રક્રિયાના ભાગરૂપે ભાગલાવળગતા સ્થાનિક અસરગ્રસ્ત લોકોનું ધ્યાન દોરીને સદર લોકસુનાવણી દરમિયાન હાજર રહેવા અથવા તેઓની ટીકા-ટિપ્પણી લેખિતમાં પર્યાવરણીય સુનાવણીની તારીખ પહેલા સભ્ય સચિવ શ્રી, ગુજરાત પ્રદુષણ નિયંત્રણ બોર્ડને મોકલવા વિનંતી છે.

૨૨ ઘરાપતી અન્ય વ્યક્તિઓને ખરા તેઓની ટીકા-ટિપ્પણી પર્યાવરણીય સુનાવણીની તારીખ પહેલા લેખિતમાં સભ્ય સચિવ શ્રી, ગુજરાત પ્રદુષણ નિયંત્રણ બોર્ડને મોકલી આપવા વિનંતી છે.

અને ઉલ્લેખનીય છે કે, પ્રોજેક્ટના ઇન્સાઇએ-(ઇન્વાયરમેન્ટ ઇમ્પેક્ટ એસેસમેન્ટ) અહેવાલના મુજબની પ્રત તથા ઇન્વાયરમેન્ટ ઇમ્પેક્ટ એસેસમેન્ટનો સંક્ષિપ્ત અહેવાલની પ્રત નીચે દર્શાવેલ અધિકારી/કાર્યાલયો ખાતે કામઠાજના દિવસો દરમિયાન લોક-સુનાવણીના દિન સુધી મિલગી શકાશે.

૧. જિલ્લા કલેક્ટર/સીની કચેરી, વડોદરા.
૨. જિલ્લા વિકાસ અધિકારીની કચેરી, વડોદરા.
૩. જિલ્લા ઇંદ્રોન કેન્દ્ર, વડોદરા.
૪. વાલુકા વિકાસ અધિકારીની કચેરી, તા. સાવલી, જી. વડોદરા.
૫. મુખ્ય વન સંરક્ષકશ્રી, પર્યાવરણ, વન અને જળ વાનુ પરીવર્તન મંત્રાલય ભારત સરકારની પ્રાદેશિક કચેરી (પશ્ચિમ ઝોન), કેન્દ્રીય પર્યાવરણ ભવન, ઇ-૫, અરેરા કોલોની, લીન્ક રોડ-૩, સ્પીઈકર નગર, ભાંખાર - ૪૬૨૦૧૬.
૬. ગુજરાત પ્રદુષણ નિયંત્રણ બોર્ડ, પ્રાદેશિક કચેરી, વડોદરા

ગ્રેડી કર્યાબાદ, રેસકોર્ડ રોડ, વડોદરા-૩૬૦૦૦૭.

જિલ્લા કલેક્ટર/ જિલ્લા મેજિસ્ટ્રેટ / ડેપુટી કમિશનર અથવા તેઓના / તેણીના પ્રતિનિધિ, કે જેનો હોદ્દો અધિક જિલ્લા મેજિસ્ટ્રેટથી ઉત્તરતી કરાનો ન હોય, તેવી વ્યક્તિ સદર લોકસુનાવણીની કામગીરીનું દેખરેખ અને સંચાલન કરશે.

લોકસુનાવણીની તારીખ: ૨૧/૦૪/૨૦૧૭ ના રોજ ૧૧:૩૦ કલાકે, પ્રોજેક્ટ ૨૬૦૫૨ મેસર્સ કાલીન્દીસ હેલ્થકેર પ્રા.લી., પર એ, જરોદ-સમતાવા રોડ, ગામ, ગરથીયા પી.ઓ, તા. સાવલી, જિલ્લો: વડોદરા ખાતે યોજવામાં આવેલ છે.

સ્થળ : માંઘીનગર
તારીખ: ૧૬.૦૩.૨૦૧૭

કે.સી.ગિરુની
સભ્ય સચિવ

06

SANDESH

સિટી

VADODARA

THE TIMES

* INCLUSIVE OF BARODA TIMES (FOR

AHMEDABAD/BARODA | SATURDAY, MARCH 18, 2017 | PAGES 24* | PRICE ₹5.00 OR ₹7.50 ALONG WITH THE ECONOMIC TIMES

OF INDIA

VADODARA CITY ONLY



Gujarat Pollution Control Board

Paryavaran Bhavan, Sector 10 A, Gandhinagar-382010
Tel: 079-23232152 • Fax: 079-23222784 • www.gpcb.gov.in

PUBLIC NOTICE

It is hereby informed that as per the Ministry of Environment, Forest & Climate change, Government of India, New Delhi vide its Notification no. S.O. 1533 dated September 14, 2006, Public Hearing of M/s Kalantis Healthcare Pvt Ltd. For Expansion of existing API Manufacturing Unit (from 6450 kg/month to 15450 kg/month), at 52A, Jarod-Samlaya Road, Village: Gandhiya, P.O. Taluka: Savli, Dist: Vadodara, covered under Category "A" as mentioned in their request application.

All local affected persons of the project are requested to remain present in the public hearing or send their response in writing to Member Secretary, Gujarat Pollution Control Board before the hearing date.

Other concerned persons having a plausible stake in environment aspects of the project or activity can submit their response to Member Secretary, GPCB in writing before the hearing date.

It may be noted that, draft Environmental Impact Assessment report and the Executive Summary of Environment Impact Assessment Report of the project has been sent to the following authorities or offices to make it available for inspection to the public during normal office hours till the Public Hearing is over.

1. The District Collector Office, Vadodara.
2. District Development Office, Vadodara.
3. District Industry Centre, Vadodara.
4. Taluka Development Office, Tal. Savli, Dist. Vadodara
5. The Chief Conservator of Forests.

Ministry of Environment, Forests & Climate Change, Govt. of India, Regional Office, West Zone, Kandriya Paryavaran Bhavan, E-5 Akera Colony, Line Road 3, Rakeshkar Nagar, Bhopal 462 016

6. Regional Office, GPCB, Vadodara

GERI Compound, Race Course Road, Vadodara-390007

The District Magistrate/District Collector/Deputy Commissioner or his/her representative not below the rank of an Additional District Magistrate shall supervise and preside over the entire public hearing process.

The Public Hearing is scheduled to be held on 21.04.2017 at 11.30 hrs. at project site of M/s Kalantis Healthcare Pvt Ltd. at 52A, Jarod-Samlaya Road, Village: Gandhiya, P.O. Taluka: Savli, Dist: Vadodara.

Place: Gandhinagar
Date: 16.03.2017

K. C. Mistry
Member Secretary

TIMES CITY