



சுருக்கம்

ஈரோடு மாவட்டம், அந்தியூர் வட்டம், பூனாச்சி கிராமம், திருவாளர் ஸ்பேக் நிறுவனத்தின் தொழிற்சாலை பயன்பாட்டிற்காக நாள் ஒன்றுக்கு 4,380 கனமீட்டர் அல்லது ஆண்டு ஒன்றுக்கு 15,98,700 கனமீட்டர் அளவு தண்ணீரை காவிரி ஆற்றிலிருந்து 01.08.2018 முதல் 31.07.2023 வரை ஐந்தாண்டுகளுக்கு எடுத்து பயன்படுத்திக் கொள்ள அனுமதி அளித்தல் - ஆணை வெளியிடப்பட்டது - ஏற்கனவே வெளியிடப்பட்ட நிபந்தனைகளுக்கு பதிலாக திருத்திய நிபந்தனைகள் - வெளியிடப்படுகிறது.

பொதுப்பணி (எஸ்1)த்துறை

அரசாணை (நிலை) எண். 282

நாள்: 26.10.2018

விளம்பி, ஐப்பசி, 9

திருவள்ளூர் ஆண்டு 2049.

படிக்கப்பட்டவை:-

1. அரசாணை (நிலை) எண். 242, பொதுப்பணித்துறை, நாள். 12.09.2018
2. முதன்மைத் தலைமைப் பொறியாளர், நீர்வள ஆதாரத்துறை மற்றும் தலைமைப் பொறியாளர்(பொது), பொதுப் பணித் துறை, சென்னை அவர்களின் கடித எண். எஸ்7(1)/ 72908/உ.செ.பொ.V/1966, நாள். 25.10.2018.

ஆணை:

மேலே ஒன்றில் படிக்கப்பட்ட அரசாணையில், ஈரோடு மாவட்டம், அந்தியூர் வட்டம், பூனாச்சி கிராமம், தி/வா ஸ்பேக் நிறுவனம் அதன் தொழிற்சாலை பயன்பாட்டிற்காக, பவானி வட்டம், சிங்கம்பேட்டை கிராமத்தில் நீர் உந்து நிலையம் அமைத்து நாள் ஒன்றுக்கு 4,380 கனமீட்டர் அல்லது ஆண்டொன்றுக்கு 15,98,700 கனமீட்டர் தண்ணீரை 01.08.2018 முதல் 31.07.2023 வரை ஐந்தாண்டுகளுக்கு காவிரி ஆற்றிலிருந்து எடுத்து பயன்படுத்திக் கொள்ள அனுமதி வழங்கி அரசு ஆணை வெளியிடப்பட்டது.

2. மேலே இரண்டில் படிக்கப்பட்ட முதன்மைத் தலைமைப் பொறியாளர், நீர்வள ஆதாரத்துறை மற்றும் தலைமைப் பொறியாளர்(பொது), பொதுப்பணித்துறை அவர்களின் கடிதத்தில் அரசாணை (நிலை) எண். 242, பொதுப்பணித்துறை, நாள். 12.09.2018-ல் இணைக்கப்பட்டுள்ள நிபந்தனைகளில், சில நிபந்தனைகள் தொழிற்சாலைகளுக்கு நீர்வழங்குவதற்கு பொருத்தமற்றதாக உள்ளதாலும், வரும் ஆண்டில் உலக முதலீட்டாளர்கள் மாநாடு நடைபெற உள்ளதாலும், தொழிற்சாலைகள் அதிகளவில் அமைவதை ஊக்குவிக்கும் வகையில் இத்துடன் இணைக்கப்பட்டுள்ள திருத்திய நிபந்தனைகளுக்குட்பட்டு, மேற்காணும் நிறுவனம், காவேரியாற்று தண்ணீரை நாள் ஒன்றுக்கு 4380 க.மீ. அல்லது ஆண்டொன்றுக்கு 15,98,700 க.மீ. தண்ணீரை எடுத்து பயன்படுத்திக்கொள்ள அனுமதி அளிக்கலாம் என அரசுக்குப் பரிந்துரைக்கப்படுகிறது என்றும் எனவே, இதற்கான திருத்திய ஆணையினை அரசிடமிருந்து பெற்று வழங்குமாறும் கேட்டுக் கொண்டுள்ளார்.

3. மேலே பத்தி இரண்டில் உள்ள முதன்மைத் தலைமைப் பொறியாளர், நீர்வள ஆதாரத்துறை மற்றும் தலைமைப் பொறியாளர்(பொது), பொதுப்பணித்துறை அவர்கள் தெரிவித்துள்ள காரணத்தின் அடிப்படையிலும், அவரது பரிந்துரையின் அடிப்படையிலும் அவரது கருத்துருவினை ஏற்று, அரசாணை (நிலை) எண். 242, பொதுப்பணித்துறை, நாள். 12.09.2018-ன் இணைப்பில் உள்ள நிபந்தனைகளை மட்டும் ரத்து செய்து, அதற்கு பதிலாக திருத்திய நிபந்தனைகளை, வெளியிட்டு அரசு ஆணையிடுகிறது.

4. அரசாணை (நிலை) எண். 242, பொதுப்பணித்துறை, நாள். 12.09.2018-க்கு தற்போது இணைக்கப்பட்டுள்ள நிபந்தனைகளின் அடிப்படையிலும், அவைகளை தவறாது கடைப்பிடிக்குமாறும் இந்நிறுவனம் கேட்டுக் கொள்ளப்படுகிறது. இந்நிபந்தனைகளை கண்டிப்பாக நடைமுறைப்படுத்தப்பட வேண்டும் என்றும் இந்நிறுவனத்துடன் செய்யப்படவுள்ள ஒப்பந்தத்தில் இந்நிபந்தனைகள் உள்ளடக்கியுள்ளதா என்பதனையும், அதன்படி இந்நிறுவனம் செயல்படுகிறதா என்பதனையும் கண்காணிக்கும்படி நீர்வள ஆதாரத்துறை, திருச்சி மண்டல தலைமைப் பொறியாளர் கேட்டுக் கொள்ளப்படுகிறார்.

(ஆளுநரின் ஆணைப்படி)

எஸ்.கே. பிரபாகர்,
அரசு முதன்மைச் செயலாளர்.

பெறுநர்

முதன்மை தலைமைப் பொறியாளர், நீர்வள ஆதாரத் துறை மற்றும் தலைமைப் பொறியாளர்(பொது), பொதுப்பணித்துறை, சென்னை-5.

கூடுதல் தலைமைச் செயலாளர் மற்றும் நில நிர்வாக ஆணையர், சென்னை-5.

தலைமைப் பொறியாளர், நீர்வள ஆதாரத் துறை, திருச்சி மண்டலம், திருச்சிராப்பள்ளி-20.

மாவட்ட ஆட்சியர், ஈரோடு மாவட்டம், ஈரோடு.

தி/வா. ஸ்பேக் ஸ்டாப்ச் புராடக்ட்ஸ் இந்தியா லிமிடெட், பூனாச்சி, அந்தியூர் வட்டம், ஈரோடு மாவட்டம்.

தலைவர், தமிழ்நாடு மாசுக்கட்டுப்பாட்டு வாரியம், 76, மவுண்ட் சாலை, கிண்டி, சென்னை-32.

நகல்

மாண்புமிகு முதலமைச்சர் அலுவலகம், சென்னை -9.

வருவாய் மற்றும் பேரிடர் மேலாண்மைத் துறை, சென்னை-9.

இ.கோ/உதிரி நகல்.

// ஆணைப்படி / அனுப்பப்படுகிறது //

இ.கே. அலுவலர்
பிரிவு அலுவலர்
26/10/18

SPAC	
No: 1560	Dt: 16/11/18
CM / MD	
ED	
M (G)	
M (A/C)	

ANNEXURE

TERMS & CONDITIONS FOR DRAWAL OF WATER FROM THE GOVERNMENT SOURCES FOR INDUSTRIAL PURPOSES.

1. M/s. SPAC Starch Products India Ltd., situated in Poonachi Village, Anthiyur Taluk, Erode District is permitted to draw 4,380 cubic metres of water per day or 15,98,700 cubic metres of water per year from the Cauvery River for a period of 5 years from the date of issue of this Government Order.
2. The Consumer Company shall enter into an agreement with the Government, ie., Superintending Engineer concerned, who is the Controlling Officer before proceeding with the drawal of water as per Revenue Standing Order 11.A. The tapping arrangements of the Consumer Company shall be got approved by the Controlling Officer before commissioning.
3. No guarantee for required quantum of supply of water can be given. The Consumer Company cannot claim any compensation for any reduction of supply of water and shall have their own arrangements from alternative sources during scarcity period.
4. The consumer company shall install a separate meter/measuring device for measurement of water drawn from the Government source.
5. For infringement of any of the above conditions and for any unauthorized drawal or excess drawal, the authorities will levy penal charges which will be ten times of the normal rate of penalty and in exceptional cases it may be charged at a maximum rate of 20 times of the normal rate.
6. The Consumer Company shall deposit in advance, before the 10th day of April of every year, an assessed amount of water charges for one-year consumption. The Company shall not be entitled for refund of any portion of the said annual sum paid in advance or to claim damages either on the ground that the Company has not taken the maximum permitted quantity of water or on the ground that the Company has not been able to take such maximum permitted quantity owing to deficiency of water in the river.
7. For any belated payment beyond the due date (i.e.) 10th April every year, interest will be charged at the rate fixed by the Government from time to time. In case of belated payment of either actual water charges or advance water charges beyond the prescribed date, the levy of penal interest at 1% (One percent) per month for the delay of each month or part thereof for the first six months and 1.5% (One and half percent) per month or part thereof for the delayed period beyond six months shall be paid by the licensee as per G.O.Ms.No.530/PWD/Dt. 22.03.1980. The water drawal is also liable to be discontinued by approaching the Tamil Nadu Electricity Board to disconnect the Electric supply arrangements to the water supply headwork system in the river for any default of payment.
8. The royalty charges are liable to be revised by the Government at any time without any notice to the company and such upward revision of royalties shall take effect from the date notified by the Government. Whenever the Royalty charges for the water drawn from the Government sources for industrial purpose are revised by the Government from time to time, the consumer Company shall not go to any

Court for obtaining stay orders. In this regard, necessary Undertaking shall be given by the Consumer Company and the same shall be appended and enclosed in the water drawal agreement.

9. The permission given will be valid for a period of five years from the date of issue of this Government Order, subject to renewal.

10. The Company should apply well in advance of one year before the expiry of the existing permission period for getting the approval for renewal and the renewal proposal should be forwarded to the Collector before 6 months of expiry of the permission. Before expiry of the Government Order, the company should obtain renewal orders from the Collector for drawal of water. Otherwise 20 times of penalty charges will be collected.

11. In the event of any ambiguity or conflict of the Terms and Conditions specified herein, the terms and conditions specified in the Agreement will prevail.

S.K. Prabakar
Principal Secretary to Government

// True Copy //

B. P. James
Section Officer
26/10/18

SPAC	
No: 1560	Dt: 16/11/18
CM / MD	
ED	
M (G)	
M (A / C)	



சுருக்கம்

ஈரோடு மாவட்டம், அந்தியூர் வட்டம், பூனாச்சி கிராமம், திருவாளர் ஸ்பேக் நிறுவனத்தின் தொழிற்சாலை பயன்பாட்டிற்காக நாள் ஒன்றுக்கு 4,380 கனமீட்டர் அல்லது ஆண்டு ஒன்றுக்கு 15,98,700 கனமீட்டர் அளவு தண்ணீரை காவிரி ஆற்றிலிருந்து 01.08.2018 முதல் 31.07.2023 வரை ஐந்தாண்டுகளுக்கு எடுத்து பயன்படுத்திக் கொள்ள அனுமதி அளித்தல் - ஆணை வெளியிடப்பட்டது - ஏற்கனவே வெளியிடப்பட்ட நிபந்தனைகளுக்கு பதிலாக திருத்திய நிபந்தனைகள் - வெளியிடப்படுகிறது.

பொதுப்பணி (எஸ்1)த்துறை

அரசாணை (நிலை) எண். 282

நாள்: 26.10.2018

விளம்பி, ஐப்பசி, 9

திருவள்ளூர் ஆண்டு 2049.

படிக்கப்பட்டவை:-

1. அரசாணை (நிலை) எண். 242, பொதுப்பணித்துறை, நாள். 12.09.2018
2. முதன்மைத் தலைமைப் பொறியாளர், நீர்வள ஆதாரத்துறை மற்றும் தலைமைப் பொறியாளர்(பொது), பொதுப் பணித் துறை, சென்னை அவர்களின் கடித எண். எஸ்7(1)/ 72908/உ.செ.பொ.V/1966, நாள். 25.10.2018.

ஆணை:

மேலே ஒன்றில் படிக்கப்பட்ட அரசாணையில், ஈரோடு மாவட்டம், அந்தியூர் வட்டம், பூனாச்சி கிராமம், தி/வா ஸ்பேக் நிறுவனம் அதன் தொழிற்சாலை பயன்பாட்டிற்காக, பவானி வட்டம், சிங்கம்பேட்டை கிராமத்தில் நீர் உந்து நிலையம் அமைத்து நாள் ஒன்றுக்கு 4,380 கனமீட்டர் அல்லது ஆண்டொன்றுக்கு 15,98,700 கனமீட்டர் தண்ணீரை 01.08.2018 முதல் 31.07.2023 வரை ஐந்தாண்டுகளுக்கு காவிரி ஆற்றிலிருந்து எடுத்து பயன்படுத்திக் கொள்ள அனுமதி வழங்கி அரசு ஆணை வெளியிடப்பட்டது.

2. மேலே இரண்டில் படிக்கப்பட்ட முதன்மைத் தலைமைப் பொறியாளர், நீர்வள ஆதாரத்துறை மற்றும் தலைமைப் பொறியாளர்(பொது), பொதுப்பணித்துறை அவர்களின் கடிதத்தில் அரசாணை (நிலை) எண். 242, பொதுப்பணித்துறை, நாள். 12.09.2018-ல் இணைக்கப்பட்டுள்ள நிபந்தனைகளில், சில நிபந்தனைகள் தொழிற்சாலைகளுக்கு நீர்வழங்குவதற்கு பொருத்தமற்றதாக உள்ளதாலும், வரும் ஆண்டில் உலக முதலீட்டாளர்கள் மாநாடு நடைபெற உள்ளதாலும், தொழிற்சாலைகள் அதிகளவில் அமைவதை ஊக்குவிக்கும் வகையில் இத்துடன் இணைக்கப்பட்டுள்ள திருத்திய நிபந்தனைகளுக்குட்பட்டு, மேற்காணும் நிறுவனம், காவேரியாற்று தண்ணீரை நாள் ஒன்றுக்கு 4380 க.மீ. அல்லது ஆண்டொன்றுக்கு 15,98,700 க.மீ. தண்ணீரை எடுத்து பயன்படுத்திக்கொள்ள அனுமதி அளிக்கலாம் என அரசுக்குப் பரிந்துரைக்கப்படுகிறது என்றும் எனவே, இதற்கான திருத்திய ஆணையினை அரசிடமிருந்து பெற்று வழங்குமாறும் கேட்டுக் கொண்டுள்ளார்.

3. மேலே பத்தி இரண்டில் உள்ள முதன்மைத் தலைமைப் பொறியாளர், நீர்வள ஆதாரத்துறை மற்றும் தலைமைப் பொறியாளர்(பொது), பொதுப்பணித்துறை அவர்கள் தெரிவித்துள்ள காரணத்தின் அடிப்படையிலும், அவரது பரிந்துரையின் அடிப்படையிலும் அவரது கருத்துருவினை ஏற்று, அரசாணை (நிலை) எண். 242, பொதுப்பணித்துறை, நாள். 12.09.2018-ன் இணைப்பில் உள்ள நிபந்தனைகளை மட்டும் ரத்து செய்து, அதற்கு பதிலாக திருத்திய நிபந்தனைகளை, வெளியிட்டு அரசு ஆணையிடுகிறது.

4. அரசாணை (நிலை) எண். 242, பொதுப்பணித்துறை, நாள். 12.09.2018-க்கு தற்போது இணைக்கப்பட்டுள்ள நிபந்தனைகளின் அடிப்படையிலும், அவைகளை தவறாது கடைப்பிடிக்குமாறும் இந்நிறுவனம் கேட்டுக் கொள்ளப்படுகிறது. இந்நிபந்தனைகளை கண்டிப்பாக நடைமுறைப்படுத்தப்பட வேண்டும் என்றும் இந்நிறுவனத்துடன் செய்யப்படவுள்ள ஒப்பந்தத்தில் இந்நிபந்தனைகள் உள்ளடக்கியுள்ளதா என்பதனையும், அதன்படி இந்நிறுவனம் செயல்படுகிறதா என்பதனையும் கண்காணிக்கும்படி நீர்வள ஆதாரத்துறை, திருச்சி மண்டல தலைமைப் பொறியாளர் கேட்டுக் கொள்ளப்படுகிறார்.

(ஆளுநரின் ஆணைப்படி)

எஸ்.கே. பிரபாகர்,
அரசு முதன்மைச் செயலாளர்.

பெறுநர்

முதன்மை தலைமைப் பொறியாளர், நீர்வள ஆதாரத் துறை மற்றும் தலைமைப் பொறியாளர்(பொது), பொதுப்பணித்துறை, சென்னை-5.

கூடுதல் தலைமைச் செயலாளர் மற்றும் நில நிர்வாக ஆணையர், சென்னை-5.

தலைமைப் பொறியாளர், நீர்வள ஆதாரத் துறை, திருச்சி மண்டலம், திருச்சிராப்பள்ளி-20.

மாவட்ட ஆட்சியர், ஈரோடு மாவட்டம், ஈரோடு.

தி/வா. ஸ்பேக் ஸ்டாப்ச் புரடாக்ட்ஸ் இந்தியா லிமிடெட், பூனாச்சி, அந்தியூர் வட்டம், ஈரோடு மாவட்டம்.

தலைவர், தமிழ்நாடு மாசுக்கட்டுப்பாட்டு வாரியம், 76, மவுண்ட் சாலை, கிண்டி, சென்னை-32.

நகல்

மாண்புமிகு முதலமைச்சர் அலுவலகம், சென்னை -9.

வருவாய் மற்றும் பேரிடர் மேலாண்மைத் துறை, சென்னை-9.

இ.கோ/உதிரி நகல்.

// ஆணைப்படி / அனுப்பப்படுகிறது //

இ.கே. அனந்தன்
பிரிவு அலுவலர்
26/11/18

SPAC	
No: 1560	Dt: 16/11/18
CM / MD	
ED	
M (G)	
M (A/C)	

ANNEXURE

TERMS & CONDITIONS FOR DRAWAL OF WATER FROM THE GOVERNMENT SOURCES FOR INDUSTRIAL PURPOSES.

1. M/s. SPAC Starch Products India Ltd., situated in Poonachi Village, Anthiyur Taluk, Erode District is permitted to draw 4,380 cubic metres of water per day or 15,98,700 cubic metres of water per year from the Cauvery River for a period of 5 years from the date of issue of this Government Order.
2. The Consumer Company shall enter into an agreement with the Government, ie., Superintending Engineer concerned, who is the Controlling Officer before proceeding with the drawal of water as per Revenue Standing Order 11.A. The tapping arrangements of the Consumer Company shall be got approved by the Controlling Officer before commissioning.
3. No guarantee for required quantum of supply of water can be given. The Consumer Company cannot claim any compensation for any reduction of supply of water and shall have their own arrangements from alternative sources during scarcity period.
4. The consumer company shall install a separate meter/measuring device for measurement of water drawn from the Government source.
5. For infringement of any of the above conditions and for any unauthorized drawal or excess drawal, the authorities will levy penal charges which will be ten times of the normal rate of penalty and in exceptional cases it may be charged at a maximum rate of 20 times of the normal rate.
6. The Consumer Company shall deposit in advance, before the 10th day of April of every year, an assessed amount of water charges for one-year consumption. The Company shall not be entitled for refund of any portion of the said annual sum paid in advance or to claim damages either on the ground that the Company has not taken the maximum permitted quantity of water or on the ground that the Company has not been able to take such maximum permitted quantity owing to deficiency of water in the river.
7. For any belated payment beyond the due date (i.e.) 10th April every year, interest will be charged at the rate fixed by the Government from time to time. In case of belated payment of either actual water charges or advance water charges beyond the prescribed date, the levy of penal interest at 1% (One percent) per month for the delay of each month or part thereof for the first six months and 1.5% (One and half percent) per month or part thereof for the delayed period beyond six months shall be paid by the licensee as per G.O.Ms.No.530/PWD/Dt. 22.03.1980. The water drawal is also liable to be discontinued by approaching the Tamil Nadu Electricity Board to disconnect the Electric supply arrangements to the water supply headwork system in the river for any default of payment.
8. The royalty charges are liable to be revised by the Government at any time without any notice to the company and such upward revision of royalties shall take effect from the date notified by the Government. Whenever the Royalty charges for the water drawn from the Government sources for industrial purpose are revised by the Government from time to time, the consumer Company shall not go to any

Court for obtaining stay orders. In this regard, necessary Undertaking shall be given by the Consumer Company and the same shall be appended and enclosed in the water drawal agreement.

9. The permission given will be valid for a period of five years from the date of issue of this Government Order, subject to renewal.

10. The Company should apply well in advance of one year before the expiry of the existing permission period for getting the approval for renewal and the renewal proposal should be forwarded to the Collector before 6 months of expiry of the permission. Before expiry of the Government Order, the company should obtain renewal orders from the Collector for drawal of water. Otherwise 20 times of penalty charges will be collected.

11. In the event of any ambiguity or conflict of the Terms and Conditions specified herein, the terms and conditions specified in the Agreement will prevail.

S.K. Prabakar
Principal Secretary to Government

// True Copy //

D. James Babu
Section Officer
26/10/18

SPAC	
No: 1560	Dt: 16/11/18
CM / MD	
ED	
M (G)	
M (A / C)	

Date: 10.08.2022

SELF CERTIFICATE FOR RAW MATERIAL – MAIZE AND BROKEN RICE

We have proposed to install 160KLPD Grain based distillery in Mugasipudur, Anthiyur Taluk, Erode District, Tamilnadu. We have proposed to use feed stock of Maize and broken rice. The availability of maize and rice (average as per agriculture Department statistics) in our command area is given below.

MAIZE CULTIVATION IN TAMILNADU – DISTRICT WISE

Erode District	14541 Hectares	117400 Tons/ year.
Coimbatore District	4013 Hectares	28648 Tons / year.
Salem District	35226 Hectares	358634 Tons/ year.
Namakkal District	9157 Hectares	67900 Tons/ year.
Tirupur District	21105 Hectares	149624 Tons/ year.
Permabalur District	61642 Hectares	464479 Tons/Year
Ariyalur District	16139 Hectares	97614 Tons/Year
Thanjavur District	1040 Hectares	7546 Tons/Year
Total : 162863 Hectares		1291845 Tons/ Year

RICE CULTIVATION IN TAMILNADU - DISTRICT WISE

Erode District	35561 Hectares	176560 Tons/ year
Coimbatore District	1599 Hectares	5875 Tons / year
Salem District	9753 Hectares	37371 Tons/ year
Namakkal District	7635 Hectares	28747 Tons/ year
Thanjavur District	185585 Hectares	683424 Tons/ year
Tiruvarur District	88709 Hectares	656436 Tons/Year
Total : 328842 Hectares		1588413 Tons/ Year


Our annual requirement of feed stock of Maize is 66,644 MT. We are having good potential of maize and able to get above quantity within Tamilnadu. We have negotiated with huge supply agencies and also local formers for raw material procurement. We also plan to appoint field procurement officers for development of maize production around our project area.

Our annual requirement of feed stock of Broken Rice is 58,778 MT. We have identified broken rice suppliers from modern rice mills nearby our proposed project site. In addition to that ,we have planned to procure surplus rice from our nearby FCI Godown.

We assured and certified that adequate feed stock of maize and broken rice is available for continuous running for 330 days in a year.

Yours Sincerely

For SPAC Starch Products (India) Private Limited



Associate Vice President