

## APPENDIX - I

(See paragraph – 6)  
FORM 1

## (I) Basic Information

Sr.	Item	Details			
1	Name of the project/s	<b>"Forest Trails" by Matrix Developers Pvt. Ltd.</b> Proposed Expansion Integrated Township Project			
2	S. No. in the Schedule	8 (a)			
3	Proposed capacity / area/ length/tonnage to be handled/ command area/lease area/ number of wells to be drilled.	Details	Existing as per EC (m <sup>2</sup> )	Proposed Expansion (m <sup>2</sup> )	Total (m <sup>2</sup> )
		Plot area	5,76,000.00	1,60,650.00	7,36,650.00
		Deduction Paud, Matalwadi Road Widening	2,355.55	-	2355.55
		Net plot area	5,73,644.45	1,60,650.00	7,34,294.45
		FSI area	2,44,150.51	1,64,264.98	4,08,415.49
			(Term was not mentioned in EC)		
		Non FSI area	1,60,527.49	1,10,894.76	2,71,422.25
			(Term was not mentioned in EC)		
		Total Construction Built-up Area	4,04,678.900	2,75,159.74	6,79,837.73
			(Term was built up area)		
4	New / Expansion / Modernization	Expansion project			
5	Existing Capacity/ Area etc.	We have received EC vide letter No. File No. 21-520/2007-IA.III dt. 20.06.2013			
6	Category of project i.e. A or B	<b>8 (b)</b>			
7	Does it attract the general condition? if yes, please specify	No			
8	Does it attract the specific condition? If yes, please specify	No			
9	Location	Village Bhugaon, Tal-Mulshi			
	Plot/Survey/ Khasra No.	As per EC	Proposed	Total	
		Sr. No.16/1, 19/1, 19/1, 21/1, 21/1/2, 35/1, 35/2, 36(p), 38/1, 40/1, 44/5, 83(p), 84/2(p), 85/1A, 85/1B, 86/1A/1(p), 86/1A/2(p), 88/2(p), 88/3(p), 90/2(p), 91, 92/1, 92/2, 93/1, 93/2, 94, 95, 96/1, 96/2, 97(p), 98, 99/1, 99/2, 99/3, 100/1/1, 100/1/2, 100/2, 101/1(p), 101/2(p), 102/1/1, 102/1/2, 102/1/3, 102/2, 102/3/1(p), 102/3/2, 102/4, 102/5, 103/1/1A, 103/1/1B, 103/2,	Sr. No. 36, 80/1, 83(p), 84/1, 84/2, 89/1, 89/2, 88/1, 102/1/3 (p), at village Bhugaon, Tal – Mulshi, Pune,	Sr. No.16/1, 19/1, 19/1, 21/1, 21/1/2, 35/1, 35/2, 36, 36(p), 38/1, 40/1, 44/5, 80/1, 83(p), 84/1, 84/2,84/2(p), 85/1A, 85/1B, 86/1A/1(p), 86/1A/2(p), 88/1, 88/2(p), 88/3(p), 89/1, 89/2, 90/2(p), 91, 92/1, 92/2, 93/1, 93/2, 94, 95, 96/1, 96/2, 97(p), 98, 99/1, 99/2, 99/3, 100/1/1, 100/1/2, 100/2, 101/1(p), 101/2(p), 102/1/1, 102/1/2, 102/1/3, 102/2, 102/3/1(p), 102/3/2, 102/4,	

Sr.	Item	Details		
		103/3, 106/2B/2, 106/2B/3, 106/2B/4, 106/2C/2, 106/2C/3, 106/2 C/4, 106/3, 106/4, 112, 113/1/1 to 113/1/7  village Bhugaon, Tal – Mulshi, Pune,		102/5, 103/1/1A, 103/1/1B, 103/2, 103/3, 106/2B/2, 106/2B/3, 106/2B/4, 106/2C/2, 106/2C/3, 106/2 C/4, 106/3, 106/4, 112, 102/1/3(p), 113/1/1 to 113/1/7  at village Bhugaon, Tal – Mulshi, Pune,
	Village	Bhugaon		
	Tehsil	Mulshi		
	District	Pune		
	State	Maharashtra		
10	Nearest railway station/port along with distance in kms.	Pune railway station: <b>14 km</b>		
11	Nearest Town, city, District Headquarters along with distance in kms.	Pune City: <b>6 km</b>		
12	Village Panchayat, Zilla Parishad, Municipal Corporation, Local body (complete postal addresses with telephone nos. to be given)	Town planning, Pune		
13	Name of the applicant	<b>Matrix Developers Pvt. Ltd.</b>		
14	Registered address	<b>Matrix Developers Pvt. Ltd.</b> PSC House, CTS No. 111+111/2 Anand Colony, Near Suvarnarekha Dining Hall, Off Prabhat Road, Pune – 411004 Maharashtra		
15	Address for correspondence:	<b>M/s Matrix Developers Pvt. Ltd.</b> Blue Ridge, Near Cognizant, Rajiv Gandhi Infotech Park – Phase – I, Hinjewadi, Pune – 411057.		
	Name	Nidhi Deshpande		
	Designation (Owner/ Partner/ CEO)	<b>DGM- ADD</b>		
	Address	<b>Matrix Developers Pvt. Ltd.</b> Blue Ridge, Near Cognizant, Rajiv Gandhi Infotech Park – Phase – I, Hinjewadi, Pune – 411057.		
	Pin code	411 057		
	E-mail	nidhi@pscl.in		
	Telephone No.	3980 3980, Extension No.: 396 Mobile No.: 9665036105		
	Fax No.	3980 3980		
16	Details of alternative sites examined, if any. Location of these sites should be shown on a toposheet.	Not Applicable		
17	Interlined projects	Not Applicable		
18	Whether separate application of interlinked project has been submitted?	Not Applicable		
19	If yes, date of submission	Not Applicable		
20	If No, Reason	Standalone construction project		
21	Whether the proposal involves approval/clearance under: if ,yes details of the same and their status to be given  The Forest (Conservation) Act, 1980? a) The wildlife (protection) Act, 1972? b) The CRZ Notification, 1991?	No, since the proposal under reference is in developing part of the Pune. The said project area is notified as Integrated Township Project.		
22	Whether there is any Government Order/policy relevant/relating to the site?	No		

Application form for Environmental Clearance		Project Name: "Forest Trails" Matrix Developers (P) Ltd.
Sr.	Item	Details
23	Forest land involved (hectares)	No forest land involved in proposed project site.
24	Whether there is any litigation pending against the project and/or land in which the project is propose to be set up? a) Name of the court b) Case No. c) Orders/ Directions of the court if any and its relevance with the proposed project.	No such litigation pending against the project.

Capacity corresponding to sectoral activity (such as production capacity for manufacturing, mining lease area and production capacity for mineral production, area for mineral exploration, length for linear transport infrastructure, generation capacity for power generation etc.,)

## II) Activity

### 1. Construction, operation or decommissioning of the Project involving actions, which will cause physical changes in the locality (topography, land use, changes in water bodies, etc.)

Sr.	Information/Checklist confirmation	Yes/No	Details thereof (with approximate quantities /rates, wherever possible) with source of information data
1.1	Permanent or temporary change in land use, land cover or topography including increase in intensity of land use (with respect to local land use plan)	Yes	The proposed land use is Integrated Township project.
1.2	Clearance of existing land, vegetation and buildings?	No	The existing trees which are not coming in development will be protected. The trees which are coming in development area will be transplanted
1.3	Creation of new land uses?	Yes	Integrated Township Project
1.4	Pre-construction investigations e.g. bore houses, soil testing?	Yes	Hydrogeological study conducted & Soil samples taken within the plot premises for geotechnical investigation.
1.5	Construction works?	Yes	As per approved Environmental Clearance.
1.6	Demolition works?	No	No demolition is involved.
1.7	Temporary sites used for construction works or Housing of construction workers?	Yes	Temporary labour camp is constructed for construction workers. The labour camp has been provided with Drinking water and sanitary facilities.
1.8	Above ground buildings, structures or earthworks including linear structures, cut andfill or excavations	Yes	Excavation work will be carried out for foundation work and underground utilities. The excavated soil/material will be used for backfilling purpose.
1.9	Underground works including mining or tunnelling?	No	
1.10	Reclamation works?	No	
1.11	Dredging?	No	
1.12	Offshore structures?	No	
1.13	Production and manufacturing processes?	Yes	Construction Stage : RMC plant, fly ash brick/ CLC plant only up to project completion
1.14	Facilities for storage of goods or materials?	Yes	Only construction material will be stored in temporary storage site.
1.15	Facilities for treatment or disposal of solid waste or liquid effluents?	Yes	Construction Stage: Septic Tank for labour colony, construction waste shall be reused. Operational Stage: Mechanical Composting and Sewage Treatment Plant.
1.16	Facilities for long term housing of operational workers?	No	
1.17	New road, rail or sea traffic during construction or operation?	Yes	Existing road will be used for the transport purpose.
1.18	New road, rail, air waterborne or other transport infrastructure including new or altered routes and stations, ports, airports etc?	No	Existing road will be used for the transport purpose.
1.19	Closure or diversion of existing transport routes or infrastructure leading to changes in traffic movements?	No	Not Applicable
1.20	New or diverted transmission lines or pipelines?	No	Not Applicable
1.21	Impoundment, damming, culverting, realignment or other changes to the hydrology of watercourses or aquifers?	No	Not Applicable
1.22	Stream crossings?	No	

Sr.	Information/Checklist confirmation	Yes/No	Details thereof (with approximate quantities /rates, wherever possible) with source of information data
1.23	Abstraction or transfers of water from ground or surface waters?	No	Source of water supply from Irrigation Department.
1.24	Changes in water bodies or the land surface affecting drainage or run-off?	Yes	As proposed land use is Integrated Township project, land use will change permanently. The existing drainage system will be upgraded by providing proper storm water and sewer network.
1.25	Transport of personnel or materials for construction, operation or decommissioning?	Yes	Construction workers and construction material required.
1.26	Long-term dismantling or decommissioning or restoration works?	No	
1.27	Ongoing activity during decommissioning which could have an impact on the environment?	No	There will not be any impact on the Environment
1.28	Influx of people to an area in either temporarily or permanently?	Yes	Project is having residential as well as commercial activities & will involve influx of people.
1.29	Introduction of alien species?	No	
1.30	Loss of native species or genetic diversity?	No	
1.31	Any other actions?	No	No

**2. Use of Natural resources for construction or operation of the Project (such as land, water, materials or energy, especially any resources which are non-renewable or in short supply):**

Sr.	Information/checklist confirmation	Yes/No	Details thereof (with approximate quantities /rates, wherever possible) with source of information data		
2.1	Land especially undeveloped or agricultural land (ha)	Yes	The site is converted to NA (Non-Agricultural Land).		
2.2	Water (expected source & competing Users)		Water source: <b>Irrigation Department &amp; Recycled water</b>		
			<b>Water requirement</b>		
			<b>3811 KLD</b>		
2.3	Minerals (MT)	No	Since this is a construction project there will be no use of major minerals for construction.		
2.4	construction material – stone, aggregates, sand / soil (expected source – MT)	Yes	Materials will be procured from local authorized dealer.		
2.5	Forests and timber (source – MT)	No	Project proponent will not use wood or timber at greater extent during construction phase.		
2.6	Energy including electricity and fuels (source, competing users) Unit: fuel (MT), energy (MW)		<b>Total Energy Requirement</b>		
			<b>Description</b>	<b>Power requirement</b>	<b>Unit</b>
			<b>Connected Load</b>	<b>32104</b>	<b>KW</b>
			<b>Demand Load</b>	<b>11456</b>	<b>KW</b>
2.7	Any other natural resources (use appropriate standard units)	No			

**3. Use, storage, transport, handling or production of substances or materials, which could be harmful to human health or the environment or raise concerns about actual or perceived risks to human health.**

Sr.	Information/Checklist confirmation	Yes/No	Details thereof (with approximate quantities/rates, wherever possible) with source of information data
3.1	Use of substances or materials, which are hazardous (as per MSIHC rules) to human health or the environment (flora, fauna, and water supplies)	No	No hazardous material will be used for construction.
3.2	Changes in occurrence of disease or affect disease vectors (e.g. insect or water borne diseases)	No	
3.3	Affect the welfare of people e.g. by changing living conditions?	No	Proposed project will not Affect the welfare of people. The project will provide job opportunities to local people and good infrastructure to residents.
3.4	Vulnerable groups of people who could be affected by the project e.g. hospital patients, children, the elderly etc.,	No	
3.5	Any other causes	No	

**4. Production of solid wastes during construction or operation or decommissioning (Mt/month)**

Sr.	Information/Checklist confirmation	Yes/No	Details thereof (with approximate quantities/rates, wherever possible) with source of information data		
4.1	Spoil, overburden or mine wastes	No	All overburden used for planting/ landscaping. All other excavated material used at site for land grading.		
4.2	Municipal waste (domestic and or commercial wastes)		Description	Solid waste generated	Unit
			Total	12,444	kg/day
4.3	Hazardous wastes (as per Hazardous Waste Management Rules)	No	No hazardous waste will be generated as this is Residential Project Spent oil from generators etc. to be handed over to facility		
4.4	Other industrial process wastes	No			
4.5	Surplus product	No			
4.6	Sewage sludge or other sludge from effluent treatment	Yes	Used as manure after drying.		
4.7	Construction or demolition wastes	No	Not Applicable		
4.8	Redundant machinery or equipment	No	Not Applicable		
4.9	Contaminated soils or other materials	No	Not Applicable		
4.10	Agricultural wastes	No	Not Applicable		
4.11	Other solid wastes	No	Not Applicable		

#### 5. Release of pollutants or any hazardous, toxic or noxious substances to air (kg/hr)

Sr.	Information/Checklist confirmation	Yes/No	Details thereof (with approximate quantities/rates, wherever possible) with source of information data		
5.1	Emissions from combustion of fossil fuels from stationary or mobile sources	No	Not Applicable		
5.2	Emissions from production processes	No	Not Applicable		
5.3	Emissions from materials handling including storage or transport	Yes	Fugitive emission from handling such as sand etc.		
5.4	Emissions from construction activities including plant and equipment	Yes	Transportation of construction material, DG sets etc.		
5.5	Dust or odours from handling of materials including construction materials, sewage and waste	Yes	Transportation, loading and unloading of material will generate dust		
5.6	Emissions from incineration of waste	No			
5.7	Emissions from burning of waste in open air (e.g. slash materials, construction debris)	No			
5.8	Emissions from any other sources	No			

#### 6. Generation of Noise and Vibration, and Emissions of Light and Heat:

Sr.	Information/Checklist confirmation	Yes/No	Details thereof (with approximate quantities/rates, wherever possible) with source of information data with source of information data		
6.1	From operation of equipment e.g. engines, ventilation plant, crushers	Yes	Construction phase: The significant source of noise pollution will be the machinery used for construction and vehicular movement. Operation phase: During operation phase the only source of noise will be operation of mechanical equipment, vehicular traffic and DG sets however, we are developing green belt area and all the DG sets are provided acoustic enclosure		
6.2	From industrial or similar processes	No			
6.3	From construction or demolition	Yes	Due to construction machinery / vehicle movement. No demolition is envisaged in the project area.		
6.4	From blasting or piling	No			
6.5	From construction or operational traffic	Yes	By movement of trucks for material & Ready Mix Concrete		
6.6	From lighting or cooling systems	Yes	Noise generation from DG sets & cooling system.		
6.7	From any other sources	No	Not Applicable		

#### 7. Risks of contamination of land or water from releases of pollutants into the ground or into sewers, surface waters, groundwater, coastal waters or the sea:

Sr.	Information/Checklist confirmation	Yes/No	Details thereof (with approximate quantities/rates, wherever possible) with source of information data
7.1	From handling, storage, use or spillage of hazardous materials	No	Not Applicable
7.2	From discharge of sewage or other effluents to water or the land (expected mode and place of discharge)	No	The treated sewage from STP will be utilized for gardening, flushing thus there will be no impact on the surface / ground water.
7.3	By deposition of pollutants emitted to air into the land or into water	No	No risk of contamination due to pollutants in air or water.
7.4	From any other sources	No	Not Applicable
7.5	Is there a risk of long term build up of pollutants in the environment from these sources?	No	Not Applicable

**8. Risk of accidents during construction or operation of the Project, which could affect human health or the environment**

Sr.	Information/Checklist confirmation	Yes/No	Details thereof (with approximate quantities/rates, wherever possible) with source of information data
8.1	From explosions, spillages, fires etc from storage, handling, use or production of hazardous substances	No	Not Applicable
8.2	From any other causes	No	Not Applicable
8.3	Could the project be affected by natural disasters causing environmental damage (e.g. floods, earthquakes, landslides, cloudburst etc)?	No	The area is not subject to flooding, earthquakes, landslides and cloudburst as per ULB Disaster Management Plan

**9. Factors which should be considered (such as consequential development) which could lead to environmental effects or the potential for cumulative impacts with other existing or planned activities in the locality**

Sr.	Information/Checklist confirmation	Yes/No	Details thereof (with approximate quantities/rates, wherever possible) with source of information data
9.1	Lead to development of supporting facilities, ancillary development or development stimulated by the project which could have impact on the environment e.g.: Supporting infrastructure (roads, power supply, waste or waste water treatment, etc.) •housing development •extractive industries •supply industries •other	No	Not Applicable The site and nearby areas are developed with good supportive infrastructure like roads, transport facility, entertainment and hospitals.
9.2	Lead to after-use of the site, which could have an impact on the environment	No	
9.3	Set a precedent for later developments	No	Not Applicable
9.4	Have cumulative effects due to proximity to other existing or planned projects with similar effects	No	

### (III) Environmental Sensitivity

Sr.	Areas	Name/ Identity	Aerial distance (within 15 km.) Proposed project location boundary
1	Areas protected under international conventions, national or local legislation for their ecological, landscape, cultural or other related value	No	

2	Areas which are important or sensitive for ecological reasons - Wetlands, watercourses or other water bodies, coastal zone, biospheres, mountains, forests	No	
3	Areas used by protected, important or sensitive species of flora or fauna for breeding, nesting, foraging, resting, over wintering, migration	No	
4	Inland, coastal ,marine or underground waters	Manas Lake	Manas lake- <b>1 km</b>
5	State, National boundaries	No	
6	Routes or facilities used by the public for access to recreation or other tourist, pilgrim areas	No	
7	Defence installations	Yes	NDA Khadakwasla -5 km
8	Densely populated or built-up area	Yes	Kothrud – 5 km
9	Areas occupied by sensitive man-made land uses (hospitals, schools, places of worship, community facilities)	Yes	School and Colleges – 2 km Hospital – 2 km
10	Areas containing important, high quality or scarce resources(ground water resources, surface resources, forestry, agriculture, fisheries, tourism, minerals)	No	
11	Areas already subjected to pollution or environmental damage. (those where existing legal environmental standards are exceeded)	No	
12	Areas susceptible to natural hazard which could cause the project to present environmental problems (earthquakes, subsidence, landslides, erosion, flooding or extreme or adverse climatic conditions)	No	

**(IV). Proposed Terms of Reference for EIA studies****APPLICABLE**

I hereby give undertaking that the data & information given in the application & enclosures are true to the best of my knowledge & belief & I am aware that if any part of the data and information submitted is found to be false or misleading at any stage, the project will be rejected and clearance given, if any to the project will be revoked at our risk and cost.

Date: 13.07.2017

Place: **Pune**

**FOR MATRIX DEVELOPERS PVT. LTD.**



**Authorized Signatory**



**Matrix Developers Pvt. Ltd.**

PSC House, CTS No. 111+111/2 Anand Colony,  
Near Suvarnarekha Dining Hall, Off Prabhat Road,  
Pune – 411004 Maharashtra

**NOTE:**

- 1) The projects involving clearance under Coastal Regulation Zone Notification, 1991 shall submit with the application a C.R.Z map duly demarcated by one of the authorized agencies, showing the project activities, w.r.t C.R.Z(at the stage of TOR) and the recommendations of the State Coastal Zone management Authority(at the stage of EC). Simultaneous action shall also be taken to obtain the requisite clearance under the provisions of the C.R.Z Notification, 1991 for the activities to be located in the CRZ.
- 2) The projects to be located within 10 km of the national Parks, Sanctuaries, Biosphere Reserves, Migratory Corridors of Wild Animals, the project proponent shall submit the map duly authenticated by Chief Wildlife Warden showing these features vis-avis the project location and the recommendations or comments of the chief Wildlife thereon.(at the stage of EC).
- 3) All correspondence with the ministry of Environment & Forests including submission of application for TOR/Environmental Clearance, subsequent clarifications as may be required from time to time, participation in the EAC meeting on behalf of the project proponent shall be made by the authorised signatory only. The authorised signatory should also submit a document in support of his claim of being an authorised signatory for the specific project.



**APPENDIX– II****(See paragraph 6)****FORM-1 A**

**(only for construction projects listed under item 8 of the Schedule)**  
**CHECK LIST OF ENVIRONMENTAL IMPACTS**

(Project proponents are required to provide full information and  
 wherever necessary attach explanatory notes with the Form and  
 submit along with proposed environmental management plan & monitoring programme)

**1. LAND ENVIRONMENT**

(Attach panoramic view of the project site and the vicinity)																																															
1.1	Will the existing land use get significantly altered from the project that is not consistent with the surroundings? (Proposed land use must conform to the approved Master Plan / Development Plan of the area. Change of land use if any and the statutory approval from the competent authority are submitted). Attach Maps of (i) site location, (ii) surrounding features of the proposed site (within 500 meters) and (iii) the site (indicating levels & contours) to appropriate scales. If not available attach only conceptual plans.	The existing land use will not get altered from the project. As per the zoning structure the area comes under residential area.  Proposed development is in line with D. P of Following documents are attached as supporting documents.  1. Conceptual plan is attached as <b>Annexure II</b> 2. Detailed Tenement statement are attached as <b>Annexure III</b>																																													
1.2	List out all the major project requirements in terms of the land area, built up area, water consumption, power requirement, connectivity, community facilities, parking needs, etc.	<table border="1"> <thead> <tr> <th>Details</th> <th>Existing (m<sup>2</sup>)</th> <th>Proposed (m<sup>2</sup>)</th> <th>Total (m<sup>2</sup>)</th> </tr> </thead> <tbody> <tr> <td>Plot area</td> <td>5,76,000.00</td> <td>1,60,650.00</td> <td>7,36,650.00</td> </tr> <tr> <td>Deduction Paud, Matalwadi Road Widening</td> <td>2,355.55</td> <td>-</td> <td>2355.55</td> </tr> <tr> <td>Net plot area</td> <td>5,73,644.45</td> <td>1,60,650.00</td> <td>7,34,294.45</td> </tr> <tr> <td>FSI area</td> <td>2,44,150.51 (Term was not mentioned in EC)</td> <td>1,64,264.98</td> <td>4,08,415.49</td> </tr> <tr> <td>Non FSI area</td> <td>1,60,527.49 (Term was not mentioned in EC)</td> <td>1,10,894.76</td> <td>2,71,422.25</td> </tr> <tr> <td>Total Construction Built-up Area</td> <td>4,04,678.900 (Term was built up area)</td> <td>2,75,159.74</td> <td>6,79,837.73</td> </tr> <tr> <td align="center" colspan="4"><b>Water consumption</b></td> </tr> <tr> <td align="center" colspan="4"><b>3811 m<sup>3</sup>/day</b></td> </tr> <tr> <td align="center" colspan="4"><b>Energy requirement</b></td> </tr> <tr> <td align="center" colspan="2"><b>Description</b></td> <td align="center"><b>Power requirement</b></td> <td align="center"><b>Unit</b></td> </tr> </tbody> </table>	Details	Existing (m <sup>2</sup> )	Proposed (m <sup>2</sup> )	Total (m <sup>2</sup> )	Plot area	5,76,000.00	1,60,650.00	7,36,650.00	Deduction Paud, Matalwadi Road Widening	2,355.55	-	2355.55	Net plot area	5,73,644.45	1,60,650.00	7,34,294.45	FSI area	2,44,150.51 (Term was not mentioned in EC)	1,64,264.98	4,08,415.49	Non FSI area	1,60,527.49 (Term was not mentioned in EC)	1,10,894.76	2,71,422.25	Total Construction Built-up Area	4,04,678.900 (Term was built up area)	2,75,159.74	6,79,837.73	<b>Water consumption</b>				<b>3811 m<sup>3</sup>/day</b>				<b>Energy requirement</b>				<b>Description</b>		<b>Power requirement</b>	<b>Unit</b>	
Details	Existing (m <sup>2</sup> )	Proposed (m <sup>2</sup> )	Total (m <sup>2</sup> )																																												
Plot area	5,76,000.00	1,60,650.00	7,36,650.00																																												
Deduction Paud, Matalwadi Road Widening	2,355.55	-	2355.55																																												
Net plot area	5,73,644.45	1,60,650.00	7,34,294.45																																												
FSI area	2,44,150.51 (Term was not mentioned in EC)	1,64,264.98	4,08,415.49																																												
Non FSI area	1,60,527.49 (Term was not mentioned in EC)	1,10,894.76	2,71,422.25																																												
Total Construction Built-up Area	4,04,678.900 (Term was built up area)	2,75,159.74	6,79,837.73																																												
<b>Water consumption</b>																																															
<b>3811 m<sup>3</sup>/day</b>																																															
<b>Energy requirement</b>																																															
<b>Description</b>		<b>Power requirement</b>	<b>Unit</b>																																												

	<b>Total Energy Requirement</b>		<b>32104</b>	<b>kW</b>	
	<b>Parking details: Residential</b>				
	<b>Details</b>	<b>Existing</b>	<b>Proposed</b>	<b>Total</b>	<b>Unit</b>
	<b>Car</b>	<b>2298</b>	<b>1301</b>	<b>3599</b>	<b>nos</b>
	<b>Scooter</b>	<b>4850</b>	<b>2849</b>	<b>7699</b>	<b>nos</b>
	<b>Cycle</b>	<b>5122</b>	<b>2533</b>	<b>7655</b>	<b>nos</b>
	<b>Parking area</b>	<b>46860</b>	<b>26313</b>	<b>73174</b>	<b>m<sup>2</sup></b>
	<b>Parking details: Commercial</b>				
	<b>Details</b>	<b>Existing</b>	<b>Proposed</b>	<b>Total</b>	<b>Unit</b>
	<b>Car</b>	<b>94</b>	<b>228</b>	<b>322</b>	<b>nos</b>
	<b>Scooter</b>	<b>341</b>	<b>486</b>	<b>827</b>	<b>nos</b>
	<b>Cycle</b>	<b>212</b>	<b>486</b>	<b>698</b>	<b>nos</b>
	<b>Parking area</b>	<b>2346</b>	<b>4648</b>	<b>6995</b>	<b>m<sup>2</sup></b>
	<b>Parking details: School</b>				
	<b>Details</b>	<b>Existing</b>	<b>Proposed</b>	<b>Total</b>	<b>Unit</b>
	<b>Car</b>	<b>50</b>	<b>0</b>	<b>50</b>	<b>nos</b>
	<b>Scooter</b>	<b>24</b>	<b>0</b>	<b>24</b>	<b>nos</b>
	<b>Cycle</b>	<b>49</b>	<b>0</b>	<b>49</b>	<b>nos</b>
	<b>Parking area</b>	<b>731</b>	<b>0</b>	<b>731</b>	<b>m<sup>2</sup></b>
	<b>Parking details: Bus and Ambulance</b>				
	<b>School Bus</b>	<b>4</b>	<b>0</b>	<b>4</b>	<b>nos</b>
	<b>Shuttle Bus</b>	<b>3</b>	<b>0</b>	<b>3</b>	<b>nos</b>
	<b>Ambulance</b>	<b>1</b>	<b>0</b>	<b>1</b>	<b>nos</b>
	<b>Parking Area</b>	<b>300</b>	<b>0</b>	<b>300</b>	<b>m<sup>2</sup></b>
	<b>Connectivity</b>	Location plan is attached as <b>Annexure IV</b>			
1.3	What are the likely impacts of the proposed activity on the existing facilities adjacent to the proposed site? (Such as open spaces, community facilities, details of the existing landuse, disturbance to the local ecology).		The project being a well planned activity will result in organized open spaces and green areas. The biodiversity in the area will increase due to proposed green areas.  Community cum recreational facilities will be developed hence no stress on the existing facility is anticipated.		
1.4.	Will there be any significant land disturbance resulting in erosion, subsidence & instability? (Details of soil type, slope analysis, vulnerability to subsidence, seismicity etc may be given).		The project being a well planned activity will result in organized open spaces and green areas. The biodiversity in the area will increase due to proposed green areas.  Community cum recreational facilities will be developed hence no stress on the existing facility is anticipated.		
1.5	Will the proposal involve alteration of natural drainage systems? (Give details on a contour map showing the natural drainage near the proposed project site)		The main reasons for erosion are overexploitation of groundwater, instable slopes, landslides etc. The proposed construction will involve cutting and filling operations. The project will involve construction of roads and development of green areas, which would reduce the chances of erosion and subsidence.  Subsidence is not anticipated as ground water would not be used as a source of water supply.  As per seismic-zoning map of India, the project site falls under zone III. Structural design requirements will be as per zone III.		

1.6	What are the quantities of earthwork involved in the construction activity-cutting, filling, reclamation etc. (Give details of the quantities of earthwork involved, transport of fill materials from outside the site, etc.)	The proposed development is planned in such a manner that it will not alter the existing drainage pattern of the area.
1.7	Give details regarding water supply, waste handling etc during the construction period.	Supply Source: Irrigation Department, Recycled water
1.8	Will the low lying areas & wetlands get altered? (Provide details of how low lying and wetlands are getting modified from the proposed activity)	No wet lands and low-lying areas on the site
1.9	Whether construction debris & waste during construction cause health hazard? (Give quantities of various types of wastes generated during construction including the construction labour and the means of disposal)	No health hazards as all hazardous wastes will be handed over to designated facilities for recycling etc.

## 2. WATER ENVIRONMENT

2.1	Give the total quantity of water requirement for the proposed project with the breakup of requirements for various uses. How will the water requirement met? State the sources & quantities and furnish a water balance statement.	Water utilization details Enclosed as <b>Annexure V.</b>		
2.2	What is the capacity (dependable flow or yield) of the proposed source of water?	The proposed water demand will be met from <b>Irrigation Department</b>		
2.3	What is the quality of water required, in case, the supply is not from a municipal source? (Provide physical, chemical, biological characteristics with class of water quality)	<b>Sr.</b>	<b>Parameters</b>	<b>Unit</b>
		1.	pH	-
		2.	Colour (units on Platinum Cobalt scale)	-
		3.	Odour	-
		4.	Turbidity	NTU
		5.	Total Hardness (as CaCO <sub>3</sub> )	mg/l
		6.	Chlorides	mg/l
		7.	Sulphates	mg/l
		8.	Fluorides	mg/l
		9.	Nitrates	mg/l
		10.	Lead	mg/l
		11.	Arsenic	mg/l
		12.	Cadmium	mg/l
2.4	How much of the water requirement can	Treated water from STP will be used for toilet flushing & gardening.		

be met from the recycling of treated wastewater? (Give the details of quantities, sources and usage)	Total sewage generated		3232 m <sup>3</sup> /day																		
	Total STP capacity proposed		3325 m <sup>3</sup> /day																		
	Recycled water for flushing		1281 m <sup>3</sup> /day																		
	Treated water for gardening		1384 m <sup>3</sup> /day																		
	Sludge generation		32 m <sup>3</sup> /day																		
	Excess treated water		536 m <sup>3</sup> /day																		
2.5	Will there be diversion of water from other users? (Please assess the impacts of the project on other existing uses and quantities of consumption)	NA																			
2.6	What is the incremental pollution load from wastewater generated from the proposed activity? (Give details of the quantities and composition of wastewater generated from the proposed activity)	<p>The total sewage of about 3232 m<sup>3</sup>/day will be generated from the complex. The composition of waste water is given in the table indicating the quality of raw waste water before treatment</p> <table border="1"> <thead> <tr> <th>Parameters</th> <th>Values</th> <th>Units</th> </tr> </thead> <tbody> <tr> <td>pH</td> <td>7-8</td> <td>mg/l</td> </tr> <tr> <td>BOD</td> <td>205-300</td> <td>mg/l</td> </tr> <tr> <td>COD</td> <td>450-600</td> <td>mg/l</td> </tr> <tr> <td>O &amp; G/ ABS</td> <td>10-20</td> <td>mg/l</td> </tr> <tr> <td>TSS</td> <td>100-200</td> <td>mg/l</td> </tr> </tbody> </table> <p><b>Mitigation measures:</b> Domestic Effluent will be treated in the Sewage Treatment plant of capacity 3375 m<sup>3</sup>/day. The treated sewage water will be reused for flushing and gardening.</p>		Parameters	Values	Units	pH	7-8	mg/l	BOD	205-300	mg/l	COD	450-600	mg/l	O & G/ ABS	10-20	mg/l	TSS	100-200	mg/l
Parameters	Values	Units																			
pH	7-8	mg/l																			
BOD	205-300	mg/l																			
COD	450-600	mg/l																			
O & G/ ABS	10-20	mg/l																			
TSS	100-200	mg/l																			
2.7	Give details of the water requirements met from water harvesting? Furnish details of the facilities created.	The project activity shall have rainwater harvesting only of rainfall on terraces.																			
2.8.	What would be the impact of the land use changes occurring due to the proposed project on the runoff characteristics (quantitative as well as qualitative) of the area in the post construction phase on a long term basis? Would it aggravate the problems of flooding or water logging in any way?	<p>Proposed development is in tune with D. P. of the area.</p> <p>The project will have proper storm water drainage facility as per Storm Water Drain Remarks by concerned authority. So there will be no problem of water logging due to this project.</p>																			
2.9	What are the impacts of the proposal on the ground water? (Will there be tapping of ground water; give the details of ground water table, recharging capacity, and approvals obtained from competent authority, if any)	<p>In the proposed development there will be no tapping of groundwater. Water demand for the construction as well as operational phase will be met from water from Irrigation Department.</p> <p>Rainwater harvesting scheme will be practiced for groundwater recharge, which will have a positive impact on the ground water table.</p>																			

2.10	What precautions/measures are taken to prevent the run-off from construction activities polluting land & aquifers? (Give details of quantities and the measures taken to avoid the adverse impacts)	<p>To prevent degradation and maintain the quality of water source, adequate control measures have been proposed to check the surface run-off, as well as uncontrolled flow of water into any water body.</p> <ul style="list-style-type: none"> <li>• Avoid excavation during monsoon season.</li> <li>• Rainwater harvesting can serve as a solution to water problem in worst case scenario.</li> </ul> <p>Following methods can increase efficiency of rainwater harvesting and recharging groundwater.</p> <ul style="list-style-type: none"> <li>• Catch drainage all along the periphery of plot to prevent surface runoff.</li> <li>• Reduce and filter surface runoff.</li> <li>• Use vegetated swales and depressions to reduce runoff.</li> </ul>
2.11	How is the storm water from within the site managed?(State the provisions made to avoid flooding of the area, details of the drainage facilities provided along with a site layout indication contour levels)	<p>During rainy season, after the rainfall some part of the rainwater percolates into the ground and joins ground water table, a part is retained as soil moisture, some part is lost in evapotranspiration and the remaining part overflows as storm water run off. The quantity of runoff reaching the sewers or drains is considerable as compared with sanitary sewage.</p> <p>The project will have proper storm water drainage facility as per Storm Water Drain Remarks by concerned authority. So there will be no problem of water logging due to this project.</p>
2.12	Will the deployment of construction labourers particularly in the peak period lead to unsanitary conditions around the project site (Justify with proper explanation)	No, the deployment of construction labourers will not lead to any unsanitary condition. The construction labourers will be provided with temporary shelter sheds within the project premises. The unsanitary condition removed by means of providing readymade septic tanks & soak pits. Solid waste will be disposed off in project disposal system.
2.13	What on-site facilities are provided for the collection, treatment & safe disposal of sewage? (Give details of the quantities of wastewater generation, treatment capacities with technology & facilities for recycling and disposal)	The Sewage Treatment Plants (STP) are designed to treat the raw waste water generated from residential and commercial buildings.
2.14	Give details of dual plumbing system if treated waste used is used for flushing of toilets or any other use.	Not Applicable

### 3. VEGETATION

3.1	Is there any threat of the project to the biodiversity? (Give a description of the local ecosystem with it's unique features, if any)	There is no sensitive ecosystem present at site that will be disturbed by the project, as existing land use in surrounding area is Residential.
3.2	Will the construction involve extensive clearing or modification of vegetation? (Provide a detailed account of the trees & vegetation affected by the project)	No. There is very scanty vegetation of grasses and shrubs along with very common fauna prevalent elsewhere in the area.
3.3	What are the measures proposed to be taken to minimize the likely impacts on important site features (Give details of proposal for tree plantation, landscaping, creation of water bodies etc along with a layout plan to an appropriate scale)	Green areas being developed for control of pollution and aesthetic view of the complex.

### 4. FAUNA

4.1	Is there likely to be any displacement of fauna- both terrestrial and aquatic or creation of barriers for their movement? Provide the details.	No. The proposed site and its surroundings do not support any habitat for any group of wild animals.
4.2	Any direct or indirect impacts on the avifauna of the area? Provide details.	No. There will be no direct or indirect impact on the avifauna of the area.
4.3	Prescribe measures such as corridors, fish ladders etc to mitigate adverse impacts on fauna	Since the proposed project would not have any adverse impact on fauna hence mitigation measure not relevant.

## 5. AIR ENVIRONMENT

5.1	Will the project increase atmospheric concentration of gases & result in heat islands? (Give details of background air quality levels with predicted values based on dispersion models taking into account the increased traffic generation as a result of the proposed constructions)	The project will result in negligible increase in the atmospheric concentrations of gases due to D.G. operations (back up power only) and the increased traffic. The proposed activity will not result in the formation of any heat islands, as it does not involve any significant change in the land use pattern or the concreting of areas.
5.2	What are the impacts on generation of dust, smoke, odorous fumes or other hazardous gases? Give details in relation to all the meteorological parameters.	Diesel generator sets operated for back-up power supply are identified as the only major sources of gaseous and particulate emission. Impact of vehicular is not significant. Small amounts of SO <sub>2</sub> , SPM, NO <sub>x</sub> and CO emissions are expected due to fuel combustion in generator sets only during power outages.
5.3	Will the proposal create shortage of parking space for vehicles? Furnish details of the present level of transport infrastructure and measures proposed for improvement including the traffic management at the entry & exit to the project site.	Adequate parking will be provided within project area.
5.4	Provide details of the movement patterns with internal roads, bicycle tracks, pedestrian pathways, footpaths etc., with areas under each category.	Internal roads, footpaths/ pedestrian pathways have been planned within the proposed project area.
5.5	Will there be significant increase in traffic noise & vibrations? Give details of the sources and the measures proposed for mitigation of the above.	Considering the addition of vehicles due to the proposed project with the existing roads and vehicles plying on them, there will be marginal increase in the noise levels but will not result in an impact.
5.6	What will be the impact of DG sets & other equipment on noise levels & vibration in & ambient air quality around the project site? Provide details.	<p>DG set will be used in construction and operation phase only in case of power failure.</p> <p>The DG Sets shall be as per the guide lines laid down by EPR for specific noise emission standards. Measures shall be taken for reduction of noise by using acoustic enclosures.</p> <p>Noise emissions are expected from various construction equipment and machinery but will not result in an impact.</p>

## 6. AESTHETICS

6.1	Will the proposed constructions in any way result in the obstruction of a view, scenic amenity or landscapes? Are these considerations taken into account by the proponents?	The proposed land use of the site is Integrated Township and will not result in obstruction of view, scenic amenity or landscape. However, the buildings will be planned in such a way that the organised open areas and landscaped areas are at the centre so that all can enjoy the green areas.
6.2	Will there be any adverse impacts from new constructions on the existing structures? What are the considerations taken into account?	Internal roads, footpaths/ pedestrian pathways have been planned within the proposed complex.
6.3	Whether there are any local considerations of urban form & urban design influencing the design criteria? They may be explicitly spelt out.	The project has been designed as per the Development Control Rules, Government of Maharashtra.
6.4	Are there any anthropological or archaeological sites or artefacts nearby? State if any other significant features in the vicinity of the proposed site have been considered.	No anthropological or archaeological sites or artefacts are found near the site area.

## 7. SOCIO-ECONOMIC ASPECTS

7.1	Will the proposal result in any changes to the demographic structure of local population? Provide the details.	No. Majority of the labour will be recruited locally and only minimal skilled workers would be from outside, which is anticipated to be very small and will not alter the existing demographic profile of the area.
7.2	Give details of the existing social	The project comes in Residential area and has all basic infrastructural

infrastructure around the proposed project.	facilities as schools, medical establishments, shops, etc.
7.3 Will the project cause adverse effects on local communities, disturbance to sacred sites or other cultural values? What are the safeguards proposed?	No. The project will have positive impact on local communities.

## 8. BUILDING MATERIALS

8.1 May involve the use of building materials with high-embodied energy. Are the construction materials produced with energy efficient processes? (Give details of energy conservation measures in the selection of building materials and their energy efficiency)	Use of daylight Proper ventilation Use of Solar PV Panels for lighting
8.2 Transport and handling of materials during construction may result in pollution, noise & public nuisance. What measures are taken to minimize the impacts?	Adequate mitigation measures will be adopted. Construction equipment with idling control technologies will be used. Regular maintenance of the equipments will be carried out. The construction activities will be carried out during the daytime only. The workers exposed to high noise generating would be provided with earplugs earmuffs.  As per Environmental Management Plan.
8.3 Are recycled materials used in roads and structures? State the extent of savings achieved?	Fly ash in cement concrete. Typically 20-25 % of fly ash is substituted in cement.
8.4 Give details of the methods of collection, segregation & disposal of the garbage generated during the operation phases of the project.	The bio-degradable and non-bio degradable waste will be segregated at source of waste generation. Solid waste generated: 12601 <b>kg/day</b>

## 9. ENERGY CONSERVATION

9.1 Give details of the power requirements, source of supply, backup source etc. What is the energy consumption assumed per square foot of built-up area? How have you tried to minimize energy consumption?	Source of power supply: <b>MSEDCL</b> DG Set will be provided as emergency backup.		
	<b>Total Energy Requirement</b>	Connected Load – 32104  Demand Load – 11456	<b>KW</b>  <b>KW</b>
9.2 What type of, and capacity of, power back-up to you plan to provide?	DG Set will be provided as emergency backup for lighting in common areas, one lift per building and fire pump in each building. DG Set Nos. and Capacities area - 4315 KVA ( <b>6 Nos. x 62.5 kVA, 3 Nos. x 100 kVA, 2 Nos. x 125 kVA, 12 Nos. x 160 kVA, 2 Nos. x 200 kVA, 2 Nos. x 250 kVA, 1 no. x 320 kVA</b> )		
9.3 What are the characteristics of the glass you plan to use? Provide specifications of its characteristics related to both short wave and long wave radiation?	Single clear class		
9.4 What passive solar architectural features are being used in the building? Illustrate the applications made in the proposed project.	The building structure will be designed in such a way that solar light can be utilised maximum for day time.		
9.5 Does the layout of streets & buildings maximise the potential for solar energy devices? Have you considered the use of street lighting, emergency lighting and solar hot water systems for use in the building complex? Substantiate with details.	Solar street lights are proposed in areas such as/open spaces/common area/pathways/RG/etc.		
9.6 Is shading effectively used to reduce cooling/heating loads? What principles have been used to maximize the shading of Walls on the East and the West and the Roof? How much energy saving has been effected?	Yes. Shading has been effectively used to reduce the cooling loads.		

9.7	Do the structures use energy-efficient space conditioning, lighting and mechanical systems? Provide technical details. Provide details of the transformers and motor efficiencies, lighting intensity and air-conditioning load assumptions? Are you using CFC and HCFC free chillers? Provide specifications.	Yes. The rooms will be so dimensioned that effective air conditioning can be carried out. Public areas will be cooled by natural ventilation. The design of the building will be such that maximum use of natural ventilation can be achieved. The walls, roofs and openings will be so designed that influx of heat is minimum.		
9.8.	What are the likely effects of the building activity in altering the micro-climates? Provide a self assessment on the likely impacts of the proposed construction on creation of heat island & inversion effects?	Heat emission from the proposed construction can be from the following sources: Heat absorbed from the concrete structures, heat generated from equipments/ appliances, and due to increased population in the proposed development. However the heat generated will not be significant and will be dissipated in the lush greens and open areas provided within. Hence it can be concluded that the heat island effect shall not be a concern for the proposed project.		
9.9.	What are the thermal characteristics of the building envelope? (a) roof; (b) external walls; and (c) fenestration? Give details of the material used and the U-values or the R values of the individual components.	U value in Watts/hr/m <sup>2</sup> /°C		
		Roof	0.409	Watts/hr/m <sup>2</sup> /°C
		Wall	0.352	Watts/hr/m <sup>2</sup> /°C
9.10	What precautions & safety measures are proposed against fire hazards? Furnish details of emergency plans.	The fire fighting system shall compromise of hydrant system and portable extinguishers. Smoke detectors will be provided along with manual call points. External yard hydrants shall be installed around all buildings in the complex in galvanized steel fire hose cabinet (weather proof). All external yard hydrants shall be at one meter height from finished ground level as per National Building Code. External fire hydrants shall be located such that no portion of any building is more than 45 m from a hydrant, and the external hydrants are not vulnerable to mechanical or vehicular damage.		
9.11	If you are using glass as wall material provides details and specifications including emissivity and thermal characteristics.	Not Applicable		
9.12	What is the rate of air infiltration into the building? Provide details of how you are mitigating the effects of infiltration.	The following measures will be adopted to mitigate the effects of infiltration: <ul style="list-style-type: none"><li>Aluminium windows with rubber gasket, so that the windows are sealed, will be provided.</li><li>Summer cross section ventilation will be maximum.</li></ul>		
9.13	To what extent the non-conventional energy technologies are utilised in the overall energy consumption? Provide details of the renewable energy technologies used.	Not Applicable		

## 10. Environment Management Plan

<p>The Environment Management Plan would consist of all mitigation measures for each item wise activity to be undertaken during the construction, operation and the entire life cycle to minimize adverse environmental impacts as a result of the activities of the project. It would also delineate the environmental monitoring plan for compliance of various environmental regulations. It will state the steps to be taken in case of emergency such as accidents at the site including fire.</p>	Enclosed as <b>Annexure VII</b>
---	---------------------------------




## Annexure I

### Area Statement

	Area in m <sup>2</sup>
<b>FSI</b>	<b>405748.73</b>
NON FSI	
STAIRCASE + FIRE STAIRCASE	13435.80
BALCONY	16264.77
ENCLOSED BALCONY	28964.52
SERVICE BALCONY	5747.81
PASSAGE	23153.90
LIFT+ FIRE LIFT	490.44
REFUGE AREA	1778.11
PODIUM	103784.68
TERRACE	55417.17
Imr and ohwt	3524.69
SERVICES(gas bank,LT rooms, Pump rooms, stp, watchman cabin)	16691.44
CLUB HOUSE	4071.61
Free FSI areas	764.08
<b>TOTAL NON FSI AREA</b>	<b>274089.00</b>

## **Annexure II**

### **Conceptual Plan**




**Annexure III****Tenement Details**




Building Type	SECTORS	No. of tenements	Residential Population
SHOPPING	A1		
OFFICE			
TOWN HALL+LIBRARY+CLUB HOUSE	A2		
Cultural Center (Multipurpose hall)	A3		
SCHOOL	S1+S2		
PLAYGROUND			
PEBBLES	R1	280	1400
BUNG.	R2	57	285
BUNG.	R3	5	25
BUNG.	R4	9	45
BUNG.	R5	3	15
BUNG.	R6	12	60
BUNG.	R7	4	20
BUNG.	R8	12	60
BUNG.	R9	49	245
BUNG.	R9	11	55
BUNG.	R9A	21	105
BUNG. Existing	R10	2	10
BUNG. (not constructed)	R10A	18	90
P. VILLA	R11A	1	5
P.VILLA	R11B	1	5
HIGHLANDS	R12(T3-T8)	401	2005
HIGHLANDS	R12A(T1+T2)	132	660
HIGHLANDS	R12B(T9-T11)	374	1870
TANGDE	R15	3	15
ATHASHRI	R18	275	1375
SERVANTS quarters_existing	R19	36	180
SERVANTS quarters_(not constructed)	R19	66	330
BUNG.	R20	13	65
BUNG.	R21	11	55
BUNG.	R22	10	50
SRK	R23	10	50
KALE	R24	1	5
THUBE	R25	1	5
B2	R26	369	1845
HIGHRISE (not constructed)	R33	252	1260
HIGHRISE (H1,H2) (not constructed)	R28	252	1260
fire station		19	95
<b>Total (A)</b>		<b>2710</b>	<b>13455</b>
<b>Proposed extension</b>			
B3	R27	378	1890
B4	R29	235	1175

Application form for Environmental Clearance		Project Name: "Forest Trails" Matrix Developers (P) Ltd.	
B6	R30	222	1110
Welcome centre			
B5	R31	287	1435
B7	R34	287	1435
HIGHRISE (H3,H4)	R28	252	1260
Health facility	H1		
Rental mhada		100	500
FUTURE UNITS (bungalows)	R16	7	35
FUTURE UNITS (bungalows)	R17	7	35
FUTURE towers (residential+shops+offices)	R1A	216	1080
FUTURE towers + Mhada	R1B	252	1260
Proposed MHADA	R32	241	1205
<b>Total (B)</b>		<b>2484</b>	<b>12420</b>
<b>TOTAL (A+B)</b>		<b>5194</b>	<b>25875</b>

## Annexure IV

### Location Plan



-  EXISTING TOWNSHIP
-  EXTENDED LAND PARCELS
-  AREA NOT INCLUDED IN TOWNSHIP

**Annexure V****Water utilization Statement**

Particulars	No. of Flats	Total Population	Water Requirement Basis (in lpcd)*		Total Water Requirement/ person	Water Demand KLD
			Domestic	Flushing		
Residential Flats	5194	25970	90	45	135	3506
Shopping		260	25	20	45	12
Office		130	25	20	45	6
Town Hall+ Liabrary+Club House		541	25	20	45	24
Multipurpose hall		269	25	20	45	12
School		2485	25	20	45	112
Welcome Center		210	25	20	45	9
Future Tower - Shops		730	25	20	45	33
Pebble - Shops		70	25	20	45	3
Health Facility		120	300	150	450	54
Floating for Health Facility		232	90	45	135	31
Total		31017				3803
Swimming Pool						8
Total						3811
Sewage Generation	85% of Total Water Demand					3232
Sludge	1% of sludge generation (kg/day)					32
Recycle for Flushing						
Residential Flats	5194	25970			45	1169
Shopping		260			20	5
Office		130			20	3
Town Hall+ Liabrary+Club House		541			20	11
Multipurpose hall		269			20	5
School		2485			20	50
Welcome Center		210			20	4
Future Tower - Shops		730			20	15
Pebble - Shops		70			20	1
Health Facility		120			150	18
Floating for Health Facility		232			45	10
Total		31017				1281
Recycle for Gardening (RG+ Township Green)		276740			5 l/m <sup>2</sup>	1384
Excess Treated Sewage						536

## Annexure VI

### Sewage Treatment Plant

Total estimated population	31017 persons
Total water demand	3811 m <sup>3</sup> /day
Total sewage generation	3232 m <sup>3</sup> /day
STP capacity	3325 m <sup>3</sup> /day

The expected characteristics of raw sewage and treated sewage are given below-

Sr.	Parameters	Raw Sewage	Treated Sewage
1	pH	6.5-7.5	7.0-8.5
2	Suspended Solids	100-200 mg/l	<10 mg/l
3	BOD(3 days 28°C)	280-300 mg/l	<10mg/l
4	COD	500-600 mg/l	<50 mg/lit
5	Oil & Grease	30-60 mg/l	<10mg/l
6	Total Coli form		Nil

#### Expected Treatment:


- The Sewage from the building along with waste would be treated in sewage treatment plant.
- The sewage treatment plant shall be designed to treat combined sewage (i.e. soil and waste water). The treatment plant shall be compact type with minimum 2.4 m headroom above maximum water level (platform level) for maintenance. The process of treatment shall be divided into three parts
  - a) Primary Treatment
  - b) Secondary Treatment
  - c) Tertiary Treatment
- The treatment shall be extended aeration with Activated Sludge Process. The air shall be distributed through diffused aeration system single coarse bubble and fine pore diffusers. After the tertiary treatment treated effluent is used for landscape irrigation & toilet flushing purpose.

## Units and its function

Name of the Unit	Purpose
Bar Screen Chamber	For removing unwanted floating materials
Equalization Tank	To even out the flow variations, and continuous uniform mixing operations with coarse bubble.
Aeration Tank	Activated Sludge Process for developing the bacterial culture, which stabilizes the waste aerators.
Secondary clarifier/Plate settler	To separate out the solids from the treated sewage, and to separate clear supernatant water, Clarifloculator has been proposed with flash mixer to add coagulant to allow more settlement of fine particles.
Intermediate Tank	To collect the supernatant clear water from the settling tank for further treatment.
Filter Press / Sludge handling unit	A Sludge holding tank has been provided with filter press / sludge handling unit for dewatering sludge. Sludge cakes shall be used as manure.
Pressure Sand Filter	To filter out minute suspended solids if any in the treated water.
Activated Carbon Filter	To remove color and Odor if any in the filtered water.
Final holding tank	To collect the final treated water from the outlet of Activated carbon filter for reuse



## STP Flow Sheet



## Annexure VII

### Environmental Management Plan during Construction Phase

Sr.	Environmental Components	Predicted Impacts	Probable source of Impact	Mitigation Measures	Remarks
<b>Construction phase</b>					
1.	Ambient Air Quality	Negative impact inside construction site premises. No negative impact outside site.	Dust emissions from excavation, air emissions from machinery and other construction activities at site.	Dust reduction measures such as road watering. Periodic maintenance of construction equipment. Use of good quality fuels. Use of Personal Protective Equipments	Impacts are temporary during construction phase. Impacts will be confined to short distances, as coarse particles will settle within the short distance from activities.
2.	Noise	Negative impact near noise generation sources inside premises. No significant impact on ambient noise levels in the surrounding area.	Noise generated from construction activities and operation of construction equipment and DG sets	Use of well maintained equipment. Heavy construction activity limited to day-time hours only. Use of noise mufflers in and construction vehicle. Use of earplugs/muffs by construction staff.	Temporary impacts during construction phase. No blasting or other high noise activities envisaged.
3.	Water	No significant negative impact.	Surface runoff from project site. Oil/fuel and waste spills. Improper debris disposal. Discharge of sewage from labour camp.	Silt fences to reduce run-off. Secondary containment and dykes in material storage areas. Sewage treatment in septic tanks.	Labour will be employed to reduce size of labour camps. No perennial surface water resource adjacent to site. No excavation work will be
4.	Land	Minor negative impact	Excavation, Construction debris, waste from labour camp.	Reutilization and recycling of construction debris. Waste from labour camps will be collected and composted on site. Non compostable waste will be transported to landfill site. Topsoil will be conserved and used for landscaping in functional phase.	-
5.	Aesthetics	Minor negative impacts	Construction activities and Excavation	The impacts will be compensated by extensive tree plantation and gardening in the use phase.	Short term impact restricted only in the initial stages of construction.

## Environmental Management Plan during Functional Phase

Sr.	Environmental Components	Predicted Impacts	Probable Source Of Impact	Mitigation Measures	Remarks
<b>Functional phase</b>					
1.	Ambient Air Quality	Minor Negative impact	Particulate and gaseous emissions from DG sets and vehicle movement	Use of low sulphur good fuel Periodic maintenance of DG sets Use of CNG/LPG as a fuel should be encouraged.	No DG sets will be used.
2.	Noise	Minor negative impact inside premises.	Noise from vehicle movement and operation of diesel generator sets during power failure.	Housing of DG sets in buildings with appropriate acoustics. Traffic management measures to reduce noise Appropriate trees which will act as noises barriers will be planted in the premises and along roadside.	--
3.	Water	No significant adverse impact	Oil/ fuel and waste spills in vehicle parking area. Discharge of sewage. Discharge of contaminated storm water	Sewage water will be treated and recycled. Rainwater harvesting and recharge of groundwater aquifer is proposed. Good housekeeping and storm water management will be followed.	Recycled water will be used for gardening and flushing purpose.
4.	Land	No negative impact	Storage and disposal of solid wastes. Discharge of sewage. Fuel and material spills.	Treatment and reuse of sewage water. Integrated waste management and spill control plan Dry garbage will be sent for recycling and wet garbage will be composted.	Segregation of dry and wet garbage before will be done before disposal.
5.	Biological	Overall Positive impact	Habitat disturbance	Green spaces inside the premises will help to compensate the earlier effect from vegetation. Landscaping and extensive plantation in the premises.	Landscaping will help in reducing any adverse impacts on air and noise quality.
6.	Socio-economic	Overall positive impact	Increased job opportunity in household maintenance and ancillary services.	--	Positive and long term impact-
<b>Functional phase</b>					
7.	Traffic Pattern	No significant Impact	The complex is likely to add moderately to the traffic flow considered during peak hour.	Traffic Management practises will be employed. Adequate parking space will be provided in the premises.	