No.114/18/EC-SEAC/CAPFIMS/MHA/2016/ 1015
Government of India/ Bharat Sarkar
Ministry of Home Affairs/ Grih Mantralaya
O/o JS (UT) Cum Project Director
Project "CAPFIMS"

North Block, New Delhi
Dated: 29th December 2016

The Member Secretary
Infrastructure & Miscellaneous Projects & CRZ Committee (Infra-2)
Ministry of Environment, Forests and Climate Change (GOI)
Indira Paryavaran Bhavan, Jor Bagh Road,
New Delhi-110003

SUB: Environmental Clearance for proposed Project "CAPFIMS" (Central Armed Police Forces Institute of Medical Science Along with Its R & R Hospital and Allied Institutes) developed by Ministry of Home Affairs, Govt. of India.

It is stated that the Environmental Clearance application for grant of TOR for proposed project "CAPFIMS" having a Plot Area of 2,08,009.30 Sq m (51.4 acres) and the Built-up area of 372504.44 sq m was submitted to MoEF&CC on 5.11.2014 under Category 'B' Schedule 8(b), as per the EIA Notification 2006 in absence of SEIAA, Delhi.

2. In this regard the **Terms of Reference (ToR)** were granted by MoEF&CC vide L/No. F. No. 10-26/ 2014-IA.III dated 12-02-2015. At point no. **1 & 2** of ToR issued, permission in respect of construction in Aravalli range as applicable and NBWL Clearance was required to be submitted.

3. Further during the process, it was intimated that out of 51.4 acre of total land, 17.75 acres of the project site falls under **Southern Ridge/Geo- Morphological Ridge**. Accordingly, the project proponent revised the lay out plan and 17.75 acres of land falling under geo-morphological ridge was left as **no construction zone**. Meanwhile the Ridge Management Board, vide minutes of meeting held on 06-06-2016, recommended the NOC and referred the case to CEC (Central Empowered Committee) for further approval.

4. The EIA report based on ToR granted was submitted to SEAC, Delhi on 28-07-16. The case was appraised in 83rd meeting of SEAC, Delhi held on 15-10-2016 & again in 84th meeting of SEAC held on 22.10.2016 along with clarification on Forest Clearance for the forest land 17.75 acre out of 51.4 acre of total land. Then the case was recommended to SEIAA for grant of Environmental clearance.

5. The case was appraised for 40th meeting of SEIAA held on 15-11-16, which was referred to SEAC for confirming the clearance from CEC. Accordingly, the case was again listed in SEAC, Delhi on 17-12-16, however, consequent to revision in EIA notification dated 9th Dec. 2016, it was intimated that the case will now be appraised by MoEF&CC only.

Contd. P-2/---

29-12-2016 15:18

6. In view of the above, the EIA report based on ToR granted in MOEF&CC along-with the following enclosures is submitted:

i. FORM I & IA
ii. ToR issued & its Compliance
iii. EIA report with requisite Annexures

7. It is therefore requested that the Environmental Clearance may kindly be granted at the earliest in favour of Project "CAPFIMS".

Thanking you.

(Enclosure: As Above)

Yours Sincerely,

29/12/16

(Dr D S Rajesh)
Commandant (Medical)
For Project Director "CAPFIMS"

29-12-2016 15:19