



7.1. Risk Assessment

Work Over of the temporarily abandoned sweet gas well and drilling 5 nos. of additional appraisal / development well in an area of 9.63 sq. km of Achanta field in West Godavari Dist. in Andhra Pradesh for hydrocarbon prospecting and gas pipeline (with associated facilities) connecting the production wells to nearest ONGC GGS by M/s PFH Oil & Gas PL. As part of the procedure for clearance by the MOEF&CC, PFH need to submit a rapid risk assessment of the operations. PFH has commissioned Bhagavathi Ana Labs Private Limited (BALPL) to conduct a rapid risk assessment of the proposed drilling operation and to establish the Risk Criteria and based on it provide recommendations and Mitigation measures to bring the level of risk to as low as reasonably practicable (ALARP). PFH intends drilling of Development well to a depth of 3000 m.

7.1.1. Rapid Risk Assessment Approach

Study Assumptions

The quantified risk assessment (QRA) approach used in this rapid risk assessment is necessarily generic in nature as the drilling Rig type has yet to be selected. However, a credible QRA can be achieved by the careful setting of assumptions and generally by taking a conservative view of the event frequency, equipment performance and consequence modelling. This will be the approach that has been followed in this study.

The principal study assumptions regarding: drilling & testing lifecycle, study scope, well data, legislative compliance, support services, operating practices are contained in **Table-61**. These assumptions have been applied to all generic QRA's. In addition, modelling assumptions specific to Drilling are provided below.

ALARP Risk Principles

The PFH definition of risk tolerability, against which all the QRA results have been assessed, below The definition of what level of risk is tolerable, difficult and necessarily subjective. For safety risks PFH has adopted the ALARP principle (as low as reasonably practical) outlined in **Figure-29** below.

In general terms, the risk should be considered to be ALARP if the cost of reducing the risk further cannot be justified by the reduction in risk which would occur. For many risks these ALARP considerations may be addressed qualitatively. For high risk situations numerical risk tolerability performance standards are required.

If the risk is not considered to be ALARP even following the correct development and application of control measures, then alternative ways of achieving the operational objective shall be identified and considered.

Figure-28 shows the methodology adopted for the rapid risk assessment of the drilling operation.


Qualitative demonstration of ALARP

In relatively low risk situations when the ALARP justification is being made qualitatively some or all of the following can be applied where appropriate:



- Demonstration of the application of best practice including technology and management techniques,
- Reference to trends in accident and incident statistics,
- Discussion /comparison of risk levels before and after possible change, i.e. identification of practicable options for reduction of risks following the preferred hierarchy as follows, elimination or minimisation of hazard, engineering design, suitable systems of working, and then personal protective equipment

Figure-1: Rapid Risk Assessment Methodology




Quantitative demonstration of ALARP

Where the consequences of a hazard being realised are very high, i.e. where multiple fatalities, severe environmental damage or damage to installations, and/or major loss of production would result, then quantitative risk assessment (QRA) techniques must be used to demonstrate ALARP. It needs to be understood that QRA is not an exact science; it relies on the use of historical data which may be inaccurate or not directly relevant. Nevertheless, it is valuable in comparing risks to identify priorities and can be used with caution to establish absolute levels of risk. These absolute levels can then be compared with criteria which establish the way in which risks are to be treated. PFH has determined that, on the basis of generally accepted international risk acceptance criteria:

- No offshore installation shall pose an individual risk per annum (IRPA) of death to those involved in operating or maintaining the installation from major accidents greater than a 1 in 1,000 chance a year. If this risk can be shown to be less than 1 in 100,000 a year, then it will be accepted;
- Where the risk lies between these levels, then potential design improvements will be assessed to ensure that risks are reduced to an ALARP level.
- In other words: an IRPA greater than 1 in 1,000 a year cannot be accepted as ALARP; an IRPA less than 1 in 100,000 a year is automatically accepted; IRPA's between these levels may be accepted but additional safeguards should be examined to ensure that an ALARP level is reached.

Figure-2 : ALARP Criteria



Control Measures to Reduce Risks

Once it has been decided that a risk needs further control, the means of doing so should be evaluated in the following order of preference:

- Eliminate the hazard. Occasionally this may prove practicable, for example, by changing the material used, the process or the equipment. An example would be cleaning using a detergent instead of a flammable, toxic solvent;



- Technical solutions. Engineered control measures, for example enclosures, ventilation systems, alarms, trips and guards. These are relatively independent of the human factor, and generally can be made reliable;
- Procedural solutions. Doing things in a different way to improve safety relies on individuals complying with procedures. Training and communication are important to ensure that operators recognise the risks and know how to avoid them;
- Protective equipment (PPE). This is the least satisfactory form of control, and should only be considered after all others have been rejected.
- It should be noted that introducing controls can produce further risks which may need to be assessed in turn.

Risk cannot be justified save in extraordinary circumstances. Finally, each QRA requires:

- The identification of major hazards specific to the unit being assessed The construction of an event tree for each major hazard to derive a set of credible sub – events Numerical values for major hazard occurrence frequencies and event probabilities are derived from international accident databases of historical incidents and are combined in the event tree to derive occurrence frequencies for these sub events. BALPL have consistently adopted a conservative modelling approach in defining these frequencies and probabilities. All such modelling assumptions are listed;
- The modelling of the consequences in terms of potential fatalities from each credible sub event. As these are 'rapid', generic risk assessments, this modelling does not take the form of detailed physical modelling but rather reflects typical outcomes based on historical data. BALPL have consistently adopted a conservative approach in deriving such outcomes and all such modelling assumptions are listed

It is PFH intention to use the latest generation of drilling unit for this work. Hence the use of historical records which reflect the performance of potentially lower design and operational standards, may introduce an additional element of conservatism into the approach over and above that inherent in BALPL's selection and application of data.

Table-1 : Principal Study Assumptions

Assumption Number	Assumption Title	Description
1	Lifecycle	The risk analysis will assume that the drilling Rig are securely on location and will cover a typical 'whole lifecycle' of the well operation including: a. Drilling / Casing / Cementing b. Well testing c. Production d. Decommission
2	Study Scope	a. The QRA will address those hazards with the potential to cause a "major incident" (e.g. multiple fatalities) b. The study is confined to events occurring on the Rig & the impact of any releases on the environment. c. In the event of Rig abandonment



Assumption Number	Assumption Title	Description
3	Well Information	The well has the potential to flow either oil or gas a. The well may be High Pressure / High Temperature b. H ₂ S or significant CO ₂ may be present in the well c. Drilling will be likely to take place at any time during the year d. The Rig will be on station for 30-45 days. For analysis purposes a conservative approach, assuming a 45 day well (40 days drilling & 5 days testing) will be used
4	Drilling Rig Certification	<ul style="list-style-type: none"> The drilling Rig will fully comply with all relevant Indian and international legislation and safety standards and the Operator has certified it as fit for purpose at the commencement of drilling
5	Site Information	<ul style="list-style-type: none"> Prior to Rig, BALPL identified all potential environmental sensitivities and an appropriate site survey for debris etc in earlier chapters.
6	Operator Information	<ul style="list-style-type: none"> Operator has and will apply a modern Safety Management System All drilling and other related operations carried out on the Rig reflect best Industry practices and comply with all relevant Indian and international legislation
7	Acceptable Risk Levels	<ul style="list-style-type: none"> The individual risk per annum (IRPA) will be assessed against the ALARP risk level
8	Supporting Study Data	Industry acceptable data sources will be substantially utilised in the assessments. These include but are not limited to: <ul style="list-style-type: none"> UK Health and Safety Executive (HSE) Hydrocarbon Ignition Database Purple Book
9	Well Testing	<ul style="list-style-type: none"> Test equipment skid mounted, typically consisting of heater, test separator, surge drum, holding tank, metering runs, associated pipework Each test lasts for 5 days Ten (10) men in the immediate vicinity of the equipment during testing

7.1.2. Drilling Rig

This Section summarises the rapid risk assessment for the Appraisal / Development wells in Achanta Contract Area using electrical drilling Rig.

7.1.2.1. Risk Analysis Results for Drilling Rig

Major Accident Hazards

The major hazards identified for the Drilling Rig are shown in **Table 63**.



Table-2 : Major Accident Hazards for Drilling Rig

Hazard No	Major Accident Hazard	Including
1	Well Blowout During Drilling	Drill Rig blowouts
2	Dropped Objects	Offloading & back loading: Movement of material on Rig: Dropped drill pipe
3	Structural Failure	It is assumed that the unit has been chosen to be fit for purpose for its area of operation and that failure occurs as a result of extreme events such as earthquakes, extreme winds etc.
4	Non Process Fires	Cellulosic or electrical fires in accommodation: Diesel fuel tank or pipe leaks leading to fires & explosions in machinery spaces: etc.
5	Hydrocarbon Leaks During Well Testing	Leaks, fires and explosions

Modelling Assumptions

The frequency to be assigned to the likelihood of occurrence of each major hazard is derived from industry reference sources and has been used to facilitate this frequency derivation and to support consequence modelling.



Table-3 : Assumptions for Well Blowout During Drilling in Rig

S. No	Assumption	Comments
1	<p>Blowout Probability</p> <ul style="list-style-type: none"> Probability of blowout per well is taken as 0.0063 Frequency of Blowout is derived as 0.044 per year 	<p>Assume that a Rig drills 7 wells per year made up of:</p> <ul style="list-style-type: none"> 45 days drill & test 5 days move 15 days WOW per year Hence annual frequency becomes $0.0063 \times 7 = 0.044$
2	<p>Ignition probability of gas escaping from either a top drive blowout is taken as 0.1</p>	<p>20 year historical data set and takes account of a trend to lower ignition probabilities in recent wells. Note blowout ignition probability of 0.3</p>
3	<p>For blowouts, when ignition occurs:</p> <ul style="list-style-type: none"> 50% of the time it occurs immediately and results in a jet fire 50% of the time it will be delayed and result in an explosion 	<p>In the event of ignition of hydrocarbons the following may occur .</p> <ul style="list-style-type: none"> pool fire: a burning pool of liquid (oil or well fluid) jet fire: a burning jet of gas which if ignited soon after it occurs results in an intense stabilised jet which is very destructive to anything within it or close to it Flash fire: delayed (say after 15 minutes) ignition of a gas release. In this time the release may have formed an extensive plume and the ensuing fire will kill everyone within it who is unprotected but not damage structures Confined explosion: delayed ignition of a gas release within a confined space, the delay (usually in excess of 5 minutes) giving time for an explosive mixture to build up. It has the potential for considerable fatalities and damage. It is assumed that the necessary degree of confinement does not exist on a jack up Vapour cloud explosion: an ignited gas plume which burns in such a way that it generates overpressures characteristic of an explosion. A simple but conservative approach has been taken that all immediate ignition events result in a jet fire while the results of all delayed ignition events (whether they are from a flash fire or a vapour cloud explosion) are equally severe
4	<p>For blowouts on Rig resulting in immediate ignition:</p> <ul style="list-style-type: none"> 10% probability of fatality for all personnel on Drilling Rig 	<p>A blowout on the Drilling Rig with immediate ignition would be expected to lead to a gas jet. An ignited gas jet from a blowout would result in a large flame which has the potential to impact structural members of the</p>



S. No	Assumption	Comments
	<ul style="list-style-type: none"> 0% probability of fatality for all other personnel who are assumed to evacuate the Rig Personnel evacuating Rig will have escape & evacuation probability of fatalities 	drilling, leading to their failure. A prolonged fire (say one to 2 hours) could cause the collapse resulting in more extensive damage. Average number of fatalities per incident is around 3. The time averaged number of personnel on and around the Drilling Rig is 29. To reflect this historical performance it is assumed that 10% of these will be fatalities in the event of such an incident.
5	<p>For ignited blowouts on Rig resulting in delayed ignition:</p> <ul style="list-style-type: none"> 50% probability of fatality for all personnel on Rig 0% probability of fatality for all other personnel who are assumed to evacuate the Rig Personnel evacuating Rig will have escape & evacuation probability of fatalities 	<p>A blowout on the Drilling Rig with delayed ignition could be expected to result in an explosion with the potential to kill all unprotected personnel within the gas cloud. This worst credible accident scenario could result in 100% fatalities on the Drilling Rig.</p> <p>To conservatively reflect this historical performance a 50 % fatality level is assumed.</p>
6	For unignited blowouts assume a 5% probability that the reservoir contains volumes of H ₂ S or CO ₂ at concentration levels high enough to cause fatalities	Estimate
7	<p>Unignited Blowouts: If the gas contains low H₂S or CO₂</p> <ul style="list-style-type: none"> 0% probability of fatality for all personnel on Drilling Rig 0% probability of fatality for all other personnel who are assumed to follow the pre-arranged H₂S drill and successfully evacuate the Rig c) Personnel evacuating Rig will have escape & evacuation probability of fatalities 	<p>Assume a precautionary evacuation of the Rig takes place</p> <p>There have been no recorded fatalities from unignited blowouts.</p>
8	<p>Unignited Blowouts: If the gas contains high levels of H₂S or CO₂</p> <ul style="list-style-type: none"> 10% probability of fatality for all personnel on Drilling Rig as a result of H₂S poisoning 0% probability of fatality for all other personnel who are assumed to follow the pre-arranged H₂S drill and successfully evacuate the Rig Personnel evacuating Rig will have escape & evacuation probability of fatalities 	It is conservatively assumed that large volumes of gas rather than oil are present in the reservoir. Assume that best practice H ₂ S protection measures are adopted and regular drills held. H ₂ S Detection system. All personnel follow procedures but, as a result of equipment failure or lack of training only 90% success is achieved



Table-4 : Event Tree for Well Blowout During Drilling

	Blowout occurs under water	Ignition of blowout	Ignition of wellhead blowout	Delayed ignition	High H ₂ S or CO ₂ concentration	Sub Event	
						Description	Frequency per year
Probability	0.17	0.1	0.1	0.5	0.05		
Blowout 4.4E-02 per year	7.5E-03	7.5E-04	6.7E-03	1.8E-03	3.4E-04	1 Explosion around Rig	7.5E-04
					6.4E-03	2 Gas cloud around Rig with high concentration of H ₂ S or CO ₂	3.4E-04
					1.8E-03	3 Gas cloud around Rig with low concentration of H ₂ S or CO ₂	6.4E-03
					1.8E-03	4 Explosion at wellhead with delayed ignition	1.8E-03
					3.7E-03	5 Gas jet flame at wellhead instantaneous ignition	1.8E-03
					1.6E-03	6 Gas leak at wellhead with high concentration of H ₂ S or CO ₂	1.6E-03
					3.1E-02	7 Gas leak at wellhead with low concentration of H ₂ S or CO ₂	3.1E-02
	3.7E-02	3.3E-02					



Table-5 : Consequence Calculations for Well Blowout During Drilling

Sub Event	Frequency per year	Men in immediate area	Prob of immediate fatality	Estm. Immediate fatalities	Men needing escape/evacuation	Means of escape/evacuation	Prob of fatality	Estm. Escape/evac fatalities	Total fatalities	AFR
1 Explosion around Rig	7.5E-04	26	0.5	13	101	TR (note 1)	1.3E-05	1.3E-03	13	9.7E-03
2 Gas cloud around Rig with high H ₂ S or CO ₂	3.4E-04	26	0.1	3	111	TR (note 1)	1.3E-05	1.4E-03	3	8.8E-04
3 Gas cloud around Rig with low concentration of H ₂ S or CO ₂	6.4E-03	26	0	0	114	TR (note 1)	1.3E-05	1.5E-03	0	9.5E-06
4 Explosion at wellhead with delayed ignition	1.8E-03 1.8E-03	26 26	0.5 0.1	13 3	101 111	TR (note 1) TR (note 1)	1.3E-05 1.3E-05	1.3E-03 1.4E-03	13 3	2.4E-02 4.8E-03
5 Gas jet flame at wellhead instantaneous ignition	1.8E-03	26	0.1	3	111	TR (note 1)	1.3E-05	1.4E-03	3	4.8E-03
6 Gas leak at wellhead with high concentration of H ₂ S or CO ₂	1.6E-03	26	0.1	3	111	TR (note 1)	1.3E-05	1.4E-03	3	4.3E-03
7 Gas leak at wellhead H ₂ S or CO ₂ with low concentration	3.1E-02	26	0	0	114	TR (note 1)	1.3E-05	1.5E-03	0	4.6E-05

TOTAL 4.3E-02

AFR

IRPA 1.9E-04

Evacuation methods

TR - muster in TR (no evacuation required)

H - Muster in TR and evacuation

Notes

1 Controlled evacuation



Table-6 : Assumptions for Passing Vehicle Collision to Drilling Rig

S. No	Assumption	Comments
1	Frequency of passing Vehicle collision is 0.0008 per year	As per above references
2	In 90% of such cases there is sufficient prior warning to allow for precautionary evacuation	No data has been found. This estimate is based on the assumed existence of the following controls to provide for early warning: Rig has radar which is regularly monitored, Control of Vehicle Movement
3	Of the remaining 10% of impacts, it is assumed that the following apply: <ul style="list-style-type: none"> 75% do not impair the structural stability of the Rig; only 25% do Of these 25%, one tenth also result in ignition leading to jet fires / explosion 	Based on a conservative interpretation of data reference. Collision energy of 35 – 70 MJ is required for column collapse in Rigs. Estimate taking account fires and explosions can occur when the Rig is in the reservoir (a small % - around 10% - of the time that the Rig is on station) coupled with the fact that, when hydrocarbons are present controls exist to shut down flow (e.g. sub surface safety valves) these would have had to be impaired
4	Ignore the possible impacts of a live well at the same time as this incident occurs	Assume that the well is likely to be live (assuming that all wells drilled are successful) for 5 days out of 45, i.e. a probability of 0.11. In addition the live well will have a number of barriers to prevent flow including the BOP and possibly safety valves. Assume a typical reliability of 0.01 per demand for these 2 safety barriers.
5	When the Rig is toppled <ul style="list-style-type: none"> 25% of the personnel on Rig are immediate fatalities Remaining 75% escape. Probability of rescuing is 0.8 	Estimate based on calculations using data from reference, assume moderate weather conditions

Table-7 : Event Tree for Vehicle Collision to Drilling Rig

	Men on Rig	capsizes	Sub Event	
			Description	Frequency per year
Probability	0.1	0.25		
Passing Vehicle impacts 8.E-04 per year	8.0E-05	2.0E-05	1 Capsizes	2.0E-05
		6.0E-05	2 Impact	6.0E-05
		7.2E-04	3 Collision when unoccupied	7.2E-04



Table-8 : Consequence Calculations for Vehicle Collision to Drilling Rig

Sub Event	Frequency per year	Men in immediate area	Prob of immediate fatality	Estm. Immediate fatalities	Men needing escape/evacuation	Means of escape/evacuation	Prob of fatality	Estm. Escape/evac fatalities	Total fatalities	AFR
1 Capsizes	2.0E-05	114	0.25	29	86	R	2.E-01	17	46	9.1E-04
2 Impact	6.0E-05	114	0	0	114	H	1.3E-05	1.5E-03	0	8.9E-08
3 Collision when unoccupied	7.2E-04	114	0	0	114	H	1.3E-05	1.5E-03	0	1.1E-06

TOTAL AFR 9.1E-04

IRPA 4.0E-06

Evacuation methods

TR - muster in TR (no evacuation required) H - musters in TR and evacuation

Table-9 : Assumptions for Dropped Objects on Drilling Rig

S. No	Assumption	Comments
1	Frequency of dropped loads per year is 0.55	“falling objects” (defined as all falling loads / dropped objects from crane, drill , or any other lifting equipment. Crane fall accidentally dropped to land and man overboard are also included) of 1.1 per year. However many of the contributions to this figure will not have a “major hazard” contribution and it is inappropriate to include all of them in a QRA modelling approach. Reference allows a figure for crane related dropped objects to be derived as 0.18 per year. Assuming that there are 2 cranes on the Rig this equates to a frequency of “crane related” dropped objects of 0.36 per year. These incidents are all likely to be major hazard related and are (in theory) included in the 1.1 per year figure. There may however be additional contributions to major hazards. We shall assume that 50% of the contributions in reference are major hazard related. Hence an annual frequency of 0.55 is taken for dropped loads.
2	The probability of a dropped load landing on a vulnerable area is taken as 10%	Operational experience suggests that there are few vulnerable areas over which crane loads are permitted to travel, hence this should reflect a conservative approach



S. No	Assumption	Comments
3	The probability of such a dropped load resulting in loss of hydrocarbons is taken as 10%	Relatively few heavy lifts should be carried out. In addition, it is assumed that the Rig is managed to meet best operational practice such that very heavy lifts which have the potential to cause a major hazard are planned in advance. Where necessary, additional controls should be provided to minimise the chances and consequences of dropped loads
4	If hydrocarbons were released their probability of ignition is taken as 0.1	A very conservative interpretation of data for ignition following a small gas leak
5	For unignited hydrocarbon releases assume a 5% probability that the reservoir contains volumes of H ₂ S or CO ₂ at concentration levels high enough to cause fatalities	Estimate
6	When the dropped object does not fall on a vulnerable area, there is no fatality	BALPL assumption
7	Unignited hydrocarbon releases: If the gas contains high levels of H ₂ S or CO ₂ <ul style="list-style-type: none">• 0.1 probability of fatality for all personnel (10) around laydown area• 0% probability of fatality for all other personnel who are assumed to follow the pre-arranged H₂S drill and successfully evacuate the Rig• Release is quickly brought under control and no further fatalities arise.	Estimate
8	If a fire occurs as a result of a dropped load the probability of immediate fatality is taken to be 0.1 Fire is quickly brought under control and no further fatalities ensue	Reflective of a typical industry approach
9	For gas leak with low H ₂ S, no fatalities	BALPL assumption



Table-10 : Event Tree for Dropped Objects on Drilling Rig

	Drop on vulnerable area	Loss of hydrocarbon	Ignition	High H ₂ S or CO ₂ concentration	Sub Event	
					Description	Frequency per year
Probability	0.1	0.1	0.1	0.05		
Dropped object 5.5E-01 per year	5.5E-02	5.5E-03	5.5E-04	2.5E-04	1 Fire	5.5E-04
			5.0E-03		2 Gas leak at Rig level with high H ₂ S or CO ₂ concentration	2.5E-04
					3 Gas leak at Rig level with low H ₂ S or CO ₂ concentration	4.7E-03
					4 Damage to equipment or people	5.0E-02
					5 No damage to equipment or people	5.0E-01
5.0E-02	5.0E-02	4.7E-03				
	5.0E-01					

Table-11 : Consequence Calculations for Dropped Objects on Drilling Rig

Sub Event	Frequency per year	Men in immediate area	Prob of immediate fatality	Estm. immediate fatalities	Men needing escape/evacuation	Means of escape/evacuation	Prob of fatality	Estm. Escape/evac fatalities	Total fatalities	AFR
1 Fire	5.5E-04	10	0.1	1	113	TR	0	0	1	5.5E-04
2 Gas leak at Rig level with high H ₂ S CO ₂ concentration	2.5E-04	10	0.1	1	113	H	1.3E-	1.5E-03	1	2.5E-04
3 Gas leak at Rig level with low H ₂ S CO ₂ concentration	4.7E-03	10	0	0	114	TR	0	0	0	0.0E+00
4 Damage to equipment or people	5.0E-02	10	0.02	0	114	TR	0	0	0	9.9E-03
5 No damage to equipment or people	5.0E-01	10	0	0	114	TR	0	0	0	0.0E+00



Sub Event	Frequency per year	Men in immediate area	Prob of immediate fatality	Estm. immediate fatalities	Men needing escape/evacuation	Means of escape/evacuation	Prob of fatality	Estm. Escape/evac fatalities	Total fatalities	AFR
-----------	--------------------	-----------------------	----------------------------	----------------------------	-------------------------------	----------------------------	------------------	------------------------------	------------------	-----

TOTAL AFR 1.1E-02

IRPA 4.7E-05

Evacuation methods TR - muster in TR (no evacuation required) H - muster in TR and evacuation

Table-12 : Assumption for Structural Failure of Drilling Rig

S. No	Assumption	Comments
1	Probability of a structural failure in any year is assumed to be 0.0028	Structural failure includes: design error, fatigue failure, modification error, operating outside design parameters (e.g. extreme weather / earthquakes in excess of design conditions). It is assumed that the Rig has been correctly specified for the anticipated environmental conditions It is assumed that only the 2 most severe categories will contribute to major structural failure. These are: <ul style="list-style-type: none"> total loss of the unit severe damage to one or more modules of the unit / major damage to essential equipment These 2 categories comprise 12.8% and 22.8% of all structural failure contributions (35.6% in total) Hence the annual Rig failure rate is $0.0077 \times 0.36 = 0.0028$.
2	90% of failures are assumed to give some warning and hence allow time for precautionary evacuation	Estimate
3	The remaining 10% of failures are split as follows: <ul style="list-style-type: none"> 10% of them result in sudden collapse The remaining 90% are the result of a progressive failure 	Estimate
4	When escaping from the Rig sudden collapse scenario, personnel will have a 50 % survival probability	A potentially conservative interpretation which assumes that the collapse is so sudden that many escape routes become unusable
5	When escaping from the Rig progressive collapse scenario, personnel will have a 90 % survival probability	Based on a conservative interpretation of reference assuming that all such events will occur during severe weather. Reference gives a probability of failure to survive as 0.06.



Table-13 : Event Tree for Structural Failure Structural Failure of Drilling Rig

	Sub Event		
	No precautionary evacuation	Progressive failure	Description
Probability	0.1	0.1	
Structural failure 2.8E-03 per year	2.8E-04	2.8E-05	1 Loss of Rig, personnel have time to evacuate
		2.5E-04	2 Catastrophic loss
	2.5E-03		3 Loss of Rig with no personnel on Rig

Table-14 : Consequence Calculations for Structural Failure of Drilling Rig

Sub Event	Frequency per year	Men in immediate area	Prob of immediate fatality	Estm. Immediate fatalities	Men needing escape/evacuation	Means of escape/evacuation	Prob of fatality	Estm. Escape/evac fatalities	Total fatalities	AFR
1 Loss of Rig, personnel have time to Evacuate	2.8E-05	114	0	0	114	H	1.3E-05	1.5E-03	0	4.1E-08
2 Catastrophic loss	2.5E-04	114	0.5	57	114	L/R	1.E-01	11.4	68	1.7E-02
3 Loss of Rig with no personnel on board	2.5E-03	114	0	0	114	H	1.3E-05	1.5E-03	0	3.7E-06

TOTAL 1.7E-02

AFR 7.6E-05

IRPA

Evacuation methods

TR - muster in TR (no evacuation required) H - Muster in TR and evacuation



Table-15 : Assumptions for Non Process Fires of Drilling Rig

Sl. No	Assumption	Comments
1	Frequency of all fires is taken as 0.021 per annum	Possible sources are diesel spills, electrical fires, accommodation fires.
2	All (100%) of these fires are assumed to be non-process related	Conservative approach reflecting the reality that most fires will be minor and arise from non-process related causes
3	Assume that 20 % of all fires result in significant damage	Reference states that 19% of all fires are considered significant or greater. This figure is rounded up to 20% to ensure conservatism.
4	Two fatalities will occur where there is significant damage. Otherwise, no fatality will occur	Conservative approach. As these fires are not process related the available inventory to feed the fire is assumed to be limited. Hence the fire will be contained and will not be capable of impacting many people on the Rig. It is also assumed that Rig fire fighting capability will always be able to extinguish the fire

Table-16 : Event Tree for Non Process Fires of Drilling Rig

		Sub Event	
		Description	Frequency per year
Probability	0.2		
Fire 2.1E-02 per year	4.2E-03	1 Fire causing no significant damages	4.2E-03
	1.7E-02	2 Fire resulting in no significant damages	1.7E-02



Table-17 : Consequence Calculations for Non Process Fires of Drilling Rig

Sub Event	Frequency per year	Men in immediate area	Prob of immediate fatality	Estm. Immediate fatalities	Men needing escape/evacuation	Means of escape/evacuation	Prob of fatality	Estm. Escape/evac fatalities	Total fatalities	AFR
1 Fire causing no significant damages	4.2E-03	N/A	N/A	2	112	TR	0	0	2	8.4E-03
2 Fire resulting in no significant damages	1.7E-02	N/A	N/A	0	114	TR	0	0	0	0.0E+00

TOTAL 8.4E-03

AFR 3.7E-05

IRPA

Evacuation methods TR - muster in TR (no evacuation required) H - muster in TR and evacuation

Table-18 : Assumptions for Hydrocarbon Leaks During Well Testing

Sl. No	Assumption	Comments
1	Assume annual gas leakage frequency of 0.00027	<p>Derived from reference assuming:</p> <ul style="list-style-type: none"> Test equipment skid mounted, typically consisting of; heater, test separator, surge drum, holding tank, metering runs, and associated pipework. This equates to 4 pressure vessels, 2 flanges, 2 valves (assume inlet and outlet to isolate skid) and an assumed 40 metres of pipework reference gives the following annual failure frequencies: pressure vessel (0.00015), valve (0.00023), flange (0.000088), piping (4" to 11" – 0.000036 per metre) This produces an annual leak frequency of $(4 \times 0.00015) + (2 \times 0.000088) + (0.00023 \times 2) + (40 \times 0.000036) = 0.0027$ Each test lasts for 5 days, there are 7 tests per year hence the equipment is at risk for $35/365$ of a year = 0.1



Sl. No	Assumption	Comments
		<ul style="list-style-type: none"> • Thus annual leak frequency is $0.0027 \times 0.1 = 0.00027$ • testing equipment pressurized at all times
2	Assume that 95% of leaks can be isolated	Typical value used in risk assessments. Detection can be by personnel or automatic equipment and relates to the probability of a single valve not closing. As isolation is possible via the wellhead master control valve, the BOP or and ESD valve within the test equipment this can be considered a conservative approach
3	If the gas release is not isolated all workers in the immediate vicinity will be assumed to be exposed	Conservative approach Assume 10 men in the immediate vicinity during testing
4	If the release is isolated no fatalities occur	If the release is isolated only a short lived jet fire or small flash fire is possible in the event of ignition or a small volume of potentially poisonous gas in the event that the gas contains H ₂ S. In all these scenarios the threat is limited and contained and hence they do not result in any fatalities
5	Assume probability of ignition of 0.1	Reference suggests that the probability of ignition for small and large gas leaks is 0.005 and 0.3 respectively. Reference indicates that this upper value may be too conservative by recommending a probability of ignition for blowouts of 0.1. Most leaks from process equipment are small and hence a figure towards the lower end of the scale will be most appropriate. Although a lower figure may be justifiable the figure of 0.1 is considered suitably conservative
6	When ignition occurs: <ul style="list-style-type: none"> • 50% of the time it occurs immediately and results in a jet fire • 50% of the time it will be delayed and result in an explosion 	In the event of ignition of hydrocarbons the following may occur; <ul style="list-style-type: none"> • Pool fire: a burning pool of liquid (oil or well fluid) on the Rig • Jet fire: a burning jet of gas which if ignited soon after it occurs results in an intense stabilised jet which is very destructive to anything within it or close to it • Flash fire: delayed (say after 15 minutes) ignition of a gas release. In this time the release may have formed an extensive plume and the ensuing fire will kill everyone within it who is unprotected but not damage structures • Confined explosion: delayed ignition of a gas release within a confined space, the delay (usually in excess of 5 minutes) giving time for an explosive mixture to build up. It has the potential for considerable fatalities and damage. It is assumed that the necessary degree of confinement does not exist on a jack up



Sl. No	Assumption	Comments
		<ul style="list-style-type: none"> Vapour cloud explosion: an ignited gas plume which burns in such a way that it generates overpressures characteristic of an explosion. A simple but conservative approach has been taken that all immediate ignition events result in a jet fire while the results of all delayed ignition events (whether they are from a flash fire or a vapour cloud explosion) are equally severe
7	No allowance is made for the Rigs fire-fighting capability	A very conservative approach which also reflects lack of knowledge of the Rigs safety equipment
8	Probability of fatalities if the gas leak is not isolated are as follows: <ul style="list-style-type: none"> 0% probability for un-ignited releases if low H₂S or CO₂ present. Otherwise see Items-9 and 10 10% for jet fires 50% for explosions 	Generally reflective of a typical industry approach
9	For unignited gas releases assume a 5% probability that the reservoir contains volumes of H ₂ S or CO ₂ at concentration levels high enough to cause fatalities	Estimate
10	Unignited releases if the gas contains high levels of H ₂ S or CO ₂ <ul style="list-style-type: none"> 10% probability of fatality for all personnel on Drilling Rig as a result of H₂S poisoning 0% probability of fatality for all other personnel who are assumed to follow the pre-arranged H₂S drill and successfully evacuate the Rig Personnel evacuating Rig will have escape & evacuation probability of fatalities 	It is conservatively assumed that gas rather than oil is present in the reservoir. Assume that best practice H ₂ S protection measures are adopted and regular drills held. Assume personnel on the Rig are warned of impending danger by alarms, etc. Personnel at most risk assumed to be in open areas. All personnel follow procedures but, as a result of equipment failure or lack of training only 90% success is achieved



Table-19 : Event Tree For Hydrocarbon Leaks During Well Testing

	Release is isolated	Ignition	Delayed ignition	High H ₂ S or CO ₂ concentration	Sub Event	
					Description	Frequency per year
Probability	0.95	0.1	0.5	0.05		
Hydrocarbon leak 2.7E-04 per year	2.6E-04	2.6E-05	1.3E-05		1 Small flash fire	1.3E-05
			1.3E-05		2 Short-lived jet flame	1.3E-05
			1.2E-05		3 Small gas cloud with high H ₂ S or CO ₂ concentration	1.2E-05
			2.2E-04		4 Small gas cloud with low H ₂ S or CO ₂ concentration	2.2E-04
			6.8E-07		5 Explosion	6.8E-07
			6.8E-07		6 Jet flame	6.8E-07
			6.1E-07		7 Gas cloud with high H ₂ S or CO ₂ concentration	6.1E-07
			1.2E-05		8 Gas cloud with low H ₂ S or CO ₂ concentration	1.2E-05



Table-20 : Consequence Calculations For Hydrocarbon Leaks During Well Testing

Sub Event	Frequency per year	Men in immediate area	Prob of immediate fatality	Estm. Immediate fatalities	Men needing escape/evacuation	Means of escape/evacuation	Prob of fatality	Estm. Escape/evac fatalities	Total fatalities	AFR
1 Small flash fire	1.3E-05	10	0	0	114	TR	0	0	0	0.0E+00
2 Short-lived jet flame	1.3E-05	10	0	0	114	TR	0	0	0	0.0E+00
3 Small gas cloud with high H ₂ S or CO ₂ concentration	1.2E-05	10	0	0	114	TR	0	0	0	0.0E+00
4 Small gas cloud with low H ₂ S or CO ₂ concentration	2.2E-04	10	0	0	114	TR	0	0	0	0.0E+00
5 Explosion	6.8E-07	10	0.5	5	109	H	1.3E-05	1.4E-03	5	3.4E-06
6 Jet flame	6.8E-07	10	0.1	1	113	H	1.3E-05	1.5E-03	1	6.8E-07
7 Gas cloud with high H ₂ S or CO ₂	6.1E-07	10	0.1	1	113	H	1.3E-05	1.5E-03	1	6.1E-07
8 Gas cloud with low H ₂ S or CO ₂ concentration	1.2E-05	10	0	0	114	H	1.3E-05	1.5E-03	0	1.7E-08

TOTAL AFR 4.7E-06

IRPA 2.1E-08

Evacuation methods TR muster in TR (no evacuation required)

H - muster in TR and evacuation



7.1.2.2. Calculation of Individual Risk Per Annum (IRPA)

- Event trees and consequence analysis will be used to evaluate the Annual Fatality Rate (AFR) for each major hazard
- By their method of calculation these AFR's provide a measure of the average risk between the drilling, maintenance and support populations on the Rig. They essentially weight each groups contribution to fatalities by exposure
- All major hazard AFR's will then be summed to derive a total AFR for the Rig
- This figure is the average risk faced in one year by all personnel on the Rig and has been calculated assuming that the Rig always contains 30 personnel
- However, workforce of $30 \times 2 = 60$ to maintain a constant 30 man workforce on the Rig for the whole year.
- Hence the IRPA can be simplistically assumed to be (Total AFR / 60)

7.1.2.3. Analysis Results

The results of the risk analysis for the drilling in Achanta Block which are shown in **Table 82**.

Table-21 : Risk Results

Hazard No.	Major Accident Hazard	Individual Risk Per Annum (IRPA)
1	Blowout During Drilling	1.9E-04
2	Passing Vehicle collision	4.0E-06
3	Dropped Objects	4.7E-05
4	Structural Failure	7.6E-05
5	Non Process Fires	3.7E-05
6	Hydrocarbon Leaks During Well Testing	2.1E-08
	TOTAL	3.54E-04

7.1.2.4. Comparison with ALARP Criteria

The total individual risk (IRPA) for the drilling operation in Achanta Block has been estimated to be **3.54E-04** fatalities per annum. This is within the ALARP region of less than **1.00E-03** but greater than **1.00E-05**. The calculated fatality frequency for each individual hazard is also within the ALARP region with the exception of Vehicle Collision (**4.0E-06**) and Hydrocarbon Leaks during Well Testing (**2.1E-08**). Which are both in the 'broadly acceptable' region. IRPA's in the ALARP Region are tolerable but additional safeguards should be examined to ensure that an ALARP level is reached in practice and the risk further reduced using cost effective solutions.

7.1.2.5. Oil Spill Frequency

The event trees have identified a number of contributions to the release of hydrocarbons from the drilling unit. The safety impacts of these releases have been modelled in the consequence analyses; this section addresses their potential environmental impact taking account of the relative remoteness of Achanta Block from the coastline.



Hydrocarbon releases may arise from the drilling unit's own equipment / tanks, equipment / tanks or from the hydrocarbon reservoir itself. The releases are categorised as follows:

Tier-1 – spills <10 tonnes: These releases are assumed to have only a small, local to the unit, impact and to be capable of being managed solely by the unit. Most spills in this category are likely to be sufficiently small to be dispersed naturally; the remainder assumed to have a limited oil spill response capability. Such incidents can arise from: spills of oils /lubricants; diesel spillages etc. Events resulting in such minor spillages are not conducive to QRA and therefore have not been modelled as part of this QRA.

Tier-2 – spills >10 to 100 tonnes: These incidents may not be capable of being managed entirely by the drilling unit and may require some limited outside support.

Table-22 : Initiating Events Leading To Tier-2 Oil Spill

Initiating Event (Major Accident Hazard)	Hazard No.	Annual Frequency
Dropped Objects	2	5.5E-03

Tier-3 – spills >100 tonnes These incidents, resulting from hydrocarbon releases from the reservoir, have the potential to impact a wider area and, particularly at the upper end of the range, to impact the coast no matter how remote from the shore the unit may be.

Table-23 : Initiating Events Leading To Tier-3 Oil Spill

Initiating Event (Major Accident Hazard)	Hazard No	Annual Frequency
Well Blowout ¹	1	4.4E-02
Leak During Well Testing	8	1.4E-05

NOTES:

- 1: Maximum volume = Open hole flow rate x days to plug well
- 2: Maximum volume assumes that down hole and top drive safety equipment fail to isolate the reservoir

This gives a total spill frequency for Tier 2 and Tier 3 for a drilling operation of **5.0E-02**.

7.1.2.6. Recommendations

Recommendations are given in **Table-84** for each of the risks within the ALARP region. Implementing these recommendations will ensure that the assumptions in the risk assessment are valid and potentially provide cost effective risk reduction measures. These constitute 'best practice' for operational control and would form part of an effective Safety Management System.

In addition recommendations have been made relating to preparedness for dealing with the risk of an oil spill during the drilling operation.


Table-24 : Recommendations for Drilling



Hazard No	Hazard	Recommendation
1	Blowout During Drilling	Through control of the Drilling Contract including the use of Audit ensure that: <ul style="list-style-type: none"> • The Rig is fit for purpose and fully certified • Properly certified equipment is used e.g. BOP etc. • The Drilling Contractor will be competent and will provide qualified staff and supervision • Emergency response and training is adequate
2	Passing Vehicle Collision	Ensure that there is adequate monitoring by Transporting team. Emergency exercises to include dealing with errant Vehicles
3	Dropped Objects	Through control of the Drilling Contract including the use of Audit ensure that: <ul style="list-style-type: none"> • cranes are fully certified • crane operators and banks men are competent • hazardous areas are outside areas used for lifting
4	Structural Failure	Through control of the Drilling Contract including the use of Audit ensure that: <ul style="list-style-type: none"> • the Rig is fully certified • the Rig maintenance is adequate • the Rig is operated within its design criteria
5	Non-Process Fires	Maintain awareness of crew of fire risks within accommodation and engine spaces
ALL	All oil spills resulting from the major hazards	The drilling oil spill planning requires: <ul style="list-style-type: none"> • Response capability at the drill site. Some pollution control capability • back-up resources identified • adequate training in Emergency Response

Proper zoning of the area is to be done to avoid cumulative fire scenarios. MSDS should be provided in the storage areas and clear demarcation of hazards is to be provided. Proper cementing and casing practices should be taken up. Diesel tanks of 2* 6KL are proposed in each drilling site, if the tanks are caught with fire the heat radiation will reach a distance of 100mts which will be well within the site premises. Automatic H₂S gas detection system is to be made available near the well site to avoid fatality due to toxic gases. Heat radiation due to crude oil fire scenario will reach a distance of 326mts but immediate utilisation of BOP will decrease the distances of heat radiation. The proximity of DG sets may be an ignition source in case of any spillages. So safe distance should be maintained in between well and DG Sets

Figure-3: Drilling Site Plan



7.2. Emergency Response Plan

7.2.1. Objectives And Scope

The key objective of this Emergency Response Plan (ERP) is to outline the management, organisational arrangements and available facilities that will be utilised by PFH, in the event of an emergency situation arising during the proposed drilling activity in Achanta Block. The plan identifies the philosophy and approach for managing an emergency and provides an outline of the roles and responsibilities of key PFH and contractor staff for potential emergency scenarios identified as part of the rapid risk assessment conducted for the proposed drilling activity.

The plan should not include specific action items for controlling emergencies but provides a basis on which specific detailed emergency response procedures may be developed.

This section outlines the key elements of an Emergency Response Plan to support the drilling activity.

7.2.1.1. Emergency Response Organisation And Communication

Initial response to any incident will be managed on site. The overall level of response will depend on the nature and scale of the emergency.



Emergency incidents have the potential to impact both PFH (staff / reputation / schedule/ etc.) and the Drilling Contractor (staff / equipment / Rig / reputation / etc.) and require the involvement both PFH and the Drilling Contractors management. Hence there should be one ERP for the drilling operation that reflect the integration of both the PFH and Drilling Contractor's response plans. Where necessary, bridging documents may be required to fully integrate aspects of the two companies response plans.

The initial response to all incidents should be managed by the drilling unit. The Drilling Contractor having most personnel at risk and most knowledge of the drilling unit should take the lead in managing the immediate response to the incident.

The specific structure and organisation of the ERP will be dependent on the location and capability of the Drilling Contractor but will typically consist of On Site Response Team (managed by Drilling Contractor with PFH support);

7.2.1.2. Identified Emergency Scenarios

The Emergency Response Plan (ERP) must be capable of managing the response to the major hazards, identified and any associated environmental risks. In addition the ERP must also address "occupational" hazards including incidents such as Single and multiple accidents requiring medical evacuation).

7.2.1.3. Emergency Classification

The required response will depend on the scale of the incident. Emergency scenarios are categorised into three levels, typically:

Tier-1 Incident (Local Alert)

Tier 1 incidents require no external assistance and can be managed by the Emergency Co-ordinator using on site resources. Typical incidents may include:

- Single casualty (medevac);
- Oil spills <10 tonnes;
- PFH equipment damage;

Tier-2 Incident (Site Alert)

Tier 2 incidents cannot be managed entirely on site. PFH response is typically activated, Incidents may include:

- Substantial security incident;
- Multiple casualty (medevac);
- Oil spill 10-100 tonnes ;
- Substantial fire;
- Cyclone/flooding;
- Cultural conflict.

Tier-3 Incident (External Alert)

Tier 3 incidents are major emergencies beyond site resources with the potential to impact beyond the site limit. External assistance is required and there is immediate mobilisation of PFH. Typical incidents may include:

- Major fire / explosion;



- Oil spill >100 tonnes;
- Fatality.

It should be noted that for any tier incident, when determining tiers for oil spills, the quantity of oil spilt is not the only factor. The environment potentially threatened by the oil is also considered in determining the tier of spill.

7.2.1.4. Emergency Response Activation

The level of callout to deal with an emergency needs to be defined and co-ordinated by PFH. The Emergency Response Contact directory will be updated before the actual commencement of drilling activity.

7.2.2. Disaster Prevention Methods

Effective emergency management should include both detailed emergency response measures and appropriate prevention measures. PFH will assure that the process for assessing potential contractors includes an assessment of each Company's safety record and arrangements for emergency prevention and response.

It may be necessary for the Contractor to demonstrate inter alia:

- Properly documented EHS Management System
- Competent personnel trained in disaster response duties
- Appropriate detection equipment (gas detection including H₂S, smoke detection, radar)
- Suitable fire fighting equipment available and personnel properly trained in its use
- Operational emergency alarm and PA system
- Effective communication equipment including VHF Radio, V-SAT / INMARSAT, mobile VHF radios
- All equipment required for emergency response undergoes routine maintenance and is regularly tested / calibrated
- Detailed evacuation procedures including appropriate muster areas, escape routes including clear signs where appropriate. Personnel should be made aware of evacuation procedures through appropriate training.
- Regular drills/exercises to test ERP's
- Regular review of Emergency Response Plans with modifications as required.
- PFH is also having Operational Risk Management Committee
- BOP of 10000 to 15000 PSI are utilised based on Rig capacity

Decommissioning Phase and Well Abandonment Management

At the conclusion of the exploration-drilling program at each drilling site, an orderly withdrawal of all personnel and the removal of all drilling and testing equipment and non-fixed items from the drilling site will be undertaken.

Broadly, there are two such scenarios:



- In case that the well is completed when economic quantities of hydrocarbons are found, the well will be left with a X-mas tree in place, and all drilling equipment and materials will be removed from the site. A Test Spread will be installed on location to monitor and record the production capabilities of the new well. If the test results are encouraging, a Production Facility will be required to be installed to handle the produced hydrocarbon. A MDPE 4" pipeline may also be required to be installed to evacuate the gas from the well to a nearby ONGC Gas Gathering Station.
- In any other case the site will be cleared and refurbished to permit recovery to as near as possible the pre-existing local environment.

Temporary Suspension of Activities

In the event that economic quantities of hydrocarbons are found, all empty drums, wastes, used and unused drilling fluids, fuel and lubricants will be removed from the drilling site. Water supply and effluent discharge hoses and associated equipment will be removed.

Decommissioning Upon Abandonment

In the event that no economic quantities of hydrocarbons are found, a full abandonment plan will be implemented for the drilling sites in accordance with the applicable Oil Mines Regulation, 1984. The activities mentioned in the above section would apply to decommissioning upon abandonment as well, but abandonment would be more permanent. The overriding principle being that the environment should, with time, be reinstated to broadly its original condition. All concrete or steel installations would be removed to at least 1 m below ground level, so as to ensure that there are no protruding surface structures. In the unlikely event if soil is found to be contaminated, measures would be taken to remove or treat appropriately all contaminated topsoil to promote its remediation.

PFH has accorded top priority to safety and protection of environment in the operational areas. The activities are oriented towards prevention rather than cure and conducted in such a way as to ensure:

- Health and safety of its employees
- Protect the environment
- Optimal utilization of oil field equipment, instruments without leading to any health hazards.
- Health, safety and environment (HSE) matters have given equal status with all other primary business objectives.

7.3. Health and Safety

The impact of drilling the development wells and operating the production facilities have been considered during site preparation, drilling, well testing and demobilization stages. A robust HSE Management Plan is proposed to be put in place so as to mitigate the negative impacts and the entire project is implemented in a sustainable way.

7.3.1. Occupational Health

An Occupational Health Management System is proposed to be kept in place aimed at promoting and maintaining physical, mental and social wellbeing to the highest degree



among the personnel by monitoring their health and the state of the workplace. Occupational Health monitoring shall be made applicable to all the workers at all installations and work centers.

Scope of activities

The scope of activities include the following –

- **Personnel Surveillance:**

Periodic Medical Examination, Pre-Employment Medical Examination and Pre- Placement Medical Examination. Investigations will be carried out at authorized laboratories.

- **Workplace Surveillance:**

Monitoring of all workplaces for Hazards Ergonomic Assessment of the Workplace Sanitation Evaluation will be carried out including potability of Water

- **Educative Function:**

By imparting training in:

- Occupational Health
- Preventive Medicine
- First Aid Training

- **Occupational Health Surveillance Program-**

Onshore operations comes under Mines Act, 1952 and as per Mines Act every person employed in a mine must undergo PME (Periodical Medical Examination) by an approved physician / Hospital at a reasonable periodic interval i.e.

- For age up to 45 yrs - Once in 5 years
- For age from 46 to 55 yrs - Once in 3 years
- For ages above 55 yrs - Once every year

The Operator herewith ensures that he will adopt all measures to safeguard the health of the employees.

7.3.2. Safety

An effective Safety Management System will be put in place to prevent accidents, hazardous incidents and eliminate or minimize their consequences.

Enforcement of Safety

Safety shall be ensured through repeatedly highlighting its utility in preventing loss of life and property and providing training to employees on safe working. Following modes will be followed for this:

- Work Permit System
- Job safety analysis
- Training of employees and contractors
- Surprise checks
- Drills
- Operating manuals / Safety manuals



Monitoring of Systems

Following systems will be monitored regularly for effective implementation:

- Checking of safety interlocks
- Internal audits of facilities in line with OISD-STD-145
- Management of change
- Testing / Inspection of equipment
- Checking of fire detection and protection system

Safety Promotion

Visuals play an important role in reminding personnel of safety information. Therefore, display of following information will be done in the premises:

- Safety precautions for critical operations at strategic locations
- Safety posters and slogans
- Safety records
- Do's and Don'ts at chemicals handling/storage/operation areas
- Need for Wearing helmet and other Personal Protective Equipment (PPEs)
- Labeling of chemicals
- Material Safety Data Sheet (MSDS)
- Safety manuals, Rules and Regulations
- Safety News Letters & bulletins
- Dissipation of incident information

Work Permit

In case, work is required to be performed on the Rig by any person other than the operating personnel of that area, a duly authorized written permit will be obtained by the person / agency executing the work before commencement of the work.

Based on the nature, the work would be undertaken under different types of permits. For example, following jobs will be undertaken with the duly issued hot work permit:

Cutting, Welding, Excavation, Road/Dyke cutting, Electrical lock out / Energising, Confined space entry, Boxing up of a vessel, Working on fragile roof structures, Radiography, Material Handling in operational areas, Crane operation etc. OISD-STD- 105 on Work Permit System will be adhered to regarding issuance of work permits.

Safe Work Practices

Safe Work Practices will be followed during drilling and production operations as given below:

Drilling Operations

Safety precautions during drilling operations involve

Safety during Rig Building / Dismantling Systems

Rig building operations involve dismantling of the structures in old location, transportation and erection of the same at new location. The job involves handling of heavy loads upto 20-30 tons using various heavy material handling operations, transportation from location to location involves accidental risk and such transportation to be handled with extreme care. In Rig building the risks of accident are therefore involved in:



- Use of heavy material handling equipment.
- Transportation of heavy equipment from one location to another location. Rigging up operations involve risks associated with work at height, handling tools in awkward positions, danger of falling object on workers on the ground.

The recommendations listed below serve as a guide for minimizing hazards during Rigging up and dismantling operations.

Rig Dismantling

- All sheaves and shafts of the hoisting system will be checked (zin poles, hoisting sheaves, equalizer sheave, crown block sheaves, traveling block sheaves). All the sheaves, bearings and bushings to be greased.
- All the lifting ropes, casing lines and clamps fitted on lifting ropes will be checked. Lifting rope / bull line will be lubricated prior to lowering mast, draw works and sub-structure.
- Draw works brake, eddy current brake, hydromatic brake will be checked.
- Counter pre-loading tanks will be filled completely with water.
- Required power availability to draw works will be checked.
- Required normal working air pressure to hoisting clutch to be checked.
- Zin poles or Mole trucks for dragging tanks and heavy equipment in slushy areas will be used.
- All the threaded joints will be greased and the threaded ends will be covered by thread protectors to protect joints during transportation
- Lifting hooks will be checked for any cracks or damage during lifting and loading.

Rigging Up

- All sheaves and shafts of the hoisting system will be checked (zin poles, hoisting sheaves, equalizer sheave, crown block sheaves, traveling block sheaves). All the sheaves, bearings and bushings to be greased.
- All the lifting ropes, casing lines and clamps fitted on lifting ropes will be checked. Lifting rope / bull line will be lubricated prior to raising mast, drawworks and sub-structure.
- Check required power to draw works motor is available.
- Check required normal working air pressure to hoisting clutch is available.
- Safety pins will be used, check nuts on fastening devices.
- Unauthorized personnel without safety kits on raised structures or platforms shall not be allowed.
- Lifting rope shall be checked for kinks, damage due to any falling objects on wire rope. Check spelter sockets, clamps and wedge blocks for any damage or cracks before fixing the lifting ropes.
- Quick release valves of draw works will be checked before hoisting the mast.
- Proper load on the ammeters, load meter will be checked before raising the mast.
- Persons not connected directly with the job shall be moved by at least 10 mts from the raising mast.
- Everyone involved would know how to stop draw works in case of emergency.
- Test Rig pneumatic system will be kept at a pressure 1.5 times more than working pressure.



- Crown end of the derrick will be kept at level with the substructure to minimize strain on derrick/mast at the time of initial lift.
- Workers will be told to always wait until the mast comes to a complete rest before going near a frame/ pedestal for fixing of stay bolts/pins.
- No loose tools/ bolts or any other materials shall be left on the mast members while raising mast.
- Mast will be raised to about 30 cms above the saddle, condition of the foundation bolts will be checked for any cracks, or any sinking of foundation itself. Lower back the mast, rest on the saddle and rise again.
- Rising of mast shall be done in a slow speed in the lowest gear.
- Derrick designed with guy ropes will be fastened with steel guy ropes. Each guy rope will have a separate dead end for anchoring. It will be ensured that guy rope is free of kinks, cuts or any other damage before using it and replace when such observations occurred.

Well Control Equipment

General Considerations:

The following consideration will be made when selecting well control equipment-

- The equipment shall be selected to withstand the maximum anticipated surface pressure.
- The blowout preventer stack shall consist of remotely controlled equipment capable of closing the well with or without the pipe in the hole.
- Welded flange or hub connections are mandatory on all pressure systems as approved for threaded connections. In some areas, well control equipment suitable for sour service may be required, in such cases the complete high pressure BOP system shall consist of metallic materials resistant to sulphide stress cracking.
- Kill lines will not be smaller than 2" nominal dia and shall be fitted with two valves and an NRV. Choke lines will not be smaller than 3" through bore and are to be connected with two valves to the BOP stack of which the outer valve shall be hydraulically operated. When kill and choke lines are employed, both lines will not be smaller than 2" through bore and the outer valve of each line shall be hydraulically operated.
- In the BOP stack, blind/shear rams shall be provided during drilling and work over operations. The blind/shear rams shall always be capable of shearing the drill pipe/tubing in use under No load conditions and subsequently providing a proper seal.
- In the stack, the blind ram will be upper and pipe ram will be lower. This will facilitate to changing the blind ram to pipe ram in case of need and using lower ram as Master ram preventer.
- Closing systems of surface BOPs will be capable of closing each ram preventer within 30 seconds, the closing time will not exceed 45 seconds for annular preventers of 20" and larger.
- Closing systems of subsea BOPs will be capable of closing each ram preventer within 45 seconds. Closing time will not exceed 60 seconds for annular preventers.
- All master and remote operating panel handles will be kept in the full open or closed position, and be free to move into either position, i. e. the shear ram operating handles will not be locked.



- All spare operating lines and connections, which are not used in the system, will be properly blocked off with blind plugs at the hydraulic operating unit.
- All 3 positions 4 way valves will be either in the open or close position, as required, they will not be left in the locked or neutral position.
- Drill pipe safety valve (FOSV/ Kelly cock) shall be kept available at Rig floor, which can be conventionally fitted on drill pipe in case kick occurs during tripping Operations.
- In case of other tubular in the hole, change over sub from Drill Pipe to that tubular will be available at Derrick Floor.

Casing and Cementation of Wells

Casing of wells

As drilling progresses, the well is lowered with casings of different length and diameter. The work of lowering the casing in a well will be carried out in accordance with the GTO/ plan.

Casing lowering operations will be done very carefully. The following recommendations provide guidance in this respect:

- The Rig I/C Tool pusher will familiarize himself with the inspection practices specified in the standards by the manufacturer.
- Casing will be handled at all times on racks or wooden/metal surfaces free of sand, dirt etc.
- Cleaning and visual inspection of casing threads will be done on rack and all casing pipes will be provided with thread protectors on the rack.
- Floating equipment (float shoe, float collar) will be properly checked before installation.
- Every joint will be drifted with a proper go-gauge.
- Locking compound will be used for float shoe, float collar and bottom 3-4 singles.
- In stabbing, casing will be lowered carefully to avoid damaging the threads.
- Stabbing will be done vertically preferably with assistance of a man on the stabbing board.
- Mast will be centered.
- Slip and tong marks are injurious. Every possible effort should be made to keep such damage at minimum by using proper up to date equipments.
- The length of the backup line of tong will be such as to cause minimum bending stresses on the casing.
- Proper torque practices will be followed. Hydraulic tong will be used for proper make up/ torquing of joint. The tong will be provided with a reliable torque gauge.
- In the initial stages of makeup, any irregularities of make up or speed of makeup will be observed, since these may be indicative of cross threads or damaged threads.
- To prevent galling while making up, the connections will be made up at a speed not exceeding 25 rpm.
- Filling of casing during running in will be closely monitored.
- Casing will be lowered in the well smoothly to avoid surge pressures.
- Mechanical aids will be placed on casing in accordance with the plan.
- Circulating sub with kelly and casing connections will be available at the Rig floor prior to start casing.



- Spiders are recommended for long casing strings and for heavier loads (preferably load more than 150 tons).
- Last casing pipe on which BOP and safety equipment is to be installed will be lowered with matching nipple having good threads in order to avoid any gas or oil leakage.
- Lowering of the last two pipes with mud circulation will be ensured with low speed.
- During cementation, if any sign of activity in the well is noticed; appropriate protective measures will be taken to keep the well under control.
- A safety clamp will be used when running the first joint of casing.
- During running of casing, intermediate circulation needs to be made and minimum gelation will be ensured.
- To get a good cement sheath, cement slurry will be kept heavier than mud by 0.2 to 0.5 gm/cc.
- Casing string will be rotated during cementation for perfect uniform cement bonding.

Cementation of wells

During the construction of a well, a steel pipe, known as “casing” is lowered into the drilled open hole, to prevent the hole from collapse and to create a conduit for the formation fluid to enter and brought to surface. The space between the steel pipe and the open hole, known as “annulus” is filled with a sheath of cement to provide support for the pipe string, as well as protect any part of the casing in contact with formation water from corrosion. The cement is placed as a slurry, designed & laboratory tested specifically for each well to provide the slurry with the required properties under the known down hole environment, eg.; pressure, temperature, formation fracture gradient, etc.. Thus, different cement additives are added to the slurry, either in a dry form with the bulk cement or by mixing in the mix water to obtain these desired slurry properties. The cement slurry is mixed, pumped and placed into the well annulus by a “Cement Unit”.

The Cement Unit comprises of 2 diesel-engine powered high pressure Horizontal Triplex pumps, with accessories, such as; a Mixing Tub with an agitator, water tanks, piping and valves to allow the mixing of powered cement with water and additives to prepare a cement slurry with the required parameters for the specific well condition. The bulk cement, stored in silos is fed to the Cement Unit through pneumatic transfer. The required water, pre-mixed with the required cement additives is pumped to the Cement Unit by a centrifugal pump. The cement slurry is prepared & re-circulated in the Cement Unit until the desired slurry density is attained and then pumped down-hole by the Horizontal Triplex Pumps. The Cement Unit can be manually operated, or set on “automatic” to get the optimum slurry mix. The Cement Unit will be fitted with safety pressure relief valves and pressure gauges.

The Safety measures for the cementing operations are specific for each stage of the operation. During the “Preparation Stage”, Dust Mask, Safety Goggle, Hard hat and Hand Gloves are standard PPE to be worn by personnel involved in the cutting of Cement sacks & cement additives sacks, and during the preparation of the Mix Water, including the liquid additives, as may be required. During the “Rigging-up of the Cement Unit” and tying-in to the suction and discharge hoses, caution is also to be made not to injure others as a number of personnel may be involved at this stage. The same caution is required during the “Rigging-down of the Cement Unit”. During the actual “Slurry Pumping” stage, the operation involves displacing the slurry at high pressures. The Area of Operation is to be cordoned off and only the most essential of Personnel may be allowed. Failure of a steel discharge hose could cause fatalities, and all these lines are staked to the ground, and to be pressure



tested to a x2 Safety Factor before start of any operation. Due to the nature of the operation, only personnel specifically trained & skilled in this specific operation are allowed to undertake this operation.

Drilling Equipment

Derrick and masts

- Every derrick or mast will be of sound construction and adequate strength, be maintained in safe working order and will be adequately secured to prevent it from overturning because of wind velocity. Wherever required, guy ropes will be used and anchored properly as per the recommendations of the manufacturer.
- Hoisting of the load must be done at a speed of less than 1 meter/sec. Departure and arrival of the load must be slow and gradual with no jerk.
- No welding jobs on derrick member are allowed normally.
- All bolt connections of derrick or mast will have lock nuts or split pins and spring washers.
- Derrick /mast bolted type will be inspected at least once in a fortnight by the top man and he will particularly see whether the bolts are properly tightened and lock nuts or split pins and spring washers are secured in position. Similar checks on pin type derrick/mast will be made before spudding of well.
- Once in every year, the welded joints of derrick/mast will be cleaned and examined for any defect. Such checks will also be made immediately after any untoward incident in the derrick that might affect its strength and Rig will carry test certificate from competent authority to this effect.

Draw works

- The draw works on a rotary drilling Rig serves to either lift pipe and casing out of the well or lower into it. It is important that the draw works controls are designed, installed and maintained in such a manner as to provide a driller at his control panel complete visibility, rapid control of hoisting operations and adequate protection against moving equipment.
- The drum shafts and keys of the draw works will be provided with suitable guards.
- At the Driller's control panel a suitable device will be provided to stop the draw works in case of an emergency.

Guards and covers

- During Rigging up, guards and covers will be placed at least on moving shafts, engines and transmissions.
- Open holes on floor must be covered to avoid accident.
- When work is to be carried out at height exceeding 1.8 mts. for installation of rotary hose, BOP well head etc. a portable working platform with non-skid surface and hand rails will be used.
- Guards and cover must be secured properly. Proper size of nuts and bolts with lock pin/check nuts will be used when guard or cover is at height.
- Guards/Covers will be of proper size and shape.
- A safety monitor system, which signals the potentially dangerous loss of control of brake excitation, shall be available.



Air Gap

If there is corrosion in the air gap between the rotor assembly and the pole faces of the magnet assemblies due to the use of poor quality cooling water, this gap distance may gradually increase to a point where peak torque will be reduced. In making any field check of this gap distance, it is necessary to allow for any pitting and for any scale buildup to determine the effective gap distance. Any scale present does not provide an effective magnetic path so it must be deducted from the measurement. This air gap will be checked monthly.

Overflow

- In normal operations, water should never be coming out of this over flow. This overflow needs to be checked daily.
- If the brake cooling water is shared with other remote machines, fresh water will be added to prevent acquiring too much acid content. Also add corrosion resistant chemicals as recommended by a water treatment specialist.
- If iron oxide flakes off the magnet and rotor, the air gap is increased. This decreases the brake torque capacity. The air gap will be as listed in the specifications .If the air gap increases beyond 0.100 inch, brake will be returned to Baylor for rebuilding. Rust and scale will be removed before measuring the air gap.

Rotary Table

The rotary table operating through drive bushings rotates the kelly and through it the drill string and the bit. It also serves as supporting table for the string and to screw and unscrew tool joints, connections of drill string, casing and tubing's.

- The rotary table gear, driving chains and sprockets will be securely guarded.
- The Driller will not engage the rotary clutch without watching the rotary table. He must satisfy himself that persons are at a safe distance from the moving parts. The lock of the rotary table will not be used to arrest its motion.
- Drilling crew must not put their foot on a moving rotary table. Periodical inspection and maintenance will be carried out as per operational procedure and be recorded.

Crown Block

- Crown block assembly will be securely bolted.
- The sheaves will be provided with metal guards where the clearance between the sheaves and its guards will not be more than half the diameter of the ropes so as to prevent the wire rope from jumping out of the sheaves.
- The crown block will be inspected regularly and preventive maintenance carried out as per schedule and recorded.
- It will not be lubricated while in motion.

Traveling Block

- The traveling block sheaves will be provided with suitable guards to prevent fingers of drilling crew being drawn into it during operations.
- When any load is attached to the traveling block, it will not be left unattended.
- When not in use, the traveling block will be kept as near as possible to the rotary table and the brake lever of the draw works will be securely locked to prevent any inadvertent movement of the traveling block.



Hook

- Every drilling hook will be equipped with locking device, which will prevent the load from being accidentally disconnected from the hook.
- The hook will be securely guarded during the round trip.
- Elevator links will be securely latched with the hook by lock nuts or suitable pins.

Kelly

- The Kelly will be provided with Kelly cocks at its upper and lower ends. Kelly cocks are valves installed between swivel and kelly and also between kelly and drill pipes to control pressure, will a high pressure back flow of fluid occur, thus keeping the pressure off the swivel and rotary hose. The pressure rating of Kelly cocks will be greater than the expected bottom hole pressure in the well being drilled. The kelly cocks will be pressure tested before installation .The Kelly will not be lifted from its rat hole until the swivel bail is securely latched to the hook. The rat hole casing will be about 50 centimeters above the derrick floor.
- The upper left hand threads of Kelly will be checked at regular intervals.
- Any repairs to the swivel gooseneck or rotary hose will preferably be done when the Kelly is in the rat hole.
- When drilling is in progress or string is in open hole, any repair of swivel or wash pipe will be done after pulling out the string in cased hole to avoid stuck up and keep the hole full with mud all the times to avoid the kick situation.

Rotary Hose

- The ends of rotary hose will be fitted with safety chains or safety clamps will be of proper size, will be placed 18 " or less from the hose end. Hose will not be intentionally back twisted as it reduces the resistance of the hose to bursting and kinking or steel wire ropes to provide support in the event of failure of normal connection. The pump end of the hose will be secured with the derrick by a chain at least 1/2 " thick. Swivel end of the hose will be secured with a similar chain fastened to the body of the swivel. In no case will the chain be fastened to the swivel gooseneck because the gooseneck may break.
- When circulating mud at high pressure, the drilling crew will remain at a safe distance from the rotary hose.

Tongs

In drilling work, some of the most serious accidents are caused by the tongs used for making up or breaking out the pipes, drill collars and casings. Some of the recommendations for safe use of the tongs are as follows:

- Make up and break out tongs will be used in pairs for tightening and loosening of pipe joints.
- Tongs will be fitted with safety line of sufficient length to gain full benefit of pull from the break out cathead, but will be short enough to prevent complete rotation of the tongs.
- The ends of tongs safety line will be secured with at least three wire line clamps.
- Tong counter balance weight and lines will be adequately guarded to prevent accidental contact.



- The tong latches will be kept clean and lubricated; its dies will be checked for wear. If tong dies are worn out, they will be immediately replaced.
- Welded tongs will not be used.
- When not in use tongs will be hooked back in the derrick corner.
- The backup tongs will be snubbed either to the substructure or to anchor posts attached to it; it will not be snubbed to derrick leg.
- The strength of safety line of tongs will be more than the pull or break out line strength of both the tongs.

Slips

- Slips will be greased on its tapered side to facilitate its removal. Since a stuck slip handle can cause injury to hand or fingers
- Slip handles will be lubricated.
- To grasp the slips, the palms of the hands will face the drill pipes.
- Slips of correct size will only be used.
- In no case welded slips will be put into operation.
- The slips will be inspected regularly using a straight edge to detect uneven wear or damage.
- Downward motion of the pipe must be arrested with the draw work brakes and not with the slips.

Elevator

- Elevators will be securely latched to the pipe as otherwise a pipe dropped may cause serious injuries to the drilling crew working at the derrick floor.
- When latching an elevator in motion, the Rig crew will place their hand around the pipe only when the elevator has come to complete stop as otherwise it may result in injury to the hands.
- The elevator hinge pin, hinge and latch mechanism will be lubricated for ease of operation.
- When latching an elevator to a joint of pipe or casing lying in the “Vee” door, the Rig man will ensure that the elevator door is on the upper side of the pipe and it is securely latched to the pipe or casing.

Cat Heads and Cat Lines

- If the shaft on which a cat head is mounted, projects beyond the guard or other moving parts of machinery, the shaft end or the key for securing the shaft, will be covered with a smooth thimble.
- Cat head operated manually will be provided with a guide divider to ensure separation of the first wrap of cat line from subsequent wraps. Cat heads will have reasonably smooth surface.
- When the cathead is in use, the driller will remain at the controls, carefully watching the lifting operations; he will be assisted by a signal man. In the event of any emergency, the driller will immediately stop the rotation of the cat head.
- Damaged cat lines or jerk lines would not be used on a cathead and will be replaced.
- The cathead operator will keep his operating area clear and will ensure that the portion of the catline not being used is kept neatly coiled or spooled.
- When not in use, the catline will be neatly coiled and kept in a dry place.



Spinning Chains

- Spinning chains used for screwing and unscrewing of pipes will be of adequate strength, of proper length and be maintained in good condition.
- It will be normalized and inspected periodically as per the recommendations of the manufacturer.
- For smooth operation of spinning chains, roller guards mounted on bearings and fitted with grease nipples will be provided at the derrick floor and will be so positioned that the Driller, while at the controls, is not endangered due to the operations.
- The roller guards will be regularly lubricated.

Engines

- Internal combustion engines of over 30 HP will be provided with means, other than manual, for starting them.
- It will also be provided with a lock out device to ensure that the external source of power, if started inadvertently when the engine is under repairs, does not result in any danger to persons undertaking the repairs.
- All moving parts of the engine, which may pose danger to persons working in the vicinity eg. cooling fan, shaft ends, flexible drives etc will be provided with suitable guards.
- The various compressed air cylinders shall be purged daily or even more often if necessary.
- The exhaust system of the engine will be fitted with silencer and spark arrestors to prevent discharge of open flame and sparks from the exhausts unless the exhaust gases are otherwise cooled and conditioned.
- The engine will be provided with emergency stop device and also fitted with a control at driller's control panel, so that the engine can be stopped manually during emergency.

Mud Pumps

- The mud pumps provide fluids under high pressure to the drilling equipment and will be fitted with safety pressure relief valve and pressure gauge.
- The relief valve will be set to discharge if the pressure exceeds 10% above the working pressure.
- The discharge line from the pressure relief valve will be anchored and piped to a place where it will not endanger persons.
- No valve will be installed between the pump and its safety pressure relief valve. The safety valves must be frequently checked and cleaned, principally after the pumps have been used for cementing.
- The pump will also be provided with bleeder valve, so that if it is necessary to release pressure in the mud system during drilling operations, it could be released through the bleeder valve. For example, with the line under pressure if the kelly is to be opened, mud will splash on the derrick floor, unless the pressure is first released through the bleeder valve.
- Prior to spudding of well mud pump manifold system must be tested at 1.5 times the working pressure of the system.

Production Operations



In the Production facilities, separators, heater-treater, crude, storage tanks, effluent storage tanks, gas storage tanks, pipelines with associated valves, pumping equipment, gas flare stack system, and monitoring instrumentation make up the basic facility. The produced fluid is first passed through a 2 or 3-phase Separator. The gas phase is either flared or sold as Sales Gas. The liquid phase may be condensate, crude or a water/oil emulsion. This is passed through the Heater-Treater that assists in breaking down the emulsion at elevated temperatures. The separated water is sent to the Effluent Tank and the liquid hydrocarbon to the Crude Storage Tank.

As there is always a presence of gas and crude, the facility is to be designed to address potential fire hazards, including Firewater Pumps, Fire Water Tank, Foam Generators, etc. Leakage from flow lines and also incoming and outgoing lines can result in oil spills/gas leakage. Any oil spill/gas leakage is to be rectified on priority. The safety hazards common to installation are as follows:

Pressurized Vessels & Pipelines

The safety valves, pressure gauges and liquid level controls of separators need frequent checks. The separator and its safety valves unless tested and maintained properly can result in bursting of separator with serious consequences. The safety valve will be tested once in six months. Back flow of fluids from separator to wellhead can also be hazardous. Hydrate formation in production systems and well heads needs special attention by taking suitable remedial measures.

Fire Hazards

Flammable matter like oil and gas are constantly present and unless sources of ignition like naked lights, frictional sparks, electrical sparks, static electric charges, lightning, Overheated surfaces, are carefully controlled, fire could be a major hazard. In some cases, even auto ignition takes place.

Accumulation of Oil Vapor

Oil vapor which is heavier than air tends to settle down and accumulate near loading and unloading point for road tankers, open pits containing accumulation of oil and around storage tanks, particularly during winter. The accumulated oil vapour can be easily ignited and may even explode. In a confined space, they tend to make the atmosphere leaner in oxygen content-confined to difficulty in normal breathing (asphyxiation) and/or adverse physiological effects (with more than 0.1% concentration of hydrocarbons).

Explosion Hazard

Large quantities of gas released from separators is generally piped away from the installation and flared, but in case the flare is extinguished, large quantities of unburnt gas is discharged into the atmosphere, which may lead to an explosion. Pyrophoric iron sulphide in lines and vessels can also cause an explosion when coming in contact with air.

Safe practices

Recommendations listed below will provide guidance for safety in the light of hazards mentioned above.

Separators, Heater-Treater and Pipelines



- Separators, connecting lines, valves, flow lines and collector lines will be hydraulically tested to one and half times the maximum working pressure and the installation will not be commissioned unless the test results are satisfactory.
- Separators, heater treater, bath heaters and other pressure vessels will be periodically hydraulically tested once in 3 years at 1.5 times the max permissible working pressure and a record will also be maintained thereof.
- Thickness measurements of all pressure vessels will be done at least once in 3 year.
- Every separator will be provided with a safety valve. The pressure leaving safety device shall be set to open at a pressure not exceeding 10% of the maximum allowable working pressure.
- The safety valve will be installed directly on the separator and no valves will be fitted between the vessel and the line connecting the safety valve. Every safety valve will be provided with an arrangement for testing its efficiency.
- Suitable working platforms with stair cases and hand rails will be provided for maintenance of separators and its safety valves. The discharge line of every safety valve will be connected to the flare line for safe disposal of gas released from it.
- Safety valves of the pressure vessels like separators, scrubbers, heater treaters etc. will be tested at least once in six months and record thereof.
- At the header manifold, a non-return valve will be provided in each flow line connected to well.
- In each flow line, an emergency shut-off valve will be installed on the upstream side of the non- return valve, which can be closed manually in case emergency.
- At the overhead crossing of a steam pipeline, a condensate trap will be provided just before such crossing, otherwise the condensate may cause severe hammer in the pipeline.
- A steam trap will also be provided in the pipeline immediately before it enters the storage tank.
- Thermal insulation with asbestos rope will be provided in the exhaust pipes of bath heater and heater treater at least up to a height of 1.8 meters from ground level.
- Process areas like separators platform, heater treater area, pump house, tank farm etc. will have free passage for safe working of operators. In case of interference by pipelines, in the free movement of operator, suitable walk ways will be made.

Precautions against Fire

- Smoking is strictly prohibited inside the production installation. Prohibitory sign for these precautions will be displayed at the gate on the panel board. Anybody entering the Rig if carrying any smoking apparatus like cigarettes, matches and lighters etc. must deposit the same at the gate.
- Emergency exit : In an enclosed area, before undertaking any operation, it will be ensured that there are at least two escape ways, unobstructed and easily accessible,
- Hand tools used for loosening or tightening etc. It will be of non-sparking type.
- The following precautions will be taken to prevent electrical spark:
- In every zone-1 hazardous area, only intrinsically safe flame-proof electrical apparatus and equipment(s) will be used, whereas in every zone-2 hazardous area, only flame-proof or increased safety or pressurized electrical apparatus and equipment will be used.
- RIG will be protected against lightning by suitable lightning arresters which will be installed as per I.S. standards. (IS: 4850-1968)



- Lightning arresters will not be installed directly on storage tanks.
- While loading and unloading oil in road tankers, its engine will be stopped and battery isolated from the electric circuit. The engine will not be re-started and the battery will not be connected to the electric until all tanks and valves have been securely closed.
- At the loading arm, all oil pipelines, filling and delivery hoses, metallic loading arm, swivel joints, tank and chassis of tank vehicle will be electrically continuous and be efficiently earthed.
- Overheated surfaces can cause fire. The probable sources are, the discharge line of compressed air at high pressure, exhaust pipe of diesel and gas engines, chimneys of the emulsion heater treater, water bath heater and steam lines going to storage tanks.
 - The chimneys will be adequately insulated. The compressed air discharge lines will be connected to inter-coolers with automatic temperature recorder alarm, which will sound a warning if the temperature exceeds the prescribed limit.
 - In case of diesel engine, the exhaust gas will be conditioned so as to reduce its temperature.
- Hot work permit will be issued to the concerned persons by shift In-charge with approval from area In-charge, prior to commencement of any hot job inside the installations.
- Efficient earthing of all vessels and equipment will be done to take care of static charges. Earthing connections will be checked every year and measured values will be recorded in a register. Earthing pits will be clearly marked for inspection.
- Spillage of flammable liquids will be minimized to mitigate risk of fire and will be immediately cleaned.
- All firefighting equipment will be maintained in good condition.
- Electrical control room, switch gear room, computer room etc. will be maintained in good condition. There will be rubber mats in electrical control room and switch gear room and cables will be properly led in trenches. Lighting fixtures will be permanent and no hanging wires or naked bulbs are permitted. There will not be any leakage of water from ceiling in electrical control room and switch gear room. Starter panels of all equipment will be in good condition and rear doors will be closed when equipment are in operation.
- Use of electrical equipment including lighting fitting is prohibited in zone-0 hazardous area. Flame proof and intrinsically safe lighting fitting/equipment will be used in Zone-1 and Zone-2 hazardous area as per IS - 2148 - 1968 and IS - 8289 - 1976 and IS - 2206 - 1976.
- Vessel entry permit is to be issued by area in-charge with due approval of mines manager prior to taking up cleaning / maintenance jobs in any vessel.
- Fire hydrants, water sprinkler system, foam lines of storage tanks will be inspected regularly to ensure their smooth functioning.
- Regular inspection of well head fittings is to be carried out for any leakage of gas/oil. To prevent unauthorized entry to the wells, periodical inspection of fencing is to be done.
- Flammable material will be kept away from source of heat and stored in suitable cans and at proper place.
- All electrical equipment and fittings will be maintained properly.
- First aid items will be maintained properly.



- Regularly removal of accumulated waste material like dry vegetation is to be ensured.
- Routine maintenance of all machinery will be ensured.
- Close supervision of premises at all times is to be ensured.
- There will be proper drainage system in process areas. Necessary sumps will be available in all critical areas like pump house, storage tanks, separator platforms etc. to collect and recover spilled oil.
- Water supplies will be adequate.
- Prohibitory caution signs will be displayed at all critical places.
- All the wells will be clearly marked for easy identification.

Precautions against Accumulation of Oil Vapor

Loading and unloading points and open pits into which oil is discharged are the possible locations where oil vapors may accumulate. It may also accumulate near the storage tank. Regular checks with explosive meter will be made for presence of flammable vapors, particularly in the night hours and in winter months. Whenever any dangerous accumulation of flammable vapors is observed, immediate steps will be taken to remove such accumulation by arranging adequate ventilation in the area. Suitable air blowers may be used for the purpose.

Disposal of Gas through Flare System

- As far as practicable, the flare line will be laid below ground. It will be provided with a bleeding valve and a knock-out drum to drain condensate from the line. In case of any overhead crossing, the bleeding valve will be located immediately before such crossing on the upstream side. Regular draining of the flare line is essential, as otherwise accumulation of liquid in the line may restrict passage and create a back pressure at the separators which may in turn lead to failure of the system.
- The flare line will terminate with a vertical riser pipe of not less than 9 meters in height.
- When the gas flow is intermittent, the flare line will be provided with a pilot burner with remote control electrical ignition device to ensure that the pilot burner is continuously lighted.
- At the flare stack, a water seal drum will be provided to prevent ingress of air into the flare line.
- Leakage of gas if any in flare line and in flare stack will be attended on priority.
- There will not be any seepage of effluent from effluent evaporation pit located in gas flare area.
- Effluent evaporation pit will be prepared with suitable masonry boundary wall and asbestos enclosure to prevent seepage and transmission of heat respectively.
- Passage to flare area will be kept accessible and free from dry vegetation.

Safe distances

- Smoking is strictly prohibited within 30 meters of any well, separator, petroleum storage tank or other sources of flammable gases.
- No naked light or open flame or spark will be permitted within 30 meters of any well or any place where petroleum is stored.



- No flame type, crude oil treater or other flame type equipment will be placed within 30 meters of any well, separator, petroleum storage tank except where such flame type equipment is fitted with a flame arrester.



Environmental Impact Assessment Report for Appraisal/Development Drilling & Production in Contract Area KG/ONDSF/ACHANTA/2016 located at Achanta & Kodamanchilli Villages, Achanta Mandal, West Godavari District, Andhra Pradesh by PFH Oil & Gas Pvt Ltd

Chapter 7 :Additional Studies
